

雇用均等・児童家庭局母子保健課長
大臣官房厚生科学課長

第3次対がん総合戦略研究事業中間・事後評価委員名簿

(○：委員長)

今岡 真義	NTT 西日本大阪病院 院長
消化器外科	
Treatment of Inferior Vena Cava Obstruction Producing Budd–Chiari Syndrome. <u>Shingi Imaoka</u> , Nobuhiro Okamoto, Toru Kobayashi, Kiyoshi Fujimoto, Takeshi Iwanaga. Arch Surg, 1984;119:965–968.	
The Significance of the Fibrin/Fibrinogen Degradation Product in Serum of Carcinoma Patients With Hematogenous Metastasis. <u>Shingi Imaoka</u> , Yo Sasaki, Takeshi Iwanaga, Toshio Terasawa. Cancer, 58 (7) :1488–1492, 1986	
Immunochemotherapy in Human Hepatocellular Carcinoma Using the Streptococcal Agent OK–432. <u>Shingi Imaoka</u> , Yo Sasaki, Osamu Ishikawa, Hiroaki Ouhigashi, Hiroki Koyama, Takeshi Iwanaga, Shingo Ishiguro. J Clin Oncol. 4:1645–1651, 1986	

○ 上田龍三	名古屋市立大学大学院医学研究科・教授
腫瘍内科、分子標的治療、抗体療法	
Yano, H., Ishida, T., Inagaki, A., Ishii, T., Ding, J., Kusumoto, S., Komatsu, H., Iida, S., Inagaki, H., Ueda, R.: Defucosylated Anti CC Chemokine Receptor 4 Monoclonal Antibody Combined with Immunomodulatory Cytokines: A Novel Immunotherapy for Aggressive/Refractory Mycosis Fungoides and Sezary Syndrome. Clin Cancer Res. 13(21): 6494-6500, 2007	
Oguri T., Ozasa H., Uenura T., Miyazaki M., Maeso K., Maeda H., Ueda R.: MRP7/ABCC10 expression is predictive biomarker for the resistance to padlotaxel in non-small cell lung cancer. Mol Cancer Ther. 7(5): 1150-5, 2008	

Zhao, C., Inoue, J., Imoto, I., Otsuki, T., Iida, S., Ueda, R. and Inazawa, J. :
 POU2AF1, an amplification target at 11q23, promotes growth of multiple
 myeloma cells by directly regulating expression of a B-cell maturation factor,
 TNFRSF17. *Oncogene*. 27(1): 63-75, 2008

加藤 治文	国際医療福祉大学大学院主任教授、新座志木中央総合病院名誉院長、東京医科大学名誉教授
呼吸器外科学	
<p>A randomized trial of adjuvant chemotherapy with uracil-tegafur for adenocarcinoma of the lung. <u>Kato H</u>, Ichinose Y, Ohta M, Hata E, Tsubota N, Tada H, Watanabe Y, Wada H, Tsuboi M, Hamajima N, Ohta M; Japan Lung Cancer Research Group on Postsurgical Adjuvant Chemotherapy. <i>N Engl J Med</i>. 2004 Apr 350(17): 1713-21.</p>	
<p>Phase II clinical study of photodynamic therapy using mono-L-aspartyl chlorin e6 and diode laser for early superficial squamous cell carcinoma of the lung. <u>Kato H</u>, Furukawa K, Sato M, Okunaka T, Kusunoki Y, Kawahara M, Fukuoka M, Miyazawa T, Yana T, Matsui K, Shiraishi T, Horinouchi H. <i>Lung Cancer</i>. 2003 Oct 42(1): 103-11.</p>	
<p>Proteomic analysis of stage I primary lung adenocarcinoma aimed at individualization of postoperative therapy. Maeda J, Hirano T, Ogiwara A, Akimoto S, Kawakami T, Fukui Y, Oka T, Gong Y, Guo R, Inada H, Nawa K, Kojika M, Ohira T, Mukai K, <u>Kato H</u>. <i>British Journal of Cancer</i> 2008 98: 596-603.</p>	

澁谷正史	上武大学副学長、東京医科歯科大学客員教授
分子生物学、血管生物学	
<p>MMP9 induction by Vascular Endothelial Growth Factor Receptor-1 is involved in lung specific metastasis. Hiratsuka, S., Nakamura, K., Iwai, S., Murakami, M., Itoh, T., Kijima, H., Shipley, J. M., Senior, R. M., and <u>Shibuya, M.</u> <i>Cancer Cell</i>, 2 (Oct.), 289-300, 2002.</p>	