

<p><u>Sasazuki T</u>, Juji T, Morishima Y, Kinukawa N, Kashiwabara H, Inoko H, Yoshida T, Kimura A, Akaza T, Kamikawaji N, Kodera Y, Takaku F. Effect of matching of class I HLA alleles on clinical outcome after transplantation of hematopoietic stem cells from an unrelated donor. New Engl. J. Med., 339:1177-1185, 1998</p>
<p>Fukui Y, Hashimoto O, Sanui T, Oono T, Koga H, Abe M, Inayoshi A, Noda M, Oike M, Shirai T, <u>Sasazuki T</u>. Hematopoietic cell-specific CDM family protein DOCK2 is essential for lymphocyte migration. Nature, 412: 826-831, 2001</p>
<p>Kochi Y, Yamada R, Suzuki A, Harley JB, Shirasawa S, Sawada T, Bae S-C, Tokuhiro S, Chang X, Sekine A, Takahashi A, Tsunoda T, Ohnishi Y, Kaufman KM, Kang CP, Kang C, Otsubo S, Yumura W, Mimori A, Koike T, Nakamura Y, <u>Sasazuki T</u>, Yamamoto K. A functional variant in <i>FcRH3</i>, encoding Fc Receptor Homolog 3, is associated with rheumatoid arthritis and several autoimmunities. Nature Genet., 37:478-485, 2005</p>

谷口 克	独立行政法人理化学研究所 免疫・アレルギー科学 総合研究センター・センター長
免疫学	
A novel subset of mouse NKT cells bearing the IL-17 receptor B responds to IL-25 and contributes to airway hyperreactivity. Terashima A, Watarai H, Inoue S, Sekine E, Nakagawa R, Hase K, Iwamura C, Nakajima H, Nakayama T, Taniguchi M. <i>J. Exp. Med.</i> 205: 2727-2733, 2008.	
IL-21-induced B epsilon cell apoptosis mediated by natural killer T cells suppresses IgE responses. Harada M., Magara-Koyanagi K., Watarai H., Nagata Y., Ishii Y., Kojo S., Horiguchi S., Okamoto Y., Nakayama T., Suzuki N., Wen-Chen Y., Akira S., Kitamura H., Ohara O., Seino K., Taniguchi M. <i>J. Exp. Med.</i> 203:2929-2937, 2006.	
CD1d-restricted and TCR-mediated activation of Va14 NKT cells by glycosylceramides. Kawano, T., Cui, J., Koezuka, Y., Toura, I., Kaneko, Y., Motoki, K., Ueno, H., Nakagawa, R., Sato, H., Kondo, E., Koseki, H., and Taniguchi, M. <i>Science</i> .278:1626-1629, 1997.	

戸山 芳昭	慶應義塾大学医学部整形外科学教室・教授
整形外科学、リウマチ学、脊椎・脊髄外科学	

Cell surface colony-stimulating factor 1 can be cleaved by TACE- α converting enzyme or endocytosed in a clathrin-dependent manner :
Keisuke Horiuchi, Takeshi Miyamoto, Hironari Takaishi, Akihiro Hakozaki, Naoto Kosaki, Yoshiteru Miyauchi, Mitsuru Furukawa, Jiro Takito, Hironari Kaneko, Kenichiro Matsuzaki, Hideo Morioka, Carl P Blobel, Yoshiaki Toyama
J Immunology 179:6715–6724, 2007.

慢性関節リウマチの手術療法/RA頸椎病変：
渡辺雅彦、戸山芳昭、松本守雄
リウマチナビゲーター(中村耕三、山本一彦、原まさ子編集)
メディカルレビュー社 pp254–255, 2001.

Prognosis of RA patients with operated cervical lesions:
Toyama Y, Kamata M, Suzuki N, Fujimura Y, Hirabayashi K.
11th Annual Meeting of Cervical Spine Research Society(European Section) Panel discussion (1995. 6. 7–10, Erlangen, Germany)

鳥居 新平

名古屋大学医療短期大学部名誉教授
総合上飯田第一病院アレルギー科嘱託

小児アレルギー学

The prevalence of IgE sensitization to formaldehyde in asthmatic children.
Doi S, Suzuki S, Morishita M, Yamada M, Kanda Y, Torii S, Sakamoto T.
Allergy. 58(7):668-71, 2003

Vitamin A reduces lung granulomatous inflammation with eosinophilic and neutrophilic infiltration in Sephadex-treated rats.
Torii A, Miyake M, Morishita M, Ito K, Torii S, Sakamoto T.
Eur J Pharmacol. 30;497(3):335-42, 2004

シックハウス症候群と未分類の多種化学物質過敏症の分離の試み
-シックハウス症候群の定義および症状-
鳥居新平、平山耕一郎、秋山一男、池澤善郎、内山英一、岡本美孝、小倉英郎、高橋清、西間三馨

アレルギー55 : 1515–1530, 2006

橋本 博史	順天堂大学 名誉教授
膠原病・リウマチ学	
Focused microarray analysis of peripheral mononuclear blood cells from Churg-Strauss syndrome patients. Tougan T, Onda H, Okuzaki D, Kobayashi S, <u>Hashimoto H</u> , Nojima H:DNA Research 15:103–114, 2008	
Analysis of risk epitopes of anti-neutrophil antibody (MPO-ANCA) in vasculitis in Japanese population. Suzuki K, Kobayashi S, Yamazaki K, Gondo M, Tomizawa K, Arimura Y, Nakabayashi K, Ozaki S, Yoshida M, Yoshida T, Tsusaka N, Muso E, Okazaki T, <u>Hashimoto H</u> :Microbiol Immunol 51:1215–1220, 2007	
Vertebral fracture and bone mineral density in women receiving high dose glucocorticoids for treatment of autoimmune disease. Kumagai S, Kawana S, Atsumi T, Inokuma S, Okada Y, Kanai Y, Kaburagi J, Kameda H, Suwa A, Hagiwara H, Hirohata S, Makino H, <u>Hashimoto H</u> :J Rheumatol 32:863–869, 2005	

松井 宣夫	名古屋市総合リハビリテーションセンター・センター長（名古屋市立大学名誉教授）
整形外科学	
Arthroscopic versus open synovectomy in rheumatoid knee. Matsui N, Taneda Y, Ohta H, Itoh T, Tsuboguchi S. International Orthopaedics 13, 17–20, 1989.	
図説関節リウマチの手術 基本手技の展開とポイント：松井 宣夫、井上 一、勝呂 徹共著、medical view社、(2002)	

Clinical Results of Acetabular Bone Graft in Cementless THA. Matsui N.

Asia Pacific Orthopaedic Association, Adelaide Australia, 2001

眞野 健次	帝京科学大学 理事、帝京短期大学 教授
アレルギー、呼吸器 内科学	
「新臨床内科学 第9版」：肺 Langerhans(ランゲルハンス)細胞組織球症」眞野健次他共著、医学書院、(2009)。	
Effect of hydrocortisone on β -adrenergic receptors in lung membrane. Mano, K., Akbarzadeh, A., Townley, R.G. Life Sci 25:1925-1930, 1979.	

(○：委員長)

宮本 昭正	日本臨床アレルギー研究所 所長
アレルギー・リウマチ学	
Allergenic identity between the common floor mite (<i>Dermatophagoides farinae</i> , Hughes 1961) and house dust as a causative antigen in bronchial asthma, Miyamoto, T., Oshima, S., Ishizaki, T., Sato, S. J. Allergy. 1968 42:14-28	
Environmental factors in the development of allergic reactions. Toxicological and immunological aspects of drug metabolism and environmental chemicals, Miyamoto, T., Takafuji, S., Suzuki, S., Tadokoro, K., Muranaka, M. Symposia Medica Hoechst, 1987 22:553-567	