

Levels of radioactive contaminants in foods reported on 29 May 2013 (Test results carried out since 1 April 2012)

Note: This data sheet compiles individual test results shown in corresponding press release written in Japanese, available at

<http://www.mhlw.go.jp/stf/houdou/2r9852000001hb77.html>

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|----|-------------|-------------------|-------|----------------------------|-----------------------|--------------------------------------|---------------------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 1 | Saitama | - | - | post marketed | agricultural products | Carrot | - | Nal | 28-May-13 | 28-May-13 | <10 | <10 | <20 |
| 2 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Cucumber | indoor cultivation | Ge | 22-May-13 | 27-May-13 | <3.49 | <4.92 | <8.4 |
| 3 | Miyagi | Misato-machi | - | pre marketed | agricultural products | Cucumber | indoor cultivation | Ge | 22-May-13 | 27-May-13 | <4.71 | <4.98 | <9.7 |
| 4 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Spinach | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | <5.42 | <5.03 | <10 |
| 5 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Lettuce | indoor cultivation | Ge | 22-May-13 | 27-May-13 | <3.10 | <3.21 | <6.3 |
| 6 | Miyagi | Sendai-shi | - | pre marketed | agricultural products | Cucumber | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <3.56 | <3.75 | <7.3 |
| 7 | Miyagi | Sendai-shi | - | pre marketed | agricultural products | Spinach | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <4.36 | <5.16 | <9.5 |
| 8 | Miyagi | Tagajo-shi | - | pre marketed | agricultural products | Japanese radish | outdoor cultivation | Ge | 23-May-13 | 27-May-13 | <3.58 | <3.83 | <7.4 |
| 9 | Miyagi | Matsushima-machi | - | pre marketed | agricultural products | Brassica leafy vegetable (Wasabina) | indoor cultivation | Ge | 24-May-13 | 28-May-13 | <3.44 | <4.56 | <8.0 |
| 10 | Miyagi | Rifu-cho | - | pre marketed | agricultural products | Spinach | outdoor cultivation | Ge | 24-May-13 | 28-May-13 | <5.26 | <4.36 | <9.6 |
| 11 | Miyagi | Rifu-cho | - | pre marketed | agricultural products | Japanese radish | indoor cultivation | Ge | 22-May-13 | 28-May-13 | <4.48 | <4.76 | <9.2 |
| 12 | Miyagi | Osato-cho | - | pre marketed | agricultural products | Strawberry | indoor cultivation | Ge | 22-May-13 | 28-May-13 | <4.94 | <3.74 | <8.7 |
| 13 | Miyagi | Osato-cho | - | pre marketed | agricultural products | Broccoli | outdoor cultivation | Ge | 22-May-13 | 28-May-13 | <4.44 | <4.31 | <8.8 |
| 14 | Miyagi | Osato-cho | - | pre marketed | agricultural products | Japanese radish | outdoor cultivation | Ge | 22-May-13 | 28-May-13 | <3.89 | <3.75 | <7.6 |
| 15 | Miyagi | Tomiya-machi | - | pre marketed | agricultural products | Japanese mustard spinach (komatsuna) | outdoor cultivation | Ge | 23-May-13 | 28-May-13 | <4.82 | <3.39 | <8.2 |
| 16 | Miyagi | Kurihara-shi | - | pre marketed | agricultural products | Zucchini | indoor cultivation | Ge | 23-May-13 | 27-May-13 | <4.06 | <5.11 | <9.2 |
| 17 | Miyagi | Kurihara-shi | - | pre marketed | agricultural products | Cucumber | indoor cultivation | Ge | 23-May-13 | 27-May-13 | <4.90 | <5.82 | <11 |
| 18 | Miyagi | Kurihara-shi | - | pre marketed | agricultural products | Snap bean | indoor cultivation | Ge | 23-May-13 | 28-May-13 | <3.52 | <5.75 | <9.3 |
| 19 | Miyagi | Kurihara-shi | - | pre marketed | agricultural products | Spinach | outdoor cultivation | Ge | 23-May-13 | 28-May-13 | <4.99 | <5.95 | <11 |
| 20 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Japanese mustard spinach (komatsuna) | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <5.10 | <4.16 | <9.3 |
| 21 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Japanese mustard spinach (komatsuna) | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <5.48 | <5.45 | <11 |
| 22 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Lettuce | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <4.51 | <5.40 | <9.9 |
| 23 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Qing-geng-cai | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <5.67 | <5.86 | <12 |
| 24 | Miyagi | Iwanuma-shi | - | pre marketed | agricultural products | Cucumber | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <3.92 | <4.67 | <8.6 |
| 25 | Miyagi | Iwanuma-shi | - | pre marketed | agricultural products | Cucumber | indoor cultivation | Ge | 21-May-13 | 27-May-13 | <5.14 | <4.71 | <9.9 |
| 26 | Miyagi | Ishinomaki-shi | - | pre marketed | agricultural products | Japanese mustard spinach (komatsuna) | indoor cultivation | Ge | 24-May-13 | 28-May-13 | <4.65 | <4.89 | <9.5 |
| 27 | Miyagi | Kesenuma-shi | - | pre marketed | agricultural products | Cabbage | outdoor cultivation | Ge | 27-May-13 | 28-May-13 | <4.55 | <6.07 | <11 |
| 28 | Miyagi | Kesenuma-shi | - | pre marketed | agricultural products | Spinach | outdoor cultivation | Ge | 27-May-13 | 28-May-13 | <4.31 | <6.20 | <11 |
| 29 | Miyagi | Minamisanriku-cho | - | pre marketed | agricultural products | Spinach | indoor cultivation | Ge | 27-May-13 | 28-May-13 | <4.41 | <4.75 | <9.2 |
| 30 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Chinese chive | outdoor cultivation | Ge | 24-May-13 | 28-May-13 | <4.09 | <5.33 | <9.4 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|----|-------------|----------------|--------------------------------|----------------------------|-----------------------|-------------------------------|---------------------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 31 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Chinese chive | outdoor cultivation | Ge | 24-May-13 | 28-May-13 | <3.78 | <4.92 | <8.7 |
| 32 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 24-May-13 | <10 | 12 | 12 |
| 33 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 24-May-13 | <10 | 21 | 21 |
| 34 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 24-May-13 | <10 | <10 | <10 |
| 35 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 24-May-13 | <10 | <10 | <10 |
| 36 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 24-May-13 | <10 | 13.4 | 13 |
| 37 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Aralia sprout | wild | Ge | 16-May-13 | 24-May-13 | <10 | <10 | <10 |
| 38 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Aralia sprout | wild | Ge | 15-May-13 | 24-May-13 | <10 | 10.4 | 10 |
| 39 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Koshiabura | wild | Ge | 16-May-13 | 24-May-13 | 290 | 637 | 930 |
| 40 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Japanese royal fern | wild | Ge | 19-May-13 | 24-May-13 | 18.1 | 33.6 | 52 |
| 41 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | 48.7 | 98.9 | 150 |
| 42 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 20-May-13 | 27-May-13 | 18.7 | 39.8 | 59 |
| 43 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | 18.4 | 37.8 | 56 |
| 44 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | 19 | 43.8 | 63 |
| 45 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | <10 | 16.9 | 17 |
| 46 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | <10 | 16.5 | 17 |
| 47 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | 13.2 | 24.2 | 37 |
| 48 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | 10.6 | 21.8 | 32 |
| 49 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | <10 | 12 | 12 |
| 50 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | 25.4 | 47.9 | 73 |
| 51 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 22-May-13 | 27-May-13 | <10 | 19.2 | 19 |
| 52 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | 16.7 | 36.2 | 53 |
| 53 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | 30.1 | 68.6 | 99 |
| 54 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | 17.3 | 32.9 | 50 |
| 55 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | 11.9 | 20 | 32 |
| 56 | Miyagi | Marumori-machi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 21-May-13 | 27-May-13 | <10 | 13.7 | 14 |
| 57 | Miyagi | - | Kinkasan • Enoshima offshore | pre marketed | fishery products | Japanese seabass | wild | Ge | 22-May-13 | 27-May-13 | 4.78 | 11.7 | 16 |
| 58 | Miyagi | - | Onagawa bay offshore | pre marketed | fishery products | Littlemouth flounder | wild | Ge | 21-May-13 | 27-May-13 | < 4.21 | < 5.36 | < 9.6 |
| 59 | Miyagi | - | Onagawa bay offshore | pre marketed | fishery products | Marbled flounder | wild | Ge | 21-May-13 | 27-May-13 | < 4.99 | < 4.75 | < 9.7 |
| 60 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Halfbeak | wild | Ge | 22-May-13 | 27-May-13 | < 5.12 | < 4.88 | < 10 |
| 61 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Japanese spineless cuttlefish | wild | Ge | 22-May-13 | 27-May-13 | < 0.291 | < 0.327 | < 0.62 |
| 62 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Ocellate spot skate | wild | Ge | 22-May-13 | 27-May-13 | < 4.60 | < 5.92 | < 11 |
| 63 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Finepatterned puffer | wild | Ge | 22-May-13 | 27-May-13 | 1.72 | 3.17 | 4.9 |
| 64 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Japanese black porgy | wild | Ge | 22-May-13 | 27-May-13 | 3.41 | 7.27 | 11 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|----|-------------|--------------|---------------------------------|----------------------------|-----------------------|--|---------------------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 65 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Black rockfish | wild | Ge | 22-May-13 | 27-May-13 | < 4.73 | < 5.82 | < 11 |
| 66 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Panther puffer | wild | Ge | 22-May-13 | 27-May-13 | 3.35 | 5.82 | 9.2 |
| 67 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Japanese seabass | wild | Ge | 22-May-13 | 27-May-13 | 4.89 | 11 | 16 |
| 68 | Miyagi | - | Higashimatsushima-shi offshore | pre marketed | fishery products | Dotted gizzard shad | wild | Ge | 22-May-13 | 27-May-13 | < 0.438 | 0.668 | 0.67 |
| 69 | Miyagi | - | Miyagi offshore | pre marketed | fishery products | Giant pacific octopus | wild | Ge | 21-May-13 | 27-May-13 | < 0.339 | < 0.317 | < 0.66 |
| 70 | Miyagi | - | Miyagi offshore | pre marketed | fishery products | Threadfin hakeling | wild | Ge | 21-May-13 | 27-May-13 | < 3.97 | < 4.17 | < 8.1 |
| 71 | Miyagi | - | Pacific ocean offshore | pre marketed | fishery products | Skipjack tuna | wild | Ge | 22-May-13 | 27-May-13 | 0.314 | < 0.406 | 0.31 |
| 72 | Miyagi | - | Kesennuma-shi offshore | pre marketed | fishery products | Japanese seabass | wild | Ge | 23-May-13 | 27-May-13 | 4.81 | 10.1 | 15 |
| 73 | Miyagi | - | Matugahama offshore | pre marketed | fishery products | Japanese squillid mantis shrimp | wild | Ge | 23-May-13 | 27-May-13 | < 6.62 | < 7.29 | < 14 |
| 74 | Miyagi | - | Kinkasan*Enoshima offshore | pre marketed | fishery products | Japanese seabass | wild | Ge | 23-May-13 | 27-May-13 | 3.8 | 8.16 | 12 |
| 75 | Miyagi | - | Samenoura offshore | pre marketed | fishery products | Shotted halibut | wild | Ge | 22-May-13 | 27-May-13 | < 4.72 | < 5.62 | < 10 |
| 76 | Miyagi | - | Oosu offshore | pre marketed | fishery products | Olive flounder | wild | Ge | 22-May-13 | 27-May-13 | < 5.18 | < 5.28 | < 10 |
| 77 | Miyagi | - | Kitakami river (Ishinomaki-shi) | pre marketed | fishery products | Brackish-water clam | wild | Ge | 22-May-13 | 27-May-13 | < 6.93 | < 6.82 | < 14 |
| 78 | Miyagi | - | Kitakami river (Ishinomaki-shi) | pre marketed | fishery products | Brackish-water clam | wild | Ge | 22-May-13 | 27-May-13 | < 6.10 | < 6.46 | < 13 |
| 79 | Miyagi | - | Natori-shi offshore | pre marketed | fishery products | Olive flounder | wild | Ge | 23-May-13 | 27-May-13 | 1.86 | 4.25 | 6.1 |
| 80 | Miyagi | - | Kinkasan*Enoshima offshore | pre marketed | fishery products | Japanese seabass | wild | Ge | 28-May-13 | 28-May-13 | 4.62 | 11.7 | 16 |
| 81 | Miyagi | - | Miyagi offshore | pre marketed | fishery products | Olive flounder | wild | Ge | 27-May-13 | 28-May-13 | 11.3 | 23.9 | 35 |
| 82 | Miyagi | - | Yamamoto offshore | pre marketed | fishery products | Olive flounder | wild | Ge | 27-May-13 | 28-May-13 | 3.48 | 7.08 | 11 |
| 83 | Miyagi | Sendai-shi | - | pre marketed | agricultural products | Lettuce | outdoor cultivation | Nal | 23-May-13 | 23-May-13 | — | — | <25 |
| 84 | Miyagi | Tagajo-shi | - | pre marketed | agricultural products | Japanese radish | outdoor cultivation | Nal | 23-May-13 | 23-May-13 | — | — | <25 |
| 85 | Miyagi | Taiwa-cho | - | pre marketed | agricultural products | Spinach | indoor cultivation | Nal | 23-May-13 | 23-May-13 | — | — | <25 |
| 86 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Cauliflower | indoor cultivation | Nal | 21-May-13 | 24-May-13 | — | — | <25 |
| 87 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Broccoli | indoor cultivation | Nal | 21-May-13 | 24-May-13 | — | — | <25 |
| 88 | Miyagi | Sendai-shi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Nal | 20-May-13 | 21-May-13 | — | — | <25 |
| 89 | Miyagi | Sendai-shi | - | pre marketed | agricultural products | Giant butterbur | outdoor cultivation | Nal | 20-May-13 | 21-May-13 | — | — | <25 |
| 90 | Miyagi | Sendai-shi | - | pre marketed | agricultural products | Parasenecio delphinifolius (Monggisa) | outdoor cultivation | Nal | 16-May-13 | 21-May-13 | — | — | <25 |
| 91 | Miyagi | Tomiya-machi | - | pre marketed | agricultural products | Hosta montana | outdoor cultivation | Nal | 19-May-13 | 21-May-13 | — | — | <25 |
| 92 | Miyagi | Tomiya-machi | - | pre marketed | agricultural products | Giant butterbur | outdoor cultivation | Nal | 19-May-13 | 21-May-13 | — | — | <25 |
| 93 | Miyagi | Taiwa-cho | - | pre marketed | agricultural products | Fatsioma umbellatum var. meja (Dwabamso) | outdoor cultivation | Nal | 19-May-13 | 21-May-13 | — | — | 36 |
| 94 | Miyagi | Ohira-mura | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Nal | 20-May-13 | 21-May-13 | — | — | <25 |
| 95 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Cauliflower | indoor cultivation | Nal | 21-May-13 | 24-May-13 | — | — | <25 |
| 96 | Miyagi | Natori-shi | - | pre marketed | agricultural products | Broccoli | indoor cultivation | Nal | 21-May-13 | 24-May-13 | — | — | <25 |
| 97 | Miyagi | Kami-machi | - | pre marketed | agricultural products | Chinese yam | outdoor cultivation | Nal | 1-May-13 | 21-May-13 | — | — | <25 |
| 98 | Miyagi | Kami-machi | - | pre marketed | agricultural products | Jerusalem artichoke | outdoor cultivation | Nal | 10-Nov-12 | 21-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|-----------------------|-------|----------------------------|-----------------------|--|---------------------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 99 | Miyagi | Kami-machi | - | pre marketed | agricultural products | Spring onion (not forming bulb) | outdoor cultivation | Nal | 20-May-13 | 21-May-13 | — | — | <25 |
| 100 | Miyagi | Misato-machi | - | pre marketed | agricultural products | Onion | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 101 | Miyagi | Misato-machi | - | pre marketed | agricultural products | Japanese radish | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 102 | Miyagi | Misato-machi | - | pre marketed | agricultural products | Lettuce | indoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 103 | Miyagi | Osaki-shi | - | pre marketed | agricultural products | Cucumber | outdoor cultivation | Nal | 24-May-13 | 24-May-13 | — | — | <25 |
| 104 | Miyagi | Kurihara-shi | - | pre marketed | agricultural products | Japanese radish | indoor cultivation | Nal | 23-May-13 | 24-May-13 | — | — | <25 |
| 105 | Miyagi | Kurihara-shi | - | pre marketed | agricultural products | Japanese radish | indoor cultivation | Nal | 23-May-13 | 24-May-13 | — | — | <25 |
| 106 | Miyagi | Kurihara-shi | - | pre marketed | agricultural products | Qing-geng-cai | indoor cultivation | Nal | 23-May-13 | 24-May-13 | — | — | <25 |
| 107 | Miyagi | Ishinomaki-shi | - | pre marketed | agricultural products | Lettuce | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 108 | Miyagi | Ishinomaki-shi | - | pre marketed | agricultural products | Japanese honeysuckle (Mitsuba) | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 109 | Miyagi | Ishinomaki-shi | - | pre marketed | agricultural products | Spring onion (not forming bulb) | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 110 | Miyagi | Higashimatsushima-shi | - | pre marketed | agricultural products | Potherb mustard (Mizuna) | indoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 111 | Miyagi | Higashimatsushima-shi | - | pre marketed | agricultural products | Tomato | indoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 112 | Miyagi | Ishinomaki-shi | - | pre marketed | agricultural products | Cabbage | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 113 | Miyagi | Ishinomaki-shi | - | pre marketed | agricultural products | Paraseneio deplifolius (Monggo) | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 114 | Miyagi | Higashimatsushima-shi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 115 | Miyagi | Higashimatsushima-shi | - | pre marketed | agricultural products | Bamboo shoot | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 116 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Lettuce | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 117 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Japanese mustard spinach (komatsuna) | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 118 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Leaf lettuce (red) | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 119 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Leaf lettuce (red) | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 120 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Chinese chive | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 121 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Chinese chive | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 122 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Tomato | indoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 123 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Cucumber | indoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 124 | Miyagi | Tome-shi | - | pre marketed | agricultural products | Giant butterbur | outdoor cultivation | Nal | 22-May-13 | 23-May-13 | — | — | <25 |
| 125 | Miyagi | Kesennuma-shi | - | pre marketed | agricultural products | Onion | outdoor cultivation | Nal | 20-May-13 | 20-May-13 | — | — | <25 |
| 126 | Miyagi | Kesennuma-shi | - | pre marketed | agricultural products | Japanese parsley | outdoor cultivation | Nal | 21-May-13 | 21-May-13 | — | — | <25 |
| 127 | Miyagi | Osaki-shi | - | pre marketed | livestock products | Sheep meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 128 | Miyagi | Osaki-shi | - | pre marketed | livestock products | Sheep meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 129 | - | - | - | post marketed | milk • infant formula | Cattle milk | - | Ge | 28-May-13 | 29-May-13 | <3.68 | <3.20 | <6.9 |
| 130 | - | - | - | post marketed | milk • infant formula | Cattle milk | - | Ge | 28-May-13 | 29-May-13 | <3.68 | <3.17 | <6.9 |
| 131 | - | - | - | post marketed | others | Fermented milk | - | Nal | 28-May-13 | 29-May-13 | — | — | <25 |
| 132 | - | - | - | post marketed | others | Cucumber, pickled with chili pepper (binchi) | - | Nal | 27-May-13 | 29-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|----------------|----------------|----------------------------|------------------|--|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 133 | - | - | | post marketed | others | Cucumber, pickled in rice marked with A. orange | - | Nal | 27-May-13 | 29-May-13 | — | — | <25 |
| 134 | - | - | | post marketed | others | Meat product (Sausage) | - | Nal | 27-May-13 | 29-May-13 | — | — | <25 |
| 135 | - | - | | post marketed | others | Meat product (Sausage) | - | Nal | 27-May-13 | 29-May-13 | — | — | <25 |
| 136 | - | - | | post marketed | others | fermented soybean paste covered with tofu (Dorayaki) | - | Nal | 27-May-13 | 29-May-13 | — | — | <25 |
| 137 | - | - | | post marketed | others | Bean curd byproduct (Okara) | - | Ge | 7-May-13 | 8-May-13 | <4.7 | <5.4 | <11 |
| 138 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 7-May-13 | 8-May-13 | <5.3 | <4.7 | <10 |
| 139 | - | - | | post marketed | others | Bean curd byproduct (Okara) | - | Ge | 7-May-13 | 8-May-13 | <6.7 | <6.8 | <14 |
| 140 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 7-May-13 | 8-May-13 | <4.9 | <4.7 | <9.6 |
| 141 | - | - | | post marketed | others | Bean curd byproduct (Okara) | - | Ge | 7-May-13 | 8-May-13 | <5.5 | <6.4 | <12 |
| 142 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 7-May-13 | 8-May-13 | <5.8 | <5.1 | <11 |
| 143 | - | - | | post marketed | others | Bean curd byproduct (Okara) | - | Ge | 7-May-13 | 8-May-13 | <5.4 | <5.8 | <12 |
| 144 | - | - | | post marketed | others | Soy milk | - | Ge | 7-May-13 | 8-May-13 | <5.3 | <4.3 | <9.6 |
| 145 | - | - | | post marketed | others | Chinese cabbage | - | Ge | 13-May-13 | 15-May-13 | <4.8 | <5.0 | <9.8 |
| 146 | - | - | | post marketed | others | Chinese cabbage | - | Ge | 13-May-13 | 15-May-13 | <5.2 | <5.3 | <11 |
| 147 | - | - | | post marketed | others | Jam | - | Ge | 13-May-13 | 15-May-13 | <5.4 | <4.1 | <9.5 |
| 148 | - | - | | post marketed | others | vegetables, pickled with chili pepper (kimchi) | - | Ge | 13-May-13 | 15-May-13 | <4.3 | <4.6 | <8.9 |
| 149 | - | - | | post marketed | others | Cucumber, pickled in brine | - | Ge | 13-May-13 | 15-May-13 | <4.8 | <4.9 | <9.7 |
| 150 | - | - | | post marketed | others | Chinese cabbage | - | Ge | 13-May-13 | 15-May-13 | <4.1 | <4.9 | <9.0 |
| 151 | - | - | | post marketed | others | Japanese radish, pickled in soybean sauce | - | Ge | 13-May-13 | 15-May-13 | <4.1 | <3.8 | <7.9 |
| 152 | - | - | | post marketed | others | Cucumber, pickled in soybean sauce | - | Ge | 13-May-13 | 15-May-13 | <4.4 | <4.6 | <9.0 |
| 153 | - | - | | post marketed | others | onion, pickled in rice or wheat nabe with A. orange (nabe) | - | Ge | 14-May-13 | 15-May-13 | <5.1 | <5.3 | <11 |
| 154 | - | - | | pre marketed | others | Japanese apricot, salted | - | Ge | 14-May-13 | 15-May-13 | 55.5 | 117 | 170 |
| 155 | - | - | | post marketed | others | Japanese radish, dried | - | Ge | 14-May-13 | 15-May-13 | <5.9 | <6.0 | <12 |
| 156 | - | - | | post marketed | others | Konjac | - | Ge | 14-May-13 | 15-May-13 | <5.1 | <5.5 | <11 |
| 157 | - | - | | post marketed | others | Giant butterbur, cooked | - | Ge | 14-May-13 | 15-May-13 | <3.8 | <5.1 | <8.9 |
| 158 | - | - | | post marketed | others | Bread (containing raisin), rolled | - | Ge | 14-May-13 | 15-May-13 | <4.7 | <5.2 | <9.9 |
| 159 | - | - | | post marketed | others | Jam | - | Ge | 14-May-13 | 15-May-13 | <4.1 | <4.1 | <8.2 |
| 160 | - | - | | post marketed | others | Giant butterbur, cooked | - | Ge | 14-May-13 | 15-May-13 | <3.5 | <3.9 | <7.4 |
| 161 | Tochigi | Utsunomiya-shi | Kinugawa river | pre marketed | fishery products | Ayu sweetfish | - | Ge | 17-May-13 | 29-May-13 | <6.1 | <6.7 | <13 |
| 162 | Tochigi | Utsunomiya-shi | Kinugawa river | pre marketed | fishery products | Ayu sweetfish | - | Ge | 17-May-13 | 29-May-13 | <7.0 | <7.6 | <15 |
| 163 | Tochigi | Tochigi-shi | Omoi river | pre marketed | fishery products | Ayu sweetfish | - | Ge | 21-May-13 | 29-May-13 | <6.4 | <7.3 | <14 |
| 164 | Tochigi | Ashikaga-shi | Watarase river | pre marketed | fishery products | Ayu sweetfish | - | Ge | 21-May-13 | 29-May-13 | <4.0 | <6.8 | <11 |
| 165 | Tochigi | Sano-shi | Akiyama river | pre marketed | fishery products | Ayu sweetfish | - | Ge | 21-May-13 | 29-May-13 | <6.9 | <6.4 | <13 |
| 166 | Tochigi | Nasu-machi | Kuro river | pre marketed | fishery products | Cherry salmon | - | Ge | 23-May-13 | 29-May-13 | <7.1 | <6.9 | <14 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------------------|---|----------------------------|-----------------------|-------------------------------|---------------------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 167 | Tochigi | Nasu-machi | Yosakawa river | pre marketed | fishery products | Cherry salmon | - | Ge | 23-May-13 | 29-May-13 | <7.2 | <8.5 | <16 |
| 168 | Tochigi | Shioya-machi | Arakawa river | pre marketed | fishery products | Cherry salmon | - | Ge | 21-May-13 | 29-May-13 | <7.1 | <7.5 | <15 |
| 169 | Tochigi | Utsunomiya-shi | Kinugawa river | pre marketed | fishery products | Cherry salmon | - | Ge | 17-May-13 | 29-May-13 | <7.3 | <6.9 | <14 |
| 170 | Tochigi | Nikko-shi | Otani river | pre marketed | fishery products | Cherry salmon | - | Ge | 21-May-13 | 29-May-13 | <7.2 | <6.8 | <14 |
| 171 | Tochigi | Utsunomiya-shi | Tagawa river | pre marketed | fishery products | Cherry salmon | - | Ge | 22-May-13 | 29-May-13 | <4.9 | <5.4 | <10 |
| 172 | Tochigi | Ashikaga-shi | Watarase river | pre marketed | fishery products | Cherry salmon | - | Ge | 21-May-13 | 29-May-13 | <4.8 | <5.4 | <10 |
| 173 | Tochigi | Sano-shi | Akiyama river | pre marketed | fishery products | Cherry salmon | - | Ge | 21-May-13 | 29-May-13 | <6.4 | <7.2 | <14 |
| 174 | Tochigi | Shioya-machi | Higashigoya lake | pre marketed | fishery products | Cherry salmon (Sakuramasu) | - | Ge | 21-May-13 | 29-May-13 | <7.4 | <7.5 | <15 |
| 175 | Tochigi | Utsunomiya-shi | Kinugawa river | pre marketed | fishery products | Japanese dace | - | Ge | 17-May-13 | 29-May-13 | <7.8 | <7.3 | <15 |
| 176 | Tochigi | Utsunomiya-shi | Tagawa river | pre marketed | fishery products | Japanese dace | - | Ge | 22-May-13 | 29-May-13 | <5.4 | <5.8 | <11 |
| 177 | Tochigi | Tochigi-shi | Omoi river | pre marketed | fishery products | Japanese dace | - | Ge | 21-May-13 | 29-May-13 | <6.9 | <6.9 | <14 |
| 178 | Tochigi | Nikko-shi | - | pre marketed | fishery products | Cherry salmon | farmed | Ge | 23-May-13 | 29-May-13 | <11 | <9.2 | <20 |
| 179 | Tochigi | Nikko-shi | - | pre marketed | fishery products | Cherry salmon | farmed | Ge | 22-May-13 | 29-May-13 | <8.8 | <8.1 | <17 |
| 180 | Tochigi | Nasushiobara-shi | - | pre marketed | fishery products | Whitespotted char | farmed | Ge | 23-May-13 | 29-May-13 | <8.5 | <7.8 | <16 |
| 181 | Tochigi | Nikko-shi | - | pre marketed | fishery products | Rainbow trout | farmed | Ge | 22-May-13 | 29-May-13 | <10 | <6.4 | <16 |
| 182 | Tochigi | Nikko-shi | - | pre marketed | fishery products | Kokanee | farmed | Ge | 22-May-13 | 29-May-13 | <7.3 | <5.9 | <13 |
| 183 | Tochigi | Nasushiobara-shi | - | pre marketed | fishery products | Rainbow trout (Yashiomasu) | farmed | Ge | 23-May-13 | 29-May-13 | <9.3 | <8.3 | <18 |
| 184 | Tochigi | Ohtawara-shi | - | pre marketed | livestock products | Chicken meat | - | Nal | 29-May-13 | 29-May-13 | — | — | <25 |
| 185 | Gunma | Isesaki-shi | - | pre marketed | agricultural products | Burdock | outdoor cultivation | Ge | 27-May-13 | 29-May-13 | <5.3 | <4.8 | <10 |
| 186 | Gunma | Ota-shi | - | pre marketed | agricultural products | Burdock | outdoor cultivation | Ge | 27-May-13 | 29-May-13 | <4.6 | <4.7 | <9.3 |
| 187 | Gunma | Numata-shi | - | pre marketed | agricultural products | Giant butterbur | indoor cultivation | Ge | 27-May-13 | 29-May-13 | <5.3 | <5.3 | <11 |
| 188 | Gunma | Showa-mura | - | pre marketed | agricultural products | Lettuce | outdoor cultivation | Ge | 27-May-13 | 29-May-13 | <4.7 | <4.8 | <9.5 |
| 189 | Gunma | Takasaki-shi | - | pre marketed | agricultural products | Japanese apricot | outdoor cultivation | Ge | 26-May-13 | 29-May-13 | <4.7 | <4.8 | <9.5 |
| 190 | Gunma | Maebashi-shi | Cooler Station (Maebashi-shi, Takasaki-shi, Fujoka-shi) | pre marketed | milk·infant formula | Cattle milk | - | Ge | 29-May-13 | 29-May-13 | <0.9 | <0.6 | <1.5 |
| 191 | Gunma | Maebashi-shi | Cooler Station (Maebashi-shi) | pre marketed | milk·infant formula | Cattle milk | - | Ge | 29-May-13 | 29-May-13 | <0.9 | <0.8 | <1.7 |
| 192 | Gunma | Ota-shi | Cooler Station (Ota-shi) | pre marketed | milk·infant formula | Cattle milk | - | Ge | 29-May-13 | 29-May-13 | <0.9 | <0.9 | <1.8 |
| 193 | Gunma | Kiryu-shi | - | pre marketed | drinking water | Japanese green tea (infusion) | outdoor cultivation | Ge | 17-May-13 | 29-May-13 | <1.0 | 1.47 | 1.5 |
| 194 | Gunma | Kiryu-shi | - | pre marketed | drinking water | Japanese green tea (infusion) | outdoor cultivation | Ge | 19-May-13 | 29-May-13 | <1.0 | 1.06 | 1.1 |
| 195 | Gunma | Kiryu-shi | - | pre marketed | drinking water | Japanese green tea (infusion) | outdoor cultivation | Ge | 19-May-13 | 29-May-13 | 1.27 | 1.94 | 3.2 |
| 196 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 197 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 198 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 199 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 200 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|---------------|-------|----------------------------|--------------------|------------------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 201 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 202 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 203 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 204 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 205 | Gunma | Maebashi-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 206 | Gunma | Kiryu-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 207 | Gunma | Kiryu-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 208 | Gunma | Kiryu-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 209 | Gunma | Kiryu-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 210 | Gunma | Kiryu-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 211 | Gunma | Kiryu-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 212 | Gunma | Isesaki-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 213 | Gunma | Isesaki-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 214 | Gunma | Isesaki-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 215 | Gunma | Isesaki-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 216 | Gunma | Isesaki-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 217 | Gunma | Isesaki-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 218 | Gunma | Ota-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 219 | Gunma | Ota-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 220 | Gunma | Ota-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 221 | Gunma | Ota-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 222 | Gunma | Ota-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 223 | Gunma | Numata-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 224 | Gunma | Annaka-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 225 | Gunma | Annaka-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 226 | Gunma | Annaka-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 227 | Gunma | Annaka-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 27-May-13 | 28-May-13 | — | — | <25 |
| 228 | Gunma | Tsumagoi-mura | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 229 | Gunma | Tsumagoi-mura | - | pre marketed | livestock products | Cattle meat | | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 230 | Shizuoka | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 17-May-13 | 28-May-13 | <0.84 | <0.83 | <1.7 |
| 231 | Niigata | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 17-May-13 | 28-May-13 | <0.84 | <0.82 | <1.7 |
| 232 | Nagano | - | - | post marketed | others | Enokitake (mushroom), cooked | - | Ge | 17-May-13 | 28-May-13 | <8.5 | <8.5 | <17 |
| 233 | Tokyo | - | - | post marketed | others | Peach, in syrup | - | Ge | 17-May-13 | 28-May-13 | <8.6 | <8.2 | <17 |
| 234 | Gunma | - | - | post marketed | others | Konjac | - | Ge | 17-May-13 | 28-May-13 | <8.2 | <8.2 | <16 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|-------------|----------------|----------------------------|-----------------------|-------------------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 235 | Tokyo | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 17-May-13 | 28-May-13 | <0.69 | <0.93 | <1.6 |
| 236 | Tokyo | - | - | post marketed | drinking water | Japanese green tea (infusion) | - | Ge | 17-May-13 | 28-May-13 | <0.86 | <0.84 | <1.7 |
| 237 | Iwate | - | - | post marketed | agricultural products | Buckwheat | - | Ge | 17-May-13 | 28-May-13 | <8.5 | <8.4 | <17 |
| 238 | Tochigi | - | - | post marketed | agricultural products | Soybean | - | Ge | 17-May-13 | 28-May-13 | <9.4 | <7.6 | <17 |
| 239 | Ibaraki | - | - | post marketed | others | Natto, dried | - | Ge | 17-May-13 | 28-May-13 | <8.2 | <8.7 | <17 |
| 240 | Gunma | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 20-May-13 | 28-May-13 | <0.89 | <0.76 | <1.7 |
| 241 | Yamanashi | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 20-May-13 | 28-May-13 | <0.73 | <0.95 | <1.7 |
| 242 | Yamanashi | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 20-May-13 | 28-May-13 | <0.91 | <0.78 | <1.7 |
| 243 | Yamanashi | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 20-May-13 | 28-May-13 | <0.95 | <0.69 | <1.6 |
| 244 | Ibaraki | - | - | post marketed | agricultural products | Chinese cabbage | - | Ge | 20-May-13 | 28-May-13 | <8.9 | <7.8 | <17 |
| 245 | Yamanashi | - | - | post marketed | agricultural products | Oriental pickling melon | - | Ge | 20-May-13 | 28-May-13 | <8.9 | <7.9 | <17 |
| 246 | Hokkaido | - | - | post marketed | agricultural products | Potato | - | Ge | 20-May-13 | 28-May-13 | <9.5 | <7.4 | <17 |
| 247 | Ibaraki | - | - | post marketed | agricultural products | Bell pepper | - | Ge | 20-May-13 | 28-May-13 | <8.2 | <8.2 | <16 |
| 248 | Hokkaido | - | - | post marketed | agricultural products | Chinese yam | - | Ge | 20-May-13 | 28-May-13 | <8.8 | <8.0 | <17 |
| 249 | Aomori | - | - | post marketed | agricultural products | Apple | - | Ge | 20-May-13 | 28-May-13 | <9.1 | <7.8 | <17 |
| 250 | Chiba | Otaki-machi | - | pre marketed | wild animal meat | Boar meat | - | Nal | 16-May-13 | 17-May-13 | — | — | <15 |
| 251 | Chiba | Otaki-machi | - | pre marketed | wild animal meat | Boar meat | - | Nal | 17-May-13 | 17-May-13 | — | — | <15 |
| 252 | Chiba | Otaki-machi | - | pre marketed | wild animal meat | Boar meat | - | Nal | 17-May-13 | 17-May-13 | — | — | <15 |
| 253 | Chiba | Otaki-machi | - | pre marketed | wild animal meat | Boar meat | - | Nal | 20-May-13 | 20-May-13 | 4.7 | 12.7 | 17 |
| 254 | Chiba | Otaki-machi | - | pre marketed | wild animal meat | Boar meat | - | Nal | 22-May-13 | 24-May-13 | 5.8 | 10.7 | 17 |
| 255 | Chiba | Otaki-machi | - | pre marketed | wild animal meat | Boar meat | - | Nal | 22-May-13 | 24-May-13 | — | — | <15 |
| 256 | Chiba | - | - | post marketed | fishery products | Japanese sardine | - | Ge | 28-May-13 | 29-May-13 | <0.491 | <0.587 | <1.1 |
| 257 | Chiba | - | - | post marketed | agricultural products | Japanese radish | - | Ge | 28-May-13 | 29-May-13 | <0.549 | <0.575 | <1.1 |
| 258 | - | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 28-May-13 | 29-May-13 | <0.446 | <0.577 | <1.0 |
| 259 | - | - | - | post marketed | others | Mackerel, canned | - | Ge | 28-May-13 | 29-May-13 | <0.518 | <0.445 | <0.96 |
| 260 | - | - | - | post marketed | milk·infant formula | Baby food (Vegetable stew) | - | Ge | 28-May-13 | 29-May-13 | <0.439 | <0.641 | <1.1 |
| 261 | Tokyo | Edogawa-ku | Arakawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <6.9 | 8.2 | 8.2 |
| 262 | Tokyo | Edogawa-ku | Arakawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <6.3 | <7.4 | <14 |
| 263 | Tokyo | Edogawa-ku | Arakawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <6.7 | <7.4 | <14 |
| 264 | Tokyo | Edogawa-ku | Nakagawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <7.1 | <7.0 | <14 |
| 265 | Tokyo | Edogawa-ku | Nakagawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <7.1 | 7.2 | 7.2 |
| 266 | Tokyo | Edogawa-ku | Nakagawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <7.3 | <6.8 | <14 |
| 267 | Tokyo | Edogawa-ku | Edogawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | 9.9 | 20 | 30 |
| 268 | Tokyo | Edogawa-ku | Edogawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <5.3 | 5.9 | 5.9 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------------|---------------|----------------------------|---------------------|--|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 269 | Tokyo | Edogawa-ku | Edogawa river | pre marketed | fishery products | Japanese eel | - | Ge | 22-May-13 | 29-May-13 | <4.3 | <5.5 | <9.8 |
| 270 | - | - | - | post marketed | milk•infant formula | | - | Ge | 20-May-13 | 23-May-13 | <0.7 | <0.7 | <1.4 |
| 271 | - | - | - | post marketed | milk•infant formula | Cattle milk | - | Ge | 20-May-13 | 23-May-13 | <0.7 | <0.9 | <1.6 |
| 272 | - | - | - | post marketed | milk•infant formula | Cattle milk | - | Ge | 20-May-13 | 23-May-13 | <0.7 | <0.7 | <1.4 |
| 273 | - | - | - | post marketed | milk•infant formula | Baby food (Fermented milk) | - | Ge | 20-May-13 | 23-May-13 | <3 | <3 | <6 |
| 274 | - | - | - | post marketed | milk•infant formula | Baby food (Fermented milk) | - | Ge | 20-May-13 | 23-May-13 | <4 | <3 | <7 |
| 275 | - | - | - | post marketed | drinking water | Japanese green tea leaves | - | Ge | 20-May-13 | 23-May-13 | <0.7 | <0.4 | <1.1 |
| 276 | - | - | - | post marketed | drinking water | Japanese green tea (infusion) | - | Ge | 20-May-13 | 23-May-13 | <0.5 | <0.4 | <0.9 |
| 277 | - | - | - | post marketed | drinking water | Japanese green tea (infusion) | - | Ge | 20-May-13 | 23-May-13 | <0.6 | <0.6 | <1.2 |
| 278 | - | - | - | post marketed | drinking water | Japanese green tea (infusion) | - | Ge | 20-May-13 | 23-May-13 | <0.4 | <0.4 | <0.8 |
| 279 | - | - | - | post marketed | drinking water | Water (natural mineral water) | - | Ge | 20-May-13 | 23-May-13 | <0.5 | <0.3 | <0.8 |
| 280 | - | - | - | post marketed | milk•infant formula | Cattle milk | - | Ge | 20-May-13 | 23-May-13 | <0.6 | <0.5 | <1.1 |
| 281 | - | - | - | post marketed | milk•infant formula | Cattle milk | - | Ge | 20-May-13 | 23-May-13 | <0.9 | <0.9 | <1.8 |
| 282 | - | - | - | post marketed | milk•infant formula | Cattle milk | - | Ge | 20-May-13 | 23-May-13 | <0.8 | <0.8 | <1.6 |
| 283 | - | - | - | post marketed | milk•infant formula | Cattle milk | - | Ge | 20-May-13 | 23-May-13 | <0.7 | <0.7 | <1.4 |
| 284 | - | - | - | post marketed | milk•infant formula | Cattle milk | - | Ge | 20-May-13 | 23-May-13 | <0.5 | <0.9 | <1.4 |
| 285 | - | - | - | post marketed | drinking water | Water (natural mineral water) | - | Ge | 20-May-13 | 23-May-13 | <0.8 | <0.4 | <1.2 |
| 286 | - | - | - | post marketed | drinking water | Water (natural mineral water) | - | Ge | 20-May-13 | 23-May-13 | <0.8 | <0.4 | <1.2 |
| 287 | - | - | - | post marketed | drinking water | Water (bottled water) | - | Ge | 20-May-13 | 23-May-13 | <0.8 | <0.8 | <1.6 |
| 288 | - | - | - | post marketed | drinking water | Japanese green tea (infusion) | - | Ge | 20-May-13 | 23-May-13 | <0.2 | <0.7 | <0.9 |
| 289 | - | - | - | post marketed | drinking water | Japanese green tea (infusion) | - | Ge | 20-May-13 | 23-May-13 | <0.9 | <0.6 | <1.5 |
| 290 | - | - | - | post marketed | others | Honey | - | Nal | 23-May-13 | 24-May-13 | <7 | <7 | <14 |
| 291 | - | - | - | post marketed | others | | - | Nal | 23-May-13 | 24-May-13 | <12 | <11 | <23 |
| 292 | - | - | - | post marketed | others | | - | Nal | 23-May-13 | 24-May-13 | <9 | <8 | <17 |
| 293 | - | - | - | post marketed | others | Peach, jam | - | Nal | 23-May-13 | 24-May-13 | <9 | <9 | <18 |
| 294 | - | - | - | post marketed | others | Cucumber, pickled in sake lees | - | Nal | 23-May-13 | 24-May-13 | <10 | <9 | <19 |
| 295 | - | - | - | post marketed | others | Ginger, pickled in fermented soybean paste | - | Nal | 23-May-13 | 24-May-13 | <9 | <8 | <17 |
| 296 | - | - | - | post marketed | others | Soup | - | Nal | 23-May-13 | 24-May-13 | <10 | <9 | <19 |
| 297 | - | - | - | post marketed | others | Soup | - | Nal | 23-May-13 | 24-May-13 | <11 | <9 | <20 |
| 298 | - | - | - | post marketed | others | Soup | - | Nal | 23-May-13 | 24-May-13 | <10 | <9 | <19 |
| 299 | - | - | - | post marketed | others | Mayonnaise | - | Nal | 23-May-13 | 24-May-13 | <10 | <9 | <19 |
| 300 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 301 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 302 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 303 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 304 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 305 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 306 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 307 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 308 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 309 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 310 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 311 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 312 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 313 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 314 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 315 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 316 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 317 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 318 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 319 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 320 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 321 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 322 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 323 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 324 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 325 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 326 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 327 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 328 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 329 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 330 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 331 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 332 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 333 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 334 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 335 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 336 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 337 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 338 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 339 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 340 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 341 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 342 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 343 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 344 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 345 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 346 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 347 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 348 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 349 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 350 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 351 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 352 | Kagoshima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 353 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 354 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 355 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 356 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 357 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 358 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 359 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 360 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 361 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 362 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 363 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 364 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 365 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 366 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 367 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 368 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 369 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 370 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 371 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 372 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 373 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 374 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 375 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 376 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 377 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 378 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 379 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 380 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 381 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 382 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 383 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 384 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 385 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 386 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 387 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 388 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 389 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 390 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 391 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 392 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 393 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 394 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 395 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 396 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 397 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 398 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 399 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 400 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 401 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 402 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 403 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 404 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 405 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 406 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 407 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 408 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 409 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 410 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 411 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 412 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 413 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 414 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 415 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 416 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 417 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 418 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 419 | Yamagata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 420 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 421 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 422 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 423 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 424 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 425 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 426 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 427 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 428 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 429 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 430 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 431 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 432 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 433 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 434 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 435 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 436 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 437 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 438 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 439 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 440 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 441 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 442 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 443 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 444 | Niigata | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 445 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 446 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 447 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 448 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 449 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 450 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 451 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 452 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 453 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 454 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 455 | Saitama | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 456 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 457 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 458 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 459 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 460 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 461 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 462 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 463 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 464 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 465 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 466 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 467 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 468 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 469 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 470 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 471 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 472 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 473 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 474 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 475 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 476 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 477 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 478 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 479 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 480 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 481 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 482 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 483 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 484 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 485 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 486 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 487 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 488 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 489 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 490 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 491 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 492 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 493 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 494 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 495 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 496 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 497 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 498 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 499 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 500 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 501 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 502 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 503 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 504 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 505 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 506 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 507 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 508 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 509 | Chiba | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 510 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 511 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 512 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 513 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 514 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 515 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 516 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 517 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 518 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 519 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 520 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 521 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 522 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 523 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 524 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 525 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 526 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 527 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 528 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 529 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 530 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 531 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 532 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 533 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 534 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 535 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 536 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 537 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 538 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 539 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 540 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 541 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 542 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 543 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 544 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 545 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 546 | Hokkaido | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 547 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 548 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 549 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 550 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 551 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 552 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 553 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 554 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 555 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 556 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 557 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 558 | Ibaraki | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 559 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 560 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 561 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 562 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 563 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 564 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 565 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 566 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 567 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 568 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 569 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 570 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 571 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 572 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 573 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 574 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------|-------|----------------------------|--------------------|-------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 575 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 576 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 577 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 578 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 579 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 580 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 581 | Gunma | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 582 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 583 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 584 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 585 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 586 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 587 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 588 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 589 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 590 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 591 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 592 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 593 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 594 | Tochigi | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 595 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 596 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 597 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 598 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 599 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 600 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 601 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 602 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 603 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 604 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 605 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 606 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 607 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 608 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------------------|-------------------------|----------------------------|-----------------------|--------------------------------------|---------------------------------------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 609 | Fukushima | - | - | pre marketed | livestock products | Cattle meat | | Csl | 28-May-13 | 28-May-13 | — | — | <25 |
| 610 | Kanagawa | Hiratsuka-shi | - | pre marketed | agricultural products | Shiitake | - | Ge | 20-May-13 | 22-May-13 | <21.1 | <51.3 | <72 |
| 611 | Kanagawa | Hadano-shi | - | pre marketed | agricultural products | Spinach | outdoor cultivation | Ge | 20-May-13 | 22-May-13 | <4.01 | <4.72 | <8.7 |
| 612 | Kanagawa | Chigasaki-shi | - | pre marketed | agricultural products | Japanese mustard spinach (komatsuna) | outdoor cultivation | Ge | 20-May-13 | 22-May-13 | <4.12 | <4.85 | <9.0 |
| 613 | Kanagawa | Zama-shi | - | pre marketed | agricultural products | Potato | outdoor cultivation | Ge | 20-May-13 | 22-May-13 | <4.59 | <5.40 | <10 |
| 614 | Kanagawa | Odawara-shi | - | pre marketed | milk·infant formula | Cattle milk | - | Ge | 22-May-13 | 23-May-13 | <0.16 | <0.19 | <0.35 |
| 615 | Chiba | Sosa-shi | - | pre marketed | livestock products | Cattle meat | | Nal | 29-May-13 | 29-May-13 | — | — | <25 |
| 616 | Kanagawa | Atsugi-shi | Sagami river | pre marketed | fishery products | Ayu sweetfish | - | Ge | 26-May-13 | 29-May-13 | <4.90 | <5.35 | <10 |
| 617 | Kanagawa | Ebina-shi | - | pre marketed | agricultural products | Cabbage | outdoor cultivation | Ge | 27-May-13 | 29-May-13 | <5.42 | <4.98 | <10 |
| 618 | Kanagawa | Atsugi-shi | - | pre marketed | agricultural products | Japanese radish | outdoor cultivation | Ge | 27-May-13 | 29-May-13 | <5.65 | <6.04 | <12 |
| 619 | - | - | - | post marketed | others | Fermented milk | - | Ge | 20-May-13 | 29-May-13 | <2.2 | <2.3 | <4.5 |
| 620 | - | - | - | post marketed | others | | - | Ge | 20-May-13 | 29-May-13 | <0.17 | <0.21 | <0.38 |
| 621 | Kanagawa | - | - | post marketed | others | School lunch | | Ge | 27-May-13 | 28-May-13 | <0.35 | <0.49 | <0.84 |
| 622 | Niigata | Niigata-shi | - | post marketed | agricultural products | Broccoli | - | Ge | 27-May-13 | 29-May-13 | <3.7 | <3.5 | <7.2 |
| 623 | Niigata | Minamiuonuma-shi | - | post marketed | agricultural products | Sanchu asian lettuce | - | Ge | 27-May-13 | 29-May-13 | <3.3 | <4.1 | <7.4 |
| 624 | Niigata | Minamiuonuma-shi | - | post marketed | agricultural products | Chinese chive | - | Ge | 27-May-13 | 29-May-13 | <3.4 | <3.6 | <7.0 |
| 625 | Ibaraki | - | - | post marketed | agricultural products | Cabbage | - | Ge | 28-May-13 | 29-May-13 | <4.3 | <3.8 | <8.1 |
| 626 | Ibaraki | - | - | post marketed | agricultural products | Spring onion (not forming bulb) | - | Ge | 28-May-13 | 29-May-13 | <4.2 | <2.8 | <7.0 |
| 627 | Gunma | - | - | post marketed | agricultural products | Eggplant | - | Ge | 28-May-13 | 29-May-13 | <3.2 | <3.7 | <6.9 |
| 628 | Tochigi | - | - | post marketed | agricultural products | Carrot | - | Ge | 28-May-13 | 29-May-13 | <3.2 | <3.2 | <6.4 |
| 629 | Chiba | - | - | post marketed | agricultural products | Japanese radish | - | Ge | 28-May-13 | 29-May-13 | <3.2 | <3.7 | <6.9 |
| 630 | Chiba | - | - | post marketed | agricultural products | Watermelon | - | Ge | 28-May-13 | 29-May-13 | <2.5 | <2.5 | <5.0 |
| 631 | - | - | - | post marketed | milk·infant formula | | - | Ge | 28-May-13 | 29-May-13 | <2.7 | <2.3 | <5.0 |
| 632 | - | - | - | post marketed | others | Kousen | - | Ge | 27-May-13 | 29-May-13 | <3.5 | <3.9 | <7.4 |
| 633 | - | - | - | post marketed | others | Sake | - | Ge | 28-May-13 | 29-May-13 | <3.4 | <2.8 | <6.2 |
| 634 | Niigata | Niigata-shi | Niigatanishi harbor | post marketed | fishery products | Japanese amberjack (Edible part) | - | Ge | 27-May-13 | 29-May-13 | <4.9 | <4.6 | <9.5 |
| 635 | Niigata | Niigata-shi | Niigatanishi harbor | post marketed | fishery products | Japanese amberjack (Visceral part) | - | Ge | 27-May-13 | 29-May-13 | <3.8 | <4.1 | <7.9 |
| 636 | Chiba | - | Kamogawa fishery harbor | post marketed | fishery products | Chub mackerel (Edible parts) | - | Ge | 27-May-13 | 29-May-13 | <4.8 | <3.9 | <8.7 |
| 637 | Chiba | - | Kamogawa fishery harbor | post marketed | fishery products | Chub mackerel (Visceral part) | - | Ge | 27-May-13 | 29-May-13 | <4.3 | <3.7 | <8.0 |
| 638 | Niigata | Tsunan-machi | - | pre marketed | agricultural products | Aralia sprout | - | Ge | 27-May-13 | 29-May-13 | <4.1 | 7.9 | 7.9 |
| 639 | Niigata | Tsunan-machi | - | pre marketed | agricultural products | Pteridium aquilinum | - | Ge | 27-May-13 | 29-May-13 | 7.6 | 27 | 35 |
| 640 | Niigata | Murakami-shi | - | pre marketed | agricultural products | Pholiota nameko (mushroom) | mushroombed grown, indoor cultivation | Ge | 27-May-13 | 29-May-13 | <3.8 | <4.0 | <7.8 |
| 641 | Niigata | Niigata-shi | - | pre marketed | agricultural products | Shiitake | mushroombed grown, indoor cultivation | Ge | 27-May-13 | 29-May-13 | <4.0 | 4.1 | 4.1 |
| 642 | Niigata | Murakami-shi | - | pre marketed | agricultural products | Dried Japanese tea leaves | - | Ge | 27-May-13 | 29-May-13 | <0.7 | <0.9 | <1.6 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|--|-------|----------------------------|-----------------------|---------------------------------|---------------------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 643 | Niigata | Niigata-shi | - | post marketed | agricultural products | Onion | outdoor cultivation | Ge | 29-May-13 | 29-May-13 | <3.1 | <3.1 | <6.2 |
| 644 | Niigata | Niigata-shi | - | post marketed | agricultural products | Bamboo shoot | outdoor cultivation | Ge | 29-May-13 | 29-May-13 | <3.4 | <3.3 | <6.7 |
| 645 | Niigata | Niigata-shi | - | post marketed | agricultural products | Broccoli | outdoor cultivation | Ge | 29-May-13 | 29-May-13 | <3.3 | <3.7 | <7.0 |
| 646 | Niigata | Niigata-shi | - | post marketed | agricultural products | Cucumber | indoor cultivation | Ge | 29-May-13 | 29-May-13 | <2.9 | <3.6 | <6.5 |
| 647 | Niigata | Niigata-shi | - | post marketed | agricultural products | Cabbage | outdoor cultivation | Ge | 29-May-13 | 29-May-13 | <4.1 | <3.6 | <7.7 |
| 648 | Niigata | Niigata-shi | - | post marketed | agricultural products | Turnip | outdoor cultivation | Ge | 29-May-13 | 29-May-13 | <2.3 | <3.5 | <5.8 |
| 649 | Niigata | Niigata-shi | - | post marketed | agricultural products | Spinach | outdoor cultivation | Ge | 29-May-13 | 29-May-13 | <3.3 | <3.4 | <6.7 |
| 650 | Aomori | - | - | post marketed | agricultural products | Turnip | - | Ge | 29-May-13 | 29-May-13 | <4.4 | <3.2 | <7.6 |
| 651 | Saga | - | - | post marketed | agricultural products | Onion | - | Ge | 29-May-13 | 29-May-13 | <3.7 | <3.6 | <7.3 |
| 652 | - | - | - | post marketed | others | Meat product (ham) | - | Ge | 27-May-13 | 27-May-13 | <5.49 | <4.34 | <9.8 |
| 653 | - | - | - | post marketed | others | Meat product (Beef stew) | - | Ge | 27-May-13 | 27-May-13 | <3.84 | <3.79 | <7.6 |
| 654 | - | - | - | post marketed | others | Meat product (ham) | - | Ge | 28-May-13 | 28-May-13 | <3.90 | <3.29 | <7.2 |
| 655 | - | - | - | post marketed | others | Meat product (roast beef) | - | Ge | 28-May-13 | 28-May-13 | <4.57 | <3.96 | <8.5 |
| 656 | - | - | - | post marketed | others | Meat product (ham) | - | Ge | 28-May-13 | 29-May-13 | <4.42 | <3.99 | <8.4 |
| 657 | Yamanashi | <small>Yamanashi-shi, Tsuru-shi, Chuo-shi, Kofu-shi, Fujikawaguchi-shi</small> | - | pre marketed | milk • infant formula | Cattle milk | - | Ge | 29-May-13 | 29-May-13 | <0.728 | <0.797 | <1.5 |
| 658 | Yamanashi | Fujikawaguchiko-machi | - | pre marketed | milk • infant formula | Cattle milk | - | Ge | 29-May-13 | 29-May-13 | <0.820 | <0.952 | <1.8 |
| 659 | Shizuoka | - | - | post marketed | agricultural products | Grifola frondosa (mushroom) | - | Ge | 28-May-13 | 28-May-13 | <2.5 | <2.5 | <5.0 |
| 660 | Nagano | - | - | post marketed | agricultural products | Pleurotus eryngii (mushroom) | - | Ge | 28-May-13 | 28-May-13 | <2.5 | <2.4 | <4.9 |
| 661 | Shizuoka | - | - | post marketed | agricultural products | Bunashimeji (mushroom) | - | Ge | 28-May-13 | 28-May-13 | <2.3 | <2.5 | <4.8 |
| 662 | Niigata | - | - | post marketed | agricultural products | White buna shimeji (mushroom) | - | Ge | 28-May-13 | 28-May-13 | <2.2 | <2.5 | <4.7 |
| 663 | Nagano | - | - | post marketed | agricultural products | Pleurotus eryngii (mushroom) | - | Ge | 28-May-13 | 28-May-13 | <2.5 | <2.5 | <5.0 |
| 664 | - | - | - | post marketed | milk • infant formula | Cattle milk | - | Ge | 28-May-13 | 29-May-13 | <2.2 | <1.6 | <3.8 |
| 665 | - | - | - | post marketed | milk • infant formula | Cattle milk, low-fat | - | Ge | 28-May-13 | 29-May-13 | <1.7 | <1.6 | <3.3 |
| 666 | - | - | - | post marketed | others | Konjac | - | Ge | 28-May-13 | 29-May-13 | <1.8 | <2.3 | <4.1 |
| 667 | Nagano | Iida-shi | - | post marketed | agricultural products | Japanese apricot | - | Ge | 29-May-13 | 29-May-13 | <2.2 | <1.8 | <4.0 |
| 668 | Kyoto | Kameoka-shi | - | pre marketed | agricultural products | Spring onion (not forming bulb) | outdoor cultivation | Nal | 28-May-13 | 28-May-13 | — | — | <25 |
| 669 | Kyoto | Kyotango-shi | - | pre marketed | agricultural products | Burdock | outdoor cultivation | Nal | 21-May-13 | 28-May-13 | — | — | <25 |
| 670 | - | - | - | post marketed | agricultural products | Barley | - | Nal | 28-May-13 | 28-May-13 | — | — | <18 |
| 671 | - | - | - | post marketed | others | Fermented soybean paste (Miso) | - | Nal | 28-May-13 | 28-May-13 | — | — | <18 |
| 672 | - | - | - | post marketed | others | Enokitake (mushroom), cooked | - | Nal | 28-May-13 | 28-May-13 | — | — | <18 |
| 673 | - | - | - | post marketed | others | Fish product (Sausage) | - | Nal | 28-May-13 | 28-May-13 | — | — | <18 |
| 674 | - | - | - | post marketed | others | Nozawana, soy marinated | - | Nal | 28-May-13 | 28-May-13 | — | — | <18 |
| 675 | Miyagi | - | - | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <16 |
| 676 | Akita | - | - | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <16 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|-----------|-------|----------------------------|--------------------|----------------------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 677 | Gunma | - | | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <16 |
| 678 | Akita | - | | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <16 |
| 679 | Akita | - | | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <16 |
| 680 | Akita | - | | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <16 |
| 681 | Akita | - | | pre marketed | livestock products | Cattle meat | - | Nal | 28-May-13 | 28-May-13 | — | — | <16 |
| 682 | - | - | | post marketed | others | Apple, jam | - | Ge | 20-May-13 | 28-May-13 | <4.91 | <4.16 | <9.1 |
| 683 | - | - | | post marketed | others | Tangerine, frozen | - | Ge | 20-May-13 | 28-May-13 | <4.97 | <4.17 | <9.1 |
| 684 | - | - | | post marketed | others | Peach (yellow), canned | - | Ge | 20-May-13 | 28-May-13 | <4.98 | <3.87 | <8.9 |
| 685 | - | - | | post marketed | others | Wakame seaweed | - | Ge | 21-May-13 | 28-May-13 | <4.99 | <4.25 | <9.2 |
| 686 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Whitebait, boiled and semi-dried | - | Ge | 24-May-13 | 28-May-13 | <9.0 | <7.7 | <17 |
| 687 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Fat greenling | - | Ge | 26-May-13 | 28-May-13 | <7.1 | 14.3 | 14 |
| 688 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Fat greenling | - | Ge | 26-May-13 | 28-May-13 | <6.4 | <7.4 | <14 |
| 689 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Fat greenling | - | Ge | 27-May-13 | 28-May-13 | 20.1 | 51.7 | 72 |
| 690 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Greeneyes | - | Ge | 21-May-13 | 28-May-13 | <7.1 | <7.2 | <14 |
| 691 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Greeneyes | - | Ge | 27-May-13 | 28-May-13 | <9.0 | <6.9 | <16 |
| 692 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Flathead flounder | - | Ge | 27-May-13 | 28-May-13 | <7.0 | 9.8 | 10 |
| 693 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Stone flounder | - | Ge | 26-May-13 | 28-May-13 | <7.8 | <8.2 | <16 |
| 694 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Japanese surfperch | - | Ge | 22-May-13 | 28-May-13 | <8.7 | <9.0 | <18 |
| 695 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Brown hakeling | - | Ge | 24-May-13 | 28-May-13 | 15.9 | 21.9 | 38 |
| 696 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Brown hakeling | - | Ge | 25-May-13 | 28-May-13 | <9.1 | <8.4 | <18 |
| 697 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Brown hakeling | - | Ge | 25-May-13 | 28-May-13 | 7.08 | 11.1 | 18 |
| 698 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Brown hakeling | - | Ge | 27-May-13 | 28-May-13 | <9.0 | 10.2 | 10 |
| 699 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Yellow monkfish | - | Ge | 26-May-13 | 28-May-13 | 8.35 | 18 | 26 |
| 700 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Black rockfish | - | Ge | 26-May-13 | 28-May-13 | 77 | 156 | 230 |
| 701 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Sea raven | - | Ge | 27-May-13 | 28-May-13 | <10 | 12.6 | 13 |
| 702 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Ocellate spot skate | - | Ge | 23-May-13 | 28-May-13 | 27.1 | 44.4 | 72 |
| 703 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Ocellate spot skate | - | Ge | 26-May-13 | 28-May-13 | 16.5 | 35.8 | 52 |
| 704 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Roughscale sole | - | Ge | 21-May-13 | 28-May-13 | <7.4 | <7.7 | <15 |
| 705 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Roughscale sole | - | Ge | 27-May-13 | 28-May-13 | <7.1 | <4.9 | <12 |
| 706 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Halfbeak | - | Ge | 25-May-13 | 28-May-13 | <7.6 | <8.3 | <16 |
| 707 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Halfbeak | - | Ge | 25-May-13 | 28-May-13 | <7.7 | <7.0 | <15 |
| 708 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Japanese seabass | - | Ge | 26-May-13 | 28-May-13 | <7.6 | 15.8 | 16 |
| 709 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Slime flounder | - | Ge | 21-May-13 | 28-May-13 | <7.1 | <7.2 | <14 |
| 710 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Slime flounder | - | Ge | 23-May-13 | 28-May-13 | 13.9 | 31.6 | 46 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|-----------|-------|----------------------------|------------------|------------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 711 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Slime flounder | - | Ge | 26-May-13 | 28-May-13 | 23.6 | 47.5 | 71 |
| 712 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Slime flounder | - | Ge | 27-May-13 | 28-May-13 | 109 | 213 | 320 |
| 713 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Slime flounder | - | Ge | 27-May-13 | 28-May-13 | <7.6 | <7.7 | <15 |
| 714 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 21-May-13 | 28-May-13 | <8.2 | 12.3 | 12 |
| 715 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 23-May-13 | 28-May-13 | <8.4 | 20.4 | 20 |
| 716 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 23-May-13 | 28-May-13 | <9.7 | <7.3 | <17 |
| 717 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 23-May-13 | 28-May-13 | 11.4 | 19.4 | 31 |
| 718 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 26-May-13 | 28-May-13 | <7.5 | 11.4 | 11 |
| 719 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 26-May-13 | 28-May-13 | <8.4 | <7.7 | <16 |
| 720 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 27-May-13 | 28-May-13 | 22.4 | 40 | 62 |
| 721 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Japanese jack mackerel | - | Ge | 26-May-13 | 28-May-13 | <7.4 | <6.9 | <14 |
| 722 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Littlemouth flounder | - | Ge | 26-May-13 | 28-May-13 | 9.49 | 14.1 | 24 |
| 723 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Marbled flounder | - | Ge | 23-May-13 | 28-May-13 | <9.8 | 17.5 | 18 |
| 724 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Marbled flounder | - | Ge | 26-May-13 | 28-May-13 | 38.6 | 101 | 140 |
| 725 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Marbled flounder | - | Ge | 27-May-13 | 28-May-13 | <11 | 18.3 | 18 |
| 726 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Bartail flathead | - | Ge | 23-May-13 | 28-May-13 | 11.8 | 34.6 | 46 |
| 727 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Pacific cod | - | Ge | 24-May-13 | 28-May-13 | <8.5 | 9.26 | 9 |
| 728 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Pacific cod | - | Ge | 25-May-13 | 28-May-13 | 14.5 | 27.1 | 42 |
| 729 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Pacific cod | - | Ge | 26-May-13 | 28-May-13 | 13.5 | 23 | 37 |
| 730 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Pacific cod | - | Ge | 27-May-13 | 28-May-13 | <7.5 | <6.5 | <14 |
| 731 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Barfin flounder | - | Ge | 23-May-13 | 28-May-13 | <6.0 | <7.8 | <14 |
| 732 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Rikuzen flounder | - | Ge | 21-May-13 | 28-May-13 | <8.8 | <7.8 | <17 |
| 733 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Rikuzen flounder | - | Ge | 27-May-13 | 28-May-13 | <7.1 | <8.3 | <15 |
| 734 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Shotted halibut | - | Ge | 23-May-13 | 28-May-13 | <8.9 | 10.1 | 10 |
| 735 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Shotted halibut | - | Ge | 26-May-13 | 28-May-13 | <8.0 | 9.41 | 9 |
| 736 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Brassblotched rockfish | - | Ge | 25-May-13 | 28-May-13 | 18.1 | 23.1 | 41 |
| 737 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Ridged-eye flounder | - | Ge | 26-May-13 | 28-May-13 | <8.3 | 20.7 | 21 |
| 738 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Willow flounder | - | Ge | 26-May-13 | 28-May-13 | <8.4 | <7.3 | <16 |
| 739 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Hilgendorf saucord | - | Ge | 27-May-13 | 28-May-13 | <8.7 | <8.0 | <17 |
| 740 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Horsehair crab | - | Ge | 21-May-13 | 28-May-13 | <6.6 | <6.6 | <13 |
| 741 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Horsehair crab | - | Ge | 27-May-13 | 28-May-13 | <11 | <8.6 | <20 |
| 742 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Japanese flying squid | - | Ge | 27-May-13 | 28-May-13 | <8.5 | <6.2 | <15 |
| 743 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Common octopus | - | Ge | 25-May-13 | 28-May-13 | <9.5 | <7.7 | <17 |
| 744 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Chestnut octopus | - | Ge | 21-May-13 | 28-May-13 | <6.9 | <8.2 | <15 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|----------------|-------|----------------------------|------------------|-----------------------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 745 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Chestnut octopus | - | Ge | 27-May-13 | 28-May-13 | <7.3 | <7.2 | <15 |
| 746 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Spear squid | - | Ge | 26-May-13 | 28-May-13 | <8.2 | <6.7 | <15 |
| 747 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Whelk (Double sculptured neptune) | - | Ge | 27-May-13 | 28-May-13 | <7.6 | <6.1 | <14 |
| 748 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Whelk (Japanese whelk) | - | Ge | 27-May-13 | 28-May-13 | <7.6 | <6.4 | <14 |
| 749 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Abalone | - | Ge | 26-May-13 | 28-May-13 | <8.0 | <7.4 | <15 |
| 750 | Fukushima | Iwaki-shi | - | pre marketed | fishery products | Northern sea urchin | - | Ge | 26-May-13 | 28-May-13 | <8.9 | <7.8 | <17 |
| 751 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Japanese sandlance (juvenile) | - | Ge | 20-May-13 | 28-May-13 | <7.0 | <7.2 | <14 |
| 752 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Japanese sandlance (juvenile) | - | Ge | 20-May-13 | 28-May-13 | <9.4 | <8.0 | <17 |
| 753 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Japanese sandlance (juvenile) | - | Ge | 20-May-13 | 28-May-13 | <7.4 | <6.9 | <14 |
| 754 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Japanese sandlance (juvenile) | - | Ge | 20-May-13 | 28-May-13 | <8.0 | <7.1 | <15 |
| 755 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Fat greenling | - | Ge | 21-May-13 | 28-May-13 | 14 | 25.7 | 40 |
| 756 | Fukushima | Soma-shi | - | pre marketed | fishery products | Fat greenling | - | Ge | 21-May-13 | 28-May-13 | <8.5 | 13.1 | 13 |
| 757 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Fat greenling | - | Ge | 21-May-13 | 28-May-13 | <6.3 | <7.3 | <14 |
| 758 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Fat greenling | - | Ge | 22-May-13 | 28-May-13 | <9.9 | 17.5 | 18 |
| 759 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Fat greenling | - | Ge | 22-May-13 | 28-May-13 | 7.43 | 12.1 | 20 |
| 760 | Fukushima | Okuma-machi | - | pre marketed | fishery products | Fat greenling | - | Ge | 26-May-13 | 29-May-13 | <7.7 | 15.6 | 16 |
| 761 | Fukushima | Soma-shi | - | pre marketed | fishery products | Flathead flounder | - | Ge | 21-May-13 | 29-May-13 | <7.6 | <6.3 | <14 |
| 762 | Fukushima | Soma-shi | - | pre marketed | fishery products | Flathead flounder | - | Ge | 22-May-13 | 29-May-13 | <8.3 | <7.3 | <16 |
| 763 | Fukushima | Soma-shi | - | pre marketed | fishery products | Flathead flounder | - | Ge | 22-May-13 | 29-May-13 | <8.2 | <6.7 | <15 |
| 764 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Flathead flounder | - | Ge | 22-May-13 | 29-May-13 | <8.7 | <6.7 | <15 |
| 765 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Japanese sandlance | - | Ge | 21-May-13 | 29-May-13 | <8.2 | <8.8 | <17 |
| 766 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Ishikawa icefish | - | Ge | 20-May-13 | 29-May-13 | <8.1 | <6.7 | <15 |
| 767 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Ishikawa icefish | - | Ge | 20-May-13 | 29-May-13 | <8.2 | <8.1 | <16 |
| 768 | Fukushima | Soma-shi | - | pre marketed | fishery products | Brown hakeling | - | Ge | 21-May-13 | 29-May-13 | <7.5 | <7.0 | <15 |
| 769 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Brown hakeling | - | Ge | 22-May-13 | 29-May-13 | <8.2 | <9.4 | <18 |
| 770 | Fukushima | Naraha-machi | - | pre marketed | fishery products | Japanese anchovy | - | Ge | 27-May-13 | 29-May-13 | <8.7 | <7.7 | <16 |
| 771 | Fukushima | Soma-shi | - | pre marketed | fishery products | Redwing searobin | - | Ge | 21-May-13 | 29-May-13 | <6.4 | <5.9 | <12 |
| 772 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Redwing searobin | - | Ge | 21-May-13 | 29-May-13 | <7.6 | 6.49 | 7 |
| 773 | Fukushima | Namie-machi | - | pre marketed | fishery products | Redwing searobin | - | Ge | 23-May-13 | 29-May-13 | <10 | 11.8 | 12 |
| 774 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Broadbanded thornyhead | - | Ge | 22-May-13 | 29-May-13 | <9.6 | <9.1 | <19 |
| 775 | Fukushima | Okuma-machi | - | pre marketed | fishery products | Fox jacopever | - | Ge | 26-May-13 | 29-May-13 | 56 | 94.8 | 150 |
| 776 | Fukushima | Okuma-machi | - | pre marketed | fishery products | Black rockfish | - | Ge | 26-May-13 | 29-May-13 | 8.92 | 17.7 | 27 |
| 777 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Ocellate spot skate | - | Ge | 21-May-13 | 29-May-13 | 7.48 | 18.7 | 26 |
| 778 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Ocellate spot skate | - | Ge | 27-May-13 | 29-May-13 | 115 | 201 | 320 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|----------------|-------|----------------------------|------------------|----------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 779 | Fukushima | Soma-shi | - | pre marketed | fishery products | Roughscale sole | - | Ge | 22-May-13 | 29-May-13 | <5.9 | <6.1 | <12 |
| 780 | Fukushima | Soma-shi | - | pre marketed | fishery products | Roughscale sole | - | Ge | 22-May-13 | 29-May-13 | <8.2 | <7.8 | <16 |
| 781 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Roughscale sole | - | Ge | 22-May-13 | 29-May-13 | <6.1 | <7.2 | <13 |
| 782 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Roughscale sole | - | Ge | 22-May-13 | 29-May-13 | <9.5 | <8.8 | <18 |
| 783 | Fukushima | Namie-machi | - | pre marketed | fishery products | Roughscale sole | - | Ge | 23-May-13 | 29-May-13 | <6.9 | <6.6 | <14 |
| 784 | Fukushima | Soma-shi | - | pre marketed | fishery products | Drum | - | Ge | 21-May-13 | 29-May-13 | <9.9 | <7.6 | <18 |
| 785 | Fukushima | Soma-shi | - | pre marketed | fishery products | Alaska pollock | - | Ge | 21-May-13 | 29-May-13 | <9.9 | <8.4 | <18 |
| 786 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Alaska pollock | - | Ge | 21-May-13 | 29-May-13 | <8.0 | <9.2 | <17 |
| 787 | Fukushima | Soma-shi | - | pre marketed | fishery products | Alaska pollock | - | Ge | 22-May-13 | 29-May-13 | <6.9 | <7.5 | <14 |
| 788 | Fukushima | Namie-machi | - | pre marketed | fishery products | Alaska pollock | - | Ge | 23-May-13 | 29-May-13 | <8.2 | <8.6 | <17 |
| 789 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Nibe croaker | - | Ge | 27-May-13 | 29-May-13 | <8.5 | 11.7 | 12 |
| 790 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Slime flounder | - | Ge | 21-May-13 | 29-May-13 | <9.1 | 9.01 | 9 |
| 791 | Fukushima | Soma-shi | - | pre marketed | fishery products | Slime flounder | - | Ge | 21-May-13 | 29-May-13 | <7.9 | <6.3 | <14 |
| 792 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Slime flounder | - | Ge | 21-May-13 | 29-May-13 | 18.1 | 37.7 | 56 |
| 793 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Slime flounder | - | Ge | 21-May-13 | 29-May-13 | <8.7 | <9.0 | <18 |
| 794 | Fukushima | Namie-machi | - | pre marketed | fishery products | Slime flounder | - | Ge | 23-May-13 | 29-May-13 | <7.5 | <7.2 | <15 |
| 795 | Fukushima | Futaba-machi | - | pre marketed | fishery products | Slime flounder | - | Ge | 23-May-13 | 29-May-13 | <8.0 | 10.3 | 10 |
| 796 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Olive flounder | - | Ge | 21-May-13 | 29-May-13 | <9.3 | <9.4 | <19 |
| 797 | Fukushima | Soma-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 21-May-13 | 29-May-13 | <7.1 | <7.2 | <14 |
| 798 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Olive flounder | - | Ge | 21-May-13 | 29-May-13 | <11 | <8.2 | <19 |
| 799 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Olive flounder | - | Ge | 21-May-13 | 29-May-13 | <7.7 | 12.8 | 13 |
| 800 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Olive flounder | - | Ge | 22-May-13 | 29-May-13 | <6.3 | 8.82 | 9 |
| 801 | Fukushima | Namie-machi | - | pre marketed | fishery products | Olive flounder | - | Ge | 23-May-13 | 29-May-13 | <8.2 | <8.5 | <17 |
| 802 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Olive flounder | - | Ge | 27-May-13 | 29-May-13 | <7.8 | 17.2 | 17 |
| 803 | Fukushima | Soma-shi | - | pre marketed | fishery products | Blackfin flounder | - | Ge | 21-May-13 | 29-May-13 | <7.7 | <7.0 | <15 |
| 804 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Blackfin flounder | - | Ge | 21-May-13 | 29-May-13 | <7.2 | <6.2 | <13 |
| 805 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Spiny red gurnard | - | Ge | 21-May-13 | 29-May-13 | <6.5 | <7.1 | <14 |
| 806 | Fukushima | Okuma-machi | - | pre marketed | fishery products | Spiny red gurnard | - | Ge | 26-May-13 | 29-May-13 | <7.4 | 7.27 | 7 |
| 807 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Japanese sardine | - | Ge | 21-May-13 | 29-May-13 | <10 | <7.4 | <17 |
| 808 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Littlemouth flounder | - | Ge | 21-May-13 | 29-May-13 | <7.5 | <8.1 | <16 |
| 809 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Littlemouth flounder | - | Ge | 21-May-13 | 29-May-13 | <7.2 | <5.6 | <13 |
| 810 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Littlemouth flounder | - | Ge | 22-May-13 | 29-May-13 | <8.0 | <7.1 | <15 |
| 811 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Marbled flounder | - | Ge | 21-May-13 | 29-May-13 | 16.6 | 31.2 | 48 |
| 812 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Pacific cod | - | Ge | 21-May-13 | 29-May-13 | <7.4 | <6.0 | <13 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|------------------------------------|-------|----------------------------|------------------|------------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 813 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Pacific cod | - | Ge | 21-May-13 | 29-May-13 | <6.7 | <5.5 | <12 |
| 814 | Fukushima | Shinchi-machi | - | pre marketed | fishery products | Pacific cod | - | Ge | 22-May-13 | 29-May-13 | 13.7 | 15 | 29 |
| 815 | Fukushima | Futaba-machi | - | pre marketed | fishery products | Pacific cod | - | Ge | 23-May-13 | 29-May-13 | <7.2 | <6.9 | <14 |
| 816 | Fukushima | Soma-shi | - | pre marketed | fishery products | Rikuzen flounder | - | Ge | 21-May-13 | 29-May-13 | <7.6 | <6.2 | <14 |
| 817 | Fukushima | Namie-machi | - | pre marketed | fishery products | Rikuzen flounder | - | Ge | 23-May-13 | 29-May-13 | <7.7 | <6.4 | <14 |
| 818 | Fukushima | Futaba-machi | - | pre marketed | fishery products | Rikuzen flounder | - | Ge | 23-May-13 | 29-May-13 | <7.2 | <6.2 | <13 |
| 819 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Shotted halibut | - | Ge | 21-May-13 | 29-May-13 | <7.3 | <6.8 | <14 |
| 820 | Fukushima | Soma-shi | - | pre marketed | fishery products | Willow flounder | - | Ge | 21-May-13 | 29-May-13 | <9.2 | <8.0 | <17 |
| 821 | Fukushima | Namie-machi | - | pre marketed | fishery products | Willow flounder | - | Ge | 23-May-13 | 29-May-13 | <7.2 | <6.9 | <14 |
| 822 | Fukushima | Futaba-machi | - | pre marketed | fishery products | Willow flounder | - | Ge | 23-May-13 | 29-May-13 | <7.3 | <8.0 | <15 |
| 823 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Hilgendorf saucord | - | Ge | 22-May-13 | 29-May-13 | <6.1 | <6.4 | <13 |
| 824 | Fukushima | Namie-machi | - | pre marketed | fishery products | Hilgendorf saucord | - | Ge | 23-May-13 | 29-May-13 | <7.8 | <8.2 | <16 |
| 825 | Fukushima | Futaba-machi | - | pre marketed | fishery products | Hilgendorf saucord | - | Ge | 23-May-13 | 29-May-13 | <7.1 | <6.3 | <13 |
| 826 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Horsehair crab | - | Ge | 22-May-13 | 29-May-13 | <9.8 | <8.8 | <19 |
| 827 | Fukushima | Futaba-machi | - | pre marketed | fishery products | Horsehair crab | - | Ge | 23-May-13 | 29-May-13 | <9.7 | <9.3 | <19 |
| 828 | Fukushima | Soma-shi | - | pre marketed | fishery products | Giant pacific octopus | - | Ge | 21-May-13 | 29-May-13 | <8.9 | <7.7 | <17 |
| 829 | Fukushima | Hirono-machi | - | pre marketed | fishery products | Giant pacific octopus | - | Ge | 21-May-13 | 29-May-13 | <11 | <8.3 | <19 |
| 830 | Fukushima | Soma-shi | - | pre marketed | fishery products | Chestnut octopus | - | Ge | 21-May-13 | 29-May-13 | <8.5 | <7.1 | <16 |
| 831 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Chestnut octopus | - | Ge | 22-May-13 | 29-May-13 | <7.7 | <6.9 | <15 |
| 832 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Spear squid | - | Ge | 21-May-13 | 29-May-13 | <9.5 | <9.8 | <19 |
| 833 | Fukushima | Minamisoma-shi | - | pre marketed | fishery products | Whelk (Chijimiezobora) | - | Ge | 22-May-13 | 29-May-13 | <8.6 | <8.3 | <17 |
| 834 | Fukushima | Soma-shi | - | pre marketed | fishery products | Sea cucumber | - | Ge | 21-May-13 | 29-May-13 | <7.7 | <7.8 | <16 |
| 835 | Fukushima | Soma-shi | - | pre marketed | fishery products | Green laver | - | Ge | 21-May-13 | 28-May-13 | <3.0 | <3.1 | <6.1 |
| 836 | Fukushima | Same river (Iwaki-shi) | - | pre marketed | fishery products | Ayu sweetfish | - | Ge | 27-May-13 | 28-May-13 | <7.4 | <6.2 | <14 |
| 837 | Fukushima | Yu river (Aizuwakamatsu-shi) | - | pre marketed | fishery products | Whitespotted char | - | Ge | 18-May-13 | 28-May-13 | <8.3 | 11.7 | 12 |
| 838 | Fukushima | Daiya river (Mishima-machi) | - | pre marketed | fishery products | Whitespotted char | - | Ge | 20-May-13 | 28-May-13 | 9.72 | 27.4 | 37 |
| 839 | Fukushima | Tatsusawa river (Inawashiro-machi) | - | pre marketed | fishery products | Whitespotted char | - | Ge | 22-May-13 | 28-May-13 | <8.0 | 16.2 | 16 |
| 840 | Fukushima | Kumato river (Shirakawa-shi) | - | pre marketed | fishery products | Japanese dace | - | Ge | 16-May-13 | 28-May-13 | <6.5 | 10.8 | 11 |
| 841 | Fukushima | Oo river (Aizuwakamatsu-shi) | - | pre marketed | fishery products | Japanese dace | - | Ge | 17-May-13 | 28-May-13 | <7.7 | <7.9 | <16 |
| 842 | Fukushima | Yashiro river (Shirakawa-shi) | - | pre marketed | fishery products | Japanese dace | - | Ge | 19-May-13 | 28-May-13 | <7.5 | 15.6 | 16 |
| 843 | Fukushima | Yashiro river (Shirakawa-shi) | - | pre marketed | fishery products | Common carp | - | Ge | 21-May-13 | 28-May-13 | 30.2 | 58.2 | 88 |
| 844 | Fukushima | Abukuma river (Shirakawa-shi) | - | pre marketed | fishery products | Common carp | - | Ge | 23-May-13 | 28-May-13 | <8.4 | 9.6 | 10 |
| 845 | Fukushima | Numazawa lake (Kaneyama-machi) | - | pre marketed | fishery products | Kokanee | - | Ge | 26-May-13 | 28-May-13 | 54.7 | 94.7 | 150 |
| 846 | Fukushima | Nameri river (Sukagawa-shi) | - | pre marketed | fishery products | Cherry salmon | - | Ge | 13-May-13 | 28-May-13 | 14.1 | 20.8 | 35 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|-----------------------------------|-------|----------------------------|--------------------|-------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 847 | Fukushima | Kumato river (Shirakawa-shi) | - | pre marketed | fishery products | Cherry salmon | - | Ge | 17-May-13 | 28-May-13 | 19.2 | 35.4 | 55 |
| 848 | Fukushima | Tatusawa river (Inawashiro-machi) | - | pre marketed | fishery products | Cherry salmon | - | Ge | 22-May-13 | 28-May-13 | 11.2 | 17 | 28 |
| 849 | Fukushima | Shimogo-machi | - | pre marketed | fishery products | Whitespotted char | - | Ge | 22-May-13 | 28-May-13 | <9.6 | <8.2 | <18 |
| 850 | Fukushima | Minamiaizu-machi | - | pre marketed | fishery products | Whitespotted char | - | Ge | 22-May-13 | 28-May-13 | <9.0 | <7.8 | <17 |
| 851 | Fukushima | Nishigo-mura | - | pre marketed | fishery products | Rainbow trout | - | Ge | 20-May-13 | 28-May-13 | <7.2 | <7.0 | <14 |
| 852 | Fukushima | Nihonmatsu-shi | - | pre marketed | fishery products | Cherry salmon | - | Ge | 22-May-13 | 28-May-13 | <7.8 | <6.7 | <15 |
| 853 | Fukushima | Otama-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.4 | <6.9 | <14 |
| 854 | Fukushima | Otama-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.3 | <6.7 | <14 |
| 855 | Fukushima | Otama-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.1 | <7.0 | <15 |
| 856 | Fukushima | Otama-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <9.4 | <8.5 | <18 |
| 857 | Fukushima | Otama-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <9.8 | <8.2 | <18 |
| 858 | Fukushima | Otama-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.8 | <7.0 | <15 |
| 859 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.1 | <9.2 | <16 |
| 860 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.0 | <7.0 | <14 |
| 861 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <9.3 | <8.0 | <17 |
| 862 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.3 | <7.6 | <15 |
| 863 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.6 | <8.1 | <16 |
| 864 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <6.5 | <6.0 | <13 |
| 865 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.4 | <6.7 | <15 |
| 866 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.6 | <6.2 | <15 |
| 867 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.3 | <8.5 | <17 |
| 868 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.6 | <8.4 | <16 |
| 869 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <6.7 | <6.7 | <13 |
| 870 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.1 | <7.6 | <16 |
| 871 | Fukushima | Tamura-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.7 | <8.9 | <18 |
| 872 | Fukushima | Samegawa-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.6 | <7.7 | <15 |
| 873 | Fukushima | Samegawa-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.9 | <8.8 | <18 |
| 874 | Fukushima | Samegawa-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.7 | 8.66 | 9 |
| 875 | Fukushima | Samegawa-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <6.0 | <7.2 | <13 |
| 876 | Fukushima | Samegawa-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <6.9 | <7.9 | <15 |
| 877 | Fukushima | Samegawa-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <8.2 | <7.1 | <15 |
| 878 | Fukushima | Samegawa-mura | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.8 | <6.7 | <15 |
| 879 | Fukushima | Kagamiishi-machi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <5.6 | <6.9 | <13 |
| 880 | Fukushima | Shirakawa-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.7 | <6.7 | <14 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|-------------------|-------|----------------------------|--------------------|--|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 881 | Fukushima | Shirakawa-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <9.1 | <6.7 | <16 |
| 882 | Fukushima | Shirakawa-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <12 | <7.5 | <20 |
| 883 | Fukushima | Shirakawa-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <9.1 | <7.8 | <17 |
| 884 | Fukushima | Koriyama-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <9.5 | <7.2 | <17 |
| 885 | Fukushima | Koriyama-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.7 | <8.2 | <16 |
| 886 | Fukushima | Koriyama-shi | - | pre marketed | livestock products | Cattle meat | - | Ge | 28-May-13 | 28-May-13 | <7.4 | <5.5 | <13 |
| 887 | - | - | - | pre marketed | livestock products | Horse meat | - | Ge | 20-May-13 | 29-May-13 | <7.5 | <5.9 | <13 |
| 888 | - | - | - | pre marketed | livestock products | Horse meat | - | Ge | 20-May-13 | 29-May-13 | <8.0 | <6.6 | <15 |
| 889 | - | - | - | pre marketed | livestock products | Horse meat | - | Ge | 20-May-13 | 29-May-13 | <7.3 | <7.4 | <15 |
| 890 | - | - | - | pre marketed | livestock products | Horse meat | - | Ge | 20-May-13 | 29-May-13 | <6.5 | <6.9 | <13 |
| 891 | - | - | - | pre marketed | livestock products | Horse meat | - | Ge | 20-May-13 | 29-May-13 | <7.1 | <8.0 | <15 |
| 892 | Fukushima | Aizubange-machi | - | pre marketed | others | Japanese royal fern, dried | - | Ge | 20-May-13 | 29-May-13 | <3.1 | <2.9 | <6.0 |
| 893 | Fukushima | Aizuwakamatsu-shi | - | pre marketed | others | Shiitake, dried | - | Ge | 17-May-13 | 29-May-13 | 14.1 | 28.9 | 43 |
| 894 | Fukushima | Aizubange-machi | - | pre marketed | others | Shiitake, dried | - | Ge | 17-May-13 | 29-May-13 | 29.5 | 60.8 | 90 |
| 895 | Fukushima | Kitakata-shi | - | pre marketed | others | Japanese radish, dried | - | Ge | 20-May-13 | 29-May-13 | <2.8 | <2.5 | <5.3 |
| 896 | Fukushima | Kitakata-shi | - | pre marketed | others | Brassica leafy vegetable (Bukitchina), dried | - | Ge | 20-May-13 | 29-May-13 | <4.0 | <3.7 | <7.7 |
| 897 | Fukushima | Kitakata-shi | - | pre marketed | others | Rice cake, dried | - | Ge | 20-May-13 | 29-May-13 | <4.5 | <3.8 | <8.3 |
| 898 | Fukushima | Kitakata-shi | - | pre marketed | others | Asparagus, pickled in soybean sauce | - | Ge | 20-May-13 | 29-May-13 | <8.2 | <7.8 | <16 |
| 899 | Fukushima | Nishiaizu-machi | - | pre marketed | others | Japanese royal fern, dried | - | Ge | 20-May-13 | 29-May-13 | 5.92 | 10.9 | 17 |
| 900 | Fukushima | Nishiaizu-machi | - | pre marketed | others | Pteridium aquilinum, salted | - | Ge | 20-May-13 | 29-May-13 | <4.6 | <2.8 | <7.4 |
| 901 | Fukushima | Yanaizu-machi | - | post marketed | others | Manju, containing millet (Awamanju) | - | Ge | 21-May-13 | 29-May-13 | <6.4 | <6.3 | <13 |
| 902 | Fukushima | Yanaizu-machi | - | post marketed | others | Manju, containing millet (Awamanju) | - | Ge | 21-May-13 | 29-May-13 | <1.7 | <1.5 | <3.2 |
| 903 | Fukushima | Yanaizu-machi | - | post marketed | others | Manju, containing millet (Awamanju) | - | Ge | 21-May-13 | 29-May-13 | <7.8 | <6.2 | <14 |
| 904 | Fukushima | Yanaizu-machi | - | post marketed | others | Manju, containing millet (Awamanju) | - | Ge | 21-May-13 | 29-May-13 | <6.0 | <7.4 | <13 |
| 905 | Fukushima | Inawashiro-machi | - | pre marketed | others | Rice cake, dried and deep-fried | - | Ge | 21-May-13 | 29-May-13 | <4.2 | <3.9 | <8.1 |
| 906 | - | - | - | post marketed | others | Japanese radish, pickled in sweetened vinegar | - | Ge | 14-May-13 | 29-May-13 | <7.9 | <7.0 | <15 |
| 907 | - | - | - | post marketed | others | Japanese confectionery (Yubeshi) | - | Ge | 14-May-13 | 29-May-13 | <5.2 | <4.7 | <9.9 |
| 908 | - | - | - | post marketed | others | Rice bread, rolled | - | Ge | 14-May-13 | 29-May-13 | <6.2 | <4.7 | <11 |
| 909 | - | - | - | post marketed | others | Bread, with sweet red bean paste | - | Ge | 14-May-13 | 29-May-13 | <5.4 | <4.1 | <9.5 |
| 910 | - | - | - | post marketed | others | Japanese confectionery (Yubeshi) | - | Ge | 17-May-13 | 29-May-13 | <6.8 | <5.8 | <13 |
| 911 | Fukushima | Sukagawa-shi | - | post marketed | others | Hot plate containing beans, coated with sweet red bean paste | - | Ge | 17-May-13 | 29-May-13 | <6.3 | <5.6 | <12 |
| 912 | - | - | - | post marketed | others | Soybean curd (Tofu) | - | Ge | 20-May-13 | 29-May-13 | <2.0 | <2.4 | <4.4 |
| 913 | - | - | - | post marketed | others | Soybean curd (Tofu) | - | Ge | 20-May-13 | 29-May-13 | <3.0 | <2.8 | <5.8 |
| 914 | - | - | - | post marketed | others | Soybean curd (Tofu) | - | Ge | 20-May-13 | 29-May-13 | <2.6 | <3.1 | <5.7 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|---------------|-------|----------------------------|----------------|---|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 915 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 20-May-13 | 29-May-13 | <3.6 | <2.6 | <6.2 |
| 916 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 20-May-13 | 29-May-13 | <1.8 | <2.5 | <4.3 |
| 917 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 20-May-13 | 29-May-13 | <3.0 | <2.7 | <5.7 |
| 918 | Fukushima | Tamura-shi | | post marketed | others | Fermented soybean paste (Miso) (containing garlic seed) | - | Ge | 22-May-13 | 29-May-13 | <7.8 | <6.1 | <14 |
| 919 | Fukushima | Tamura-shi | | post marketed | others | Fermented soybean paste (Miso) (containing garlic seed) | - | Ge | 22-May-13 | 29-May-13 | <7.6 | <6.1 | <14 |
| 920 | Fukushima | Tamura-shi | | post marketed | drinking water | Water (bottled water) | - | Ge | 22-May-13 | 29-May-13 | <0.94 | <0.8 | <1.7 |
| 921 | Fukushima | Tamura-shi | | post marketed | drinking water | Water (bottled water) | - | Ge | 22-May-13 | 29-May-13 | <0.89 | <0.96 | <1.9 |
| 922 | - | - | | post marketed | others | Wheat noodle (Udon) | - | Ge | 22-May-13 | 29-May-13 | <3.6 | <3.3 | <6.9 |
| 923 | - | - | | post marketed | others | Japanese snack (higashi) | - | Ge | 22-May-13 | 29-May-13 | <6.5 | <4.1 | <11 |
| 924 | - | - | | post marketed | others | Japanese snack (higashi) | - | Ge | 22-May-13 | 29-May-13 | <6.6 | <5.3 | <12 |
| 925 | - | - | | pre marketed | others | Giant butterbur, boiled | - | Ge | 16-May-13 | 29-May-13 | <7.6 | <7.8 | <15 |
| 926 | - | - | | pre marketed | others | Pteridium aquilinum, boiled | - | Ge | 16-May-13 | 29-May-13 | <7.6 | <6.5 | <14 |
| 927 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <3.5 | <3.2 | <6.7 |
| 928 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <6.8 | <6.4 | <13 |
| 929 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <8.6 | <6.3 | <15 |
| 930 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <2.5 | <2.4 | <4.9 |
| 931 | - | - | | post marketed | others | Fermented soybeans (natto) | - | Ge | 21-May-13 | 29-May-13 | <2.8 | <2.6 | <5.4 |
| 932 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <3.4 | <2.3 | <5.7 |
| 933 | Fukushima | Shirakawa-shi | | post marketed | others | Rice, mixed with some ingredients | - | Ge | 21-May-13 | 29-May-13 | <6.9 | <5.3 | <12 |
| 934 | Fukushima | Shirakawa-shi | | post marketed | others | Rice ball | - | Ge | 21-May-13 | 29-May-13 | <5.9 | <5.9 | <12 |
| 935 | Fukushima | Shirakawa-shi | | post marketed | others | Rice cake | - | Ge | 21-May-13 | 29-May-13 | <4.4 | <3.0 | <7.4 |
| 936 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <7.1 | <6.8 | <14 |
| 937 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <9.0 | <6.9 | <16 |
| 938 | - | - | | post marketed | others | Soybean curd (Tofu), deep-fried (Aburagyo) | - | Ge | 21-May-13 | 29-May-13 | <7.5 | <4.8 | <12 |
| 939 | - | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 21-May-13 | 29-May-13 | <2.9 | <2.8 | <5.7 |
| 940 | - | - | | post marketed | others | Donut, made by bean curd byproduct (Okarai) | - | Ge | 21-May-13 | 29-May-13 | <3.7 | <3.0 | <6.7 |
| 941 | Fukushima | - | | pre marketed | others | Konjac, noodles | - | Ge | 22-May-13 | 29-May-13 | <8.8 | <7.2 | <16 |
| 942 | Fukushima | - | | pre marketed | others | Konjac (Sashimikomnyaku) | - | Ge | 22-May-13 | 29-May-13 | <3.0 | <2.9 | <5.9 |
| 943 | Fukushima | - | | pre marketed | others | Konjac | - | Ge | 22-May-13 | 29-May-13 | <7.4 | <7.6 | <15 |
| 944 | - | - | | pre marketed | others | Konjac | - | Ge | 22-May-13 | 29-May-13 | <2.7 | <2.2 | <4.9 |
| 945 | - | - | | post marketed | others | Rice malted with A. oryzae (Koji) | - | Ge | 22-May-13 | 29-May-13 | <3.5 | <3.4 | <6.9 |
| 946 | - | - | | post marketed | others | Sagohachi | - | Ge | 22-May-13 | 29-May-13 | <7.3 | <5.1 | <12 |
| 947 | - | - | | post marketed | others | Fermented rice drink (Amazake) | - | Ge | 22-May-13 | 29-May-13 | <3.0 | <2.3 | <5.3 |
| 948 | - | - | | post marketed | others | Salad dressing | - | Ge | 22-May-13 | 29-May-13 | <7.0 | <5.4 | <12 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|---------------|-------|----------------------------|-----------------------|--|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 949 | - | - | | post marketed | others | Fermented soybean paste (Miso) | - | Ge | 22-May-13 | 29-May-13 | <6.7 | <6.2 | <13 |
| 950 | - | - | | post marketed | others | Rice or wheat malted with A. oryzae (Koji) | - | Ge | 22-May-13 | 29-May-13 | <2.0 | <1.5 | <3.5 |
| 951 | - | - | | post marketed | others | Soybean sauce | - | Ge | 22-May-13 | 29-May-13 | <2.7 | <2.0 | <4.7 |
| 952 | - | - | | post marketed | others | Hot flour buntings, covered with redpeppercorn oshiro | - | Ge | 22-May-13 | 29-May-13 | <6.5 | <5.6 | <12 |
| 953 | - | - | | post marketed | others | Rice cake, with walnut (Kurumimochi) | - | Ge | 22-May-13 | 29-May-13 | <6.9 | <5.5 | <12 |
| 954 | - | - | | post marketed | others | Dumpling, with sweet red bean paste | - | Ge | 22-May-13 | 29-May-13 | <6.4 | <5.3 | <11 |
| 955 | - | - | | post marketed | others | Rice flour dumpling | - | Ge | 22-May-13 | 29-May-13 | <5.8 | <4.3 | <10 |
| 956 | - | - | | post marketed | others | Manju | - | Ge | 22-May-13 | 29-May-13 | <6.9 | <4.9 | <11 |
| 957 | - | - | | post marketed | agricultural products | Bean sprouts (Black matpe) | - | Ge | 22-May-13 | 29-May-13 | <3.8 | <3.9 | <7.7 |
| 958 | Fukushima | - | | post marketed | others | Soybean curd (Tofu) | - | Ge | 23-May-13 | 29-May-13 | <3.3 | <2.4 | <5.7 |
| 959 | Fukushima | - | | post marketed | others | Konjac | - | Ge | 23-May-13 | 29-May-13 | <2.9 | <2.4 | <5.3 |
| 960 | Fukushima | - | | post marketed | others | Fermented soybeans (natto) | - | Ge | 23-May-13 | 29-May-13 | <4.6 | <3.7 | <8.3 |
| 961 | - | - | | post marketed | others | Fermented soybean paste (Miso) | - | Ge | 23-May-13 | 29-May-13 | <6.5 | <5.6 | <12 |
| 962 | - | - | | post marketed | others | Fermented soybean paste (Miso) | - | Ge | 23-May-13 | 29-May-13 | <3.9 | <2.2 | <6.1 |
| 963 | - | - | | post marketed | others | Soybean sauce | - | Ge | 23-May-13 | 29-May-13 | <2.7 | <2.6 | <5.3 |
| 964 | - | - | | post marketed | others | Fermented rice drink (Amazake) | - | Ge | 23-May-13 | 29-May-13 | <3.0 | <2.1 | <5.1 |
| 965 | - | - | | post marketed | others | Cakes, baked | - | Ge | 23-May-13 | 29-May-13 | <6.8 | <6.3 | <13 |
| 966 | - | - | | post marketed | others | Rice cracker, containing Apple and Barley | - | Ge | 23-May-13 | 29-May-13 | <4.2 | <4.6 | <8.8 |
| 967 | - | - | | post marketed | others | Wheat cracker | - | Ge | 23-May-13 | 29-May-13 | <4.5 | <4.3 | <8.8 |
| 968 | - | - | | post marketed | others | Rice cracker, containing Perilla and Barley | - | Ge | 23-May-13 | 29-May-13 | <4.8 | <5.3 | <10 |
| 969 | Fukushima | Date-shi | | post marketed | others | Bean jam pancake (Dorayaki) | - | Ge | 23-May-13 | 29-May-13 | <7.6 | <6.4 | <14 |
| 970 | Fukushima | Date-shi | | post marketed | others | Peach cake | - | Ge | 23-May-13 | 29-May-13 | <3.8 | <3.4 | <7.2 |
| 971 | Fukushima | Date-shi | | post marketed | others | Apple cake | - | Ge | 23-May-13 | 29-May-13 | <3.4 | <2.9 | <6.3 |
| 972 | Fukushima | Date-shi | | post marketed | others | Chestnut cake | - | Ge | 23-May-13 | 29-May-13 | <3.6 | <3.2 | <6.8 |
| 973 | Fukushima | Date-shi | | post marketed | others | Peach cookie | - | Ge | 23-May-13 | 29-May-13 | <4.7 | <2.9 | <7.6 |
| 974 | Fukushima | Date-shi | | post marketed | others | Brownie | - | Ge | 23-May-13 | 29-May-13 | <3.2 | <2.6 | <5.8 |
| 975 | Fukushima | Fukushima-shi | | post marketed | others | Soybean curd (Tofu) | - | Ge | 23-May-13 | 29-May-13 | <3.3 | 4.11 | 4 |
| 976 | Fukushima | Fukushima-shi | | post marketed | others | Sagohachi | - | Ge | 23-May-13 | 29-May-13 | <2.5 | <1.9 | <4.4 |
| 977 | Fukushima | Fukushima-shi | | post marketed | others | Fermented soybean paste (Miso) | - | Ge | 23-May-13 | 29-May-13 | <7.3 | <5.9 | <13.2 |
| 978 | - | - | | post marketed | others | Fermented soybean paste (Miso), mixed with Yuzu (Yuzukaco) | - | Ge | 23-May-13 | 29-May-13 | <1.9 | <1.9 | <3.8 |
| 979 | - | - | | post marketed | others | Yuzu, jam | - | Ge | 23-May-13 | 29-May-13 | <7.3 | <6.3 | <14 |
| 980 | - | - | | post marketed | others | Ponzu, flavoured with Yuzu | - | Ge | 23-May-13 | 29-May-13 | <2.9 | <2.0 | <4.9 |
| 981 | - | - | | post marketed | others | Japanese radish, pickled in soybean sauce | - | Ge | 23-May-13 | 29-May-13 | <2.3 | <2.5 | <4.8 |
| 982 | - | - | | post marketed | others | Perilla sauce | - | Ge | 23-May-13 | 29-May-13 | <2.4 | <1.8 | <4.2 |

| No | Food origin | | | pre marketed/post marketed | Food Category | Food Tested | | Inspection instrument | Sampling Date | Results Obtained Date | Level of radioactive contaminants in food (expressed as radionuclide levels (Bq/kg)). | | |
|-----|-------------|----------------|-------|----------------------------|---------------|-------------------------|-------|-----------------------|---------------|-----------------------|---|------------|--------------|
| | Prefecture | area | Notes | | | item name | Notes | | | | Cesium-134 | Cesium-137 | Cesium total |
| 983 | Fukushima | - | | pre marketed | others | Strawberry, jam | - | Ge | 22-May-13 | 29-May-13 | <5.2 | <5.8 | <11 |
| 984 | Fukushima | - | | pre marketed | others | Strawberry, jam | - | Ge | 22-May-13 | 29-May-13 | <7.2 | <6.5 | <14 |
| 985 | Fukushima | Minamisoma-shi | | pre marketed | others | Vegetables, salted | - | Ge | 23-May-13 | 29-May-13 | <7.2 | <6.0 | <13 |
| 986 | Fukushima | Minamisoma-shi | | pre marketed | others | Cabbage, salted | - | Ge | 23-May-13 | 29-May-13 | <7.3 | <6.5 | <14 |
| 987 | Fukushima | Minamisoma-shi | | pre marketed | others | Giant butterbur, boiled | - | Ge | 23-May-13 | 29-May-13 | <2.7 | <1.7 | <4.4 |
| 988 | Fukushima | Minamisoma-shi | | pre marketed | others | Giant butterbur, boiled | - | Ge | 23-May-13 | 29-May-13 | <5.0 | <3.1 | <8.1 |

* levels in gray-highlight exceed action levels set by the MHLW for withdrawal from markets

Sum up of radionuclide test results reported on 29 May 2013

| Prefecture | Food Category | item name | Data | | |
|------------|-----------------------|---------------------|-------------------------------|---|--|
| | | | Number of food samples tested | Number of foods exceeding standard limits | |
| Fukushima | livestock products | | 83 | | |
| | | fishery products | 167 | 6 | |
| | | | others | 41 | |
| | | | drinking water | 2 | |
| Fukushima | | | 293 | 6 | |
| Miyagi | agricultural products | | 99 | 2 | |
| | | livestock products | 26 | | |
| | | | fishery products | 26 | |
| Miyagi | | | 151 | 2 | |
| Ibaraki | agricultural products | | 4 | | |
| | | livestock products | 49 | | |
| | | | others | 1 | |
| Ibaraki | | | 54 | | |
| Tochigi | agricultural products | | 2 | | |
| | | livestock products | 14 | | |
| | | | fishery products | 23 | |
| Tochigi | | | 39 | | |
| Gunma | agricultural products | | 6 | | |
| | | livestock products | 58 | | |
| | | | milk·infant formula | 3 | |
| | | | others | 1 | |
| | | | drinking water | 4 | |
| Gunma | | | 72 | | |
| Chiba | agricultural products | | 3 | | |
| | | livestock products | 23 | | |
| | | | fishery products | 3 | |
| | | | wild animal meat | 6 | |
| | | | wild animal meat | 6 | |
| Chiba | | | 35 | | |
| Aomori | agricultural products | | 2 | | |
| Aomori | | | 2 | | |
| Iwate | agricultural products | | 1 | | |
| Iwate | | | 1 | | |
| Akita | livestock products | | 5 | | |
| Akita | | | 5 | | |
| Yamagata | livestock products | | 22 | | |
| Yamagata | | | 22 | | |
| Saitama | agricultural products | | 1 | | |
| | | livestock products | 11 | | |
| Saitama | | | 12 | | |
| Tokyo | fishery products | | 9 | | |
| | | others | 1 | | |
| | | drinking water | 2 | | |
| Tokyo | | | 12 | | |
| Kanagawa | agricultural products | | 6 | | |
| | | fishery products | 1 | | |
| | | | milk·infant formula | 1 | |
| | | | others | 1 | |
| Kanagawa | | | 9 | | |
| Niigata | agricultural products | | 16 | | |
| | | livestock products | 25 | | |
| | | | fishery products | 2 | |
| | | | drinking water | 1 | |
| Niigata | | | 44 | | |
| Yamanashi | agricultural products | | 1 | | |
| | | milk·infant formula | 2 | | |
| | | | drinking water | 3 | |
| Yamanashi | | | 6 | | |
| Nagano | agricultural products | | 3 | | |
| | | others | 1 | | |
| Nagano | | | 4 | | |
| Shizuoka | agricultural products | | 2 | | |
| | | drinking water | 1 | | |
| Shizuoka | | | 3 | | |
| Hokkaido | agricultural products | | 2 | | |
| | | livestock products | 61 | | |
| Hokkaido | | | 63 | | |
| Kyoto | agricultural products | | 2 | | |
| Kyoto | | | 2 | | |
| Saga | agricultural products | | 1 | | |
| Saga | | | 1 | | |
| Kagoshima | livestock products | | 12 | | |
| Kagoshima | | | 12 | | |
| (empty) | | | | | |
| - | | | 146 | 1 | |
| Total | | | 988 | 9 | |

| Food Category | item name | Data | |
|-----------------------|-----------|-------------------------------|---|
| | | Number of food samples tested | Number of foods exceeding standard limits |
| agricultural products | | 153 | 2 |
| livestock products | | 394 | |
| fishery products | | 231 | 6 |
| milk·infant formula | | 22 | |
| (empty) | | | |
| others | | 158 | 1 |
| drinking water | | 24 | |
| wild animal meat | | 6 | |
| Total | | 988 | 9 |