

Table in item 6 (1), Section A **General Compositional Standards for Food**, Part I **Food**:  
 The maximum residue limits of substances used as ingredients of agricultural chemicals in foods (**MRLs List**)

Column 1	Column 2	Column 3
BHC (as total of alpha-BHC, beta-BHC, gamma-BHC and delta-BHC)	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya and white beans))*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Potato	0.2 ppm
	Taro	0.2 ppm
	Sweet potato	0.2 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	0.2 ppm
	Chinese cabbage	0.2 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.2 ppm
	<i>Kyona</i>	0.2 ppm
	Cauliflower	0.2 ppm
	Broccoli	0.2 ppm
	Burdock	0.2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
	Asparagus	0.2 ppm
	Celery	0.2 ppm
	<i>Mitsuba</i>	0.2 ppm
	Tomato	0.2 ppm
	Pimiento (sweet pepper)	0.2 ppm
	Egg plant	0.2 ppm
	Cucumber (including gherkin)	0.2 ppm
	Pumpkin (including squash)	0.2 ppm
	Oriental pickling melon (vegetable)	0.2 ppm
	Water melon	0.2 ppm
	Spinach	0.2 ppm
	Peas, immature (with pods)	0.2 ppm
	Kidney beans, immature (with pods)	0.2 ppm
	<i>Unshu</i> orange, pulp	0.2 ppm
	Citrus <i>natsudaidai</i> , pulp	0.2 ppm
	Citrus <i>natsudaidai</i> , peels	0.2 ppm
	Apple	0.2 ppm

	Japanese pear	0.2 ppm
	Pear	0.2 ppm
	Loquat	0.2 ppm
	Peach	0.2 ppm
	Cherry	0.2 ppm
	Strawberry	0.2 ppm
	Grape	0.2 ppm
	Japanese persimmon	0.2 ppm
	Tea (limited unfermented tea)	0.2 ppm
2,4-D	Rice (brown rice)	0.1 ppm
	Wheat	0.5 ppm
	Barley	0.5 ppm
	Rye	0.5 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.5 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.2 ppm
	Sugarcane	0.05 ppm
	Asparagus	5 ppm
	Peas, immature (with pods)	0.05 ppm
	Kidney beans, immature (with pods)	0.05 ppm
	Green soybeans	0.05 ppm
	<i>Unshu</i> orange, pulp	0.01 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	2 ppm
	Orange (including navel orange)	2 ppm
	Grapefruit	2 ppm
	Lime	2 ppm
	Other citrus fruits	2 ppm
	Apple	0.01 ppm
	Japanese pear	0.01 ppm
	Pear	0.01 ppm
	Quince	0.01 ppm
	Loquat	0.01 ppm
	Peach	0.2 ppm
	Nectarine	0.2 ppm
	Apricot	5 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm

	Strawberry	0.05 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.5 ppm
	Other berries	0.1 ppm
	Grape	0.5 ppm
	Sunflower seeds	0.05 ppm
	Sesam seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
DCIP	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Japanese radish, roots (including radish)	1.0 ppm
	Japanese radish, leaves (including radish)	1.0 ppm
	Turnip, roots	1.0 ppm
	Turnip, leaves	1.0 ppm
	Horseradish	1.0 ppm
	Watercress	1.0 ppm
	Chinese cabbage	1.0 ppm
	Cabbage	1.0 ppm
	Brussels sprouts	1.0 ppm
	Kale	1.0 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	1.0 ppm
	<i>Kyona</i>	1.0 ppm
	Qing-geng-cai	1.0 ppm
	Cauliflower	1.0 ppm
	Broccoli	1.0 ppm
	Other cruciferous vegetables	1.0 ppm
	Burdock	1.0 ppm
	Salsify	1.0 ppm
	Artichoke	1.0 ppm
	Chicory	1.0 ppm
	Endive	1.0 ppm

<i>Shungiku</i>	1.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	1.0 ppm
Other composite vegetables	1.0 ppm
Onion	1.0 ppm
Welsh (including leek)	1.0 ppm
Garlic	1.0 ppm
<i>Nira</i>	1.0 ppm
Asparagus	1.0 ppm
Multiplying onion	1.0 ppm
Other liliaceous vegetables	1.0 ppm
Carrot	1.0 ppm
Parsnip	1.0 ppm
Parsley	1.0 ppm
Celery	1.0 ppm
<i>Mitsuba</i>	1.0 ppm
Other umbelliferous vegetables	1.0 ppm
Tomato	1.0 ppm
Pimiento (sweet pepper)	1.0 ppm
Egg plant	1.0 ppm
Other solanaceous vegetables	1.0 ppm
Cucumber (including gherkin)	1.0 ppm
Pumpkin (including squash)	1.0 ppm
Oriental pickling melon (vegetable)	1.0 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	1.0 ppm
Spinach	1.0 ppm
Bamboo shoots	1.0 ppm
Okra	1.0 ppm
Ginger	1.0 ppm
Peas, immature (with pods)	1.0 ppm
Kidney beans, immature (with pods)	1.0 ppm
Green soybeans	1.0 ppm
Button mushroom	1.0 ppm
<i>Shiitake</i> mushroom	1.0 ppm
Other mushrooms	1.0 ppm
Other vegetables	1.0 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm

	Japanese pear	0.2 ppm
	Pear	0.2 ppm
	Quince	0.2 ppm
	Loquat	0.2 ppm
	Peach	0.2 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
	Strawberry	0.2 ppm
	Raspberry	0.2 ppm
	Blackberry	0.2 ppm
	Blueberry	0.2 ppm
	Cranberry	0.2 ppm
	Huckleberry	0.2 ppm
	Other berries	0.2 ppm
	Grape	0.2 ppm
	Japanese persimmon	0.2 ppm
	Banana	0.2 ppm
	Kiwifruit	0.2 ppm
	Papaya	0.2 ppm
	Avocado	0.2 ppm
	Pineapple	0.2 ppm
	Guava	0.2 ppm
	Mango	0.2 ppm
	Passion fruit	0.2 ppm
	Date	0.2 ppm
	Other fruits	0.2 ppm
	Sunflower seeds	0.2 ppm
	Sesam seeds	0.2 ppm
	Safflower seeds	0.2 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	0.2 ppm
	Other oil seeds	0.2 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	0.2 ppm
DDT (including DDD and DDE)	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm

Soybeans, dry	0.2 ppm
Beans, dry*	0.2 ppm
Peas	0.2 ppm
Broad beans	0.2 ppm
Potato	0.2 ppm
Taro	0.2 ppm
Sweet potato	0.2 ppm
Japanese radish, roots (including radish)	0.2 ppm
Japanese radish, leaves (including radish)	0.2 ppm
Turnip, roots	0.2 ppm
Turnip, leaves	0.2 ppm
Chinese cabbage	0.2 ppm
Cabbage	0.2 ppm
Brussels sprouts	0.2 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.2 ppm
<i>Kyona</i>	0.2 ppm
Cauliflower	0.2 ppm
Broccoli	0.2 ppm
Burdock	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Asparagus	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Spinach	0.2 ppm
Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.2 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
<i>Citrus natsudaidai</i> , pulp	0.2 ppm
<i>Citrus natsudaidai</i> , peels	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Tea (limited unfermented tea)	0.2 ppm

EPN	Rice (brown rice)	0.1 ppm
	Wheat	0.2 ppm
	Cabbage	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Welsh (including leek)	0.1 ppm
	Tomato	0.1 ppm
	Pimiento (sweet pepper)	0.1 ppm
	Egg plant	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.2 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	Ginger	0.1 ppm
EPTC	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.3 ppm
	Taro	0.04 ppm
	Sweet potato	0.04 ppm
	Yam	0.04 ppm
	Konjac	0.04 ppm
	Other potatoes	0.04 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.04 ppm
	<i>Kyona</i>	0.04 ppm

Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.04 ppm
Welsh (including leek)	0.04 ppm
Garlic	0.04 ppm
<i>Nira</i>	0.04 ppm
Asparagus	0.1 ppm
Multiplying onion	0.04 ppm
Other liliaceous vegetables	0.04 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.04 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.04 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.04 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.04 ppm
<i>Shiitake</i> mushroom	0.04 ppm
Other mushrooms	0.04 ppm

	Other vegetables	0.1 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Strawberry	0.1 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Pineapple	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesam seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
MCPA (including Phenothiol)	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Peas, immature (with pods)	0.1 ppm
	Kidney beans, immature (with pods)	0.1 ppm
	Green soybeans	0.1 ppm
	Apple	0.1 ppm
	Pear	0.05 ppm

	Strawberry	0.05 ppm
	Grape	0.1 ppm
	Other oil seeds	0.1 ppm
2,4,5-T	Rice (brown rice)	Not detected
	Wheat	Not detected
	Wheat flour (except whole grain)	Not detected
	Barley	Not detected
	Rye	Not detected
	Corn (maize)	Not detected
	Buckwheat	Not detected
	Other cereal grains	Not detected
	Soybeans, dry	Not detected
	Beans, dry*	Not detected
	Peas	Not detected
	Broad beans	Not detected
	Peanuts, dry	Not detected
	Other legumes/pulses	Not detected
	Potato	Not detected
	Taro	Not detected
	Sweet potato	Not detected
	Yam	Not detected
	Konjac	Not detected
	Other potatoes	Not detected
	Sugar beet	Not detected
	Sugarcane	Not detected
	Japanese radish, roots (including radish)	Not detected
	Japanese radish, leaves (including radish)	Not detected
	Turnip, roots	Not detected
	Turnip, leaves	Not detected
	Horseradish	Not detected
	Watercress	Not detected
	Chinese cabbage	Not detected
	Cabbage	Not detected
	Brussels sprouts	Not detected
	Kale	Not detected
	<i>Komatsuna</i> , Japanese mustard spinach	Not detected
	<i>Kyona</i>	Not detected
	Qing-geng-cai	Not detected
	Cauliflower	Not detected
	Broccoli	Not detected
	Other cruciferous vegetables	Not detected
	Burdock	Not detected
	Salsify	Not detected
	Artichoke	Not detected
	Chicory	Not detected
	Endive	Not detected

<i>Shungiku</i>	Not detected
Lettuce (including cos lettuce and leaf lettuce)	Not detected
Other composite vegetables	Not detected
Onion	Not detected
Welsh (including leek)	Not detected
Garlic	Not detected
<i>Nira</i>	Not detected
Asparagus	Not detected
Multiplying onion	Not detected
Other liliaceous vegetables	Not detected
Carrot	Not detected
Parsnip	Not detected
Parsley	Not detected
Celery	Not detected
<i>Mitsuba</i>	Not detected
Other umbelliferous vegetables	Not detected
Tomato	Not detected
Pimiento (sweet pepper)	Not detected
Egg plant	Not detected
Other solanaceous vegetables	Not detected
Cucumber (including gherkin)	Not detected
Pumpkin (including squash)	Not detected
Oriental pickling melon (vegetable)	Not detected
Water melon	Not detected
Melons	Not detected
<i>Makuwauri</i> melon	Not detected
Other cucurbitaceous vegetables	Not detected
Spinach	Not detected
Bamboo shoots	Not detected
Okra	Not detected
Ginger	Not detected
Peas, immature (with pods)	Not detected
Kidney beans, immature (with pods)	Not detected
Green soybeans	Not detected
Button mushroom	Not detected
<i>Shiitake</i> mushroom	Not detected
Other mushrooms	Not detected
Other vegetables	Not detected
<i>Unshu</i> orange, pulp	Not detected
Citrus <i>natsudaidai</i> , whole	Not detected
Lemon	Not detected
Orange (including navel orange)	Not detected
Grapefruit	Not detected
Lime	Not detected
Other citrus fruits	Not detected
Apple	Not detected

	Japanese pear	Not detected
	Pear	Not detected
	Quince	Not detected
	Loquat	Not detected
	Peach	Not detected
	Nectarine	Not detected
	Apricot	Not detected
	Japanese plum (including prune)	Not detected
	Mume plum	Not detected
	Cherry	Not detected
	Strawberry	Not detected
	Raspberry	Not detected
	Blackberry	Not detected
	Blueberry	Not detected
	Cranberry	Not detected
	Huckleberry	Not detected
	Other berries	Not detected
	Grape	Not detected
	Japanese persimmon	Not detected
	Banana	Not detected
	Kiwifruit	Not detected
	Papaya	Not detected
	Avocado	Not detected
	Pineapple	Not detected
	Guava	Not detected
	Mango	Not detected
	Passion fruit	Not detected
	Date	Not detected
	Other fruits	Not detected
	Sunflower seeds	Not detected
	Sesam seeds	Not detected
	Safflower seeds	Not detected
	Cotton seeds	Not detected
	Rapeseeds	Not detected
	Other oil seeds	Not detected
	Ginkgo nut	Not detected
	Chestnut	Not detected
	Pecan	Not detected
	Almond	Not detected
	Walnut	Not detected
	Other nuts	Not detected
	Tea	Not detected
	Coffee beans	Not detected
	Cacao beans	Not detected
	Hop	Not detected
ACRINATHRIN	Corn (maize)	0.1 ppm

	Soybeans, dry	0.1 ppm
	Onion	0.1 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	1 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	0.2 ppm
	Oriental pickling melon (vegetable)	0.2 ppm
	Water melon	0.2 ppm
	Melons	0.2 ppm
	<i>Makuwauri</i> melon	0.2 ppm
	Other cucurbitaceous vegetables	0.2 ppm
	Peas, immature (with pods)	0.3 ppm
	Kidney beans, immature (with pods)	0.3 ppm
	<i>Unshu</i> orange, pulp	2 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	2 ppm
	Orange (including navel orange)	2 ppm
	Grapefruit	2 ppm
	Lime	2 ppm
	Other citrus fruits	2 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	0.2 ppm
	Nectarine	2 ppm
	Apricot	2 ppm
	Japanese plum (including prune)	2 ppm
	Mume plum	2 ppm
	Cherry	2 ppm
	Strawberry	2 ppm
	Grape	2 ppm
	Japanese persimmon	1 ppm
	Cotton seeds	0.2 ppm
	Tea	10 ppm
ACIBENZOLAR-S-METHYL	Rice (brown rice)	0.1 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
AZIMSULFRON	Rice (brown rice)	0.1 ppm
ACEQUINOCYL	Egg plant	1 ppm

	Cucumber (including gherkin)	0.5 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Unshu</i> orange, pulp	0.2 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	1 ppm
	Other citrus fruits	1 ppm
	Apple	1 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Peach	0.1 ppm
	Japanese plum (including prune)	1 ppm
	Cherry	2 ppm
	Grape	0.5 ppm
ACETAMIPRID	Potato	0.5 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Chinese cabbage	5 ppm
	Cabbage	5 ppm
	Brussels sprouts	5 ppm
	Tomato	5 ppm
	Pimiento (sweet pepper)	5 ppm
	Egg plant	5 ppm
	Cucumber (including gherkin)	5 ppm
	Water melon	0.5 ppm
	<i>Unshu</i> orange, pulp	1 ppm
	Citrus <i>natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm
	Apple	5 ppm
	Japanese pear	5 ppm
	Pear	5 ppm
	Peach	5 ppm
	Strawberry	5 ppm
	Grape	5 ppm
	Tea	50 ppm
ACEPHATE	Corn (maize)	0.5 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	3.0 ppm
	Peanuts, dry	0.2 ppm
	Potato	1.0 ppm
	Yam	0.5 ppm
	Sugar beet	0.1 ppm

Japanese radish, roots (including radish)	1.0 ppm
Japanese radish, leaves (including radish)	10 ppm
Turnip, roots	1.0 ppm
Turnip, leaves	10 ppm
Horseradish	5.0 ppm
Watercress	5.0 ppm
Chinese cabbage	5.0 ppm
Cabbage	5.0 ppm
Brussels sprouts	5.0 ppm
Kale	5.0 ppm
<i>Komatsuna</i> , Japanese mustard spinach	5.0 ppm
<i>Kyona</i>	5.0 ppm
Qing-geng-cai	5.0 ppm
Cauliflower	5.0 ppm
Broccoli	5.0 ppm
Other cruciferous vegetables	5.0 ppm
Burdock	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	5.0 ppm
Other composite vegetables	0.2 ppm
Onion	0.5 ppm
Welsh (including leek)	0.1 ppm
Garlic	2.0 ppm
<i>Nira</i>	0.5 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.5 ppm
Parsley	0.5 ppm
Celery	10 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	5.0 ppm
Pimiento (sweet pepper)	5.0 ppm
Egg plant	5.0 ppm
Other solanaceous vegetables	5.0 ppm
Cucumber (including gherkin)	5.0 ppm
Water melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Bamboo shoots	3.0 ppm
Okra	5.0 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	3.0 ppm
Green soybeans	0.5 ppm
Other vegetables	3.0 ppm
<i>Unshu</i> orange, pulp	5.0 ppm
<i>Citrus natsudaidai</i> , whole	5.0 ppm
Lemon	5.0 ppm
Orange (including navel orange)	5.0 ppm

	Grapefruit	5.0 ppm
	Lime	5.0 ppm
	Other citrus fruits	5.0 ppm
	Cranberry	0.5 ppm
	Grape	5.0 ppm
	Japanese persimmon	2.0 ppm
	Other fruits	1.0 ppm
	Cotton seeds	2.0 ppm
	Other nuts	0.1 ppm
	Tea	10 ppm
AZOXYSTROBIN	Rice (brown rice)	5 ppm
	Wheat	0.5 ppm
	Barley	0.3 ppm
	Rye	0.3 ppm
	Other cereal grains	0.3 ppm
	Peanuts, dry	0.01 ppm
	Potato	0.03 ppm
	Sugar beet	0.1 ppm
	Onion	0.1 ppm
	Welsh (including leek)	5 ppm
	Garlic	0.1 ppm
	Multiplying onion	5 ppm
	Carrot	0.1 ppm
	Tomato	1 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	1 ppm
	Pumpkin (including squash)	1 ppm
	Oriental pickling melon (vegetable)	1 ppm
	Water melon	1 ppm
	Melons	1 ppm
	<i>Makuwauri</i> melon	1 ppm
	Other cucurbitaceous vegetables	1 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Peach	1.5 ppm
	Nectarine	1.5 ppm
	Apricot	1.5 ppm
	Japanese plum (including prune)	1.5 ppm
	Mume plum	1.5 ppm
	Cherry	5 ppm
	Strawberry	5 ppm
	Grape	10 ppm
	Japanese persimmon	1 ppm
	Banana	2 ppm
	Rapeseeds	1 ppm
	Ginkgo nut	0.02 ppm

	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	10 ppm
AMITRAZ	Cucumber (including gherkin)	0.5 ppm
	Water melon	0.2 ppm
	<i>Makuwauri</i> melon	0.2 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	0.5 ppm
	Lemon	0.5 ppm
	Orange (including navel orange)	0.5 ppm
	Grapefruit	0.5 ppm
	Lime	0.5 ppm
	Other citrus fruits	0.5 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm
	Peach	0.5 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Cherry	0.5 ppm
	Strawberry	0.2 ppm
	Raspberry	0.2 ppm
	Blackberry	0.2 ppm
	Blueberry	0.2 ppm
	Cranberry	0.2 ppm
	Huckleberry	0.2 ppm
	Other berries	0.2 ppm
	Papaya	0.2 ppm
	Avocado	0.2 ppm
	Guava	0.2 ppm
	Mango	0.2 ppm
	Passion fruit	0.2 ppm
	Date	0.2 ppm
	Other fruits	0.2 ppm
	Sunflower seeds	0.2 ppm
	Safflower seeds	0.2 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.2 ppm
	Other oil seeds	0.2 ppm
	Ginkgo nut	0.2 ppm

	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
AMITROLE	Rice (brown rice)	Not detected
	Wheat	Not detected
	Wheat flour (except whole grain)	Not detected
	Barley	Not detected
	Rye	Not detected
	Corn (maize)	Not detected
	Buckwheat	Not detected
	Other cereal grains	Not detected
	Soybeans, dry	Not detected
	Beans, dry*	Not detected
	Peas	Not detected
	Broad beans	Not detected
	Peanuts, dry	Not detected
	Other legumes/pulses	Not detected
	Potato	Not detected
	Taro	Not detected
	Sweet potato	Not detected
	Yam	Not detected
	Konjac	Not detected
	Other potatoes	Not detected
	Sugar beet	Not detected
	Sugarcane	Not detected
	Japanese radish, roots (including radish)	Not detected
	Japanese radish, leaves (including radish)	Not detected
	Turnip, roots	Not detected
	Turnip, leaves	Not detected
	Horseradish	Not detected
	Watercress	Not detected
	Chinese cabbage	Not detected
	Cabbage	Not detected
	Brussels sprouts	Not detected
	Kale	Not detected
	<i>Komatsuna</i> , Japanese mustard spinach	Not detected
	<i>Kyona</i>	Not detected
	Qing-geng-cai	Not detected
	Cauliflower	Not detected
	Broccoli	Not detected
	Other cruciferous vegetables	Not detected
	Burdock	Not detected
	Salsify	Not detected
	Artichoke	Not detected
	Chicory	Not detected

Endive	Not detected
<i>Shungiku</i>	Not detected
Lettuce (including cos lettuce and leaf lettuce)	Not detected
Other composite vegetables	Not detected
Onion	Not detected
Welsh (including leek)	Not detected
Garlic	Not detected
<i>Nira</i>	Not detected
Asparagus	Not detected
Multiplying onion	Not detected
Other liliaceous vegetables	Not detected
Carrot	Not detected
Parsnip	Not detected
Parsley	Not detected
Celery	Not detected
<i>Mitsuba</i>	Not detected
Other umbelliferous vegetables	Not detected
Tomato	Not detected
Pimiento (sweet pepper)	Not detected
Egg plant	Not detected
Other solanceous vegetables	Not detected
Cucumber (including gherkin)	Not detected
Pumpkin (including squash)	Not detected
Oriental pickling melon (vegetable)	Not detected
Water melon	Not detected
Melons	Not detected
<i>Makuwauri</i> melon	Not detected
Other cucurbitaceous vegetables	Not detected
Spinach	Not detected
Bamboo shoots	Not detected
Okra	Not detected
Ginger	Not detected
Peas, immature (with pods)	Not detected
Kidney beans, immature (with pods)	Not detected
Green soybeans	Not detected
Button mushroom	Not detected
<i>Shiitake</i> mushroom	Not detected
Other mushrooms	Not detected
Other vegetables	Not detected
<i>Unshu</i> orange, pulp	Not detected
Citrus <i>natsudaidai</i> , whole	Not detected
Lemon	Not detected
Orange (including navel orange)	Not detected
Grapefruit	Not detected
Lime	Not detected
Other citrus fruits	Not detected

Apple	Not detected
Japanese pear	Not detected
Pear	Not detected
Quince	Not detected
Loquat	Not detected
Peach	Not detected
Nectarine	Not detected
Apricot	Not detected
Japanese plum (including prune)	Not detected
Mume plum	Not detected
Cherry	Not detected
Strawberry	Not detected
Raspberry	Not detected
Blackberry	Not detected
Blueberry	Not detected
Cranberry	Not detected
Huckleberry	Not detected
Other berries	Not detected
Grape	Not detected
Japanese persimmon	Not detected
Banana	Not detected
Kiwifruit	Not detected
Papaya	Not detected
Avocado	Not detected
Pineapple	Not detected
Guava	Not detected
Mango	Not detected
Passion fruit	Not detected
Date	Not detected
Other fruits	Not detected
Sunflower seeds	Not detected
Sesam seeds	Not detected
Safflower seeds	Not detected
Cotton seeds	Not detected
Rapeseeds	Not detected
Other oil seeds	Not detected
Ginkgo nut	Not detected
Chestnut	Not detected
Pecan	Not detected
Almond	Not detected
Walnut	Not detected
Other nuts	Not detected
Tea	Not detected
Coffee beans	Not detected
Cacao beans	Not detected
Hop	Not detected

ALACHLOR	Corn (maize)	0.2 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.01 ppm
	Sugar beet	0.01 ppm
	Sugarcane	0.01 ppm
	Japanese radish, roots (including radish)	0.01 ppm
	Japanese radish, leaves (including radish)	0.01 ppm
	Chinese cabbage	0.01 ppm
	Cabbage	0.01 ppm
	Brussels sprouts	0.01 ppm
	Spinach	0.01 ppm
	Japanese pear	0.01 ppm
	Strawberry	0.01 ppm
	Grape	0.01 ppm
ALDICARB	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.20 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.10 ppm
	Peanuts, dry	0.05 ppm
	Potato	0.50 ppm
	Sweet potato	0.10 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.02 ppm
	Onion	0.05 ppm
	Lemon	0.30 ppm
	Orange (including navel orange)	0.30 ppm
	Grapefruit	0.30 ppm
	Lime	0.30 ppm
	Strawberry	0.20 ppm
	Grape	0.05 ppm
	Banana	0.50 ppm
	Cotton seeds	0.10 ppm
	Pecan	0.50 ppm
	Coffee beans	0.10 ppm
ALDRIN and DIELDRIN	Rice (brown rice)	Not detected
	Wheat	Not detected

	Corn (maize)	Not detected
	Buckwheat	Not detected
	Peas	Not detected
	Broad beans	Not detected
	Potato	Not detected
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	Not detected
	<i>Kyona</i>	Not detected
	Cauliflower	Not detected
	Broccoli	Not detected
	Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
	Asparagus	Not detected
	Celery	Not detected
	<i>Mitsuba</i>	Not detected
	Tomato	0.02 ppm
	Pimiento (sweet pepper)	0.02 ppm
	Egg plant	0.02 ppm
	Cucumber (including gherkin)	0.02 ppm
	Water melon	Not detected
	Spinach	Not detected
	Peas, immature (with pods)	Not detected
	Kidney beans, immature (with pods)	Not detected
	<i>Unshu</i> orange, pulp	Not detected
	<i>Citrus natsudaidai</i> , pulp	Not detected
	<i>Citrus natsudaidai</i> , peels	Not detected
	Apple	Not detected
	Japanese pear	Not detected
	Pear	Not detected
	Loquat	Not detected
	Peach	Not detected
	Cherry	Not detected
	Strawberry	Not detected
	Grape	Not detected
	Japanese persimmon	Not detected
	Tea (limited unfermented tea)	Not detected
ISOFENPHOS	Corn (maize)	0.02 ppm
	Peanuts, dry	0.10 ppm
	Potato	0.10 ppm
	Sugarcane	0.20 ppm
	Turnip, roots	0.02 ppm
	Cabbage	0.10 ppm
	Brussels sprouts	0.10 ppm

	Qing-geng-cai	0.10 ppm
	Cauliflower	0.10 ppm
	Broccoli	0.10 ppm
	Other cruciferous vegetables	0.10 ppm
	Onion	0.10 ppm
	Celery	0.02 ppm
	Other umbelliferous vegetables	0.02 ppm
	Citrus <i>natsudaidai</i> , whole	2.0 ppm
	Lemon	2.0 ppm
	Orange (including navel orange)	2.0 ppm
	Grapefruit	2.0 ppm
	Lime	2.0 ppm
	Other citrus fruits	2.0 ppm
	Banana	0.02 ppm
	Rapeseeds	0.02 ppm
ISOPROCARB	Rice (brown rice)	0.5 ppm
ISOMETAMIDIUM	Cattle, muscle	0.10 ppm
	Cattle, fat	0.10 ppm
	Cattle, liver	0.50 ppm
	Cattle, kidney	1.0 ppm
	Milk	0.10 ppm
INABENFIDE	Rice (brown rice)	0.05 ppm
IPRODIONE	Rice (brown rice)	3.0 ppm
	Wheat	10 ppm
	Barley	10 ppm
	Rye	10 ppm
	Corn (maize)	10 ppm
	Buckwheat	10 ppm
	Other cereal grains	10 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	1.0 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.5 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	1.0 ppm
	Japanese radish, roots (including radish)	5.0 ppm
	Japanese radish, leaves (including radish)	5.0 ppm
	Turnip, roots	5.0 ppm
	Turnip, leaves	5.0 ppm

Horseradish	5.0 ppm
Watercress	5.0 ppm
Chinese cabbage	5.0 ppm
Cabbage	5.0 ppm
Brussels sprouts	5.0 ppm
Kale	5.0 ppm
<i>Komatsuna</i> , Japanese mustard spinach	5.0 ppm
<i>Kyona</i>	5.0 ppm
Qing-geng-cai	5.0 ppm
Cauliflower	5.0 ppm
Broccoli	25 ppm
Other cruciferous vegetables	5.0 ppm
Burdock	5.0 ppm
Salsify	5.0 ppm
Artichoke	5.0 ppm
Chicory	1.0 ppm
Endive	5.0 ppm
<i>Shungiku</i>	5.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	10 ppm
Other composite vegetables	5.0 ppm
Onion	0.5 ppm
Welsh (including leek)	5.0 ppm
Garlic	0.1 ppm
<i>Nira</i>	5.0 ppm
Asparagus	5.0 ppm
Multiplying onion	5.0 ppm
Other liliaceous vegetables	5.0 ppm
Carrot	5.0 ppm
Parsnip	5.0 ppm
Parsley	5.0 ppm
Celery	5.0 ppm
<i>Mitsuba</i>	5.0 ppm
Other umbelliferous vegetables	5.0 ppm
Tomato	5.0 ppm
Pimiento (sweet pepper)	10 ppm
Egg plant	5.0 ppm
Other solanaceous vegetables	5.0 ppm
Cucumber (including gherkin)	5.0 ppm
Pumpkin (including squash)	5.0 ppm
Oriental pickling melon (vegetable)	5.0 ppm
Water melon	10 ppm
Melons	10 ppm
<i>Makuwauri</i> melon	10 ppm
Other cucurbitaceous vegetables	5.0 ppm
Spinach	5.0 ppm
Bamboo shoots	20 ppm

Okra	5.0 ppm
Ginger	5.0 ppm
Peas, immature (with pods)	25 ppm
Kidney beans, immature (with pods)	5.0 ppm
Green soybeans	5.0 ppm
Button mushroom	5.0 ppm
<i>Shiitake</i> mushroom	5.0 ppm
Other mushrooms	5.0 ppm
Other vegetables	20 ppm
<i>Unshu</i> orange, pulp	10 ppm
Citrus <i>natsudaidai</i> , whole	10 ppm
Lemon	10 ppm
Orange (including navel orange)	10 ppm
Grapefruit	10 ppm
Lime	10 ppm
Other citrus fruits	10 ppm
Apple	10 ppm
Japanese pear	10 ppm
Pear	10 ppm
Quince	10 ppm
Loquat	10 ppm
Peach	10 ppm
Nectarine	10 ppm
Apricot	10 ppm
Japanese plum (including prune)	10 ppm
Mume plum	10 ppm
Cherry	10 ppm
Strawberry	20 ppm
Raspberry	5.0 ppm
Blackberry	12 ppm
Blueberry	15 ppm
Cranberry	12 ppm
Huckleberry	12 ppm
Other berries	25 ppm
Grape	25 ppm
Japanese persimmon	10 ppm
Banana	10 ppm
Kiwifruit	5.0 ppm
Papaya	10 ppm
Avocado	10 ppm
Pineapple	10 ppm
Guava	10 ppm
Mango	10 ppm
Passion fruit	10 ppm
Date	10 ppm
Other fruits	5.0 ppm

	Sunflower seeds	20 ppm
	Sesam seeds	10 ppm
	Safflower seeds	10 ppm
	Cotton seeds	10 ppm
	Rapeseeds	10 ppm
	Other oil seeds	10 ppm
	Ginkgo nut	10 ppm
	Chestnut	10 ppm
	Pecan	10 ppm
	Almond	10 ppm
	Walnut	10 ppm
	Other nuts	10 ppm
	Tea	20 ppm
IVERMECTIN	Cattle, fat	0.040 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
	Pig, fat	0.020 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
	Sheep, fat	0.020 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
	Horse, fat	0.020 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
	Cattle, liver	0.10 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
	Pig, liver	0.015 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
	Sheep, liver	0.015 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
	Horse, liver	0.015 ppm (as 22,23-dihydroavermectin B <sub>1a</sub> )
IMAZAMOX-AMMONIUM	Corn (maize)	0.05 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Green soybeans	0.1 ppm
IMAZALIL	Rice (brown rice)	0.05 ppm
	Wheat	0.01 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Potato	5.0 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	0.5 ppm
	Egg plant	0.5 ppm

	Other solanceous vegetables	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	2.0 ppm
	Oriental pickling melon (vegetable)	2.0 ppm
	Water melon	2.0 ppm
	Melons	2.0 ppm
	<i>Makuwauri</i> melon	2.0 ppm
	Other cucurbitaceous vegetables	2.0 ppm
	Citrus <i>natsudaidai</i> , whole	5.0 ppm
	Lemon	5.0 ppm
	Orange (including navel orange)	5.0 ppm
	Grapefruit	5.0 ppm
	Lime	5.0 ppm
	Other citrus fruits	5.0 ppm
	Apple	5.0 ppm
	Japanese pear	5.0 ppm
	Pear	5.0 ppm
	Quince	5.0 ppm
	Loquat	5.0 ppm
	Strawberry	2.0 ppm
	Raspberry	2.0 ppm
	Japanese persimmon	2.0 ppm
	Banana	2.0 ppm
	Kiwifruit	2.0 ppm
	Papaya	2.0 ppm
	Avocado	2.0 ppm
	Pineapple	2.0 ppm
	Guava	2.0 ppm
	Mango	2.0 ppm
	Passion fruit	2.0 ppm
	Date	2.0 ppm
	Cotton seeds	0.05 ppm
IMAZOSULFURON	Rice (brown rice)	0.1 ppm
IMINOCTADINE	Rice (brown rice)	0.05 ppm
	Wheat	0.1 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.03 ppm
	Beans, dry*	0.05 ppm
	Potato	0.02 ppm
	Yam	0.02 ppm
	Sugar beet	0.2 ppm
	Cabbage	0.03 ppm
	Brussels sprouts	0.03 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm

	Onion	0.1 ppm
	Welsh (including leek)	0.1 ppm
	Garlic	0.1 ppm
	Asparagus	0.1 ppm
	Multiplying onion	0.1 ppm
	Carrot	0.05 ppm
	Tomato	0.3 ppm
	Egg plant	0.3 ppm
	Cucumber (including gherkin)	0.3 ppm
	Pumpkin (including squash)	0.3 ppm
	Water melon	0.2 ppm
	Melons	0.2 ppm
	<i>Unshu</i> orange, pulp	0.2 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Apple	0.3 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Loquat	0.2 ppm
	Peach	0.2 ppm
	Mume plum	0.5 ppm
	Cherry	2 ppm
	Strawberry	0.5 ppm
	Grape	0.5 ppm
	Japanese persimmon	0.3 ppm
	Kiwifruit	0.2 ppm
	Chestnut	0.1 ppm
	Tea	1 ppm
IMIBENCONAZOLE	Peanuts, dry	0.1 ppm
	Water melon	1 ppm
	Melons	1 ppm
	<i>Makuwauri</i> melon	1 ppm
	<i>Unshu</i> orange, pulp	1 ppm
	Apple	1 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Peach	1 ppm
	Mume plum	2 ppm
	Grape	5 ppm
	Tea	20 ppm
INDANOFAN	Rice (brown rice)	0.1 ppm
UNICONAZOLE P	Rice (brown rice)	0.1 ppm

	Sugar beet	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Strawberry	0.1 ppm
ESPROCARB	Rice (brown rice)	0.1 ppm
ETHIOFENCARB	Wheat	1.0 ppm
	Barley	1.0 ppm
	Rye	1.0 ppm
	Corn (maize)	1.0 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	1.0 ppm
	Peas	2.0 ppm
	Other legumes/pulses	2.0 ppm
	Potato	0.50 ppm
	Konjac	1.0 ppm
	Sugar beet	0.10 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.50 ppm
	Japanese radish, leaves (including radish)	5.0 ppm
	Chinese cabbage	5.0 ppm
	Cabbage	2.0 ppm
	Brussels sprouts	2.0 ppm
	Qing-geng-cai	2.0 ppm
	Cauliflower	1.0 ppm
	Other cruciferous vegetables	2.0 ppm
	Artichoke	5.0 ppm
	Lettuce (including cos lettuce and leaf lettuce)	10 ppm
	Tomato	5.0 ppm
	Pimiento (sweet pepper)	5.0 ppm
	Egg plant	5.0 ppm
	Cucumber (including gherkin)	5.0 ppm
	Water melon	5.0 ppm
	Melons	5.0 ppm
	Other cucurbitaceous vegetables	5.0 ppm
	Spinach	0.50 ppm
	Bamboo shoots	7.0 ppm
	Peas, immature (with pods)	2.0 ppm
	Kidney beans, immature (with pods)	2.0 ppm
	Other vegetables	7.0 ppm
	<i>Unshu</i> orange, pulp	5.0 ppm
	Citrus <i>natsudaidai</i> , whole	5.0 ppm
	Lemon	5.0 ppm
	Orange (including navel orange)	5.0 ppm
	Grapefruit	5.0 ppm
	Lime	5.0 ppm
	Other citrus fruits	5.0 ppm

	Apple	5.0 ppm
	Japanese pear	5.0 ppm
	Pear	5.0 ppm
	Peach	5.0 ppm
	Apricot	5.0 ppm
	Japanese plum (including prune)	5.0 ppm
	Mume plum	5.0 ppm
	Cherry	10 ppm
	Other berries	2.0 ppm
	Other fruits	7.0 ppm
	Other nuts	0.05 ppm
	Tea	0.05 ppm
	Hop	0.5 ppm
ETHYCHLOZATE	Melons	5 ppm
	<i>Unshu</i> orange, pulp	5 ppm
	Citrus <i>natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm
	Japanese persimmon	5 ppm
ETHIPROLE	Rice (brown rice)	0.2 ppm
	Apple	0.5 ppm
	Tea	10 ppm
EDIFENPHOS	Rice (brown rice)	0.2 ppm
ETOAZOLE	Beans, dry*	0.5 ppm
	Tomato	0.1 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Unshu</i> orange, pulp	1 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Apple	2 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Loquat	0.1 ppm
	Peach	0.1 ppm
	Cherry	1 ppm
	Strawberry	1 ppm

	Cotton seeds	0.1 ppm
	Tea	15 ppm
	Hop	15 ppm
ETHOXYQUIN	Apple	3.0 ppm
	Japanese pear	3.0 ppm
	Pear	3.0 ppm
ETHOFENPROX	Rice (brown rice)	0.5 ppm
	Wheat	0.5 ppm
	Barley	0.5 ppm
	Rye	0.5 ppm
	Corn (maize)	0.5 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Sugar beet	0.5 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	2 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Turnip, roots	2 ppm
	Turnip, leaves	10 ppm
	Chinese cabbage	5 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	2 ppm
	Other composite vegetables	2 ppm
	Welsh (including leek)	2 ppm
	Multiplying onion	2 ppm
	Tomato	2 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	2 ppm
	Water melon	2 ppm
	Melons	2 ppm
	<i>Makuwauri</i> melon	2 ppm
	Ginger	2 ppm
	Peas, immature (with pods)	2 ppm
	Green soybeans	5 ppm
	<i>Unshu</i> orange, pulp	2 ppm
	<i>Citrus natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm

	Apple	2 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Peach	2 ppm
	Japanese persimmon	2 ppm
	Chestnut	2 ppm
	Tea	10 ppm
ETHOPROPHOS	Rice (brown rice)	0.005 ppm
	Wheat	0.005 ppm
	Barley	0.005 ppm
	Rye	0.005 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.005 ppm
	Other cereal grains	0.005 ppm
	Soybeans, dry	0.02 ppm
	Peanuts, dry	0.02 ppm
	Potato	0.02 ppm
	Sweet potato	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Turnip, roots	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
	Onion	0.02 ppm
	Tomato	0.02 ppm
	Pimiento (sweet pepper)	0.02 ppm
	Other solanceous vegetables	0.02 ppm
	Cucumber (including gherkin)	0.02 ppm
	Melons	0.02 ppm
	<i>Makuwauri</i> melon	0.02 ppm
	Peas, immature (with pods)	0.02 ppm
	Strawberry	0.02 ppm
	Grape	0.02 ppm
	Banana	0.02 ppm
	Pineapple	0.02 ppm
ETO BENZANID	Rice (brown rice)	0.1 ppm
ETRIMFOS	Rice (brown rice)	0.1 ppm
	Potato	0.1 ppm
	Sugar beet	0.01 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	0.2 ppm
	Horseradish	0.2 ppm
	Watercress	0.2 ppm

Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.2 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.2 ppm
<i>Kyona</i>	0.2 ppm
Qing-geng-cai	0.01 ppm
Cauliflower	0.05 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.01 ppm
Burdock	0.2 ppm
Salsify	0.2 ppm
Artichoke	0.2 ppm
Chicory	0.2 ppm
Endive	0.2 ppm
<i>Shungiku</i>	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.2 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.2 ppm
<i>Nira</i>	0.2 ppm
Asparagus	0.2 ppm
Multiplying onion	0.2 ppm
Other liliaceous vegetables	0.2 ppm
Carrot	0.2 ppm
Parsnip	0.2 ppm
Parsley	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Other solanceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.2 ppm
Spinach	0.2 ppm
Bamboo shoots	0.2 ppm
Okra	0.2 ppm
Ginger	0.2 ppm

Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.01 ppm
Button mushroom	0.2 ppm
<i>Shiitake</i> mushroom	0.2 ppm
Other mushrooms	0.2 ppm
Other vegetables	0.2 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.05 ppm
Nectarine	0.2 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.01 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	0.2 ppm
Sunflower seeds	0.2 ppm
Sesam seeds	0.2 ppm

	Safflower seeds	0.2 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	10 ppm
	Other oil seeds	0.2 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
EPRINOMECTIN	Cattle, muscle	0.10 ppm (as eprinomectinB <sub>1a</sub> )
	Cattle, fat	0.25 ppm (as eprinomectinB <sub>1a</sub> )
	Cattle, liver	2.00 ppm (as eprinomectinB <sub>1a</sub> )
	Cattle, kidney	0.30 ppm (as eprinomectinB <sub>1a</sub> )
	Milk	0.02 ppm (as eprinomectinB <sub>1a</sub> )
EMAMECTIN BENZOATE	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Broccoli	0.1 ppm
	Tomato	0.1 ppm
	Egg plant	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Tea	0.5 ppm
ENDRIN	Rice (brown rice)	Not detected
	Wheat	Not detected
	Corn (maize)	Not detected
	Buckwheat	Not detected
	Peas	Not detected
	Broad beans	Not detected
	Potato	Not detected
	Japanese radish, roots (including radish)	Not detected
	Japanese radish, leaves (including radish)	Not detected
	Chinese cabbage	Not detected
	Cabbage	Not detected
	Brussels sprouts	Not detected
	<i>Komatsuna</i> , Japanese mustard spinach	Not detected
	<i>Kyona</i>	Not detected
	Cauliflower	Not detected
	Broccoli	Not detected
	Lettuce (including cos lettuce and leaf lettuce)	Not detected
	Asparagus	Not detected
	Celery	Not detected
	<i>Mitsuba</i>	Not detected
	Tomato	Not detected

	Pimiento (sweet pepper)	Not detected
	Egg plant	Not detected
	Cucumber (including gherkin)	Not detected
	Water melon	Not detected
	Spinach	Not detected
	Peas, immature (with pods)	Not detected
	Kidney beans, immature (with pods)	Not detected
	<i>Unshu</i> orange, pulp	Not detected
	Citrus <i>natsudaidai</i> , pulp	Not detected
	Citrus <i>natsudaidai</i> , peels	Not detected
	Apple	Not detected
	Japanese pear	Not detected
	Pear	Not detected
	Loquat	Not detected
	Peach	Not detected
	Cherry	Not detected
	Strawberry	Not detected
	Grape	Not detected
	Japanese persimmon	Not detected
	Tea (limited unfermented tea)	Not detected
ENROFLOXACIN (Revised on November 30, 2006)	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm

	Other poultry, edible offal	0.1 ppm
OXAZICLOMEFONE	Rice (brown rice)	0.1 ppm
OXAMYL	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.10 ppm
	Beans, dry*	0.20 ppm
	Peanuts, dry	0.10 ppm
	Other legumes/pulses	0.20 ppm
	Potato	0.10 ppm
	Taro	0.10 ppm
	Sweet potato	0.10 ppm
	Yam	0.10 ppm
	Konjac	0.10 ppm
	Other potatoes	0.10 ppm
	Sugar beet	0.10 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.50 ppm
	Japanese radish, leaves (including radish)	1.0 ppm
	Turnip, roots	0.10 ppm
	Turnip, leaves	1.0 ppm
	Horseradish	0.10 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Burdock	0.10 ppm
	Salsify	0.10 ppm
	Artichoke	0.10 ppm
	Chicory	0.10 ppm
	Endive	0.50 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.50 ppm
	Other composite vegetables	1.0 ppm
	Onion	0.05 ppm
	Garlic	0.10 ppm
	Carrot	0.20 ppm
	Parsnip	0.10 ppm
	Parsley	0.10 ppm
	Celery	5.0 ppm
	Other umbelliferous vegetables	0.10 ppm
	Tomato	2.0 ppm
	Pimiento (sweet pepper)	2.0 ppm
	Egg plant	2.0 ppm
	Cucumber (including gherkin)	2.0 ppm

	Pumpkin (including squash)	2.0 ppm
	Water melon	2.0 ppm
	Melons	2.0 ppm
	Other cucurbitaceous vegetables	1.0 ppm
	Ginger	0.10 ppm
	Kidney beans, immature (with pods)	0.20 ppm
	<i>Unshu</i> orange, pulp	3.0 ppm
	Citrus <i>natsudaidai</i> , whole	5.0 ppm
	Lemon	5.0 ppm
	Orange (including navel orange)	5.0 ppm
	Grapefruit	5.0 ppm
	Lime	5.0 ppm
	Other citrus fruits	5.0 ppm
	Apple	2.0 ppm
	Japanese pear	2.0 ppm
	Pear	2.0 ppm
	Strawberry	0.02 ppm
	Raspberry	0.10 ppm
	Banana	0.20 ppm
	Pineapple	1.0 ppm
	Cotton seeds	0.20 ppm
	Coffee beans	0.10 ppm
OXYTETRACYCLINE	Horse, muscle	0.10 ppm
	Horse, fat	0.01 ppm
	Horse, liver	0.30 ppm
	Horse, kidney	0.60 ppm
	Fish and shellfish	0.2 ppm
OXYTETRACYCLINE, CHLORTETRACYCLINE and TETRACYCLINE (as total)	Cattle, muscle	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Pig, muscle	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Sheep, muscle	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Cattle, liver	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Pig, liver	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)

Sheep, liver	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Cattle, kidney	1.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Pig, kidney	1.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Sheep, kidney	1.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Milk	0.1 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Chicken, muscle	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Duck, muscle	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Turkey, muscle	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Chicken, liver	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Duck, liver	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Turkey, liver	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Chicken, kidney	1.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Duck, kidney	1.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)

	Turkey, kidney	1.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Chicken, eggs	0.4 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
OXFENDAZOLE, FEBANTEL and FENBENDAZOLE (as total)	Cattle, muscle	0.1 ppm (as oxfendazole sulfone)
	Pig, muscle	0.1 ppm (as oxfendazole sulfone)
	Other terrestrial mammals, muscle	0.1 ppm (as oxfendazole sulfone)
	Cattle, fat	0.1 ppm (as oxfendazole sulfone)
	Pig, fat	0.1 ppm (as oxfendazole sulfone)
	Other terrestrial mammals, fat	0.1 ppm (as oxfendazole sulfone)
	Cattle, liver	0.5 ppm (as oxfendazole sulfone)
	Pig, liver	0.5 ppm (as oxfendazole sulfone)
	Other terrestrial mammals, liver	0.5 ppm (as oxfendazole sulfone)
	Cattle, kidney	0.1 ppm (as oxfendazole sulfone)
	Pig, kidney	0.1 ppm (as oxfendazole sulfone)
	Other terrestrial mammals, kidney	0.1 ppm (as oxfendazole sulfone)
	Cattle, edible offal	3 ppm (as oxfendazole sulfone)
	Pig, edible offal	3 ppm (as oxfendazole sulfone)
	Other terrestrial mammals, edible offal	3 ppm (as oxfendazole sulfone)
	Milk	0.1 ppm (as oxfendazole sulfone)
	Chicken, muscle	0.03 ppm (as oxfendazole sulfone)
	Turkey, muscle	2 ppm (as oxfendazole sulfone)
	Other poultry animals, muscle (except turkey)	0.03 ppm (as oxfendazole sulfone)
	Chicken, fat	0.01 ppm (as oxfendazole sulfone)
	Other poultry animals, fat	0.01 ppm (as oxfendazole sulfone)
	Chicken, liver	2 ppm (as oxfendazole sulfone)

	Turkey, liver	6 ppm (as oxfendazole sulfone)
	Other poultry animals, liver (except turkey)	2 ppm (as oxfendazole sulfone)
	Chicken, kidney	0.01 ppm (as oxfendazole sulfone)
	Other poultry animals, kidney	0.01 ppm (as oxfendazole sulfone)
	Chicken, edible offal	0.01 ppm (as oxfendazole sulfone)
	Other poultry animals, edible offal	0.01 ppm (as oxfendazole sulfone)
	Tetraodontiformes	0.05 ppm (as oxfendazole sulfone)
ORYSASTROBIN (Revised on July 11, 2006)	Rice (brown rice)	0.2 ppm
CADUSAFOS	Potato	0.02 ppm
	Taro	0.03 ppm
	Sweet potato	0.02 ppm
	Sugarcane	0.01 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Cabbage	0.01 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
	Garlic	0.02 ppm
	Tomato	0.01 ppm
	Egg plant	0.02 ppm
	Cucumber (including gherkin)	0.05 ppm
	Pumpkin (including squash)	0.05 ppm
	Water melon	0.01 ppm
	Melons	0.02 ppm
	Spinach	0.1 ppm
	Ginger	0.1 ppm
	<i>Unshu</i> orange, pulp	0.01 ppm
	Citrus <i>natsudaidai</i> , whole	0.01 ppm
	Lemon	0.01 ppm
	Orange (including navel orange)	0.01 ppm
	Grapefruit	0.01 ppm
	Lime	0.01 ppm
	Other citrus fruits	0.01 ppm
	Strawberry	0.05 ppm
	Banana	0.01 ppm
CAFENSTROLE	Rice (brown rice)	0.1 ppm
CAPTAFOL	Rice (brown rice)	Not detected
	Wheat	Not detected
	Wheat flour (except whole grain)	Not detected
	Barley	Not detected
	Rye	Not detected

Corn (maize)	Not detected
Buckwheat	Not detected
Other cereal grains	Not detected
Soybeans, dry	Not detected
Beans, dry*	Not detected
Peas	Not detected
Broad beans	Not detected
Peanuts, dry	Not detected
Other legumes/pulses	Not detected
Potato	Not detected
Taro	Not detected
Sweet potato	Not detected
Yam	Not detected
Konjac	Not detected
Other potatoes	Not detected
Sugar beet	Not detected
Sugarcane	Not detected
Japanese radish, roots (including radish)	Not detected
Japanese radish, leaves (including radish)	Not detected
Turnip, roots	Not detected
Turnip, leaves	Not detected
Horseradish	Not detected
Watercress	Not detected
Chinese cabbage	Not detected
Cabbage	Not detected
Brussels sprouts	Not detected
Kale	Not detected
<i>Komatsuna</i> , Japanese mustard spinach	Not detected
<i>Kyona</i>	Not detected
Qing-geng-cai	Not detected
Cauliflower	Not detected
Broccoli	Not detected
Other cruciferous vegetables	Not detected
Burdock	Not detected
Salsify	Not detected
Artichoke	Not detected
Chicory	Not detected
Endive	Not detected
<i>Shungiku</i>	Not detected
Lettuce (including cos lettuce and leaf lettuce)	Not detected
Other composite vegetables	Not detected
Onion	Not detected
Welsh (including leek)	Not detected
Garlic	Not detected
<i>Nira</i>	Not detected
Asparagus	Not detected

Multiplying onion	Not detected
Other liliaceous vegetables	Not detected
Carrot	Not detected
Parsnip	Not detected
Parsley	Not detected
Celery	Not detected
<i>Mitsuba</i>	Not detected
Other umbelliferous vegetables	Not detected
Tomato	Not detected
Pimiento (sweet pepper)	Not detected
Egg plant	Not detected
Other solanaceous vegetables	Not detected
Cucumber (including gherkin)	Not detected
Pumpkin (including squash)	Not detected
Oriental pickling melon (vegetable)	Not detected
Water melon	Not detected
Melons	Not detected
<i>Makuwauri</i> melon	Not detected
Other cucurbitaceous vegetables	Not detected
Spinach	Not detected
Bamboo shoots	Not detected
Okra	Not detected
Ginger	Not detected
Peas, immature (with pods)	Not detected
Kidney beans, immature (with pods)	Not detected
Green soybeans	Not detected
Button mushroom	Not detected
<i>Shiitake</i> mushroom	Not detected
Other mushrooms	Not detected
Other vegetables	Not detected
<i>Unshu</i> orange, pulp	Not detected
Citrus <i>natsudaidai</i> , whole	Not detected
Lemon	Not detected
Orange (including navel orange)	Not detected
Grapefruit	Not detected
Lime	Not detected
Other citrus fruits	Not detected
Apple	Not detected
Japanese pear	Not detected
Pear	Not detected
Quince	Not detected
Loquat	Not detected
Peach	Not detected
Nectarine	Not detected
Apricot	Not detected
Japanese plum (including prune)	Not detected

	Mume plum	Not detected
	Cherry	Not detected
	Strawberry	Not detected
	Raspberry	Not detected
	Blackberry	Not detected
	Blueberry	Not detected
	Cranberry	Not detected
	Huckleberry	Not detected
	Other berries	Not detected
	Grape	Not detected
	Japanese persimmon	Not detected
	Banana	Not detected
	Kiwifruit	Not detected
	Papaya	Not detected
	Avocado	Not detected
	Pineapple	Not detected
	Guava	Not detected
	Mango	Not detected
	Passion fruit	Not detected
	Date	Not detected
	Other fruits	Not detected
	Sunflower seeds	Not detected
	Sesam seeds	Not detected
	Safflower seeds	Not detected
	Cotton seeds	Not detected
	Rapeseeds	Not detected
	Other oil seeds	Not detected
	Ginkgo nut	Not detected
	Chestnut	Not detected
	Pecan	Not detected
	Almond	Not detected
	Walnut	Not detected
	Other nuts	Not detected
	Tea	Not detected
	Coffee beans	Not detected
	Cacao beans	Not detected
	Hop	Not detected
CARBARYL	Rice (brown rice)	1.0 ppm
	Potato	0.1 ppm
	Japanese radish, roots (including radish)	1.0 ppm
	Japanese radish, leaves (including radish)	1.0 ppm
	Chinese cabbage	1.0 ppm
	Cabbage	1.0 ppm
	Brussels sprouts	1.0 ppm
	Spinach	1.0 ppm
	<i>Unshu</i> orange, pulp	1.0 ppm

	Citrus <i>natsudaidai</i> , pulp	1.0 ppm
	Citrus <i>natsudaidai</i> , peels	1.0 ppm
	Apple	1.0 ppm
	Japanese pear	1.0 ppm
	Peach	1.0 ppm
	Grape	1.0 ppm
	Japanese persimmon	1.0 ppm
	Tea (limited unfermented tea)	1.0 ppm
CARPROPAMID	Rice (brown rice)	1 ppm
CANTHAXANTHIN	Chicken, muscle	10 ppm
	Chicken, fat	10 ppm
	Chicken, liver	10 ppm
	Chicken, kidney	10 ppm
	Chicken, edible offal	10 ppm
	Chicken, eggs	25 ppm (in york)
	Salmoniformes	20 ppm
	<i>Ikura</i> (Salmonid roe products)	20 ppm
	<i>Sujiko</i> (Salmonid roe products)	20 ppm
QUIZALOFOP-ETHYL	Soybeans, dry	0.3 ppm
	Beans, dry*	0.25 ppm
	Peas	0.25 ppm
	Broad beans	0.25 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.25 ppm
	Potato	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.3 ppm
	Chinese cabbage	0.3 ppm
	Cabbage	0.3 ppm
	Brussels sprouts	0.3 ppm
	Cauliflower	0.05 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.05 ppm
	Asparagus	0.3 ppm
	Carrot	0.1 ppm
	Celery	0.3 ppm
	Tomato	0.05 ppm
	Cucumber (including gherkin)	0.02 ppm
	Pumpkin (including squash)	0.02 ppm
	Water melon	0.05 ppm
	Melons	0.02 ppm
	Spinach	0.05 ppm

	Peas, immature (with pods)	0.25 ppm
	Kidney beans, immature (with pods)	0.25 ppm
	Green soybeans	0.25 ppm
	Apple	0.05 ppm
	Peach	0.05 ppm
	Strawberry	0.05 ppm
	Raspberry	0.05 ppm
	Blackberry	0.05 ppm
	Blueberry	0.05 ppm
	Cranberry	0.05 ppm
	Huckleberry	0.05 ppm
	Other berries	0.05 ppm
	Grape	0.02 ppm
	Pineapple	0.05 ppm
	Sunflower seeds	0.05 ppm
	Safflower seeds	0.01 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	1 ppm
QUINALPHOS	Water melon	0.02 ppm
	Melons	0.02 ppm
	<i>Makuwauri</i> melon	0.02 ppm
	<i>Unshu</i> orange, pulp	0.02 ppm
	Citrus <i>natsudaidai</i> , whole	0.8 ppm
	Lemon	0.8 ppm
	Orange (including navel orange)	0.8 ppm
	Grapefruit	0.8 ppm
	Lime	0.8 ppm
	Other citrus fruits	0.8 ppm
	Apple	0.02 ppm
	Japanese pear	0.02 ppm
	Pear	0.02 ppm
	Quince	0.02 ppm
	Loquat	0.02 ppm
	Peach	0.02 ppm
	Nectarine	0.02 ppm
	Apricot	0.02 ppm
	Japanese plum (including prune)	0.02 ppm
	Mume plum	0.02 ppm
	Cherry	0.02 ppm
	Strawberry	0.02 ppm
	Raspberry	0.02 ppm
	Blackberry	0.02 ppm
	Blueberry	0.02 ppm
	Cranberry	0.02 ppm
	Huckleberry	0.02 ppm
	Other berries	0.02 ppm

	Grape	0.02 ppm
	Japanese persimmon	0.02 ppm
	Banana	0.02 ppm
	Kiwifruit	0.02 ppm
	Papaya	0.02 ppm
	Avocado	0.02 ppm
	Pineapple	0.02 ppm
	Guava	0.02 ppm
	Mango	0.02 ppm
	Passion fruit	0.02 ppm
	Date	0.02 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.02 ppm
	Sesam seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Cotton seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
QUINOXALINE-2-CARBOXYLIC ACID	Pig, muscle	Not detected
	Pig, liver	Not detected
CHINOMETHIONAT	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Other legumes/pulses	0.3 ppm
	Potato	0.3 ppm
	Cabbage	0.3 ppm
	Brussels sprouts	0.3 ppm
	Cauliflower	0.3 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	1.0 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	0.5 ppm
	Water melon	0.02 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Other cucurbitaceous vegetables	0.5 ppm

	Bamboo shoots	0.5 ppm
	Okra	0.5 ppm
	Other vegetables	0.5 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	0.5 ppm
	Lemon	0.5 ppm
	Orange (including navel orange)	0.5 ppm
	Grapefruit	0.5 ppm
	Lime	0.5 ppm
	Other citrus fruits	0.5 ppm
	Apple	0.2 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm
	Peach	0.5 ppm
	Nectarine	0.5 ppm
	Apricot	0.5 ppm
	Japanese plum (including prune)	0.5 ppm
	Mume plum	0.5 ppm
	Cherry	0.5 ppm
	Strawberry	0.5 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.05 ppm
	Papaya	5.0 ppm
	Avocado	0.1 ppm
	Other fruits	0.3 ppm
	Other oil seeds	0.02 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.02 ppm
CAPTAN	Tomato	5.0 ppm
	Egg plant	5.0 ppm
	Cucumber (including gherkin)	5.0 ppm
	Apple	5.0 ppm
QUINCLORAC	Rice (brown rice)	5 ppm
CUMYLURON	Rice (brown rice)	0.1 ppm
GLYPHOSATE	Rice (brown rice)	0.1 ppm
	Wheat	5.0 ppm
	Barley	20 ppm
	Rye	0.2 ppm
	Corn (maize)	1.0 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	20 ppm
	Soybeans, dry	20 ppm

Beans, dry*	2.0 ppm
Peas	5.0 ppm
Broad beans	2.0 ppm
Peanuts, dry	0.1 ppm
Other legumes/pulses	2.0 ppm
Potato	0.2 ppm
Sweet potato	0.2 ppm
Yam	0.2 ppm
Konjac	0.1 ppm
Sugar beet	0.2 ppm
Sugarcane	2.0 ppm
Japanese radish, roots (including radish)	0.2 ppm
Japanese radish, leaves (including radish)	0.2 ppm
Turnip, roots	0.2 ppm
Turnip, leaves	0.2 ppm
Horseradish	0.2 ppm
Watercress	0.2 ppm
Chinese cabbage	0.2 ppm
Cabbage	0.2 ppm
Brussels sprouts	0.2 ppm
Kale	0.2 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.2 ppm
<i>Kyona</i>	0.2 ppm
Qing-geng-cai	0.2 ppm
Cauliflower	0.2 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.2 ppm
Burdock	0.2 ppm
Salsify	0.2 ppm
Artichoke	0.2 ppm
Chicory	0.2 ppm
Endive	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.2 ppm
Onion	0.2 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.2 ppm
Asparagus	0.5 ppm
Multiplying onion	0.2 ppm
Carrot	0.2 ppm
Parsnip	0.2 ppm
Parsley	0.2 ppm
Celery	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.2 ppm

Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Water melon	0.5 ppm
Melons	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.2 ppm
Bamboo shoots	0.2 ppm
Ginger	0.2 ppm
Green soybeans	0.2 ppm
Button mushroom	0.2 ppm
Other vegetables	0.2 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.5 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm
Lime	0.5 ppm
Other citrus fruits	0.5 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.1 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.1 ppm
Guava	0.2 ppm
Mango	0.2 ppm

	Passion fruit	0.2 ppm
	Date	0.2 ppm
	Other fruits	0.2 ppm
	Sunflower seeds	0.1 ppm
	Sesam seeds	0.2 ppm
	Cotton seeds	10 ppm
	Rapeseeds	10 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	1.0 ppm
	Pecan	1.0 ppm
	Almond	1.0 ppm
	Walnut	1.0 ppm
	Other nuts	1.0 ppm
	Tea	1.0 ppm
	Coffee beans	1.0 ppm
	Cacao beans	0.2 ppm
	Hop	0.1 ppm
GLUFOSINATE	Rice (brown rice)	0.50 ppm
	Wheat	0.20 ppm
	Barley	5.0 ppm
	Corn (maize)	0.10 ppm
	Soybeans, dry	2.0 ppm
	Beans, dry*	2.0 ppm
	Peas	2.0 ppm
	Broad beans	2.0 ppm
	Other legumes/pulses	3.0 ppm
	Potato	0.50 ppm
	Taro	0.10 ppm
	Sweet potato	0.10 ppm
	Yam	0.10 ppm
	Konjac	0.10 ppm
	Sugar beet	0.90 ppm
	Japanese radish, roots (including radish)	0.50 ppm
	Japanese radish, leaves (including radish)	0.50 ppm
	Turnip, roots	0.50 ppm
	Turnip, leaves	0.50 ppm
	Horseradish	0.50 ppm
	Watercress	0.50 ppm
	Chinese cabbage	0.20 ppm
	Cabbage	0.50 ppm
	Brussels sprouts	0.50 ppm
	Kale	0.50 ppm
	Qing-geng-cai	0.50 ppm
	Cauliflower	0.50 ppm
	Broccoli	0.50 ppm

Other cruciferous vegetables	0.50 ppm
Salsify	0.50 ppm
Artichoke	0.50 ppm
Chicory	0.50 ppm
Endive	0.50 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.50 ppm
Other composite vegetables	0.50 ppm
Onion	0.20 ppm
Welsh (including leek)	0.20 ppm
Garlic	0.50 ppm
<i>Nira</i>	0.50 ppm
Asparagus	0.20 ppm
Other liliaceous vegetables	0.50 ppm
Carrot	0.20 ppm
Parsnip	0.50 ppm
Parsley	0.50 ppm
Celery	0.50 ppm
Other umbelliferous vegetables	0.50 ppm
Tomato	0.20 ppm
Pimiento (sweet pepper)	0.20 ppm
Egg plant	0.20 ppm
Other solanaceous vegetables	0.50 ppm
Cucumber (including gherkin)	0.20 ppm
Pumpkin (including squash)	0.20 ppm
Water melon	0.30 ppm
Melons	0.30 ppm
Other cucurbitaceous vegetables	0.50 ppm
Spinach	0.50 ppm
Ginger	0.50 ppm
Peas, immature (with pods)	0.50 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.20 ppm
Button mushroom	0.50 ppm
<i>Unshu</i> orange, pulp	0.30 ppm
Citrus <i>natsudaidai</i> , whole	0.30 ppm
Lemon	0.30 ppm
Orange (including navel orange)	0.30 ppm
Grapefruit	0.30 ppm
Lime	0.30 ppm
Other citrus fruits	0.30 ppm
Apple	0.30 ppm
Japanese pear	0.30 ppm
Pear	0.30 ppm
Quince	0.05 ppm
Loquat	0.30 ppm
Peach	0.30 ppm

	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.30 ppm
	Cherry	0.30 ppm
	Strawberry	0.30 ppm
	Raspberry	0.10 ppm
	Blackberry	0.10 ppm
	Blueberry	0.10 ppm
	Cranberry	0.10 ppm
	Huckleberry	0.10 ppm
	Other berries	0.10 ppm
	Grape	0.30 ppm
	Japanese persimmon	0.30 ppm
	Banana	0.20 ppm
	Kiwifruit	0.05 ppm
	Other fruits	0.50 ppm
	Sunflower seeds	5.0 ppm
	Rapeseeds	5.0 ppm
	Ginkgo nut	0.10 ppm
	Chestnut	0.30 ppm
	Pecan	0.10 ppm
	Almond	0.10 ppm
	Walnut	0.10 ppm
	Other nuts	0.10 ppm
	Tea	0.50 ppm
KRESOXIM-METHYL	Wheat	0.1 ppm
	Barley	5 ppm
	Rye	5 ppm
	Sugar beet	0.1 ppm
	Welsh (including leek)	2 ppm
	Garlic	0.1 ppm
	Multiplying onion	2 ppm
	Pimiento (sweet pepper)	2 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	0.5 ppm
	Water melon	1 ppm
	Melons	1 ppm
	<i>Unshu</i> orange, pulp	2 ppm
	Citrus <i>natsudaidai</i> , whole	10 ppm
	Lemon	10 ppm
	Orange (including navel orange)	10 ppm
	Grapefruit	10 ppm
	Lime	10 ppm
	Other citrus fruits	10 ppm
	Apple	5 ppm

	Japanese pear	5 ppm
	Pear	5 ppm
	Peach	1 ppm
	Mume plum	5 ppm
	Strawberry	5 ppm
	Grape	15 ppm
	Japanese persimmon	5 ppm
	Kiwifruit	1 ppm
CLETHODIM	Soybeans, dry	10 ppm
	Beans, dry*	0.2 ppm
	Peas	2 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	5 ppm
	Other legumes/pulses	0.5 ppm
	Potato	0.2 ppm
	Sweet potato	0.2 ppm
	Sugar beet	0.1 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Onion	0.5 ppm
	Garlic	0.5 ppm
	Multiplying onion	0.2 ppm
	Carrot	0.1 ppm
	Celery	0.1 ppm
	Tomato	1 ppm
	Sunflower seeds	0.2 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.5 ppm
	Other oil seeds	0.2 ppm
CLOSANTEL	Cattle, muscle	1.0 ppm
	Sheep, muscle	1.5 ppm
	Cattle, fat	3.0 ppm
	Sheep, fat	2.0 ppm
	Cattle, liver	1.0 ppm
	Sheep, liver	1.5 ppm
	Cattle, kidney	3.0 ppm
	Sheep, kidney	5.0 ppm
CLOTHIANIDIN	Rice (brown rice)	0.5 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.01 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.1 ppm

Beans, dry*	0.3 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.25 ppm
Taro	0.05 ppm
Sweet potato	0.1 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.1 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	5 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.7 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.5 ppm
<i>Kyona</i>	5 ppm
Qing-geng-cai	5 ppm
Cauliflower	0.02 ppm
Broccoli	0.3 ppm
Other cruciferous vegetables	5 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	2 ppm
Chicory	2 ppm
Endive	2 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	3 ppm
Other composite vegetables	2 ppm
Onion	0.02 ppm
Welsh (including leek)	0.7 ppm
Garlic	0.02 ppm
<i>Nira</i>	2 ppm
Asparagus	0.02 ppm
Multiplying onion	2 ppm
Other liliaceous vegetables	2 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm

Parsley	2 ppm
Celery	5 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	2 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	3 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	2 ppm
Pumpkin (including squash)	0.4 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.2 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	0.02 ppm
Bamboo shoots	2 ppm
Okra	1 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.2 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	2 ppm
<i>Unshu</i> orange, pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	2 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	0.7 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	5 ppm
Mume plum	3 ppm
Cherry	5 ppm
Strawberry	0.05 ppm
Raspberry	0.02 ppm

Blackberry	0.02 ppm
Blueberry	0.1 ppm
Cranberry	0.02 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	5 ppm
Japanese persimmon	0.5 ppm
Banana	1 ppm
Kiwifruit	0.02 ppm
Papaya	1 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	0.02 ppm
Other fruits	4 ppm
Sunflower seeds	0.02 ppm
Sesam seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	50 ppm
Coffee beans	0.04 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Spearmint	0.3 ppm
Peppermint	0.3 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Sheep, muscle	0.02 ppm
Horse, muscle	0.02 ppm
Goat, muscle	0.02 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.02 ppm
Sheep, fat	0.02 ppm
Horse, fat	0.02 ppm
Goat, fat	0.02 ppm
Cattle, liver	0.02 ppm

	Pig, liver	0.02 ppm
	Sheep, liver	0.02 ppm
	Horse, liver	0.02 ppm
	Goat, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Sheep, kidney	0.02 ppm
	Horse, kidney	0.02 ppm
	Goat, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Sheep, edible offal	0.02 ppm
	Horse, edible offal	0.02 ppm
	Goat, edible offal	0.02 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.02 ppm
	Other poultry animals, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry animals, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry animals, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry animals, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry animals, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
CLOFENTEZINE	Corn (maize)	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.2 ppm
	Sugar beet	0.05 ppm
	Tomato	1.0 ppm
	Pimiento (sweet pepper)	0.2 ppm
	Egg plant	1.0 ppm
	Cucumber (including gherkin)	1.0 ppm
	Pumpkin (including squash)	0.2 ppm
	Water melon	0.05 ppm
	Melons	0.2 ppm
	<i>Unshu</i> orange, pulp	1.0 ppm
	Citrus <i>natsudaidai</i> , whole	0.5 ppm
	Lemon	0.5 ppm
	Orange (including navel orange)	0.5 ppm
	Grapefruit	0.5 ppm
	Lime	0.5 ppm
	Other citrus fruits	0.5 ppm
	Apple	1.0 ppm

	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm
	Peach	0.2 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
	Strawberry	2.0 ppm
	Raspberry	2.0 ppm
	Blackberry	2.0 ppm
	Blueberry	2.0 ppm
	Cranberry	2.0 ppm
	Huckleberry	2.0 ppm
	Other berries	2.0 ppm
	Grape	1.0 ppm
	Banana	0.01 ppm
	Other fruits	0.05 ppm
	Almond	0.5 ppm
	Walnut	0.02 ppm
	Tea	20 ppm
	Hop	0.2 ppm
CHLORIMURON-ETHYL	Soybeans, dry	0.05 ppm
	Peanuts, dry	0.02 ppm
CHLORSULFURON	Rice (brown rice)	0.05 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.1 ppm
CHLORPYRIFOS	Rice (brown rice)	0.1 ppm
	Wheat	0.5 ppm
	Barley	0.2 ppm
	Rye	0.01 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.01 ppm
	Other cereal grains	0.75 ppm
	Soybeans, dry	0.3 ppm
	Beans, dry*	0.1 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.05 ppm

Potato	0.05 ppm
Taro	0.01 ppm
Sweet potato	0.1 ppm
Yam	0.01 ppm
Konjac	0.01 ppm
Other potatoes	0.01 ppm
Sugar beet	0.05 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.5 ppm
Japanese radish, leaves (including radish)	2 ppm
Turnip, roots	1 ppm
Turnip, leaves	0.3 ppm
Horseradish	0.01 ppm
Watercress	0.01 ppm
Chinese cabbage	1.0 ppm
Cabbage	0.05 ppm
Brussels sprouts	1.0 ppm
Kale	1.0 ppm
<i>Komatsuna</i> , Japanese mustard spinach	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	0.05 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	0.01 ppm
Salsify	0.01 ppm
Artichoke	1 ppm
Chicory	0.01 ppm
Endive	0.01 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.01 ppm
Onion	0.05 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	5 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.5 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm
Tomato	0.5 ppm

Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.2 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	0.01 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.3 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	1.0 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.5 ppm
Loquat	0.5 ppm
Peach	1.0 ppm
Nectarine	1.0 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	1.0 ppm
Mume plum	0.01 ppm
Cherry	1 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1.0 ppm
Huckleberry	0.01 ppm
Other berries	1 ppm

	Grape	1.0 ppm
	Japanese persimmon	0.01 ppm
	Banana	3 ppm
	Kiwifruit	2.0 ppm
	Papaya	0.01 ppm
	Avocado	0.5 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.3 ppm
	Other fruits	1 ppm
	Sunflower seeds	0.25 ppm
	Sesam seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.01 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	10 ppm
	Hop	0.1 ppm
CHLORPHENAPYR	Sugar beet	0.5 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	3 ppm
	Chinese cabbage	1 ppm
	Cabbage	1 ppm
	Brussels sprouts	1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	3 ppm
	Egg plant	1 ppm
	Cucumber (including gherkin)	1 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Apple	1 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Strawberry	0.2 ppm
	Japanese persimmon	1 ppm
	Cotton seeds	0.5 ppm
	Tea	50 ppm
CHLORFENVINPHOS	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Corn (maize)	0.05 ppm

	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peanuts, dry	0.05 ppm
	Potato	0.1 ppm
	Sweet potato	0.05 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.2 ppm
	Horseradish	0.1 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.05 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.3 ppm
	Multiplying onion	0.3 ppm
	Carrot	0.4 ppm
	Celery	0.4 ppm
	Tomato	0.1 ppm
	Egg plant	0.2 ppm
	Cucumber (including gherkin)	0.2 ppm
	Kidney beans, immature (with pods)	0.2 ppm
	Green soybeans	0.2 ppm
	Button mushroom	0.05 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	5.0 ppm
	Lemon	5.0 ppm
	Orange (including navel orange)	5.0 ppm
	Grapefruit	3.0 ppm
	Lime	3.0 ppm
	Other citrus fruits	5.0 ppm
	Japanese pear	0.2 ppm
	Mume plum	0.5 ppm
	Japanese persimmon	0.2 ppm
	Other fruits	0.2 ppm
	Cotton seeds	0.05 ppm
	Chestnut	0.2 ppm
CHLORFLUAZURON	Soybeans, dry	1.0 ppm
	Beans, dry*	1.0 ppm
	Peas	1.0 ppm
	Broad beans	1.0 ppm
	Peanuts, dry	1.0 ppm
	Other legumes/pulses	1.0 ppm
	Sugar beet	0.2 ppm

Japanese radish, roots (including radish)	2.0 ppm
Japanese radish, leaves (including radish)	2.0 ppm
Turnip, roots	2.0 ppm
Turnip, leaves	2.0 ppm
Horseradish	2.0 ppm
Watercress	2.0 ppm
Chinese cabbage	2.0 ppm
Cabbage	2.0 ppm
Brussels sprouts	2.0 ppm
Kale	2.0 ppm
<i>Komatsuna</i> , Japanese mustard spinach	2.0 ppm
<i>Kyona</i>	2.0 ppm
Qing-geng-cai	2.0 ppm
Cauliflower	2.0 ppm
Broccoli	2.0 ppm
Other cruciferous vegetables	2.0 ppm
Burdock	2.0 ppm
Salsify	2.0 ppm
Artichoke	2.0 ppm
Chicory	2.0 ppm
Endive	2.0 ppm
<i>Shungiku</i>	2.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	2.0 ppm
Other composite vegetables	2.0 ppm
Onion	2.0 ppm
Welsh (including leek)	2.0 ppm
Garlic	2.0 ppm
<i>Nira</i>	2.0 ppm
Asparagus	2.0 ppm
Multiplying onion	2.0 ppm
Other liliaceous vegetables	2.0 ppm
Carrot	2.0 ppm
Parsnip	2.0 ppm
Parsley	2.0 ppm
Celery	2.0 ppm
<i>Mitsuba</i>	2.0 ppm
Other umbelliferous vegetables	2.0 ppm
Tomato	2.0 ppm
Pimiento (sweet pepper)	2.0 ppm
Egg plant	2.0 ppm
Other solanaceous vegetables	2.0 ppm
Cucumber (including gherkin)	2.0 ppm
Pumpkin (including squash)	2.0 ppm
Oriental pickling melon (vegetable)	2.0 ppm
Water melon	2.0 ppm
Melons	2.0 ppm

<i>Makuwauri</i> melon	2.0 ppm
Other cucurbitaceous vegetables	2.0 ppm
Spinach	2.0 ppm
Bamboo shoots	2.0 ppm
Okra	2.0 ppm
Ginger	2.0 ppm
Peas, immature (with pods)	2.0 ppm
Kidney beans, immature (with pods)	2.0 ppm
Green soybeans	2.0 ppm
Button mushroom	2.0 ppm
<i>Shiitake</i> mushroom	2.0 ppm
Other mushrooms	2.0 ppm
Other vegetables	2.0 ppm
<i>Unshu</i> orange, pulp	2.0 ppm
Citrus <i>natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	2.0 ppm
Japanese pear	2.0 ppm
Pear	2.0 ppm
Quince	2.0 ppm
Loquat	2.0 ppm
Peach	2.0 ppm
Nectarine	2.0 ppm
Apricot	2.0 ppm
Japanese plum (including prune)	2.0 ppm
Mume plum	2.0 ppm
Cherry	2.0 ppm
Strawberry	2.0 ppm
Raspberry	2.0 ppm
Blackberry	2.0 ppm
Blueberry	2.0 ppm
Cranberry	2.0 ppm
Huckleberry	2.0 ppm
Other berries	2.0 ppm
Grape	2.0 ppm
Japanese persimmon	2.0 ppm
Banana	2.0 ppm
Kiwifruit	2.0 ppm
Papaya	2.0 ppm
Avocado	2.0 ppm
Pineapple	2.0 ppm
Guava	2.0 ppm

	Mango	2.0 ppm
	Passion fruit	2.0 ppm
	Date	2.0 ppm
	Other fruits	2.0 ppm
	Sunflower seeds	2.0 ppm
	Sesam seeds	2.0 ppm
	Safflower seeds	2.0 ppm
	Cotton seeds	2.0 ppm
	Rapeseeds	2.0 ppm
	Other oil seeds	2.0 ppm
	Ginkgo nut	2.0 ppm
	Chestnut	2.0 ppm
	Pecan	2.0 ppm
	Almond	2.0 ppm
	Walnut	2.0 ppm
	Other nuts	2.0 ppm
	Tea	10 ppm
CHLORPROPHAM	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Soybeans, dry	0.20 ppm
	Beans, dry*	0.05 ppm
	Peas	0.30 ppm
	Broad beans	0.05 ppm
	Potato	50 ppm
	Sugar beet	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Burdock	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
	Onion	0.05 ppm
	Asparagus	0.05 ppm
	Carrot	0.05 ppm
	Spinach	0.05 ppm
	Kidney beans, immature (with pods)	0.05 ppm
	Strawberry	0.05 ppm
CHLOROBENZILATE	<i>Unshu</i> orange, pulp	5.0 ppm
	Citrus <i>natsudaidai</i> , whole	5.0 ppm
	Lemon	5.0 ppm
	Orange (including navel orange)	5.0 ppm
	Grapefruit	5.0 ppm
	Lime	5.0 ppm
	Other citrus fruits	5.0 ppm
CHLORMEQUAT	Wheat	5 ppm

	Barley	0.5 ppm
	Rye	5 ppm
	Other cereal grains	10 ppm
	Potato	10 ppm
	Japanese pear	3 ppm
	Pear	3 ppm
	Grape	1 ppm
CHLOROTHALONIL	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.01 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peanuts, dry	0.05 ppm
	Potato	0.2 ppm
	Yam	0.01 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	2 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.05 ppm
	Chinese cabbage	2 ppm
	Cabbage	2 ppm
	Brussels sprouts	5 ppm
	Qing-geng-cai	2 ppm
	Cauliflower	1 ppm
	Broccoli	5 ppm
	Other cruciferous vegetables	2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	1 ppm
	Other composite vegetables	2 ppm
	Onion	0.5 ppm
	Welsh (including leek)	5 ppm
	Garlic	10 ppm
	<i>Nira</i>	2 ppm
	Asparagus	2 ppm
	Multiplying onion	5 ppm
	Other liliaceous vegetables	2 ppm
	Carrot	1 ppm
	Parsnip	1 ppm
	Parsley	3 ppm
	Celery	10 ppm
	<i>Mitsuba</i>	0.05 ppm
	Other umbelliferous vegetables	0.5 ppm
	Tomato	5 ppm

	Pimiento (sweet pepper)	7 ppm
	Egg plant	2 ppm
	Other solanaceous vegetables	2 ppm
	Cucumber (including gherkin)	5 ppm
	Pumpkin (including squash)	5 ppm
	Oriental pickling melon (vegetable)	5 ppm
	Water melon	5 ppm
	Melons	2 ppm
	<i>Makuwauri</i> melon	5 ppm
	Other cucurbitaceous vegetables	5 ppm
	Bamboo shoots	2 ppm
	Ginger	0.05 ppm
	Peas, immature (with pods)	2 ppm
	Kidney beans, immature (with pods)	5 ppm
	Button mushroom	1 ppm
	Other vegetables	2 ppm
	Apple	2 ppm
	Japanese pear	0.5 ppm
	Pear	2 ppm
	Quince	1 ppm
	Peach	2 ppm
	Nectarine	25 ppm
	Apricot	25 ppm
	Japanese plum (including prune)	25 ppm
	Cherry	0.5 ppm
	Blueberry	1 ppm
	Cranberry	5 ppm
	Grape	0.5 ppm
	Japanese persimmon	1 ppm
	Banana	0.2 ppm
	Kiwifruit	0.2 ppm
	Papaya	15 ppm
	Passion fruit	3 ppm
	Other fruits	5 ppm
	Other oil seeds	0.01 ppm
	Other nuts	0.1 ppm
	Tea	10 ppm
	Coffee beans	0.2 ppm
	Cacao beans	0.05 ppm
	Hop	0.1 ppm
GENTAMICIN	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Cattle, liver	2.0 ppm
	Pig, liver	2.0 ppm

	Cattle, kidney	5.0 ppm
	Pig, kidney	5.0 ppm
	Milk	0.2 ppm
SARAFLOXACIN	Chicken, muscle	0.01 ppm
	Turkey, muscle	0.01 ppm
	Chicken, fat	0.02 ppm
	Turkey, fat	0.02 ppm
	Chicken, liver	0.08 ppm
	Turkey, liver	0.08 ppm
	Chicken, kidney	0.08 ppm
	Turkey, kidney	0.08 ppm
FENBUTATIN OXIDE	Beans, dry*	0.5 ppm
	Peas	2.0 ppm
	Broad beans	2.0 ppm
	Other legumes/pulses	2.0 ppm
	Celery	2.0 ppm
	Tomato	1.0 ppm
	Egg plant	6.0 ppm
	Cucumber (including gherkin)	2.0 ppm
	Water melon	0.2 ppm
	Melons	1.0 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	5.0 ppm
	Lemon	5.0 ppm
	Orange (including navel orange)	5.0 ppm
	Grapefruit	5.0 ppm
	Lime	5.0 ppm
	Other citrus fruits	5.0 ppm
	Apple	5.0 ppm
	Japanese pear	5.0 ppm
	Pear	5.0 ppm
	Quince	5.0 ppm
	Loquat	5.0 ppm
	Peach	7.0 ppm
	Nectarine	2.0 ppm
	Apricot	2.0 ppm
	Japanese plum (including prune)	3.0 ppm
	Mume plum	5.0 ppm
	Cherry	10 ppm
	Strawberry	10 ppm
	Raspberry	10 ppm
	Blackberry	1.0 ppm
	Blueberry	1.0 ppm
	Cranberry	1.0 ppm
	Huckleberry	1.0 ppm
	Other berries	1.0 ppm

	Grape	5.0 ppm
	Japanese persimmon	2.0 ppm
	Banana	10 ppm
	Kiwifruit	5.0 ppm
	Papaya	5.0 ppm
	Avocado	5.0 ppm
	Pineapple	5.0 ppm
	Guava	5.0 ppm
	Mango	5.0 ppm
	Passion fruit	5.0 ppm
	Date	5.0 ppm
	Pecan	0.5 ppm
	Almond	0.5 ppm
	Walnut	0.5 ppm
	Tea	1.0 ppm
	Hop	25 ppm
CYAZOFAMID (Revised on November 29,2006)	Wheat	0.05 ppm
	Beans, dry*	0.1 ppm
	Potato	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Turnip, roots	0.3 ppm
	Turnip, leaves	20 ppm
	Chinese cabbage	1 ppm
	Cabbage	0.05 ppm
	Kale	15 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	15 ppm
	<i>Kyona</i>	10 ppm
	Qing-geng-cai	3 ppm
	Broccoli	1 ppm
	Other cruciferous vegetables	15 ppm
	Onion	0.05 ppm
	Welsh (including leek)	2 ppm
	Other liliaceous vegetables	3 ppm
	Tomato	2 ppm
	Pimiento (sweet pepper)	1 ppm
	Egg plant	0.5 ppm
	Other solanaceous vegetables	1 ppm
	Cucumber (including gherkin)	0.7 ppm
	Pumpkin (including squash)	0.1 ppm
	Oriental pickling melon (vegetable)	0.1 ppm
	Water melon	0.05 ppm
	Melons	0.05 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Other cucurbitaceious vegetables	0.1 ppm
	Spinach	25 ppm

	Ginger	0.7 ppm
	<i>Unshu</i> orange, pulp	0.7 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm
	Strawberry	0.7 ppm
	Grape	10 ppm
	Other fruits	1 ppm
	<i>Unshu</i> orange, peel	10 ppm
	Other spices (excluding <i>Unshu</i> orange, peel)	1 ppm
	Other herbs	15 ppm
CYANAZINE	Wheat	0.1 ppm
	Barley	0.05 ppm
	Corn (maize)	0.1 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.1 ppm
	Broad beans	0.05 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.1 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.05 ppm
	<i>Nira</i>	0.02 ppm
	Asparagus	0.05 ppm
	Multiplying onion	0.02 ppm
	Other liliaceous vegetables	0.02 ppm
	Cucumber (including gherkin)	0.05 ppm
	Peas, immature (with pods)	0.02 ppm
	Button mushroom	1 ppm
DIAFENTHIURON	Cabbage	0.3 ppm
	Brussels sprouts	0.3 ppm
	Tomato	0.05 ppm
	Cucumber (including gherkin)	0.6 ppm
	<i>Unshu</i> orange, pulp	0.3 ppm
	Cotton seeds	0.2 ppm
	Tea	20 ppm
DIETHOFENCARB	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm

Japanese radish, roots (including radish)	5.0 ppm
Japanese radish, leaves (including radish)	5.0 ppm
Turnip, roots	5.0 ppm
Turnip, leaves	5.0 ppm
Horseradish	5.0 ppm
Watercress	5.0 ppm
Chinese cabbage	5.0 ppm
Cabbage	5.0 ppm
Brussels sprouts	5.0 ppm
Kale	5.0 ppm
<i>Komatsuna</i> , Japanese mustard spinach	5.0 ppm
<i>Kyona</i>	5.0 ppm
Qing-geng-cai	5.0 ppm
Cauliflower	5.0 ppm
Broccoli	5.0 ppm
Other cruciferous vegetables	5.0 ppm
Burdock	5.0 ppm
Salsify	5.0 ppm
Artichoke	5.0 ppm
Chicory	5.0 ppm
Endive	5.0 ppm
<i>Shungiku</i>	5.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	5.0 ppm
Other composite vegetables	5.0 ppm
Onion	5.0 ppm
Welsh (including leek)	5.0 ppm
Garlic	5.0 ppm
<i>Nira</i>	5.0 ppm
Asparagus	5.0 ppm
Multiplying onion	5.0 ppm
Other liliaceous vegetables	5.0 ppm
Carrot	5.0 ppm
Parsnip	5.0 ppm
Parsley	5.0 ppm
Celery	5.0 ppm
<i>Mitsuba</i>	5.0 ppm
Other umbelliferous vegetables	5.0 ppm
Tomato	5.0 ppm
Pimiento (sweet pepper)	5.0 ppm
Egg plant	5.0 ppm
Other solanaceous vegetables	5.0 ppm
Cucumber (including gherkin)	5.0 ppm
Pumpkin (including squash)	5.0 ppm
Oriental pickling melon (vegetable)	5.0 ppm
Water melon	5.0 ppm
Melons	5.0 ppm

<i>Makuwauri</i> melon	5.0 ppm
Other cucurbitaceous vegetables	5.0 ppm
Spinach	5.0 ppm
Bamboo shoots	5.0 ppm
Okra	5.0 ppm
Ginger	5.0 ppm
Peas, immature (with pods)	5.0 ppm
Kidney beans, immature (with pods)	5.0 ppm
Green soybeans	5.0 ppm
Button mushroom	5.0 ppm
<i>Shiitake</i> mushroom	5.0 ppm
Other mushrooms	5.0 ppm
Other vegetables	5.0 ppm
<i>Unshu</i> orange, pulp	5.0 ppm
Citrus <i>natsudaidai</i> , whole	5.0 ppm
Lemon	5.0 ppm
Orange (including navel orange)	5.0 ppm
Grapefruit	5.0 ppm
Lime	5.0 ppm
Other citrus fruits	5.0 ppm
Apple	5.0 ppm
Japanese pear	5.0 ppm
Pear	5.0 ppm
Quince	5.0 ppm
Loquat	5.0 ppm
Peach	5.0 ppm
Nectarine	5.0 ppm
Apricot	5.0 ppm
Japanese plum (including prune)	5.0 ppm
Mume plum	5.0 ppm
Cherry	5.0 ppm
Strawberry	5.0 ppm
Raspberry	5.0 ppm
Blackberry	5.0 ppm
Blueberry	5.0 ppm
Cranberry	5.0 ppm
Huckleberry	5.0 ppm
Other berries	5.0 ppm
Grape	5.0 ppm
Japanese persimmon	5.0 ppm
Banana	5.0 ppm
Kiwifruit	5.0 ppm
Papaya	5.0 ppm
Avocado	5.0 ppm
Pineapple	5.0 ppm
Guava	5.0 ppm

	Mango	5.0 ppm
	Passion fruit	5.0 ppm
	Date	5.0 ppm
	Other fruits	5.0 ppm
	Sunflower seeds	5.0 ppm
	Sesam seeds	5.0 ppm
	Safflower seeds	5.0 ppm
	Cotton seeds	5.0 ppm
	Rapeseeds	5.0 ppm
	Other oil seeds	5.0 ppm
	Ginkgo nut	5.0 ppm
	Chestnut	5.0 ppm
	Pecan	5.0 ppm
	Almond	5.0 ppm
	Walnut	5.0 ppm
	Other nuts	5.0 ppm
DICAMBA	Rice (brown rice)	0.05 ppm
	Wheat	0.5 ppm
	Barley	0.5 ppm
	Rye	0.1 ppm
	Corn (maize)	0.5 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	3 ppm
	Soybeans, dry	0.05 ppm
	Potato	0.05 ppm
	Sugarcane	0.1 ppm
	Asparagus	3 ppm
	Cotton seeds	3 ppm
DICLAZURIL	Sheep, muscle	0.5 ppm
	Sheep, fat	1.0 ppm
	Sheep, liver	3.0 ppm
	Sheep, kidney	2.0 ppm
	Chicken, muscle	0.5 ppm
	Duck, muscle	0.5 ppm
	Turkey, muscle	0.5 ppm
	Chicken, fat	1.0 ppm
	Duck, fat	1.0 ppm
	Turkey, fat	1.0 ppm
	Chicken, liver	3.0 ppm
	Duck, liver	3.0 ppm
	Turkey, liver	3.0 ppm
	Chicken, kidney	2.0 ppm
	Duck, kidney	2.0 ppm
	Turkey, kidney	2.0 ppm
CYCLOXYDIM	Soybeans, dry	2 ppm
	Beans, dry*	2 ppm

	Peas	2 ppm
	Broad beans	0.05 ppm
	Other legumes/pulses	2 ppm
	Potato	2 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	2 ppm
	Japanese radish, leaves (including radish)	2 ppm
	Turnip, roots	2 ppm
	Turnip, leaves	2 ppm
	Horseradish	2 ppm
	Watercress	2 ppm
	Chinese cabbage	2 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Kale	2 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	2 ppm
	<i>Kyona</i>	2 ppm
	Qing-geng-cai	2 ppm
	Cauliflower	2 ppm
	Broccoli	2 ppm
	Other cruciferous vegetables	2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
	Onion	0.5 ppm
	Welsh (including leek)	0.2 ppm
	Carrot	0.5 ppm
	Celery	1 ppm
	Tomato	0.05 ppm
	Peas, immature (with pods)	1 ppm
	Kidney beans, immature (with pods)	1 ppm
	Strawberry	0.5 ppm
	Grape	0.5 ppm
	Sunflower seeds	0.5 ppm
	Rapeseeds	2 ppm
DICLOCYMET	Rice (brown rice)	0.5 ppm
CYCLOSULFAMURON	Rice (brown rice)	0.1 ppm
DICHLOFLUANID	Wheat	0.10 ppm
	Barley	0.10 ppm
	Rye	0.10 ppm
	Other cereal grains	0.10 ppm
	Beans, dry*	0.20 ppm
	Peas	3.0 ppm
	Other legumes/pulses	5.0 ppm
	Potato	0.10 ppm
	Horseradish	5.0 ppm
	Cabbage	5.0 ppm
	Brussels sprouts	5.0 ppm

<i>Komatsuna</i> , Japanese mustard spinach	15 ppm
Cauliflower	5.0 ppm
Salsify	5.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	10 ppm
Onion	0.10 ppm
Welsh (including leek)	5.0 ppm
Garlic	5.0 ppm
Carrot	15 ppm
Parsnip	5.0 ppm
Tomato	15 ppm
Pimiento (sweet pepper)	15 ppm
Egg plant	15 ppm
Cucumber (including gherkin)	15 ppm
Water melon	15 ppm
Other cucurbitaceous vegetables	5.0 ppm
Spinach	15 ppm
Bamboo shoots	5.0 ppm
Ginger	15 ppm
Peas, immature (with pods)	5.0 ppm
Kidney beans, immature (with pods)	2.0 ppm
Other vegetables	5.0 ppm
Lemon	5.0 ppm
Orange (including navel orange)	5.0 ppm
Grapefruit	5.0 ppm
Lime	5.0 ppm
Other citrus fruits	5.0 ppm
Apple	5.0 ppm
Japanese pear	5.0 ppm
Pear	5.0 ppm
Peach	5.0 ppm
Nectarine	5.0 ppm
Apricot	5.0 ppm
Japanese plum (including prune)	5.0 ppm
Cherry	2.0 ppm
Strawberry	15 ppm
Raspberry	15 ppm
Blackberry	10 ppm
Blueberry	15 ppm
Cranberry	15 ppm
Other berries	7.0 ppm
Grape	15 ppm
Japanese persimmon	15 ppm
Banana	5.0 ppm
Other fruits	5.0 ppm
Tea	5.0 ppm
Hop	5.0 ppm

DICLOMEZINE	Rice (brown rice)	2 ppm
DICHLORVOS and NALED (as total)	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	0.1 ppm
	Chicory	0.1 ppm
	Endive	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Other composite vegetables	0.1 ppm

Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange, pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm

	Loquat	0.1 ppm
	Peach	0.1 ppm
	Nectarine	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Mume plum	0.1 ppm
	Cherry	0.1 ppm
	Strawberry	0.3 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Banana	0.1 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesam seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	0.1 ppm
	Coffee beans	0.2 ppm
	Cacao beans	0.5 ppm
	Hop	0.1 ppm
DICOFOL	Cucumber (including gherkin)	2.0 ppm
	<i>Unshu</i> orange, pulp	3.0 ppm
	Citrus <i>natsudaidai</i> , pulp	2.0 ppm
	Citrus <i>natsudaidai</i> , peels	3.0 ppm

	Apple	3.0 ppm
	Japanese pear	3.0 ppm
	Pear	3.0 ppm
	Peach	3.0 ppm
	Cherry	3.0 ppm
	Strawberry	3.0 ppm
	Grape	3.0 ppm
	Tea (limited unfermented tea)	3.0 ppm
DINOTEFURAN (Revised on July 28, 2006)	Rice (brown rice)	1 ppm
	Soybeans, dry	0.1 ppm
	Potato	0.2 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	3 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	5 ppm
	Watercress	5 ppm
	Chinese cabbage	1.4 ppm
	Cabbage	2 ppm
	Brussels sprouts	1.4 ppm
	Kale	5 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	5 ppm
	<i>Kyona</i>	5 ppm
	Qing-geng-cai	5 ppm
	Cauliflower	2 ppm
	Broccoli	2 ppm
	Other cruciferous vegetables	5 ppm
	Artichoke	5 ppm
	Chicory	5 ppm
	Endive	5 ppm
	<i>Shungiku</i>	5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	5 ppm
	Other composite vegetables	5 ppm
	Welsh (including leek)	5 ppm
	Other liliaceous vegetables	0.7 ppm
	Carrot	0.2 ppm
	Parsley	5 ppm
	Celery	5 ppm
	<i>Mitsuba</i>	5 ppm
	Other umbelliferous vegetables	5 ppm
	Tomato	2 ppm
	Pimiento (sweet pepper)	3 ppm
	Egg plant	2 ppm
	Other solanaceous vegetables	5 ppm
	Cucumber (including gherkin)	2 ppm
	Pumpkin (including squash)	0.5 ppm

Oriental pickling melon (vegetable)	2 ppm
Watert melon	0.5 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	5 ppm
Green soybeans	2 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange, pulp	2 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	3 ppm
Orange (including navel orange)	3 ppm
Grapefruit	3 ppm
Lime	3 ppm
Other citrus fruits	3 ppm
Apple	0.7 ppm
Japanese pear	1 ppm
Pear	1 ppm
Peach	3 ppm
Nectarine	2 ppm
Japanese plum (including prune)	10 ppm
Mume plum	5 ppm
Cherry	10 ppm
Strawberry	2 ppm
Grape	10 ppm
Japanese persimmon	2 ppm
Other fruits	0.7 ppm
Cotton seeds	0.4 ppm
Tea	25 ppm
<i>Unshu</i> orange, peel	10 ppm
Other spices (except <i>Unshu</i> orange, peel)	5 ppm
Other herbs	5 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Sheep, muscle	0.05 ppm
Horse, muscle	0.05 ppm
Goat, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Sheep, fat	0.05 ppm
Horse, fat	0.05 ppm
Goat, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Sheep, liver	0.05 ppm
Horse, liver	0.05 ppm

	Goat, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Sheep, kidney	0.05 ppm
	Horse, kidney	0.05 ppm
	Goat, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Sheep, edible offal	0.05 ppm
	Horse, edible offal	0.05 ppm
	Goat, edible offal	0.05 ppm
	Milk	0.05 ppm
CYHALOTHRIN	Wheat	0.05 ppm
	Barley	0.2 ppm
	Other cereal grains	0.2 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.04 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	1.0 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	0.5 ppm
	Chinese cabbage	1.0 ppm
	Cabbage	0.4 ppm
	Brussels sprouts	0.4 ppm
	Kale	0.5 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.5 ppm
	<i>Kyona</i>	0.5 ppm
	Qing-geng-cai	0.5 ppm
	Cauliflower	0.5 ppm
	Broccoli	0.5 ppm
	Other cruciferous vegetables	0.5 ppm
	Burdock	0.5 ppm
	Salsify	0.5 ppm

Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	2.0 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	2.0 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	2.0 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	1.0 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.5 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	1.0 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	1.0 ppm
Lemon	1.0 ppm
Orange (including navel orange)	1.0 ppm
Grapefruit	1.0 ppm

	Lime	1.0 ppm
	Other citrus fruits	1.0 ppm
	Apple	0.4 ppm
	Japanese pear	0.4 ppm
	Pear	0.4 ppm
	Quince	0.4 ppm
	Loquat	0.4 ppm
	Peach	0.5 ppm
	Nectarine	0.5 ppm
	Apricot	0.5 ppm
	Japanese plum (including prune)	0.5 ppm
	Mume plum	0.5 ppm
	Cherry	0.5 ppm
	Strawberry	0.5 ppm
	Raspberry	0.5 ppm
	Blackberry	0.5 ppm
	Blueberry	0.5 ppm
	Cranberry	0.5 ppm
	Huckleberry	0.5 ppm
	Other berries	0.5 ppm
	Grape	1.0 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.5 ppm
	Kiwifruit	0.5 ppm
	Papaya	0.5 ppm
	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	0.5 ppm
	Other fruits	0.5 ppm
	Sunflower seeds	0.5 ppm
	Sesam seeds	0.5 ppm
	Safflower seeds	0.5 ppm
	Cotton seeds	0.04 ppm
	Rapeseeds	0.5 ppm
	Other oil seeds	0.5 ppm
	Ginkgo nut	0.5 ppm
	Chestnut	0.5 ppm
	Pecan	0.5 ppm
	Almond	0.5 ppm
	Walnut	0.5 ppm
	Other nuts	0.5 ppm
	Tea	15 ppm
CYHALOFOP-BUTYL	Rice (brown rice)	0.1 ppm

DIHYDROSTREPTOMYSIN and STREPTOMYCIN	Cattle, muscle	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Pig, muscle	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Sheep, muscle	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Cattle, fat	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Pig, fat	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Sheep, fat	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Cattle, liver	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Pig, liver	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Sheep, liver	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Cattle, kidney	1.0 ppm (as total of dihydrostreptomycin and streptomycin)
	Pig, kidney	1.0 ppm (as total of dihydrostreptomycin and streptomycin)
	Sheep, kidney	1.0 ppm (as total of dihydrostreptomycin and streptomycin)
	Milk	0.2 ppm (as total of dihydrostreptomycin and streptomycin)
	Chicken, muscle	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Chicken, fat	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Chicken, liver	0.6 ppm (as total of dihydrostreptomycin and streptomycin)
	Chicken, kidney	1.0 ppm (as total of dihydrostreptomycin and streptomycin)
DIFENOCONAZOLE	Wheat	0.1 ppm
	Barley	0.1 ppm

	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.02 ppm
	Soybeans, dry	0.05 ppm
	Peanuts, dry	0.1 ppm
	Potato	0.1 ppm
	Sugar beet	0.5 ppm
	Asparagus	0.02 ppm
	Tomato	0.5 ppm
	Apple	1 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm
	Peach	1 ppm
	Mume plum	1 ppm
	Grape	0.5 ppm
	Banana	0.5 ppm
	Tea	10 ppm
DIFENZOQUAT	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Other cereal grains	0.2 ppm
CYFLUTHRIN	Wheat	2.0 ppm
	Barley	2.0 ppm
	Rye	2.0 ppm
	Corn (maize)	2.0 ppm
	Buckwheat	2.0 ppm
	Other cereal grains	2.0 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.5 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	2.0 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	2.0 ppm

Chinese cabbage	2.0 ppm
Cabbage	2.0 ppm
Brussels sprouts	2.0 ppm
Kale	2.0 ppm
<i>Komatsuna</i> , Japanese mustard spinach	2.0 ppm
<i>Kyona</i>	2.0 ppm
Qing-geng-cai	2.0 ppm
Cauliflower	2.0 ppm
Broccoli	2.0 ppm
Other cruciferous vegetables	2.0 ppm
Burdock	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	2.0 ppm
Other composite vegetables	2.0 ppm
Onion	2.0 ppm
Welsh (including leek)	2.0 ppm
Garlic	2.0 ppm
<i>Nira</i>	2.0 ppm
Asparagus	2.0 ppm
Multiplying onion	2.0 ppm
Other liliaceous vegetables	2.0 ppm
Other umbelliferous vegetables	2.0 ppm
Tomato	2.0 ppm
Pimiento (sweet pepper)	5.0 ppm
Egg plant	2.0 ppm
Other solanaceous vegetables	2.0 ppm
Cucumber (including gherkin)	2.0 ppm
Pumpkin (including squash)	2.0 ppm
Oriental pickling melon (vegetable)	2.0 ppm
Water melon	2.0 ppm
Melons	2.0 ppm
<i>Makuwauri</i> melon	2.0 ppm
Other cucurbitaceous vegetables	2.0 ppm
Bamboo shoots	2.0 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	2.0 ppm
Other vegetables	2.0 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
<i>Citrus natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	1.0 ppm
Japanese pear	1.0 ppm

	Pear	1.0 ppm
	Quince	1.0 ppm
	Loquat	1.0 ppm
	Peach	1.0 ppm
	Nectarine	1.0 ppm
	Apricot	1.0 ppm
	Japanese plum (including prune)	1.0 ppm
	Mume plum	1.0 ppm
	Cherry	1.0 ppm
	Grape	1.0 ppm
	Japanese persimmon	1.0 ppm
	Other fruits	1.0 ppm
	Cotton seeds	1.0 ppm
	Tea	20 ppm
DIFLUFENICAN	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Peas, immature (with pods)	0.05 ppm
	<i>Unshu</i> orange, pulp	0.02 ppm
	Citrus <i>natsudaidai</i> , whole	0.02 ppm
	Lemon	0.02 ppm
	Orange (including navel orange)	0.02 ppm
	Grapefruit	0.02 ppm
	Lime	0.02 ppm
	Other citrus fruits	0.02 ppm
	Apple	0.02 ppm
	Japanese pear	0.02 ppm
	Pear	0.02 ppm
	Quince	0.02 ppm
	Peach	0.02 ppm
	Nectarine	0.02 ppm
	Apricot	0.02 ppm
	Japanese plum (including prune)	0.02 ppm
	Mume plum	0.02 ppm
	Cherry	0.02 ppm
	Other fruits	0.02 ppm
DIFLUBENZURON	Wheat	0.1 ppm
	Barley	0.1 ppm
	Soybeans, dry	0.1 ppm
	Chinese cabbage	1.0 ppm

	Cabbage	1.0 ppm
	Brussels sprouts	1.0 ppm
	Artichoke	6.0 ppm
	Onion	0.05 ppm
	Tomato	1.0 ppm
	Cucumber (including gherkin)	1.0 ppm
	Water melon	0.1 ppm
	Melons	0.2 ppm
	Ginger	0.5 ppm
	Button mushroom	0.1 ppm
	<i>Unshu</i> orange, pulp	1.0 ppm
	Citrus <i>natsudaidai</i> , whole	3.0 ppm
	Lemon	3.0 ppm
	Orange (including navel orange)	3.0 ppm
	Grapefruit	3.0 ppm
	Lime	3.0 ppm
	Other citrus fruits	3.0 ppm
	Apple	1.0 ppm
	Japanese pear	1.0 ppm
	Pear	1.0 ppm
	Peach	0.05 ppm
	Japanese plum (including prune)	1.0 ppm
	Japanese persimmon	1.0 ppm
	Cotton seeds	0.2 ppm
	Walnut	0.1 ppm
	Tea	20 ppm
CYPROCONAZOLE	Rice (brown rice)	0.1 ppm
	Wheat	0.2 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Peas	0.05 ppm
	Peanuts, dry	0.02 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.1 ppm
	Qing-geng-cai	0.02 ppm
	Other cruciferous vegetables	0.02 ppm
	Artichoke	0.1 ppm
	Welsh (including leek)	0.2 ppm

	Asparagus	0.1 ppm
	Multiplying onion	0.2 ppm
	Tomato	0.05 ppm
	Pimiento (sweet pepper)	0.05 ppm
	Cucumber (including gherkin)	0.05 ppm
	Pumpkin (including squash)	0.05 ppm
	Oriental pickling melon (vegetable)	0.05 ppm
	Water melon	0.05 ppm
	Melons	0.05 ppm
	<i>Makuwauri</i> melon	0.05 ppm
	Other cucurbitaceous vegetables	0.05 ppm
	<i>Unshu</i> orange, pulp	0.01 ppm
	Citrus <i>natsudaidai</i> , whole	0.01 ppm
	Lemon	0.01 ppm
	Orange (including navel orange)	0.01 ppm
	Grapefruit	0.01 ppm
	Lime	0.01 ppm
	Other citrus fruits	0.01 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Peach	0.5 ppm
	Nectarine	0.05 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Grape	0.2 ppm
	Ginkgo nut	0.01 ppm
	Chestnut	0.01 ppm
	Pecan	0.01 ppm
	Almond	0.05 ppm
	Walnut	0.01 ppm
	Other nuts	0.01 ppm
	Coffee beans	0.1 ppm
<b>CYPRODINIL</b>		
	Wheat	0.5 ppm
	Barley	2 ppm
	Rye	0.5 ppm
	Corn (maize)	0.5 ppm
	Buckwheat	0.5 ppm
	Other cereal grains	0.5 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm

	Lettuce (including cos lettuce and leaf lettuce)	1 ppm
	Onion	0.05 ppm
	Tomato	0.5 ppm
	Egg plant	0.5 ppm
	Other solanceous vegetables	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Apple	5 ppm
	Japanese pear	5 ppm
	Pear	5 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	2 ppm
	Nectarine	2 ppm
	Apricot	2 ppm
	Japanese plum (including prune)	2 ppm
	Mume plum	2 ppm
	Cherry	2 ppm
	Strawberry	1 ppm
	Raspberry	2 ppm
	Blackberry	2 ppm
	Grape	5 ppm
	Almond	0.02 ppm
CYHEXATIN	Rice (brown rice)	Not detected
	Wheat	Not detected
	Wheat flour (except whole grain)	Not detected
	Barley	Not detected
	Rye	Not detected
	Corn (maize)	Not detected
	Buckwheat	Not detected
	Other cereal grains	Not detected
	Soybeans, dry	Not detected
	Beans, dry*	Not detected
	Peas	Not detected
	Broad beans	Not detected
	Peanuts, dry	Not detected
	Other legumes/pulses	Not detected
	Potato	Not detected
	Taro	Not detected
	Sweet potato	Not detected
	Yam	Not detected
	Konjac	Not detected
	Other potatoes	Not detected
	Sugar beet	Not detected
	Sugarcane	Not detected
	Japanese radish, roots (including radish)	Not detected

Japanese radish, leaves (including radish)	Not detected
Turnip, roots	Not detected
Turnip, leaves	Not detected
Horseradish	Not detected
Watercress	Not detected
Chinese cabbage	Not detected
Cabbage	Not detected
Brussels sprouts	Not detected
Kale	Not detected
<i>Komatsuna</i> , Japanese mustard spinach	Not detected
<i>Kyona</i>	Not detected
Qing-geng-cai	Not detected
Cauliflower	Not detected
Broccoli	Not detected
Other cruciferous vegetables	Not detected
Burdock	Not detected
Salsify	Not detected
Artichoke	Not detected
Chicory	Not detected
Endive	Not detected
<i>Shungiku</i>	Not detected
Lettuce (including cos lettuce and leaf lettuce)	Not detected
Other composite vegetables	Not detected
Onion	Not detected
Welsh (including leek)	Not detected
Garlic	Not detected
<i>Nira</i>	Not detected
Asparagus	Not detected
Multiplying onion	Not detected
Other liliaceous vegetables	Not detected
Carrot	Not detected
Parsnip	Not detected
Parsley	Not detected
Celery	Not detected
<i>Mitsuba</i>	Not detected
Other umbelliferous vegetables	Not detected
Tomato	Not detected
Pimiento (sweet pepper)	Not detected
Egg plant	Not detected
Other solanaceous vegetables	Not detected
Cucumber (including gherkin)	Not detected
Pumpkin (including squash)	Not detected
Oriental pickling melon (vegetable)	Not detected
Water melon	Not detected
Melons	Not detected
<i>Makuwauri</i> melon	Not detected

Other cucurbitaceous vegetables	Not detected
Spinach	Not detected
Bamboo shoots	Not detected
Okra	Not detected
Ginger	Not detected
Peas, immature (with pods)	Not detected
Kidney beans, immature (with pods)	Not detected
Green soybeans	Not detected
Button mushroom	Not detected
<i>Shiitake</i> mushroom	Not detected
Other mushrooms	Not detected
Other vegetables	Not detected
<i>Unshu</i> orange, pulp	Not detected
Citrus <i>natsudaidai</i> , whole	Not detected
Lemon	Not detected
Orange (including navel orange)	Not detected
Grapefruit	Not detected
Lime	Not detected
Other citrus fruits	Not detected
Apple	Not detected
Japanese pear	Not detected
Pear	Not detected
Quince	Not detected
Loquat	Not detected
Peach	Not detected
Nectarine	Not detected
Apricot	Not detected
Japanese plum (including prune)	Not detected
Mume plum	Not detected
Cherry	Not detected
Strawberry	Not detected
Raspberry	Not detected
Blackberry	Not detected
Blueberry	Not detected
Cranberry	Not detected
Huckleberry	Not detected
Other berries	Not detected
Grape	Not detected
Japanese persimmon	Not detected
Banana	Not detected
Kiwifruit	Not detected
Papaya	Not detected
Avocado	Not detected
Pineapple	Not detected
Guava	Not detected
Mango	Not detected

	Passion fruit	Not detected
	Date	Not detected
	Other fruits	Not detected
	Sunflower seeds	Not detected
	Sesam seeds	Not detected
	Safflower seeds	Not detected
	Cotton seeds	Not detected
	Rapeseeds	Not detected
	Other oil seeds	Not detected
	Ginkgo nut	Not detected
	Chestnut	Not detected
	Pecan	Not detected
	Almond	Not detected
	Walnut	Not detected
	Other nuts	Not detected
	Tea	Not detected
	Coffee beans	Not detected
	Cacao beans	Not detected
	Hop	Not detected
CYPERMETHRIN	Wheat	0.2 ppm
	Barley	0.5 ppm
	Rye	1.0 ppm
	Corn (maize)	0.2 ppm
	Other cereal grains	1.0 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.5 ppm
	Peas	1.0 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	5.0 ppm
	Turnip, roots	0.05 ppm
	Horseradish	0.05 ppm
	Chinese cabbage	5.0 ppm
	Cabbage	1.0 ppm
	Brussels sprouts	1.0 ppm
	Kale	1.0 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	5.0 ppm
	Qing-geng-cai	5.0 ppm

Cauliflower	1.0 ppm
Broccoli	1.0 ppm
Other cruciferous vegetables	5.0 ppm
Burdock	0.5 ppm
Salsify	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	2.0 ppm
Other composite vegetables	5.0 ppm
Onion	0.1 ppm
Welsh (including leek)	5.0 ppm
<i>Nira</i>	6.0 ppm
Multiplying onion	5.0 ppm
Other liliaceous vegetables	6.0 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Tomato	2.0 ppm
Pimiento (sweet pepper)	2.0 ppm
Egg plant	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	5.0 ppm
Water melon	2.0 ppm
Melons	2.0 ppm
Spinach	2.0 ppm
Bamboo shoots	5.0 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	5.0 ppm
Button mushroom	0.05 ppm
Other vegetables	5.0 ppm
<i>Unshu</i> orange, pulp	2.0 ppm
Citrus <i>natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	2.0 ppm
Japanese pear	2.0 ppm
Pear	2.0 ppm
Quince	2.0 ppm
Loquat	2.0 ppm
Peach	2.0 ppm
Nectarine	2.0 ppm
Apricot	1.0 ppm
Japanese plum (including prune)	1.0 ppm
Mume plum	2.0 ppm
Cherry	2.0 ppm

	Strawberry	2.0 ppm
	Raspberry	0.5 ppm
	Blackberry	0.5 ppm
	Blueberry	0.5 ppm
	Cranberry	0.5 ppm
	Huckleberry	0.5 ppm
	Other berries	0.5 ppm
	Grape	2.0 ppm
	Japanese persimmon	2.0 ppm
	Kiwifruit	2.0 ppm
	Sunflower seeds	0.2 ppm
	Sesam seeds	0.2 ppm
	Safflower seeds	0.2 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	0.2 ppm
	Other oil seeds	0.2 ppm
	Chestnut	2.0 ppm
	Pecan	0.05 ppm
	Tea	20 ppm
	Coffee beans	0.05 ppm
DIMETHIPIN	Potato	0.05 ppm
	Sunflower seeds	0.5 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.2 ppm
DIMETHYLVINPHOS	Rice (brown rice)	0.1 ppm
DIMETHENAMID	Corn (maize)	0.1 ppm
	Other cereal grains	0.01 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.01 ppm
	Peanuts, dry	0.01 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
DIMETHOATE	Potato	1.0 ppm
	Tomato	1.0 ppm
	<i>Unshu</i> orange, pulp	1.0 ppm
	Citrus <i>natsudaidai</i> , pulp	1.0 ppm
	Citrus <i>natsudaidai</i> , peels	1.0 ppm
	Japanese persimmon	1.0 ppm
DIMETHOMORPH	Potato	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
	Onion	0.1 ppm
	Tomato	2 ppm
	Cucumber (including gherkin)	2 ppm
	Grape	5 ppm
SIMETRYN	Rice (brown rice)	0.05 ppm

CYMOXANIL	Potato	2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	2 ppm
	Onion	2 ppm
	Tomato	2 ppm
	Cucumber (including gherkin)	2 ppm
	Grape	1 ppm
	Hop	2 ppm
BROMIDE ION	Rice (brown rice)	50 ppm
	Wheat	50 ppm
	Barley	50 ppm
	Rye	50 ppm
	Corn (maize)	80 ppm
	Buckwheat	180 ppm
	Other cereal grains	50 ppm
	<i>Unshu</i> orange, pulp	30 ppm
	Citrus <i>natsudaidai</i> , whole	30 ppm
	Lemon	30 ppm
	Orange (including navel orange)	30 ppm
	Grapefruit	30 ppm
	Lime	30 ppm
	Other citrus fruits	30 ppm
	Apple	20 ppm
	Japanese pear	20 ppm
	Pear	20 ppm
	Quince	20 ppm
	Loquat	20 ppm
	Peach	20 ppm
	Nectarine	20 ppm
	Apricot	20 ppm
	Japanese plum (including prune)	20 ppm
	Mume plum	20 ppm
	Cherry	20 ppm
	Strawberry	30 ppm
	Raspberry	20 ppm
	Blackberry	20 ppm
	Blueberry	20 ppm
	Cranberry	20 ppm
	Huckleberry	20 ppm
	Other berries	20 ppm
	Grape	20 ppm
	Japanese persimmon	20 ppm
	Banana	20 ppm
	Kiwifruit	30 ppm
	Papaya	20 ppm
	Avocado	75 ppm
	Pineapple	20 ppm

	Guava	20 ppm
	Mango	20 ppm
	Passion fruit	20 ppm
	Date	20 ppm
	Other fruits	60 ppm
SILAFLUOFEN	Rice (brown rice)	0.5 ppm
	Apple	5 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Japanese persimmon	2 ppm
	Tea	35 ppm
CYROMAZINE	Beans, dry*	1 ppm
	Peas	1 ppm
	Other legumes/pulses	1 ppm
	Potato	0.5 ppm
	Chinese cabbage	3 ppm
	Artichoke	0.5 ppm
	Endive	7 ppm
	<i>Shungiku</i>	10 ppm
	Lettuce (including cos lettuce and leaf lettuce)	5 ppm
	Other composite vegetables	7 ppm
	Onion	2 ppm
	Welsh (including leek)	2 ppm
	Garlic	0.1 ppm
	Multiplying onion	2 ppm
	Carrot	1 ppm
	Parsley	5 ppm
	Celery	5 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	1 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	0.2 ppm
	Pumpkin (including squash)	1 ppm
	Oriental pickling melon (vegetable)	1 ppm
	Water melon	1 ppm
	Melons	0.2 ppm
	<i>Makuwauri</i> melon	1 ppm
	Other cucurbitaceous vegetables	1 ppm
	Spinach	7 ppm
	Button mushroom	5 ppm
	Strawberry	0.5 ppm
	Mango	0.3 ppm
	Sheep, muscle	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.05 ppm
	Chicken, eggs	0.20 ppm

CINMETHYLIN	Rice (brown rice)	0.1 ppm
SPINOSAD	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	1 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Other potatoes	0.02 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	1 ppm
	Watercress	8 ppm
	Chinese cabbage	8 ppm
	Cabbage	2 ppm
	Brussels sprouts	1 ppm
	Kale	10 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	5 ppm
	<i>Kyona</i>	5 ppm
	Qing-geng-cai	2 ppm
	Cauliflower	2 ppm
	Broccoli	2 ppm
	Other cruciferous vegetables	2 ppm
	Chicory	8 ppm
	Endive	8 ppm
	Lettuce (including cos lettuce and leaf lettuce)	8 ppm
	Other composite vegetables	8 ppm
	Parsley	8 ppm
	Celery	8 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	2 ppm
	Egg plant	2 ppm
	Other solanaceous vegetables	0.4 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	0.3 ppm
	Oriental pickling melon (vegetable)	0.3 ppm
	Water melon	0.3 ppm
	Melons	0.3 ppm
	<i>Makuwauri</i> melon	0.3 ppm

	Other cucurbitaceous vegetables	0.3 ppm
	Spinach	8 ppm
	Ginger	0.02 ppm
	Peas, immature (with pods)	0.3 ppm
	Kidney beans, immature (with pods)	0.3 ppm
	Green soybeans	0.3 ppm
	<i>Unshu</i> orange, pulp	0.3 ppm
	Citrus <i>natsudaidai</i> , whole	0.3 ppm
	Lemon	0.3 ppm
	Orange (including navel orange)	0.3 ppm
	Grapefruit	0.3 ppm
	Lime	0.3 ppm
	Other citrus fruits	0.3 ppm
	Apple	0.5 ppm
	Peach	0.2 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
	Papaya	0.3 ppm
	Avocado	0.3 ppm
	Guava	0.3 ppm
	Mango	0.3 ppm
	Passion fruit	0.3 ppm
	Other fruits	0.3 ppm
	Cotton seeds	0.02 ppm
	Almond	0.02 ppm
	Other nuts	0.02 ppm
	Tea	2 ppm
SPIRAMYCIN	Cattle, muscle	0.2 ppm (as total of spiramycin and neospiramycin)
	Pig, muscle	0.2 ppm (as spiramycin equivalent (antibiotic active substance))
	Cattle, fat	0.3 ppm (as total of spiramycin and neospiramycin)
	Pig, fat	0.3 ppm (as spiramycin equivalent (antibiotic active substance))
	Cattle, liver	0.6 ppm (as total of spiramycin and neospiramycin)
	Pig, liver	0.6 ppm (as spiramycin equivalent (antibiotic active substance))

	Cattle, kidney	0.3 ppm (as total of spiramycin and neospiramycin)
	Pig, kidney	0.3 ppm (as spiramycin equivalent (antibiotic active substance))
	Milk	0.2 ppm (as total of spiramycin and neospiramycin)
	Chicken, muscle	0.2 ppm (as total of spiramycin and neospiramycin)
	Chicken, fat	0.3 ppm (as total of spiramycin and neospiramycin)
	Chicken, liver	0.6 ppm (as total of spiramycin and neospiramycin)
	Chicken, kidney	0.8 ppm (as total of spiramycin and neospiramycin)
	Fish and shellfish	0.2 ppm (as total of spiramycin and neospiramycin)
SPECTINOMYCIN	Cattle, muscle	0.5 ppm
	Pig, muscle	0.5 ppm
	Sheep, muscle	0.5 ppm
	Cattle, fat	2.0 ppm
	Pig, fat	2.0 ppm
	Sheep, fat	2.0 ppm
	Cattle, liver	2.0 ppm
	Pig, liver	2.0 ppm
	Sheep, liver	2.0 ppm
	Cattle, kidney	5.0 ppm
	Pig, kidney	5.0 ppm
	Sheep, kidney	5.0 ppm
	Milk	0.2 ppm
	Chicken, muscle	0.5 ppm
	Chicken, fat	2.0 ppm
	Chicken, liver	2.0 ppm
	Chicken, kidney	5.0 ppm
	Chicken, eggs	2.0 ppm
SULFADIMIDINE	Cattle, muscle	0.10 ppm
	Pig, muscle	0.10 ppm
	Sheep, muscle	0.10 ppm
	Horse, muscle	0.10 ppm
	Cattle, fat	0.10 ppm
	Pig, fat	0.10 ppm
	Sheep, fat	0.10 ppm

	Horse, fat	0.10 ppm
	Cattle, liver	0.10 ppm
	Pig, liver	0.10 ppm
	Sheep, liver	0.10 ppm
	Horse, liver	0.10 ppm
	Cattle, kidney	0.10 ppm
	Pig, kidney	0.10 ppm
	Sheep, kidney	0.10 ppm
	Horse, kidney	0.10 ppm
	Milk	0.025 ppm
	Chicken, muscle	0.10 ppm
	Duck, muscle	0.10 ppm
	Turkey, muscle	0.10 ppm
	Chicken, fat	0.10 ppm
	Duck, fat	0.10 ppm
	Turkey, fat	0.10 ppm
	Chicken, liver	0.10 ppm
	Duck, liver	0.10 ppm
	Turkey, liver	0.10 ppm
	Chicken, kidney	0.10 ppm
	Duck, kidney	0.10 ppm
	Turkey, kidney	0.10 ppm
SETHOXYDIM	Corn (maize)	0.2 ppm
	Soybeans, dry	10 ppm
	Beans, dry*	20 ppm
	Peas	40 ppm
	Broad beans	10 ppm
	Peanuts, dry	25 ppm
	Other legumes/pulses	30 ppm
	Potato	4.0 ppm
	Taro	1.0 ppm
	Sweet potato	4.0 ppm
	Yam	1.0 ppm
	Konjac	1.0 ppm
	Other potatoes	1.0 ppm
	Sugar beet	0.5 ppm
	Japanese radish, roots (including radish)	10 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Turnip, roots	10 ppm
	Turnip, leaves	10 ppm
	Horseradish	10 ppm
	Watercress	10 ppm
	Chinese cabbage	10 ppm
	Cabbage	10 ppm
	Brussels sprouts	10 ppm
	Kale	10 ppm

<i>Komatsuna</i> , Japanese mustard spinach	10 ppm
<i>Kyona</i>	10 ppm
<i>Qing-geng-cai</i>	10 ppm
Cauliflower	10 ppm
Broccoli	10 ppm
Other cruciferous vegetables	10 ppm
Burdock	10 ppm
Salsify	10 ppm
Artichoke	10 ppm
Chicory	10 ppm
Endive	10 ppm
<i>Shungiku</i>	10 ppm
Lettuce (including cos lettuce and leaf lettuce)	10 ppm
Other composite vegetables	10 ppm
Onion	10 ppm
Welsh (including leek)	10 ppm
Garlic	10 ppm
<i>Nira</i>	10 ppm
Asparagus	10 ppm
Multiplying onion	10 ppm
Other liliaceous vegetables	10 ppm
Carrot	10 ppm
Parsnip	10 ppm
Parsley	10 ppm
Celery	10 ppm
<i>Mitsuba</i>	10 ppm
Other umbelliferous vegetables	10 ppm
Tomato	10 ppm
Pimiento (sweet pepper)	10 ppm
Egg plant	10 ppm
Other solanaceous vegetables	10 ppm
Cucumber (including gherkin)	10 ppm
Pumpkin (including squash)	10 ppm
Oriental pickling melon (vegetable)	10 ppm
Water melon	2.0 ppm
Melons	2.0 ppm
<i>Makuwauri</i> melon	2.0 ppm
Other cucurbitaceous vegetables	10 ppm
Spinach	10 ppm
Bamboo shoots	10 ppm
Okra	10 ppm
Ginger	10 ppm
Peas, immature (with pods)	10 ppm
Kidney beans, immature (with pods)	10 ppm
Green soybeans	10 ppm
Button mushroom	10 ppm

<i>Shiitake</i> mushroom	10 ppm
Other mushrooms	10 ppm
Other vegetables	10 ppm
<i>Unshu</i> orange, pulp	1.0 ppm
Citrus <i>natsudaidai</i> , whole	1.0 ppm
Lemon	1.0 ppm
Orange (including navel orange)	1.0 ppm
Grapefruit	1.0 ppm
Lime	1.0 ppm
Other citrus fruits	1.0 ppm
Apple	1.0 ppm
Japanese pear	1.0 ppm
Pear	1.0 ppm
Quince	1.0 ppm
Loquat	1.0 ppm
Peach	1.0 ppm
Nectarine	1.0 ppm
Apricot	1.0 ppm
Japanese plum (including prune)	1.0 ppm
Mume plum	1.0 ppm
Cherry	1.0 ppm
Strawberry	10 ppm
Raspberry	5.0 ppm
Blackberry	1.0 ppm
Blueberry	4.0 ppm
Cranberry	1.0 ppm
Huckleberry	1.0 ppm
Other berries	1.0 ppm
Grape	1.0 ppm
Japanese persimmon	1.0 ppm
Banana	1.0 ppm
Kiwifruit	1.0 ppm
Papaya	1.0 ppm
Avocado	1.0 ppm
Pineapple	1.0 ppm
Guava	1.0 ppm
Mango	1.0 ppm
Passion fruit	1.0 ppm
Date	1.0 ppm
Other fruits	1.0 ppm
Sunflower seeds	7.0 ppm
Sesam seeds	1.0 ppm
Safflower seeds	1.0 ppm
Cotton seeds	5.0 ppm
Rapeseeds	1.0 ppm
Other oil seeds	1.0 ppm

	Ginkgo nut	1.0 ppm
	Chestnut	1.0 ppm
	Pecan	1.0 ppm
	Almond	1.0 ppm
	Walnut	1.0 ppm
	Other nuts	1.0 ppm
CEFTIOFUR	Cattle, muscle	1.0 ppm (as desfuroylceftiofur)
	Pig, muscle	1.0 ppm (as desfuroylceftiofur)
	Cattle, fat	2.0 ppm (as desfuroylceftiofur)
	Pig, fat	2.0 ppm (as desfuroylceftiofur)
	Cattle, liver	2.0 ppm (as desfuroylceftiofur)
	Pig, liver	2.0 ppm (as desfuroylceftiofur)
	Cattle, kidney	6.0 ppm (as desfuroylceftiofur)
	Pig, kidney	6.0 ppm (as desfuroylceftiofur)
	Milk	0.1 ppm (as desfuroylceftiofur)
ZERANOL	Cattle, muscle	0.002 ppm
	Cattle, liver	0.01 ppm
TERBACIL	Sugarcane	0.1 ppm
	Asparagus	0.2 ppm
	Other vegetables	0.05 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Quince	0.04 ppm
	Loquat	0.04 ppm
	Peach	0.1 ppm
	Nectarine	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Mume plum	0.04 ppm
	Cherry	0.04 ppm
	Strawberry	0.1 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.5 ppm

DIAZINON	Rice (brown rice)	0.1 ppm
	Soybeans, dry	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Burdock	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Welsh (including leek)	0.1 ppm
	Parsley	0.1 ppm
	Tomato	0.1 ppm
	Pimiento (sweet pepper)	0.1 ppm
	Egg plant	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.1 ppm
	Oriental pickling melon (vegetable)	0.1 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Spinach	0.1 ppm
	Citrus <i>natsudaidai</i> , pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , peels	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Peach	0.1 ppm
	Cherry	0.1 ppm
	Strawberry	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Tea (limited unfermented tea)	0.1 ppm
DAIMURON	Rice (brown rice)	0.1 ppm
DANOFLOXACIN	Cattle, muscle	0.20 ppm
	Pig, muscle	0.10 ppm
	Cattle, fat	0.10 ppm
	Pig, fat	0.10 ppm
	Cattle, liver	0.40 ppm

	Pig, liver	0.05 ppm
	Cattle, kidney	0.40 ppm
	Pig, kidney	0.20 ppm
	Chicken, muscle	0.20 ppm
	Chicken, fat	0.10 ppm
	Chicken, liver	0.40 ppm
	Chicken, kidney	0.40 ppm
DAMINOZIDE	Rice (brown rice)	Not detected
	Wheat	Not detected
	Wheat flour (except whole grain)	Not detected
	Barley	Not detected
	Rye	Not detected
	Corn (maize)	Not detected
	Buckwheat	Not detected
	Other cereal grains	Not detected
	Soybeans, dry	Not detected
	Beans, dry*	Not detected
	Peas	Not detected
	Broad beans	Not detected
	Peanuts, dry	Not detected
	Other legumes/pulses	Not detected
	Potato	Not detected
	Taro	Not detected
	Sweet potato	Not detected
	Yam	Not detected
	Konjac	Not detected
	Other potatoes	Not detected
	Sugar beet	Not detected
	Sugarcane	Not detected
	Japanese radish, roots (including radish)	Not detected
	Japanese radish, leaves (including radish)	Not detected
	Turnip, roots	Not detected
	Turnip, leaves	Not detected
	Horseradish	Not detected
	Watercress	Not detected
	Chinese cabbage	Not detected
	Cabbage	Not detected
	Brussels sprouts	Not detected
	Kale	Not detected
	<i>Komatsuna</i> , Japanese mustard spinach	Not detected
	<i>Kyona</i>	Not detected
	Qing-geng-cai	Not detected
	Cauliflower	Not detected
	Broccoli	Not detected
	Other cruciferous vegetables	Not detected
	Burdock	Not detected

Salsify	Not detected
Artichoke	Not detected
Chicory	Not detected
Endive	Not detected
<i>Shungiku</i>	Not detected
Lettuce (including cos lettuce and leaf lettuce)	Not detected
Other composite vegetables	Not detected
Onion	Not detected
Welsh (including leek)	Not detected
Garlic	Not detected
<i>Nira</i>	Not detected
Asparagus	Not detected
Multiplying onion	Not detected
Other liliaceous vegetables	Not detected
Carrot	Not detected
Parsnip	Not detected
Parsley	Not detected
Celery	Not detected
<i>Mitsuba</i>	Not detected
Other umbelliferous vegetables	Not detected
Tomato	Not detected
Pimiento (sweet pepper)	Not detected
Egg plant	Not detected
Other solanaceous vegetables	Not detected
Cucumber (including gherkin)	Not detected
Pumpkin (including squash)	Not detected
Oriental pickling melon (vegetable)	Not detected
Water melon	Not detected
Melons	Not detected
<i>Makuwauri</i> melon	Not detected
Other cucurbitaceous vegetables	Not detected
Spinach	Not detected
Bamboo shoots	Not detected
Okra	Not detected
Ginger	Not detected
Peas, immature (with pods)	Not detected
Kidney beans, immature (with pods)	Not detected
Green soybeans	Not detected
Button mushroom	Not detected
<i>Shiitake</i> mushroom	Not detected
Other mushrooms	Not detected
Other vegetables	Not detected
<i>Unshu</i> orange, pulp	Not detected
Citrus <i>natsudaidai</i> , whole	Not detected
Lemon	Not detected
Orange (including navel orange)	Not detected

Grapefruit	Not detected
Lime	Not detected
Other citrus fruits	Not detected
Apple	Not detected
Japanese pear	Not detected
Pear	Not detected
Quince	Not detected
Loquat	Not detected
Peach	Not detected
Nectarine	Not detected
Apricot	Not detected
Japanese plum (including prune)	Not detected
Mume plum	Not detected
Cherry	Not detected
Strawberry	Not detected
Raspberry	Not detected
Blackberry	Not detected
Blueberry	Not detected
Cranberry	Not detected
Huckleberry	Not detected
Other berries	Not detected
Grape	Not detected
Japanese persimmon	Not detected
Banana	Not detected
Kiwifruit	Not detected
Papaya	Not detected
Avocado	Not detected
Pineapple	Not detected
Guava	Not detected
Mango	Not detected
Passion fruit	Not detected
Date	Not detected
Other fruits	Not detected
Sunflower seeds	Not detected
Sesam seeds	Not detected
Safflower seeds	Not detected
Cotton seeds	Not detected
Rapeseeds	Not detected
Other oil seeds	Not detected
Ginkgo nut	Not detected
Chestnut	Not detected
Pecan	Not detected
Almond	Not detected
Walnut	Not detected
Other nuts	Not detected
Tea	Not detected

	Coffee beans	Not detected
	Cacao beans	Not detected
	Hop	Not detected
THIABENDAZOLE	Cattle, muscle	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Pig, muscle	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Sheep, muscle	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Cattle, fat	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Pig, fat	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Sheep, fat	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Cattle, liver	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Pig, liver	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Sheep, liver	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Cattle, kidney	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Pig, kidney	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Sheep, kidney	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
	Milk	0.10 ppm (as total of thiabendazole and 5-hydroxythiabendazole)
THIOBENCARB	Rice (brown rice)	0.2 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm

Peas	0.2 ppm
Broad beans	0.2 ppm
Peanuts, dry	0.2 ppm
Other legumes/pulses	0.2 ppm
Potato	0.05 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Japanese radish, roots (including radish)	0.2 ppm
Japanese radish, leaves (including radish)	0.2 ppm
Turnip, roots	0.2 ppm
Turnip, leaves	0.2 ppm
Horseradish	0.2 ppm
Watercress	0.2 ppm
Chinese cabbage	0.2 ppm
Cabbage	0.2 ppm
Brussels sprouts	0.2 ppm
Kale	0.2 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.2 ppm
<i>Kyona</i>	0.2 ppm
Qing-geng-cai	0.2 ppm
Cauliflower	0.2 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.2 ppm
Burdock	0.2 ppm
Salsify	0.2 ppm
Artichoke	0.2 ppm
Chicory	0.2 ppm
Endive	0.2 ppm
<i>Shungiku</i>	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.2 ppm
Onion	0.2 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.2 ppm
<i>Nira</i>	0.2 ppm
Asparagus	0.2 ppm
Multiplying onion	0.2 ppm
Other liliaceous vegetables	0.2 ppm
Carrot	0.2 ppm
Parsnip	0.2 ppm
Parsley	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm

	Other umbelliferous vegetables	0.2 ppm
	Tomato	0.2 ppm
	Pimiento (sweet pepper)	0.2 ppm
	Egg plant	0.2 ppm
	Other solanaceous vegetables	0.2 ppm
	Cucumber (including gherkin)	0.2 ppm
	Pumpkin (including squash)	0.2 ppm
	Oriental pickling melon (vegetable)	0.2 ppm
	Other cucurbitaceous vegetables	0.2 ppm
	Spinach	0.2 ppm
	Bamboo shoots	0.2 ppm
	Okra	0.2 ppm
	Ginger	0.2 ppm
	Peas, immature (with pods)	0.2 ppm
	Kidney beans, immature (with pods)	0.2 ppm
	Green soybeans	0.2 ppm
	Button mushroom	0.2 ppm
	<i>Shiitake</i> mushroom	0.2 ppm
	Other mushrooms	0.2 ppm
	Other vegetables	0.2 ppm
THIOMETON	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.10 ppm
	Japanese radish, leaves (including radish)	0.10 ppm
	Turnip, roots	0.10 ppm
	Turnip, leaves	0.10 ppm
	Horseradish	0.10 ppm
	Watercress	0.10 ppm

Chinese cabbage	0.10 ppm
Cabbage	0.10 ppm
Brussels sprouts	0.10 ppm
Kale	0.10 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.10 ppm
<i>Kyona</i>	0.10 ppm
Qing-geng-cai	0.10 ppm
Cauliflower	0.20 ppm
Broccoli	0.20 ppm
Other cruciferous vegetables	0.10 ppm
Burdock	0.10 ppm
Salsify	0.10 ppm
Artichoke	0.10 ppm
Chicory	0.10 ppm
Endive	0.10 ppm
<i>Shungiku</i>	0.10 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.10 ppm
Other composite vegetables	0.10 ppm
Onion	0.10 ppm
Welsh (including leek)	0.10 ppm
Garlic	0.10 ppm
<i>Nira</i>	0.10 ppm
Asparagus	0.10 ppm
Multiplying onion	0.10 ppm
Other liliaceous vegetables	0.10 ppm
Carrot	0.10 ppm
Parsnip	0.10 ppm
Parsley	0.10 ppm
Celery	0.10 ppm
<i>Mitsuba</i>	0.10 ppm
Other umbelliferous vegetables	0.10 ppm
Tomato	0.10 ppm
Pimiento (sweet pepper)	0.10 ppm
Egg plant	0.30 ppm
Other solanaceous vegetables	0.10 ppm
Cucumber (including gherkin)	0.30 ppm
Pumpkin (including squash)	0.10 ppm
Oriental pickling melon (vegetable)	0.10 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.10 ppm
Spinach	0.10 ppm
Bamboo shoots	0.10 ppm
Okra	0.10 ppm
Ginger	0.10 ppm

Peas, immature (with pods)	0.10 ppm
Kidney beans, immature (with pods)	0.10 ppm
Green soybeans	0.10 ppm
Button mushroom	0.10 ppm
<i>Shiitake</i> mushroom	0.10 ppm
Other mushrooms	0.10 ppm
Other vegetables	0.10 ppm
<i>Unshu</i> orange, pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesam seeds	0.05 ppm

	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Hop	0.20 ppm
THIFLUZAMIDE	Rice (brown rice)	0.5 ppm
TILMICOSIN	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Sheep, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Sheep, fat	0.1 ppm
	Cattle, liver	1.0 ppm
	Pig, liver	1.5 ppm
	Sheep, liver	1.0 ppm
	Cattle, kidney	0.3 ppm
	Pig, kidney	1.0 ppm
	Sheep, kidney	0.3 ppm
	Milk	0.05 ppm
TULATHROMYCIN (Revised on November 30, 2006)	Cattle, muscle	0.3 ppm
	Pig, muscle	2 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.3 ppm
	Cattle, liver	5 ppm
	Pig, liver	4 ppm
	Cattle, kidney	3 ppm
	Pig, kidney	9 ppm
	Cattle, edible offal	3 ppm
	Pig, edible offal	5 ppm
TECLOFTALAM	Rice (brown rice)	0.2 ppm
DESMEDIPHAM	Sugar beet	0.2 ppm
TETRACONAZOLE	Wheat	0.05 ppm
	Barley	0.2 ppm
	Other cereal grains	0.1 ppm
	Sugar beet	0.5 ppm
	Artichoke	0.2 ppm
	Tomato	1 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	1 ppm

	Oriental pickling melon (vegetable)	0.2 ppm
	Water melon	0.2 ppm
	Melons	0.2 ppm
	<i>Makuwauri</i> melon	0.2 ppm
	Other cucurbitaceous vegetables	0.2 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm
	Peach	0.3 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
	Strawberry	2 ppm
	Grape	0.5 ppm
	Tea	20 ppm
THENYLCHLOR	Rice (brown rice)	0.1 ppm
TEBUCONAZOLE	Rice (brown rice)	0.05 ppm
	Wheat	0.5 ppm
	Barley	0.05 ppm
	Rye	0.2 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Peas	0.2 ppm
	Peanuts, dry	0.1 ppm
	Onion	0.2 ppm
	Asparagus	0.05 ppm
	Tomato	1 ppm
	Pimiento (sweet pepper)	0.5 ppm
	Egg plant	0.5 ppm
	Apple	0.2 ppm
	Peach	1 ppm
	Nectarine	1 ppm
	Apricot	1 ppm
	Cherry	4 ppm
	Banana	0.2 ppm
TEBUFENOZIDE	Rice (brown rice)	0.5 ppm
	Sugar beet	0.1 ppm
	Cauliflower	0.5 ppm
	Apple	1.0 ppm
	Grape	0.5 ppm
	Walnut	0.1 ppm

	Tea	25 ppm
TEBUFENPYRAD	Tomato	0.5 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	0.5 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	<i>Citrus natsudaidai</i> , pulp	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	0.5 ppm
	Cherry	2 ppm
	Strawberry	1 ppm
	Grape	0.5 ppm
	Japanese persimmon	0.5 ppm
	Other fruits	0.5 ppm
	Tea	2 ppm
TEPRALOXYDIM	Soybeans, dry	6 ppm
	Beans, dry*	0.2 ppm
	Yam	0.2 ppm
	Sugar beet	0.2 ppm
	Onion	0.5 ppm
	Carrot	0.2 ppm
	Green soybeans	1 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	0.5 ppm
TEFLUTHRIN	Corn (maize)	0.1 ppm
	Peanuts, dry	0.1 ppm
	Sweet potato	0.1 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Strawberry	0.1 ppm

TEFLUBENZURON	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.1 ppm
	Potato	0.1 ppm
	Sweet potato	0.1 ppm
	Sugar beet	0.5 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	1 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Qing-geng-cai	1 ppm
	Cauliflower	0.05 ppm
	Broccoli	1 ppm
	Other cruciferous vegetables	1 ppm
	Burdock	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	1 ppm
	Welsh (including leek)	1 ppm
	Asparagus	1 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	0.5 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.2 ppm
	Pumpkin (including squash)	0.2 ppm
	Melons	0.2 ppm
	Other cucurbitaceous vegetables	0.2 ppm
	Green soybeans	1 ppm
	Button mushroom	0.2 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	1 ppm
	Quince	0.5 ppm
	Peach	0.3 ppm
	Nectarine	1 ppm

	Apricot	0.3 ppm
	Japanese plum (including prune)	0.3 ppm
	Mume plum	0.3 ppm
	Cherry	0.3 ppm
	Strawberry	1 ppm
	Grape	1 ppm
	Japanese persimmon	0.5 ppm
	Tea	20 ppm
DELTAMETHRIN and TRALOMETHRIN (as total)	Rice (brown rice)	1.0 ppm
	Wheat	1.0 ppm
	Barley	1.0 ppm
	Rye	1.0 ppm
	Corn (maize)	1.0 ppm
	Buckwheat	1.0 ppm
	Other cereal grains	1.0 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	0.5 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Kale	0.5 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.5 ppm
	<i>Kyona</i>	0.5 ppm
	Qing-geng-cai	0.5 ppm
	Cauliflower	0.5 ppm
	Broccoli	0.5 ppm
	Other cruciferous vegetables	0.5 ppm
	Burdock	0.5 ppm
	Salsify	0.5 ppm

Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.5 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	1.0 ppm
Lemon	1.0 ppm
Orange (including navel orange)	1.0 ppm
Grapefruit	1.0 ppm

Lime	1.0 ppm
Other citrus fruits	1.0 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.5 ppm
Loquat	0.5 ppm
Peach	0.5 ppm
Nectarine	0.5 ppm
Apricot	0.5 ppm
Japanese plum (including prune)	0.5 ppm
Mume plum	0.5 ppm
Cherry	0.5 ppm
Strawberry	0.5 ppm
Raspberry	0.5 ppm
Blackberry	0.5 ppm
Blueberry	0.5 ppm
Cranberry	0.5 ppm
Huckleberry	0.5 ppm
Other berries	0.5 ppm
Grape	0.5 ppm
Japanese persimmon	0.5 ppm
Banana	0.5 ppm
Kiwifruit	0.5 ppm
Papaya	0.5 ppm
Avocado	0.5 ppm
Pineapple	0.5 ppm
Guava	0.5 ppm
Mango	0.5 ppm
Passion fruit	0.5 ppm
Date	0.5 ppm
Other fruits	0.5 ppm
Sunflower seeds	0.5 ppm
Sesam seeds	0.5 ppm
Safflower seeds	0.5 ppm
Cotton seeds	0.5 ppm
Rapeseeds	0.5 ppm
Other oil seeds	0.5 ppm
Ginkgo nut	0.5 ppm
Chestnut	0.5 ppm
Pecan	0.5 ppm
Almond	0.5 ppm
Walnut	0.5 ppm
Other nuts	0.5 ppm
Tea	10 ppm
Coffee beans	2.0 ppm

	Cacao beans	0.05 ppm
	Hop	5.0 ppm
TERBUFOS	Rice (brown rice)	0.005 ppm
	Wheat	0.01 ppm
	Barley	0.01 ppm
	Rye	0.005 ppm
	Corn (maize)	0.01 ppm
	Buckwheat	0.005 ppm
	Other cereal grains	0.05 ppm
	Sugar beet	0.05 ppm
	Banana	0.05 ppm
COPPER TELEPHthalATE	Water melon	5 ppm
	Melons	5 ppm
	<i>Makuwauri</i> melon	5 ppm
	<i>Unshu</i> orange, pulp	5 ppm
	Citrus <i>natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm
	Apple	5 ppm
	Japanese pear	5 ppm
	Pear	5 ppm
	Quince	5 ppm
	Loquat	5 ppm
	Peach	5 ppm
	Nectarine	5 ppm
	Apricot	5 ppm
	Japanese plum (including prune)	5 ppm
	Mume plum	5 ppm
	Cherry	5 ppm
	Strawberry	5 ppm
	Raspberry	5 ppm
	Blackberry	5 ppm
	Blueberry	5 ppm
	Cranberry	5 ppm
	Huckleberry	5 ppm
	Other berries	5 ppm
	Grape	5 ppm
	Japanese persimmon	5 ppm
	Banana	5 ppm
	Kiwifruit	5 ppm
	Papaya	5 ppm
	Avocado	5 ppm
	Pineapple	5 ppm

	Guava	5 ppm
	Mango	5 ppm
	Passion fruit	5 ppm
	Date	5 ppm
	Other fruits	5 ppm
	Sunflower seeds	5 ppm
	Sesam seeds	5 ppm
	Safflower seeds	5 ppm
	Cotton seeds	5 ppm
	Rapeseeds	5 ppm
	Other oil seeds	5 ppm
	Ginkgo nut	5 ppm
	Chestnut	5 ppm
	Pecan	5 ppm
	Almond	5 ppm
	Walnut	5 ppm
	Other nuts	5 ppm
TRIADIMENOL	Sugarcane	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Melons	0.5 ppm
	<i>Makuwauri</i> melon	0.5 ppm
	Grape	0.5 ppm
	Papaya	0.2 ppm
TRIAZOPHOS	Rice (brown rice)	Not detected
	Wheat	Not detected
	Barley	Not detected
	Rye	Not detected
	Corn (maize)	Not detected
	Buckwheat	Not detected
	Other cereal grains	Not detected
	Soybeans, dry	Not detected
	Beans, dry*	0.2 ppm
	Broad beans	Not detected
	Potato	Not detected
	Sugar beet	Not detected
	Cabbage	0.1 ppm
	Cauliflower	0.1 ppm
	Onion	Not detected
	Carrot	0.5 ppm
	Parsnip	1 ppm
	Kidney beans, immature (with pods)	0.1 ppm
	Apple	0.2 ppm
	Japanese pear	0.2 ppm
	Pear	0.2 ppm
	Quince	0.2 ppm
	Loquat	0.2 ppm

	Strawberry	Not detected
	Cotton seeds	0.1 ppm
	Other nuts	0.1 ppm
	Coffee beans	Not detected
TRICHLABENDAZOLE	Cattle, muscle	0.20 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
	Sheep, muscle	0.10 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
	Cattle, fat	0.10 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
	Sheep, fat	0.10 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
	Cattle, liver	0.30 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
	Sheep, liver	0.10 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
	Cattle, kidney	0.30 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
	Sheep, kidney	0.10 ppm (as 5-chloro-6-(2,3-dichlorophenoxy)-benzimidazole-2-one)
TRICHLAMIDE	Potato	0.3 ppm
	Taro	0.3 ppm
	Sweet potato	0.3 ppm
	Yam	0.3 ppm
	Konjac	0.3 ppm
	Other potatoes	0.3 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	0.2 ppm
	Horseradish	0.2 ppm
	Watercress	0.2 ppm
	Chinese cabbage	0.2 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	Kale	0.2 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.2 ppm
	<i>Kyona</i>	0.2 ppm
	Qing-geng-cai	0.2 ppm
	Cauliflower	0.2 ppm
	Broccoli	0.2 ppm

	Other cruciferous vegetables	0.2 ppm
	Burdock	0.2 ppm
	Salsify	0.2 ppm
	Artichoke	0.2 ppm
	Chicory	0.2 ppm
	Endive	0.2 ppm
	<i>Shungiku</i>	0.2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
	Other composite vegetables	0.2 ppm
	Onion	0.2 ppm
	Welsh (including leek)	0.2 ppm
	Garlic	0.2 ppm
	<i>Nira</i>	0.2 ppm
	Asparagus	0.2 ppm
	Multiplying onion	0.2 ppm
	Other liliaceous vegetables	0.2 ppm
	Carrot	0.2 ppm
	Parsnip	0.2 ppm
	Parsley	0.2 ppm
	Celery	0.2 ppm
	<i>Mitsuba</i>	0.2 ppm
	Other umbelliferous vegetables	0.2 ppm
	Tomato	0.2 ppm
	Pimiento (sweet pepper)	0.2 ppm
	Egg plant	0.2 ppm
	Other solanaceous vegetables	0.2 ppm
	Cucumber (including gherkin)	0.2 ppm
	Pumpkin (including squash)	0.2 ppm
	Oriental pickling melon (vegetable)	0.2 ppm
	Other cucurbitaceous vegetables	0.2 ppm
	Spinach	0.2 ppm
	Bamboo shoots	0.2 ppm
	Okra	0.2 ppm
	Ginger	0.2 ppm
	Peas, immature (with pods)	0.2 ppm
	Kidney beans, immature (with pods)	0.2 ppm
	Green soybeans	0.2 ppm
	Button mushroom	0.2 ppm
	<i>Shiitake</i> mushroom	0.2 ppm
	Other mushrooms	0.2 ppm
	Other vegetables	0.2 ppm
TRICHLORFON	Rice (brown rice)	0.20 ppm
	Wheat	0.10 ppm
	Barley	0.10 ppm
	Rye	0.10 ppm
	Corn (maize)	0.10 ppm

Buckwheat	0.10 ppm
Other cereal grains	0.10 ppm
Soybeans, dry	0.10 ppm
Beans, dry*	0.10 ppm
Peanuts, dry	0.10 ppm
Other legumes/pulses	0.10 ppm
Potato	0.50 ppm
Taro	0.50 ppm
Sweet potato	0.50 ppm
Yam	0.50 ppm
Konjac	0.50 ppm
Other potatoes	0.50 ppm
Sugar beet	0.10 ppm
Sugarcane	0.50 ppm
Japanese radish, roots (including radish)	0.20 ppm
Japanese radish, leaves (including radish)	0.50 ppm
Turnip, roots	0.10 ppm
Turnip, leaves	0.50 ppm
Horseradish	0.50 ppm
Watercress	0.50 ppm
Chinese cabbage	0.50 ppm
Cabbage	0.50 ppm
Brussels sprouts	0.50 ppm
Kale	0.20 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.50 ppm
<i>Kyona</i>	0.50 ppm
Qing-geng-cai	0.10 ppm
Cauliflower	0.50 ppm
Broccoli	0.50 ppm
Other cruciferous vegetables	0.10 ppm
Burdock	0.50 ppm
Salsify	0.50 ppm
Artichoke	0.10 ppm
Chicory	0.50 ppm
Endive	0.50 ppm
<i>Shungiku</i>	0.50 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.50 ppm
Other composite vegetables	0.50 ppm
Onion	0.50 ppm
Welsh (including leek)	0.50 ppm
Garlic	0.50 ppm
<i>Nira</i>	0.50 ppm
Asparagus	0.50 ppm
Multiplying onion	0.50 ppm
Other liliaceous vegetables	0.50 ppm
Carrot	0.50 ppm

Parsnip	0.50 ppm
Parsley	0.05 ppm
Celery	0.20 ppm
<i>Mitsuba</i>	0.50 ppm
Other umbelliferous vegetables	0.50 ppm
Tomato	0.20 ppm
Pimiento (sweet pepper)	1.0 ppm
Egg plant	1.0 ppm
Other solanaceous vegetables	1.0 ppm
Cucumber (including gherkin)	1.0 ppm
Pumpkin (including squash)	0.10 ppm
Oriental pickling melon (vegetable)	0.50 ppm
Water melon	0.50 ppm
Melons	0.50 ppm
<i>Makuwauri</i> melon	0.50 ppm
Other cucurbitaceous vegetables	0.50 ppm
Spinach	0.50 ppm
Bamboo shoots	0.50 ppm
Okra	0.50 ppm
Ginger	0.50 ppm
Peas, immature (with pods)	0.50 ppm
Kidney beans, immature (with pods)	0.10 ppm
Green soybeans	0.50 ppm
Button mushroom	0.50 ppm
<i>Shiitake</i> mushroom	0.50 ppm
Other mushrooms	0.50 ppm
Other vegetables	0.50 ppm
<i>Unshu</i> orange, pulp	0.10 ppm
Citrus <i>natsudaidai</i> , whole	0.10 ppm
Lemon	0.10 ppm
Orange (including navel orange)	0.10 ppm
Grapefruit	0.10 ppm
Lime	0.10 ppm
Other citrus fruits	0.10 ppm
Apple	2.0 ppm
Japanese pear	0.50 ppm
Pear	0.50 ppm
Quince	0.50 ppm
Loquat	0.50 ppm
Peach	0.20 ppm
Nectarine	0.50 ppm
Apricot	0.50 ppm
Japanese plum (including prune)	0.50 ppm
Mume plum	0.50 ppm
Cherry	0.10 ppm
Strawberry	1.0 ppm

	Raspberry	0.50 ppm
	Blackberry	0.50 ppm
	Blueberry	0.50 ppm
	Cranberry	0.50 ppm
	Huckleberry	0.50 ppm
	Other berries	0.50 ppm
	Grape	0.50 ppm
	Japanese persimmon	0.50 ppm
	Banana	1.0 ppm
	Kiwifruit	0.50 ppm
	Papaya	0.50 ppm
	Avocado	0.50 ppm
	Pineapple	0.50 ppm
	Guava	0.50 ppm
	Mango	0.50 ppm
	Passion fruit	0.50 ppm
	Date	0.50 ppm
	Other fruits	0.50 ppm
	Sunflower seeds	0.50 ppm
	Sesam seeds	0.50 ppm
	Safflower seeds	0.10 ppm
	Cotton seeds	0.10 ppm
	Rapeseeds	0.10 ppm
	Other oil seeds	0.10 ppm
	Ginkgo nut	0.50 ppm
	Chestnut	0.50 ppm
	Pecan	0.50 ppm
	Almond	0.50 ppm
	Walnut	0.50 ppm
	Other nuts	0.50 ppm
	Tea	0.50 ppm
TRICYCLAZOLE	Rice (brown rice)	3 ppm
TRINEXAPAC-ETHYL	Rice (brown rice)	0.5 ppm
TRIFLUMIZOLE	Wheat	1.0 ppm
	Barley	1.0 ppm
	Rye	1.0 ppm
	Corn (maize)	1.0 ppm
	Buckwheat	1.0 ppm
	Other cereal grains	1.0 ppm
	Konjac	1.0 ppm
	Japanese radish, roots (including radish)	1.0 ppm
	Japanese radish, leaves (including radish)	1.0 ppm
	Turnip, roots	1.0 ppm
	Turnip, leaves	1.0 ppm
	Horseradish	1.0 ppm
	Watercress	1.0 ppm

Chinese cabbage	1.0 ppm
Cabbage	1.0 ppm
Brussels sprouts	1.0 ppm
Kale	1.0 ppm
<i>Komatsuna</i> , Japanese mustard spinach	1.0 ppm
<i>Kyona</i>	1.0 ppm
Qing-geng-cai	1.0 ppm
Cauliflower	1.0 ppm
Broccoli	1.0 ppm
Other cruciferous vegetables	1.0 ppm
Burdock	1.0 ppm
Salsify	1.0 ppm
Artichoke	1.0 ppm
Chicory	1.0 ppm
Endive	1.0 ppm
<i>Shungiku</i>	1.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	1.0 ppm
Other composite vegetables	1.0 ppm
Onion	1.0 ppm
Welsh (including leek)	1.0 ppm
Garlic	1.0 ppm
<i>Nira</i>	5.0 ppm
Asparagus	1.0 ppm
Multiplying onion	1.0 ppm
Other liliaceous vegetables	5.0 ppm
Carrot	1.0 ppm
Parsnip	1.0 ppm
Parsley	1.0 ppm
Celery	1.0 ppm
<i>Mitsuba</i>	1.0 ppm
Other umbelliferous vegetables	1.0 ppm
Tomato	2.0 ppm
Pimiento (sweet pepper)	5.0 ppm
Egg plant	1.0 ppm
Other solanaceous vegetables	1.0 ppm
Cucumber (including gherkin)	1.0 ppm
Pumpkin (including squash)	1.0 ppm
Oriental pickling melon (vegetable)	1.0 ppm
Water melon	2.0 ppm
Melons	2.0 ppm
<i>Makuwauri</i> melon	2.0 ppm
Other cucurbitaceous vegetables	1.0 ppm
Spinach	1.0 ppm
Bamboo shoots	1.0 ppm
Okra	1.0 ppm
Ginger	1.0 ppm

Peas, immature (with pods)	5.0 ppm
Kidney beans, immature (with pods)	1.0 ppm
Green soybeans	1.0 ppm
Button mushroom	1.0 ppm
<i>Shiitake</i> mushroom	1.0 ppm
Other mushrooms	1.0 ppm
Other vegetables	1.0 ppm
<i>Unshu</i> orange, pulp	2.0 ppm
Citrus <i>natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	2.0 ppm
Japanese pear	2.0 ppm
Pear	2.0 ppm
Quince	2.0 ppm
Loquat	2.0 ppm
Peach	2.0 ppm
Nectarine	2.0 ppm
Apricot	2.0 ppm
Japanese plum (including prune)	2.0 ppm
Mume plum	2.0 ppm
Cherry	3.0 ppm
Strawberry	2.0 ppm
Raspberry	2.0 ppm
Blackberry	2.0 ppm
Blueberry	2.0 ppm
Cranberry	2.0 ppm
Huckleberry	2.0 ppm
Other berries	2.0 ppm
Grape	2.0 ppm
Japanese persimmon	2.0 ppm
Banana	2.0 ppm
Kiwifruit	2.0 ppm
Papaya	2.0 ppm
Avocado	2.0 ppm
Pineapple	2.0 ppm
Guava	2.0 ppm
Mango	2.0 ppm
Passion fruit	2.0 ppm
Date	2.0 ppm
Other fruits	2.0 ppm
Sunflower seeds	2.0 ppm
Sesam seeds	2.0 ppm

	Safflower seeds	2.0 ppm
	Cotton seeds	2.0 ppm
	Rapeseeds	2.0 ppm
	Other oil seeds	2.0 ppm
	Ginkgo nut	2.0 ppm
	Chestnut	2.0 ppm
	Pecan	2.0 ppm
	Almond	2.0 ppm
	Walnut	2.0 ppm
	Other nuts	2.0 ppm
	Tea	15 ppm
TRIFLURALIN	Rice (brown rice)	0.05 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.15 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.15 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.15 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	3 ppm

Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	1 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	2 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	2 ppm
<i>Unshu</i> orange, pulp	0.05 ppm

Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.15 ppm
Sesam seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.15 ppm
Other oil seeds	0.15 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm

	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.05 ppm
	Hop	0.05 ppm
TRIBENURON-METHYL	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.05 ppm
	Other cereal grains	0.1 ppm
TOLCLOPHOS-METHYL	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Potato	1.0 ppm
	Taro	1.0 ppm
	Sweet potato	1.0 ppm
	Yam	1.0 ppm
	Konjac	1.0 ppm
	Other potatoes	1.0 ppm
	Sugar beet	2.0 ppm
	Japanese radish, roots (including radish)	2.0 ppm
	Japanese radish, leaves (including radish)	2.0 ppm
	Turnip, roots	2.0 ppm
	Turnip, leaves	2.0 ppm
	Horseradish	2.0 ppm
	Watercress	2.0 ppm
	Chinese cabbage	2.0 ppm
	Cabbage	2.0 ppm
	Brussels sprouts	2.0 ppm
	Kale	2.0 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	2.0 ppm
	<i>Kyona</i>	2.0 ppm
	Qing-geng-cai	2.0 ppm
	Cauliflower	2.0 ppm
	Broccoli	2.0 ppm
	Other cruciferous vegetables	2.0 ppm
	Burdock	2.0 ppm
	Salsify	2.0 ppm
	Artichoke	2.0 ppm

Chicory	2.0 ppm
Endive	2.0 ppm
<i>Shungiku</i>	2.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	2.0 ppm
Other composite vegetables	2.0 ppm
Onion	2.0 ppm
Welsh (including leek)	2.0 ppm
Garlic	2.0 ppm
<i>Nira</i>	2.0 ppm
Asparagus	2.0 ppm
Multiplying onion	2.0 ppm
Other liliaceous vegetables	2.0 ppm
Carrot	2.0 ppm
Parsnip	2.0 ppm
Parsley	2.0 ppm
Celery	2.0 ppm
<i>Mitsuba</i>	3.0 ppm
Other umbelliferous vegetables	2.0 ppm
Tomato	2.0 ppm
Pimiento (sweet pepper)	2.0 ppm
Egg plant	2.0 ppm
Other solanaceous vegetables	2.0 ppm
Cucumber (including gherkin)	2.0 ppm
Pumpkin (including squash)	2.0 ppm
Oriental pickling melon (vegetable)	2.0 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	2.0 ppm
Spinach	2.0 ppm
Bamboo shoots	2.0 ppm
Okra	2.0 ppm
Ginger	2.0 ppm
Peas, immature (with pods)	2.0 ppm
Kidney beans, immature (with pods)	2.0 ppm
Green soybeans	2.0 ppm
Button mushroom	2.0 ppm
<i>Shiitake</i> mushroom	2.0 ppm
Other mushrooms	2.0 ppm
Other vegetables	2.0 ppm
<i>Unshu</i> orange, pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm

	Other citrus fruits	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	0.1 ppm
	Nectarine	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Mume plum	0.1 ppm
	Cherry	0.1 ppm
	Strawberry	0.1 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Banana	0.1 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesam seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
TOLFENPYRAD	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Turnip, roots	1 ppm

	Turnip, leaves	25 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	0.3 ppm
	Broccoli	1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	5 ppm
	Welsh (including leek)	5 ppm
	Tomato	2 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	1 ppm
	Water melon	0.05 ppm
	Other cucurbitaceous vegetables	2 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	3 ppm
	Lemon	3 ppm
	Orange (including navel orange)	3 ppm
	Grapefruit	3 ppm
	Lime	3 ppm
	Other citrus fruits	3 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Peach	0.2 ppm
	Tea	15 ppm
ALPHA-TRENBOLONE	Cattle, liver	0.01 ppm
BETA-TRENBOLONE	Cattle, muscle	0.002 ppm
NICARBAZIN	Chicken, muscle	0.2 ppm (as <i>N,N'</i> -bis-(4-nitrophenyl) urea)
	Chicken, fat	0.2 ppm (as <i>N,N'</i> -bis-(4-nitrophenyl) urea)
	Chicken, liver	0.2 ppm (as <i>N,N'</i> -bis-(4-nitrophenyl) urea)
	Chicken, kidney	0.2 ppm (as <i>N,N'</i> -bis-(4-nitrophenyl) urea)
Pb	Potato	1.0 ppm
	Tomato	1.0 ppm
	Cucumber (including gherkin)	1.0 ppm
	Spinach	5.0 ppm
	Citrus <i>natsudaidai</i> , pulp	1.0 ppm
	Citrus <i>natsudaidai</i> , peels	5.0 ppm
	Apple	5.0 ppm
	Japanese pear	5.0 ppm
	Peach	1.0 ppm
	Strawberry	1.0 ppm
	Grape	1.0 ppm
NITENPYRAM	Rice (brown rice)	0.5 ppm
	Potato	0.2 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	5 ppm

	Tomato	5 ppm
	Egg plant	5 ppm
	Cucumber (including gherkin)	5 ppm
	Water melon	5 ppm
	Melons	5 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Peach	0.5 ppm
	Grape	5 ppm
	Tea	10 ppm
NEOMYCIN	Cattle, muscle	0.5 ppm
	Pig, muscle	0.5 ppm
	Sheep, muscle	0.5 ppm
	Goat, muscle	0.5 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm
	Sheep, fat	0.5 ppm
	Goat, fat	0.5 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.5 ppm
	Sheep, liver	0.5 ppm
	Goat, liver	0.5 ppm
	Cattle, kidney	10.0 ppm
	Pig, kidney	10.0 ppm
	Sheep, kidney	10.0 ppm
	Goat, kidney	10.0 ppm
	Milk	0.5 ppm
	Chicken, muscle	0.5 ppm
	Duck, muscle	0.5 ppm
	Turkey, muscle	0.5 ppm
	Chicken, fat	0.5 ppm
	Duck, fat	0.5 ppm
	Turkey, fat	0.5 ppm
	Chicken, liver	0.5 ppm
	Duck, liver	0.5 ppm
	Turkey, liver	0.5 ppm
	Chicken, kidney	10.0 ppm
	Duck, kidney	10.0 ppm
	Turkey, kidney	10.0 ppm
	Chicken, eggs	0.5 ppm
NOVALURON	Cabbage	1 ppm
	Tomato	1 ppm
	Egg plant	0.5 ppm
	Apple	1 ppm
	Japanese pear	1 ppm

	Pear	1 ppm
	Quince	1 ppm
	Loquat	1 ppm
	Cotton seeds	1 ppm
PACLOBUTRAZOL	Rice (brown rice)	0.1 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Apple	0.5 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Quince	1 ppm
	Loquat	1 ppm
	Peach	0.5 ppm
	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.5 ppm
	Other berries	0.5 ppm
	Banana	0.01 ppm
	Kiwifruit	0.01 ppm
	Papaya	0.01 ppm
	Avocado	0.01 ppm
	Pineapple	0.01 ppm
	Guava	0.01 ppm
	Mango	0.01 ppm
	Passion fruit	0.01 ppm
	Date	0.01 ppm
	Other fruits	0.01 ppm
	Almond	0.05 ppm
VAMIDOTHION	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Potato	0.5 ppm
	Sugar beet	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Cauliflower	0.5 ppm
	Broccoli	0.5 ppm
	Water melon	2.0 ppm
	Apple	3.0 ppm
	Japanese pear	2.0 ppm
	Pear	2.0 ppm

	Quince	1.0 ppm
	Loquat	1.0 ppm
	Peach	0.5 ppm
	Mume plum	2.0 ppm
	Grape	0.5 ppm
PARATHION	Rice (brown rice)	Not detected
	Wheat	0.3 ppm
	Corn (maize)	0.3 ppm
	Buckwheat	0.3 ppm
	Soybeans, dry	0.3 ppm
	Beans, dry*	0.3 ppm
	Peas	0.3 ppm
	Broad beans	0.3 ppm
	Potato	Not detected
	Taro	0.3 ppm
	Sweet potato	0.3 ppm
	Japanese radish, roots (including radish)	0.3 ppm
	Japanese radish, leaves (including radish)	0.3 ppm
	Turnip, roots	0.3 ppm
	Turnip, leaves	0.3 ppm
	Chinese cabbage	0.3 ppm
	Cabbage	0.3 ppm
	Brussels sprouts	0.3 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.3 ppm
	<i>Kyona</i>	0.3 ppm
	Cauliflower	0.3 ppm
	Broccoli	0.3 ppm
	Burdock	0.3 ppm
	<i>Shungiku</i>	0.3 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
	Onion	0.3 ppm
	Welsh (including leek)	0.3 ppm
	Asparagus	0.3 ppm
	Carrot	0.3 ppm
	Parsley	0.3 ppm
	Celery	0.3 ppm
	<i>Mitsuba</i>	0.3 ppm
	Tomato	0.3 ppm
	Pimiento (sweet pepper)	0.3 ppm
	Egg plant	0.3 ppm
	Cucumber (including gherkin)	0.3 ppm
	Pumpkin (including squash)	0.3 ppm
	Oriental pickling melon (vegetable)	0.3 ppm
	Water melon	0.3 ppm
	Melons	0.3 ppm
	<i>Makuwauri</i> melon	0.3 ppm

	Spinach	0.3 ppm
	Peas, immature (with pods)	0.3 ppm
	Kidney beans, immature (with pods)	0.3 ppm
	<i>Unshu</i> orange, pulp	0.3 ppm
	Citrus <i>natsudaidai</i> , pulp	0.3 ppm
	Citrus <i>natsudaidai</i> , peels	0.3 ppm
	Apple	0.3 ppm
	Japanese pear	0.3 ppm
	Pear	0.3 ppm
	Loquat	0.3 ppm
	Peach	0.3 ppm
	Cherry	0.3 ppm
	Strawberry	0.3 ppm
	Grape	0.3 ppm
	Japanese persimmon	0.3 ppm
	Tea (limited unfermented tea)	0.3 ppm
PARATHION-METHYL	Rice (brown rice)	1.0 ppm
	Wheat	1.0 ppm
	Barley	1.0 ppm
	Corn (maize)	1.0 ppm
	Other cereal grains	1.0 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	1.0 ppm
	Peas	1.0 ppm
	Broad beans	1.0 ppm
	Peanuts, dry	1.0 ppm
	Other legumes/pulses	1.0 ppm
	Potato	0.1 ppm
	Taro	1.0 ppm
	Sweet potato	0.1 ppm
	Yam	1.0 ppm
	Konjac	1.0 ppm
	Other potatoes	1.0 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	1.0 ppm
	Turnip, roots	1.0 ppm
	Horseradish	1.0 ppm
	Watercress	1.0 ppm
	Chinese cabbage	1.0 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	Kale	1.0 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	1.0 ppm
	<i>Kyona</i>	1.0 ppm
	Cauliflower	0.2 ppm

Qing-geng-cai	0.2 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.2 ppm
Burdock	1.0 ppm
Salsify	1.0 ppm
Artichoke	1.0 ppm
Chicory	1.0 ppm
Endive	1.0 ppm
<i>Shungiku</i>	1.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	1.0 ppm
Other composite vegetables	1.0 ppm
Onion	1.0 ppm
Welsh (including leek)	1.0 ppm
Garlic	1.0 ppm
<i>Nira</i>	1.0 ppm
Asparagus	1.0 ppm
Multiplying onion	1.0 ppm
Other liliaceous vegetables	1.0 ppm
Carrot	1.0 ppm
Parsnip	1.0 ppm
Parsley	1.0 ppm
Celery	1.0 ppm
<i>Mitsuba</i>	1.0 ppm
Other umbelliferous vegetables	1.0 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	1.0 ppm
Egg plant	1.0 ppm
Other solanaceous vegetables	1.0 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	1.0 ppm
Oriental pickling melon (vegetable)	1.0 ppm
Water melon	1.0 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	1.0 ppm
Spinach	1.0 ppm
Bamboo shoots	1.0 ppm
Okra	1.0 ppm
Ginger	1.0 ppm
Peas, immature (with pods)	1.0 ppm
Kidney beans, immature (with pods)	1.0 ppm
Green soybeans	1.0 ppm
Button mushroom	1.0 ppm
<i>Shiitake</i> mushroom	1.0 ppm
Other mushrooms	1.0 ppm
Other vegetables	1.0 ppm

<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	0.2 ppm
Sunflower seeds	0.2 ppm
Safflower seeds	0.1 ppm
Cotton seeds	1.0 ppm
Rapeseeds	0.2 ppm
Other oil seeds	0.2 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Tea	0.2 ppm

	Hop	0.05 ppm
HALFENPROX	<i>Unshu</i> orange, pulp	0.05 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Apple	1 ppm
	Tea	10 ppm
HALOSULFURON METHYL	Rice (brown rice)	0.1 ppm
	Corn (maize)	0.1 ppm
	Other cereal grains	0.05 ppm
	Sugarcane	0.1 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	0.5 ppm
	Oriental pickling melon (vegetable)	0.5 ppm
	Other cucurbitaceous vegetables	0.5 ppm
	Cotton seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
BIORESMETHRIN	Rice (brown rice)	1 ppm
	Wheat	1 ppm
	Barley	1 ppm
	Rye	1 ppm
	Corn (maize)	1 ppm
	Buckwheat	1 ppm
	Other cereal grains	1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.1 ppm

Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm

Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange, pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm

	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesam seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	0.1 ppm
	Coffee beans	0.1 ppm
	Cacao beans	0.1 ppm
	Hop	0.1 ppm
PICLORAM	Wheat	0.5 ppm
	Barley	0.5 ppm
	Other cereal grains	0.5 ppm
	Rapeseeds	0.05 ppm
BISPYRIBAC-SODIUM	Rice (brown rice)	0.1 ppm
ARSENIC TRIOXIDE	Potato	1.0 ppm
	Tomato	1.0 ppm
	Cucumber (including gherkin)	1.0 ppm
	Spinach	1.0 ppm
	Citrus <i>natsudaidai</i> , pulp	1.0 ppm
	Citrus <i>natsudaidai</i> , peels	3.5 ppm
	Apple	3.5 ppm
	Japanese pear	3.5 ppm
	Peach	1.0 ppm
	Strawberry	1.0 ppm
	Grape	1.0 ppm
BITERTANOL	Wheat	0.1 ppm
	Barley	0.05 ppm
	Rye	0.1 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.1 ppm

	Other legumes/pulses	0.2 ppm
	Sugar beet	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Melons	1.0 ppm
	Kidney beans, immature (with pods)	0.3 ppm
	Apple	0.6 ppm
	Japanese pear	0.6 ppm
	Pear	0.6 ppm
	Quince	0.6 ppm
	Loquat	0.6 ppm
	Peach	1.0 ppm
	Apricot	2.0 ppm
	Japanese plum (including prune)	1.0 ppm
	Mume plum	2.0 ppm
	Cherry	3.0 ppm
	Strawberry	1.0 ppm
	Banana	0.5 ppm
BIFENAZATE	Tomato	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Pimiento (sweet pepper)	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Egg plant	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Other solanceous vegetables	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Cucumber (including gherkin)	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Pumpkin (including squash)	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Oriental pickling melon (vegetable)	0.75 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Water melon	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Melons	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
<i>Makuwauri</i> melon	0.75 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other cucurbitaceous vegetables	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Okra	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Spearmint	25 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Peppermint	25 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
<i>Unshu</i> orange, pulp	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Citrus <i>natsudaidai</i> , whole	0.7 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Lemon	0.7 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Orange (including navel orange)	0.7 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Grapefruit	0.7 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Lime	0.7 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other citrus fruits	0.7 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Apple	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Japanese pear	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Pear	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Quince	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Loquat	0.75 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Peach	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Nectarine	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Japanese plum (including prune)	1 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cherry	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Strawberry	5 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Grape	3 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Japanese persimmon	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Banana	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Papaya	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Mango	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other fruits	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cotton seeds	0.75 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Chestnut	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Pecan	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Almond	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Walnut	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other nuts	0.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Tea	2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Hop	15 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cattle, muscle	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)

Pig, muscle	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Sheep, muscle	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Horse, muscle	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Goat, muscle	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Cattle, fat	0.1 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Pig, fat	0.1 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Sheep, fat	0.1 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Horse, fat	0.1 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Goat, fat	0.1 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cattle, liver	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)

Pig, liver	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Sheep, liver	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Horse, liver	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Goat, liver	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Cattle, kidney	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Pig, kidney	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Sheep, kidney	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Horse, kidney	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Goat, kidney	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)

	Cattle, edible offal	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
	Pig, edible offal	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
	Sheep, edible offal	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
	Horse, edible offal	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
	Goat, edible offal	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
	Milk	0.02 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
	Raisin	1.2 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
BIFENOX	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Other cereal grains	0.1 ppm
	Potato	0.05 ppm
BIFENTHRIN	Corn (maize)	0.05 ppm
	Other cereal grains	0.1 ppm
	Beans, dry*	0.1 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.05 ppm
	Sugar beet	0.2 ppm
	Chinese cabbage	0.5 ppm

	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.1 ppm
	Artichoke	0.2 ppm
	Welsh (including leek)	0.5 ppm
	Asparagus	0.1 ppm
	Tomato	0.5 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Water melon	0.2 ppm
	Melons	0.2 ppm
	Bamboo shoots	0.1 ppm
	Other vegetables	0.1 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Cherry	2 ppm
	Strawberry	2 ppm
	Other berries	2 ppm
	Grape	2 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.1 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.1 ppm
	Tea	25 ppm
	Hop	10 ppm
PYMETROZINE	Rice (brown rice)	0.1 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.1 ppm
	Cabbage	0.02 ppm

	Brussels sprouts	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm
	Broccoli	0.02 ppm
	Other cruciferous vegetables	0.02 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Tomato	1 ppm
	Pimiento (sweet pepper)	2 ppm
	Egg plant	1 ppm
	Other solanceous vegetables	3 ppm
	Cucumber (including gherkin)	1 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	Peas, immature (with pods)	0.02 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Peach	0.1 ppm
	Mume plum	2 ppm
	Strawberry	2 ppm
<b>PYRACLOSTROBIN</b>		
(Revised on August 25, 2006)		
	Wheat	0.02 ppm
	Barley	0.4 ppm
	Rye	0.02 ppm
	Corn (maize)	0.1 ppm
	Soybeans, dry	0.04 ppm
	Beans, dry*	0.3 ppm
	Peas	0.3 ppm
	Broad beans	0.3 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.3 ppm
	Potato	0.02 ppm
	Taro	0.04 ppm
	Sweet potato	0.04 ppm
	Yam	0.04 ppm
	Other potatoes	0.04 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.4 ppm
	Japanese radish, leaves (including radish)	16 ppm
	Turnip, roots	0.4 ppm
	Turnip, leaves	16 ppm
	Horseradish	0.4 ppm
	Watercress	29 ppm
	Chinese cabbage	3 ppm
	Cabbage	5 ppm
	Brussels sprouts	5 ppm
	Kale	16 ppm
	<i>Kyona</i>	16 ppm

Qing-geng-cai	5 ppm
Cauliflower	5 ppm
Broccoli	5 ppm
Other cruciferous vegetables	16 ppm
Burdock	0.4 ppm
Salsify	0.4 ppm
Chicory	29 ppm
Endive	29 ppm
Lettuce (including cos lettuce and leaf lettuce)	29 ppm
Other composite vegetables	29 ppm
Onion	0.2 ppm
Welsh (including leek)	0.9 ppm
Garlic	0.9 ppm
Other liliaceous vegetables	0.9 ppm
Carrot	0.4 ppm
Parsnip	0.4 ppm
Parsley	29 ppm
Celery	29 ppm
Other umbelliferous vegetables	29 ppm
Tomato	0.3 ppm
Pimiento (sweet pepper)	0.3 ppm
Egg plant	1.4 ppm
Other solanaceous vegetables	1.4 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.5 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Ginger	0.04 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Other vegetables	16 ppm
<i>Unshu</i> orange, pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	2 ppm
Apple	1 ppm
Japanese pear	1.5 ppm
Pear	1.5 ppm
Quince	1.5 ppm

Loquat	1.5 ppm
Peach	0.02 ppm
Nectarine	0.9 ppm
Apricot	0.9 ppm
Japanese plum (including prune)	0.9 ppm
Cherry	2 ppm
Strawberry	0.4 ppm
Raspberry	1.3 ppm
Blackberry	1.3 ppm
Blueberry	1.3 ppm
Huckleberry	1.3 ppm
Other berries	1.3 ppm
Grape	3 ppm
Banana	0.02 ppm
Sunflower seeds	0.3 ppm
Chestnut	0.04 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.04 ppm
Other nuts	0.7 ppm
Hop	23 ppm
Other spices	29 ppm
Other herbs	29 ppm
Cattle, muscle	0.1 ppm
Pig, muscle	0.1 ppm
Sheep, muscle	0.1 ppm
Horse, muscle	0.1 ppm
Goat, muscle	0.1 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.1 ppm
Sheep, fat	0.1 ppm
Horse, fat	0.1 ppm
Goat, fat	0.1 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	1.5 ppm
Pig, liver	1.5 ppm
Sheep, liver	1.5 ppm
Horse, liver	0.1 ppm
Goat, liver	1.5 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.2 ppm
Pig, kidney	0.2 ppm
Sheep, kidney	0.2 ppm
Horse, kidney	0.2 ppm
Goat, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.05 ppm

	Cattle, edible offal <sup>17</sup>	0.2 ppm
	Pig, edible offal	0.2 ppm
	Sheep, edible offal	0.2 ppm
	Horse, edible offal	0.2 ppm
	Goat, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle <sup>18</sup>	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PYRACLOFOS	Beans, dry*	0.5 ppm
	Potato	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	<i>Nira</i>	0.5 ppm
	Other liliaceous vegetables	0.5 ppm
	Carrot	0.1 ppm
	Tomato	0.1 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Tea	5 ppm
PYRAZOXYFEN	Rice (brown rice)	0.1 ppm
PYRAFLUFEN ETHYL	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm

	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Peach	0.1 ppm
	Mume plum	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Chestnut	0.1 ppm
PYRIDABEN	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	<i>Shungiku</i>	3.0 ppm
	Other composite vegetables	2.0 ppm
	Welsh (including leek)	1.0 ppm
	Garlic	1.0 ppm
	<i>Nira</i>	2.0 ppm
	Multiplying onion	1.0 ppm
	Other liliaceous vegetables	2.0 ppm
	Celery	3.0 ppm
	<i>Mitsuba</i>	3.0 ppm
	Other umbelliferous vegetables	2.0 ppm
	Tomato	1.0 ppm
	Pimiento (sweet pepper)	3.0 ppm
	Egg plant	1.0 ppm
	Other solanaceous vegetables	2.0 ppm
	Cucumber (including gherkin)	1.0 ppm
	Pumpkin (including squash)	1.0 ppm
	Water melon	1.0 ppm
	Melons	1.0 ppm
	<i>Makuwauri</i> melon	1.0 ppm
	Other cucurbitaceous vegetables	2.0 ppm
	Bamboo shoots	3.0 ppm
	Peas, immature (with pods)	2.0 ppm

Kidney beans, immature (with pods)	2.0 ppm
Green soybeans	2.0 ppm
Other vegetables	3.0 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	2.0 ppm
Japanese pear	2.0 ppm
Pear	2.0 ppm
Quince	2.0 ppm
Loquat	2.0 ppm
Peach	2.0 ppm
Nectarine	2.0 ppm
Apricot	2.0 ppm
Japanese plum (including prune)	2.0 ppm
Mume plum	2.0 ppm
Cherry	2.0 ppm
Strawberry	2.0 ppm
Raspberry	2.0 ppm
Blackberry	2.0 ppm
Blueberry	2.0 ppm
Cranberry	2.0 ppm
Huckleberry	2.0 ppm
Other berries	2.0 ppm
Grape	2.0 ppm
Japanese persimmon	2.0 ppm
Banana	1.0 ppm
Kiwifruit	1.0 ppm
Papaya	1.0 ppm
Avocado	1.0 ppm
Pineapple	1.0 ppm
Guava	1.0 ppm
Mango	1.0 ppm
Passion fruit	1.0 ppm
Date	1.0 ppm
Other fruits	2.0 ppm
Sunflower seeds	1.0 ppm
Sesam seeds	1.0 ppm
Safflower seeds	1.0 ppm
Cotton seeds	1.0 ppm
Rapeseeds	1.0 ppm
Other oil seeds	1.0 ppm

	Ginkgo nut	1.0 ppm
	Chestnut	1.0 ppm
	Pecan	1.0 ppm
	Almond	1.0 ppm
	Walnut	1.0 ppm
	Other nuts	1.0 ppm
	Tea	10 ppm
	Hop	10 ppm
PYRIDALYL	Soybeans, dry	0.2 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Chinese cabbage	1 ppm
	Cabbage	0.2 ppm
	Broccoli	2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	5 ppm
	Welsh (including leek)	5 ppm
	Tomato	5 ppm
	Pimiento (sweet pepper)	2 ppm
	Egg plant	1 ppm
	Other solanaceous vegetables	5 ppm
	Strawberry	5 ppm
PYRIDATE	Wheat	0.2 ppm
	Corn (maize)	0.03 ppm
	Peanuts, dry	0.03 ppm
	Cabbage	0.03 ppm
	Brussels sprouts	0.03 ppm
	Onion	0.2 ppm
	Asparagus	10 ppm
	Rapeseeds	0.05 ppm
PYRIFENOX	Other legumes/pulses	0.1 ppm
	Sugar beet	0.1 ppm
	Tomato	0.2 ppm
	Cucumber (including gherkin)	0.1 ppm
	Melons	2.0 ppm
	Apple	2.0 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.2 ppm
	Loquat	0.2 ppm
	Peach	2.0 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
	Strawberry	2.0 ppm

	Raspberry	1.0 ppm
	Blackberry	1.0 ppm
	Blueberry	1.0 ppm
	Cranberry	1.0 ppm
	Huckleberry	1.0 ppm
	Other berries	1.0 ppm
	Grape	2.0 ppm
	Japanese persimmon	2.0 ppm
	Tea	5.0 ppm
PYRIBUTICARB	Rice (brown rice)	0.1 ppm
PYRIPROXYFEN	Tomato	1 ppm
	Egg plant	1 ppm
	Cucumber (including gherkin)	1 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	0.5 ppm
	Lemon	0.5 ppm
	Orange (including navel orange)	0.5 ppm
	Grapefruit	0.5 ppm
	Lime	0.5 ppm
	Other citrus fruits	0.5 ppm
PIRIMICARB	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Beans, dry*	0.10 ppm
	Peas	0.20 ppm
	Potato	0.05 ppm
	Sweet potato	0.50 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.10 ppm
	Japanese radish, leaves (including radish)	2.0 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.50 ppm
	Horseradish	0.50 ppm
	Watercress	1.0 ppm
	Chinese cabbage	2.0 ppm
	Cabbage	1.0 ppm
	Brussels sprouts	1.0 ppm
	Qing-geng-cai	0.50 ppm
	Cauliflower	1.0 ppm
	Broccoli	1.0 ppm
	Other cruciferous vegetables	0.50 ppm
	Salsify	0.50 ppm
	Artichoke	0.50 ppm

Endive	1.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	1.0 ppm
Onion	0.50 ppm
Welsh (including leek)	0.50 ppm
Garlic	0.50 ppm
Asparagus	0.50 ppm
Carrot	0.50 ppm
Parsnip	0.05 ppm
Parsley	1.0 ppm
Celery	1.0 ppm
Tomato	1.0 ppm
Pimiento (sweet pepper)	1.0 ppm
Egg plant	2.0 ppm
Other solanaceous vegetables	2.0 ppm
Cucumber (including gherkin)	2.0 ppm
Pumpkin (including squash)	0.50 ppm
Water melon	0.50 ppm
Melons	0.50 ppm
Spinach	1.0 ppm
Peas, immature (with pods)	0.20 ppm
Kidney beans, immature (with pods)	1.0 ppm
Green soybeans	0.50 ppm
<i>Unshu</i> orange, pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.50 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	1.0 ppm
Japanese pear	1.0 ppm
Pear	1.0 ppm
Quince	1.0 ppm
Loquat	1.0 ppm
Peach	0.50 ppm
Apricot	0.50 ppm
Japanese plum (including prune)	0.50 ppm
Mume plum	1.0 ppm
Cherry	0.50 ppm
Strawberry	0.50 ppm
Raspberry	0.50 ppm
Blackberry	0.50 ppm
Blueberry	0.50 ppm
Cranberry	0.50 ppm
Huckleberry	0.50 ppm
Other berries	0.50 ppm

	Grape	0.50 ppm
	Banana	0.50 ppm
	Kiwifruit	0.50 ppm
	Avocado	0.50 ppm
	Pineapple	0.50 ppm
	Mango	0.50 ppm
	Passion fruit	0.50 ppm
	Date	0.50 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.20 ppm
	Chestnut	0.50 ppm
	Pecan	0.05 ppm
	Almond	0.50 ppm
	Other nuts	0.50 ppm
	Hop	0.50 ppm
PYRIMIDIFEN	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	<i>Citrus natsudaidai</i> , whole	0.3 ppm
	Lemon	0.3 ppm
	Orange (including navel orange)	0.3 ppm
	Grapefruit	0.3 ppm
	Lime	0.3 ppm
	Other citrus fruits	0.3 ppm
	Apple	0.3 ppm
	Peach	0.1 ppm
PYRIMINOBAC-METHYL	Rice (brown rice)	0.1 ppm
PIRIMIFOS-METHYL	Rice (brown rice)	0.20 ppm
	Wheat	1.0 ppm
	Barley	1.0 ppm
	Rye	1.0 ppm
	Corn (maize)	1.0 ppm
	Buckwheat	1.0 ppm
	Other cereal grains	1.0 ppm
	Peanuts, dry	1.0 ppm
	Potato	0.05 ppm
	Japanese radish, roots (including radish)	1.0 ppm
	Japanese radish, leaves (including radish)	1.0 ppm
	Turnip, roots	1.0 ppm
	Turnip, leaves	1.0 ppm
	Horseradish	1.0 ppm
	Watercress	1.0 ppm
	Chinese cabbage	1.0 ppm
	Cabbage	1.0 ppm
	Brussels sprouts	1.0 ppm
	Kale	1.0 ppm

<i>Komatsuna</i> , Japanese mustard spinach	1.0 ppm
<i>Kyona</i>	1.0 ppm
<i>Qing-geng-cai</i>	1.0 ppm
Cauliflower	5.0 ppm
Broccoli	1.0 ppm
Other cruciferous vegetables	1.0 ppm
Burdock	1.0 ppm
Salsify	1.0 ppm
Artichoke	1.0 ppm
Chicory	1.0 ppm
Endive	1.0 ppm
<i>Shungiku</i>	1.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	1.0 ppm
Other composite vegetables	1.0 ppm
Onion	1.0 ppm
Welsh (including leek)	1.0 ppm
Garlic	1.0 ppm
<i>Nira</i>	1.0 ppm
Asparagus	1.0 ppm
Multiplying onion	1.0 ppm
Other liliaceous vegetables	1.0 ppm
Carrot	1.0 ppm
Parsnip	1.0 ppm
Parsley	1.0 ppm
Celery	1.0 ppm
<i>Mitsuba</i>	1.0 ppm
Other umbelliferous vegetables	1.0 ppm
Tomato	2.0 ppm
Pimiento (sweet pepper)	1.0 ppm
Egg plant	3.0 ppm
Other solanaceous vegetables	1.0 ppm
Cucumber (including gherkin)	2.0 ppm
Pumpkin (including squash)	1.0 ppm
Oriental pickling melon (vegetable)	1.0 ppm
Water melon	0.10 ppm
Melons	0.10 ppm
<i>Makuwauri</i> melon	0.10 ppm
Other cucurbitaceous vegetables	1.0 ppm
Spinach	1.0 ppm
Bamboo shoots	1.0 ppm
Okra	1.0 ppm
Ginger	1.0 ppm
Peas, immature (with pods)	1.0 ppm
Kidney beans, immature (with pods)	1.0 ppm
Green soybeans	1.0 ppm
Button mushroom	1.0 ppm

<i>Shiitake</i> mushroom	1.0 ppm
Other mushrooms	1.0 ppm
Other vegetables	1.0 ppm
<i>Unshu</i> orange, pulp	0.10 ppm
Citrus <i>natsudaidai</i> , whole	5.0 ppm
Lemon	5.0 ppm
Orange (including navel orange)	5.0 ppm
Grapefruit	5.0 ppm
Lime	5.0 ppm
Other citrus fruits	5.0 ppm
Apple	1.0 ppm
Japanese pear	1.0 ppm
Pear	1.0 ppm
Quince	0.10 ppm
Loquat	1.0 ppm
Peach	0.10 ppm
Nectarine	0.10 ppm
Apricot	1.0 ppm
Japanese plum (including prune)	1.0 ppm
Mume plum	1.0 ppm
Cherry	1.0 ppm
Strawberry	1.0 ppm
Raspberry	1.0 ppm
Blackberry	0.10 ppm
Blueberry	0.10 ppm
Cranberry	0.10 ppm
Huckleberry	0.10 ppm
Other berries	1.0 ppm
Grape	1.0 ppm
Japanese persimmon	1.0 ppm
Banana	0.10 ppm
Kiwifruit	1.0 ppm
Papaya	0.10 ppm
Avocado	0.10 ppm
Pineapple	0.10 ppm
Guava	0.10 ppm
Mango	0.10 ppm
Passion fruit	0.10 ppm
Date	0.10 ppm
Other fruits	1.0 ppm
Sunflower seeds	0.10 ppm
Sesam seeds	0.10 ppm
Safflower seeds	0.10 ppm
Cotton seeds	0.10 ppm
Rapeseeds	0.10 ppm
Other oil seeds	0.10 ppm

	Ginkgo nut	0.10 ppm
	Chestnut	0.10 ppm
	Pecan	0.10 ppm
	Almond	0.10 ppm
	Walnut	0.10 ppm
	Other nuts	0.10 ppm
	Tea	10 ppm
PYRIMETHANIL	Beans, dry*	1 ppm
	Peas	0.3 ppm
	Lettuce (including cos lettuce and leaf lettuce)	2 ppm
	Tomato	2 ppm
	Egg plant	1 ppm
	Other solanceous vegetables	2 ppm
	Cucumber (including gherkin)	2 ppm
	Peas, immature (with pods)	0.3 ppm
	Kidney beans, immature (with pods)	1 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	10 ppm
	Lemon	15 ppm
	Orange (including navel orange)	15 ppm
	Grapefruit	15 ppm
	Lime	15 ppm
	Other citrus fruits	15 ppm
	Apple	5 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Quince	0.05 ppm
	Loquat	0.05 ppm
	Strawberry	10 ppm
	Grape	10 ppm
	Banana	0.1 ppm
PIRLIMYCIN	Cattle, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Cattle, liver	1 ppm
	Cattle, kidney	0.4 ppm
	Cattle, edible offal	0.4 ppm
	Milk	0.3 ppm
PYRETHRINS	Rice (brown rice)	3 ppm
	Wheat	3 ppm
	Barley	3 ppm
	Rye	3 ppm
	Corn (maize)	3 ppm
	Buckwheat	3 ppm
	Other cereal grains	3 ppm
	Soybeans, dry	1 ppm
	Beans, dry*	1 ppm

Peas	1 ppm
Broad beans	1 ppm
Peanuts, dry	1 ppm
Other legumes/pulses	1 ppm
Potato	1 ppm
Taro	1 ppm
Sweet potato	1 ppm
Yam	1 ppm
Konjac	1 ppm
Other potatoes	1 ppm
Sugar beet	1 ppm
Japanese radish, roots (including radish)	1 ppm
Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	1 ppm
Turnip, leaves	1 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	1 ppm
Kale	1 ppm
<i>Komatsuna</i> , Japanese mustard spinach	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	1 ppm
Onion	1 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	1 ppm
Parsnip	1 ppm
Parsley	1 ppm
Celery	1 ppm

<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	1 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	1 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Ginger	1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange, pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm

	Cranberry	1 ppm
	Huckleberry	1 ppm
	Other berries	1 ppm
	Grape	1 ppm
	Japanese persimmon	1 ppm
	Banana	1 ppm
	Kiwifruit	1 ppm
	Papaya	1 ppm
	Avocado	1 ppm
	Pineapple	1 ppm
	Guava	1 ppm
	Mango	1 ppm
	Passion fruit	1 ppm
	Date	1 ppm
	Other fruits	1 ppm
	Sunflower seeds	1 ppm
	Sesam seeds	1 ppm
	Safflower seeds	1 ppm
	Cotton seeds	1 ppm
	Rapeseeds	1 ppm
	Other oil seeds	1 ppm
	Ginkgo nut	1 ppm
	Chestnut	1 ppm
	Pecan	1 ppm
	Almond	1 ppm
	Walnut	1 ppm
	Other nuts	1 ppm
	Tea	3 ppm
	Cacao beans	1 ppm
FAMOXADONE	Soybeans, dry	0.2 ppm
	Potato	0.1 ppm
	Chinese cabbage	1 ppm
	Onion	0.5 ppm
	Tomato	2 ppm
	Cucumber (including gherkin)	2 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	Grape	2 ppm
FIPRONIL	Rice (brown rice)	0.01 ppm
	Corn (maize)	0.02 ppm
	Other cereal grains	0.01 ppm
	Potato	0.01 ppm
	Sugar beet	0.01 ppm
	Sugarcane	0.01 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.05 ppm

	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Button mushroom	0.02 ppm
	Banana	0.01 ppm
	Sunflower seeds	0.01 ppm
	Rapeseeds	0.01 ppm
FENARIMOL	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	0.5 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Kale	0.5 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.5 ppm
	<i>Kyona</i>	0.5 ppm
	Qing-geng-cai	0.5 ppm
	Cauliflower	0.5 ppm
	Broccoli	0.5 ppm
	Other cruciferous vegetables	0.5 ppm
	Burdock	0.5 ppm
	Salsify	0.5 ppm
	Artichoke	0.5 ppm
	Chicory	0.5 ppm
	Endive	0.5 ppm
	<i>Shungiku</i>	0.5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
	Other composite vegetables	0.5 ppm
	Onion	0.5 ppm
	Welsh (including leek)	0.5 ppm
	Garlic	0.5 ppm
	<i>Nira</i>	0.5 ppm
	Asparagus	0.5 ppm
	Multiplying onion	0.5 ppm
	Other liliaceous vegetables	0.5 ppm
	Carrot	0.5 ppm

Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	1.0 ppm
Melons	1.0 ppm
<i>Makuwauri</i> melon	1.0 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	1.0 ppm
Citrus <i>natsudaidai</i> , whole	1.0 ppm
Lemon	1.0 ppm
Orange (including navel orange)	1.0 ppm
Grapefruit	1.0 ppm
Lime	1.0 ppm
Other citrus fruits	1.0 ppm
Apple	1.0 ppm
Japanese pear	1.0 ppm
Pear	1.0 ppm
Quince	1.0 ppm
Loquat	1.0 ppm
Peach	1.0 ppm
Nectarine	1.0 ppm
Apricot	1.0 ppm
Japanese plum (including prune)	1.0 ppm
Mume plum	1.0 ppm
Cherry	1.0 ppm
Strawberry	1.0 ppm

	Raspberry	1.0 ppm
	Blackberry	1.0 ppm
	Blueberry	1.0 ppm
	Cranberry	1.0 ppm
	Huckleberry	1.0 ppm
	Other berries	1.0 ppm
	Grape	1.0 ppm
	Japanese persimmon	1.0 ppm
	Banana	1.0 ppm
	Kiwifruit	1.0 ppm
	Papaya	1.0 ppm
	Avocado	1.0 ppm
	Pineapple	1.0 ppm
	Guava	1.0 ppm
	Mango	1.0 ppm
	Passion fruit	1.0 ppm
	Date	1.0 ppm
	Other fruits	1.0 ppm
	Sunflower seeds	1.0 ppm
	Sesam seeds	1.0 ppm
	Safflower seeds	1.0 ppm
	Cotton seeds	1.0 ppm
	Rapeseeds	1.0 ppm
	Other oil seeds	1.0 ppm
	Ginkgo nut	1.0 ppm
	Chestnut	1.0 ppm
	Pecan	1.0 ppm
	Almond	1.0 ppm
	Walnut	1.0 ppm
	Other nuts	1.0 ppm
FENITROTHION	Rice (brown rice)	0.2 ppm
	Wheat	10 ppm
	Wheat flour (except whole grain)	1.0 ppm
	Barley	5.0 ppm
	Rye	1.0 ppm
	Corn (maize)	1.0 ppm
	Buckwheat	1.0 ppm
	Other cereal grains	1.0 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.05 ppm
	Sweet potato	0.05 ppm

Konjac	0.05 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.2 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.5 ppm
Cauliflower	0.1 ppm
Burdock	0.05 ppm
<i>Shungiku</i>	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.2 ppm
Onion	0.2 ppm
Welsh (including leek)	0.2 ppm
<i>Nira</i>	0.2 ppm
Multiplying onion	0.2 ppm
Other liliaceous vegetables	0.2 ppm
Carrot	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Melons	0.05 ppm
Other cucurbitaceous vegetables	0.2 ppm
Spinach	0.2 ppm
Bamboo shoots	0.2 ppm
Peas, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other vegetables	0.2 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Mume plum	0.2 ppm

	Cherry	0.2 ppm
	Strawberry	0.2 ppm
	Grape	0.2 ppm
	Japanese persimmon	0.2 ppm
	Banana	0.2 ppm
	Pineapple	0.05 ppm
	Other fruits	0.2 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.2 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea (limited unfermented tea)	0.2 ppm
	Cacao beans	0.1 ppm
FENOXANIL	Rice (brown rice)	1 ppm
FENOXPAPROP-ETHYL	Rice (brown rice)	0.05 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.01 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.01 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.1 ppm
	Sweet potato	0.1 ppm
	Sugar beet	0.1 ppm
	Cabbage	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Onion	0.1 ppm
	Asparagus	0.1 ppm
	Carrot	0.1 ppm
	Kidney beans, immature (with pods)	0.1 ppm
	Green soybeans	0.1 ppm
	Strawberry	0.1 ppm
	Sunflower seeds	0.1 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
FENOBUCARB	Rice (brown rice)	1.0 ppm
	Wheat	0.3 ppm
	Barley	0.3 ppm
	Rye	0.3 ppm

Corn (maize)	0.3 ppm
Buckwheat	0.3 ppm
Other cereal grains	0.3 ppm
Sugarcane	0.3 ppm
Japanese radish, roots (including radish)	0.3 ppm
Japanese radish, leaves (including radish)	5.0 ppm
Turnip, roots	0.3 ppm
Turnip, leaves	5.0 ppm
Horseradish	0.3 ppm
Watercress	0.3 ppm
Chinese cabbage	0.3 ppm
Cabbage	0.3 ppm
Brussels sprouts	0.3 ppm
Kale	0.3 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.3 ppm
<i>Kyona</i>	0.3 ppm
Qing-geng-cai	0.3 ppm
Cauliflower	0.3 ppm
Broccoli	0.3 ppm
Other cruciferous vegetables	0.3 ppm
Burdock	0.3 ppm
Salsify	0.3 ppm
Artichoke	0.3 ppm
Chicory	0.3 ppm
Endive	0.3 ppm
<i>Shungiku</i>	0.3 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
Other composite vegetables	0.3 ppm
Onion	0.3 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.3 ppm
<i>Nira</i>	0.3 ppm
Asparagus	0.3 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.3 ppm
Parsnip	0.3 ppm
Parsley	0.3 ppm
Celery	0.3 ppm
<i>Mitsuba</i>	0.3 ppm
Other umbelliferous vegetables	0.3 ppm
Tomato	1.0 ppm
Pimiento (sweet pepper)	2.0 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	0.3 ppm
Cucumber (including gherkin)	1.5 ppm

Pumpkin (including squash)	0.3 ppm
Oriental pickling melon (vegetable)	0.3 ppm
Water melon	0.3 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.3 ppm
Other cucurbitaceous vegetables	0.3 ppm
Spinach	1.0 ppm
Bamboo shoots	0.3 ppm
Okra	0.3 ppm
Ginger	0.3 ppm
Peas, immature (with pods)	0.3 ppm
Kidney beans, immature (with pods)	0.3 ppm
Green soybeans	0.3 ppm
Button mushroom	0.3 ppm
<i>Shiitake</i> mushroom	0.3 ppm
Other mushrooms	0.3 ppm
Other vegetables	0.3 ppm
<i>Unshu</i> orange, pulp	0.3 ppm
Citrus <i>natsudaidai</i> , whole	7.0 ppm
Lemon	7.0 ppm
Orange (including navel orange)	7.0 ppm
Grapefruit	7.0 ppm
Lime	7.0 ppm
Other citrus fruits	7.0 ppm
Apple	0.3 ppm
Japanese pear	0.3 ppm
Pear	0.3 ppm
Quince	0.3 ppm
Loquat	0.3 ppm
Peach	0.3 ppm
Nectarine	0.3 ppm
Apricot	0.3 ppm
Japanese plum (including prune)	0.3 ppm
Mume plum	0.3 ppm
Cherry	0.3 ppm
Strawberry	2.0 ppm
Raspberry	0.3 ppm
Blackberry	0.3 ppm
Blueberry	0.3 ppm
Cranberry	0.3 ppm
Huckleberry	0.3 ppm
Other berries	0.3 ppm
Grape	0.3 ppm
Japanese persimmon	0.3 ppm
Banana	0.3 ppm
Kiwifruit	0.3 ppm

	Papaya	0.3 ppm
	Avocado	0.3 ppm
	Pineapple	0.3 ppm
	Guava	0.3 ppm
	Mango	0.3 ppm
	Passion fruit	0.3 ppm
	Date	0.3 ppm
	Other fruits	0.3 ppm
	Sunflower seeds	0.3 ppm
	Sesam seeds	0.3 ppm
	Safflower seeds	0.3 ppm
	Cotton seeds	0.3 ppm
	Rapeseeds	0.3 ppm
	Other oil seeds	0.3 ppm
	Ginkgo nut	0.3 ppm
	Chestnut	0.3 ppm
	Pecan	0.3 ppm
	Almond	0.3 ppm
	Walnut	0.3 ppm
	Other nuts	0.3 ppm
	Tea	0.5 ppm
FENAMIDONE	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Other potatoes	0.02 ppm
	Chinese cabbage	0.5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	20 ppm
	Onion	0.2 ppm
	Welsh (including leek)	1.5 ppm
	Garlic	0.2 ppm
	<i>Nira</i>	1.5 ppm
	Other liliaceous vegetables	1.5 ppm
	Tomato	1 ppm
	Cucumber (including gherkin)	0.3 ppm
	Pumpkin (including squash)	0.15 ppm
	Oriental pickling melon (vegetable)	0.15 ppm
	Water melon	0.15 ppm
	Melons	0.15 ppm
	<i>Makuwauri</i> melon	0.15 ppm
	Other cucurbitaceous vegetables	0.15 ppm
	Bamboo shoots	0.02 ppm
	Ginger	0.02 ppm
	Other vegetables	0.02 ppm
	Grape	3 ppm

Cattle, muscle	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Sheep, muscle	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Goat, muscle	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Cattle, fat	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Sheep, fat	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Goat, fat	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Cattle, liver	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Sheep, liver	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Goat, liver	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Cattle, kidney	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Sheep, kidney	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Goat, kidney	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
Cattle, edible offal	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)

	Sheep, edible offal	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
	Goat, edible offal	0.1 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
	Milk	0.02 ppm (as total of fenamidone and 5-methyl-5-phenylimidazolidine-2,4-dione)
	Tomato puree	2.0 ppm
	Tomato paste	2.2 ppm
FENSULFOTHION	Corn (maize)	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.02 ppm
	Peanuts, dry	0.05 ppm
	Potato	0.1 ppm
	Sweet potato	0.05 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.02 ppm
	Turnip, roots	0.1 ppm
	Onion	0.1 ppm
	Tomato	0.1 ppm
	Banana	0.02 ppm
	Pineapple	0.05 ppm
	Cotton seeds	0.02 ppm
FENTHION	Rice (brown rice)	0.05 ppm
	Potato	0.05 ppm
PHENTHOATE	Rice (brown rice)	0.05 ppm
	Pumpkin (including squash)	0.1 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Peach	0.1 ppm
FENTRAZAMIDE	Rice (brown rice)	0.1 ppm
FENVALERATE	Wheat	2.0 ppm
	Barley	2.0 ppm
	Rye	2.0 ppm
	Corn (maize)	2.0 ppm
	Buckwheat	2.0 ppm
	Other cereal grains	2.0 ppm
	Soybeans, dry	0.20 ppm
	Beans, dry*	0.50 ppm
	Peas	0.50 ppm
	Broad beans	0.50 ppm
	Peanuts, dry	0.10 ppm

Other legumes/pulses	0.50 ppm
Potato	0.05 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.50 ppm
Sugarcane	2.0 ppm
Japanese radish, roots (including radish)	0.50 ppm
Japanese radish, leaves (including radish)	8.0 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	20 ppm
Horseradish	0.05 ppm
Watercress	0.50 ppm
Chinese cabbage	3.0 ppm
Cabbage	3.0 ppm
Brussels sprouts	3.0 ppm
Kale	10 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.50 ppm
<i>Kyona</i>	0.50 ppm
Qing-geng-cai	1.0 ppm
Cauliflower	2.0 ppm
Broccoli	2.0 ppm
Other cruciferous vegetables	1.0 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.20 ppm
Chicory	0.50 ppm
Endive	0.50 ppm
<i>Shungiku</i>	0.50 ppm
Lettuce (including cos lettuce and leaf lettuce)	2.0 ppm
Other composite vegetables	0.50 ppm
Onion	0.50 ppm
Welsh (including leek)	0.50 ppm
Garlic	0.50 ppm
<i>Nira</i>	0.50 ppm
Asparagus	0.50 ppm
Multiplying onion	0.50 ppm
Other liliaceous vegetables	0.50 ppm
Carrot	0.50 ppm
Parsnip	0.05 ppm
Parsley	0.50 ppm
Celery	2.0 ppm
<i>Mitsuba</i>	0.50 ppm
Other umbelliferous vegetables	0.50 ppm

Tomato	1.0 ppm
Pimiento (sweet pepper)	0.50 ppm
Egg plant	1.0 ppm
Other solanaceous vegetables	1.0 ppm
Cucumber (including gherkin)	0.20 ppm
Pumpkin (including squash)	0.50 ppm
Oriental pickling melon (vegetable)	0.50 ppm
Water melon	0.50 ppm
Melons	0.20 ppm
<i>Makuwauri</i> melon	0.20 ppm
Other cucurbitaceous vegetables	0.50 ppm
Spinach	0.50 ppm
Bamboo shoots	0.50 ppm
Okra	0.50 ppm
Ginger	0.50 ppm
Peas, immature (with pods)	0.10 ppm
Kidney beans, immature (with pods)	1.0 ppm
Green soybeans	1.0 ppm
Button mushroom	0.50 ppm
<i>Shiitake</i> mushroom	0.50 ppm
Other mushrooms	0.50 ppm
Other vegetables	0.50 ppm
<i>Unshu</i> orange, pulp	0.20 ppm
Citrus <i>natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	2.0 ppm
Japanese pear	2.0 ppm
Pear	2.0 ppm
Quince	2.0 ppm
Loquat	2.0 ppm
Peach	5.0 ppm
Nectarine	10 ppm
Apricot	10 ppm
Japanese plum (including prune)	10 ppm
Mume plum	10 ppm
Cherry	2.0 ppm
Strawberry	1.0 ppm
Raspberry	1.0 ppm
Blackberry	1.0 ppm
Blueberry	1.0 ppm
Cranberry	1.0 ppm
Huckleberry	1.0 ppm

	Other berries	1.0 ppm
	Grape	5.0 ppm
	Japanese persimmon	1.0 ppm
	Banana	1.0 ppm
	Kiwifruit	5.0 ppm
	Papaya	1.0 ppm
	Avocado	1.0 ppm
	Pineapple	1.0 ppm
	Guava	1.0 ppm
	Mango	1.0 ppm
	Passion fruit	1.0 ppm
	Date	1.0 ppm
	Other fruits	3.0 ppm
	Sunflower seeds	0.10 ppm
	Sesam seeds	0.50 ppm
	Safflower seeds	0.50 ppm
	Cotton seeds	0.20 ppm
	Rapeseeds	0.50 ppm
	Other oil seeds	0.50 ppm
	Ginkgo nut	0.20 ppm
	Chestnut	0.20 ppm
	Pecan	0.20 ppm
	Almond	0.20 ppm
	Walnut	0.20 ppm
	Other nuts	0.20 ppm
	Tea	1.0 ppm
	Hop	5.0 ppm
FENPYROXIMATE	Soybeans, dry	0.1 ppm
	Beans, dry*	0.05 ppm
	Peas	0.2 ppm
	Sugar beet	0.05 ppm
	Other composite vegetables	0.5 ppm
	Parsley	0.5 ppm
	<i>Mitsuba</i>	2.0 ppm
	Other umbelliferous vegetables	0.5 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	0.5 ppm
	Egg plant	0.5 ppm
	Other solanceous vegetables	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Water melon	1.0 ppm
	Melons	1.0 ppm
	Other cucurbitaceous vegetables	0.5 ppm
	Spinach	0.5 ppm
	Bamboo shoots	5 ppm
	Peas, immature (with pods)	2.0 ppm

	Kidney beans, immature (with pods)	2.0 ppm
	Green soybeans	2.0 ppm
	Other vegetables	5 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	1.0 ppm
	Lemon	1.0 ppm
	Orange (including navel orange)	1.0 ppm
	Grapefruit	1.0 ppm
	Lime	1.0 ppm
	Other citrus fruits	1.0 ppm
	Apple	0.5 ppm
	Japanese pear	1.0 ppm
	Pear	1.0 ppm
	Loquat	0.2 ppm
	Peach	0.1 ppm
	Nectarine	1.0 ppm
	Cherry	0.5 ppm
	Strawberry	0.5 ppm
	Other berries	1.0 ppm
	Grape	2.0 ppm
	Japanese persimmon	0.5 ppm
	Kiwifruit	0.1 ppm
	Mango	1.0 ppm
	Other fruits	0.5 ppm
	Cotton seeds	0.1 ppm
	Tea	10 ppm
	Hop	15 ppm
FENPROPATHRIN	Soybeans, dry	0.1 ppm
	Beans, dry*	0.5 ppm
	Peanuts, dry	0.01 ppm
	Potato	1 ppm
	Cabbage	0.4 ppm
	Brussels sprouts	0.4 ppm
	Tomato	2 ppm
	Pimiento (sweet pepper)	2 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	2 ppm
	Pumpkin (including squash)	2 ppm
	Water melon	0.5 ppm
	Melons	0.5 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm

	Other citrus fruits	5 ppm
	Apple	5 ppm
	Japanese pear	5 ppm
	Pear	5 ppm
	Quince	5 ppm
	Loquat	5 ppm
	Peach	1 ppm
	Nectarine	0.02 ppm
	Apricot	0.02 ppm
	Japanese plum (including prune)	0.02 ppm
	Mume plum	5 ppm
	Cherry	5 ppm
	Strawberry	5 ppm
	Grape	5 ppm
	Japanese persimmon	2 ppm
	Cotton seeds	1 ppm
	Tea	25 ppm
	Hop	0.5 ppm
FENHEXAMID	Onion	0.1 ppm
	Tomato	2 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	2 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm
	Peach	6 ppm
	Nectarine	6 ppm
	Apricot	6 ppm
	Japanese plum (including prune)	1 ppm
	Mume plum	6 ppm
	Cherry	10 ppm
	Strawberry	5 ppm
	Raspberry	3 ppm
	Grape	20 ppm
	Kiwifruit	10 ppm
	Other fruits	3 ppm
	Almond	0.02 ppm
BUTACHLOR	Rice (brown rice)	0.1 ppm
BUTAMIFOS	Rice (brown rice)	0.05 ppm
	Peanuts, dry	0.05 ppm
	Potato	0.2 ppm
	Taro	0.05 ppm

	Yam	0.05 ppm
	Konjac	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.05 ppm
	Multiplying onion	0.05 ppm
	Carrot	0.05 ppm
	Tomato	0.05 ppm
	Egg plant	0.05 ppm
	Cucumber (including gherkin)	0.05 ppm
	Pumpkin (including squash)	0.05 ppm
	Water melon	0.05 ppm
	Melons	0.05 ppm
	<i>Makuwauri</i> melon	0.05 ppm
BUTYLATE	Corn (maize)	0.1 ppm
	Other cereal grains	0.1 ppm
FLAZASULFURON	Sugarcane	0.1 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	<i>Citrus natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Grape	0.1 ppm
FURAMETPYR	Rice (brown rice)	1 ppm
FLUAZINAM	Wheat	0.1 ppm
	Beans, dry*	0.1 ppm
	Potato	0.1 ppm
	Yam	0.05 ppm
	Sugar beet	0.5 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm

	Onion	0.1 ppm
	Welsh (including leek)	0.1 ppm
	<i>Nira</i>	0.1 ppm
	Asparagus	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Loquat	0.5 ppm
	Peach	0.5 ppm
	Mume plum	0.5 ppm
	Cherry	0.5 ppm
	Grape	0.5 ppm
	Japanese persimmon	0.5 ppm
	Kiwifruit	0.5 ppm
	Pineapple	0.5 ppm
	Tea	5 ppm
FLUAZIFOP	Soybeans, dry	1 ppm
	Beans, dry*	5 ppm
	Peanuts, dry	5 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.5 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.1 ppm

<i>Kyona</i>	0.1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	0.1 ppm
Endive	6 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Onion	0.5 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.1 ppm
Asparagus	3 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	2 ppm
Celery	0.02 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.02 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Bamboo shoots	0.5 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm

	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Strawberry	0.2 ppm
	Raspberry	0.2 ppm
	Blackberry	0.2 ppm
	Blueberry	0.2 ppm
	Cranberry	0.2 ppm
	Huckleberry	0.2 ppm
	Other berries	0.2 ppm
	Grape	0.2 ppm
	Banana	0.1 ppm
	Kiwifruit	0.05 ppm
	Papaya	0.05 ppm
	Avocado	0.02 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Sunflower seeds	0.5 ppm
	Sesam seeds	0.5 ppm
	Safflower seeds	0.5 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.5 ppm
	Other oil seeds	0.5 ppm
	Pecan	0.05 ppm
	Other nuts	0.1 ppm
	Coffee beans	0.1 ppm
	Hop	0.05 ppm
FLUOROIMIDE	Potato	0.5 ppm
	Onion	1 ppm
	<i>Unshu</i> orange, pulp	5 ppm
	Apple	5 ppm
	Japanese persimmon	5 ppm
	Tea	35 ppm
FLUDIOXONIL	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.2 ppm
	Peas	0.1 ppm

	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.02 ppm
	Lettuce (including cos lettuce and leaf lettuce)	1 ppm
	Onion	0.1 ppm
	Tomato	2 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	2 ppm
	Peach	0.5 ppm
	Nectarine	0.5 ppm
	Apricot	0.5 ppm
	Japanese plum (including prune)	0.5 ppm
	Mume plum	0.5 ppm
	Cherry	0.5 ppm
	Strawberry	5 ppm
	Grape	5 ppm
FLUCYTHRINATE	Wheat	0.20 ppm
	Barley	0.20 ppm
	Corn (maize)	0.05 ppm
	Other cereal grains	0.20 ppm
	Soybeans, dry	0.10 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	1.0 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sugar beet	0.20 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.50 ppm
	Turnip, roots	0.50 ppm
	Turnip, leaves	0.50 ppm
	Horseradish	0.50 ppm
	Watercress	0.50 ppm
	Chinese cabbage	0.50 ppm
	Cabbage	0.50 ppm
	Brussels sprouts	0.50 ppm
	Kale	0.50 ppm
	Qing-geng-cai	0.50 ppm
	Cauliflower	0.20 ppm
	Broccoli	0.20 ppm
	Other cruciferous vegetables	0.50 ppm
	Artichoke	0.50 ppm
	Other composite vegetables	0.50 ppm
	Onion	0.10 ppm
	<i>Nira</i>	0.50 ppm

	Other liliaceous vegetables	0.50 ppm
	Other umbelliferous vegetables	0.50 ppm
	Tomato	0.20 ppm
	Other solanaceous vegetables	0.50 ppm
	Cucumber (including gherkin)	1.0 ppm
	Other cucurbitaceous vegetables	0.50 ppm
	Spinach	0.50 ppm
	Bamboo shoots	0.50 ppm
	Ginger	0.50 ppm
	Peas, immature (with pods)	0.50 ppm
	Kidney beans, immature (with pods)	0.50 ppm
	Green soybeans	2.0 ppm
	Other vegetables	0.50 ppm
	<i>Unshu</i> orange, pulp	0.10 ppm
	Citrus <i>natsudaidai</i> , whole	2.0 ppm
	Lemon	2.0 ppm
	Orange (including navel orange)	2.0 ppm
	Grapefruit	2.0 ppm
	Lime	2.0 ppm
	Other citrus fruits	2.0 ppm
	Apple	0.50 ppm
	Japanese pear	0.50 ppm
	Pear	0.50 ppm
	Quince	0.50 ppm
	Loquat	0.50 ppm
	Peach	0.50 ppm
	Cherry	2.0 ppm
	Grape	2.0 ppm
	Japanese persimmon	1.0 ppm
	Cotton seeds	0.10 ppm
	Rapeseeds	0.05 ppm
	Tea	20 ppm
	Coffee beans	0.05 ppm
	Hop	10 ppm
FLUSILAZOLE	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Other cereal grains	0.05 ppm
	Sugar beet	0.01 ppm
	Sugarcane	0.05 ppm
	Apple	0.2 ppm
	Japanese pear	0.2 ppm
	Pear	0.2 ppm
	Quince	0.2 ppm
	Loquat	0.2 ppm
	Peach	0.05 ppm

	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Grape	0.5 ppm
	Banana	0.1 ppm
	Sunflower seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
FLUSULFAMIDE	Potato	0.05 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
FLUTOLANIL	Rice (brown rice)	2.0 ppm
	Wheat	2.0 ppm
	Soybeans, dry	1.0 ppm
	Peanuts, dry	0.5 ppm
	Potato	0.5 ppm
	Konjac	0.2 ppm
	Sugar beet	1.0 ppm
	Cabbage	2.0 ppm
	Brussels sprouts	2.0 ppm
	Lettuce (including cos lettuce and leaf lettuce)	3.0 ppm
	Other composite vegetables	2.0 ppm
	Welsh (including leek)	2.0 ppm
	<i>Mitsuba</i>	5.0 ppm
	Tomato	2.0 ppm
	Pimiento (sweet pepper)	2.0 ppm
	Egg plant	2.0 ppm
	Cucumber (including gherkin)	2.0 ppm
	Spinach	2.0 ppm
	Ginger	2.0 ppm
	Green soybeans	2.0 ppm
	Japanese pear	5.0 ppm
	Pear	5.0 ppm
FLUVALINATE	Wheat	0.05 ppm
	Barley	0.2 ppm
	Rye	0.05 ppm
	Buckwheat	0.01 ppm

Other cereal grains	0.2 ppm
Peas	0.02 ppm
Potato	0.01 ppm
Yam	0.01 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.5 ppm
Chinese cabbage	1.0 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.5 ppm
Cauliflower	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	3.0 ppm
Onion	0.1 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.1 ppm
Carrot	0.02 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Cucumber (including gherkin)	1.0 ppm
Pumpkin (including squash)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
Peas, immature (with pods)	3.0 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	2.0 ppm
Lemon	2.0 ppm
Orange (including navel orange)	2.0 ppm
Grapefruit	2.0 ppm
Lime	2.0 ppm
Other citrus fruits	2.0 ppm
Apple	0.5 ppm
Japanese pear	2.0 ppm
Pear	2.0 ppm
Loquat	0.5 ppm
Peach	0.2 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Mume plum	1.0 ppm
Cherry	1.0 ppm
Strawberry	1.0 ppm
Grape	2.0 ppm
Japanese persimmon	1.0 ppm
Kiwifruit	0.2 ppm
Sunflower seeds	0.02 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.05 ppm

	Chestnut	0.1 ppm
	Tea	10 ppm
	Hop	10 ppm
FLUFENOXURON	Sugar beet	0.5 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Welsh (including leek)	10 ppm
	Multiplying onion	10 ppm
	Celery	10 ppm
	Tomato	0.5 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	2 ppm
	Melons	0.02 ppm
	Other mushrooms	0.1 ppm
	<i>Unshu</i> orange, pulp	0.3 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	2 ppm
	Orange (including navel orange)	2 ppm
	Grapefruit	2 ppm
	Lime	2 ppm
	Other citrus fruits	2 ppm
	Apple	1 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Peach	0.1 ppm
	Cherry	2 ppm
	Strawberry	0.5 ppm
	Grape	2 ppm
	Cotton seeds	0.03 ppm
	Tea	15 ppm
FLUBENDAZOLE	Pig, muscle	0.010 ppm
	Pig, liver	0.010 ppm
	Chicken, muscle	0.20 ppm
	Duck, muscle	0.20 ppm
	Turkey, muscle	0.20 ppm
	Chicken, liver	0.50 ppm
	Duck, liver	0.50 ppm
	Turkey, liver	0.50 ppm
	Chicken, eggs	0.40 ppm
FLUMIOXAZIN	Soybeans, dry	0.02 ppm
	Peanuts, dry	0.02 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm

	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Grape	0.1 ppm
PRETILACHLOR	Rice (brown rice)	0.1 ppm
PROCHLORAZ	Wheat	0.5 ppm
	Barley	0.5 ppm
	Rye	0.5 ppm
	Other cereal grains	0.5 ppm
	Sugarcane	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	2 ppm
	Button mushroom	2 ppm
	Orange (including navel orange)	5 ppm
	Peach	0.05 ppm
	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Strawberry	1 ppm
	Banana	5 ppm
	Papaya	1 ppm
	Avocado	5 ppm
	Pineapple	2 ppm
	Mango	2 ppm
	Rapeseeds	0.5 ppm
	Coffee beans	0.2 ppm
PROCYRIDONE	Soybeans, dry	2 ppm
	Beans, dry*	5 ppm
	Peanuts, dry	2 ppm
	Other legumes/pulses	2 ppm
	Potato	0.5 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Chicory	5 ppm
	Endive	5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	5 ppm
	Other composite vegetables	2 ppm
	Onion	0.5 ppm
	Welsh (including leek)	5 ppm
	Garlic	5 ppm

	Multiplying onion	5 ppm
	Tomato	5 ppm
	Pimiento (sweet pepper)	5 ppm
	Egg plant	5 ppm
	Cucumber (including gherkin)	5 ppm
	Pumpkin (including squash)	2 ppm
	Water melon	3 ppm
	Melons	3 ppm
	Other cucurbitaceous vegetables	1 ppm
	Peas, immature (with pods)	3 ppm
	Kidney beans, immature (with pods)	1 ppm
	<i>Unshu</i> orange, pulp	1 ppm
	Citrus <i>natsudaidai</i> , whole	0.5 ppm
	Lemon	0.5 ppm
	Orange (including navel orange)	0.5 ppm
	Grapefruit	0.5 ppm
	Lime	0.5 ppm
	Other citrus fruits	0.5 ppm
	Apple	0.5 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Quince	1 ppm
	Loquat	3 ppm
	Peach	3 ppm
	Nectarine	10 ppm
	Apricot	10 ppm
	Japanese plum (including prune)	3 ppm
	Mume plum	10 ppm
	Cherry	10 ppm
	Strawberry	10 ppm
	Raspberry	10 ppm
	Blackberry	1.5 ppm
	Grape	5 ppm
	Kiwifruit	3 ppm
	Sunflower seeds	0.2 ppm
	Rapeseeds	1.5 ppm
PROTHIOFOS	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peanuts, dry	0.05 ppm
	Potato	0.05 ppm
	Sweet potato	0.05 ppm
	Sugar beet	0.5 ppm
	Sugarcane	0.5 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm

	Qing-geng-cai	0.2 ppm
	Cauliflower	0.2 ppm
	Broccoli	0.2 ppm
	Other cruciferous vegetables	0.2 ppm
	Burdock	0.1 ppm
	Onion	0.1 ppm
	Garlic	0.1 ppm
	<i>Nira</i>	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	Ginger	1.0 ppm
	<i>Unshu</i> orange, pulp	0.05 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Apple	0.3 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Quince	0.05 ppm
	Loquat	0.05 ppm
	Strawberry	0.3 ppm
	Grape	2.0 ppm
	Japanese persimmon	0.2 ppm
	Banana	0.01 ppm
	Chestnut	0.1 ppm
	Tea	5.0 ppm
FLONICAMID (Revised on October 6, 2006)	Potato	0.3 ppm
	Watercress	4 ppm
	Other cruciferous vegetables	4 ppm
	Chicory	4 ppm
	Endive	4 ppm
	<i>Shungiku</i>	4 ppm
	Lettuce (Cos lettuce, Leaf lettuce)	4 ppm
	Other composite vegetables	4 ppm
	Parsley	4 ppm
	Celery	4 ppm
	Other umbelliferous vegetables	4 ppm
	Tomato	0.4 ppm
	Pimento (Sweet pepper)	0.4 ppm
	Eggplant	3 ppm
	Other solanaceous vegetables	0.4 ppm
	Cucumber (including gherkin)	1 ppm
	Pumpkin (including squash)	0.4 ppm
	Oriental pickling melon (vegetable)	0.4 ppm

Water melon	0.4 ppm
Melons	2 ppm
<i>Makuwauri</i> melon	0.4 ppm
Other cucurbitaceous vegetables	0.4 ppm
Spinach	9 ppm
Other vegetables	4 ppm
Apple	1 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.7 ppm
Nectarine	0.6 ppm
Apricot	0.6 ppm
Japanese plum (including prunes)	0.6 ppm
Mume plum	2 ppm
Cherry	0.6 ppm
Strawberry	2 ppm
Other fruits	0.4 ppm
Cotton seeds	0.5 ppm
Tea	40 ppm
Cattle, muscle	0.05 ppm
Sheep, muscle	0.05 ppm
Horse, muscle	0.05 ppm
Goat, muscle	0.05 ppm
Cattle, fat	0.02 ppm
Sheep, fat	0.02 ppm
Horse, fat	0.02 ppm
Goat, fat	0.02 ppm
Cattle, liver	0.08 ppm
Sheep, liver	0.08 ppm
Horse, liver	0.08 ppm
Goat, liver	0.08 ppm
Cattle, kidney	0.08 ppm
Sheep, kidney	0.08 ppm
Horse, kidney	0.08 ppm
Goat, kidney	0.08 ppm
Cattle, edible offal	0.08 ppm
Sheep, edible offal	0.08 ppm
Horse, edible offal	0.08 ppm
Goat, edible offal	0.08 ppm
Milk	0.02 ppm
Chicken, muscle	0.02 ppm
Other poultry, muscle	0.02 ppm
Chicken, fat	0.02 ppm
Other poultry, fat	0.02 ppm

	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
	Tomato puree (limited to products that meets the JAS for processed tomato products)	0.5 ppm
	Tomato paste (limited to products that meets the JAS for processed tomato products)	2 ppm
PROPAMOCARB	Rice (brown rice)	0.1 ppm
	Potato	0.5 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	5.0 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	1.0 ppm
	Qing-geng-cai	0.5 ppm
	Cauliflower	0.2 ppm
	Broccoli	0.5 ppm
	Other cruciferous vegetables	0.5 ppm
	Chicory	1.0 ppm
	Lettuce (including cos lettuce and leaf lettuce)	10 ppm
	Welsh (including leek)	3.0 ppm
	Celery	0.2 ppm
	Tomato	1.0 ppm
	Pimiento (sweet pepper)	1.0 ppm
	Egg plant	0.1 ppm
	Cucumber (including gherkin)	2.0 ppm
	Pumpkin (including squash)	0.5 ppm
	Oriental pickling melon (vegetable)	0.5 ppm
	Water melon	0.5 ppm
	Melons	0.5 ppm
	<i>Makuwauri</i> melon	0.5 ppm
	Other cucurbitaceous vegetables	0.5 ppm
	Spinach	10 ppm
	Bamboo shoots	0.2 ppm
	Ginger	10 ppm
	Other vegetables	0.2 ppm
	Strawberry	0.1 ppm
PROPICONAZOLE	Rice (brown rice)	0.1 ppm
	Wheat	1.0 ppm
	Barley	1.0 ppm
	Rye	0.05 ppm
	Corn (maize)	1.0 ppm
	Buckwheat	1.0 ppm

Other cereal grains	0.05 ppm
Soybeans, dry	0.05 ppm
Beans, dry*	0.05 ppm
Peas	0.05 ppm
Broad beans	0.05 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.05 ppm
Potato	0.05 ppm
Sweet potato	0.05 ppm
Sugar beet	0.05 ppm
Sugarcane	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Horseradish	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
Asparagus	0.05 ppm
Carrot	0.05 ppm
Parsley	0.05 ppm
Celery	5.0 ppm
<i>Mitsuba</i>	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Button mushroom	0.1 ppm
<i>Unshu</i> orange, pulp	0.05 ppm
<i>Citrus natsudaidai</i> , whole	0.05 ppm

	Lemon	0.05 ppm
	Orange (including navel orange)	0.05 ppm
	Grapefruit	0.05 ppm
	Lime	0.05 ppm
	Other citrus fruits	0.05 ppm
	Apple	0.05 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Quince	0.05 ppm
	Peach	1.0 ppm
	Nectarine	1.0 ppm
	Apricot	1.0 ppm
	Japanese plum (including prune)	1.0 ppm
	Mume plum	1.0 ppm
	Cherry	1.0 ppm
	Strawberry	0.05 ppm
	Raspberry	0.05 ppm
	Blackberry	0.05 ppm
	Cranberry	0.05 ppm
	Grape	0.5 ppm
	Banana	0.1 ppm
	Kiwifruit	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.1 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.05 ppm
	Sunflower seeds	0.05 ppm
	Sesam seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Coffee beans	0.1 ppm
	Hop	0.1 ppm
PROHYDROJASMON	Apple	0.05 ppm
	Grape	0.05 ppm
5-(PROPYLSULPHONYL)-1-H-BENZIMIDAZOLE-2-AMINE	Cattle, muscle	0.10 ppm
	Pig, muscle	0.10 ppm
	Sheep, muscle	0.10 ppm
	Horse, muscle	0.10 ppm
	Cattle, fat	0.10ppm

Pig, fat	0.10 ppm	
Sheep, fat	0.10 ppm	
Horse, fat	0.10 ppm	
Cattle, liver	5.0 ppm	
Pig, liver	5.0 ppm	
Sheep, liver	5.0 ppm	
Horse, liver	5.0 ppm	
Cattle, kidney	5.0 ppm	
Pig, kidney	5.0 ppm	
Sheep, kidney	5.0 ppm	
Horse, kidney	5.0 ppm	
Milk	0.10 ppm	
Chicken, muscle	0.10 ppm	
Duck, muscle	0.10 ppm	
Turkey, muscle	0.10 ppm	
Chicken, fat	0.10 ppm	
Duck, fat	0.10 ppm	
Turkey, fat	0.10 ppm	
Chicken, liver	5.0 ppm	
Duck, liver	5.0 ppm	
Turkey, liver	5.0 ppm	
Chicken, kidney	5.0 ppm	
Duck, kidney	5.0 ppm	
Turkey, kidney	5.0 ppm	
<b>PROHEXAZIONE-CALCIUM</b>	Rice (brown rice)	
HEXACONAZOLE	Wheat Barley Rye Buckwheat Other cereal grains Cabbage Brussels sprouts Welsh (including leek) Garlic Asparagus Carrot Tomato Cucumber (including gherkin) Pumpkin (including squash) Apple Japanese pear Pear Peach Apricot Japanese plum (including prune) Cherry	0.1 ppm 0.01 ppm 0.01 ppm 0.01 ppm 0.01 ppm 0.1 ppm 0.1 ppm 0.1 ppm 0.05 ppm 0.01 ppm 0.1 ppm 0.1 ppm 0.1 ppm 0.05 ppm 0.05 ppm 0.5 ppm 0.5 ppm 0.5 ppm 0.1 ppm 0.5 ppm 0.5 ppm 0.5 ppm 0.5 ppm 0.5 ppm 0.5 ppm

	Strawberry	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.1 ppm
	Almond	0.1 ppm
	Other nuts	0.1 ppm
	Coffee beans	0.05 ppm
HEXAFLUMURON	Potato	0.02 ppm
	Water melon	0.05 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Cotton seeds	0.05 ppm
	Tea	15 ppm
HEXATHIAZOX	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Taro	0.5 ppm
	Yam	0.5 ppm
	Sugar beet	0.2 ppm
	Pimiento (sweet pepper)	2 ppm
	Egg plant	2 ppm
	Cucumber (including gherkin)	1 ppm
	Water melon	0.5 ppm
	Melons	0.5 ppm
	Bamboo shoots	2 ppm
	Peas, immature (with pods)	2 ppm
	Kidney beans, immature (with pods)	2 ppm
	Other vegetables	2 ppm
	<i>Unshu</i> orange, pulp	0.5 ppm
	<i>Citrus natsudaidai</i> , whole	2 ppm
	Lemon	2 ppm
	Orange (including navel orange)	2 ppm
	Grapefruit	2 ppm
	Lime	2 ppm
	Other citrus fruits	2 ppm
	Apple	1 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Quince	1 ppm
	Loquat	1 ppm
	Peach	1 ppm
	Nectarine	1 ppm
	Apricot	1 ppm
	Japanese plum (including prune)	1 ppm
	Mume plum	2 ppm
	Cherry	2 ppm

	Strawberry	2 ppm
	Raspberry	1 ppm
	Blackberry	1 ppm
	Blueberry	1 ppm
	Cranberry	1 ppm
	Huckleberry	1 ppm
	Other berries	1 ppm
	Grape	2 ppm
	Japanese persimmon	1 ppm
	Other fruits	2 ppm
	Tea	35 ppm
	Hop	30 ppm
PERMETHRIN	Rice (brown rice)	2.0 ppm
	Wheat	2.0 ppm
	Barley	2.0 ppm
	Rye	2.0 ppm
	Corn (maize)	2.0 ppm
	Buckwheat	2.0 ppm
	Other cereal grains	2.0 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.1 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.05 ppm
	Taro	0.2 ppm
	Sweet potato	0.2 ppm
	Yam	0.2 ppm
	Konjac	0.2 ppm
	Other potatoes	0.2 ppm
	Sugar beet	0.2 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	3.0 ppm
	Turnip, roots	3.0 ppm
	Turnip, leaves	3.0 ppm
	Horseradish	0.5 ppm
	Watercress	5.0 ppm
	Chinese cabbage	5.0 ppm
	Cabbage	5.0 ppm
	Brussels sprouts	5.0 ppm
	Kale	5.0 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	5.0 ppm
	<i>Kyona</i>	3.0 ppm
	<i>Qing-geng-cai</i>	3.0 ppm

Cauliflower	0.5 ppm
Broccoli	2.0 ppm
Other cruciferous vegetables	3.0 ppm
Burdock	3.0 ppm
Salsify	3.0 ppm
Artichoke	10 ppm
Chicory	3.0 ppm
Endive	3.0 ppm
<i>Shungiku</i>	3.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	3.0 ppm
Other composite vegetables	3.0 ppm
Onion	3.0 ppm
Welsh (including leek)	3.0 ppm
Garlic	3.0 ppm
<i>Nira</i>	3.0 ppm
Asparagus	3.0 ppm
Multiplying onion	3.0 ppm
Other liliaceous vegetables	3.0 ppm
Carrot	0.1 ppm
Parsnip	3.0 ppm
Parsley	3.0 ppm
Celery	2.0 ppm
<i>Mitsuba</i>	3.0 ppm
Other umbelliferous vegetables	3.0 ppm
Tomato	1.0 ppm
Pimiento (sweet pepper)	3.0 ppm
Egg plant	1.0 ppm
Other solanaceous vegetables	3.0 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	3.0 ppm
Water melon	5.0 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	3.0 ppm
Spinach	2.0 ppm
Bamboo shoots	3.0 ppm
Okra	3.0 ppm
Ginger	3.0 ppm
Peas, immature (with pods)	3.0 ppm
Kidney beans, immature (with pods)	3.0 ppm
Green soybeans	3.0 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	3.0 ppm
Other mushrooms	3.0 ppm
Other vegetables	3.0 ppm

<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	5.0 ppm
Lemon	5.0 ppm
Orange (including navel orange)	5.0 ppm
Grapefruit	5.0 ppm
Lime	5.0 ppm
Other citrus fruits	5.0 ppm
Apple	2.0 ppm
Japanese pear	2.0 ppm
Pear	2.0 ppm
Quince	2.0 ppm
Loquat	5.0 ppm
Peach	2.0 ppm
Nectarine	2.0 ppm
Apricot	2.0 ppm
Japanese plum (including prune)	2.0 ppm
Mume plum	5.0 ppm
Cherry	5.0 ppm
Strawberry	1.0 ppm
Raspberry	1.0 ppm
Blackberry	1.0 ppm
Blueberry	5.0 ppm
Cranberry	5.0 ppm
Huckleberry	5.0 ppm
Other berries	2.0 ppm
Grape	5.0 ppm
Japanese persimmon	5.0 ppm
Banana	5.0 ppm
Kiwifruit	2.0 ppm
Papaya	5.0 ppm
Avocado	5.0 ppm
Pineapple	5.0 ppm
Guava	5.0 ppm
Mango	5.0 ppm
Passion fruit	5.0 ppm
Date	5.0 ppm
Other fruits	5.0 ppm
Sunflower seeds	1.0 ppm
Sesam seeds	5.0 ppm
Safflower seeds	5.0 ppm
Cotton seeds	0.5 ppm
Rapeseeds	0.05 ppm
Other oil seeds	5.0 ppm
Ginkgo nut	5.0 ppm
Chestnut	5.0 ppm
Pecan	5.0 ppm

	Almond	0.1 ppm
	Walnut	5.0 ppm
	Other nuts	0.05 ppm
	Tea	20 ppm
	Coffee beans	0.05 ppm
	Hop	50 ppm
PENCONAZOLE	Peas	0.1 ppm
	Sugar beet	0.1 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Artichoke	0.2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
	Onion	0.1 ppm
	Welsh (including leek)	2 ppm
	Carrot	0.1 ppm
	Tomato	0.2 ppm
	Other solanceous vegetables	0.2 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.1 ppm
	Melons	0.1 ppm
	Peas, immature (with pods)	0.1 ppm
	Apple	0.2 ppm
	Japanese pear	0.2 ppm
	Pear	0.2 ppm
	Quince	0.2 ppm
	Loquat	0.2 ppm
	Peach	0.1 ppm
	Nectarine	0.1 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
	Strawberry	0.1 ppm
	Raspberry	0.2 ppm
	Blackberry	0.2 ppm
	Blueberry	0.2 ppm
	Cranberry	0.2 ppm
	Huckleberry	0.2 ppm
	Other berries	0.2 ppm
	Grape	0.2 ppm
	Hop	0.5 ppm
PENCYCURON	Rice (brown rice)	0.5 ppm
	Potato	0.5 ppm
	Yam	0.5 ppm
	Sugar beet	1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	1 ppm

	Tomato	1 ppm
	Egg plant	1 ppm
	Cucumber (including gherkin)	1 ppm
	Spinach	1 ppm
	Ginger	1 ppm
BENZYL PENICILLIN	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Milk	0.004 ppm
	Chicken, muscle	0.05 ppm
	Chicken, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
BENSULFURON-METHYL	Rice (brown rice)	0.1 ppm
BENDIOCARB	Rice (brown rice)	0.02 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Potato	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.05 ppm
BENTAZONE	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.2 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.2 ppm
	Peas	1 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.5 ppm
	Potato	0.1 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm

Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.2 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	2 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	2 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm

	Other cucurbitaceous vegetables	0.05 ppm
	Spinach	0.05 ppm
	Bamboo shoots	0.1 ppm
	Okra	0.05 ppm
	Ginger	0.05 ppm
	Peas, immature (with pods)	0.5 ppm
	Kidney beans, immature (with pods)	0.2 ppm
	Green soybeans	0.05 ppm
	Button mushroom	0.05 ppm
	<i>Shiitake</i> mushroom	0.05 ppm
	Other mushrooms	0.05 ppm
	Other vegetables	0.1 ppm
	Other oil seeds	0.1 ppm
PENDIMETHALIN	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.05 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.2 ppm
	Taro	0.2 ppm
	Sweet potato	0.05 ppm
	Yam	0.2 ppm
	Konjac	0.2 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.2 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm

Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.05 ppm
Onion	0.2 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.2 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.2 ppm
<i>Unshu</i> orange, pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm

	Huckleberry	0.05 ppm
	Other berries	0.05 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.05 ppm
	Banana	0.05 ppm
	Kiwifruit	0.05 ppm
	Papaya	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.05 ppm
	Sunflower seeds	0.1 ppm
	Sesam seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
PENTOXAZONE	Rice (brown rice)	0.1 ppm
BENFURESATE	Rice (brown rice)	0.1 ppm
	Cotton seeds	0.1 ppm
PHOXIM	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Potato	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Cauliflower	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Onion	0.05 ppm
	Tomato	0.2 ppm
	Kidney beans, immature (with pods)	0.05 ppm
	Cotton seeds	0.05 ppm
PHOSALONE	Water melon	0.1 ppm
BOSCALID	Soybeans, dry	0.1 ppm

Beans, dry*	2.5 ppm
Peas	2.5 ppm
Broad beans	2.5 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	2.5 ppm
Potato	0.05 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Other potatoes	0.05 ppm
Horseradish	0.7 ppm
Chinese cabbage	3.0 ppm
Cabbage	3.0 ppm
Brussels sprouts	3.0 ppm
Kale	18 ppm
<i>Komatsuna</i> , Japanese mustard spinach	18 ppm
<i>Kyona</i>	18 ppm
Qing-geng-cai	18 ppm
Cauliflower	3.0 ppm
Broccoli	3.0 ppm
Other cruciferous vegetables	18 ppm
Burdock	0.7 ppm
Salsify	0.7 ppm
Lettuce (including cos lettuce and leaf lettuce)	11 ppm
Other composite vegetables	0.7 ppm
Onion	3.0 ppm
Welsh (including leek)	3.0 ppm
Garlic	3.0 ppm
<i>Nira</i>	3.0 ppm
Other liliaceous vegetables	3.0 ppm
Carrot	0.7 ppm
Parsnip	0.7 ppm
Other umbelliferous vegetables	0.7 ppm
Tomato	3 ppm
Pimiento (sweet pepper)	1.2 ppm
Egg plant	2 ppm
Other solanaceous vegetables	1.2 ppm
Cucumber (including gherkin)	5 ppm
Pumpkin (including squash)	1.6 ppm
Oriental pickling melon (vegetable)	1.6 ppm
Water melon	1.6 ppm
Melons	1.6 ppm
<i>Makuwauri</i> melon	1.6 ppm
Other cucurbitaceous vegetables	1.6 ppm
Bamboo shoots	1.6 ppm
Ginger	0.05 ppm

Peas, immature (with pods)	1.6 ppm
Kidney beans, immature (with pods)	1.6 ppm
Green soybeans	2.0 ppm
Other vegetables	1.6 ppm
Apple	3.0 ppm
Japanese pear	3.0 ppm
Pear	3.0 ppm
Quince	3.0 ppm
Loquat	3.0 ppm
Peach	1.7 ppm
Nectarine	1.7 ppm
Apricot	1.7 ppm
Japanese plum (including prune)	1.7 ppm
Cherry	3 ppm
Strawberry	15 ppm
Raspberry	3.5 ppm
Blackberry	3.5 ppm
Blueberry	3.5 ppm
Huckleberry	3.5 ppm
Other berries	3.5 ppm
Grape	10 ppm
Other fruits	1.2 ppm
Sunflower seeds	0.60 ppm
Rapeseeds	3.5 ppm
Chestnut	0.70 ppm
Pecan	0.70 ppm
Almond	0.70 ppm
Walnut	0.70 ppm
Other nuts	0.70 ppm
Hop	35 ppm
Spearmint	30 ppm
Peppermint	30 ppm
Cattle, muscle	0.10 ppm
Pig, muscle	0.05 ppm
Sheep, muscle	0.10 ppm
Horse, muscle	0.10 ppm
Goat, muscle	0.10 ppm
Cattle, fat	0.30 ppm
Pig, fat	0.10 ppm
Sheep, fat	0.30 ppm
Horse, fat	0.30 ppm
Goat, fat	0.30 ppm
Cattle, liver	0.35 ppm
Pig, liver	0.10 ppm
Sheep, liver	0.35 ppm
Horse, liver	0.35 ppm

	Goat, liver	0.35 ppm
	Cattle, kidney	0.35 ppm
	Pig, kidney	0.10 ppm
	Sheep, kidney	0.35 ppm
	Horse, kidney	0.35 ppm
	Goat, kidney	0.35 ppm
	Cattle, edible offal	0.35 ppm
	Pig, edible offal	0.10 ppm
	Sheep, edible offal	0.35 ppm
	Horse, edible offal	0.35 ppm
	Goat, edible offal	0.35 ppm
	Milk	0.10 ppm
	Chicken, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Chicken, liver	0.10 ppm
	Chicken, kidney	0.10 ppm
	Chicken, edible offal	0.10 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Peanut oil (limited to refined peanut oil and peanut salad oil that meet the Japanese Agricultural Standards (JAS) for Edible Vegetable Fats and Oils, and other edible oils that meet standards equivalent to or stricter than JAS)	0.15 ppm
	Raisin	8.5 ppm
	Rapeseed oil (limited to refined rapeseed oil and rapeseed salad oil that meet the JAS for Edible Vegetable Fats and Oils, and other edible oils that meet standards equivalent to or stricter than JAS)	5.0 ppm
FOSTHIAZATE	Beans, dry*	0.02 ppm
	Potato	0.03 ppm
	Sweet potato	0.03 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Carrot	0.2 ppm
	Tomato	0.2 ppm
	Egg plant	0.2 ppm
	Cucumber (including gherkin)	0.2 ppm
FOSETYL	Potato	35 ppm
	Watercress	60 ppm
	Chinese cabbage	100 ppm
	Cabbage	100 ppm
	Brussels sprouts	100 ppm
	Kale	60 ppm
	Qing-geng-cai	100 ppm
	Cauliflower	60 ppm

Broccoli	60 ppm
Other cruciferous vegetables	100 ppm
Artichoke	100 ppm
Chicory	100 ppm
Endive	100 ppm
<i>Shungiku</i>	100 ppm
Lettuce (including cos lettuce and leaf lettuce)	100 ppm
Other composite vegetables	100 ppm
Onion	50 ppm
Welsh (including leek)	100 ppm
Garlic	50 ppm
<i>Nira</i>	100 ppm
Asparagus	100 ppm
Multiplying onion	100 ppm
Other liliaceous vegetables	100 ppm
Parsley	100 ppm
Celery	100 ppm
Other umbelliferous vegetables	100 ppm
Tomato	100 ppm
Cucumber (including gherkin)	100 ppm
Pumpkin (including squash)	100 ppm
Water melon	15 ppm
Melons	70 ppm
Other cucurbitaceous vegetables	15 ppm
Spinach	100 ppm
Bamboo shoots	100 ppm
Other vegetables	100 ppm
<i>Unshu</i> orange, pulp	20 ppm
Citrus <i>natsudaidai</i> , whole	150 ppm
Lemon	150 ppm
Orange (including navel orange)	150 ppm
Grapefruit	150 ppm
Lime	150 ppm
Other citrus fruits	150 ppm
Apple	75 ppm
Japanese pear	50 ppm
Pear	50 ppm
Quince	10 ppm
Loquat	10 ppm
Peach	150 ppm
Strawberry	75 ppm
Raspberry	70 ppm
Blackberry	70 ppm
Blueberry	70 ppm
Other berries	70 ppm
Grape	70 ppm

	Kiwifruit	70 ppm
	Avocado	150 ppm
	Pineapple	80 ppm
	Cotton seeds	3 ppm
	Hop	1440 ppm
FOLPET	Potato	0.02 ppm
	Lettuce (including cos lettuce and leaf lettuce)	2 ppm
	Onion	2 ppm
	Tomato	3 ppm
	Cucumber (including gherkin)	2 ppm
	Melons	2 ppm
	Apple	5 ppm
	Strawberry	20 ppm
	Grape	2 ppm
MALATHION	Rice (brown rice)	0.1 ppm
	Wheat	8.0 ppm
	Wheat flour (except whole grain)	1.2 ppm
	Barley	2.0 ppm
	Rye	2.0 ppm
	Corn (maize)	2.0 ppm
	Buckwheat	2.0 ppm
	Other cereal grains	2.0 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	8.0 ppm
	Other legumes/pulses	8.0 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.5 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	6.0 ppm
	Chinese cabbage	2.0 ppm
	Cabbage	2.0 ppm
	Brussels sprouts	2.0 ppm
	Kale	3.0 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	2.0 ppm

<i>Kyona</i>	2.0 ppm
Qing-geng-cai	2.0 ppm
Cauliflower	2.0 ppm
Broccoli	5.0 ppm
Other cruciferous vegetables	2.0 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	8.0 ppm
Chicory	8.0 ppm
Endive	8.0 ppm
<i>Shungiku</i>	2.0 ppm
Lettuce (including cos lettuce and leaf lettuce)	2.0 ppm
Other composite vegetables	2.0 ppm
Onion	8.0 ppm
Welsh (including leek)	8.0 ppm
Garlic	8.0 ppm
<i>Nira</i>	2.0 ppm
Asparagus	8.0 ppm
Multiplying onion	8.0 ppm
Other liliaceous vegetables	2.0 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	2.0 ppm
Celery	2.0 ppm
Other umbelliferous vegetables	2.0 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	2.0 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	8.0 ppm
Oriental pickling melon (vegetable)	2.0 ppm
Water melon	8.0 ppm
Melons	8.0 ppm
<i>Makuwauri</i> melon	8.0 ppm
Other cucurbitaceous vegetables	2.0 ppm
Spinach	2.0 ppm
Bamboo shoots	2.0 ppm
Okra	8.0 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	2.0 ppm
Green soybeans	2.0 ppm
Button mushroom	8.0 ppm
Other vegetables	2.0 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
<i>Citrus natsudaidai</i> , pulp	0.5 ppm

Citrus <i>natsudaidai</i> , peels	0.5 ppm
Lemon	4.0 ppm
Orange (including navel orange)	4.0 ppm
Grapefruit	4.0 ppm
Lime	4.0 ppm
Other citrus fruits	4.0 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	8.0 ppm
Loquat	2.0 ppm
Peach	0.5 ppm
Nectarine	8.0 ppm
Apricot	8.0 ppm
Japanese plum (including prune)	6.0 ppm
Mume plum	2.0 ppm
Cherry	6.0 ppm
Strawberry	0.5 ppm
Raspberry	8.0 ppm
Blackberry	8.0 ppm
Blueberry	0.5 ppm
Cranberry	8.0 ppm
Huckleberry	2.0 ppm
Other berries	8.0 ppm
Grape	8.0 ppm
Japanese persimmon	0.5 ppm
Banana	2.0 ppm
Kiwifruit	2.0 ppm
Papaya	1.0 ppm
Avocado	8.0 ppm
Pineapple	8.0 ppm
Guava	8.0 ppm
Mango	8.0 ppm
Passion fruit	8.0 ppm
Date	8.0 ppm
Other fruits	2.0 ppm
Sunflower seeds	8.0 ppm
Safflower seeds	0.2 ppm
Cotton seeds	2.0 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	8.0 ppm
Chestnut	8.0 ppm
Pecan	8.0 ppm
Almond	8.0 ppm
Walnut	8.0 ppm
Other nuts	8.0 ppm

	Hop	1.0 ppm
MALEIC HYDRAZIDE	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	50 ppm
	Taro	0.2 ppm
	Sweet potato	10 ppm
	Yam	0.2 ppm
	Konjac	0.2 ppm
	Other potatoes	0.2 ppm
	Sugar beet	15 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	30 ppm
	Turnip, leaves	0.2 ppm
	Horseradish	0.2 ppm
	Watercress	0.2 ppm
	Chinese cabbage	0.2 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	Kale	0.2 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.2 ppm
	<i>Kyona</i>	0.2 ppm
	Qing-geng-cai	0.2 ppm
	Cauliflower	0.2 ppm
	Broccoli	0.2 ppm
	Other cruciferous vegetables	0.2 ppm
	Burdock	0.2 ppm
	Salsify	0.2 ppm
	Artichoke	0.2 ppm
	Chicory	0.2 ppm
	Endive	0.2 ppm
	<i>Shungiku</i>	0.2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
	Other composite vegetables	0.2 ppm
	Onion	20 ppm
	Welsh (including leek)	0.2 ppm
	Garlic	50 ppm
	<i>Nira</i>	10 ppm
	Asparagus	10 ppm
	Multiplying onion	15 ppm
	Other liliaceous vegetables	10 ppm
	Carrot	30 ppm

Parsnip	30 ppm
Parsley	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Other solanaceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.2 ppm
Spinach	25 ppm
Bamboo shoots	30 ppm
Okra	0.2 ppm
Ginger	0.2 ppm
Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.2 ppm
Button mushroom	0.2 ppm
<i>Shiitake</i> mushroom	0.2 ppm
Other mushrooms	0.2 ppm
Other vegetables	30 ppm
<i>Unshu</i> orange, pulp	35 ppm
Citrus <i>natsudaidai</i> , whole	40 ppm
Lemon	0.2 ppm
Orange (including navel orange)	15 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	40 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm

	Raspberry	0.2 ppm
	Blackberry	0.2 ppm
	Blueberry	0.2 ppm
	Cranberry	0.2 ppm
	Huckleberry	0.2 ppm
	Other berries	0.2 ppm
	Grape	25 ppm
	Japanese persimmon	0.2 ppm
	Banana	0.2 ppm
	Kiwifruit	20 ppm
	Papaya	0.2 ppm
	Avocado	0.2 ppm
	Pineapple	15 ppm
	Guava	0.2 ppm
	Mango	0.2 ppm
	Passion fruit	0.2 ppm
	Date	0.2 ppm
	Other fruits	0.2 ppm
	Sunflower seeds	0.2 ppm
	Sesam seeds	0.2 ppm
	Safflower seeds	0.2 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	0.2 ppm
	Other oil seeds	0.2 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	0.2 ppm
	Hop	0.2 ppm
MYCLOBUTANIL	Wheat	0.3 ppm
	Barley	0.5 ppm
	Chinese cabbage	1.0 ppm
	Qing-geng-cai	1.0 ppm
	Other cruciferous vegetables	1.0 ppm
	Burdock	1.0 ppm
	Salsify	1.0 ppm
	Artichoke	1.0 ppm
	Chicory	1.0 ppm
	Endive	1.0 ppm
	<i>Shungiku</i>	1.0 ppm
	Other composite vegetables	1.0 ppm
	Onion	1.0 ppm
	Welsh (including leek)	1.0 ppm

Garlic	1.0 ppm
<i>Nira</i>	1.0 ppm
Asparagus	1.0 ppm
Multiplying onion	1.0 ppm
Other liliaceous vegetables	1.0 ppm
Carrot	1.0 ppm
Parsnip	1.0 ppm
<i>Mitsuba</i>	1.0 ppm
Other umbelliferous vegetables	1.0 ppm
Tomato	1.0 ppm
Pimiento (sweet pepper)	1.0 ppm
Egg plant	1.0 ppm
Other solanaceous vegetables	1.0 ppm
Cucumber (including gherkin)	1.0 ppm
Pumpkin (including squash)	1.0 ppm
Oriental pickling melon (vegetable)	1.0 ppm
Water melon	1.0 ppm
Melons	1.0 ppm
<i>Makuwauri</i> melon	1.0 ppm
Other cucurbitaceous vegetables	1.0 ppm
Spinach	1.0 ppm
Bamboo shoots	1.0 ppm
Okra	1.0 ppm
Peas, immature (with pods)	1.0 ppm
Kidney beans, immature (with pods)	1.0 ppm
Green soybeans	1.0 ppm
Other vegetables	1.0 ppm
Apple	5.0 ppm
Japanese pear	1.0 ppm
Pear	1.0 ppm
Quince	1.0 ppm
Loquat	1.0 ppm
Peach	1.0 ppm
Nectarine	1.0 ppm
Apricot	1.0 ppm
Japanese plum (including prune)	1.0 ppm
Mume plum	1.0 ppm
Cherry	4.0 ppm
Strawberry	1.0 ppm
Raspberry	1.0 ppm
Blackberry	1.0 ppm
Blueberry	1.0 ppm
Cranberry	1.0 ppm
Huckleberry	1.0 ppm
Other berries	1.0 ppm
Grape	1.0 ppm

	Japanese persimmon	1.0 ppm
	Banana	2.0 ppm
	Kiwifruit	1.0 ppm
	Papaya	1.0 ppm
	Avocado	1.0 ppm
	Pineapple	1.0 ppm
	Guava	1.0 ppm
	Mango	1.0 ppm
	Passion fruit	1.0 ppm
	Date	1.0 ppm
	Other fruits	1.0 ppm
	Tea	20 ppm
METHABENZTHIAZURON	Rice (brown rice)	0.05 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.1 ppm
	Broad beans	0.05 ppm
	Potato	0.1 ppm
	Artichoke	0.05 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.1 ppm
	Tomato	0.05 ppm
	Peach	0.05 ppm
	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Sunflower seeds	0.1 ppm
	Other nuts	0.05 ppm
METHAMIDOPHOS	Soybeans, dry	0.05 ppm
	Potato	0.25 ppm
	Sugar beet	0.05 ppm
	Cabbage	1.0 ppm
	Brussels sprouts	1.0 ppm
	Cauliflower	1.0 ppm
	Broccoli	1.0 ppm
	Lettuce (including cos lettuce and leaf lettuce)	1.0 ppm
	Tomato	2.0 ppm

	Pimiento (sweet pepper)	2.0 ppm
	Egg plant	1.0 ppm
	Other solanaceous vegetables	2.0 ppm
	Cucumber (including gherkin)	1.0 ppm
	Melons	0.5 ppm
	Peach	1.0 ppm
	Other fruits	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Hop	5.0 ppm
METHiocarb	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> , Japanese mustard spinach	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm

Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm

	Orange (including navel orange)	0.05 ppm
	Grapefruit	0.05 ppm
	Lime	0.05 ppm
	Other citrus fruits	0.05 ppm
	Apple	0.05 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Quince	0.05 ppm
	Loquat	0.05 ppm
	Peach	3.0 ppm
	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Strawberry	0.05 ppm
	Raspberry	0.05 ppm
	Blackberry	0.05 ppm
	Blueberry	0.05 ppm
	Cranberry	0.05 ppm
	Huckleberry	0.05 ppm
	Other berries	0.05 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.05 ppm
	Banana	0.05 ppm
	Kiwifruit	0.05 ppm
	Papaya	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.05 ppm
	Other fruits	0.05 ppm
	Rapeseeds	0.05 ppm
	Other nuts	0.05 ppm
METCONAZOLE  (Revised on November 29, 2006)	Wheat	0.2 ppm
	<i>Unshu</i> orange, pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.2 ppm
	Lemon	0.3 ppm
	Orange (including navel orange)	0.3 ppm
	Grapefruit	0.3 ppm
	Lime	0.3 ppm
	Other citrus fruits	0.3 ppm
	<i>Unshu</i> orange, peel	3 ppm
	Rice (brown rice)	0.05 ppm

	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Sugarcane	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
	Apple	0.05 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Safflower seeds	0.02 ppm
METHOPRENE	Rice (brown rice)	5.0 ppm
	Wheat	5.0 ppm
	Barley	5.0 ppm
	Rye	5.0 ppm
	Corn (maize)	5.0 ppm
	Buckwheat	5.0 ppm
	Other cereal grains	5.0 ppm
	Peanuts, dry	2.0 ppm
	Button mushroom	0.2 ppm
METOLACHLOR	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.3 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.3 ppm
	Peas	0.3 ppm
	Broad beans	0.3 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.3 ppm
	Potato	0.2 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Konjac	0.1 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	1 ppm

	Brussels sprouts	1 ppm
	Kale	0.02 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.02 ppm
	Broccoli	0.02 ppm
	Other cruciferous vegetables	0.1 ppm
	Onion	1 ppm
	Garlic	1 ppm
	Asparagus	0.1 ppm
	Multiplying onion	1 ppm
	Carrot	0.1 ppm
	Celery	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Pimiento (sweet pepper)	0.1 ppm
	Other solanceous vegetables	0.5 ppm
	Cucumber (including gherkin)	0.05 ppm
	Pumpkin (including squash)	0.05 ppm
	Oriental pickling melon (vegetable)	0.05 ppm
	Water melon	0.05 ppm
	Melons	0.05 ppm
	<i>Makuwauri</i> melon	0.05 ppm
	Other cucurbitaceous vegetables	0.05 ppm
	Spinach	0.3 ppm
	Bamboo shoots	0.05 ppm
	Peas, immature (with pods)	0.3 ppm
	Kidney beans, immature (with pods)	0.3 ppm
	Green soybeans	0.3 ppm
	Other vegetables	0.05 ppm
	Peach	0.1 ppm
	Nectarine	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Mume plum	0.1 ppm
	Cherry	0.1 ppm
	Sunflower seeds	0.05 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.05 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
METRIBUZIN	Rice (brown rice)	0.05 ppm
	Wheat	0.75 ppm

	Barley	0.75 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.05 ppm
	Peas	0.1 ppm
	Potato	0.6 ppm
	Sweet potato	0.5 ppm
	Sugarcane	0.5 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Kale	0.5 ppm
	Artichoke	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
	Onion	0.5 ppm
	Welsh (including leek)	0.5 ppm
	Garlic	0.5 ppm
	Asparagus	0.5 ppm
	Carrot	0.5 ppm
	Celery	0.5 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	0.5 ppm
	Egg plant	0.5 ppm
	Cucumber (including gherkin)	0.5 ppm
	Pumpkin (including squash)	0.5 ppm
	Spinach	0.5 ppm
	Ginger	0.5 ppm
	Button mushroom	0.5 ppm
	Sunflower seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
MEPANIPYRIM	Beans, dry*	0.5 ppm
	Tomato	5 ppm
	Egg plant	5 ppm
	Cucumber (including gherkin)	2 ppm
	Kidney beans, immature (with pods)	2 ppm
	<i>Unshu</i> orange, pulp	0.2 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	2 ppm
	Orange (including navel orange)	2 ppm
	Grapefruit	2 ppm

	Lime	2 ppm
	Other citrus fruits	2 ppm
	Apple	2 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Peach	2 ppm
	Strawberry	10 ppm
	Grape	15 ppm
MEFENACET	Rice (brown rice)	0.1 ppm
MEPRONIL	Rice (brown rice)	2.0 ppm
	Wheat	2.0 ppm
	Barley	2.0 ppm
	Rye	2.0 ppm
	Potato	1.0 ppm
	Konjac	1.0 ppm
	Sugar beet	1.0 ppm
	Japanese radish, roots (including radish)	1.0 ppm
	Japanese radish, leaves (including radish)	5.0 ppm
	Lettuce (including cos lettuce and leaf lettuce)	1.0 ppm
	Other composite vegetables	1.0 ppm
	Tomato	1.0 ppm
	Cucumber (including gherkin)	1.0 ppm
	Water melon	2.0 ppm
	Spinach	1.0 ppm
	Japanese pear	2.0 ppm
	Pear	2.0 ppm
	Grape	5.0 ppm
MOXIDECTIN	Cattle, muscle	0.02 ppm
	Sheep, muscle	0.05 ppm
	Deer, muscle	0.02 ppm
	Cattle, fat	0.50 ppm
	Sheep, fat	0.50 ppm
	Deer, fat	0.50 ppm
	Cattle, liver	0.10 ppm
	Sheep, liver	0.10 ppm
	Deer, liver	0.10 ppm
	Cattle, kidney	0.05 ppm
	Sheep, kidney	0.05 ppm
	Deer, kidney	0.05 ppm
MOLINATE	Rice (brown rice)	0.1 ppm
RACTOPAMINE	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.04 ppm

	Cattle, kidney	0.09 ppm
	Pig, kidney	0.09 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.04 ppm
LUFENURON	Corn (maize)	0.05 ppm
	Sweet potato	0.05 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	3 ppm
	Chinese cabbage	1 ppm
	Cabbage	1 ppm
	Brussels sprouts	1 ppm
	Welsh (including leek)	3 ppm
	Multiplying onion	3 ppm
	Tomato	0.5 ppm
	Pimiento (sweet pepper)	1 ppm
	Egg plant	0.5 ppm
	<i>Unshu</i> orange, pulp	0.3 ppm
	Citrus <i>natsudaidai</i> , whole	0.3 ppm
	Lemon	0.3 ppm
	Orange (including navel orange)	0.3 ppm
	Grapefruit	0.3 ppm
	Lime	0.3 ppm
	Other citrus fruits	0.3 ppm
	Apple	1 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.05 ppm
	Loquat	0.05 ppm
	Strawberry	1 ppm
	Grape	1 ppm
	Tea	10 ppm
LENACIL	Potato	0.3 ppm
	Taro	0.3 ppm
	Sweet potato	0.3 ppm
	Yam	0.3 ppm
	Konjac	0.3 ppm
	Other potatoes	0.3 ppm
	Sugar beet	0.3 ppm
	Japanese radish, roots (including radish)	0.3 ppm
	Japanese radish, leaves (including radish)	0.3 ppm
	Turnip, roots	0.3 ppm
	Turnip, leaves	0.3 ppm
	Horseradish	0.3 ppm
	Watercress	0.3 ppm
	Chinese cabbage	0.3 ppm

Cabbage	0.3 ppm
Brussels sprouts	0.3 ppm
Kale	0.3 ppm
<i>Komatsuna</i> , Japanese mustard spinach	0.3 ppm
<i>Kyona</i>	0.3 ppm
Qing-geng-cai	0.3 ppm
Cauliflower	0.3 ppm
Broccoli	0.3 ppm
Other cruciferous vegetables	0.3 ppm
Burdock	0.3 ppm
Salsify	0.3 ppm
Artichoke	0.3 ppm
Chicory	0.3 ppm
Endive	0.3 ppm
<i>Shungiku</i>	0.3 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
Other composite vegetables	0.3 ppm
Onion	0.3 ppm
Welsh (including leek)	0.3 ppm
Garlic	0.3 ppm
<i>Nira</i>	0.3 ppm
Asparagus	0.3 ppm
Multiplying onion	0.3 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.3 ppm
Parsnip	0.3 ppm
Parsley	0.3 ppm
Celery	0.3 ppm
<i>Mitsuba</i>	0.3 ppm
Other umbelliferous vegetables	0.3 ppm
Tomato	0.3 ppm
Pimiento (sweet pepper)	0.3 ppm
Egg plant	0.3 ppm
Other solanceous vegetables	0.3 ppm
Cucumber (including gherkin)	0.3 ppm
Pumpkin (including squash)	0.3 ppm
Oriental pickling melon (vegetable)	0.3 ppm
Water melon	0.3 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.3 ppm
Other cucurbitaceous vegetables	0.3 ppm
Spinach	0.3 ppm
Bamboo shoots	0.3 ppm
Okra	0.3 ppm
Ginger	0.3 ppm
Peas, immature (with pods)	0.3 ppm

Kidney beans, immature (with pods)	0.3 ppm
Green soybeans	0.3 ppm
Button mushroom	0.3 ppm
<i>Shiitake</i> mushroom	0.3 ppm
Other mushrooms	0.3 ppm
Other vegetables	0.3 ppm
<i>Unshu</i> orange, pulp	0.3 ppm
Citrus <i>natsudaidai</i> , whole	0.3 ppm
Lemon	0.3 ppm
Orange (including navel orange)	0.3 ppm
Grapefruit	0.3 ppm
Lime	0.3 ppm
Other citrus fruits	0.3 ppm
Apple	0.3 ppm
Japanese pear	0.3 ppm
Pear	0.3 ppm
Quince	0.3 ppm
Loquat	0.3 ppm
Peach	0.3 ppm
Nectarine	0.3 ppm
Apricot	0.3 ppm
Japanese plum (including prune)	0.3 ppm
Mume plum	0.3 ppm
Cherry	0.3 ppm
Strawberry	0.3 ppm
Raspberry	0.3 ppm
Blackberry	0.3 ppm
Blueberry	0.3 ppm
Cranberry	0.3 ppm
Huckleberry	0.3 ppm
Other berries	0.3 ppm
Grape	0.3 ppm
Japanese persimmon	0.3 ppm
Banana	0.3 ppm
Kiwifruit	0.3 ppm
Papaya	0.3 ppm
Avocado	0.3 ppm
Pineapple	0.3 ppm
Guava	0.3 ppm
Mango	0.3 ppm
Passion fruit	0.3 ppm
Date	0.3 ppm
Other fruits	0.3 ppm
Sunflower seeds	0.3 ppm
Sesam seeds	0.3 ppm
Safflower seeds	0.3 ppm

	Cotton seeds	0.3 ppm
	Rapeseeds	0.3 ppm
	Other oil seeds	0.3 ppm
	Ginkgo nut	0.3 ppm
	Chestnut	0.3 ppm
	Pecan	0.3 ppm
	Almond	0.3 ppm
	Walnut	0.3 ppm
	Other nuts	0.3 ppm
LEVAMISOLE	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Sheep, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Sheep, fat	0.01 ppm
	Cattle, liver	0.10 ppm
	Pig, liver	0.10 ppm
	Sheep, liver	0.10 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Sheep, kidney	0.01 ppm
	Chicken, muscle	0.01 ppm
	Duck, muscle	0.01 ppm
	Turkey, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Duck, fat	0.01 ppm
	Turkey, fat	0.01 ppm
	Chicken, liver	0.10 ppm
	Duck, liver	0.10 ppm
	Turkey, liver	0.10 ppm
	Chicken, kidney	0.01 ppm
	Duck, kidney	0.01 ppm
	Turkey, kidney	0.01 ppm