

Table in item 7 (1), Section A **General Compositional Standards for Food, Part I Food :**

The maximum residue limits of substances used as ingredients of agricultural chemicals in foods (**Provisional MRLs List**)

Column 1	Column 2	Column 3
LINDANE (gamma-BHC)	Rice (brown rice)	0.3 ppm
	Wheat	0.01 ppm
	Barley	0.01 ppm
	Rye	0.01 ppm
	Corn (maize)	0.3 ppm
	Buckwheat	0.01 ppm
	Other cereal grains	0.3 ppm
	Soybeans, dry	1 ppm
	Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya and white beans)*	1 ppm
	Peas	1 ppm
	Broad beans	1 ppm
	Peanuts, dry	0.03 ppm
	Other legumes/pulses	1 ppm
	Potato	1 ppm
	Taro	1 ppm
	Sweet potato	1 ppm
	Yam	1 ppm
	Konjac	1 ppm
	Other potatoes	1 ppm
	Sugar beet	1 ppm
	Sugarcane	0.002 ppm
	Japanese radish, roots (including radish)	1 ppm
	Japanese radish, leaves (including radish)	1 ppm
	Turnip, roots	1 ppm
	Turnip, leaves	1 ppm
	Horseradish	1 ppm
	Watercress	1 ppm
	Chinese cabbage	1 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Kale	2 ppm
	Komatsuna (Japanese mustard spinach)	1 ppm
Kyona	1 ppm	
Qing-geng-cai	1 ppm	
Cauliflower	2 ppm	
Broccoli	2 ppm	
Other cruciferous vegetables	2 ppm	
Burdock	1 ppm	

Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	2 ppm
Other composite vegetables	1 ppm
Onion	2 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	2 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	1 ppm
Parsnip	1 ppm
Parsley	0.01 ppm
Celery	2 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	1 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	2 ppm
Egg plant	2 ppm
Other solanceous vegetables	2 ppm
Cucumber (including gherkin)	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	2 ppm
Melons	2 ppm
<i>Makuwauri</i> melon	2 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	2 ppm
Bamboo shoots	1 ppm
Okra	2 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	2 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	2 ppm
<i>Unshu</i> orange,pulp	0.3 ppm

Citrus <i>natsudaidai</i> , whole	0.3 ppm
Lemon	0.3 ppm
Orange (including navel orange)	0.3 ppm
Grapefruit	0.3 ppm
Lime	0.3 ppm
Other citrus fruits	0.3 ppm
Apple	2 ppm
Japanese pear	0.3 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	0.3 ppm
Peach	2 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	0.3 ppm
Cherry	1 ppm
Strawberry	2 ppm
Raspberry	0.3 ppm
Blackberry	0.3 ppm
Blueberry	0.3 ppm
Cranberry	2 ppm
Huckleberry	0.3 ppm
Other berries	0.3 ppm
Grape	1 ppm
Japanese persimmon	0.3 ppm
Banana	0.3 ppm
Kiwifruit	0.3 ppm
Papaya	0.3 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	0.3 ppm
Date	0.3 ppm
Other fruits	1 ppm
Sunflower seeds	0.03 ppm
Sesame seeds	0.03 ppm
Safflower seeds	0.03 ppm
Cotton seeds	0.03 ppm
Rapeseeds	0.03 ppm
Other oil seeds	0.03 ppm
Ginkgo nut	0.01 ppm

Chestnut	0.01 ppm
Pecan	0.01 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.03 ppm
Tea	0.05 ppm
Coffee beans	0.002 ppm
Cacao beans	0.1 ppm
Hop	0.05 ppm
Other spices	2 ppm
Other herbs	2 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	3 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	1 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	1 ppm
Pig, kidney	0.01 ppm
Other terrestrial mammals, kidney	0.01 ppm
Cattle, edible offal	1 ppm
Pig, edible offal	0.01 ppm
Other terrestrial mammals, edible offal	0.01 ppm
Milk	0.01 ppm
Chicken, muscle	0.7 ppm
Other poultry, muscle	0.7 ppm
Chicken, fat	0.1 ppm
Other poultry, fat	0.1 ppm
Chicken, liver	0.01 ppm
Other poultry, liver	0.01 ppm
Chicken, kidney	0.01 ppm
Other poultry, kidney	0.01 ppm
Chicken, edible offal	0.01 ppm
Other poultry, edible offal	0.01 ppm
Chicken, eggs	0.01 ppm
Other poultry, eggs	0.01 ppm
Salmoniformes	1 ppm
Anguilliformes	1 ppm
Perciformes	1 ppm
Other fish	1 ppm

	Shelled molluscas	1 ppm
	Crustaceans	1 ppm
	Other aquatic animal	1 ppm
	Mineral waters	0.002 ppm
2,4-D	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.08 ppm
	Japanese radish, roots (including radish)	0.08 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.08 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.08 ppm
	Watercress	0.08 ppm
	Chinese cabbage	0.08 ppm
	Cabbage	0.08 ppm
	Brussels sprouts	0.08 ppm
	Kale	0.08 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.08 ppm
	<i>Kyona</i>	0.08 ppm
	Qing-geng-cai	0.08 ppm
	Cauliflower	0.08 ppm
	Broccoli	0.08 ppm
	Other cruciferous vegetables	0.08 ppm
	Burdock	0.08 ppm
	Salsify	0.08 ppm
	Artichoke	0.05 ppm
	Chicory	0.08 ppm
	Endive	0.08 ppm
	<i>Shungiku</i>	0.08 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.08 ppm
	Other composite vegetables	0.08 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.05 ppm
	<i>Nira</i>	0.05 ppm
	Multiplying onion	0.05 ppm
	Other liliaceous vegetables	0.05 ppm
	Carrot	0.08 ppm
	Parsnip	0.08 ppm
	Parsley	0.08 ppm

Celery	0.08 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.08 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.08 ppm
Egg plant	0.08 ppm
Other solanaceous vegetables	0.08 ppm
Cucumber (including gherkin)	0.08 ppm
Pumpkin (including squash)	0.08 ppm
Oriental pickling melon (vegetable)	0.08 ppm
Water melon	0.08 ppm
Melons	0.08 ppm
<i>Makuwauri</i> melon	0.08 ppm
Other cucurbitaceous vegetables	0.08 ppm
Spinach	0.08 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.07 ppm
Huckleberry	0.1 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.08 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.2 ppm
Hop	0.08 ppm
Other spices	2 ppm
Other herbs	0.08 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.2 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.2 ppm

	Cattle, liver	5 ppm
	Pig, liver	5 ppm
	Other terrestrial mammals, liver	5 ppm
	Cattle, kidney	5 ppm
	Pig, kidney	5 ppm
	Other terrestrial mammals, kidney	5 ppm
	Cattle, edible offal	5 ppm
	Pig, edible offal	5 ppm
	Other terrestrial mammals, edible offal	5 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Salmoniformes	1 ppm
	Anguilliformes	1 ppm
	Perciformes	1 ppm
	Other fish	1 ppm
	Shelled molluscas	1 ppm
	Crustaceans	1 ppm
	Other aquatic animal	1 ppm
	Mineral waters	0.03 ppm
2,4-DB	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other vegetables	0.2 ppm
	Other spices	0.2 ppm
	Other herbs	0.2 ppm
	Cattle, muscle	0.2 ppm

	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
	Mineral waters	0.09 ppm
DBEDC	Rice (brown rice)	0.5 ppm
	Wheat	2 ppm
	Barley	10 ppm
	Rye	10 ppm
	Corn (maize)	10 ppm
	Buckwheat	10 ppm
	Other cereal grains	10 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm

Sweet potato	0.5 ppm
Yam	0.5 ppm
Konjac	0.5 ppm
Other potatoes	0.5 ppm
Sugar beet	0.5 ppm
Sugarcane	0.5 ppm
Japanese radish, roots (including radish)	0.5 ppm
Japanese radish, leaves (including radish)	0.5 ppm
Turnip, roots	0.5 ppm
Turnip, leaves	0.5 ppm
Horseradish	0.5 ppm
Watercress	0.5 ppm
Chinese cabbage	0.5 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.5 ppm
Kale	0.5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	0.5 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm

Tomato	10 ppm
Pimiento (sweet pepper)	5 ppm
Egg plant	10 ppm
Other solanaceous vegetables	5 ppm
Cucumber (including gherkin)	10 ppm
Pumpkin (including squash)	10 ppm
Oriental pickling melon (vegetable)	10 ppm
Water melon	10 ppm
Melons	10 ppm
<i>Makuwauri</i> melon	10 ppm
Other cucurbitaceous vegetables	10 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	5 ppm
Green soybeans	5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.5 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm
Lime	0.5 ppm
Other citrus fruits	0.5 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.5 ppm
Loquat	10 ppm
Peach	10 ppm
Nectarine	0.5 ppm
Apricot	20 ppm
Japanese plum (including prune)	20 ppm
Mume plum	20 ppm
Cherry	20 ppm
Strawberry	20 ppm
Raspberry	20 ppm
Blackberry	20 ppm

	Blueberry	20 ppm
	Cranberry	20 ppm
	Huckleberry	20 ppm
	Other berries	20 ppm
	Grape	20 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.5 ppm
	Kiwifruit	10 ppm
	Papaya	0.5 ppm
	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	20 ppm
	Other fruits	20 ppm
	Sunflower seeds	0.5 ppm
	Sesame seeds	0.5 ppm
	Safflower seeds	0.5 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.5 ppm
	Other oil seeds	0.5 ppm
	Ginkgo nut	0.5 ppm
	Chestnut	0.5 ppm
	Pecan	0.5 ppm
	Almond	0.5 ppm
	Walnut	0.5 ppm
	Other nuts	0.5 ppm
	Tea	0.5 ppm
	Coffee beans	0.5 ppm
	Cacao beans	0.5 ppm
	Hop	0.5 ppm
	Other spices	20 ppm
	Other herbs	5 ppm
DCIP	Other spices	1 ppm
	Other herbs	1 ppm
DDT (including DDD and DDE)	Barley	0.1 ppm
	Rye	0.1 ppm
	Other cereal grains	0.1 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm

Other potatoes	0.5 ppm
Sugar beet	0.5 ppm
Sugarcane	0.5 ppm
Horseradish	0.5 ppm
Watercress	0.5 ppm
Kale	0.5 ppm
Qing-geng-cai	0.5 ppm
Other cruciferous vegetables	0.5 ppm
Salsify	0.5 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.3 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.2 ppm
Parsnip	0.5 ppm
Parsley	0.3 ppm
Other umbelliferous vegetables	0.5 ppm
Other solanceous vegetables	0.5 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.3 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.5 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm
Lime	0.5 ppm
Other citrus fruits	0.5 ppm
Quince	0.5 ppm

Nectarine	0.5 ppm
Apricot	0.5 ppm
Japanese plum (including prune)	0.5 ppm
Mume plum	0.5 ppm
Raspberry	0.5 ppm
Blackberry	0.5 ppm
Blueberry	0.5 ppm
Cranberry	0.5 ppm
Huckleberry	0.5 ppm
Other berries	0.5 ppm
Banana	0.5 ppm
Kiwifruit	0.5 ppm
Papaya	1 ppm
Avocado	0.5 ppm
Pineapple	0.5 ppm
Guava	0.5 ppm
Mango	0.5 ppm
Passion fruit	0.5 ppm
Date	0.5 ppm
Other fruits	0.5 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea (except unfermented tea)	0.2 ppm
Cacao beans	0.05 ppm
Hop	0.05 ppm
Other spices	0.5 ppm
Other herbs	0.5 ppm
Cattle, muscle	1 ppm
Pig, muscle	1 ppm
Other terrestrial mammals, muscle	1 ppm
Cattle, fat	5 ppm
Pig, fat	5 ppm
Other terrestrial mammals, fat	5 ppm

	Cattle, liver	2 ppm
	Pig, liver	2 ppm
	Other terrestrial mammals, liver	2 ppm
	Cattle, kidney	2 ppm
	Pig, kidney	2 ppm
	Other terrestrial mammals, kidney	2 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	2 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.3 ppm
	Other poultry, muscle	0.3 ppm
	Chicken, fat	2 ppm
	Other poultry, fat	2 ppm
	Chicken, liver	2 ppm
	Other poultry, liver	2 ppm
	Chicken, kidney	2 ppm
	Other poultry, kidney	2 ppm
	Chicken, edible offal	2 ppm
	Other poultry, edible offal	2 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
	Salmoniformes	3 ppm
	Anguilliformes	3 ppm
	Perciformes	3 ppm
	Other fish	3 ppm
	Shelled molluscas	1 ppm
	Crustaceans	1 ppm
	Other aquatic animal	1 ppm
	Mineral waters	0.001 ppm
2,2-DPA	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm

Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Sugar beet	0.1 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.05 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.05 ppm

Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm

Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	20 ppm
Grape	3 ppm
Japanese persimmon	0.05 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.05 ppm
Coffee beans	0.05 ppm
Cacao beans	0.05 ppm
Hop	0.05 ppm
Other spices	0.1 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.2 ppm
Pig, fat	0.2 ppm
Other terrestrial mammals, fat	0.2 ppm
Cattle, liver	0.2 ppm
Pig, liver	0.2 ppm

	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.1 ppm
EPTC	Grape	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
MCPA (including Phenothiol)	Other vegetables	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm

	Grapefruit	1 ppm
	Lime	1 ppm
	Other citrus fruits	1 ppm
	Other spices	1 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.08 ppm
	Pig, muscle	0.08 ppm
	Other terrestrial mammals, muscle	0.08 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.08 ppm
	Pig, liver	0.08 ppm
	Other terrestrial mammals, liver	0.08 ppm
	Cattle, kidney	0.08 ppm
	Pig, kidney	0.08 ppm
	Other terrestrial mammals, kidney	0.08 ppm
	Cattle, edible offal	0.08 ppm
	Pig, edible offal	0.08 ppm
	Other terrestrial mammals, edible offal	0.08 ppm
	Milk	0.08 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
	Mineral waters	0.002 ppm
MCPB	Rice (brown rice)	0.1 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm

Peas	0.06 ppm
Broad beans	0.02 ppm
Other legumes/pulses	0.06 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Peas, immature (with pods)	0.06 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Other vegetables	0.06 ppm
<i>Unshu</i> orange,pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm

Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	0.2 ppm
Sunflower seeds	0.2 ppm
Sesame seeds	0.2 ppm
Safflower seeds	0.2 ppm
Cotton seeds	0.2 ppm
Rapeseeds	0.2 ppm
Other oil seeds	0.2 ppm
Ginkgo nut	0.2 ppm
Chestnut	0.2 ppm
Pecan	0.2 ppm
Almond	0.2 ppm
Walnut	0.2 ppm
Other nuts	0.2 ppm
Other spices	0.2 ppm
Other herbs	0.06 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.05 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm
Other poultry, fat	0.05 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.05 ppm
Chicken, kidney	0.05 ppm
Other poultry, kidney	0.05 ppm
Chicken, edible offal	0.05 ppm

	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
TCMTB	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Corn (maize)	0.1 ppm
	Other cereal grains	0.1 ppm
	Sugar beet	0.1 ppm
	Other vegetables	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.06 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
XMC	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Water melon	0.2 ppm
	Melons	0.2 ppm
	<i>Makuwauri</i> melon	0.2 ppm
	<i>Unshu</i> orange,pulp	0.2 ppm
	Citrus <i>natsudaidai</i> , whole	0.2 ppm
	Lemon	0.2 ppm
	Orange (including navel orange)	0.2 ppm
	Grapefruit	0.2 ppm
	Lime	0.2 ppm
	Other citrus fruits	0.2 ppm
	Apple	0.2 ppm
	Japanese pear	0.2 ppm
	Pear	0.2 ppm
	Quince	0.2 ppm
	Loquat	0.2 ppm
	Peach	0.2 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
	Strawberry	0.2 ppm

	Raspberry	0.2 ppm
	Blackberry	0.2 ppm
	Blueberry	0.2 ppm
	Cranberry	0.2 ppm
	Huckleberry	0.2 ppm
	Other berries	0.2 ppm
	Grape	0.2 ppm
	Japanese persimmon	0.2 ppm
	Banana	0.2 ppm
	Kiwifruit	0.2 ppm
	Papaya	0.2 ppm
	Avocado	0.2 ppm
	Pineapple	0.2 ppm
	Guava	0.2 ppm
	Mango	0.2 ppm
	Passion fruit	0.2 ppm
	Date	0.2 ppm
	Other fruits	0.2 ppm
	Sunflower seeds	0.2 ppm
	Sesame seeds	0.2 ppm
	Safflower seeds	0.2 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	0.2 ppm
	Other oil seeds	0.2 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	10 ppm
	Other spices	0.2 ppm
IOXYNIL	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm

Other legumes/pulses	0.1 ppm
Potato	0.1 ppm
Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm

<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm

	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Banana	0.1 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesame seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
ACRINATHRIN	Japanese radish, leaves (including radish)	2 ppm
	Turnip, leaves	2 ppm
	Watercress	2 ppm
	Brussels sprouts	2 ppm
	Kale	2 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
	<i>Kyona</i>	2 ppm
	Qing-geng-cai	2 ppm
	Cauliflower	2 ppm
	Broccoli	2 ppm
	Other cruciferous vegetables	2 ppm

	Artichoke	2 ppm
	Chicory	2 ppm
	Endive	2 ppm
	<i>Shungiku</i>	2 ppm
	Lettuce (including cos lettuce and leaf lettuce)	2 ppm
	Other composite vegetables	2 ppm
	Welsh (including leek)	2 ppm
	<i>Nira</i>	2 ppm
	Asparagus	2 ppm
	Multiplying onion	2 ppm
	Other liliaceous vegetables	2 ppm
	Parsley	2 ppm
	Celery	2 ppm
	<i>Mitsuba</i>	2 ppm
	Other umbelliferous vegetables	2 ppm
	Other solanaceous vegetables	1 ppm
	Spinach	2 ppm
	Okra	1 ppm
	Other vegetables	2 ppm
	Raspberry	2 ppm
	Blackberry	2 ppm
	Blueberry	2 ppm
	Cranberry	2 ppm
	Huckleberry	2 ppm
	Other berries	2 ppm
	Banana	1 ppm
	Kiwifruit	0.1 ppm
	Papaya	1 ppm
	Avocado	1 ppm
	Pineapple	1 ppm
	Guava	1 ppm
	Mango	1 ppm
	Passion fruit	1 ppm
	Date	2 ppm
	Other fruits	2 ppm
	Other spices	2 ppm
	Other herbs	2 ppm
AKLOMIDE	Chicken, muscle	5 ppm
	Chicken, fat	3 ppm
	Chicken, liver	5 ppm
	Chicken, kidney	5 ppm
	Chicken, edible offal	5 ppm
AZACONAZOLE	Button mushroom	0.1 ppm

AZAFENIDIN	<i>Unshu</i> orange,pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Other spices	0.1 ppm
AZAPERONE	Pig, muscle	0.06 ppm
	Pig, fat	0.06 ppm
	Pig, liver	0.1 ppm
	Pig, kidney	0.1 ppm
	Pig, edible offal	0.01 ppm
AZAMETHIPHOS	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
Other poultry, eggs	0.05 ppm	
ACIFLUORFEN	Rice (brown rice)	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.08 ppm
	Other legumes/pulses	0.1 ppm
	Peas, immature (with pods)	0.1 ppm
	Kidney beans, immature (with pods)	0.1 ppm
	Green soybeans	0.1 ppm
	Other vegetables	0.1 ppm

	Strawberry	0.05 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.06 ppm
	Pig, liver	0.06 ppm
	Other terrestrial mammals, liver	0.06 ppm
	Cattle, kidney	0.06 ppm
	Pig, kidney	0.06 ppm
	Other terrestrial mammals, kidney	0.06 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.06 ppm
	Other poultry, liver	0.06 ppm
	Chicken, kidney	0.06 ppm
	Other poultry, kidney	0.06 ppm
	Chicken, edible offal	0.06 ppm
	Other poultry, edible offal	0.06 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
ACIBENZOLAR-S-METHYL	Watercress	0.3 ppm
	Chinese cabbage	1 ppm
	Cabbage	1 ppm
	Brussels sprouts	1 ppm
	Kale	1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
	<i>Kyona</i>	1 ppm
	Qing-geng-cai	1 ppm
	Cauliflower	1 ppm
	Broccoli	1 ppm
	Other cruciferous vegetables	1 ppm
	Endive	0.3 ppm

	<i>Shungiku</i>	0.3 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
	Other composite vegetables	0.3 ppm
	Onion	0.05 ppm
	Parsley	0.3 ppm
	Celery	0.3 ppm
	Other umbelliferous vegetables	0.3 ppm
	Tomato	1 ppm
	Pimiento (sweet pepper)	1 ppm
	Egg plant	1 ppm
	Other solanaceous vegetables	1 ppm
	Spinach	1 ppm
	Other vegetables	0.3 ppm
	Banana	0.1 ppm
	Cotton seeds	0.02 ppm
	Other spices	0.3 ppm
	Other herbs	1 ppm
AZIMSULFURON	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm

Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm

Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm

	Passion fruit	0.02 ppm
	Date	0.02 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.1 ppm
	Sesame seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.02 ppm
ASULAM	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.4 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.5 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.2 ppm

Turnip, leaves	0.2 ppm
Horseradish	0.2 ppm
Watercress	0.2 ppm
Chinese cabbage	0.2 ppm
Cabbage	0.2 ppm
Brussels sprouts	0.2 ppm
Kale	0.2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.2 ppm
<i>Kyona</i>	0.2 ppm
Qing-geng-cai	0.2 ppm
Cauliflower	0.2 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.2 ppm
Burdock	0.2 ppm
Salsify	0.2 ppm
Artichoke	0.2 ppm
Chicory	0.2 ppm
Endive	0.2 ppm
<i>Shungiku</i>	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.2 ppm
Onion	0.2 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.2 ppm
<i>Nira</i>	0.2 ppm
Asparagus	0.2 ppm
Multiplying onion	0.2 ppm
Other liliaceous vegetables	0.2 ppm
Carrot	0.2 ppm
Parsnip	0.2 ppm
Parsley	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Other solanceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Melons	0.2 ppm

<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.2 ppm
Spinach	0.2 ppm
Bamboo shoots	0.2 ppm
Okra	0.2 ppm
Ginger	0.2 ppm
Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.2 ppm
Button mushroom	0.2 ppm
<i>Shiitake</i> mushroom	0.2 ppm
Other mushrooms	0.2 ppm
Other vegetables	0.2 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm

	Papaya	0.2 ppm
	Avocado	0.2 ppm
	Pineapple	0.2 ppm
	Guava	0.2 ppm
	Mango	0.2 ppm
	Passion fruit	0.2 ppm
	Date	0.2 ppm
	Other fruits	0.2 ppm
	Sunflower seeds	0.2 ppm
	Sesame seeds	0.2 ppm
	Safflower seeds	0.2 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	0.2 ppm
	Other oil seeds	0.2 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.1 ppm
	Other spices	0.2 ppm
	Other herbs	0.2 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
AZINPHOS-METHYL	Corn (maize)	2 ppm

Soybeans, dry	0.05 ppm
Beans, dry*	0.5 ppm
Peas	0.5 ppm
Broad beans	0.5 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.5 ppm
Potato	0.05 ppm
Taro	0.5 ppm
Sweet potato	0.5 ppm
Yam	0.5 ppm
Konjac	0.5 ppm
Other potatoes	0.5 ppm
Sugar beet	0.5 ppm
Sugarcane	0.2 ppm
Japanese radish, roots (including radish)	0.5 ppm
Japanese radish, leaves (including radish)	0.5 ppm
Turnip, roots	0.5 ppm
Turnip, leaves	0.5 ppm
Horseradish	0.5 ppm
Watercress	0.5 ppm
Chinese cabbage	0.5 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.5 ppm
Kale	0.5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Broccoli	1 ppm
Other cruciferous vegetables	0.5 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm

Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	2 ppm
Japanese pear	2 ppm
Pear	2 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	2 ppm

Nectarine	2 ppm
Apricot	1 ppm
Japanese plum (including prune)	2 ppm
Mume plum	1 ppm
Cherry	2 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	5 ppm
Cranberry	0.1 ppm
Huckleberry	5 ppm
Other berries	1 ppm
Grape	1 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	1 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	1 ppm
Other fruits	1 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.2 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.5 ppm
Chestnut	0.5 ppm
Pecan	0.3 ppm
Almond	0.05 ppm
Walnut	0.3 ppm
Other nuts	0.3 ppm
Other herbs	0.5 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm

	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
ASPOXICILLIN	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Milk	0.05 ppm
ACEQUINOCYL	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm

Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	0.02 ppm
Other solanaceous vegetables	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	1 ppm

Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	1 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Quince	2 ppm
Loquat	0.1 ppm
Nectarine	2 ppm
Apricot	2 ppm
Mume plum	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Japanese persimmon	2 ppm
Banana	2 ppm
Kiwifruit	0.1 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	2 ppm
Other fruits	2 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm

	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	50 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	2 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
ACETAMIPRID	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Beans, dry*	2 ppm
	Peas	2 ppm
	Broad beans	2 ppm
	Peanuts, dry	2 ppm
	Other legumes/pulses	2 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.2 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	5 ppm
	Horseradish	0.1 ppm
	Watercress	5 ppm
	Kale	5 ppm

<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
<i>Kyona</i>	5 ppm
Qing-geng-cai	5 ppm
Cauliflower	5 ppm
Broccoli	5 ppm
Other cruciferous vegetables	5 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	5 ppm
Chicory	5 ppm
Endive	5 ppm
<i>Shungiku</i>	5 ppm
Lettuce (including cos lettuce and leaf lettuce)	5 ppm
Other composite vegetables	5 ppm
Onion	0.2 ppm
Welsh (including leek)	5 ppm
Garlic	0.2 ppm
<i>Nira</i>	5 ppm
Asparagus	5 ppm
Multiplying onion	5 ppm
Other liliaceous vegetables	5 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Other solanaceous vegetables	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	5 ppm
Bamboo shoots	0.1 ppm
Okra	1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	5 ppm
Green soybeans	5 ppm
Other vegetables	5 ppm
Quince	1 ppm
Loquat	1 ppm

Nectarine	1 ppm
Apricot	5 ppm
Japanese plum (including prune)	5 ppm
Mume plum	5 ppm
Cherry	5 ppm
Raspberry	5 ppm
Blackberry	5 ppm
Blueberry	5 ppm
Cranberry	5 ppm
Huckleberry	5 ppm
Other berries	5 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	1 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	5 ppm
Other fruits	5 ppm
Cotton seeds	0.3 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.01 ppm
Other spices	5 ppm
Other herbs	5 ppm
Cattle, muscle	0.06 ppm
Pig, muscle	0.06 ppm
Other terrestrial mammals, muscle	0.06 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.1 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.1 ppm
Pig, kidney	0.1 ppm
Other terrestrial mammals, kidney	0.1 ppm
Cattle, edible offal	0.1 ppm
Pig, edible offal	0.1 ppm
Other terrestrial mammals, edible offal	0.1 ppm
Milk	0.06 ppm

	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
2-ACETYLAMINO-5-NITROTHIAZOLE	Other poultry, muscle	0.1 ppm
	Other poultry, fat	0.1 ppm
	Other poultry, liver	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Other poultry, edible offal	0.1 ppm
ACETOCHLOR	Wheat	0.02 ppm
	Corn (maize)	0.05 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.1 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Green soybeans	0.1 ppm
ACEPHATE	Broad beans	2 ppm
	Other legumes/pulses	1 ppm
	Artichoke	0.3 ppm
	Chicory	6 ppm
	Endive	6 ppm
	<i>Shungiku</i>	6 ppm
	<i>Mitsuba</i>	0.02 ppm
	Pumpkin (including squash)	1 ppm
	Oriental pickling melon (vegetable)	1 ppm
	Melons	1 ppm
	<i>Makuwauri</i> melon	1 ppm
	Spinach	6 ppm
	Button mushroom	1 ppm
	<i>Shiitake</i> mushroom	1 ppm
	Other mushrooms	1 ppm
	Banana	1 ppm
	<i>Sansho</i> (Japanese peper)	1 ppm
	Other herbs	5 ppm
	Cattle, muscle	0.05 ppm

	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
AZOXYSTROBIN	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.3 ppm
	Peas	0.3 ppm
	Broad beans	0.3 ppm
	Other legumes/pulses	0.3 ppm
	Taro	0.04 ppm
	Sweet potato	0.04 ppm
	Yam	0.04 ppm
	Konjac	0.05 ppm
	Other potatoes	0.04 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.3 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Turnip, roots	0.3 ppm

Turnip, leaves	5 ppm
Horseradish	0.4 ppm
Watercress	5 ppm
Chinese cabbage	0.5 ppm
Cabbage	0.5 ppm
Brussels sprouts	5 ppm
Kale	5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
<i>Kyona</i>	5 ppm
Qing-geng-cai	5 ppm
Cauliflower	5 ppm
Broccoli	5 ppm
Other cruciferous vegetables	5 ppm
Burdock	0.3 ppm
Salsify	0.4 ppm
Artichoke	5 ppm
Chicory	5 ppm
Endive	5 ppm
<i>Shungiku</i>	5 ppm
Lettuce (including cos lettuce and leaf lettuce)	5 ppm
Other composite vegetables	5 ppm
<i>Nira</i>	5 ppm
Asparagus	5 ppm
Other liliaceous vegetables	5 ppm
Parsnip	0.4 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Pimiento (sweet pepper)	2 ppm
Other solanaceous vegetables	2 ppm
Spinach	5 ppm
Bamboo shoots	0.05 ppm
Okra	1 ppm
Ginger	0.04 ppm
Peas, immature (with pods)	2 ppm
Kidney beans, immature (with pods)	2 ppm
Green soybeans	2 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange, pulp	1 ppm

Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	10 ppm
Apple	2 ppm
Quince	2 ppm
Loquat	0.1 ppm
Raspberry	10 ppm
Blackberry	10 ppm
Blueberry	10 ppm
Cranberry	10 ppm
Huckleberry	10 ppm
Other berries	10 ppm
Kiwifruit	0.1 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	10 ppm
Other fruits	10 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.5 ppm
Cotton seeds	0.03 ppm
Other oil seeds	0.04 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	20 ppm
Other spices	10 ppm
Other herbs	5 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.03 ppm
Pig, fat	0.04 ppm
Other terrestrial mammals, fat	0.03 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.09 ppm
Other terrestrial mammals, liver	0.1 ppm

	Cattle, kidney	0.05 ppm
	Pig, kidney	0.03 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.04 ppm
	Milk	0.008 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
	Salmoniformes	0.008 ppm
	Anguilliformes	0.008 ppm
	Perciformes	0.008 ppm
	Other fish	0.008 ppm
	Shelled molluscas	0.008 ppm
	Crustaceans	0.008 ppm
	Other aquatic animal	0.008 ppm
	Honey	0.008 ppm
ATRAZINE	Wheat	0.3 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.06 ppm
	Potato	0.06 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm

Konjac	0.1 ppm
Other potatoes	0.1 ppm
Sugar beet	0.1 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm

Egg plant	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm

Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	0.06 ppm
Other herbs	0.02 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.02 ppm
Other terrestrial mammals, fat	0.02 ppm
Cattle, liver	0.06 ppm
Pig, liver	0.06 ppm
Other terrestrial mammals, liver	0.06 ppm
Cattle, kidney	0.06 ppm
Pig, kidney	0.06 ppm
Other terrestrial mammals, kidney	0.06 ppm
Cattle, edible offal	0.06 ppm

	Pig, edible offal	0.06 ppm
	Other terrestrial mammals, edible offal	0.06 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Mineral waters	0.002 ppm
ANILAZINE	Potato	0.7 ppm
	Sugar beet	10 ppm
	Japanese radish, roots (including radish)	10 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Turnip, roots	10 ppm
	Turnip, leaves	10 ppm
	Horseradish	10 ppm
	Watercress	10 ppm
	Chinese cabbage	10 ppm
	Cabbage	10 ppm
	Brussels sprouts	10 ppm
	Kale	10 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	10 ppm
	<i>Kyona</i>	10 ppm
	Qing-geng-cai	10 ppm
	Cauliflower	10 ppm
	Broccoli	10 ppm
	Other cruciferous vegetables	10 ppm
	Burdock	10 ppm
	Salsify	10 ppm
	Artichoke	10 ppm
	Chicory	10 ppm
	Endive	10 ppm
	<i>Shungiku</i>	10 ppm
	Lettuce (including cos lettuce and leaf lettuce)	10 ppm
	Other composite vegetables	10 ppm
	Onion	10 ppm

Welsh (including leek)	10 ppm
Garlic	10 ppm
<i>Nira</i>	10 ppm
Asparagus	10 ppm
Multiplying onion	10 ppm
Other liliaceous vegetables	10 ppm
Carrot	10 ppm
Parsnip	10 ppm
Parsley	10 ppm
Celery	10 ppm
<i>Mitsuba</i>	10 ppm
Other umbelliferous vegetables	10 ppm
Tomato	10 ppm
Pimiento (sweet pepper)	10 ppm
Egg plant	10 ppm
Other solanaceous vegetables	10 ppm
Cucumber (including gherkin)	10 ppm
Pumpkin (including squash)	10 ppm
Oriental pickling melon (vegetable)	10 ppm
Water melon	10 ppm
Melons	10 ppm
<i>Makuwauri</i> melon	10 ppm
Other cucurbitaceous vegetables	10 ppm
Spinach	10 ppm
Bamboo shoots	10 ppm
Okra	10 ppm
Ginger	10 ppm
Peas, immature (with pods)	10 ppm
Kidney beans, immature (with pods)	10 ppm
Green soybeans	10 ppm
Button mushroom	10 ppm
<i>Shiitake</i> mushroom	10 ppm
Other mushrooms	10 ppm
Other vegetables	10 ppm
<i>Unshu</i> orange,pulp	10 ppm
Citrus <i>natsudaidai</i> , whole	10 ppm
Lemon	10 ppm
Orange (including navel orange)	10 ppm
Grapefruit	10 ppm
Lime	10 ppm
Other citrus fruits	10 ppm
Apple	10 ppm
Japanese pear	10 ppm

	Pear	10 ppm
	Quince	10 ppm
	Loquat	10 ppm
	Peach	10 ppm
	Nectarine	10 ppm
	Apricot	10 ppm
	Japanese plum (including prune)	10 ppm
	Mume plum	10 ppm
	Cherry	10 ppm
	Strawberry	20 ppm
	Raspberry	10 ppm
	Blackberry	10 ppm
	Blueberry	10 ppm
	Cranberry	10 ppm
	Huckleberry	10 ppm
	Other berries	10 ppm
	Grape	10 ppm
	Japanese persimmon	10 ppm
	Banana	10 ppm
	Kiwifruit	10 ppm
	Papaya	10 ppm
	Avocado	10 ppm
	Pineapple	10 ppm
	Guava	10 ppm
	Mango	10 ppm
	Passion fruit	10 ppm
	Date	10 ppm
	Other fruits	10 ppm
	Sunflower seeds	10 ppm
	Sesame seeds	10 ppm
	Safflower seeds	10 ppm
	Cotton seeds	10 ppm
	Rapeseeds	10 ppm
	Other oil seeds	10 ppm
	Ginkgo nut	10 ppm
	Chestnut	10 ppm
	Pecan	10 ppm
	Almond	10 ppm
	Walnut	10 ppm
	Other nuts	10 ppm
	Other spices	10 ppm
	Other herbs	10 ppm
ANILOFOS	Rice (brown rice)	0.05 ppm

ABAMECTIN	Rice (brown rice)	0.01 ppm
	Wheat	0.01 ppm
	Barley	0.01 ppm
	Rye	0.01 ppm
	Corn (maize)	0.01 ppm
	Buckwheat	0.01 ppm
	Other cereal grains	0.01 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.01 ppm
	Sugarcane	0.008 ppm
	Japanese radish, roots (including radish)	0.01 ppm
	Japanese radish, leaves (including radish)	0.01 ppm
	Turnip, roots	0.01 ppm
	Turnip, leaves	0.01 ppm
	Horseradish	0.01 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.01 ppm
	Cabbage	0.01 ppm
	Brussels sprouts	0.01 ppm
	Kale	0.01 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
	<i>Kyona</i>	0.01 ppm
	Qing-geng-cai	0.01 ppm
	Cauliflower	0.01 ppm
	Broccoli	0.01 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.01 ppm
	Salsify	0.01 ppm
	Artichoke	0.01 ppm
Chicory	0.06 ppm	
Endive	0.1 ppm	
<i>Shungiku</i>	0.06 ppm	

Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.06 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.01 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.06 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.06 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanaceous vegetables	0.03 ppm
Cucumber (including gherkin)	0.01 ppm
Pumpkin (including squash)	0.01 ppm
Oriental pickling melon (vegetable)	0.008 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.008 ppm
Spinach	0.06 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.01 ppm
Green soybeans	0.01 ppm
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange, pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm

Other citrus fruits	0.01 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Papaya	0.01 ppm
Avocado	0.02 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.02 ppm

Tea	0.02 ppm	
Coffee beans	0.008 ppm	
Cacao beans	0.008 ppm	
Hop	0.1 ppm	
Other spices	0.1 ppm	
Other herbs	0.1 ppm	
Cattle, muscle	0.01 ppm	
Pig, muscle	0.01 ppm	
Other terrestrial mammals, muscle	0.01 ppm	
Cattle, fat	0.1 ppm	
Pig, fat	0.02 ppm	
Other terrestrial mammals, fat	0.04 ppm	
Cattle, liver	0.1 ppm	
Pig, liver	0.02 ppm	
Other terrestrial mammals, liver	0.1 ppm	
Cattle, kidney	0.05 ppm	
Pig, kidney	0.01 ppm	
Other terrestrial mammals, kidney	0.1 ppm	
Cattle, edible offal	0.04 ppm	
Pig, edible offal	0.02 ppm	
Other terrestrial mammals, edible offal	0.1 ppm	
Milk	0.005 ppm	
Chicken, muscle	0.01 ppm	
Other poultry, muscle	0.01 ppm	
Chicken, fat	0.01 ppm	
Other poultry, fat	0.01 ppm	
Chicken, liver	0.02 ppm	
Other poultry, liver	0.02 ppm	
Chicken, kidney	0.02 ppm	
Other poultry, kidney	0.02 ppm	
Chicken, edible offal	0.02 ppm	
Other poultry, edible offal	0.02 ppm	
Chicken, eggs	0.01 ppm	
Other poultry, eggs	0.01 ppm	
Salmoniformes	0.005 ppm	
Anguilliformes	0.005 ppm	
Perciformes	0.005 ppm	
Other fish	0.005 ppm	
Shelled molluscas	0.005 ppm	
Crustaceans	0.005 ppm	
Other aquatic animal	0.005 ppm	
Honey	0.005 ppm	
AVILAMYCIN	Pig, muscle	0.03 ppm

	Pig, fat	0.03 ppm
	Pig, liver	0.03 ppm
	Pig, kidney	0.03 ppm
	Pig, edible offal	0.03 ppm
	Chicken, muscle	0.03 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.03 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.03 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.03 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.03 ppm
	Other poultry, edible offal	0.05 ppm
APRAMYCIN	Cattle, muscle	0.5 ppm
	Pig, muscle	0.06 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	1 ppm
	Pig, fat	0.06 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	6 ppm
	Pig, liver	0.06 ppm
	Other terrestrial mammals, liver	2 ppm
	Cattle, kidney	10 ppm
	Pig, kidney	0.06 ppm
	Other terrestrial mammals, kidney	2 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	0.06 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.8 ppm
	Other poultry, liver	0.8 ppm
	Chicken, kidney	0.8 ppm
	Other poultry, kidney	0.8 ppm
	Chicken, edible offal	0.8 ppm
	Other poultry, edible offal	0.8 ppm
AVOPARCIN	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm

	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
AMITRAZ	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm

Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Melons	0.05 ppm

Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
Mume plum	0.3 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Pineapple	0.05 ppm
Sesame seeds	0.05 ppm
Chestnut	0.05 ppm
Tea	0.1 ppm
Hop	40 ppm
Other spices	0.5 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.4 ppm
Cattle, liver	0.2 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm
Cattle, kidney	0.2 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.2 ppm
Cattle, edible offal	0.2 ppm
Pig, edible offal	0.2 ppm
Other terrestrial mammals, edible offal	0.2 ppm
Milk	0.01 ppm
Chicken, muscle	0.02 ppm
Other poultry, muscle	0.02 ppm
Chicken, fat	0.01 ppm

	Other poultry, fat	0.01 ppm
	Chicken, liver	0.04 ppm
	Other poultry, liver	0.04 ppm
	Chicken, kidney	0.04 ppm
	Other poultry, kidney	0.04 ppm
	Chicken, edible offal	0.04 ppm
	Other poultry, edible offal	0.04 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Honey	0.2 ppm
AMINOETHOXYVINYLGLYCINE	Apple	0.09 ppm
	Pear	0.08 ppm
	Peach	0.2 ppm
	Nectarine	0.2 ppm
	Apricot	0.2 ppm
	Japanese plum (including prune)	0.2 ppm
	Mume plum	0.2 ppm
	Cherry	0.2 ppm
AMINOPYRALID	Wheat	0.04 ppm
	Cattle, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.03 ppm
4-AMINOPYRIDINE	Corn (maize)	0.1 ppm
	Sunflower seeds	0.1 ppm
AMETRYN	Corn (maize)	0.3 ppm
	Taro	0.3 ppm
	Yam	0.3 ppm
	Sugarcane	0.2 ppm
	Water melon	0.4 ppm
	Melons	0.4 ppm
	<i>Makuwauri</i> melon	0.4 ppm
	<i>Unshu</i> orange, pulp	0.4 ppm
	Citrus <i>natsudaidai</i> , whole	0.4 ppm
	Lemon	0.4 ppm
	Orange (including navel orange)	0.4 ppm

Grapefruit	0.4 ppm
Lime	0.4 ppm
Other citrus fruits	0.4 ppm
Apple	0.4 ppm
Japanese pear	0.4 ppm
Pear	0.4 ppm
Quince	0.4 ppm
Loquat	0.4 ppm
Peach	0.4 ppm
Nectarine	0.4 ppm
Apricot	0.4 ppm
Japanese plum (including prune)	0.4 ppm
Mume plum	0.4 ppm
Cherry	0.4 ppm
Strawberry	0.4 ppm
Raspberry	0.4 ppm
Blackberry	0.4 ppm
Blueberry	0.4 ppm
Cranberry	0.4 ppm
Huckleberry	0.4 ppm
Other berries	0.4 ppm
Grape	0.4 ppm
Japanese persimmon	0.4 ppm
Banana	0.4 ppm
Kiwifruit	0.4 ppm
Papaya	0.4 ppm
Avocado	0.4 ppm
Pineapple	0.4 ppm
Guava	0.4 ppm
Mango	0.4 ppm
Passion fruit	0.4 ppm
Date	0.4 ppm
Other fruits	0.4 ppm
Sunflower seeds	0.4 ppm
Sesame seeds	0.4 ppm
Safflower seeds	0.4 ppm
Cotton seeds	0.4 ppm
Rapeseeds	0.4 ppm
Other oil seeds	0.4 ppm
Ginkgo nut	0.4 ppm
Chestnut	0.4 ppm
Pecan	0.4 ppm
Almond	0.4 ppm

	Walnut	0.4 ppm
	Other nuts	0.4 ppm
	Other spices	0.4 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
AMOXICYLLIN	Cattle, muscle	0.04 ppm
	Pig, muscle	0.04 ppm
	Other terrestrial mammals, muscle	0.04 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.04 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.04 ppm
	Other terrestrial mammals, liver	0.04 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.04 ppm
	Other terrestrial mammals, kidney	0.04 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.04 ppm
	Other terrestrial mammals, edible offal	0.03 ppm
	Milk	0.008 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.04 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.04 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.04 ppm

	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.03 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.02 ppm
	Other fish	0.05 ppm
	Shelled molluscas	0.05 ppm
	Crustaceans	0.05 ppm
	Other aquatic animal	0.05 ppm
	Honey	0.008 ppm
ALACHLOR	Barley	0.05 ppm
	Rye	0.05 ppm
	Buckwheat	0.05 ppm
	Peas	0.05 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Turnip, roots	0.01 ppm
	Turnip, leaves	0.01 ppm
	Horseradish	0.01 ppm
	Watercress	0.01 ppm
	Kale	0.01 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
	<i>Kyona</i>	0.01 ppm
	Qing-geng-cai	0.01 ppm
	Cauliflower	0.01 ppm
	Broccoli	0.01 ppm
	Other cruciferous vegetables	0.01 ppm
	Burdock	0.01 ppm
	Salsify	0.01 ppm
	Artichoke	0.01 ppm
	Chicory	0.01 ppm
	Endive	0.01 ppm
	<i>Shungiku</i>	0.01 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.01 ppm
	Other composite vegetables	0.01 ppm
	Welsh (including leek)	0.01 ppm
	<i>Nira</i>	0.01 ppm
	Asparagus	0.01 ppm

Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm
Bamboo shoots	0.01 ppm
Ginger	0.01 ppm
Other vegetables	0.01 ppm
Apple	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Papaya	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Other spices	0.1 ppm
Other herbs	0.01 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.02 ppm
Other terrestrial mammals, fat	0.02 ppm

	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Mineral waters	0.02 ppm
ALANYCARB	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm

Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	2 ppm
Melons	2 ppm
<i>Makuwauri</i> melon	2 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm

<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	2 ppm
Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	2 ppm
Apple	2 ppm
Japanese pear	2 ppm
Pear	2 ppm
Quince	2 ppm
Loquat	2 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Grape	2 ppm
Japanese persimmon	2 ppm
Banana	2 ppm
Kiwifruit	2 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	2 ppm
Other fruits	2 ppm
Sunflower seeds	2 ppm
Sesame seeds	2 ppm
Safflower seeds	2 ppm

	Cotton seeds	2 ppm
	Rapeseeds	2 ppm
	Other oil seeds	2 ppm
	Ginkgo nut	2 ppm
	Chestnut	2 ppm
	Pecan	2 ppm
	Almond	2 ppm
	Walnut	2 ppm
	Other nuts	2 ppm
	Tea	5 ppm
	Other spices	2 ppm
	Other herbs	0.1 ppm
ARAMITE	Corn (maize)	0.01 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.01 ppm
	Japanese radish, roots (including radish)	0.01 ppm
	Japanese radish, leaves (including radish)	0.01 ppm
	Turnip, roots	0.01 ppm
	Turnip, leaves	0.01 ppm
	Horseradish	0.01 ppm
	Watercress	0.01 ppm
	Chinese cabbage	0.01 ppm
	Cabbage	0.01 ppm
	Brussels sprouts	0.01 ppm
	Kale	0.01 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
	<i>Kyona</i>	0.01 ppm
	Qing-geng-cai	0.01 ppm
	Cauliflower	0.01 ppm
	Broccoli	0.01 ppm
	Other cruciferous vegetables	0.01 ppm
	Burdock	0.01 ppm

Salsify	0.01 ppm
Artichoke	0.01 ppm
Chicory	0.01 ppm
Endive	0.01 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.01 ppm
Other composite vegetables	0.01 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.01 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm
Tomato	0.01 ppm
Pimiento (sweet pepper)	0.01 ppm
Egg plant	0.01 ppm
Other solanaceous vegetables	0.01 ppm
Cucumber (including gherkin)	0.01 ppm
Pumpkin (including squash)	0.01 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	0.01 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	0.01 ppm
Green soybeans	0.01 ppm
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other vegetables	0.01 ppm
<i>Unshu</i> orange, pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm

Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm

	Almond	0.01 ppm
	Walnut	0.01 ppm
	Other nuts	0.01 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.01 ppm
	Other herbs	0.01 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
ALLIDOCHLOR	Corn (maize)	0.05 ppm
ALDICARB	Peas	0.05 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Taro	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm

Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.1 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.2 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm

Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Japanese persimmon	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm

Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.05 ppm
Hop	0.05 ppm
Other spices	0.2 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.01 ppm
Other terrestrial mammals, fat	0.01 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.01 ppm
Other terrestrial mammals, kidney	0.01 ppm
Cattle, edible offal	0.01 ppm
Pig, edible offal	0.01 ppm
Other terrestrial mammals, edible offal	0.01 ppm
Milk	0.01 ppm
Chicken, muscle	0.01 ppm
Other poultry, muscle	0.01 ppm
Chicken, fat	0.01 ppm
Other poultry, fat	0.01 ppm
Chicken, liver	0.01 ppm
Other poultry, liver	0.01 ppm
Chicken, kidney	0.01 ppm
Other poultry, kidney	0.01 ppm
Chicken, edible offal	0.01 ppm
Other poultry, edible offal	0.01 ppm
Chicken, eggs	0.01 ppm
Other poultry, eggs	0.01 ppm

	Mineral waters	0.01 ppm
ALDOXYCARB	Wheat	0.02 ppm
	Cattle, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Cattle, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
	ALDRIN and DIELDRIN (as total)	Barley
Rye		0.02 ppm
Other cereal grains		0.02 ppm
Soybeans, dry		0.05 ppm
Beans, dry*		0.05 ppm
Peanuts, dry		0.06 ppm
Other legumes/pulses		0.05 ppm
Taro		0.1 ppm
Sweet potato		0.1 ppm
Yam		0.1 ppm
Konjac		0.1 ppm
Other potatoes		0.1 ppm
Sugar beet		0.1 ppm
Sugarcane		0.01 ppm
Turnip, roots		0.1 ppm
Turnip, leaves		0.05 ppm
Horseradish		0.1 ppm
Watercress		0.05 ppm
Kale		0.05 ppm
Qing-geng-cai		0.05 ppm
Other cruciferous vegetables	0.1 ppm	
Burdock	0.1 ppm	
Salsify	0.1 ppm	

Artichoke	0.06 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Other composite vegetables	0.1 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.06 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.06 ppm
Other umbelliferous vegetables	0.1 ppm
Other solanceous vegetables	0.05 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Bamboo shoots	0.06 ppm
Okra	0.06 ppm
Ginger	0.06 ppm
Green soybeans	0.05 ppm
Button mushroom	0.06 ppm
<i>Shiitake</i> mushroom	0.06 ppm
Other mushrooms	0.06 ppm
Other vegetables	0.1 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Quince	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm

Huckleberry	0.05 ppm
Other berries	0.06 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.07 ppm
Sunflower seeds	0.06 ppm
Sesame seeds	0.06 ppm
Safflower seeds	0.06 ppm
Cotton seeds	0.06 ppm
Rapeseeds	0.06 ppm
Other oil seeds	0.06 ppm
Ginkgo nut	0.06 ppm
Chestnut	0.06 ppm
Pecan	0.06 ppm
Almond	0.06 ppm
Walnut	0.06 ppm
Other nuts	0.06 ppm
Tea (except unfermented tea)	Not detected
Coffee beans	0.1 ppm
Cacao beans	0.1 ppm
Hop	0.06 ppm
Other spices	0.1 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.2 ppm
Pig, fat	0.2 ppm
Other terrestrial mammals, fat	0.2 ppm
Cattle, liver	0.2 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm
Cattle, kidney	0.2 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.2 ppm
Cattle, edible offal	0.2 ppm

	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.006 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
	Salmoniformes	0.1 ppm
	Anguilliformes	0.1 ppm
	Perciformes	0.1 ppm
	Other fish	0.1 ppm
	Shelled molluscas	0.1 ppm
	Crustaceans	0.1 ppm
	Other aquatic animal	0.1 ppm
	Honey	0.1 ppm
	Mineral waters	0.00003 ppm
ALTRENOGEST	Cattle, muscle	0.003 ppm
	Pig, muscle	0.003 ppm
	Other terrestrial mammals, muscle	0.003 ppm
	Cattle, fat	0.003 ppm
	Pig, fat	0.003 ppm
	Other terrestrial mammals, fat	0.003 ppm
	Cattle, liver	0.003 ppm
	Pig, liver	0.005 ppm
	Other terrestrial mammals, liver	0.003 ppm
	Cattle, kidney	0.003 ppm
	Pig, kidney	0.005 ppm
	Other terrestrial mammals, kidney	0.003 ppm
	Cattle, edible offal	0.003 ppm
	Pig, edible offal	0.005 ppm
	Other terrestrial mammals, edible offal	0.003 ppm
	Milk	0.003 ppm
	Chicken, muscle	0.003 ppm
	Other poultry, muscle	0.003 ppm
	Chicken, fat	0.003 ppm

	Other poultry, fat	0.003 ppm
	Chicken, liver	0.003 ppm
	Other poultry, liver	0.003 ppm
	Chicken, kidney	0.003 ppm
	Other poultry, kidney	0.003 ppm
	Chicken, edible offal	0.003 ppm
	Other poultry, edible offal	0.003 ppm
	Chicken, eggs	0.003 ppm
	Other poultry, eggs	0.003 ppm
	Salmoniformes	0.003 ppm
	Anguilliformes	0.003 ppm
	Perciformes	0.003 ppm
	Other fish	0.003 ppm
	Shelled molluscas	0.003 ppm
	Crustaceans	0.003 ppm
	Other aquatic animal	0.003 ppm
	Honey	0.003 ppm
ALLETHRIN	Cattle, muscle	0.04 ppm
	Pig, muscle	0.04 ppm
	Other terrestrial mammals, muscle	0.04 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.04 ppm
	Other terrestrial mammals, fat	0.04 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.04 ppm
	Other terrestrial mammals, liver	0.04 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.04 ppm
	Other terrestrial mammals, kidney	0.04 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.04 ppm
	Other terrestrial mammals, edible offal	0.04 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.04 ppm
	Chicken, fat	0.04 ppm
	Chicken, liver	0.04 ppm
	Chicken, kidney	0.04 ppm
	Chicken, edible offal	0.04 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
AMPICILLIN	Cattle, muscle	0.03 ppm
	Pig, muscle	0.06 ppm
	Other terrestrial mammals, muscle	0.04 ppm

	Cattle, fat	0.03 ppm
	Pig, fat	0.06 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.06 ppm
	Other terrestrial mammals, liver	0.04 ppm
	Cattle, kidney	0.03 ppm
	Pig, kidney	0.009 ppm
	Other terrestrial mammals, kidney	0.04 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.03 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.03 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.01 ppm
	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.06 ppm
	Other fish	0.05 ppm
	Shelled molluscas	0.05 ppm
	Crustaceans	0.05 ppm
	Other aquatic animal	0.05 ppm
	Honey	0.009 ppm
AMPROLIUM	Cattle, muscle	0.5 ppm
	Cattle, fat	2 ppm
	Cattle, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
	Chicken, muscle	0.03 ppm
	Other poultry, muscle	0.5 ppm
	Chicken, fat	0.03 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	0.03 ppm
	Other poultry, liver	1 ppm

	Chicken, kidney	0.03 ppm
	Other poultry, kidney	1 ppm
	Chicken, edible offal	0.03 ppm
	Other poultry, edible offal	1 ppm
	Chicken, eggs	5 ppm
	Other poultry, eggs	5 ppm
IODOSULFURON METHYL	Wheat	0.01 ppm
	Corn (maize)	0.03 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
ISAZOFOS	Carrot	0.2 ppm
ISOURON	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm

Other cereal grains	0.02 ppm
Soybeans, dry	0.02 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.05 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm

Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm

Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Other spices	0.02 ppm
Other herbs	0.02 ppm

ISOEUGENOL	Salmoniformes	100 ppm
	Anguilliformes	100 ppm
	Perciformes	100 ppm
	Other fish	100 ppm
ISOXADIFEN-ETHYL	Rice (brown rice)	0.1 ppm
	Corn (maize)	0.09 ppm
ISOXATHION	Rice (brown rice)	0.2 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm	
<i>Kyona</i>	0.1 ppm	
Qing-geng-cai	0.1 ppm	
Cauliflower	0.1 ppm	
Broccoli	0.1 ppm	
Other cruciferous vegetables	0.1 ppm	
Burdock	0.1 ppm	

Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.2 ppm

Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	0.2 ppm
Sunflower seeds	0.2 ppm
Sesame seeds	0.2 ppm
Safflower seeds	0.2 ppm
Cotton seeds	0.2 ppm
Rapeseeds	0.2 ppm
Other oil seeds	0.2 ppm
Ginkgo nut	0.2 ppm

	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	5 ppm
	Other spices	0.2 ppm
	Other herbs	0.1 ppm
ISOXAFLUTOLE	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Other legumes/pulses	0.03 ppm
	Sugarcane	0.01 ppm
	Other spices	0.03 ppm
	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.4 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.08 ppm
	Pig, kidney	0.08 ppm
	Other terrestrial mammals, kidney	0.08 ppm
	Cattle, edible offal	0.08 ppm
	Pig, edible offal	0.08 ppm
	Other terrestrial mammals, edible offal	0.08 ppm
	Milk	0.03 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.08 ppm
	Other poultry, kidney	0.08 ppm
	Chicken, edible offal	0.08 ppm

	Other poultry, edible offal	0.08 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
ISOCYANURATE	Cattle, muscle	0.8 ppm
	Pig, muscle	0.8 ppm
	Other terrestrial mammals, muscle	0.8 ppm
	Cattle, fat	0.8 ppm
	Pig, fat	0.8 ppm
	Other terrestrial mammals, fat	0.8 ppm
	Cattle, liver	0.8 ppm
	Pig, liver	0.8 ppm
	Other terrestrial mammals, liver	0.8 ppm
	Cattle, kidney	0.8 ppm
	Pig, kidney	0.8 ppm
	Other terrestrial mammals, kidney	0.8 ppm
	Cattle, edible offal	0.8 ppm
	Pig, edible offal	0.8 ppm
	Other terrestrial mammals, edible offal	0.8 ppm
	Milk	0.8 ppm
	Chicken, muscle	0.8 ppm
	Chicken, fat	0.8 ppm
	Chicken, liver	0.8 ppm
	Chicken, kidney	0.8 ppm
	Chicken, edible offal	2 ppm
	Chicken, eggs	0.8 ppm
DIPROPYL ISOCINCHOMERONATE	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.004 ppm
	Chicken, muscle	0.004 ppm
	Other poultry, muscle	0.004 ppm

	Chicken, fat	0.004 ppm
	Other poultry, fat	0.004 ppm
	Chicken, liver	0.004 ppm
	Other poultry, liver	0.004 ppm
	Chicken, kidney	0.004 ppm
	Other poultry, kidney	0.004 ppm
	Chicken, edible offal	0.004 ppm
	Other poultry, edible offal	0.004 ppm
	Chicken, eggs	0.004 ppm
	Other poultry, eggs	0.004 ppm
	Salmoniformes	0.004 ppm
	Anguilliformes	0.004 ppm
	Perciformes	0.004 ppm
	Other fish	0.004 ppm
	Shelled molluscas	0.004 ppm
	Crustaceans	0.004 ppm
	Other aquatic animal	0.004 ppm
	Honey	0.004 ppm
ISOFENPHOS	Other spices	2 ppm
	Other herbs	0.1 ppm
	Milk	0.01 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
ISOPROTHIOLANE	Rice (brown rice)	2 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	<i>Unshu</i> orange,pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm
	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	0.1 ppm
	Nectarine	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm

	Mume plum	0.1 ppm
	Cherry	0.1 ppm
	Strawberry	0.1 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Banana	0.1 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesame seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Other spices	0.1 ppm
	Cattle, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Milk	0.02 ppm
ISOPROTURON	Mineral waters	0.009 ppm
ISOMETAMIDIUM	Cattle, edible offal	0.5 ppm
IPRODIONE	Sugarcane	0.05 ppm

	Coffee beans	0.05 ppm
	Cacao beans	0.05 ppm
	Hop	0.1 ppm
	Other spices (except seeds, roots and rhizomes)	20 ppm
	Other herbs	20 ppm
	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.3 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	1 ppm
	Pig, liver	1 ppm
	Other terrestrial mammals, liver	1 ppm
	Cattle, kidney	1 ppm
	Pig, kidney	1 ppm
	Other terrestrial mammals, kidney	0.9 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.2 ppm
	Chicken, muscle	0.5 ppm
	Other poultry, muscle	0.5 ppm
	Chicken, fat	2 ppm
	Other poultry, fat	2 ppm
	Chicken, liver	3 ppm
	Other poultry, liver	3 ppm
	Chicken, kidney	0.5 ppm
	Other poultry, kidney	0.5 ppm
	Chicken, edible offal	0.5 ppm
	Other poultry, edible offal	0.5 ppm
	Chicken, eggs	0.8 ppm
	Other poultry, eggs	0.8 ppm
IPROVALICARB	Tomato	2 ppm
	Grape	2 ppm
IPROBENFOS	Rice (brown rice)	0.2 ppm
IVERMECTIN	Cattle, muscle	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Pig, muscle	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Horse, muscle	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Other terrestrial mammals, muscle (except horse)	0.02 ppm (as 22,23-dihydroavermectin B _a)

	Other terrestrial mammals, fat (except sheep and horse)	0.04 ppm (as 22,23-dihydroavermectin B _a)
	Other terrestrial mammals, liver (except sheep and horse)	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Cattle, kidney	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Pig, kidney	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Sheep, kidney	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Horse, kidney	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Other terrestrial mammals, kidney (except sheep and horse)	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Cattle, edible offal	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Pig, edible offal	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Sheep, edible offal	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Horse, edible offal	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Other terrestrial mammals, edible offal (except sheep and horse)	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Milk	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Chicken, muscle	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Other poultry, muscle	0.01 ppm (as 22,23-dihydroavermectin B _a)
	Chicken, fat	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Other poultry, fat	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Chicken, liver	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Other poultry, liver	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Chicken, kidney	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Other poultry, kidney	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Chicken, edible offal	0.02 ppm (as 22,23-dihydroavermectin B _a)
	Other poultry, edible offal	0.02 ppm (as 22,23-dihydroavermectin B _a)
IMAZAQUIN	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm

Barley	0.05 ppm
Rye	0.05 ppm
Corn (maize)	0.05 ppm
Buckwheat	0.05 ppm
Other cereal grains	0.05 ppm
Soybeans, dry	0.05 ppm
Beans, dry*	0.05 ppm
Peas	0.05 ppm
Broad beans	0.05 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.05 ppm
Potato	0.05 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Sugarcane	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm

Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm

Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.05 ppm
Coffee beans	0.05 ppm

	Cacao beans	0.05 ppm
	Hop	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
IMAZAPIC-AMMONIUM	Wheat	0.05 ppm
	Peanuts, dry	0.1 ppm
	Sugarcane	0.05 ppm
	Rapeseeds	0.05 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.08 ppm
	Pig, fat	0.08 ppm
	Other terrestrial mammals, fat	0.08 ppm
	Cattle, liver	0.08 ppm
	Pig, liver	0.08 ppm
	Other terrestrial mammals, liver	0.08 ppm
	Cattle, kidney	0.5 ppm
	Pig, kidney	0.5 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Cattle, edible offal	0.08 ppm
	Pig, edible offal	0.08 ppm
	Other terrestrial mammals, edible offal	0.08 ppm
	Milk	0.06 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
IMAZAPYR	Wheat	0.05 ppm
	Corn (maize)	0.05 ppm
	Rapeseeds	0.05 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm

	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Salmoniformes	1 ppm
	Anguilliformes	1 ppm
	Perciformes	1 ppm
	Other fish	1 ppm
	Shelled molluscas	0.1 ppm
	Crustaceans	0.1 ppm
IMAZAMETHABENZ METHYL ESTER	Wheat	0.1 ppm
	Barley	0.1 ppm
	Sunflower seeds	0.1 ppm
IMAZAMOX-AMMONIUM	Wheat	0.2 ppm
	Peas, immature (with pods)	0.1 ppm
	Kidney beans, immature (with pods)	0.1 ppm
	Other vegetables	0.1 ppm
	Rapeseeds	0.05 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.03 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.03 ppm
	Cattle, fat	0.03 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.03 ppm
	Cattle, liver	0.03 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.03 ppm
	Cattle, kidney	0.03 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.03 ppm
	Cattle, edible offal	0.03 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.03 ppm

	Milk	0.03 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
IMAZALIL	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm
	Broccoli	0.02 ppm
	Other cruciferous vegetables	0.02 ppm
	Burdock	0.02 ppm
	Salsify	0.02 ppm

Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Other fruits	0.02 ppm

Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	5 ppm
Other herbs	0.02 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.02 ppm
Other terrestrial mammals, fat	0.02 ppm
Cattle, liver	0.3 ppm
Pig, liver	0.3 ppm
Other terrestrial mammals, liver	0.3 ppm
Cattle, kidney	0.02 ppm
Pig, kidney	0.02 ppm
Other terrestrial mammals, kidney	0.02 ppm
Cattle, edible offal	0.02 ppm
Pig, edible offal	0.02 ppm
Other terrestrial mammals, edible offal	0.02 ppm
Milk	0.02 ppm
Chicken, muscle	0.02 ppm
Other poultry, muscle	0.02 ppm
Chicken, fat	0.02 ppm
Other poultry, fat	0.02 ppm
Chicken, liver	0.02 ppm
Other poultry, liver	0.02 ppm
Chicken, kidney	0.02 ppm
Other poultry, kidney	0.02 ppm
Chicken, edible offal	0.02 ppm
Other poultry, edible offal	0.02 ppm
Chicken, eggs	0.02 ppm
Other poultry, eggs	0.02 ppm

IMAZETHAPYR AMMONIUM	Rice (brown rice)	0.2 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.08 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Burdock	0.05 ppm
	Salsify	0.05 ppm
	Artichoke	0.05 ppm
Chicory	0.05 ppm	
Endive	0.05 ppm	
<i>Shungiku</i>	0.05 ppm	

Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm

Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm

	Tea	0.05 ppm
	Coffee beans	0.05 ppm
	Cacao beans	0.05 ppm
	Hop	0.05 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
	Crustaceans	0.1 ppm
IMIDACLOPRID	Rice (brown rice)	0.2 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	1 ppm

Beans, dry*	4 ppm
Peas	1 ppm
Broad beans	1 ppm
Peanuts, dry	1 ppm
Other legumes/pulses	1 ppm
Potato	0.5 ppm
Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Sugar beet	0.05 ppm
Sugarcane	0.05 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	5 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	5 ppm
Horseradish	0.1 ppm
Watercress	5 ppm
Chinese cabbage	0.5 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.5 ppm
Kale	5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
<i>Kyona</i>	5 ppm
Qing-geng-cai	5 ppm
Cauliflower	5 ppm
Broccoli	5 ppm
Other cruciferous vegetables	5 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	5 ppm
Chicory	5 ppm
Endive	5 ppm
<i>Shungiku</i>	5 ppm
Lettuce (including cos lettuce and leaf lettuce)	5 ppm
Other composite vegetables	5 ppm
Onion	0.1 ppm
Welsh (including leek)	1 ppm
<i>Nira</i>	5 ppm
Asparagus	5 ppm
Multiplying onion	5 ppm
Other liliaceous vegetables	5 ppm

Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	3 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	5 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	0.5 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	5 ppm
Bamboo shoots	0.1 ppm
Okra	5 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	2 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	3 ppm
Apple	0.5 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	0.5 ppm
Peach	0.5 ppm
Nectarine	1 ppm
Apricot	1 ppm

Japanese plum (including prune)	0.2 ppm
Mume plum	3 ppm
Cherry	3 ppm
Strawberry	3 ppm
Raspberry	3 ppm
Blackberry	3 ppm
Blueberry	3 ppm
Cranberry	3 ppm
Huckleberry	3 ppm
Other berries	3 ppm
Grape	3 ppm
Japanese persimmon	1 ppm
Banana	0.05 ppm
Kiwifruit	0.5 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	3 ppm
Date	3 ppm
Other fruits	3 ppm
Sunflower seeds	0.02 ppm
Safflower seeds	0.05 ppm
Cotton seeds	3 ppm
Rapeseeds	0.05 ppm
Other oil seeds	2 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.05 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Tea	10 ppm
Cacao beans	0.05 ppm
Hop	10 ppm
Other spices	5 ppm
Other herbs	5 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.3 ppm
Pig, fat	0.3 ppm

	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
IMIDOCARB	Cattle, muscle	0.3 ppm
	Cattle, fat	0.05 ppm
	Cattle, liver	1.5 ppm
	Cattle, kidney	2 ppm
	Cattle, edible offal	5 ppm
	Milk	0.05 ppm
IMINOCTADINE	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.05 ppm

Turnip, leaves	0.1 ppm
Horseradish	0.05 ppm
Watercress	0.1 ppm
Chinese cabbage	0.03 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Other composite vegetables	0.1 ppm
<i>Nira</i>	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Parsnip	0.05 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Pimiento (sweet pepper)	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Oriental pickling melon (vegetable)	0.3 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.3 ppm
Spinach	0.1 ppm
Bamboo shoots	0.05 ppm
Okra	0.02 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.1 ppm
Quince	0.3 ppm
Nectarine	0.3 ppm

	Apricot	0.5 ppm
	Japanese plum (including prune)	0.5 ppm
	Raspberry	0.5 ppm
	Blackberry	0.5 ppm
	Blueberry	0.5 ppm
	Cranberry	0.5 ppm
	Huckleberry	0.5 ppm
	Other berries	0.5 ppm
	Banana	0.3 ppm
	Papaya	0.3 ppm
	Avocado	0.3 ppm
	Pineapple	0.3 ppm
	Guava	0.3 ppm
	Mango	0.3 ppm
	Passion fruit	0.3 ppm
	Date	0.5 ppm
	Other fruits	0.5 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Cotton seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	1 ppm
	Other herbs	0.1 ppm
IMIBENCONAZOLE	Soybeans, dry	0.5 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	1 ppm
	Lemon	1 ppm
	Orange (including navel orange)	1 ppm
	Grapefruit	1 ppm
	Lime	1 ppm

	Other citrus fruits	1 ppm
	Quince	1 ppm
	Loquat	1 ppm
	Nectarine	1 ppm
	Apricot	5 ppm
	Japanese plum (including prune)	5 ppm
	Cherry	5 ppm
	Strawberry	5 ppm
	Raspberry	5 ppm
	Blackberry	5 ppm
	Blueberry	5 ppm
	Cranberry	5 ppm
	Huckleberry	5 ppm
	Other berries	5 ppm
	Japanese persimmon	1 ppm
	Banana	1 ppm
	Kiwifruit	1 ppm
	Papaya	1 ppm
	Avocado	1 ppm
	Pineapple	1 ppm
	Guava	1 ppm
	Mango	1 ppm
	Passion fruit	1 ppm
	Date	5 ppm
	Other fruits	5 ppm
	Other spices	5 ppm
INDOXACARB	Corn (maize)	0.02 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.2 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.1 ppm

Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	3 ppm
Kale	2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Cauliflower	3 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Welsh (including leek)	2 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Bamboo shoots	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Other vegetables	1 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	0.9 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	1 ppm
Cranberry	0.5 ppm
Grape	1 ppm
Kiwifruit	0.1 ppm
Cotton seeds	2 ppm
Other spices	1 ppm

	Other herbs	1 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	1 ppm
	Pig, fat	1 ppm
	Other terrestrial mammals, fat	1 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
UNICONAZOLE P	Chinese cabbage	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Mume plum	0.1 ppm
	Cherry	0.1 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Avocado	0.02 ppm
	Date	0.1 ppm

	Other fruits	0.1 ppm
	Other spices	0.1 ppm
ETHAMETSULFURON-METHYL	Other legumes/pulses	0.02 ppm
	Other cruciferous vegetables	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
Other poultry, eggs	0.02 ppm	
ETHALFLURALIN	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Cucumber (including gherkin)	0.05 ppm
	Pumpkin (including squash)	0.05 ppm

	Oriental pickling melon (vegetable)	0.05 ppm
	Water melon	0.05 ppm
	Melons	0.05 ppm
	<i>Makuwauri</i> melon	0.05 ppm
	Other cucurbitaceous vegetables	0.05 ppm
	Green soybeans	0.05 ppm
	Sunflower seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other spices	0.05 ppm
ETHIOFENCARB	Other spices	7 ppm
	Other herbs	7 ppm
ETHION	Beans, dry*	1 ppm
	Broad beans	1 ppm
	Other legumes/pulses	1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.3 ppm
	Japanese radish, leaves (including radish)	0.3 ppm
	Turnip, roots	0.3 ppm
	Turnip, leaves	0.3 ppm
	Horseradish	0.3 ppm
	Watercress	0.3 ppm
	Chinese cabbage	0.3 ppm
	Cabbage	0.3 ppm
	Brussels sprouts	0.3 ppm
	Kale	0.3 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.3 ppm
	<i>Kyona</i>	0.3 ppm
	Qing-geng-cai	0.3 ppm
	Cauliflower	0.3 ppm
	Broccoli	0.3 ppm
	Other cruciferous vegetables	0.3 ppm
	Burdock	0.3 ppm
	Salsify	0.3 ppm
	Artichoke	0.3 ppm
	Chicory	0.3 ppm
	Endive	0.3 ppm
	<i>Shungiku</i>	0.3 ppm

Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
Other composite vegetables	0.3 ppm
Onion	0.3 ppm
Welsh (including leek)	0.3 ppm
Garlic	0.3 ppm
<i>Nira</i>	0.3 ppm
Asparagus	0.3 ppm
Multiplying onion	0.3 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.3 ppm
Parsnip	0.3 ppm
Parsley	0.3 ppm
Celery	0.3 ppm
<i>Mitsuba</i>	0.3 ppm
Other umbelliferous vegetables	0.3 ppm
Tomato	0.3 ppm
Pimiento (sweet pepper)	0.3 ppm
Egg plant	0.3 ppm
Other solanaceous vegetables	0.3 ppm
Cucumber (including gherkin)	0.3 ppm
Pumpkin (including squash)	0.3 ppm
Oriental pickling melon (vegetable)	0.3 ppm
Water melon	0.3 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.3 ppm
Other cucurbitaceous vegetables	0.3 ppm
Spinach	0.3 ppm
Bamboo shoots	0.3 ppm
Okra	0.3 ppm
Ginger	0.3 ppm
Peas, immature (with pods)	0.3 ppm
Kidney beans, immature (with pods)	0.3 ppm
Green soybeans	0.3 ppm
Button mushroom	0.3 ppm
<i>Shiitake</i> mushroom	0.3 ppm
Other mushrooms	0.3 ppm
Other vegetables	0.3 ppm
<i>Unshu</i> orange,pulp	5 ppm
Citrus <i>natsudaidai</i> , whole	5 ppm
Lemon	5 ppm
Orange (including navel orange)	5 ppm
Grapefruit	5 ppm
Lime	5 ppm

Other citrus fruits	5 ppm
Apple	0.3 ppm
Japanese pear	0.3 ppm
Pear	0.3 ppm
Quince	0.3 ppm
Loquat	0.3 ppm
Peach	0.3 ppm
Nectarine	0.3 ppm
Apricot	0.3 ppm
Japanese plum (including prune)	0.3 ppm
Mume plum	0.3 ppm
Cherry	0.3 ppm
Strawberry	0.3 ppm
Raspberry	0.3 ppm
Blackberry	0.3 ppm
Blueberry	0.3 ppm
Cranberry	0.3 ppm
Huckleberry	0.3 ppm
Other berries	0.3 ppm
Grape	0.3 ppm
Japanese persimmon	0.3 ppm
Banana	0.3 ppm
Kiwifruit	0.3 ppm
Papaya	0.3 ppm
Avocado	0.3 ppm
Pineapple	0.3 ppm
Guava	0.3 ppm
Mango	0.3 ppm
Passion fruit	0.3 ppm
Date	0.3 ppm
Other fruits	0.3 ppm
Sunflower seeds	0.3 ppm
Sesame seeds	0.3 ppm
Safflower seeds	0.3 ppm
Cotton seeds	0.3 ppm
Rapeseeds	0.3 ppm
Other oil seeds	0.3 ppm
Ginkgo nut	0.3 ppm
Chestnut	0.3 ppm
Pecan	0.3 ppm
Almond	0.3 ppm
Walnut	0.3 ppm
Other nuts	0.3 ppm

	Tea	0.3 ppm
	Other spices (except seeds, fruits, roots and rhizomes)	5 ppm
	Other herbs	0.3 ppm
	Cattle, muscle	1 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	2 ppm
	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.5 ppm (in fat)
ETHYCHLOZATE	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm

Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	5 ppm

<i>Makuwauri</i> melon	5 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
Apple	5 ppm
Japanese pear	5 ppm
Pear	5 ppm
Quince	5 ppm
Loquat	5 ppm
Peach	5 ppm
Nectarine	5 ppm
Apricot	5 ppm
Japanese plum (including prune)	5 ppm
Mume plum	5 ppm
Cherry	5 ppm
Strawberry	5 ppm
Raspberry	5 ppm
Blackberry	5 ppm
Blueberry	5 ppm
Cranberry	5 ppm
Huckleberry	5 ppm
Other berries	5 ppm
Grape	5 ppm
Banana	5 ppm
Kiwifruit	5 ppm
Papaya	5 ppm
Avocado	5 ppm
Pineapple	5 ppm
Guava	5 ppm
Mango	5 ppm
Passion fruit	5 ppm
Date	5 ppm
Other fruits	5 ppm
Sunflower seeds	5 ppm

	Sesame seeds	5 ppm
	Safflower seeds	5 ppm
	Cotton seeds	5 ppm
	Rapeseeds	5 ppm
	Other oil seeds	5 ppm
	Ginkgo nut	5 ppm
	Chestnut	5 ppm
	Pecan	5 ppm
	Almond	5 ppm
	Walnut	5 ppm
	Other nuts	5 ppm
	Tea	0.05 ppm
	Coffee beans	0.05 ppm
	Cacao beans	0.05 ppm
	Hop	0.05 ppm
	Other spices	5 ppm
	Other herbs	0.05 ppm
ETYPROSTONTROMETHAMINE	Cattle, muscle	0.001 ppm
	Pig, muscle	0.001 ppm
	Other terrestrial mammals, muscle	0.001 ppm
	Cattle, fat	0.001 ppm
	Pig, fat	0.001 ppm
	Other terrestrial mammals, fat	0.001 ppm
	Cattle, liver	0.001 ppm
	Pig, liver	0.001 ppm
	Other terrestrial mammals, liver	0.001 ppm
	Cattle, kidney	0.001 ppm
	Pig, kidney	0.001 ppm
	Other terrestrial mammals, kidney	0.001 ppm
	Cattle, edible offal	0.001 ppm
	Pig, edible offal	0.001 ppm
	Other terrestrial mammals, edible offal	0.001 ppm
	Milk	0.001 ppm
	Chicken, muscle	0.001 ppm
	Other poultry, muscle	0.001 ppm
	Chicken, fat	0.001 ppm
	Other poultry, fat	0.001 ppm
	Chicken, liver	0.001 ppm
	Other poultry, liver	0.001 ppm
	Chicken, kidney	0.001 ppm
	Other poultry, kidney	0.001 ppm
	Chicken, edible offal	0.001 ppm
	Other poultry, edible offal	0.001 ppm

	Chicken, eggs	0.001 ppm
	Other poultry, eggs	0.001 ppm
	Salmoniformes	0.001 ppm
	Anguilliformes	0.001 ppm
	Perciformes	0.001 ppm
	Other fish	0.001 ppm
	Shelled molluscas	0.001 ppm
	Crustaceans	0.001 ppm
	Other aquatic animal	0.001 ppm
	Honey	0.001 ppm
ETHIPROLE	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm

Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm

<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm

	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
N-(2-ETHYLHEXYL)-8,9,10-TRINORBORN-5-ENE-2,3-DICARBOXIMIDE	Cattle, muscle	0.3 ppm
	Pig, muscle	0.3 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	0.3 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.3 ppm
	Pig, liver	0.3 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.3 ppm
	Pig, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.3 ppm
	Pig, edible offal	0.3 ppm
Other terrestrial mammals, edible offal	0.3 ppm	
Milk	0.3 ppm (in fat)	
ETHEPHON	Rice (brown rice)	0.05 ppm
	Wheat	2 ppm
	Barley	1 ppm
	Rye	1 ppm
	Corn (maize)	0.5 ppm
	Buckwheat	0.5 ppm
	Other cereal grains	0.5 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
Potato	0.05 ppm	

Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Sugarcane	0.5 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm

Other umbelliferous vegetables	0.05 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	5 ppm
Egg plant	2 ppm
Other solanaceous vegetables	5 ppm
Cucumber (including gherkin)	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	0.5 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	2 ppm
Apple	5 ppm
Japanese pear	3 ppm
Pear	3 ppm
Quince	3 ppm
Loquat	3 ppm
Peach	0.5 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	10 ppm
Strawberry	2 ppm
Raspberry	2 ppm

Blackberry	2 ppm
Blueberry	20 ppm
Cranberry	2 ppm
Huckleberry	20 ppm
Other berries	2 ppm
Grape	1 ppm
Japanese persimmon	2 ppm
Banana	2 ppm
Kiwifruit	0.5 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	2 ppm
Other fruits	2 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	2 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.5 ppm
Other nuts	0.2 ppm
Tea	0.1 ppm
Coffee beans	0.1 ppm
Hop	0.1 ppm
Other spices	2 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.1 ppm
Pig, muscle	0.1 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.08 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	0.2 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm

	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.2 ppm
	Other poultry, eggs	0.2 ppm
ETOXAZOLE	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Pumpkin (including squash)	0.5 ppm
	Oriental pickling melon (vegetable)	0.5 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Other cucurbitaceous vegetables	0.5 ppm
	Quince	0.5 ppm
	Nectarine	0.5 ppm
	Apricot	1 ppm
	Japanese plum (including prune)	1 ppm
	Mume plum	1 ppm
	Raspberry	1 ppm
	Blackberry	1 ppm
	Blueberry	1 ppm
	Cranberry	1 ppm
	Huckleberry	1 ppm
	Other berries	1 ppm
	Grape	1 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.5 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.5 ppm

	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	1 ppm
	Other fruits	1 ppm
	Chestnut	0.01 ppm
	Pecan	0.01 ppm
	Almond	0.01 ppm
	Walnut	0.01 ppm
	Other nuts	0.01 ppm
	Other spices	1 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
ETHOXYQUIN	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm

Barley	0.05 ppm
Rye	0.05 ppm
Corn (maize)	0.05 ppm
Buckwheat	0.05 ppm
Other cereal grains	0.05 ppm
Soybeans, dry	0.05 ppm
Beans, dry*	0.05 ppm
Peas	0.05 ppm
Broad beans	0.05 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.05 ppm
Potato	0.05 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Sugarcane	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm

Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Quince	0.05 ppm

Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.05 ppm
Coffee beans	0.05 ppm
Cacao beans	0.05 ppm
Hop	0.05 ppm
Other spices	0.05 ppm

	Other herbs	0.05 ppm
	Cattle, muscle	0.5 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Cattle, fat	5 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	5 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.3 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Pig, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
	Pig, edible offal	5 ppm
	Other terrestrial mammals, edible offal	0.5 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.5 ppm
	Chicken, fat	5 ppm
	Other poultry, fat	3 ppm
	Chicken, liver	2 ppm
	Other poultry, liver	3 ppm
	Chicken, kidney	3 ppm
	Other poultry, kidney	3 ppm
	Chicken, edible offal	2 ppm
	Other poultry, edible offal	3 ppm
	Chicken, eggs	0.5 ppm
	Other poultry, eggs	0.5 ppm
	Salmoniformes	1 ppm
	Anguilliformes	1 ppm
	Perciformes	1 ppm
	Other fish	1 ppm
ETHOXYLSULFURON	Rice (brown rice)	0.1 ppm
	Sugarcane	0.01 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm

	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
ETHOPABATE	Chicken, muscle	0.04 ppm
	Other poultry, muscle	5 ppm
	Chicken, fat	0.04 ppm
	Other poultry, fat	5 ppm
	Chicken, liver	0.04 ppm
	Other poultry, liver	20 ppm
	Chicken, kidney	0.04 ppm
	Other poultry, kidney	20 ppm
	Chicken, edible offal	0.04 ppm
	Other poultry, edible offal	20 ppm
ETHOFENPROX	Buckwheat	0.5 ppm
	Other cereal grains	0.5 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Horseradish	0.5 ppm
	Watercress	2 ppm
	Kale	2 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
	<i>Kyona</i>	2 ppm
	Qing-geng-cai	2 ppm
	Cauliflower	2 ppm
	Broccoli	2 ppm
	Other cruciferous vegetables	2 ppm
	Burdock	0.5 ppm
	Salsify	0.5 ppm
	Artichoke	2 ppm
	Chicory	2 ppm
	Endive	2 ppm
	<i>Shungiku</i>	2 ppm
	<i>Nira</i>	2 ppm
	Asparagus	2 ppm
	Other liliaceous vegetables	2 ppm

	Carrot	0.5 ppm
	Parsnip	0.5 ppm
	Parsley	2 ppm
	Celery	2 ppm
	<i>Mitsuba</i>	2 ppm
	Other umbelliferous vegetables	2 ppm
	Pimiento (sweet pepper)	5 ppm
	Other solanaceous vegetables	5 ppm
	Pumpkin (including squash)	2 ppm
	Oriental pickling melon (vegetable)	2 ppm
	Other cucurbitaceous vegetables	2 ppm
	Spinach	2 ppm
	Bamboo shoots	0.5 ppm
	Okra	5 ppm
	Kidney beans, immature (with pods)	5 ppm
	Other vegetables	5 ppm
	Quince	2 ppm
	Loquat	1 ppm
	Nectarine	2 ppm
	Banana	2 ppm
	Kiwifruit	0.2 ppm
	Papaya	2 ppm
	Avocado	2 ppm
	Pineapple	2 ppm
	Guava	2 ppm
	Mango	2 ppm
	Passion fruit	2 ppm
	Ginkgo nut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Other spices	5 ppm
	Other herbs	5 ppm
ETHOFUMESATE	Sugar beet	0.1 ppm
	Onion	0.1 ppm
	Welsh (including leek)	0.1 ppm
	Garlic	0.1 ppm
	Multiplying onion	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Other vegetables	1 ppm
	Other oil seeds	0.02 ppm

	Other spices	1 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.3 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.3 ppm
	Pig, liver	0.3 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.3 ppm
	Pig, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.3 ppm
	Pig, edible offal	0.3 ppm
	Other terrestrial mammals, edible offal	0.3 ppm
	Milk	0.2 ppm (in fat)
ETHOPROPHOS	Beans, dry*	0.02 ppm
	Peas	0.005 ppm
	Broad beans	0.005 ppm
	Other legumes/pulses	0.005 ppm
	Taro	0.005 ppm
	Yam	0.005 ppm
	Konjac	0.005 ppm
	Other potatoes	0.005 ppm
	Japanese radish, roots (including radish)	0.005 ppm
	Japanese radish, leaves (including radish)	0.005 ppm
	Turnip, leaves	0.005 ppm
	Horseradish	0.005 ppm
	Watercress	0.005 ppm
	Chinese cabbage	0.005 ppm
	Kale	0.005 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.005 ppm
	<i>Kyona</i>	0.005 ppm
	Qing-geng-cai	0.005 ppm
	Cauliflower	0.005 ppm
	Broccoli	0.005 ppm
	Other cruciferous vegetables	0.005 ppm
	Burdock	0.005 ppm
	Salsify	0.005 ppm
	Artichoke	0.005 ppm
	Chicory	0.005 ppm

Endive	0.005 ppm
<i>Shungiku</i>	0.005 ppm
Welsh (including leek)	0.005 ppm
Garlic	0.005 ppm
<i>Nira</i>	0.005 ppm
Asparagus	0.005 ppm
Multiplying onion	0.005 ppm
Other liliaceous vegetables	0.005 ppm
Carrot	0.005 ppm
Parsnip	0.005 ppm
Parsley	0.005 ppm
Celery	0.005 ppm
<i>Mitsuba</i>	0.005 ppm
Other umbelliferous vegetables	0.005 ppm
Egg plant	0.005 ppm
Pumpkin (including squash)	0.005 ppm
Oriental pickling melon (vegetable)	0.005 ppm
Water melon	0.1 ppm
Other cucurbitaceous vegetables	0.005 ppm
Spinach	0.005 ppm
Bamboo shoots	0.005 ppm
Okra	0.005 ppm
Ginger	0.005 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.005 ppm
Button mushroom	0.005 ppm
<i>Shiitake</i> mushroom	0.005 ppm
Other mushrooms	0.005 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.005 ppm
Citrus <i>natsudaidai</i> , whole	0.005 ppm
Lemon	0.005 ppm
Orange (including navel orange)	0.005 ppm
Grapefruit	0.005 ppm
Lime	0.005 ppm
Other citrus fruits	0.005 ppm
Apple	0.005 ppm
Japanese pear	0.005 ppm
Pear	0.005 ppm
Quince	0.005 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.005 ppm

Apricot	0.005 ppm
Japanese plum (including prune)	0.005 ppm
Mume plum	0.005 ppm
Cherry	0.005 ppm
Raspberry	0.005 ppm
Blackberry	0.005 ppm
Blueberry	0.005 ppm
Cranberry	0.005 ppm
Huckleberry	0.005 ppm
Other berries	0.005 ppm
Japanese persimmon	0.005 ppm
Kiwifruit	0.1 ppm
Papaya	0.005 ppm
Avocado	0.005 ppm
Guava	0.005 ppm
Mango	0.005 ppm
Passion fruit	0.005 ppm
Date	0.005 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.005 ppm
Sesame seeds	0.005 ppm
Safflower seeds	0.005 ppm
Cotton seeds	0.005 ppm
Rapeseeds	0.005 ppm
Other oil seeds	0.005 ppm
Ginkgo nut	0.005 ppm
Chestnut	0.005 ppm
Pecan	0.005 ppm
Almond	0.005 ppm
Walnut	0.005 ppm
Other nuts	0.005 ppm
Tea	0.005 ppm
Coffee beans	0.005 ppm
Cacao beans	0.005 ppm
Hop	0.005 ppm
Other spices	0.02 ppm
Other herbs	0.02 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.01 ppm
Other terrestrial mammals, fat	0.01 ppm

	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
ETRIDIAZOLE	Wheat	0.05 ppm
	Corn (maize)	0.1 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm

Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
Strawberry	0.2 ppm
Other fruits	0.2 ppm

	Cotton seeds	0.1 ppm
	Other spices	0.2 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
ETRIMFOS	Other spices	0.2 ppm
	Other herbs	0.2 ppm
EPRINOMECTIN	Other terrestrial mammals, muscle	0.1 ppm (as eprinomectin B _a)
	Other terrestrial mammals, fat	0.1 ppm (as eprinomectin B _a)
	Other terrestrial mammals, liver	2 ppm (as eprinomectin B _a)
	Other terrestrial mammals, kidney	2 ppm (as eprinomectin B _a)
	Cattle, edible offal	2 ppm (as eprinomectin B _a)
	Other terrestrial mammals, edible offal	2 ppm (as eprinomectin B _a)
EFROTOMYCIN	Pig, muscle	0.03 ppm
	Pig, fat	0.03 ppm
	Pig, liver	0.03 ppm
	Pig, kidney	0.03 ppm

	Pig, edible offal	0.03 ppm
EPOXICONAZOLE	Wheat	0.5 ppm
	Barley	0.5 ppm
	Banana	1 ppm
	Avocado	0.5 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	EMAMECTIN BENZOATE	Barley
Rye		0.1 ppm
Corn (maize)		0.1 ppm
Buckwheat		0.1 ppm
Other cereal grains		0.1 ppm
Potato		0.1 ppm
Taro		0.1 ppm
Sweet potato		0.1 ppm
Yam		0.1 ppm
Konjac		0.1 ppm

Other potatoes	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.5 ppm
Horseradish	0.1 ppm
Watercress	0.5 ppm
Kale	0.5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Other cruciferous vegetables	0.5 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Welsh (including leek)	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Pimiento (sweet pepper)	0.2 ppm
Other solanaceous vegetables	0.2 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.5 ppm
Bamboo shoots	0.1 ppm
Okra	0.2 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm

Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Kiwifruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Cotton seeds	0.02 ppm
Other oil seeds	0.05 ppm
Other spices	0.5 ppm
Other herbs	0.5 ppm
Cattle, muscle	0.002 ppm
Pig, muscle	0.002 ppm
Other terrestrial mammals, muscle	0.002 ppm
Cattle, fat	0.002 ppm
Pig, fat	0.002 ppm
Other terrestrial mammals, fat	0.002 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.01 ppm
Other terrestrial mammals, kidney	0.01 ppm
Cattle, edible offal	0.01 ppm
Pig, edible offal	0.01 ppm
Other terrestrial mammals, edible offal	0.01 ppm
Milk	0.0005 ppm
Chicken, muscle	0.0005 ppm
Other poultry, muscle	0.0005 ppm

	Chicken, fat	0.0005 ppm
	Other poultry, fat	0.0005 ppm
	Chicken, liver	0.0005 ppm
	Other poultry, liver	0.0005 ppm
	Chicken, kidney	0.0005 ppm
	Other poultry, kidney	0.0005 ppm
	Chicken, edible offal	0.0005 ppm
	Other poultry, edible offal	0.0005 ppm
	Chicken, eggs	0.0005 ppm
	Other poultry, eggs	0.0005 ppm
	Salmoniformes	0.1 ppm
	Anguilliformes	0.0005 ppm
	Perciformes	0.0005 ppm
	Other fish	0.0005 ppm
	Shelled molluscas	0.0005 ppm
	Crustaceans	0.0005 ppm
	Other aquatic animal	0.0005 ppm
	Honey	0.0005 ppm
ERYTHROMYCIN	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.3 ppm
	Milk	0.04 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.05 ppm

	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.09 ppm
	Other poultry, eggs	0.09 ppm
	Salmoniformes	0.2 ppm
	Anguilliformes	0.2 ppm
	Perciformes	0.06 ppm
	Other fish	0.2 ppm
	Shelled molluscas	0.2 ppm
	Crustaceans	0.2 ppm
	Other aquatic animal	0.2 ppm
DIDECYLDIMETHYLAMMONIUM CHLORIDE	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Chicken, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
FORMETANATE HYDROCHLORIDE	<i>Unshu</i> orange,pulp	4 ppm
	Lemon	4 ppm
	Orange (including navel orange)	4 ppm
	Grapefruit	4 ppm
	Lime	4 ppm
	Other citrus fruits	4 ppm
	Apple	3 ppm
	Japanese pear	3 ppm
	Pear	3 ppm
	Peach	4 ppm
	Nectarine	4 ppm
	Japanese plum (including prune)	0.5 ppm
	Other spices	4 ppm
METOSERPATE HYDROCHLORIDE	Chicken, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Chicken, kidney	0.02 ppm

	Chicken, edible offal	0.02 ppm
ENDOSULFAN	Rice (brown rice)	0.1 ppm
	Wheat	0.2 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	1 ppm
	Beans, dry*	1 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Potato	0.3 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.5 ppm
	Sugarcane	0.5 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	0.5 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	2 ppm
	Brussels sprouts	0.5 ppm
	Kale	1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
	<i>Kyona</i>	0.5 ppm
	Qing-geng-cai	0.5 ppm
	Cauliflower	0.5 ppm
	Broccoli	0.5 ppm
Other cruciferous vegetables	0.5 ppm	
Burdock	0.5 ppm	
Salsify	0.5 ppm	
Artichoke	0.5 ppm	
Chicory	0.5 ppm	
Endive	0.5 ppm	

<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	0.5 ppm
Onion	0.2 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.2 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	2 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.5 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	2 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.5 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm

Lime	0.5 ppm
Other citrus fruits	0.5 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	0.5 ppm
Apricot	0.5 ppm
Japanese plum (including prune)	1 ppm
Mume plum	0.5 ppm
Cherry	1 ppm
Strawberry	0.5 ppm
Raspberry	0.5 ppm
Blackberry	0.5 ppm
Blueberry	0.5 ppm
Cranberry	0.5 ppm
Huckleberry	0.5 ppm
Other berries	0.5 ppm
Grape	1 ppm
Japanese persimmon	0.5 ppm
Banana	0.5 ppm
Kiwifruit	0.5 ppm
Papaya	0.5 ppm
Avocado	0.5 ppm
Pineapple	2 ppm
Guava	0.5 ppm
Mango	0.5 ppm
Passion fruit	0.5 ppm
Date	0.5 ppm
Other fruits	0.5 ppm
Sunflower seeds	1 ppm
Sesame seeds	0.5 ppm
Safflower seeds	0.5 ppm
Cotton seeds	1 ppm
Rapeseeds	0.5 ppm
Other oil seeds	0.5 ppm
Ginkgo nut	0.5 ppm
Chestnut	0.5 ppm
Pecan	0.5 ppm
Almond	0.5 ppm
Walnut	0.5 ppm

Other nuts	0.5 ppm
Tea	30 ppm
Coffee beans	0.1 ppm
Cacao beans	0.1 ppm
Hop	0.1 ppm
Other spices (except seeds, fruits, roots and rhizomes)	0.5 ppm
Other herbs	0.5 ppm
Cattle, muscle	0.1 ppm
Pig, muscle	0.1 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	0.2 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm
Cattle, kidney	0.2 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.2 ppm
Cattle, edible offal	0.2 ppm
Pig, edible offal	0.2 ppm
Other terrestrial mammals, edible offal	0.2 ppm
Milk	0.004 ppm
Chicken, muscle	0.1 ppm
Other poultry, muscle	0.1 ppm
Chicken, fat	0.2 ppm
Other poultry, fat	0.2 ppm
Chicken, liver	0.1 ppm
Other poultry, liver	0.1 ppm
Chicken, kidney	0.1 ppm
Other poultry, kidney	0.1 ppm
Chicken, edible offal	0.1 ppm
Other poultry, edible offal	0.1 ppm
Chicken, eggs	0.08 ppm
Other poultry, eggs	0.08 ppm
Salmoniformes	0.004 ppm
Anguilliformes	0.004 ppm
Perciformes	0.004 ppm
Other fish	0.004 ppm
Shelled molluscas	0.004 ppm
Crustaceans	0.004 ppm
Other aquatic animal	0.004 ppm

	Honey	0.004 ppm
ENDOTHAL	Rice (brown rice)	0.05 ppm
	Potato	0.1 ppm
	Cotton seeds	0.1 ppm
	Hop	0.1 ppm
ENDRIN	Barley	0.01 ppm
	Rye	0.01 ppm
	Other cereal grains	0.01 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.01 ppm
	Sugarcane	Not detected
	Turnip, roots	0.01 ppm
	Turnip, leaves	0.01 ppm
	Horseradish	0.01 ppm
	Watercress	0.01 ppm
	Kale	0.01 ppm
	Qing-geng-cai	0.01 ppm
	Other cruciferous vegetables	0.01 ppm
	Burdock	0.01 ppm
	Salsify	0.01 ppm
	Artichoke	0.01 ppm
	Chicory	0.01 ppm
	Endive	0.01 ppm
	<i>Shungiku</i>	0.01 ppm
	Other composite vegetables	0.01 ppm
	Onion	0.01 ppm
	Welsh (including leek)	0.01 ppm
	Garlic	0.01 ppm
	<i>Nira</i>	0.01 ppm
	Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm	
Carrot	0.01 ppm	
Parsnip	0.01 ppm	
Parsley	0.01 ppm	
Other umbelliferous vegetables	0.01 ppm	

Other solanaceous vegetables	0.01 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Green soybeans	Not detected
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm
Other vegetables	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Quince	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Papaya	Not detected
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm

Safflower seeds	0.01 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.01 ppm
Tea (except unfermented tea)	Not detected
Coffee beans	Not detected
Cacao beans	0.01 ppm
Hop	0.1 ppm
Other spices	0.01 ppm
Other herbs	0.01 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.005 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.1 ppm
Other poultry, fat	0.1 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.05 ppm
Chicken, kidney	0.05 ppm
Other poultry, kidney	0.05 ppm
Chicken, edible offal	0.05 ppm
Other poultry, edible offal	0.05 ppm
Chicken, eggs	0.005 ppm

	Other poultry, eggs	0.005 ppm
	Salmoniformes	0.005 ppm
	Anguilliformes	0.005 ppm
	Perciformes	0.005 ppm
	Other fish	0.005 ppm
	Shelled molluscas	0.005 ppm
	Crustaceans	0.005 ppm
	Other aquatic animal	0.005 ppm
	Honey	0.005 ppm
	Mineral waters	0.0006 ppm
ENRAMAYCIN	Pig, muscle	0.03 ppm
	Pig, fat	0.03 ppm
	Pig, liver	0.03 ppm
	Pig, kidney	0.03 ppm
	Pig, edible offal	0.03 ppm
	Chicken, muscle	0.03 ppm
	Chicken, fat	0.03 ppm
	Chicken, liver	0.03 ppm
	Chicken, kidney	0.03 ppm
	Chicken, edible offal	0.03 ppm
EUGENOL	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.05 ppm
	Other fish	0.05 ppm
	Crustaceans	0.05 ppm
OXADIAZON	Rice (brown rice)	0.1 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.1 ppm (in fat)
OXADIXYL	Rice (brown rice)	0.1 ppm

Wheat	0.1 ppm
Barley	0.1 ppm
Rye	0.1 ppm
Corn (maize)	0.1 ppm
Buckwheat	0.1 ppm
Other cereal grains	0.1 ppm
Soybeans, dry	5 ppm
Beans, dry*	5 ppm
Peas	5 ppm
Broad beans	5 ppm
Peanuts, dry	5 ppm
Other legumes/pulses	5 ppm
Potato	1 ppm
Taro	1 ppm
Sweet potato	1 ppm
Yam	1 ppm
Konjac	1 ppm
Other potatoes	1 ppm
Sugar beet	0.1 ppm
Japanese radish, roots (including radish)	5 ppm
Japanese radish, leaves (including radish)	5 ppm
Turnip, roots	5 ppm
Turnip, leaves	5 ppm
Horseradish	5 ppm
Watercress	5 ppm
Chinese cabbage	5 ppm
Cabbage	5 ppm
Brussels sprouts	5 ppm
Kale	5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
<i>Kyona</i>	5 ppm
Qing-geng-cai	5 ppm
Cauliflower	5 ppm
Broccoli	5 ppm
Other cruciferous vegetables	5 ppm
Burdock	5 ppm
Salsify	5 ppm
Artichoke	5 ppm
Chicory	5 ppm
Endive	5 ppm
<i>Shungiku</i>	5 ppm
Lettuce (including cos lettuce and leaf lettuce)	5 ppm
Other composite vegetables	5 ppm

Onion	5 ppm
Welsh (including leek)	5 ppm
Garlic	5 ppm
<i>Nira</i>	5 ppm
Asparagus	5 ppm
Multiplying onion	5 ppm
Other liliaceous vegetables	5 ppm
Carrot	5 ppm
Parsnip	5 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Tomato	5 ppm
Pimiento (sweet pepper)	5 ppm
Egg plant	5 ppm
Other solanceous vegetables	5 ppm
Cucumber (including gherkin)	5 ppm
Pumpkin (including squash)	5 ppm
Oriental pickling melon (vegetable)	5 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	5 ppm
Spinach	5 ppm
Bamboo shoots	5 ppm
Okra	5 ppm
Ginger	5 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	5 ppm
Green soybeans	5 ppm
Button mushroom	5 ppm
<i>Shiitake</i> mushroom	5 ppm
Other mushrooms	5 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	1 ppm

Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm
Other berries	1 ppm
Grape	1 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	1 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	1 ppm
Other fruits	1 ppm
Sunflower seeds	1 ppm
Sesame seeds	1 ppm
Safflower seeds	1 ppm
Cotton seeds	1 ppm
Rapeseeds	1 ppm
Other oil seeds	1 ppm
Ginkgo nut	1 ppm
Chestnut	1 ppm
Pecan	1 ppm
Almond	1 ppm
Walnut	1 ppm
Other nuts	1 ppm
Other spices	5 ppm
Other herbs	5 ppm

OXAZICLOMEFONE

Wheat	0.02 ppm
Barley	0.02 ppm
Rye	0.02 ppm
Corn (maize)	0.02 ppm
Buckwheat	0.02 ppm
Other cereal grains	0.02 ppm
Soybeans, dry	0.02 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm

Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm

Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.02 ppm

	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
OXACILLIN	Cattle, muscle	0.3 ppm
	Pig, muscle	0.3 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	0.3 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.3 ppm
	Pig, liver	0.3 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.3 ppm
	Pig, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.3 ppm
	Pig, edible offal	0.3 ppm
	Other terrestrial mammals, edible offal	0.3 ppm
	Milk	0.03 ppm
	Chicken, muscle	0.3 ppm
	Other poultry, muscle	0.3 ppm
	Chicken, fat	0.3 ppm
	Other poultry, fat	0.3 ppm
	Chicken, liver	0.3 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.3 ppm
	Other poultry, kidney	0.3 ppm
	Chicken, edible offal	0.3 ppm
	Other poultry, edible offal	0.3 ppm
	Salmoniformes	0.3 ppm
	Anguilliformes	0.3 ppm
	Perciformes	0.3 ppm
	Other fish	0.3 ppm
	Shelled molluscas	0.3 ppm
	Crustaceans	0.3 ppm
	Other aquatic animal	0.3 ppm
OXABETRINIL	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm

	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
OXAMYL	Other cruciferous vegetables	0.1 ppm
	Other solanaceous vegetables	5 ppm
	<i>Makuwauri</i> melon	2 ppm
	Green soybeans	0.2 ppm
	Other vegetables	0.2 ppm
	Other spices	5 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm

	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
OXYCARBOXIN	Kidney beans, immature (with pods)	5 ppm
	Other vegetables	5 ppm
	Blueberry	10 ppm
	Other spices	5 ppm
	Other herbs	5 ppm
OXYCLOZANIDE	Cattle, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	0.5 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.5 ppm
	Other terrestrial mammals, liver	1 ppm
	Cattle, kidney	0.5 ppm
	Other terrestrial mammals, kidney	1 ppm
	Cattle, edible offal	0.5 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Milk	0.3 ppm
OXYTETRACYCLINE	Rice (brown rice)	0.05 ppm
	Potato	0.03 ppm
	Taro	0.05 ppm
	Konjac	0.03 ppm
	Other potatoes	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Chinese cabbage	0.01 ppm
	Cabbage	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm

	Endive	0.05 ppm
	<i>Shungiku</i>	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
	Onion	0.05 ppm
	Garlic	0.05 ppm
	Other liliaceous vegetables	0.05 ppm
	Parsley	0.05 ppm
	Celery	0.05 ppm
	Cucumber (including gherkin)	0.03 ppm
	Spinach	0.05 ppm
	Ginger	0.05 ppm
	Other vegetables	0.05 ppm
	<i>Unshu</i> orange,pulp	0.01 ppm
	Citrus <i>natsudaidai</i> , whole	0.04 ppm
	Lemon	0.04 ppm
	Orange (including navel orange)	0.04 ppm
	Grapefruit	0.04 ppm
	Lime	0.04 ppm
	Other citrus fruits	0.04 ppm
	Apple	0.05 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Peach	0.05 ppm
	Nectarine	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Kiwifruit	0.03 ppm
	Papaya	0.05 ppm
	Mango	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
OXYTETRACYCLINE, CHLORTETRACYCLINE and TETRACYCLINE (as total)	Other terrestrial mammals, muscle (except sheep and horse)	0.1 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Cattle, fat	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Pig, fat	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)

Sheep, fat	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other terrestrial mammals, fat (except sheep and horse)	0.3 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other terrestrial mammals, liver (except sheep and horse)	0.3 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other terrestrial mammals, kidney (except sheep and horse)	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Cattle, edible offal	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Pig, edible offal	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Sheep, edible offal	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other terrestrial mammals, edible offal (except sheep)	0.3 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other poultry, muscle (except duck and turkey)	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Chicken, fat	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other poultry, fat	0.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other poultry, liver (except duck and turkey)	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
Other poultry, kidney (except duck and turkey)	1.2 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)

	Chicken, edible offal	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Other poultry, edible offal	0.6 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Other poultry, eggs	0.4 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
	Honey	0.3 ppm (as total of oxytetracycline, chlortetracycline and tetracycline)
OXYDEMETHON-METHYL	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.1 ppm
	Rye	0.02 ppm
	Corn (maize)	0.3 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.4 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.3 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	1 ppm
	Horseradish	0.02 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Kale	0.02 ppm

<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.5 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	0.3 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	0.02 ppm
Onion	0.04 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.4 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	0.4 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm

Kidney beans, immature (with pods)	0.3 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.3 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.5 ppm
Japanese pear	0.02 ppm
Pear	0.2 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.5 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	1 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.06 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm

Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.5 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.04 ppm
Tea	0.05 ppm
Hop	0.05 ppm
Other spices	0.3 ppm
Other herbs	0.3 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.02 ppm
Other terrestrial mammals, fat	0.01 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.01 ppm
Other terrestrial mammals, kidney	0.01 ppm
Cattle, edible offal	0.01 ppm
Pig, edible offal	0.01 ppm
Other terrestrial mammals, edible offal	0.01 ppm
Milk	0.01 ppm
Chicken, muscle	0.02 ppm
Other poultry, muscle	0.02 ppm
Chicken, fat	0.02 ppm
Other poultry, fat	0.02 ppm
Chicken, liver	0.02 ppm
Other poultry, liver	0.02 ppm
Chicken, kidney	0.02 ppm
Other poultry, kidney	0.02 ppm
Chicken, edible offal	0.02 ppm
Other poultry, edible offal	0.02 ppm
Chicken, eggs	0.02 ppm

	Other poultry, eggs	0.02 ppm
OXYFLUORFEN	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Horseradish	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Artichoke	0.05 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.05 ppm
	Multiplying onion	0.05 ppm
	Other liliaceous vegetables	0.05 ppm
	Other umbelliferous vegetables	0.05 ppm
	Green soybeans	0.05 ppm
	Apple	0.05 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Quince	0.05 ppm
	Loquat	0.05 ppm
	Peach	0.05 ppm
	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
Strawberry	0.05 ppm	
Grape	0.05 ppm	
Japanese persimmon	0.03 ppm	
Banana	0.03 ppm	
Kiwifruit	0.03 ppm	
Papaya	0.01 ppm	
Avocado	0.03 ppm	
Pineapple	0.01 ppm	
Guava	0.01 ppm	

Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Cotton seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Coffee beans	0.05 ppm
Cacao beans	0.05 ppm
Other spices	0.05 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.03 ppm
Pig, fat	0.03 ppm
Other terrestrial mammals, fat	0.03 ppm
Cattle, liver	0.03 ppm
Pig, liver	0.03 ppm
Other terrestrial mammals, liver	0.03 ppm
Cattle, kidney	0.03 ppm
Pig, kidney	0.03 ppm
Other terrestrial mammals, kidney	0.03 ppm
Cattle, edible offal	0.03 ppm
Pig, edible offal	0.03 ppm
Other terrestrial mammals, edible offal	0.03 ppm
Milk	0.03 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.1 ppm
Other poultry, fat	0.1 ppm
Chicken, liver	0.03 ppm
Other poultry, liver	0.03 ppm
Chicken, kidney	0.03 ppm
Other poultry, kidney	0.03 ppm
Chicken, edible offal	0.03 ppm
Other poultry, edible offal	0.03 ppm
Chicken, eggs	0.05 ppm
Other poultry, eggs	0.05 ppm

OXIBENDAZOLE	Cattle, muscle	0.03 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.03 ppm
	Cattle, fat	0.03 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.03 ppm
	Cattle, liver	0.03 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.03 ppm
	Cattle, kidney	0.03 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.03 ppm
	Cattle, edible offal	0.03 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.03 ppm
	Milk	0.03 ppm
	Chicken, muscle	0.03 ppm
	Other poultry, muscle	0.03 ppm
	Chicken, fat	0.03 ppm
	Other poultry, fat	0.03 ppm
	Chicken, liver	0.03 ppm
	Other poultry, liver	0.03 ppm
	Chicken, kidney	0.03 ppm
	Other poultry, kidney	0.03 ppm
	Chicken, edible offal	0.03 ppm
	Other poultry, edible offal	0.03 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
	Salmoniformes	0.03 ppm
	Anguilliformes	0.03 ppm
	Perciformes	0.03 ppm
	Other fish	0.03 ppm
	Shelled molluscas	0.03 ppm
Crustaceans	0.03 ppm	
Other aquatic animal	0.03 ppm	
Honey	0.03 ppm	
OXINE-COPPER	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Potato	0.1 ppm

Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Japanese radish, roots (including radish)	1 ppm
Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	1 ppm
Turnip, leaves	1 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	1 ppm
Kale	1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	1 ppm
Onion	1 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	1 ppm
Parsnip	1 ppm
Parsley	1 ppm
Celery	1 ppm
<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	1 ppm
Tomato	1 ppm

Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	2 ppm
Melons	2 ppm
<i>Makuwauri</i> melon	2 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	1 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Ginger	1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange, pulp	2 ppm
Citrus <i>natsudaidai</i> , pulp	5 ppm
Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	2 ppm
Apple	2 ppm
Japanese pear	2 ppm
Pear	2 ppm
Quince	2 ppm
Loquat	2 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm

	Blueberry	2 ppm
	Cranberry	2 ppm
	Huckleberry	2 ppm
	Other berries	2 ppm
	Grape	2 ppm
	Japanese persimmon	2 ppm
	Banana	2 ppm
	Kiwifruit	2 ppm
	Papaya	2 ppm
	Avocado	2 ppm
	Pineapple	2 ppm
	Guava	2 ppm
	Mango	2 ppm
	Passion fruit	2 ppm
	Date	2 ppm
	Other fruits	2 ppm
	Sunflower seeds	2 ppm
	Sesame seeds	2 ppm
	Safflower seeds	2 ppm
	Cotton seeds	2 ppm
	Rapeseeds	2 ppm
	Other oil seeds	2 ppm
	Ginkgo nut	2 ppm
	Chestnut	2 ppm
	Pecan	2 ppm
	Almond	2 ppm
	Walnut	2 ppm
	Other nuts	2 ppm
	Hop	10 ppm
	Other spices	2 ppm
	Other herbs	1 ppm
OXPOCONAZOLE-FUMARATE	Water melon	2 ppm
	Melons	2 ppm
	<i>Makuwauri</i> melon	2 ppm
	<i>Unshu</i> orange,pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , whole	5 ppm
	Lemon	5 ppm
	Orange (including navel orange)	5 ppm
	Grapefruit	5 ppm
	Lime	5 ppm
	Other citrus fruits	5 ppm
	Apple	2 ppm
	Japanese pear	2 ppm

	Pear	2 ppm
	Quince	2 ppm
	Loquat	2 ppm
	Peach	2 ppm
	Nectarine	2 ppm
	Apricot	5 ppm
	Japanese plum (including prune)	5 ppm
	Mume plum	5 ppm
	Cherry	5 ppm
	Strawberry	5 ppm
	Raspberry	5 ppm
	Blackberry	5 ppm
	Blueberry	5 ppm
	Cranberry	5 ppm
	Huckleberry	5 ppm
	Other berries	5 ppm
	Grape	5 ppm
	Japanese persimmon	2 ppm
	Banana	2 ppm
	Kiwifruit	2 ppm
	Papaya	2 ppm
	Avocado	2 ppm
	Pineapple	2 ppm
	Guava	2 ppm
	Mango	2 ppm
	Passion fruit	2 ppm
	Date	5 ppm
	Other fruits	5 ppm
	Other spices	5 ppm
OXOLINIC ACID	Rice (brown rice)	0.5 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	2 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	2 ppm
	Horseradish	0.2 ppm
	Watercress	2 ppm
	Chinese cabbage	2 ppm

Cabbage	2 ppm
Brussels sprouts	2 ppm
Kale	2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
<i>Kyona</i>	2 ppm
Qing-geng-cai	2 ppm
Cauliflower	2 ppm
Broccoli	2 ppm
Other cruciferous vegetables	2 ppm
Burdock	0.2 ppm
Salsify	0.2 ppm
Artichoke	2 ppm
Chicory	2 ppm
Endive	2 ppm
<i>Shungiku</i>	2 ppm
Lettuce (including cos lettuce and leaf lettuce)	2 ppm
Other composite vegetables	2 ppm
Onion	0.1 ppm
Welsh (including leek)	2 ppm
Garlic	0.1 ppm
<i>Nira</i>	2 ppm
Asparagus	2 ppm
Multiplying onion	2 ppm
Other liliaceous vegetables	2 ppm
Carrot	0.2 ppm
Parsnip	0.2 ppm
Parsley	2 ppm
Celery	2 ppm
<i>Mitsuba</i>	2 ppm
Other umbelliferous vegetables	2 ppm
Spinach	2 ppm
Bamboo shoots	0.2 ppm
Ginger	0.2 ppm
Other vegetables	2 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.5 ppm
Nectarine	0.5 ppm
Japanese persimmon	0.5 ppm
Banana	0.5 ppm
Papaya	0.5 ppm
Avocado	0.5 ppm

	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Other spices	2 ppm
	Other herbs	2 ppm
	Cattle, muscle	1 ppm
	Pig, muscle	1 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.02 ppm
	Cattle, liver	1 ppm
	Pig, liver	1 ppm
	Cattle, kidney	1 ppm
	Pig, kidney	1 ppm
	Cattle, edible offal	1 ppm
	Pig, edible offal	1 ppm
	Chicken, muscle	1 ppm
	Chicken, fat	0.1 ppm
	Chicken, liver	1 ppm
	Chicken, kidney	1 ppm
	Chicken, edible offal	1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.05 ppm
	Other fish	0.03 ppm
	Crustaceans	0.03 ppm
OFLOXACIN	Chicken, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
OMETHOATE	Rice (brown rice)	1 ppm
	Wheat	0.1 ppm
	Barley	0.05 ppm
	Rye	0.2 ppm
	Corn (maize)	2 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.01 ppm
	Soybeans, dry	2 ppm
	Beans, dry*	2 ppm
	Peas	1 ppm

Broad beans	2 ppm
Peanuts, dry	1 ppm
Other legumes/pulses	2 ppm
Potato	2 ppm
Taro	1 ppm
Sweet potato	1 ppm
Yam	1 ppm
Konjac	1 ppm
Other potatoes	1 ppm
Sugar beet	1 ppm
Sugarcane	1 ppm
Japanese radish, roots (including radish)	1 ppm
Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	1 ppm
Turnip, leaves	1 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	1 ppm
Kale	1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	2 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	1 ppm
Onion	1 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	1 ppm

Parsnip	1 ppm
Parsley	1 ppm
Celery	1 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	1 ppm
Tomato	0.7 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	2 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	1 ppm
Bamboo shoots	2 ppm
Okra	2 ppm
Ginger	1 ppm
Peas, immature (with pods)	2 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange, pulp	1 ppm
Citrus <i>natsudaidai</i> , pulp	1 ppm
Citrus <i>natsudaidai</i> , peel	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	1 ppm

Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm
Other berries	1 ppm
Grape	1 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	1 ppm
Papaya	2 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	2 ppm
Other fruits	1 ppm
Sunflower seeds	1 ppm
Sesame seeds	1 ppm
Safflower seeds	1 ppm
Cotton seeds	1 ppm
Rapeseeds	1 ppm
Other oil seeds	1 ppm
Ginkgo nut	0.2 ppm
Chestnut	0.2 ppm
Pecan	0.2 ppm
Almond	0.2 ppm
Walnut	0.2 ppm
Other nuts	0.1 ppm
Tea	1 ppm
Other spices	2 ppm
Other herbs	1 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm

	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
OLAQUINDOX	Pig, muscle	0.3 ppm
	Pig, fat	0.3 ppm
	Pig, liver	0.3 ppm
	Pig, kidney	0.3 ppm
	Pig, edible offal	0.3 ppm
	Chicken, muscle	0.3 ppm
	Other poultry, muscle	0.3 ppm
	Chicken, fat	0.3 ppm
	Other poultry, fat	0.3 ppm
	Chicken, liver	0.3 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.3 ppm
	Other poultry, kidney	0.3 ppm
	Chicken, edible offal	0.3 ppm
	Other poultry, edible offal	0.3 ppm
ORYZALIN	Rice (brown rice)	0.01 ppm
	Wheat	0.01 ppm
	Barley	0.01 ppm
	Rye	0.01 ppm
	Corn (maize)	0.01 ppm

Buckwheat	0.01 ppm
Other cereal grains	0.01 ppm
Garlic	0.05 ppm
<i>Unshu</i> orange,pulp	0.08 ppm
Citrus <i>natsudaidai</i> , whole	0.08 ppm
Lemon	0.08 ppm
Orange (including navel orange)	0.08 ppm
Grapefruit	0.08 ppm
Lime	0.08 ppm
Other citrus fruits	0.08 ppm
Apple	0.08 ppm
Japanese pear	0.08 ppm
Pear	0.08 ppm
Quince	0.08 ppm
Loquat	0.08 ppm
Peach	0.08 ppm
Nectarine	0.08 ppm
Apricot	0.08 ppm
Japanese plum (including prune)	0.08 ppm
Mume plum	0.1 ppm
Cherry	0.08 ppm
Strawberry	0.1 ppm
Raspberry	0.08 ppm
Blackberry	0.08 ppm
Blueberry	0.08 ppm
Cranberry	0.1 ppm
Huckleberry	0.08 ppm
Other berries	0.08 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.08 ppm
Papaya	0.1 ppm
Avocado	0.08 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.08 ppm
Rapeseeds	0.05 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.08 ppm

	Pecan	0.08 ppm
	Almond	0.08 ppm
	Walnut	0.08 ppm
	Other nuts	0.08 ppm
	Coffee beans	0.1 ppm
	Other spices	0.08 ppm
<i>O</i> -DICHLOROBENZENE	Other terrestrial mammals, muscle	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
2-PHENYLPHENOL	Barley	0.5 ppm
	Sweet potato	10 ppm
	Carrot	20 ppm
	Tomato	8 ppm
	Pimiento (sweet pepper)	10 ppm
	Other solanaceous vegetables	10 ppm
	Cucumber (including gherkin)	10 ppm
	Melons	10 ppm
	<i>Makuwauri</i> melon	10 ppm
	Other vegetables	20 ppm
	<i>Unshu</i> orange, pulp	10 ppm
	Citrus <i>natsudaidai</i> , whole	10 ppm
	Lemon	10 ppm
	Orange (including navel orange)	10 ppm
	Grapefruit	10 ppm
	Lime	10 ppm
	Other citrus fruits	10 ppm
	Japanese pear	20 ppm
	Pear	20 ppm
	Peach	20 ppm
	Nectarine	10 ppm
	Japanese plum (including prune)	20 ppm
	Cherry	2 ppm
	Pineapple	10 ppm
	Other spices	20 ppm
	Other herbs	20 ppm
ORBIFLOXACIN	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm

	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Milk	0.02 ppm
ORMETOPRIM	Cattle, muscle	0.02 ppm
	Pig, muscle	0.05 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.05 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.05 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.05 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Salmoniformes	0.1 ppm
	Anguilliformes	0.1 ppm
	Other fish	0.1 ppm
OLEANDOMYCIN	Cattle, muscle	0.05 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm

	Milk	0.05 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Perciformes	0.05 ppm
KASUGAMYCIN	Rice (brown rice)	0.04 ppm
	Soybeans, dry	0.04 ppm
	Beans, dry*	0.04 ppm
	Peas	0.04 ppm
	Broad beans	0.04 ppm
	Peanuts, dry	0.04 ppm
	Other legumes/pulses	0.04 ppm
	Potato	0.04 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.04 ppm
	Japanese radish, leaves (including radish)	0.04 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.04 ppm
	Cabbage	0.04 ppm
	Brussels sprouts	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.04 ppm
	Other cruciferous vegetables	0.04 ppm
	Burdock	0.04 ppm
	<i>Shungiku</i>	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.04 ppm
	Other composite vegetables	0.05 ppm
	Onion	0.04 ppm
	Welsh (including leek)	0.04 ppm
	Garlic	0.04 ppm
	Carrot	0.04 ppm
	Celery	0.04 ppm
	<i>Mitsuba</i>	0.05 ppm

	Other umbelliferous vegetables	0.05 ppm
	Tomato	0.03 ppm
	Pimiento (sweet pepper)	0.04 ppm
	Other solanceous vegetables	0.05 ppm
	Cucumber (including gherkin)	0.05 ppm
	Pumpkin (including squash)	0.05 ppm
	Water melon	0.05 ppm
	Melons	0.04 ppm
	Other cucurbitaceous vegetables	0.05 ppm
	Okra	0.05 ppm
	Ginger	0.05 ppm
	Other vegetables	0.05 ppm
	<i>Unshu</i> orange,pulp	0.05 ppm
	Citrus <i>natsudaidai</i> , whole	0.05 ppm
	Lemon	0.05 ppm
	Orange (including navel orange)	0.05 ppm
	Grapefruit	0.05 ppm
	Lime	0.05 ppm
	Other citrus fruits	0.05 ppm
	Japanese pear	0.04 ppm
	Pear	0.04 ppm
	Loquat	0.04 ppm
	Peach	0.04 ppm
	Mume plum	0.04 ppm
	Kiwifruit	0.04 ppm
	Other fruits	0.05 ppm
	Tea	0.04 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
KANAMYCIN	Cattle, muscle	0.04 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.6 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	3 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.2 ppm

	Other terrestrial mammals, edible offal	0.6 ppm
	Milk	0.4 ppm
	Chicken, muscle	0.5 ppm
	Chicken, fat	0.1 ppm
	Chicken, liver	0.5 ppm
	Chicken, kidney	0.5 ppm
	Chicken, edible offal	0.5 ppm
	Chicken, eggs	0.5 ppm
CARAZOLOL	Cattle, muscle	0.005 ppm
	Pig, muscle	0.005 ppm
	Other terrestrial mammals, muscle	0.001 ppm
	Cattle, fat	0.005 ppm
	Pig, fat	0.005 ppm
	Other terrestrial mammals, fat	0.001 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.025 ppm
	Other terrestrial mammals, liver	0.001 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.025 ppm
	Other terrestrial mammals, kidney	0.001 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.03 ppm
	Other terrestrial mammals, edible offal	0.001 ppm
	Milk	0.001 ppm
	Chicken, muscle	0.001 ppm
	Other poultry, muscle	0.001 ppm
	Chicken, fat	0.001 ppm
	Other poultry, fat	0.001 ppm
	Chicken, liver	0.001 ppm
	Other poultry, liver	0.001 ppm
	Chicken, kidney	0.001 ppm
	Other poultry, kidney	0.001 ppm
	Chicken, edible offal	0.001 ppm
	Other poultry, edible offal	0.001 ppm
	Chicken, eggs	0.001 ppm
	Other poultry, eggs	0.001 ppm
	Salmoniformes	0.001 ppm
	Anguilliformes	0.001 ppm
	Perciformes	0.001 ppm
	Other fish	0.001 ppm
	Shelled molluscas	0.001 ppm
	Crustaceans	0.001 ppm
	Other aquatic animal	0.001 ppm

	Honey	0.001 ppm
CARTAP, THIOCYCLAM and BENSULTAP (as total)	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Japanese radish, roots (including radish)	3 ppm
	Japanese radish, leaves (including radish)	3 ppm
	Turnip, roots	3 ppm
	Turnip, leaves	3 ppm
	Horseradish	3 ppm
	Watercress	3 ppm
	Chinese cabbage	3 ppm
	Cabbage	3 ppm
	Brussels sprouts	3 ppm
	Kale	3 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	3 ppm
	<i>Kyona</i>	3 ppm
	Qing-geng-cai	3 ppm
	Cauliflower	3 ppm
	Broccoli	3 ppm
	Other cruciferous vegetables	3 ppm
	Burdock	3 ppm
	Salsify	3 ppm
	Artichoke	3 ppm
	Chicory	3 ppm
	Endive	3 ppm
<i>Shungiku</i>	3 ppm	
Lettuce (including cos lettuce and leaf lettuce)	3 ppm	
Other composite vegetables	3 ppm	
Onion	3 ppm	
Welsh (including leek)	3 ppm	
Garlic	3 ppm	
<i>Nira</i>	3 ppm	
Asparagus	3 ppm	

Multiplying onion	3 ppm
Other liliaceous vegetables	3 ppm
Carrot	3 ppm
Parsnip	3 ppm
Parsley	3 ppm
Celery	3 ppm
<i>Mitsuba</i>	3 ppm
Other umbelliferous vegetables	3 ppm
Tomato	3 ppm
Pimiento (sweet pepper)	3 ppm
Egg plant	3 ppm
Other solanceous vegetables	3 ppm
Cucumber (including gherkin)	3 ppm
Pumpkin (including squash)	3 ppm
Oriental pickling melon (vegetable)	3 ppm
Water melon	3 ppm
Melons	3 ppm
<i>Makuwauri</i> melon	3 ppm
Other cucurbitaceous vegetables	3 ppm
Spinach	3 ppm
Bamboo shoots	3 ppm
Okra	3 ppm
Ginger	3 ppm
Peas, immature (with pods)	3 ppm
Kidney beans, immature (with pods)	3 ppm
Green soybeans	3 ppm
Button mushroom	3 ppm
<i>Shiitake</i> mushroom	3 ppm
Other mushrooms	3 ppm
Other vegetables	3 ppm
<i>Unshu</i> orange, pulp	3 ppm
Citrus <i>natsudaidai</i> , whole	3 ppm
Lemon	3 ppm
Orange (including navel orange)	3 ppm
Grapefruit	3 ppm
Lime	3 ppm
Other citrus fruits	3 ppm
Apple	3 ppm
Japanese pear	3 ppm
Pear	3 ppm
Quince	3 ppm
Loquat	3 ppm
Peach	3 ppm

	Nectarine	3 ppm
	Apricot	3 ppm
	Japanese plum (including prune)	3 ppm
	Mume plum	3 ppm
	Cherry	3 ppm
	Strawberry	3 ppm
	Raspberry	3 ppm
	Blackberry	3 ppm
	Blueberry	3 ppm
	Cranberry	3 ppm
	Huckleberry	3 ppm
	Other berries	3 ppm
	Grape	3 ppm
	Japanese persimmon	3 ppm
	Banana	3 ppm
	Kiwifruit	3 ppm
	Papaya	3 ppm
	Avocado	3 ppm
	Pineapple	3 ppm
	Guava	3 ppm
	Mango	3 ppm
	Passion fruit	3 ppm
	Date	3 ppm
	Other fruits	3 ppm
	Sunflower seeds	3 ppm
	Sesame seeds	3 ppm
	Safflower seeds	3 ppm
	Cotton seeds	3 ppm
	Rapeseeds	3 ppm
	Other oil seeds	3 ppm
	Ginkgo nut	3 ppm
	Chestnut	3 ppm
	Pecan	3 ppm
	Almond	3 ppm
	Walnut	3 ppm
	Other nuts	3 ppm
	Tea	30 ppm
	Hop	10 ppm
	Other spices	3 ppm
	Other herbs	3 ppm
CARBARYL	Wheat	2 ppm
	Barley	5 ppm
	Rye	5 ppm

Corn (maize)	0.1 ppm
Buckwheat	3 ppm
Other cereal grains	10 ppm
Soybeans, dry	0.2 ppm
Beans, dry*	1 ppm
Peas	4 ppm
Broad beans	4 ppm
Peanuts, dry	5 ppm
Other legumes/pulses	4 ppm
Taro	3 ppm
Sweet potato	0.02 ppm
Yam	3 ppm
Konjac	3 ppm
Other potatoes	3 ppm
Sugar beet	0.1 ppm
Sugarcane	0.05 ppm
Turnip, roots	1 ppm
Turnip, leaves	10 ppm
Horseradish	4 ppm
Watercress	10 ppm
Kale	10 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	10 ppm
<i>Kyona</i>	10 ppm
Qing-geng-cai	10 ppm
Cauliflower	5 ppm
Broccoli	6 ppm
Other cruciferous vegetables	10 ppm
Burdock	3 ppm
Salsify	4 ppm
Artichoke	3 ppm
Chicory	10 ppm
Endive	10 ppm
<i>Shungiku</i>	10 ppm
Lettuce (including cos lettuce and leaf lettuce)	10 ppm
Other composite vegetables	10 ppm
Onion	3 ppm
Welsh (including leek)	3 ppm
Garlic	3 ppm
<i>Nira</i>	2 ppm
Asparagus	15 ppm
Multiplying onion	3 ppm
Other liliaceous vegetables	3 ppm
Carrot	0.5 ppm

Parsnip	2 ppm
Parsley	10 ppm
Celery	5 ppm
<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	10 ppm
Tomato	5 ppm
Pimiento (sweet pepper)	5 ppm
Egg plant	1 ppm
Other solanaceous vegetables	10 ppm
Cucumber (including gherkin)	3 ppm
Pumpkin (including squash)	3 ppm
Oriental pickling melon (vegetable)	3 ppm
Water melon	2 ppm
Melons	3 ppm
<i>Makuwauri</i> melon	3 ppm
Other cucurbitaceous vegetables	10 ppm
Bamboo shoots	4 ppm
Okra	10 ppm
Ginger	2 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	5 ppm
Green soybeans	4 ppm
Button mushroom	3 ppm
<i>Shiitake</i> mushroom	3 ppm
Other mushrooms	3 ppm
Other vegetables	10 ppm
Citrus <i>natsudaidai</i> , whole	7 ppm
Lemon	7 ppm
Orange (including navel orange)	7 ppm
Grapefruit	7 ppm
Lime	7 ppm
Other citrus fruits	7 ppm
Pear	5 ppm
Quince	5 ppm
Loquat	5 ppm
Nectarine	10 ppm
Apricot	10 ppm
Japanese plum (including prune)	10 ppm
Mume plum	2 ppm
Cherry	10 ppm
Strawberry	7 ppm
Raspberry	10 ppm
Blackberry	10 ppm

Blueberry	7 ppm
Cranberry	7 ppm
Huckleberry	7 ppm
Other berries	7 ppm
Banana	5 ppm
Kiwifruit	10 ppm
Papaya	4 ppm
Avocado	5 ppm
Pineapple	2 ppm
Guava	3 ppm
Mango	3 ppm
Passion fruit	3 ppm
Date	2 ppm
Other fruits	30 ppm
Sunflower seeds	0.2 ppm
Cotton seeds	1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	5 ppm
Ginkgo nut	1 ppm
Chestnut	1 ppm
Pecan	1 ppm
Almond	1 ppm
Walnut	1 ppm
Other nuts	1 ppm
Tea (except unfermented tea)	1 ppm
Cacao beans	0.1 ppm
Other spices	30 ppm
Other herbs	10 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	1 ppm
Pig, liver	1 ppm
Other terrestrial mammals, liver	1 ppm
Cattle, kidney	3 ppm
Pig, kidney	3 ppm
Other terrestrial mammals, kidney	3 ppm
Cattle, edible offal	0.2 ppm
Pig, edible offal	0.2 ppm
Other terrestrial mammals, edible offal	0.2 ppm

	Milk	0.05 ppm
	Chicken, muscle	0.5 ppm
	Other poultry, muscle	0.5 ppm
	Chicken, fat	5 ppm
	Other poultry, fat	5 ppm
	Chicken, liver	5 ppm
	Other poultry, liver	5 ppm
	Chicken, kidney	5 ppm
	Other poultry, kidney	5 ppm
	Chicken, edible offal	5 ppm
	Other poultry, edible offal	5 ppm
	Chicken, eggs	0.5 ppm
	Other poultry, eggs	0.5 ppm
	Shelled molluscas	0.3 ppm
CARFENTRAZONE-ETHYL	Rice (brown rice)	0.08 ppm
	Wheat	0.1 ppm
	Barley	0.08 ppm
	Rye	0.08 ppm
	Corn (maize)	0.08 ppm
	Buckwheat	0.08 ppm
	Other cereal grains	0.08 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm

Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	2 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
Other liliaceous vegetables	2 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	2 ppm
Other umbelliferous vegetables	2 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Okra	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Other vegetables	2 ppm
<i>Unshu</i> orange, pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm

Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.08 ppm
Peach	0.08 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	2 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.08 ppm
Pecan	0.08 ppm
Almond	0.08 ppm
Walnut	0.08 ppm

	Other nuts	0.08 ppm
	Tea	0.1 ppm
	Coffee beans	0.1 ppm
	Cacao beans	0.1 ppm
	Hop	0.3 ppm
	Other spices	2 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.08 ppm
	Pig, muscle	0.08 ppm
	Other terrestrial mammals, muscle	0.08 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.08 ppm
	Pig, liver	0.08 ppm
	Other terrestrial mammals, liver	0.08 ppm
	Cattle, kidney	0.08 ppm
	Pig, kidney	0.08 ppm
	Other terrestrial mammals, kidney	0.08 ppm
	Cattle, edible offal	0.08 ppm
	Pig, edible offal	0.08 ppm
	Other terrestrial mammals, edible offal	0.08 ppm
	Milk	0.04 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
	Salmoniformes	0.3 ppm
	Anguilliformes	0.3 ppm
	Perciformes	0.3 ppm
	Other fish	0.3 ppm
	Shelled molluscas	0.3 ppm
CARPROPAMID	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm

Corn (maize)	0.1 ppm
Buckwheat	0.1 ppm
Other cereal grains	0.1 ppm
Soybeans, dry	0.1 ppm
Beans, dry*	0.1 ppm
Peas	0.1 ppm
Broad beans	0.1 ppm
Peanuts, dry	0.1 ppm
Other legumes/pulses	0.1 ppm
Potato	0.1 ppm
Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Sugar beet	0.1 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm

Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm

Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Tea	0.1 ppm
Coffee beans	0.1 ppm
Cacao beans	0.1 ppm
Hop	0.1 ppm

	Other spices	0.1 ppm
	Other herbs	0.1 ppm
CARPROFEN	Cattle, muscle	0.5 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Cattle, fat	1 ppm
	Other terrestrial mammals, fat	1 ppm
	Cattle, liver	1 ppm
	Other terrestrial mammals, liver	1 ppm
	Cattle, kidney	1 ppm
	Other terrestrial mammals, kidney	1 ppm
	Cattle, edible offal	1 ppm
	Other terrestrial mammals, edible offal	1 ppm
CARBETAMIDE	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
CARBENDAZIM, THIOPHANATE, THIOPHANATE-METHYL and BENOMYL (as total)	Rice (brown rice)	1 ppm
	Wheat	0.6 ppm
	Barley	0.6 ppm

Rye	0.6 ppm
Corn (maize)	0.7 ppm
Buckwheat	0.6 ppm
Other cereal grains	0.6 ppm
Soybeans, dry	1 ppm
Beans, dry*	2 ppm
Peas	0.6 ppm
Broad beans	0.6 ppm
Peanuts, dry	0.6 ppm
Other legumes/pulses	0.6 ppm
Potato	0.6 ppm
Taro	0.6 ppm
Sweet potato	0.6 ppm
Yam	0.6 ppm
Konjac	0.6 ppm
Other potatoes	0.6 ppm
Sugar beet	0.6 ppm
Sugarcane	0.08 ppm
Japanese radish, roots (including radish)	3 ppm
Japanese radish, leaves (including radish)	3 ppm
Turnip, roots	3 ppm
Turnip, leaves	3 ppm
Horseradish	3 ppm
Watercress	3 ppm
Chinese cabbage	3 ppm
Cabbage	3 ppm
Brussels sprouts	0.5 ppm
Kale	3 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	3 ppm
<i>Kyona</i>	3 ppm
Qing-geng-cai	3 ppm
Cauliflower	3 ppm
Broccoli	3 ppm
Other cruciferous vegetables	3 ppm
Burdock	3 ppm
Salsify	3 ppm
Artichoke	3 ppm
Chicory	3 ppm
Endive	3 ppm
<i>Shungiku</i>	3 ppm
Lettuce (including cos lettuce and leaf lettuce)	3 ppm
Other composite vegetables	3 ppm
Onion	3 ppm

Welsh (including leek)	3 ppm
Garlic	3 ppm
<i>Nira</i>	3 ppm
Asparagus	1 ppm
Multiplying onion	3 ppm
Other liliaceous vegetables	3 ppm
Carrot	3 ppm
Parsnip	3 ppm
Parsley	3 ppm
Celery	3 ppm
<i>Mitsuba</i>	3 ppm
Other umbelliferous vegetables	3 ppm
Tomato	3 ppm
Pimiento (sweet pepper)	3 ppm
Egg plant	3 ppm
Other solanaceous vegetables	3 ppm
Cucumber (including gherkin)	3 ppm
Pumpkin (including squash)	3 ppm
Oriental pickling melon (vegetable)	3 ppm
Water melon	3 ppm
Melons	3 ppm
<i>Makuwauri</i> melon	3 ppm
Other cucurbitaceous vegetables	3 ppm
Spinach	3 ppm
Bamboo shoots	3 ppm
Okra	3 ppm
Ginger	3 ppm
Peas, immature (with pods)	3 ppm
Kidney beans, immature (with pods)	2 ppm
Green soybeans	3 ppm
Button mushroom	3 ppm
<i>Shiitake</i> mushroom	3 ppm
Other mushrooms	3 ppm
Other vegetables	3 ppm
<i>Unshu</i> orange,pulp	3 ppm
Citrus <i>natsudaidai</i> , whole	3 ppm
Lemon	7 ppm
Orange (including navel orange)	3 ppm
Grapefruit	7 ppm
Lime	3 ppm
Other citrus fruits	3 ppm
Apple	3 ppm
Japanese pear	3 ppm

Pear	3 ppm
Quince	3 ppm
Loquat	3 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	3 ppm
Japanese plum (including prune)	1 ppm
Mume plum	3 ppm
Cherry	3 ppm
Strawberry	3 ppm
Raspberry	3 ppm
Blackberry	3 ppm
Blueberry	3 ppm
Cranberry	3 ppm
Huckleberry	3 ppm
Other berries	3 ppm
Grape	3 ppm
Japanese persimmon	3 ppm
Banana	3 ppm
Kiwifruit	3 ppm
Papaya	3 ppm
Avocado	3 ppm
Pineapple	7 ppm
Guava	3 ppm
Mango	2 ppm
Passion fruit	3 ppm
Date	3 ppm
Other fruits	3 ppm
Sunflower seeds	3 ppm
Sesame seeds	3 ppm
Safflower seeds	3 ppm
Cotton seeds	3 ppm
Rapeseeds	3 ppm
Other oil seeds	3 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.2 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Tea	10 ppm
Coffee beans	0.1 ppm
Hop	0.1 ppm

	Other spices	3 ppm
	Other herbs	3 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.07 ppm
	Pig, fat	0.09 ppm
	Other terrestrial mammals, fat	0.07 ppm
	Cattle, liver	0.4 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.4 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.3 ppm
	Chicken, muscle	0.09 ppm
	Other poultry, muscle	0.09 ppm
	Chicken, fat	0.09 ppm
	Other poultry, fat	0.09 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.09 ppm
	Other poultry, kidney	0.09 ppm
	Chicken, edible offal	0.09 ppm
	Other poultry, edible offal	0.09 ppm
	Chicken, eggs	0.09 ppm
	Other poultry, eggs	0.09 ppm
CARBOXIN	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.1 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.2 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peanuts, dry	0.2 ppm
	Onion	0.2 ppm
	Kidney beans, immature (with pods)	0.2 ppm
	Green soybeans	0.2 ppm

	Other vegetables	0.2 ppm
	Safflower seeds	0.2 ppm
	Cotton seeds	0.2 ppm
	Rapeseeds	0.03 ppm
	Other spices	0.2 ppm
	Other herbs	0.2 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
CARBOSULFAN	Rice (brown rice)	0.2 ppm
	Wheat	0.1 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm

Peas	0.05 ppm
Broad beans	0.05 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.05 ppm
Potato	1 ppm
Taro	1 ppm
Sweet potato	1 ppm
Yam	1 ppm
Konjac	1 ppm
Other potatoes	1 ppm
Sugar beet	0.3 ppm
Sugarcane	0.2 ppm
Japanese radish, roots (including radish)	1 ppm
Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	1 ppm
Turnip, leaves	1 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	1 ppm
Kale	1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	1 ppm
Onion	1 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm

Carrot	1 ppm
Parsnip	1 ppm
Parsley	1 ppm
Celery	1 ppm
<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	1 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	1 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Ginger	1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm

Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	5 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	0.2 ppm
Sunflower seeds	0.2 ppm
Sesame seeds	0.2 ppm
Safflower seeds	0.2 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.2 ppm
Other oil seeds	0.2 ppm
Ginkgo nut	0.2 ppm
Chestnut	0.2 ppm
Pecan	0.2 ppm
Almond	0.2 ppm
Walnut	0.2 ppm
Other nuts	0.2 ppm
Tea	0.1 ppm
Cacao beans	0.05 ppm
Hop	1 ppm
Other spices	1 ppm
Other herbs	1 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm

	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.03 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CARBOFURAN	Rice (brown rice)	0.1 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.1 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.6 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm

Sugar beet	0.2 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.5 ppm
Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	0.5 ppm
Turnip, leaves	0.5 ppm
Horseradish	0.5 ppm
Watercress	0.5 ppm
Chinese cabbage	0.5 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.5 ppm
Kale	0.5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	0.5 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	1 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	0.5 ppm

Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.3 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.3 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.3 ppm
<i>Unshu</i> orange,pulp	0.3 ppm
Citrus <i>natsudaidai</i> , whole	0.3 ppm
Lemon	0.3 ppm
Orange (including navel orange)	0.3 ppm
Grapefruit	0.3 ppm
Lime	0.3 ppm
Other citrus fruits	0.3 ppm
Apple	0.3 ppm
Japanese pear	0.3 ppm
Pear	0.3 ppm
Quince	0.3 ppm
Loquat	0.3 ppm
Peach	0.3 ppm
Nectarine	0.3 ppm
Apricot	0.3 ppm
Japanese plum (including prune)	0.3 ppm
Mume plum	0.3 ppm
Cherry	0.3 ppm
Strawberry	3 ppm
Raspberry	0.3 ppm
Blackberry	0.3 ppm
Blueberry	0.3 ppm
Cranberry	0.3 ppm
Huckleberry	0.3 ppm
Other berries	0.3 ppm

Grape	0.3 ppm
Japanese persimmon	0.3 ppm
Banana	0.3 ppm
Kiwifruit	0.3 ppm
Papaya	0.3 ppm
Avocado	0.3 ppm
Pineapple	0.3 ppm
Guava	0.3 ppm
Mango	0.3 ppm
Passion fruit	0.3 ppm
Date	0.3 ppm
Other fruits	0.3 ppm
Sunflower seeds	0.3 ppm
Sesame seeds	0.3 ppm
Safflower seeds	0.3 ppm
Cotton seeds	0.3 ppm
Rapeseeds	0.3 ppm
Other oil seeds	0.3 ppm
Ginkgo nut	0.3 ppm
Chestnut	0.3 ppm
Pecan	0.3 ppm
Almond	0.3 ppm
Walnut	0.3 ppm
Other nuts	0.3 ppm
Tea	0.2 ppm
Coffee beans	1 ppm
Cacao beans	0.1 ppm
Hop	10 ppm
Other spices	0.5 ppm
Other herbs	0.5 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm

	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.08 ppm
	Other poultry, muscle	0.08 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.08 ppm
	Other poultry, liver	0.08 ppm
	Chicken, kidney	0.08 ppm
	Other poultry, kidney	0.08 ppm
	Chicken, edible offal	0.08 ppm
	Other poultry, edible offal	0.08 ppm
	Chicken, eggs	0.08 ppm
	Other poultry, eggs	0.08 ppm
	Mineral waters	0.007 ppm
CANTHAXANTHIN	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Other poultry, fat	0.1 ppm
	Other poultry, liver	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Other poultry, eggs	0.1 ppm
	Anguilliformes	0.1 ppm
	Perciformes	0.1 ppm
	Other fish	0.1 ppm
	Shelled molluscas	0.1 ppm
	Crustaceans	0.1 ppm

	Other aquatic animal	0.1 ppm
	Honey	0.1 ppm
QUIZALOFOP-ETHYL	Taro	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.3 ppm
	Horseradish	0.1 ppm
	Watercress	0.3 ppm
	Kale	0.3 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.3 ppm
	<i>Kyona</i>	0.3 ppm
	Qing-geng-cai	0.3 ppm
	Broccoli	0.3 ppm
	Other cruciferous vegetables	0.3 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	0.3 ppm
	Chicory	0.3 ppm
	Endive	0.3 ppm
	<i>Shungiku</i>	0.3 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
	Other composite vegetables	0.3 ppm
	<i>Nira</i>	0.3 ppm
	Multiplying onion	0.3 ppm
	Other liliaceous vegetables	0.3 ppm
	Parsnip	0.1 ppm
	Parsley	0.3 ppm
	<i>Mitsuba</i>	0.3 ppm
	Other umbelliferous vegetables	0.3 ppm
	<i>Makuwauri</i> melon	0.05 ppm
	Bamboo shoots	0.1 ppm
	Ginger	0.1 ppm
	Other vegetables	0.3 ppm
	Loquat	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Kiwifruit	0.05 ppm
	Date	0.05 ppm
	Other fruits	0.05 ppm
	Other oil seeds	0.05 ppm

	Other spices	0.3 ppm
	Other herbs	0.3 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.04 ppm
	Chicken, muscle	0.04 ppm
	Other poultry, muscle	0.04 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
XYLAZINE	Cattle, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.02 ppm
KITASAMYCIN	Pig, muscle	0.2 ppm
	Pig, fat	0.2 ppm

	Pig, liver	0.2 ppm
	Pig, kidney	0.2 ppm
	Pig, edible offal	0.2 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.2 ppm
	Other poultry, eggs	0.2 ppm
QUINALPHOS	Corn (maize)	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm

Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
Tea	0.1 ppm

	Hop	0.1 ppm
	Other spices	0.8 ppm
	Other herbs	0.05 ppm
QUINOXYFEN	Pumpkin (including squash)	0.3 ppm
	Water melon	0.3 ppm
	Melons	0.3 ppm
	<i>Makuwauri</i> melon	0.3 ppm
	Cherry	0.3 ppm
	Grape	1 ppm
	Hop	3 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
QUINOCLAMINE	Rice (brown rice)	0.03 ppm
	Japanese radish, roots (including radish)	0.03 ppm
	Japanese radish, leaves (including radish)	0.03 ppm
	Turnip, roots	0.03 ppm
	Turnip, leaves	0.03 ppm
	Horseradish	0.03 ppm
	Watercress	0.03 ppm
	Chinese cabbage	0.03 ppm
	Cabbage	0.03 ppm
	Brussels sprouts	0.03 ppm
	Kale	0.03 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.03 ppm
	<i>Kyona</i>	0.03 ppm
	Qing-geng-cai	0.03 ppm
	Cauliflower	0.03 ppm
	Broccoli	0.03 ppm
	Other cruciferous vegetables	0.03 ppm

Burdock	0.03 ppm	
Salsify	0.03 ppm	
Artichoke	0.03 ppm	
Chicory	0.03 ppm	
Endive	0.03 ppm	
<i>Shungiku</i>	0.03 ppm	
Lettuce (including cos lettuce and leaf lettuce)	0.03 ppm	
Other composite vegetables	0.03 ppm	
Onion	0.03 ppm	
Welsh (including leek)	0.03 ppm	
Garlic	0.03 ppm	
<i>Nira</i>	0.03 ppm	
Asparagus	0.03 ppm	
Multiplying onion	0.03 ppm	
Other liliaceous vegetables	0.03 ppm	
Carrot	0.03 ppm	
Parsnip	0.03 ppm	
Parsley	0.03 ppm	
Celery	0.03 ppm	
<i>Mitsuba</i>	0.03 ppm	
Other umbelliferous vegetables	0.03 ppm	
Tomato	0.03 ppm	
Pimiento (sweet pepper)	0.03 ppm	
Egg plant	0.03 ppm	
Other solanceous vegetables	0.03 ppm	
Cucumber (including gherkin)	0.03 ppm	
Pumpkin (including squash)	0.03 ppm	
Oriental pickling melon (vegetable)	0.03 ppm	
Other cucurbitaceous vegetables	0.03 ppm	
Spinach	0.03 ppm	
Bamboo shoots	0.03 ppm	
Okra	0.03 ppm	
Ginger	0.03 ppm	
Peas, immature (with pods)	0.03 ppm	
Kidney beans, immature (with pods)	0.03 ppm	
Green soybeans	0.03 ppm	
Button mushroom	0.03 ppm	
<i>Shiitake</i> mushroom	0.03 ppm	
Other mushrooms	0.03 ppm	
Other vegetables	0.03 ppm	
Other spices	0.03 ppm	
Other herbs	0.03 ppm	
CHINOMETHIONAT	Taro	0.3 ppm

Sweet potato	0.3 ppm
Yam	0.3 ppm
Konjac	0.3 ppm
Other potatoes	0.3 ppm
Sugar beet	0.3 ppm
Japanese radish, roots (including radish)	0.3 ppm
Japanese radish, leaves (including radish)	0.3 ppm
Turnip, roots	0.3 ppm
Turnip, leaves	0.3 ppm
Horseradish	0.3 ppm
Watercress	0.3 ppm
Chinese cabbage	0.3 ppm
Kale	0.3 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.3 ppm
<i>Kyona</i>	0.3 ppm
Qing-geng-cai	0.3 ppm
Other cruciferous vegetables	0.3 ppm
Burdock	0.3 ppm
Salsify	0.3 ppm
Artichoke	0.3 ppm
Chicory	0.3 ppm
Endive	0.3 ppm
<i>Shungiku</i>	0.3 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
Other composite vegetables	0.3 ppm
Onion	0.3 ppm
Welsh (including leek)	0.3 ppm
Garlic	0.3 ppm
<i>Nira</i>	0.3 ppm
Asparagus	0.3 ppm
Multiplying onion	0.3 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.3 ppm
Parsnip	0.3 ppm
Celery	0.3 ppm
<i>Mitsuba</i>	0.3 ppm
Other umbelliferous vegetables	0.3 ppm
Other solanaceous vegetables	0.3 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Spinach	0.3 ppm
Ginger	0.3 ppm
Kidney beans, immature (with pods)	0.3 ppm
Green soybeans	0.3 ppm

	Button mushroom	0.3 ppm
	<i>Shiitake</i> mushroom	0.3 ppm
	Other mushrooms	0.3 ppm
	Raspberry	0.3 ppm
	Blackberry	0.3 ppm
	Blueberry	0.3 ppm
	Cranberry	0.3 ppm
	Huckleberry	0.3 ppm
	Banana	0.3 ppm
	Kiwifruit	0.3 ppm
	Pineapple	0.3 ppm
	Guava	0.3 ppm
	Mango	0.3 ppm
	Passion fruit	0.3 ppm
	Ginkgo nut	0.3 ppm
	Chestnut	0.3 ppm
	Pecan	0.3 ppm
	Other spices	0.5 ppm
	Other herbs	0.5 ppm
CAPTAN	Rice (brown rice)	5 ppm
	Corn (maize)	10 ppm
	Soybeans, dry	5 ppm
	Beans, dry*	5 ppm
	Peas	5 ppm
	Broad beans	5 ppm
	Peanuts, dry	5 ppm
	Other legumes/pulses	5 ppm
	Potato	0.05 ppm
	Taro	5 ppm
	Sweet potato	5 ppm
	Yam	5 ppm
	Konjac	5 ppm
	Other potatoes	5 ppm
	Sugar beet	5 ppm
	Japanese radish, roots (including radish)	5 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Turnip, roots	5 ppm
	Turnip, leaves	5 ppm
	Horseradish	5 ppm
	Watercress	5 ppm
	Chinese cabbage	5 ppm
	Cabbage	5 ppm
	Brussels sprouts	5 ppm

Kale	5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
<i>Kyona</i>	5 ppm
Qing-geng-cai	5 ppm
Cauliflower	5 ppm
Broccoli	5 ppm
Other cruciferous vegetables	5 ppm
Burdock	5 ppm
Salsify	5 ppm
Artichoke	5 ppm
Chicory	5 ppm
Endive	5 ppm
<i>Shungiku</i>	5 ppm
Lettuce (including cos lettuce and leaf lettuce)	5 ppm
Other composite vegetables	5 ppm
Onion	5 ppm
Welsh (including leek)	5 ppm
Garlic	5 ppm
<i>Nira</i>	5 ppm
Asparagus	5 ppm
Multiplying onion	5 ppm
Other liliaceous vegetables	5 ppm
Carrot	5 ppm
Parsnip	5 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Pimiento (sweet pepper)	5 ppm
Other solanaceous vegetables	5 ppm
Pumpkin (including squash)	5 ppm
Oriental pickling melon (vegetable)	5 ppm
Water melon	5 ppm
Melons	5 ppm
<i>Makuwauri</i> melon	5 ppm
Other cucurbitaceous vegetables	5 ppm
Spinach	5 ppm
Bamboo shoots	5 ppm
Okra	5 ppm
Ginger	5 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	5 ppm
Green soybeans	5 ppm

Button mushroom	5 ppm
<i>Shiitake</i> mushroom	5 ppm
Other mushrooms	5 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange,pulp	5 ppm
Citrus <i>natsudaidai</i> , whole	5 ppm
Lemon	5 ppm
Orange (including navel orange)	5 ppm
Grapefruit	5 ppm
Lime	5 ppm
Other citrus fruits	5 ppm
Japanese pear	25 ppm
Pear	25 ppm
Quince	5 ppm
Loquat	5 ppm
Peach	15 ppm
Nectarine	3 ppm
Apricot	5 ppm
Japanese plum (including prune)	5 ppm
Mume plum	5 ppm
Cherry	5 ppm
Strawberry	20 ppm
Raspberry	20 ppm
Blackberry	20 ppm
Blueberry	20 ppm
Cranberry	20 ppm
Huckleberry	20 ppm
Other berries	20 ppm
Grape	5 ppm
Japanese persimmon	5 ppm
Banana	5 ppm
Kiwifruit	5 ppm
Papaya	5 ppm
Avocado	5 ppm
Pineapple	5 ppm
Guava	5 ppm
Mango	5 ppm
Passion fruit	5 ppm
Date	5 ppm
Other fruits	5 ppm
Sunflower seeds	5 ppm
Sesame seeds	5 ppm
Safflower seeds	5 ppm

	Cotton seeds	5 ppm
	Rapeseeds	5 ppm
	Other oil seeds	5 ppm
	Ginkgo nut	5 ppm
	Chestnut	5 ppm
	Pecan	5 ppm
	Almond	0.3 ppm
	Walnut	5 ppm
	Other nuts	5 ppm
	Other spices	5 ppm
	Other herbs	5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
QUINCLORAC	Wheat	0.5 ppm
	Barley	2 ppm
	Other cereal grains	6 ppm
	Sugar beet	0.2 ppm

	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.4 ppm
	Pig, fat	0.4 ppm
	Other terrestrial mammals, fat	0.4 ppm
	Cattle, liver	0.8 ppm
	Pig, liver	0.8 ppm
	Other terrestrial mammals, liver	0.8 ppm
	Cattle, kidney	0.8 ppm
	Pig, kidney	0.8 ppm
	Other terrestrial mammals, kidney	0.8 ppm
	Cattle, edible offal	0.8 ppm
	Pig, edible offal	0.8 ppm
	Other terrestrial mammals, edible offal	0.8 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.08 ppm
	Other poultry, liver	0.08 ppm
	Chicken, kidney	0.08 ppm
	Other poultry, kidney	0.08 ppm
	Chicken, edible offal	0.08 ppm
	Other poultry, edible offal	0.08 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
QUINTOZENE	Rice (brown rice)	0.02 ppm
	Wheat	0.01 ppm
	Barley	0.01 ppm
	Rye	0.02 ppm
	Corn (maize)	0.01 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.02 ppm
	Peas	0.01 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.1 ppm
	Taro	0.02 ppm

Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.01 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.02 ppm
Onion	0.1 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm

Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.02 ppm
Button mushroom	5 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange, pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm

Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.5 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.05 ppm
Hop	0.05 ppm
Other spices (except seeds, fruits, roots and rhizomes)	0.02 ppm
Other herbs	0.02 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.01 ppm
Other terrestrial mammals, fat	0.01 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.01 ppm

	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
CUMYLURON	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm

Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm

Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm

	Mango	0.02 ppm
	Passion fruit	0.02 ppm
	Date	0.02 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Cotton seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
CLAVULANIC ACID	Cattle, muscle	0.06 ppm
	Pig, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.4 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.2 ppm
	Milk	0.1 ppm
GLYCALPYRAMIDE	Cattle, muscle	0.03 ppm
	Pig, muscle	0.03 ppm
	Other terrestrial mammals, muscle	0.03 ppm
	Cattle, fat	0.03 ppm
	Pig, fat	0.03 ppm
	Other terrestrial mammals, fat	0.03 ppm
	Cattle, liver	0.03 ppm
	Pig, liver	0.03 ppm
	Other terrestrial mammals, liver	0.03 ppm
	Cattle, kidney	0.03 ppm

	Pig, kidney	0.03 ppm
	Other terrestrial mammals, kidney	0.03 ppm
	Cattle, edible offal	0.03 ppm
	Pig, edible offal	0.03 ppm
	Other terrestrial mammals, edible offal	0.03 ppm
	Milk	0.03 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.03 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.03 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.03 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.03 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.03 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
	Salmoniformes	0.03 ppm
	Anguilliformes	0.03 ppm
	Perciformes	0.03 ppm
	Other fish	0.03 ppm
	Shelled molluscas	0.03 ppm
	Crustaceans	0.03 ppm
	Other aquatic animal	0.03 ppm
	Honey	0.03 ppm
GLYPHOSATE	Taro	0.1 ppm
	Other potatoes	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	<i>Nira</i>	0.1 ppm
	Other liliaceous vegetables	0.2 ppm
	<i>Mitsuba</i>	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Oriental pickling melon (vegetable)	0.2 ppm
	<i>Makuwauri</i> melon	0.2 ppm
	Okra	0.2 ppm
	Peas, immature (with pods)	3 ppm
	Kidney beans, immature (with pods)	2 ppm
	<i>Shiitake</i> mushroom	0.1 ppm
	Other mushrooms	30 ppm
	Safflower seeds	0.1 ppm
	Other spices	2 ppm
	Other herbs	0.2 ppm

	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.4 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	2 ppm
	Pig, liver	1 ppm
	Other terrestrial mammals, liver	1 ppm
	Cattle, kidney	2 ppm
	Pig, kidney	1 ppm
	Other terrestrial mammals, kidney	3 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	1 ppm
	Other terrestrial mammals, edible offal	1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.08 ppm
	Other poultry, fat	0.08 ppm
	Chicken, liver	0.6 ppm
	Other poultry, liver	0.6 ppm
	Chicken, kidney	1 ppm
	Other poultry, kidney	1 ppm
	Chicken, edible offal	0.7 ppm
	Other poultry, edible offal	0.7 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
	Salmoniformes	0.3 ppm
	Anguilliformes	0.3 ppm
	Perciformes	0.3 ppm
	Other fish	0.3 ppm
	Shelled molluscas	3 ppm
	Crustaceans	3 ppm
	Other aquatic animal	3 ppm
GLUFOSINATE	Okra	0.1 ppm
	Other vegetables	0.05 ppm
	Papaya	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm

	Cotton seeds	4 ppm
	Coffee beans	0.05 ppm
	Other spices	3 ppm
	Other herbs	0.5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.4 ppm
	Pig, fat	0.4 ppm
	Other terrestrial mammals, fat	0.4 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
KRESOXIM-METHYL	Rice (brown rice)	0.05 ppm
	Corn (maize)	5 ppm
	Buckwheat	5 ppm
	Other cereal grains	5 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.1 ppm

Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Japanese radish, roots (including radish)	0.3 ppm
Japanese radish, leaves (including radish)	30 ppm
Turnip, roots	0.3 ppm
Turnip, leaves	30 ppm
Horseradish	0.3 ppm
Watercress	30 ppm
Chinese cabbage	2 ppm
Cabbage	2 ppm
Brussels sprouts	30 ppm
Kale	30 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	30 ppm
<i>Kyona</i>	30 ppm
Qing-geng-cai	30 ppm
Cauliflower	30 ppm
Broccoli	30 ppm
Other cruciferous vegetables	30 ppm
Burdock	0.3 ppm
Salsify	0.3 ppm
Artichoke	30 ppm
Chicory	30 ppm
Endive	30 ppm
<i>Shungiku</i>	30 ppm
Lettuce (including cos lettuce and leaf lettuce)	30 ppm
Other composite vegetables	30 ppm
Onion	0.1 ppm
<i>Nira</i>	30 ppm
Asparagus	30 ppm
Other liliaceous vegetables	30 ppm
Carrot	0.3 ppm
Parsnip	0.3 ppm
Parsley	30 ppm
Celery	30 ppm
<i>Mitsuba</i>	30 ppm
Other umbelliferous vegetables	30 ppm
Tomato	3 ppm
Egg plant	3 ppm
Other solanaceous vegetables	3 ppm
Oriental pickling melon (vegetable)	3 ppm

<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	3 ppm
Spinach	30 ppm
Bamboo shoots	0.3 ppm
Okra	2 ppm
Ginger	0.3 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	30 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Nectarine	5 ppm
Apricot	20 ppm
Japanese plum (including prune)	20 ppm
Cherry	20 ppm
Raspberry	20 ppm
Blackberry	20 ppm
Blueberry	20 ppm
Cranberry	20 ppm
Huckleberry	20 ppm
Other berries	20 ppm
Banana	5 ppm
Papaya	5 ppm
Avocado	5 ppm
Pineapple	5 ppm
Guava	5 ppm
Mango	5 ppm
Passion fruit	5 ppm
Date	20 ppm
Other fruits	20 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm

	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	20 ppm
	Hop	0.1 ppm
	Other spices	30 ppm
	Other herbs	30 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
CLETHODIM	Wheat	0.1 ppm
	Barley	0.1 ppm
	Corn (maize)	1 ppm
	Taro	1 ppm
	Yam	1 ppm
	Konjac	1 ppm
	Other potatoes	1 ppm
	Japanese radish, roots (including radish)	1 ppm

Japanese radish, leaves (including radish)	0.9 ppm
Turnip, roots	1 ppm
Turnip, leaves	2 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	2 ppm
Kale	2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	3 ppm
Cauliflower	2 ppm
Broccoli	2 ppm
Other cruciferous vegetables	2 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	0.5 ppm
<i>Shungiku</i>	1 ppm
Other composite vegetables	1 ppm
Welsh (including leek)	1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	1 ppm
Other liliaceous vegetables	0.1 ppm
Parsnip	1 ppm
Parsley	0.1 ppm
Other umbelliferous vegetables	1 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	1 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Ginger	1 ppm
Peas, immature (with pods)	0.6 ppm
Kidney beans, immature (with pods)	0.5 ppm

	Green soybeans	6 ppm
	Button mushroom	1 ppm
	<i>Shiitake</i> mushroom	1 ppm
	Other mushrooms	1 ppm
	Other vegetables	0.5 ppm
	Strawberry	2 ppm
	Cranberry	0.5 ppm
	Other fruits	0.6 ppm
	Almond	0.5 ppm
	Other spices	1 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CLENBUTEROL	Cattle, muscle	0.0002 ppm
	Pig, muscle	Not detected
	Other terrestrial mammals, muscle	0.0002 ppm
	Cattle, fat	0.0002 ppm

	Pig, fat	Not detected
	Other terrestrial mammals, fat	0.0002 ppm
	Cattle, liver	0.0006 ppm
	Pig, liver	Not detected
	Other terrestrial mammals, liver	0.0006 ppm
	Cattle, kidney	0.0006 ppm
	Pig, kidney	Not detected
	Other terrestrial mammals, kidney	0.0006 ppm
	Cattle, edible offal	0.0001 ppm
	Pig, edible offal	Not detected
	Other terrestrial mammals, edible offal	0.0001 ppm
	Milk	0.00005 ppm
	Chicken, muscle	Not detected
	Other poultry, muscle	Not detected
	Chicken, fat	Not detected
	Other poultry, fat	Not detected
	Chicken, liver	Not detected
	Other poultry, liver	Not detected
	Chicken, kidney	Not detected
	Other poultry, kidney	Not detected
	Chicken, edible offal	Not detected
	Other poultry, edible offal	Not detected
	Chicken, eggs	Not detected
	Other poultry, eggs	Not detected
	Salmoniformes	Not detected
	Anguilliformes	Not detected
	Perciformes	Not detected
	Other fish	Not detected
	Shelled molluscas	Not detected
	Crustaceans	Not detected
	Other aquatic animal	Not detected
	Honey	Not detected
CLOXACILLIN	Cattle, muscle	0.04 ppm
	Pig, muscle	0.3 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.3 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.3 ppm

	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.3 ppm
	Other terrestrial mammals, edible offal	0.3 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.3 ppm
	Other poultry, muscle	0.3 ppm
	Chicken, fat	0.3 ppm
	Other poultry, fat	0.3 ppm
	Chicken, liver	0.3 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.3 ppm
	Other poultry, kidney	0.3 ppm
	Chicken, edible offal	0.3 ppm
	Other poultry, edible offal	0.3 ppm
	Salmoniformes	0.3 ppm
	Anguilliformes	0.3 ppm
	Perciformes	0.3 ppm
	Other fish	0.3 ppm
	Shelled molluscas	0.3 ppm
	Crustaceans	0.3 ppm
	Other aquatic animal	0.3 ppm
CLOQUINTOCET-MEXYL	Wheat	0.1 ppm
	Barley	0.1 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm

	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
CLOSANTEL	Cattle, edible offal	1 ppm
	Sheep, edible offal	5 ppm
CLODINAFOP ACID	Wheat	0.1 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
CLODINAFOP-PROPARGYL	Rice (brown rice)	0.02 ppm
	Wheat	0.08 ppm
	Barley	0.02 ppm

Rye	0.02 ppm
Corn (maize)	0.02 ppm
Buckwheat	0.02 ppm
Other cereal grains	0.02 ppm
Soybeans, dry	0.02 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm

Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm

Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm

	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CLOSTEBOL	Cattle, muscle	0.0005 ppm
	Pig, muscle	0.0005 ppm
	Other terrestrial mammals, muscle	0.0005 ppm
	Cattle, fat	0.0005 ppm
	Pig, fat	0.0005 ppm
	Other terrestrial mammals, fat	0.0005 ppm
	Cattle, liver	0.0005 ppm
	Pig, liver	0.0005 ppm
	Other terrestrial mammals, liver	0.0005 ppm
	Cattle, kidney	0.0005 ppm
	Pig, kidney	0.0005 ppm
	Other terrestrial mammals, kidney	0.0005 ppm

	Cattle, edible offal	0.0005 ppm
	Pig, edible offal	0.0005 ppm
	Other terrestrial mammals, edible offal	0.0005 ppm
	Milk	0.0005 ppm
	Chicken, muscle	0.0005 ppm
	Other poultry, muscle	0.0005 ppm
	Chicken, fat	0.0005 ppm
	Other poultry, fat	0.0005 ppm
	Chicken, liver	0.0005 ppm
	Other poultry, liver	0.0005 ppm
	Chicken, kidney	0.0005 ppm
	Other poultry, kidney	0.0005 ppm
	Chicken, edible offal	0.0005 ppm
	Other poultry, edible offal	0.0005 ppm
	Chicken, eggs	0.0005 ppm
	Other poultry, eggs	0.0005 ppm
	Salmoniformes	0.0005 ppm
	Anguilliformes	0.0005 ppm
	Perciformes	0.0005 ppm
	Other fish	0.0005 ppm
	Shelled molluscas	0.0005 ppm
	Crustaceans	0.0005 ppm
	Other aquatic animal	0.0005 ppm
	Honey	0.0005 ppm
CHLOZOLINATE	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm

Sugar beet	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm

Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm

	Japanese persimmon	0.05 ppm
	Banana	0.05 ppm
	Kiwifruit	0.05 ppm
	Papaya	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.05 ppm
	Other fruits	0.05 ppm
	Sunflower seeds	0.05 ppm
	Sesame seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
CLOTHIANIDIN	Other spices	4 ppm
	Other herbs (except spearmint and peppermint)	5 ppm
	Other terrestrial mammals, muscle (except sheep, horse and goat)	0.01 ppm
	Other terrestrial mammals, fat (except sheep, horse and goat)	0.02 ppm
	Other terrestrial mammals, liver (except sheep, horse and goat)	0.02 ppm
	Other terrestrial mammals, kidney (except sheep, horse and goat)	0.02 ppm
	Other terrestrial mammals, edible offal (except sheep, horse and goat)	0.02 ppm
CLOPIDOL	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm

Buckwheat	0.2 ppm
Other cereal grains	0.2 ppm
Soybeans, dry	0.2 ppm
Beans, dry*	0.2 ppm
Peas	0.2 ppm
Broad beans	0.2 ppm
Peanuts, dry	0.2 ppm
Other legumes/pulses	0.2 ppm
Potato	0.2 ppm
Taro	0.2 ppm
Sweet potato	0.2 ppm
Yam	0.2 ppm
Konjac	0.2 ppm
Other potatoes	0.2 ppm
Sugar beet	0.2 ppm
Sugarcane	0.2 ppm
Japanese radish, roots (including radish)	0.2 ppm
Japanese radish, leaves (including radish)	0.2 ppm
Turnip, roots	0.2 ppm
Turnip, leaves	0.2 ppm
Horseradish	0.2 ppm
Watercress	0.2 ppm
Chinese cabbage	0.2 ppm
Cabbage	0.2 ppm
Brussels sprouts	0.2 ppm
Kale	0.2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.2 ppm
<i>Kyona</i>	0.2 ppm
Qing-geng-cai	0.2 ppm
Cauliflower	0.2 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.2 ppm
Burdock	0.2 ppm
Salsify	0.2 ppm
Artichoke	0.2 ppm
Chicory	0.2 ppm
Endive	0.2 ppm
<i>Shungiku</i>	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.2 ppm
Onion	0.2 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.2 ppm

<i>Nira</i>	0.2 ppm
Asparagus	0.2 ppm
Multiplying onion	0.2 ppm
Other liliaceous vegetables	0.2 ppm
Carrot	0.2 ppm
Parsnip	0.2 ppm
Parsley	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Other solanceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.2 ppm
Spinach	0.2 ppm
Bamboo shoots	0.2 ppm
Okra	0.2 ppm
Ginger	0.2 ppm
Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.2 ppm
Button mushroom	0.2 ppm
<i>Shiitake</i> mushroom	0.2 ppm
Other mushrooms	0.2 ppm
Other vegetables	0.2 ppm
<i>Unshu</i> orange,pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm

Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	0.2 ppm
Other spices	0.2 ppm
Other herbs	0.2 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.2 ppm
Pig, fat	0.2 ppm
Other terrestrial mammals, fat	0.2 ppm
Cattle, liver	2 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	2 ppm
Cattle, kidney	3 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	3 ppm
Cattle, edible offal	2 ppm
Pig, edible offal	0.2 ppm
Other terrestrial mammals, edible offal	2 ppm

	Milk	0.02 ppm
	Chicken, muscle	5 ppm
	Other poultry, muscle	5 ppm
	Chicken, fat	5 ppm
	Other poultry, fat	5 ppm
	Chicken, liver	20 ppm
	Other poultry, liver	20 ppm
	Chicken, kidney	20 ppm
	Other poultry, kidney	20 ppm
	Chicken, edible offal	20 ppm
	Other poultry, edible offal	20 ppm
CLOPYRALID	Rice (brown rice)	2 ppm
	Wheat	2 ppm
	Barley	2 ppm
	Rye	2 ppm
	Corn (maize)	2 ppm
	Buckwheat	2 ppm
	Other cereal grains	2 ppm
	Sugar beet	2 ppm
	Turnip, roots	1 ppm
	Turnip, leaves	4 ppm
	Chinese cabbage	2 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Qing-geng-cai	1 ppm
	Cauliflower	2 ppm
	Broccoli	2 ppm
	Other cruciferous vegetables	5 ppm
	Asparagus	1 ppm
	Spinach	5 ppm
	Other vegetables	4 ppm
	Peach	0.5 ppm
	Nectarine	0.5 ppm
	Apricot	0.5 ppm
	Japanese plum (including prune)	0.5 ppm
	Cherry	0.5 ppm
	Strawberry	1 ppm
	Cranberry	4 ppm
	Rapeseeds	2 ppm
	Other oil seeds	2 ppm
	Hop	5 ppm
	Other spices	4 ppm
	Other herbs	5 ppm

	Cattle, muscle	0.4 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.4 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	1 ppm
	Pig, liver	0.3 ppm
	Other terrestrial mammals, liver	1 ppm
	Cattle, kidney	10 ppm
	Pig, kidney	2 ppm
	Other terrestrial mammals, kidney	10 ppm
	Cattle, edible offal	10 ppm
	Pig, edible offal	0.3 ppm
	Other terrestrial mammals, edible offal	10 ppm
	Milk	0.09 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.08 ppm
	Other poultry, eggs	0.08 ppm
CLOFENCET	Wheat	250 ppm
	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.04 ppm
	Other terrestrial mammals, fat	0.04 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.5 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Cattle, kidney	10 ppm
	Pig, kidney	10 ppm
	Other terrestrial mammals, kidney	10 ppm
	Cattle, edible offal	0.5 ppm
	Pig, edible offal	0.5 ppm

	Other terrestrial mammals, edible offal	0.5 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.04 ppm
	Other poultry, fat	0.04 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	1 ppm
	Other poultry, eggs	1 ppm
CLOFENTEZINE	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm

Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.04 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
Japanese persimmon	0.04 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm

Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Other nuts	0.05 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Other spices	1 ppm
Other herbs	0.02 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm
Cattle, kidney	0.1 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.1 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.01 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm
Other poultry, fat	0.05 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.05 ppm
Chicken, kidney	0.05 ppm

	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CLOPROP	Pineapple	0.3 ppm
CLOMAZONE	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.02 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm
	Broccoli	0.02 ppm
	Other cruciferous vegetables	0.02 ppm

Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.02 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.08 ppm
Pumpkin (including squash)	0.08 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.05 ppm

<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.05 ppm

	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
CHROMAFENOZIDE	Rice (brown rice)	0.2 ppm
	Soybeans, dry	0.5 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	5 ppm
	Horseradish	0.1 ppm
	Watercress	5 ppm
	Chinese cabbage	2 ppm
	Cabbage	2 ppm
	Brussels sprouts	5 ppm
	Kale	5 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
	<i>Kyona</i>	5 ppm
	Qing-geng-cai	5 ppm
	Cauliflower	5 ppm
	Broccoli	5 ppm
	Other cruciferous vegetables	5 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	5 ppm
	Chicory	5 ppm
	Endive	5 ppm
	<i>Shungiku</i>	5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	5 ppm
	Other composite vegetables	5 ppm
	Welsh (including leek)	5 ppm
	<i>Nira</i>	5 ppm
	Asparagus	5 ppm
	Multiplying onion	5 ppm

Other liliaceous vegetables	5 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	2 ppm
Egg plant	1 ppm
Other solanceous vegetables	2 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	5 ppm
Bamboo shoots	0.1 ppm
Okra	2 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	5 ppm
Green soybeans	5 ppm
Other vegetables	5 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm

	Other berries	1 ppm
	Grape	1 ppm
	Japanese persimmon	1 ppm
	Banana	1 ppm
	Kiwifruit	0.1 ppm
	Papaya	1 ppm
	Avocado	1 ppm
	Pineapple	1 ppm
	Guava	1 ppm
	Mango	1 ppm
	Passion fruit	1 ppm
	Date	1 ppm
	Other fruits	1 ppm
	Tea	20 ppm
	Other spices	5 ppm
	Other herbs	5 ppm
CLOMEPROP	Rice (brown rice)	0.1 ppm
CLORANSULAM-METHYL	Soybeans, dry	0.06 ppm
CHLORIDAZON	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	0.1 ppm
	Chicory	0.1 ppm
	Endive	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Other composite vegetables	0.1 ppm

	Onion	0.1 ppm
	Welsh (including leek)	0.1 ppm
	Garlic	0.1 ppm
	<i>Nira</i>	0.1 ppm
	Asparagus	0.1 ppm
	Multiplying onion	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	Carrot	0.1 ppm
	Parsnip	0.1 ppm
	Parsley	0.1 ppm
	Celery	0.1 ppm
	<i>Mitsuba</i>	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Tomato	0.1 ppm
	Pimiento (sweet pepper)	0.1 ppm
	Egg plant	0.1 ppm
	Other solanaceous vegetables	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.1 ppm
	Oriental pickling melon (vegetable)	0.1 ppm
	Other cucurbitaceous vegetables	0.1 ppm
	Spinach	0.1 ppm
	Bamboo shoots	0.1 ppm
	Okra	0.1 ppm
	Ginger	0.1 ppm
	Peas, immature (with pods)	0.1 ppm
	Kidney beans, immature (with pods)	0.1 ppm
	Green soybeans	0.1 ppm
	Button mushroom	0.1 ppm
	<i>Shiitake</i> mushroom	0.1 ppm
	Other mushrooms	0.1 ppm
	Other vegetables	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Milk	0.01 ppm
CHLORIMURON-EHTYL	Green soybeans	0.05 ppm
CHLORETHOXYFOS	Corn (maize)	0.01 ppm
	Beans, dry*	0.1 ppm
	Other vegetables	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
CHLORSULFURON	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm

	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.3 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.08 ppm
CLORSULON	Cattle, muscle	0.08 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.08 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.4 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	2 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Salmoniformes	0.02 ppm

	Anguilliformes	0.02 ppm
	Perciformes	0.02 ppm
	Other fish	0.02 ppm
	Shelled molluscas	0.02 ppm
	Crustaceans	0.02 ppm
	Other aquatic animal	0.02 ppm
	Honey	0.02 ppm
CHLORTHAL-DIMETHYL	Corn (maize)	3 ppm
	Soybeans, dry	3 ppm
	Beans, dry*	3 ppm
	Peas	5 ppm
	Broad beans	4 ppm
	Other legumes/pulses	4 ppm
	Potato	3 ppm
	Taro	5 ppm
	Sweet potato	3 ppm
	Yam	4 ppm
	Konjac	5 ppm
	Other potatoes	5 ppm
	Sugar beet	5 ppm
	Japanese radish, roots (including radish)	4 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Turnip, roots	3 ppm
	Turnip, leaves	5 ppm
	Horseradish	4 ppm
	Watercress	5 ppm
	Chinese cabbage	5 ppm
	Cabbage	4 ppm
	Brussels sprouts	4 ppm
	Kale	4 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
	<i>Kyona</i>	5 ppm
	Qing-geng-cai	5 ppm
	Cauliflower	4 ppm
	Broccoli	4 ppm
	Other cruciferous vegetables	5 ppm
	Burdock	5 ppm
	Salsify	5 ppm
	Artichoke	5 ppm
	Chicory	5 ppm
	Endive	5 ppm
	<i>Shungiku</i>	5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	3 ppm

Other composite vegetables	5 ppm
Onion	2 ppm
Welsh (including leek)	5 ppm
Garlic	2 ppm
Asparagus	5 ppm
Multiplying onion	5 ppm
Other liliaceous vegetables	5 ppm
Carrot	5 ppm
Parsnip	5 ppm
Parsley	4 ppm
Celery	5 ppm
Other umbelliferous vegetables	5 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	3 ppm
Egg plant	2 ppm
Other solanaceous vegetables	3 ppm
Cucumber (including gherkin)	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	5 ppm
Water melon	2 ppm
Melons	2 ppm
<i>Makuwauri</i> melon	5 ppm
Other cucurbitaceous vegetables	5 ppm
Spinach	5 ppm
Bamboo shoots	5 ppm
Okra	5 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	3 ppm
Green soybeans	3 ppm
Button mushroom	5 ppm
<i>Shiitake</i> mushroom	5 ppm
Other mushrooms	5 ppm
Other vegetables	10 ppm
Strawberry	2 ppm
Other fruits	4 ppm
Cotton seeds	0.2 ppm
Other spices	10 ppm
Other herbs	10 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm

	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CHLORDANE	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm

Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.01 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm

Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm

Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.02 ppm
Hop	0.02 ppm
Other spices	0.02 ppm
Other herbs	0.02 ppm
Cattle, muscle	0.08 ppm
Pig, muscle	0.08 ppm
Other terrestrial mammals, muscle	0.08 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.06 ppm
Pig, liver	0.06 ppm
Other terrestrial mammals, liver	0.06 ppm
Cattle, kidney	0.06 ppm
Pig, kidney	0.06 ppm
Other terrestrial mammals, kidney	0.06 ppm
Cattle, edible offal	0.06 ppm
Pig, edible offal	0.06 ppm
Other terrestrial mammals, edible offal	0.06 ppm
Milk	0.002 ppm
Chicken, muscle	0.08 ppm

	Other poultry, muscle	0.08 ppm
	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	0.08 ppm
	Other poultry, liver	0.08 ppm
	Chicken, kidney	0.08 ppm
	Other poultry, kidney	0.08 ppm
	Chicken, edible offal	0.08 ppm
	Other poultry, edible offal	0.08 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.05 ppm
	Other fish	0.05 ppm
	Shelled molluscas	0.05 ppm
	Crustaceans	0.05 ppm
	Other aquatic animal	0.05 ppm
	Honey	0.002 ppm
	Mineral waters	0.0002 ppm
CHLORPYRIFOS	Coffee beans	0.05 ppm
	Cacao beans	0.05 ppm
	Other spices (except seeds, fruits, roots and rhizomes)	1 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.5 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	1 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	1 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.4 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.08 ppm
	Other poultry, muscle	0.08 ppm

	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Mineral waters	0.03 ppm
CHLORPYRIFOS-METHYL	Rice (brown rice)	0.1 ppm
	Wheat	10 ppm
	Barley	6 ppm
	Rye	7 ppm
	Corn (maize)	7 ppm
	Buckwheat	7 ppm
	Other cereal grains	10 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	5 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.03 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.03 ppm
	Turnip, roots	0.03 ppm
	Turnip, leaves	0.03 ppm
	Horseradish	0.03 ppm
	Watercress	0.03 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.03 ppm
	Kale	0.03 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.03 ppm
	<i>Kyona</i>	0.03 ppm

Qing-geng-cai	0.03 ppm
Cauliflower	0.03 ppm
Broccoli	0.03 ppm
Other cruciferous vegetables	0.03 ppm
Burdock	0.03 ppm
Salsify	0.03 ppm
Artichoke	0.1 ppm
Chicory	0.03 ppm
Endive	0.03 ppm
<i>Shungiku</i>	0.03 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.03 ppm
Onion	0.03 ppm
Welsh (including leek)	0.03 ppm
Garlic	0.03 ppm
<i>Nira</i>	0.03 ppm
Asparagus	0.03 ppm
Multiplying onion	0.03 ppm
Other liliaceous vegetables	0.03 ppm
Carrot	0.03 ppm
Parsnip	0.03 ppm
Parsley	0.03 ppm
Celery	0.03 ppm
<i>Mitsuba</i>	0.03 ppm
Other umbelliferous vegetables	0.03 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.03 ppm
Pumpkin (including squash)	0.03 ppm
Oriental pickling melon (vegetable)	0.03 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.03 ppm
Spinach	0.03 ppm
Bamboo shoots	0.03 ppm
Okra	0.03 ppm
Ginger	0.03 ppm
Peas, immature (with pods)	0.03 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.03 ppm

Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.03 ppm
Other mushrooms	0.03 ppm
Other vegetables	0.03 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.3 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.5 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.5 ppm
Loquat	0.5 ppm
Peach	0.5 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.5 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.2 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm

Cotton seeds	0.03 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Cacao beans	0.05 ppm
Hop	0.1 ppm
Other spices (except seeds, fruits, roots and rhizomes)	5 ppm
Other herbs	0.03 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.3 ppm
Other terrestrial mammals, muscle	0.3 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.2 ppm
Other terrestrial mammals, fat	0.3 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.2 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.2 ppm
Other terrestrial mammals, edible offal	0.2 ppm
Milk	0.01 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.3 ppm
Chicken, fat	0.2 ppm
Other poultry, fat	0.2 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.2 ppm
Chicken, kidney	0.05 ppm
Other poultry, kidney	0.2 ppm
Chicken, edible offal	0.05 ppm
Other poultry, edible offal	0.2 ppm
Chicken, eggs	0.05 ppm
Other poultry, eggs	0.05 ppm

CHLORFENAPYR

Rice (brown rice)	0.05 ppm
Wheat	0.05 ppm
Barley	0.05 ppm
Rye	0.05 ppm
Corn (maize)	0.05 ppm
Buckwheat	0.05 ppm
Other cereal grains	0.05 ppm
Beans, dry*	0.1 ppm
Peas	0.1 ppm
Broad beans	0.1 ppm
Peanuts, dry	0.1 ppm
Other legumes/pulses	0.1 ppm
Potato	0.1 ppm
Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	3 ppm
Horseradish	0.1 ppm
Watercress	3 ppm
Kale	3 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	3 ppm
<i>Kyona</i>	3 ppm
Qing-geng-cai	3 ppm
Cauliflower	3 ppm
Broccoli	3 ppm
Other cruciferous vegetables	3 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	3 ppm
Chicory	3 ppm
Endive	3 ppm
<i>Shungiku</i>	3 ppm
Other composite vegetables	3 ppm
Onion	0.05 ppm
Welsh (including leek)	3 ppm
Garlic	0.05 ppm
<i>Nira</i>	3 ppm
Asparagus	3 ppm
Multiplying onion	3 ppm
Other liliaceous vegetables	3 ppm

Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	3 ppm
Celery	3 ppm
<i>Mitsuba</i>	3 ppm
Other umbelliferous vegetables	3 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	1 ppm
Other solanaceous vegetables	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	3 ppm
Bamboo shoots	0.1 ppm
Okra	1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	3 ppm
Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	5 ppm
Quince	1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	1 ppm
Apricot	5 ppm
Japanese plum (including prune)	5 ppm
Mume plum	5 ppm
Cherry	5 ppm
Raspberry	5 ppm
Blackberry	5 ppm
Blueberry	5 ppm

Cranberry	5 ppm
Huckleberry	5 ppm
Other berries	5 ppm
Grape	5 ppm
Banana	1 ppm
Kiwifruit	0.1 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	5 ppm
Other fruits	5 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Hop	0.1 ppm
Other spices	5 ppm
Other herbs	3 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.01 ppm
Chicken, muscle	0.01 ppm
Other poultry, muscle	0.01 ppm
Chicken, fat	0.01 ppm
Other poultry, fat	0.01 ppm

	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
4-CPA	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	2 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm

Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	2 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm

Other mushrooms	0.02 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.1 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm

	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Milk	20 ppm (in fat)
CHLORFENSON	Corn (maize)	0.01 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.01 ppm
	Japanese radish, roots (including radish)	0.01 ppm
	Japanese radish, leaves (including radish)	0.01 ppm
	Turnip, roots	0.01 ppm
	Turnip, leaves	0.01 ppm
	Horseradish	0.01 ppm
	Watercress	0.01 ppm
	Chinese cabbage	0.01 ppm
	Cabbage	0.01 ppm
	Brussels sprouts	0.01 ppm
	Kale	0.01 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
	<i>Kyona</i>	0.01 ppm
	Qing-geng-cai	0.01 ppm
	Cauliflower	0.01 ppm

Broccoli	0.01 ppm
Other cruciferous vegetables	0.01 ppm
Burdock	0.01 ppm
Salsify	0.01 ppm
Artichoke	0.01 ppm
Chicory	0.01 ppm
Endive	0.01 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.01 ppm
Other composite vegetables	0.01 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.01 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm
Tomato	0.01 ppm
Pimiento (sweet pepper)	0.01 ppm
Egg plant	0.01 ppm
Other solanceous vegetables	0.01 ppm
Cucumber (including gherkin)	0.01 ppm
Pumpkin (including squash)	0.01 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	0.01 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	0.01 ppm
Green soybeans	0.01 ppm
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm

Other mushrooms	0.01 ppm
Other vegetables	0.01 ppm
<i>Unshu</i> orange,pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.01 ppm

	Other oil seeds	0.01 ppm
	Ginkgo nut	0.01 ppm
	Chestnut	0.01 ppm
	Pecan	0.01 ppm
	Almond	0.01 ppm
	Walnut	0.01 ppm
	Other nuts	0.01 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.01 ppm
	Other herbs	0.01 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CHLORFENVINPHOS	Taro	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm

Sugar beet	0.5 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.05 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Other liliaceous vegetables	0.5 ppm
Parsnip	0.5 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.5 ppm
Pimiento (sweet pepper)	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
Spinach	0.1 ppm
Ginger	0.5 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.3 ppm
Apple	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm

	Blackberry	0.05 ppm
	Blueberry	0.05 ppm
	Cranberry	0.5 ppm
	Huckleberry	0.05 ppm
	Other berries	0.05 ppm
	Grape	0.05 ppm
	Banana	0.05 ppm
	Kiwifruit	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Ginkgo nut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Cacao beans	0.05 ppm
	Other spices	5 ppm
	Other herbs	0.5 ppm
	Cattle, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.2 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.2 ppm (in fat)
CHLORBUFAM	Corn (maize)	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm

Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm

Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm

Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	0.05 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm

	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CHLORFLUAZURON	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugarcane	0.05 ppm
	Coffee beans	0.05 ppm
	Cacao beans	0.05 ppm
	Hop	0.05 ppm
	Other spices	2 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.1 ppm
	Cattle, fat	1 ppm
	Cattle, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	1 ppm
	Other poultry, fat	1 ppm
	Chicken, liver	0.1 ppm

	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.2 ppm
	Other poultry, eggs	0.2 ppm
CHLORPROPHAM	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Salsify	0.05 ppm
	Artichoke	0.05 ppm
	Chicory	0.05 ppm
	Endive	0.05 ppm
	<i>Shungiku</i>	0.05 ppm
	Other composite vegetables	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.05 ppm
	<i>Nira</i>	0.05 ppm
	Multiplying onion	0.05 ppm
	Other liliaceous vegetables	0.05 ppm
	Parsnip	0.1 ppm
	Celery	0.1 ppm
	<i>Mitsuba</i>	0.05 ppm
	Other umbelliferous vegetables	0.1 ppm
	Tomato	0.05 ppm
	Pimiento (sweet pepper)	0.05 ppm
	Egg plant	0.05 ppm
	Other solanceous vegetables	0.05 ppm

Cucumber (including gherkin)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
Ginger	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	1 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Other fruits	0.05 ppm

	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
CHLORHEXIDINE	Other terrestrial mammals, muscle	0.5 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Other terrestrial mammals, edible offal	0.5 ppm
	Milk	0.05 ppm
CHLORBENSIDE	Corn (maize)	0.01 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.01 ppm
	Japanese radish, roots (including radish)	0.01 ppm
	Japanese radish, leaves (including radish)	0.01 ppm
	Turnip, roots	0.01 ppm
	Turnip, leaves	0.01 ppm
	Horseradish	0.01 ppm
	Watercress	0.01 ppm
	Chinese cabbage	0.01 ppm
	Cabbage	0.01 ppm
	Brussels sprouts	0.01 ppm
	Kale	0.01 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
	<i>Kyona</i>	0.01 ppm
	Qing-geng-cai	0.01 ppm
	Cauliflower	0.01 ppm
	Broccoli	0.01 ppm

Other cruciferous vegetables	0.01 ppm
Burdock	0.01 ppm
Salsify	0.01 ppm
Artichoke	0.01 ppm
Chicory	0.01 ppm
Endive	0.01 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.01 ppm
Other composite vegetables	0.01 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.01 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm
Tomato	0.01 ppm
Pimiento (sweet pepper)	0.01 ppm
Egg plant	0.01 ppm
Other solanceous vegetables	0.01 ppm
Cucumber (including gherkin)	0.01 ppm
Pumpkin (including squash)	0.01 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	0.01 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	0.01 ppm
Green soybeans	0.01 ppm
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm

Other vegetables	0.01 ppm
<i>Unshu</i> orange,pulp	0.01 ppm
Citrus <i>natsudaidai</i> , pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.01 ppm

	Other oil seeds	0.01 ppm
	Ginkgo nut	0.01 ppm
	Chestnut	0.01 ppm
	Pecan	0.01 ppm
	Almond	0.01 ppm
	Walnut	0.01 ppm
	Other nuts	0.01 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.01 ppm
	Other herbs	0.01 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CHLORMADINONE	Cattle, muscle	0.004 ppm
	Pig, muscle	0.002 ppm
	Other terrestrial mammals, muscle	0.002 ppm
	Cattle, fat	0.004 ppm

	Pig, fat	0.002 ppm
	Other terrestrial mammals, fat	0.002 ppm
	Cattle, liver	0.002 ppm
	Pig, liver	0.002 ppm
	Other terrestrial mammals, liver	0.002 ppm
	Cattle, kidney	0.002 ppm
	Pig, kidney	0.002 ppm
	Other terrestrial mammals, kidney	0.002 ppm
	Cattle, edible offal	0.002 ppm
	Pig, edible offal	0.002 ppm
	Other terrestrial mammals, edible offal	0.002 ppm
	Milk	0.003 ppm
	Chicken, muscle	0.002 ppm
	Other poultry, muscle	0.002 ppm
	Chicken, fat	0.002 ppm
	Other poultry, fat	0.002 ppm
	Chicken, liver	0.002 ppm
	Other poultry, liver	0.002 ppm
	Chicken, kidney	0.002 ppm
	Other poultry, kidney	0.002 ppm
	Chicken, edible offal	0.002 ppm
	Other poultry, edible offal	0.002 ppm
	Chicken, eggs	0.002 ppm
	Other poultry, eggs	0.002 ppm
	Salmoniformes	0.002 ppm
	Anguilliformes	0.002 ppm
	Perciformes	0.002 ppm
	Other fish	0.002 ppm
	Shelled molluscas	0.002 ppm
	Crustaceans	0.002 ppm
	Other aquatic animal	0.002 ppm
	Honey	0.002 ppm
CHLORMEQUAT	Rice (brown rice)	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm

Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	3 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm

Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	10 ppm
<i>Shiitake</i> mushroom	10 ppm
Other mushrooms	10 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm

Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	2 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.5 ppm
Rapeseeds	5 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	0.1 ppm
Other herbs	3 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.2 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.2 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.1 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.5 ppm
Pig, kidney	0.5 ppm
Other terrestrial mammals, kidney	0.5 ppm
Cattle, edible offal	0.3 ppm
Pig, edible offal	0.3 ppm
Other terrestrial mammals, edible offal	0.3 ppm
Milk	0.5 ppm
Chicken, muscle	0.04 ppm

	Other poultry, muscle	0.04 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
CHLOROXYURON	Corn (maize)	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Burdock	0.05 ppm
	Salsify	0.05 ppm

Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm

Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm

	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
CHLOROTHALONIL	Buckwheat	0.01 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Taro	0.2 ppm
	Sweet potato	0.2 ppm
	Konjac	0.2 ppm
	Other potatoes	0.2 ppm

Horseradish	4 ppm
Watercress	4 ppm
Kale	4 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	4 ppm
<i>Kyona</i>	4 ppm
Burdock	4 ppm
Salsify	4 ppm
Artichoke	4 ppm
Chicory	4 ppm
Endive	4 ppm
<i>Shungiku</i>	6 ppm
Spinach	4 ppm
Okra	6 ppm
Green soybeans	2 ppm
<i>Shiitake</i> mushroom	5 ppm
Other mushrooms	5 ppm
<i>Unshu</i> orange,pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Loquat	1 ppm
Mume plum	5 ppm
Strawberry	8 ppm
Raspberry	10 ppm
Blackberry	10 ppm
Huckleberry	7 ppm
Other berries	10 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.5 ppm
Date	0.1 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm

	Almond	0.05 ppm
	Walnut	0.01 ppm
	Other spices	5 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.06 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.03 ppm
	Pig, liver	0.03 ppm
	Other terrestrial mammals, liver	0.03 ppm
	Cattle, kidney	0.3 ppm
	Pig, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.03 ppm
	Pig, edible offal	0.03 ppm
	Other terrestrial mammals, edible offal	0.03 ppm
	Milk	0.06 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
CHLOROTOLURON	Mineral waters	0.03 ppm
CHLORONEB	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Sugar beet	0.1 ppm
	Other vegetables	0.1 ppm
	Cotton seeds	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm

	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.05 ppm
CHLOROBENZILATE	Corn (maize)	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm