

| | |
|--|----------|
| Cauliflower | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |

| | |
|---------------------------------|----------|
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| Apple | 0.02 ppm |
| Japanese pear | 0.02 ppm |
| Pear | 0.02 ppm |
| Quince | 0.02 ppm |
| Loquat | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |

| | | |
|------------|---|----------|
| | Other nuts | 0.02 ppm |
| | Tea | 0.1 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 0.02 ppm |
| | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.1 ppm |
| | Other poultry, eggs | 0.1 ppm |
| KETOPROFEN | Cattle, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| GENTAMICIN | Cattle, edible offal | 2 ppm |
| | Pig, edible offal | 2 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |

| | | |
|----------|---|----------|
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| COLISTIN | Cattle, muscle | 0.3 ppm |
| | Pig, muscle | 0.3 ppm |
| | Other terrestrial mammals, muscle | 0.2 ppm |
| | Cattle, fat | 0.3 ppm |
| | Pig, fat | 0.3 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | Cattle, liver | 0.3 ppm |
| | Pig, liver | 0.3 ppm |
| | Other terrestrial mammals, liver | 0.2 ppm |
| | Cattle, kidney | 0.3 ppm |
| | Pig, kidney | 0.3 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.3 ppm |
| | Pig, edible offal | 0.3 ppm |
| | Other terrestrial mammals, edible offal | 0.2 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.2 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.2 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.2 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.3 ppm |
| | Other poultry, eggs | 0.3 ppm |
| | Salmoniformes | 0.2 ppm |
| | Anguilliformes | 0.2 ppm |
| | Perciformes | 0.2 ppm |
| | Other fish | 0.2 ppm |
| | Shelled molluscas | 0.2 ppm |
| | Crustaceans | 0.2 ppm |
| | Other aquatic animal | 0.2 ppm |

| | | |
|-------------------------|--|---|
| ACETYLISOVALERYLTYLOSIN | Pig, muscle Pig, fat Pig, liver Pig, kidney Pig, edible offal Chicken, muscle Chicken, fat Chicken, liver Chicken, kidney Chicken, edible offal | 0.04 ppm 0.04 ppm 0.04 ppm 0.04 ppm 0.04 ppm 0.04 ppm 0.04 ppm 0.04 ppm 0.04 ppm 0.04 ppm |
| TRENBOLONE ACETATE | Pig, muscle Other terrestrial mammals, muscle Cattle, fat Pig, fat Other terrestrial mammals, fat Pig, liver Other terrestrial mammals, liver Cattle, kidney Pig, kidney Other terrestrial mammals, kidney Cattle, edible offal Pig, edible offal | Not detected (as total of alpha-trenbolone and beta-trenbolone) Not detected (as total of alpha-trenbolone and beta-trenbolone) 0.002 ppm (as total of alpha-trenbolone and beta-trenbolone) Not detected (as total of alpha-trenbolone and beta-trenbolone) 0.01 ppm (as total of alpha-trenbolone and beta-trenbolone) Not detected (as total of alpha-trenbolone and beta-trenbolone) Not detected (as total of alpha-trenbolone and beta-trenbolone) 0.01 ppm (as total of alpha-trenbolone and beta-trenbolone) Not detected (as total of alpha-trenbolone and beta-trenbolone) |

| | |
|---|---|
| Other terrestrial mammals, edible offal | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Milk | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Chicken, muscle | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Other poultry, muscle | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Chicken, fat | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Other poultry, fat | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Chicken, liver | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Other poultry, liver | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Chicken, kidney | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Other poultry, kidney | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Chicken, edible offal | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Other poultry, edible offal | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Chicken, eggs | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Other poultry, eggs | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Salmoniformes | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| Anguilliformes | Not detected (as total of alpha-trenbolone and beta-trenbolone) |

| | | |
|----------------------|-----------------------------|---|
| | Perciformes | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| | Other fish | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| | Shelled molluscas | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| | Crustaceans | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| | Other aquatic animal | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| | Honey | Not detected (as total of alpha-trenbolone and beta-trenbolone) |
| MELENGESTROL ACETATE | Cattle, muscle | 0.03 ppm |
| | Cattle, fat | 0.03 ppm |
| | Cattle, liver | 0.03 ppm |
| | Cattle, kidney | 0.03 ppm |
| | Cattle, edible offal | 0.03 ppm |
| SARAFLOXACIN | Chicken, edible offal | 0.08 ppm |
| | Turkey, edible offal | 0.08 ppm |
| | Salmoniformes | 0.03 ppm |
| SALINOMYCIN | Cattle, muscle | 0.02 ppm |
| | Pig, muscle | 0.1 ppm |
| | Cattle, fat | 0.02 ppm |
| | Pig, fat | 0.1 ppm |
| | Cattle, liver | 0.4 ppm |
| | Pig, liver | 0.2 ppm |
| | Cattle, kidney | 0.5 ppm |
| | Pig, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.5 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.4 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.5 ppm |
| | Other poultry, liver | 0.5 ppm |
| | Chicken, kidney | 0.5 ppm |
| | Other poultry, kidney | 0.5 ppm |
| | Chicken, edible offal | 0.5 ppm |
| | Other poultry, edible offal | 0.5 ppm |

| | | |
|------------------|--|----------|
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| FENBUTATIN OXIDE | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |
| | Brussels sprouts | 0.05 ppm |
| | Kale | 0.05 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| | <i>Kyona</i> | 0.05 ppm |
| | <i>Qing-geng-cai</i> | 0.05 ppm |
| | Cauliflower | 0.05 ppm |
| | Broccoli | 0.05 ppm |
| | Other cruciferous vegetables | 0.05 ppm |
| | Burdock | 0.05 ppm |
| | Salsify | 0.05 ppm |
| | Artichoke | 0.05 ppm |
| | Chicory | 0.05 ppm |
| | Endive | 0.05 ppm |
| | <i>Shungiku</i> | 0.05 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| | Other composite vegetables | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Other solanaceous vegetables | 1 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| Other fruits | 3 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Coffee beans | 0.05 ppm |
| Cacao beans | 0.05 ppm |
| Other spices | 5 ppm |
| Other herbs | 0.05 ppm |

| | | |
|-----------------|---|----------|
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.5 ppm |
| | Pig, fat | 0.3 ppm |
| | Other terrestrial mammals, fat | 0.5 ppm |
| | Cattle, liver | 0.2 ppm |
| | Pig, liver | 0.2 ppm |
| | Other terrestrial mammals, liver | 0.2 ppm |
| | Cattle, kidney | 0.2 ppm |
| | Pig, kidney | 0.2 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.2 ppm |
| | Pig, edible offal | 0.2 ppm |
| | Other terrestrial mammals, edible offal | 0.2 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.08 ppm |
| | Chicken, fat | 0.08 ppm |
| | Other poultry, fat | 0.08 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.08 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.08 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.08 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| PROPYLENE OXIDE | Chestnut | 300 ppm |
| | Pecan | 300 ppm |
| | Almond | 300 ppm |
| | Walnut | 300 ppm |
| | Other nuts | 300 ppm |
| | Cacao beans | 300 ppm |
| | Other spices | 300 ppm |
| CYANAZINE | Rice (brown rice) | 0.01 ppm |
| | Rye | 0.01 ppm |
| | Buckwheat | 0.01 ppm |
| | Other cereal grains | 0.01 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |

| | |
|--|----------|
| Other potatoes | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |

| | | |
|-----------|--|------------|
| | Green soybeans | 0.05 ppm |
| | <i>Shiitake</i> mushroom | 0.05 ppm |
| | Other mushrooms | 0.05 ppm |
| | Other vegetables | 0.05 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |
| | Mineral waters | 0.0006 ppm |
| CYANOPHOS | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.1 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.1 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |
| | Brussels sprouts | 0.05 ppm |
| | Kale | 0.05 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| | <i>Kyona</i> | 0.05 ppm |
| | Qing-geng-cai | 0.05 ppm |
| | Cauliflower | 0.05 ppm |
| | Broccoli | 0.05 ppm |
| | Other cruciferous vegetables | 0.05 ppm |
| | Burdock | 0.05 ppm |
| | Salsify | 0.05 ppm |
| | Artichoke | 0.05 ppm |
| | Chicory | 0.05 ppm |
| | Endive | 0.05 ppm |
| | <i>Shungiku</i> | 0.05 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| | Other composite vegetables | 0.05 ppm |
| | Onion | 0.05 ppm |
| | Welsh (including leek) | 0.05 ppm |
| | Garlic | 0.05 ppm |
| | <i>Nira</i> | 0.05 ppm |
| | Asparagus | 0.05 ppm |
| | Multiplying onion | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.2 ppm |
| Melons | 0.2 ppm |
| <i>Makuwauri</i> melon | 0.2 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.2 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.2 ppm |
| Lemon | 0.2 ppm |
| Orange (including navel orange) | 0.2 ppm |
| Grapefruit | 0.2 ppm |
| Lime | 0.2 ppm |
| Other citrus fruits | 0.2 ppm |
| Apple | 0.2 ppm |
| Japanese pear | 0.2 ppm |
| Pear | 0.2 ppm |
| Quince | 0.2 ppm |
| Loquat | 0.2 ppm |
| Peach | 0.2 ppm |
| Nectarine | 0.2 ppm |

| | | |
|---------------|---------------------------------|----------|
| | Apricot | 0.2 ppm |
| | Japanese plum (including prune) | 0.2 ppm |
| | Mume plum | 0.2 ppm |
| | Cherry | 0.2 ppm |
| | Strawberry | 0.2 ppm |
| | Raspberry | 0.2 ppm |
| | Blackberry | 0.2 ppm |
| | Blueberry | 0.2 ppm |
| | Cranberry | 0.2 ppm |
| | Huckleberry | 0.2 ppm |
| | Other berries | 0.2 ppm |
| | Grape | 0.2 ppm |
| | Japanese persimmon | 0.2 ppm |
| | Banana | 0.2 ppm |
| | Kiwifruit | 0.2 ppm |
| | Papaya | 0.2 ppm |
| | Avocado | 0.2 ppm |
| | Pineapple | 0.2 ppm |
| | Guava | 0.2 ppm |
| | Mango | 0.2 ppm |
| | Passion fruit | 0.2 ppm |
| | Date | 0.2 ppm |
| | Other fruits | 0.2 ppm |
| | Sunflower seeds | 0.2 ppm |
| | Sesame seeds | 0.2 ppm |
| | Safflower seeds | 0.2 ppm |
| | Cotton seeds | 0.2 ppm |
| | Rapeseeds | 0.2 ppm |
| | Other oil seeds | 0.2 ppm |
| | Ginkgo nut | 0.2 ppm |
| | Chestnut | 0.2 ppm |
| | Pecan | 0.2 ppm |
| | Almond | 0.2 ppm |
| | Walnut | 0.2 ppm |
| | Other nuts | 0.2 ppm |
| | Other spices | 0.2 ppm |
| | Other herbs | 0.05 ppm |
| DIAFENTHIURON | Rice (brown rice) | 0.02 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |

| | |
|--|----------|
| Other cereal grains | 0.02 ppm |
| Soybeans, dry | 0.02 ppm |
| Beans, dry* | 0.02 ppm |
| Peas | 0.02 ppm |
| Broad beans | 0.02 ppm |
| Peanuts, dry | 0.1 ppm |
| Other legumes/pulses | 0.02 ppm |
| Potato | 0.02 ppm |
| Taro | 0.02 ppm |
| Sweet potato | 0.02 ppm |
| Yam | 0.02 ppm |
| Konjac | 0.02 ppm |
| Other potatoes | 0.02 ppm |
| Sugar beet | 0.02 ppm |
| Sugarcane | 0.02 ppm |
| Japanese radish, roots (including radish) | 0.02 ppm |
| Japanese radish, leaves (including radish) | 0.02 ppm |
| Turnip, roots | 0.02 ppm |
| Turnip, leaves | 0.02 ppm |
| Horseradish | 0.02 ppm |
| Watercress | 0.02 ppm |
| Chinese cabbage | 0.3 ppm |
| Kale | 0.02 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| <i>Kyona</i> | 0.02 ppm |
| Qing-geng-cai | 0.02 ppm |
| Cauliflower | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |

| | |
|-------------------------------------|----------|
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanaceous vegetables | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |
| Lemon | 0.02 ppm |
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Apple | 0.02 ppm |
| Japanese pear | 0.02 ppm |
| Pear | 0.02 ppm |
| Quince | 0.02 ppm |
| Loquat | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |

| | |
|-----------------------------------|----------|
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |
| Other nuts | 0.02 ppm |
| Coffee beans | 0.02 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 0.02 ppm |
| Other spices | 0.3 ppm |
| Other herbs | 0.02 ppm |
| cattle, muscle | 0.02 ppm |
| pig, muscle | 0.02 ppm |
| Other terrestrial mammals, muscle | 0.02 ppm |
| cattle, fat | 0.02 ppm |
| pig, fat | 0.02 ppm |
| Other terrestrial mammals, fat | 0.02 ppm |
| cattle, liver | 0.02 ppm |

| | | |
|------------------|--|----------|
| | pig, liver | 0.02 ppm |
| | Other terrestrial mammals, liver | 0.02 ppm |
| | cattle, kidney | 0.02 ppm |
| | pig, kidney | 0.02 ppm |
| | Other terrestrial mammals, kidney | 0.02 ppm |
| | cattle, edible offal | 0.02 ppm |
| | pig, edible offal | 0.02 ppm |
| | Other terrestrial mammals, edible offal | 0.02 ppm |
| | Milk | 0.02 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.02 ppm |
| | Chicken, fat | 0.02 ppm |
| | Other poultry, fat | 0.02 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.02 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| DIAVERIDINE | Chicken, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| HYDROGEN CYANIDE | Rice (brown rice) | 20 ppm |
| | Wheat | 20 ppm |
| | Barley | 10 ppm |
| | Rye | 20 ppm |
| | Corn (maize) | 20 ppm |
| | Buckwheat | 20 ppm |
| | Other cereal grains | 20 ppm |
| | Potato | 1 ppm |
| | Taro | 1 ppm |
| | Sweet potato | 1 ppm |
| | Yam | 1 ppm |
| | Konjac | 1 ppm |
| | Other potatoes | 1 ppm |
| | Sugar beet | 1 ppm |
| | Sugarcane | 1 ppm |
| | Japanese radish, roots (including radish) | 5 ppm |
| | Japanese radish, leaves (including radish) | 5 ppm |

| | |
|--|-------|
| Turnip, roots | 5 ppm |
| Turnip, leaves | 5 ppm |
| Horseradish | 5 ppm |
| Watercress | 5 ppm |
| Chinese cabbage | 5 ppm |
| Cabbage | 5 ppm |
| Brussels sprouts | 5 ppm |
| Kale | 5 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 5 ppm |
| <i>Kyona</i> | 5 ppm |
| Qing-geng-cai | 5 ppm |
| Cauliflower | 5 ppm |
| Broccoli | 5 ppm |
| Other cruciferous vegetables | 5 ppm |
| Burdock | 5 ppm |
| Salsify | 5 ppm |
| Artichoke | 5 ppm |
| Chicory | 5 ppm |
| Endive | 5 ppm |
| <i>Shungiku</i> | 5 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 5 ppm |
| Other composite vegetables | 5 ppm |
| Onion | 5 ppm |
| Welsh (including leek) | 5 ppm |
| Garlic | 5 ppm |
| <i>Nira</i> | 5 ppm |
| Asparagus | 5 ppm |
| Multiplying onion | 5 ppm |
| Other liliaceous vegetables | 5 ppm |
| Carrot | 5 ppm |
| Parsnip | 5 ppm |
| Parsley | 5 ppm |
| Celery | 5 ppm |
| <i>Mitsuba</i> | 5 ppm |
| Other umbelliferous vegetables | 5 ppm |
| Tomato | 5 ppm |
| Pimiento (sweet pepper) | 5 ppm |
| Egg plant | 5 ppm |
| Other solanaceous vegetables | 5 ppm |
| Cucumber (including gherkin) | 5 ppm |
| Pumpkin (including squash) | 5 ppm |
| Oriental pickling melon (vegetable) | 5 ppm |
| Water melon | 5 ppm |

| | |
|------------------------------------|--------|
| Melons | 5 ppm |
| <i>Makuwauri</i> melon | 5 ppm |
| Other cucurbitaceous vegetables | 5 ppm |
| Spinach | 5 ppm |
| Bamboo shoots | 5 ppm |
| Okra | 5 ppm |
| Ginger | 5 ppm |
| Peas, immature (with pods) | 5 ppm |
| Kidney beans, immature (with pods) | 5 ppm |
| Green soybeans | 5 ppm |
| Button mushroom | 5 ppm |
| <i>Shiitake</i> mushroom | 5 ppm |
| Other mushrooms | 5 ppm |
| Other vegetables | 5 ppm |
| <i>Unshu</i> orange,pulp | 5 ppm |
| Citrus <i>natsudaidai</i> , whole | 5 ppm |
| Lemon | 50 ppm |
| Orange (including navel orange) | 50 ppm |
| Grapefruit | 50 ppm |
| Lime | 5 ppm |
| Other citrus fruits | 5 ppm |
| Apple | 5 ppm |
| Japanese pear | 5 ppm |
| Pear | 5 ppm |
| Quince | 5 ppm |
| Loquat | 5 ppm |
| Peach | 5 ppm |
| Nectarine | 5 ppm |
| Apricot | 5 ppm |
| Japanese plum (including prune) | 5 ppm |
| Mume plum | 5 ppm |
| Cherry | 5 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 5 ppm |
| Grape | 5 ppm |
| Japanese persimmon | 5 ppm |
| Banana | 5 ppm |
| Kiwifruit | 5 ppm |

| | | |
|----------------------------|---|---------|
| | Papaya | 5 ppm |
| | Avocado | 5 ppm |
| | Pineapple | 5 ppm |
| | Guava | 5 ppm |
| | Mango | 5 ppm |
| | Passion fruit | 5 ppm |
| | Date | 5 ppm |
| | Other fruits | 5 ppm |
| | Sunflower seeds | 5 ppm |
| | Sesame seeds | 5 ppm |
| | Safflower seeds | 5 ppm |
| | Cotton seeds | 5 ppm |
| | Rapeseeds | 5 ppm |
| | Other oil seeds | 5 ppm |
| | Ginkgo nut | 5 ppm |
| | Chestnut | 5 ppm |
| | Pecan | 5 ppm |
| | Almond | 5 ppm |
| | Walnut | 5 ppm |
| | Other nuts | 5 ppm |
| | Tea | 1 ppm |
| | Coffee beans | 1 ppm |
| | Cacao beans | 30 ppm |
| | Hop | 1 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 5 ppm |
| 2,6-DIISOPROPYLNAPHTHALENE | Potato | 0.5 ppm |
| | cattle, muscle | 1 ppm |
| | pig, muscle | 1 ppm |
| | Other terrestrial mammals, muscle | 1 ppm |
| | cattle, fat | 1 ppm |
| | pig, fat | 1 ppm |
| | Other terrestrial mammals, fat | 1 ppm |
| | cattle, liver | 1 ppm |
| | pig, liver | 1 ppm |
| | Other terrestrial mammals, liver | 1 ppm |
| | cattle, kidney | 1 ppm |
| | pig, kidney | 1 ppm |
| | Other terrestrial mammals, kidney | 1 ppm |
| | cattle, edible offal | 1 ppm |
| | pig, edible offal | 1 ppm |
| | Other terrestrial mammals, edible offal | 1 ppm |
| | Milk | 0.7 ppm |

| | | |
|--------|---|----------|
| DIURON | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.7 ppm |
| | Barley | 0.6 ppm |
| | Rye | 0.6 ppm |
| | Corn (maize) | 0.7 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.02 ppm |
| | Sugarcane | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |
| | Brussels sprouts | 0.05 ppm |
| | Kale | 0.05 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| | <i>Kyona</i> | 0.05 ppm |
| | Qing-geng-cai | 0.05 ppm |
| | Cauliflower | 0.05 ppm |
| | Broccoli | 0.05 ppm |
| | Other cruciferous vegetables | 0.05 ppm |
| | Burdock | 0.05 ppm |
| | Salsify | 0.05 ppm |
| | Artichoke | 0.05 ppm |
| | Chicory | 0.05 ppm |
| | Endive | 0.05 ppm |
| | <i>Shungiku</i> | 0.05 ppm |

| | |
|--|----------|
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.8 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.8 ppm |
| Lime | 0.05 ppm |

| | |
|---------------------------------|----------|
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.8 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |

| | | |
|---------------|--|----------|
| | Tea | 1 ppm |
| | Coffee beans | 0.02 ppm |
| | Cacao beans | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |
| | cattle, muscle | 0.6 ppm |
| | pig, muscle | 1 ppm |
| | Other terrestrial mammals, muscle | 1 ppm |
| | cattle, fat | 1 ppm |
| | pig, fat | 1 ppm |
| | Other terrestrial mammals, fat | 1 ppm |
| | cattle, liver | 2 ppm |
| | pig, liver | 1 ppm |
| | Other terrestrial mammals, liver | 1 ppm |
| | cattle, kidney | 2 ppm |
| | pig, kidney | 1 ppm |
| | Other terrestrial mammals, kidney | 1 ppm |
| | cattle, edible offal | 2 ppm |
| | pig, edible offal | 1 ppm |
| | Other terrestrial mammals, edible offal | 1 ppm |
| | Milk | 0.1 ppm |
| | Other fish | 2 ppm |
| DIETHOFENCARB | Other spices | 5 ppm |
| | Other herbs | 5 ppm |
| DIOXATHION | Corn (maize) | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |

| | |
|--|----------|
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |

| | |
|------------------------------------|----------|
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |

| | | |
|---------|---|----------|
| | Guava | 0.05 ppm |
| | Mango | 0.05 ppm |
| | Passion fruit | 0.05 ppm |
| | Date | 0.05 ppm |
| | Other fruits | 0.05 ppm |
| | Sunflower seeds | 0.05 ppm |
| | Sesame seeds | 0.05 ppm |
| | Safflower seeds | 0.05 ppm |
| | Cotton seeds | 0.05 ppm |
| | Rapeseeds | 0.05 ppm |
| | Other oil seeds | 0.05 ppm |
| | Ginkgo nut | 0.05 ppm |
| | Chestnut | 0.05 ppm |
| | Pecan | 0.05 ppm |
| | Almond | 0.05 ppm |
| | Walnut | 0.05 ppm |
| | Other nuts | 0.05 ppm |
| | Tea | 0.1 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |
| DICAMBA | Green soybeans | 10 ppm |
| | cattle, muscle | 0.1 ppm |
| | pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | cattle, fat | 0.2 ppm |
| | pig, fat | 0.2 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | cattle, liver | 0.8 ppm |
| | pig, liver | 0.8 ppm |
| | Other terrestrial mammals, liver | 0.8 ppm |
| | cattle, kidney | 0.8 ppm |
| | pig, kidney | 0.8 ppm |
| | Other terrestrial mammals, kidney | 0.8 ppm |
| | cattle, edible offal | 0.1 ppm |
| | pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.2 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |

| | | |
|-------------|--|----------|
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| DICLAZURIL | Other terrestrial mammals, muscle (except sheep) | 0.5 ppm |
| | Other terrestrial mammals, fat (except sheep) | 1 ppm |
| | Other terrestrial mammals, liver (except sheep) | 3 ppm |
| | Other terrestrial mammals, kidney (except sheep) | 2 ppm |
| | Other terrestrial mammals, edible offal | 2 ppm |
| | Other poultry, muscle (except duck and turkey) | 0.5 ppm |
| | Other poultry, fat (except duck and turkey) | 1 ppm |
| | Other poultry, liver (except duck and turkey) | 3 ppm |
| | Other poultry, kidney (except duck and turkey) | 2 ppm |
| | Chicken, edible offal | 1 ppm |
| | Other poultry, edible offal | 2 ppm |
| CYCLANILIDE | Cotton seeds | 0.4 ppm |
| | cattle, muscle | 0.04 ppm |
| | pig, muscle | 0.04 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | cattle, fat | 0.1 ppm |
| | pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | cattle, liver | 1 ppm |
| | pig, liver | 1 ppm |
| | Other terrestrial mammals, liver | 1 ppm |
| | cattle, kidney | 2 ppm |
| | pig, kidney | 2 ppm |
| | Other terrestrial mammals, kidney | 2 ppm |
| | cattle, edible offal | 1 ppm |
| | pig, edible offal | 1 ppm |
| | Other terrestrial mammals, edible offal | 1 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |

| | | |
|---------------|---|----------|
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| CYCLOATE | Sugar beet | 0.05 ppm |
| | Spinach | 0.05 ppm |
| | Other vegetables | 0.05 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |
| DICLOXACILLIN | cattle, muscle | 0.03 ppm |
| | pig, muscle | 0.3 ppm |
| | Other terrestrial mammals, muscle | 0.3 ppm |
| | cattle, fat | 0.02 ppm |
| | pig, fat | 0.3 ppm |
| | Other terrestrial mammals, fat | 0.3 ppm |
| | cattle, liver | 0.1 ppm |
| | pig, liver | 0.3 ppm |
| | Other terrestrial mammals, liver | 0.3 ppm |
| | cattle, kidney | 0.1 ppm |
| | pig, kidney | 0.3 ppm |
| | Other terrestrial mammals, kidney | 0.3 ppm |
| | cattle, edible offal | 0.1 ppm |
| | pig, edible offal | 0.3 ppm |
| | Other terrestrial mammals, edible offal | 0.3 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.3 ppm |
| | Other poultry, muscle | 0.3 ppm |
| | Chicken, fat | 0.3 ppm |
| | Other poultry, fat | 0.3 ppm |
| | Chicken, liver | 0.3 ppm |
| | Other poultry, liver | 0.3 ppm |
| | Chicken, kidney | 0.3 ppm |
| | Other poultry, kidney | 0.3 ppm |
| | Chicken, edible offal | 0.3 ppm |
| | Other poultry, edible offal | 0.3 ppm |
| | Salmoniformes | 0.3 ppm |
| | Anguilliformes | 0.3 ppm |
| | Perciformes | 0.3 ppm |
| | Other fish | 0.3 ppm |
| | Shelled molluscas | 0.3 ppm |
| | Crustaceans | 0.3 ppm |
| | Other aquatic animal | 0.3 ppm |

| | | |
|------------|-------------------------------------|----------|
| CYCLOXYDIM | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugarcane | 0.05 ppm |
| | Burdock | 0.05 ppm |
| | Salsify | 0.05 ppm |
| | Artichoke | 0.05 ppm |
| | Chicory | 0.05 ppm |
| | Endive | 0.05 ppm |
| | <i>Shungiku</i> | 0.05 ppm |
| | Other composite vegetables | 0.05 ppm |
| | Garlic | 0.05 ppm |
| | <i>Nira</i> | 0.05 ppm |
| | Asparagus | 0.05 ppm |
| | Multiplying onion | 0.05 ppm |
| | Other liliaceous vegetables | 0.05 ppm |
| | Parsnip | 0.05 ppm |
| | Parsley | 0.05 ppm |
| | <i>Mitsuba</i> | 0.05 ppm |
| | Other umbelliferous vegetables | 0.05 ppm |
| | Pimiento (sweet pepper) | 0.05 ppm |
| | Egg plant | 0.05 ppm |
| | Other solanaceous vegetables | 0.05 ppm |
| | Cucumber (including gherkin) | 0.05 ppm |
| | Pumpkin (including squash) | 0.05 ppm |
| | Oriental pickling melon (vegetable) | 0.05 ppm |
| | Water melon | 0.05 ppm |
| | Melons | 0.05 ppm |
| | <i>Makuwauri</i> melon | 0.05 ppm |
| | Other cucurbitaceous vegetables | 0.05 ppm |
| | Spinach | 0.05 ppm |
| | Bamboo shoots | 0.05 ppm |
| | Okra | 0.05 ppm |

| | |
|-----------------------------------|----------|
| Ginger | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 2 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |

| | | |
|---------------|---|----------|
| | Cotton seeds | 0.05 ppm |
| | Other oil seeds | 0.05 ppm |
| | Ginkgo nut | 0.05 ppm |
| | Chestnut | 0.05 ppm |
| | Pecan | 0.05 ppm |
| | Almond | 0.05 ppm |
| | Walnut | 0.05 ppm |
| | Other nuts | 0.05 ppm |
| | Tea | 0.05 ppm |
| | Coffee beans | 0.05 ppm |
| | Cacao beans | 0.05 ppm |
| | Hop | 0.05 ppm |
| | Other spices | 2 ppm |
| | Other herbs | 2 ppm |
| DICLOSULAM | Soybeans, dry | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| DICROTOPHOS | Cotton seeds | 0.05 ppm |
| DICHLOFENTION | Soybeans, dry | 0.03 ppm |
| | Beans, dry* | 0.03 ppm |
| | Peas | 0.03 ppm |
| | Broad beans | 0.03 ppm |
| | Peanuts, dry | 0.03 ppm |
| | Other legumes/pulses | 0.03 ppm |
| | Japanese radish, roots (including radish) | 0.03 ppm |
| | Japanese radish, leaves (including radish) | 0.03 ppm |
| | Turnip, roots | 0.03 ppm |
| | Turnip, leaves | 0.03 ppm |
| | Horseradish | 0.03 ppm |
| | Watercress | 0.03 ppm |
| | Chinese cabbage | 0.03 ppm |
| | Cabbage | 0.03 ppm |
| | Brussels sprouts | 0.03 ppm |
| | Kale | 0.03 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.03 ppm |
| | <i>Kyona</i> | 0.03 ppm |
| | Qing-geng-cai | 0.03 ppm |
| | Cauliflower | 0.03 ppm |
| | Broccoli | 0.03 ppm |
| | Other cruciferous vegetables | 0.03 ppm |
| | Burdock | 0.03 ppm |
| | Salsify | 0.03 ppm |
| | Artichoke | 0.03 ppm |
| | Chicory | 0.03 ppm |

| | | |
|---------------|--|----------|
| | Endive | 0.03 ppm |
| | <i>Shungiku</i> | 0.03 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 0.03 ppm |
| | Other composite vegetables | 0.03 ppm |
| | Onion | 0.03 ppm |
| | Welsh (including leek) | 0.03 ppm |
| | Garlic | 0.03 ppm |
| | <i>Nira</i> | 0.03 ppm |
| | Asparagus | 0.03 ppm |
| | Multiplying onion | 0.03 ppm |
| | Other liliaceous vegetables | 0.03 ppm |
| | Carrot | 0.03 ppm |
| | Parsnip | 0.03 ppm |
| | Parsley | 0.03 ppm |
| | Celery | 0.03 ppm |
| | <i>Mitsuba</i> | 0.03 ppm |
| | Other umbelliferous vegetables | 0.03 ppm |
| | Tomato | 0.03 ppm |
| | Pimiento (sweet pepper) | 0.03 ppm |
| | Egg plant | 0.03 ppm |
| | Other solanceous vegetables | 0.03 ppm |
| | Cucumber (including gherkin) | 0.03 ppm |
| | Pumpkin (including squash) | 0.03 ppm |
| | Oriental pickling melon (vegetable) | 0.03 ppm |
| | Other cucurbitaceous vegetables | 0.03 ppm |
| | Spinach | 0.03 ppm |
| | Bamboo shoots | 0.03 ppm |
| | Okra | 0.03 ppm |
| | Ginger | 0.03 ppm |
| | Peas, immature (with pods) | 0.03 ppm |
| | Kidney beans, immature (with pods) | 0.03 ppm |
| | Green soybeans | 0.03 ppm |
| | Button mushroom | 0.03 ppm |
| | <i>Shiitake</i> mushroom | 0.03 ppm |
| | Other mushrooms | 0.03 ppm |
| | Other vegetables | 0.03 ppm |
| | Other spices | 0.03 ppm |
| | Other herbs | 0.03 ppm |
| DICHLOFLUANID | Corn (maize) | 5 ppm |
| | Soybeans, dry | 5 ppm |
| | Broad beans | 5 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Taro | 5 ppm |

| | |
|--|-------|
| Sweet potato | 5 ppm |
| Yam | 5 ppm |
| Konjac | 5 ppm |
| Other potatoes | 5 ppm |
| Sugar beet | 5 ppm |
| Japanese radish, roots (including radish) | 5 ppm |
| Japanese radish, leaves (including radish) | 5 ppm |
| Turnip, roots | 5 ppm |
| Turnip, leaves | 5 ppm |
| Watercress | 8 ppm |
| Chinese cabbage | 5 ppm |
| Kale | 5 ppm |
| <i>Kyona</i> | 5 ppm |
| Qing-geng-cai | 5 ppm |
| Broccoli | 5 ppm |
| Other cruciferous vegetables | 5 ppm |
| Burdock | 5 ppm |
| Artichoke | 5 ppm |
| Chicory | 5 ppm |
| Endive | 8 ppm |
| <i>Shungiku</i> | 5 ppm |
| Other composite vegetables | 5 ppm |
| <i>Nira</i> | 5 ppm |
| Asparagus | 5 ppm |
| Multiplying onion | 5 ppm |
| Other liliaceous vegetables | 5 ppm |
| Celery | 5 ppm |
| <i>Mitsuba</i> | 5 ppm |
| Other umbelliferous vegetables | 5 ppm |
| Other solanceous vegetables | 2 ppm |
| Pumpkin (including squash) | 5 ppm |
| Oriental pickling melon (vegetable) | 5 ppm |
| Melons | 5 ppm |
| <i>Makuwauri</i> melon | 5 ppm |
| Okra | 5 ppm |
| Green soybeans | 5 ppm |
| Button mushroom | 5 ppm |
| <i>Shiitake</i> mushroom | 5 ppm |
| Other mushrooms | 5 ppm |
| <i>Unshu</i> orange,pulp | 5 ppm |
| Citrus <i>natsudaidai</i> , whole | 5 ppm |
| Quince | 5 ppm |
| Loquat | 5 ppm |

| | | |
|---------------|--|----------|
| | Mume plum | 5 ppm |
| | Huckleberry | 15 ppm |
| | Kiwifruit | 5 ppm |
| | Avocado | 5 ppm |
| | Pineapple | 5 ppm |
| | Guava | 5 ppm |
| | Mango | 5 ppm |
| | Passion fruit | 5 ppm |
| | Ginkgo nut | 5 ppm |
| | Chestnut | 5 ppm |
| | Pecan | 5 ppm |
| | Almond | 5 ppm |
| | Walnut | 5 ppm |
| | Other nuts | 5 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 5 ppm |
| CYCLOPROTHRIN | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.1 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.1 ppm |
| | Potato | 0.02 ppm |
| | Taro | 0.02 ppm |
| | Sweet potato | 0.02 ppm |
| | Yam | 0.02 ppm |
| | Konjac | 0.02 ppm |
| | Other potatoes | 0.02 ppm |
| | Sugar beet | 0.02 ppm |
| | Sugarcane | 0.02 ppm |
| | Japanese radish, roots (including radish) | 0.02 ppm |
| | Japanese radish, leaves (including radish) | 0.02 ppm |
| | Turnip, roots | 0.02 ppm |
| | Turnip, leaves | 0.02 ppm |
| | Horseradish | 0.02 ppm |
| | Watercress | 0.02 ppm |

| | |
|--|----------|
| Chinese cabbage | 0.02 ppm |
| Cabbage | 0.02 ppm |
| Brussels sprouts | 0.02 ppm |
| Kale | 0.02 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| <i>Kyona</i> | 0.02 ppm |
| Qing-geng-cai | 0.02 ppm |
| Cauliflower | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.2 ppm |
| Melons | 0.2 ppm |
| <i>Makuwauri</i> melon | 0.2 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |

| | |
|------------------------------------|----------|
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| <i>Unshu</i> orange,pulp | 0.2 ppm |
| Citrus <i>natsudaidai</i> , pulp | 20 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.2 ppm |
| Lemon | 0.2 ppm |
| Orange (including navel orange) | 0.2 ppm |
| Grapefruit | 0.2 ppm |
| Lime | 0.2 ppm |
| Other citrus fruits | 0.2 ppm |
| Apple | 0.2 ppm |
| Japanese pear | 0.2 ppm |
| Pear | 0.2 ppm |
| Quince | 0.2 ppm |
| Loquat | 0.2 ppm |
| Peach | 0.2 ppm |
| Nectarine | 0.2 ppm |
| Apricot | 0.2 ppm |
| Japanese plum (including prune) | 0.2 ppm |
| Mume plum | 0.2 ppm |
| Cherry | 0.2 ppm |
| Strawberry | 0.2 ppm |
| Raspberry | 0.2 ppm |
| Blackberry | 0.2 ppm |
| Blueberry | 0.2 ppm |
| Cranberry | 0.2 ppm |
| Huckleberry | 0.2 ppm |
| Other berries | 0.2 ppm |
| Grape | 0.2 ppm |
| Japanese persimmon | 0.2 ppm |
| Banana | 0.2 ppm |
| Kiwifruit | 0.2 ppm |
| Papaya | 0.2 ppm |
| Avocado | 0.2 ppm |
| Pineapple | 0.2 ppm |

| | | |
|-------------|-----------------------------------|----------|
| | Guava | 0.2 ppm |
| | Mango | 0.2 ppm |
| | Passion fruit | 0.2 ppm |
| | Date | 0.2 ppm |
| | Other fruits | 0.2 ppm |
| | Sunflower seeds | 0.2 ppm |
| | Sesame seeds | 0.2 ppm |
| | Safflower seeds | 0.2 ppm |
| | Cotton seeds | 0.2 ppm |
| | Rapeseeds | 0.2 ppm |
| | Other oil seeds | 0.2 ppm |
| | Ginkgo nut | 0.2 ppm |
| | Chestnut | 0.2 ppm |
| | Pecan | 0.2 ppm |
| | Almond | 0.2 ppm |
| | Walnut | 0.2 ppm |
| | Other nuts | 0.2 ppm |
| | Tea | 0.5 ppm |
| | Coffee beans | 0.02 ppm |
| | Cacao beans | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 0.2 ppm |
| | Other herbs | 0.02 ppm |
| DICHLOBENIL | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Tomato | 0.1 ppm |
| | Water melon | 0.2 ppm |
| | Melons | 0.2 ppm |
| | <i>Makuwauri</i> melon | 0.2 ppm |
| | <i>Unshu</i> orange,pulp | 0.2 ppm |
| | Citrus <i>natsudaidai</i> , whole | 0.2 ppm |
| | Lemon | 0.2 ppm |
| | Orange (including navel orange) | 0.2 ppm |
| | Grapefruit | 0.2 ppm |
| | Lime | 0.2 ppm |
| | Other citrus fruits | 0.2 ppm |
| | Apple | 0.2 ppm |
| | Japanese pear | 0.2 ppm |

| | | |
|-----------------|---------------------------------|---------|
| | Pear | 0.2 ppm |
| | Quince | 0.2 ppm |
| | Loquat | 0.2 ppm |
| | Peach | 0.2 ppm |
| | Nectarine | 0.2 ppm |
| | Apricot | 0.2 ppm |
| | Japanese plum (including prune) | 0.2 ppm |
| | Mume plum | 0.2 ppm |
| | Cherry | 0.2 ppm |
| | Strawberry | 0.2 ppm |
| | Raspberry | 0.2 ppm |
| | Blackberry | 0.2 ppm |
| | Blueberry | 0.2 ppm |
| | Cranberry | 0.2 ppm |
| | Huckleberry | 0.2 ppm |
| | Other berries | 0.2 ppm |
| | Grape | 0.2 ppm |
| | Japanese persimmon | 0.2 ppm |
| | Banana | 0.2 ppm |
| | Kiwifruit | 0.2 ppm |
| | Papaya | 0.2 ppm |
| | Avocado | 0.2 ppm |
| | Pineapple | 0.2 ppm |
| | Guava | 0.2 ppm |
| | Mango | 0.2 ppm |
| | Passion fruit | 0.2 ppm |
| | Date | 0.2 ppm |
| | Other fruits | 0.2 ppm |
| | Sunflower seeds | 0.2 ppm |
| | Sesame seeds | 0.2 ppm |
| | Safflower seeds | 0.2 ppm |
| | Cotton seeds | 0.2 ppm |
| | Rapeseeds | 0.2 ppm |
| | Other oil seeds | 0.2 ppm |
| | Ginkgo nut | 0.2 ppm |
| | Chestnut | 0.2 ppm |
| | Pecan | 0.2 ppm |
| | Almond | 0.2 ppm |
| | Walnut | 0.2 ppm |
| | Other nuts | 0.2 ppm |
| | Other spices | 0.2 ppm |
| DICLOFOP-METHYL | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.1 ppm |

| | |
|---|----------|
| Barley | 0.1 ppm |
| Rye | 0.1 ppm |
| Corn (maize) | 0.1 ppm |
| Buckwheat | 0.1 ppm |
| Other cereal grains | 0.1 ppm |
| Beans, dry* | 0.1 ppm |
| Peas | 0.1 ppm |
| Peanuts, dry | 0.1 ppm |
| Other legumes/pulses | 0.1 ppm |
| Other vegetables | 0.1 ppm |
| Sunflower seeds | 0.1 ppm |
| Sesame seeds | 0.1 ppm |
| Safflower seeds | 0.1 ppm |
| Cotton seeds | 0.1 ppm |
| Rapeseeds | 0.1 ppm |
| Other oil seeds | 0.1 ppm |
| Other nuts | 0.1 ppm |
| Other spices | 0.1 ppm |
| Other herbs | 0.1 ppm |
| cattle, muscle | 0.05 ppm |
| pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| cattle, fat | 0.05 ppm |
| pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| cattle, liver | 0.05 ppm |
| pig, liver | 0.05 ppm |
| Other terrestrial mammals, liver | 0.05 ppm |
| cattle, kidney | 0.05 ppm |
| pig, kidney | 0.05 ppm |
| Other terrestrial mammals, kidney | 0.05 ppm |
| cattle, edible offal | 0.05 ppm |
| pig, edible offal | 0.05 ppm |
| Other terrestrial mammals, edible offal | 0.05 ppm |
| Milk | 0.05 ppm |
| Chicken, muscle | 0.05 ppm |
| Other poultry, muscle | 0.05 ppm |
| Chicken, fat | 0.05 ppm |
| Other poultry, fat | 0.05 ppm |
| Chicken, liver | 0.05 ppm |
| Other poultry, liver | 0.05 ppm |
| Chicken, kidney | 0.05 ppm |
| Other poultry, kidney | 0.05 ppm |

| | | |
|-------------|---|----------|
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| DICLOMEZINE | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.02 ppm |
| | Beans, dry* | 0.02 ppm |
| | Peas | 0.02 ppm |
| | Broad beans | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.02 ppm |
| | Potato | 0.02 ppm |
| | Taro | 0.02 ppm |
| | Sweet potato | 0.02 ppm |
| | Yam | 0.02 ppm |
| | Konjac | 0.02 ppm |
| | Other potatoes | 0.02 ppm |
| | Sugar beet | 0.02 ppm |
| | Sugarcane | 0.02 ppm |
| | Japanese radish, roots (including radish) | 0.02 ppm |
| | Japanese radish, leaves (including radish) | 0.02 ppm |
| | Turnip, roots | 0.02 ppm |
| | Turnip, leaves | 0.02 ppm |
| | Horseradish | 0.02 ppm |
| | Watercress | 0.02 ppm |
| | Chinese cabbage | 0.02 ppm |
| | Cabbage | 0.02 ppm |
| | Brussels sprouts | 0.02 ppm |
| | Kale | 0.02 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| | <i>Kyona</i> | 0.02 ppm |
| | <i>Qing-geng-cai</i> | 0.02 ppm |
| | Cauliflower | 0.02 ppm |
| | Broccoli | 0.02 ppm |
| | Other cruciferous vegetables | 0.02 ppm |
| | Burdock | 0.02 ppm |
| | Salsify | 0.02 ppm |
| | Artichoke | 0.02 ppm |

| | |
|--|----------|
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanaceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| <i>Unshu</i> orange,pulp | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |
| Lemon | 0.02 ppm |

| | |
|---------------------------------|----------|
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Apple | 0.02 ppm |
| Japanese pear | 0.02 ppm |
| Pear | 0.02 ppm |
| Quince | 0.02 ppm |
| Loquat | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |

| | | |
|--------------|--|----------|
| | Almond | 0.02 ppm |
| | Walnut | 0.02 ppm |
| | Other nuts | 0.02 ppm |
| | Tea | 0.02 ppm |
| | Coffee beans | 0.02 ppm |
| | Cacao beans | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 0.02 ppm |
| | Other herbs | 0.02 ppm |
| DICLORAN | Potato | 0.3 ppm |
| | Sweet potato | 5 ppm |
| | Endive | 10 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 10 ppm |
| | Onion | 0.2 ppm |
| | Garlic | 3 ppm |
| | Carrot | 10 ppm |
| | Celery | 10 ppm |
| | Tomato | 10 ppm |
| | Cucumber (including gherkin) | 3 ppm |
| | Kidney beans, immature (with pods) | 20 ppm |
| | Other vegetables | 20 ppm |
| | Peach | 10 ppm |
| | Nectarine | 10 ppm |
| | Apricot | 10 ppm |
| | Japanese plum (including prune) | 10 ppm |
| | Mume plum | 10 ppm |
| | Cherry | 10 ppm |
| | Strawberry | 10 ppm |
| | Raspberry | 10 ppm |
| | Blackberry | 10 ppm |
| | Blueberry | 20 ppm |
| | Cranberry | 20 ppm |
| | Huckleberry | 20 ppm |
| | Other berries | 20 ppm |
| | Grape | 7 ppm |
| | Other fruits | 10 ppm |
| | Other spices | 20 ppm |
| | Other herbs | 20 ppm |
| DICHLOPRPROP | Corn (maize) | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |

| | |
|--|----------|
| Peanuts, dry | 0.05 ppm |
| Other legumes/pulses | 0.05 ppm |
| Potato | 0.05 ppm |
| Taro | 0.05 ppm |
| Sweet potato | 0.05 ppm |
| Yam | 0.05 ppm |
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 3 ppm |
| Melons | 3 ppm |
| <i>Makuwauri</i> melon | 3 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 3 ppm |
| Citrus <i>natsudaidai</i> , peels | 10 ppm |
| Citrus <i>natsudaidai</i> , whole | 3 ppm |
| Lemon | 3 ppm |
| Orange (including navel orange) | 3 ppm |
| Grapefruit | 3 ppm |
| Lime | 3 ppm |
| Other citrus fruits | 3 ppm |
| Apple | 3 ppm |
| Japanese pear | 3 ppm |
| Pear | 3 ppm |
| Quince | 3 ppm |
| Loquat | 3 ppm |
| Peach | 3 ppm |
| Nectarine | 3 ppm |
| Apricot | 3 ppm |
| Japanese plum (including prune) | 3 ppm |
| Mume plum | 3 ppm |

| | | |
|---------------------------------|-----------------------------------|----------|
| | Cherry | 3 ppm |
| | Strawberry | 3 ppm |
| | Raspberry | 3 ppm |
| | Blackberry | 3 ppm |
| | Blueberry | 3 ppm |
| | Cranberry | 3 ppm |
| | Huckleberry | 3 ppm |
| | Other berries | 3 ppm |
| | Grape | 3 ppm |
| | Japanese persimmon | 3 ppm |
| | Banana | 3 ppm |
| | Kiwifruit | 3 ppm |
| | Papaya | 3 ppm |
| | Avocado | 3 ppm |
| | Pineapple | 3 ppm |
| | Guava | 3 ppm |
| | Mango | 3 ppm |
| | Passion fruit | 3 ppm |
| | Date | 3 ppm |
| | Other fruits | 3 ppm |
| | Sunflower seeds | 3 ppm |
| | Sesame seeds | 3 ppm |
| | Safflower seeds | 3 ppm |
| | Cotton seeds | 3 ppm |
| | Rapeseeds | 3 ppm |
| | Other oil seeds | 3 ppm |
| | Ginkgo nut | 3 ppm |
| | Chestnut | 3 ppm |
| | Pecan | 3 ppm |
| | Almond | 3 ppm |
| | Walnut | 3 ppm |
| | Other nuts | 3 ppm |
| | Tea | 0.1 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 3 ppm |
| | Other herbs | 0.05 ppm |
| | Mineral waters | 0.1 ppm |
| DICHLORVOS and NALED (as total) | Other herbs | 0.1 ppm |
| | cattle, muscle | 0.05 ppm |
| | pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | cattle, fat | 0.02 ppm |
| | pig, fat | 0.1 ppm |

| | | |
|--|--|----------|
| | Other terrestrial mammals, fat | 0.02 ppm |
| | cattle, liver | 0.04 ppm |
| | pig, liver | 0.08 ppm |
| | Other terrestrial mammals, liver | 0.04 ppm |
| | cattle, kidney | 0.04 ppm |
| | pig, kidney | 0.08 ppm |
| | Other terrestrial mammals, kidney | 0.04 ppm |
| | cattle, edible offal | 0.04 ppm |
| | pig, edible offal | 0.08 ppm |
| | Other terrestrial mammals, edible offal | 0.04 ppm |
| | Milk | 0.02 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| DICHLORMID | Corn (maize) | 0.05 ppm |
| 1,1-DICHLORO-2,2-BIS(4-ETHYLPHENYL) ETHANE | Corn (maize) | 0.01 ppm |
| | Soybeans, dry | 0.01 ppm |
| | Beans, dry* | 0.01 ppm |
| | Peas | 0.01 ppm |
| | Broad beans | 0.01 ppm |
| | Peanuts, dry | 0.01 ppm |
| | Other legumes/pulses | 0.01 ppm |
| | Potato | 0.01 ppm |
| | Taro | 0.01 ppm |
| | Sweet potato | 0.01 ppm |
| | Yam | 0.01 ppm |
| | Konjac | 0.01 ppm |
| | Other potatoes | 0.01 ppm |
| | Sugar beet | 0.01 ppm |
| | Japanese radish, roots (including radish) | 0.01 ppm |
| | Japanese radish, leaves (including radish) | 0.01 ppm |
| | Turnip, roots | 0.01 ppm |
| | Turnip, leaves | 0.01 ppm |
| | Horseradish | 0.01 ppm |

| | |
|--|----------|
| Watercress | 0.01 ppm |
| Chinese cabbage | 0.01 ppm |
| Cabbage | 0.01 ppm |
| Brussels sprouts | 0.01 ppm |
| Kale | 0.01 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.01 ppm |
| <i>Kyona</i> | 0.01 ppm |
| Qing-geng-cai | 0.01 ppm |
| Cauliflower | 0.01 ppm |
| Broccoli | 0.01 ppm |
| Other cruciferous vegetables | 0.01 ppm |
| Burdock | 0.01 ppm |
| Salsify | 0.01 ppm |
| Artichoke | 0.01 ppm |
| Chicory | 0.01 ppm |
| Endive | 0.01 ppm |
| <i>Shungiku</i> | 0.01 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.01 ppm |
| Other composite vegetables | 0.01 ppm |
| Onion | 0.01 ppm |
| Welsh (including leek) | 0.01 ppm |
| Garlic | 0.01 ppm |
| <i>Nira</i> | 0.01 ppm |
| Asparagus | 0.01 ppm |
| Multiplying onion | 0.01 ppm |
| Other liliaceous vegetables | 0.01 ppm |
| Carrot | 0.01 ppm |
| Parsnip | 0.01 ppm |
| Parsley | 0.01 ppm |
| Celery | 0.01 ppm |
| <i>Mitsuba</i> | 0.01 ppm |
| Other umbelliferous vegetables | 0.01 ppm |
| Tomato | 0.01 ppm |
| Pimiento (sweet pepper) | 0.01 ppm |
| Egg plant | 0.01 ppm |
| Other solanaceous vegetables | 0.01 ppm |
| Cucumber (including gherkin) | 0.01 ppm |
| Pumpkin (including squash) | 0.01 ppm |
| Oriental pickling melon (vegetable) | 0.01 ppm |
| Water melon | 0.01 ppm |
| Melons | 0.01 ppm |
| <i>Makuwauri</i> melon | 0.01 ppm |
| Other cucurbitaceous vegetables | 0.01 ppm |

| | |
|------------------------------------|----------|
| Spinach | 0.01 ppm |
| Bamboo shoots | 0.01 ppm |
| Okra | 0.01 ppm |
| Ginger | 0.01 ppm |
| Peas, immature (with pods) | 0.01 ppm |
| Kidney beans, immature (with pods) | 0.01 ppm |
| Green soybeans | 0.01 ppm |
| Button mushroom | 0.01 ppm |
| <i>Shiitake</i> mushroom | 0.01 ppm |
| Other mushrooms | 0.01 ppm |
| Other vegetables | 0.01 ppm |
| <i>Unshu</i> orange,pulp | 0.01 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.01 ppm |
| Lemon | 0.01 ppm |
| Orange (including navel orange) | 0.01 ppm |
| Grapefruit | 0.01 ppm |
| Lime | 0.01 ppm |
| Other citrus fruits | 0.01 ppm |
| Apple | 0.01 ppm |
| Japanese pear | 0.01 ppm |
| Pear | 0.01 ppm |
| Quince | 0.01 ppm |
| Loquat | 0.01 ppm |
| Peach | 0.01 ppm |
| Nectarine | 0.01 ppm |
| Apricot | 0.01 ppm |
| Japanese plum (including prune) | 0.01 ppm |
| Mume plum | 0.01 ppm |
| Cherry | 0.01 ppm |
| Strawberry | 0.01 ppm |
| Raspberry | 0.01 ppm |
| Blackberry | 0.01 ppm |
| Blueberry | 0.01 ppm |
| Cranberry | 0.01 ppm |
| Huckleberry | 0.01 ppm |
| Other berries | 0.01 ppm |
| Grape | 0.01 ppm |
| Japanese persimmon | 0.01 ppm |
| Banana | 0.01 ppm |
| Kiwifruit | 0.01 ppm |
| Avocado | 0.01 ppm |
| Pineapple | 0.01 ppm |
| Guava | 0.01 ppm |

| | |
|---|----------|
| Mango | 0.01 ppm |
| Passion fruit | 0.01 ppm |
| Date | 0.01 ppm |
| Other fruits | 0.01 ppm |
| Sunflower seeds | 0.01 ppm |
| Sesame seeds | 0.01 ppm |
| Safflower seeds | 0.01 ppm |
| Cotton seeds | 0.01 ppm |
| Rapeseeds | 0.01 ppm |
| Other oil seeds | 0.01 ppm |
| Ginkgo nut | 0.01 ppm |
| Chestnut | 0.01 ppm |
| Pecan | 0.01 ppm |
| Almond | 0.01 ppm |
| Walnut | 0.01 ppm |
| Other nuts | 0.01 ppm |
| Tea | 0.1 ppm |
| Hop | 0.1 ppm |
| Other spices | 0.01 ppm |
| Other herbs | 0.01 ppm |
| cattle, muscle | 0.01 ppm |
| pig, muscle | 0.01 ppm |
| Other terrestrial mammals, muscle | 0.01 ppm |
| cattle, fat | 0.01 ppm |
| pig, fat | 0.01 ppm |
| Other terrestrial mammals, fat | 0.01 ppm |
| cattle, liver | 0.01 ppm |
| pig, liver | 0.01 ppm |
| Other terrestrial mammals, liver | 0.01 ppm |
| cattle, kidney | 0.01 ppm |
| pig, kidney | 0.01 ppm |
| Other terrestrial mammals, kidney | 0.01 ppm |
| cattle, edible offal | 0.01 ppm |
| pig, edible offal | 0.01 ppm |
| Other terrestrial mammals, edible offal | 0.01 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.01 ppm |
| Other poultry, muscle | 0.01 ppm |
| Chicken, fat | 0.01 ppm |
| Other poultry, fat | 0.01 ppm |
| Chicken, liver | 0.01 ppm |
| Other poultry, liver | 0.01 ppm |
| Chicken, kidney | 0.01 ppm |

| | | |
|---------------------|--|----------|
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| 1,2-DICHLOROPROPANE | Mineral waters | 0.04 ppm |
| 1,3-DICHLOROPROPENE | Mineral waters | 0.02 ppm |
| DICHLONE | Apple | 3 ppm |
| | Peach | 3 ppm |
| | Nectarine | 3 ppm |
| | Japanese plum (including prune) | 3 ppm |
| | Cherry | 3 ppm |
| | Strawberry | 20 ppm |
| DIQUAT | Rice (brown rice) | 1 ppm |
| | Wheat | 2 ppm |
| | Barley | 5 ppm |
| | Rye | 0.03 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.03 ppm |
| | Other cereal grains | 2 ppm |
| | Soybeans, dry | 0.2 ppm |
| | Beans, dry* | 0.2 ppm |
| | Peas | 0.2 ppm |
| | Broad beans | 0.2 ppm |
| | Peanuts, dry | 5 ppm |
| | Other legumes/pulses | 0.2 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.04 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |
| | Brussels sprouts | 0.05 ppm |

| | |
|--|----------|
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |

| | |
|------------------------------------|----------|
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.2 ppm |
| <i>Unshu</i> orange,pulp | 0.03 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.03 ppm |
| Lemon | 0.04 ppm |
| Orange (including navel orange) | 0.03 ppm |
| Grapefruit | 0.04 ppm |
| Lime | 0.03 ppm |
| Other citrus fruits | 0.03 ppm |
| Apple | 0.03 ppm |
| Japanese pear | 0.03 ppm |
| Pear | 0.03 ppm |
| Quince | 0.03 ppm |
| Loquat | 0.03 ppm |
| Peach | 0.03 ppm |
| Nectarine | 0.03 ppm |
| Apricot | 0.03 ppm |
| Japanese plum (including prune) | 0.03 ppm |
| Mume plum | 0.03 ppm |
| Cherry | 0.03 ppm |
| Strawberry | 0.03 ppm |
| Raspberry | 0.03 ppm |
| Blackberry | 0.03 ppm |
| Blueberry | 0.03 ppm |
| Cranberry | 0.03 ppm |
| Huckleberry | 0.03 ppm |
| Other berries | 0.03 ppm |
| Grape | 0.03 ppm |
| Japanese persimmon | 0.03 ppm |
| Banana | 0.03 ppm |
| Kiwifruit | 0.03 ppm |
| Papaya | 0.03 ppm |
| Avocado | 0.03 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.03 ppm |
| Mango | 0.03 ppm |
| Passion fruit | 0.03 ppm |
| Date | 0.03 ppm |

| | |
|---|----------|
| Other fruits | 0.05 ppm |
| Sunflower seeds | 1 ppm |
| Sesame seeds | 0.03 ppm |
| Safflower seeds | 0.03 ppm |
| Cotton seeds | 0.03 ppm |
| Rapeseeds | 2 ppm |
| Other oil seeds | 0.03 ppm |
| Ginkgo nut | 0.03 ppm |
| Chestnut | 0.03 ppm |
| Pecan | 0.03 ppm |
| Almond | 0.03 ppm |
| Walnut | 0.03 ppm |
| Other nuts | 0.03 ppm |
| Tea | 0.3 ppm |
| Coffee beans | 0.05 ppm |
| Hop | 0.04 ppm |
| Other spices | 0.2 ppm |
| Other herbs | 0.2 ppm |
| cattle, muscle | 0.05 ppm |
| pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| cattle, fat | 0.02 ppm |
| pig, fat | 0.02 ppm |
| Other terrestrial mammals, fat | 0.02 ppm |
| cattle, liver | 0.05 ppm |
| pig, liver | 0.05 ppm |
| Other terrestrial mammals, liver | 0.05 ppm |
| cattle, kidney | 0.05 ppm |
| pig, kidney | 0.05 ppm |
| Other terrestrial mammals, kidney | 0.05 ppm |
| cattle, edible offal | 0.05 ppm |
| pig, edible offal | 0.05 ppm |
| Other terrestrial mammals, edible offal | 0.05 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.05 ppm |
| Other poultry, muscle | 0.05 ppm |
| Chicken, fat | 0.02 ppm |
| Other poultry, fat | 0.02 ppm |
| Chicken, liver | 0.05 ppm |
| Other poultry, liver | 0.05 ppm |
| Chicken, kidney | 0.05 ppm |
| Other poultry, kidney | 0.05 ppm |
| Chicken, edible offal | 0.05 ppm |

| | | |
|---------|---|----------|
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| | Salmoniformes | 0.1 ppm |
| | Anguilliformes | 0.1 ppm |
| | Perciformes | 0.1 ppm |
| | Other fish | 0.1 ppm |
| | Shelled molluscas | 0.1 ppm |
| DICOFOL | Rice (brown rice) | 0.02 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 3 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.1 ppm |
| | Peas | 3 ppm |
| | Broad beans | 0.1 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.1 ppm |
| | Potato | 3 ppm |
| | Taro | 3 ppm |
| | Sweet potato | 3 ppm |
| | Yam | 3 ppm |
| | Konjac | 3 ppm |
| | Other potatoes | 3 ppm |
| | Sugar beet | 3 ppm |
| | Japanese radish, roots (including radish) | 3 ppm |
| | Japanese radish, leaves (including radish) | 3 ppm |
| | Turnip, roots | 3 ppm |
| | Turnip, leaves | 3 ppm |
| | Horseradish | 3 ppm |
| | Watercress | 3 ppm |
| | Chinese cabbage | 3 ppm |
| | Cabbage | 3 ppm |
| | Brussels sprouts | 3 ppm |
| | Kale | 3 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 3 ppm |
| | <i>Kyona</i> | 3 ppm |
| | Qing-geng-cai | 3 ppm |
| | Cauliflower | 3 ppm |
| | Broccoli | 3 ppm |

| | |
|--|----------|
| Other cruciferous vegetables | 3 ppm |
| Burdock | 3 ppm |
| Salsify | 3 ppm |
| Artichoke | 3 ppm |
| Chicory | 3 ppm |
| Endive | 3 ppm |
| <i>Shungiku</i> | 3 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 3 ppm |
| Other composite vegetables | 3 ppm |
| Onion | 3 ppm |
| Welsh (including leek) | 3 ppm |
| Garlic | 3 ppm |
| <i>Nira</i> | 2 ppm |
| Asparagus | 3 ppm |
| Multiplying onion | 3 ppm |
| Other liliaceous vegetables | 3 ppm |
| Carrot | 3 ppm |
| Parsnip | 3 ppm |
| Parsley | 0.02 ppm |
| Celery | 3 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 3 ppm |
| Tomato | 1 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 3 ppm |
| Other solanceous vegetables | 1 ppm |
| Pumpkin (including squash) | 1 ppm |
| Oriental pickling melon (vegetable) | 3 ppm |
| Water melon | 3 ppm |
| Melons | 0.2 ppm |
| <i>Makuwauri</i> melon | 0.2 ppm |
| Other cucurbitaceous vegetables | 3 ppm |
| Spinach | 3 ppm |
| Bamboo shoots | 3 ppm |
| Okra | 3 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 3 ppm |
| Kidney beans, immature (with pods) | 2 ppm |
| Green soybeans | 3 ppm |
| Button mushroom | 3 ppm |
| <i>Shiitake</i> mushroom | 3 ppm |
| Other mushrooms | 3 ppm |
| Other vegetables | 3 ppm |

| | |
|-----------------------------------|----------|
| Citrus <i>natsudaidai</i> , whole | 5 ppm |
| Lemon | 5 ppm |
| Orange (including navel orange) | 5 ppm |
| Grapefruit | 5 ppm |
| Lime | 5 ppm |
| Other citrus fruits | 5 ppm |
| Quince | 3 ppm |
| Loquat | 3 ppm |
| Nectarine | 4 ppm |
| Apricot | 4 ppm |
| Japanese plum (including prune) | 1 ppm |
| Mume plum | 3 ppm |
| Raspberry | 3 ppm |
| Blackberry | 3 ppm |
| Blueberry | 3 ppm |
| Cranberry | 3 ppm |
| Huckleberry | 3 ppm |
| Other berries | 3 ppm |
| Japanese persimmon | 3 ppm |
| Banana | 3 ppm |
| Kiwifruit | 3 ppm |
| Papaya | 4 ppm |
| Avocado | 3 ppm |
| Pineapple | 3 ppm |
| Guava | 3 ppm |
| Mango | 3 ppm |
| Passion fruit | 3 ppm |
| Date | 3 ppm |
| Other fruits | 3 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.1 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 2 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 3 ppm |
| Pecan | 0.01 ppm |
| Almond | 3 ppm |
| Walnut | 0.01 ppm |
| Other nuts | 3 ppm |
| Tea (except unfermented tea) | 3 ppm |
| Hop | 50 ppm |

| | | |
|------------|--|-----------|
| | Other species (except seeds, fruits, roots and rhizomes) | 5 ppm |
| | Other herbs | 3 ppm |
| | cattle, muscle | 0.3 ppm |
| | pig, muscle | 0.08 ppm |
| | Other terrestrial mammals, muscle | 0.3 ppm |
| | cattle, fat | 3 ppm |
| | pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.5 ppm |
| | cattle, liver | 1 ppm |
| | pig, liver | 0.08 ppm |
| | Other terrestrial mammals, liver | 0.08 ppm |
| | cattle, kidney | 1 ppm |
| | pig, kidney | 0.08 ppm |
| | Other terrestrial mammals, kidney | 0.08 ppm |
| | cattle, edible offal | 1 ppm |
| | pig, edible offal | 0.08 ppm |
| | Other terrestrial mammals, edible offal | 0.08 ppm |
| | Milk | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| DICYCLANIL | Other terrestrial mammals, muscle | 0.15 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | Other terrestrial mammals, liver | 0.125 ppm |
| | Other terrestrial mammals, kidney | 0.125 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| DISULFOTON | Rice (brown rice) | 0.07 ppm |
| | Wheat | 0.2 ppm |
| | Barley | 0.2 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.2 ppm |

| | |
|--|----------|
| Beans, dry* | 0.2 ppm |
| Peas | 0.5 ppm |
| Broad beans | 0.2 ppm |
| Peanuts, dry | 0.1 ppm |
| Other legumes/pulses | 0.2 ppm |
| Potato | 0.5 ppm |
| Taro | 0.5 ppm |
| Sweet potato | 0.5 ppm |
| Yam | 0.5 ppm |
| Konjac | 0.5 ppm |
| Other potatoes | 0.5 ppm |
| Sugar beet | 0.2 ppm |
| Sugarcane | 0.3 ppm |
| Japanese radish, roots (including radish) | 0.2 ppm |
| Japanese radish, leaves (including radish) | 0.5 ppm |
| Turnip, roots | 0.5 ppm |
| Turnip, leaves | 0.5 ppm |
| Horseradish | 0.5 ppm |
| Watercress | 0.5 ppm |
| Chinese cabbage | 0.5 ppm |
| Cabbage | 0.5 ppm |
| Brussels sprouts | 0.5 ppm |
| Kale | 0.5 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.5 ppm |
| <i>Kyona</i> | 0.5 ppm |
| Qing-geng-cai | 0.5 ppm |
| Cauliflower | 0.5 ppm |
| Broccoli | 0.5 ppm |
| Other cruciferous vegetables | 0.5 ppm |
| Burdock | 0.5 ppm |
| Salsify | 0.5 ppm |
| Artichoke | 0.5 ppm |
| Chicory | 0.5 ppm |
| Endive | 0.5 ppm |
| <i>Shungiku</i> | 0.5 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.5 ppm |
| Other composite vegetables | 0.5 ppm |
| Onion | 0.5 ppm |
| Welsh (including leek) | 0.5 ppm |
| Garlic | 0.5 ppm |
| <i>Nira</i> | 0.5 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.5 ppm |

| | |
|-------------------------------------|----------|
| Other liliaceous vegetables | 0.5 ppm |
| Carrot | 0.5 ppm |
| Parsnip | 0.5 ppm |
| Parsley | 0.1 ppm |
| Celery | 0.5 ppm |
| <i>Mitsuba</i> | 0.1 ppm |
| Other umbelliferous vegetables | 0.5 ppm |
| Tomato | 0.5 ppm |
| Pimiento (sweet pepper) | 0.5 ppm |
| Egg plant | 0.5 ppm |
| Other solanceous vegetables | 0.5 ppm |
| Cucumber (including gherkin) | 0.5 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 0.5 ppm |
| Melons | 0.5 ppm |
| <i>Makuwauri</i> melon | 0.5 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 0.5 ppm |
| Bamboo shoots | 0.5 ppm |
| Okra | 0.5 ppm |
| Ginger | 0.1 ppm |
| Peas, immature (with pods) | 0.5 ppm |
| Kidney beans, immature (with pods) | 0.2 ppm |
| Green soybeans | 0.5 ppm |
| Button mushroom | 0.5 ppm |
| <i>Shiitake</i> mushroom | 0.5 ppm |
| Other mushrooms | 0.5 ppm |
| Other vegetables | 0.1 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |

| | |
|-----------------------------------|----------|
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.1 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.5 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.1 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.1 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.05 ppm |
| Coffee beans | 0.2 ppm |
| Hop | 0.3 ppm |
| Other herbs | 0.5 ppm |
| cattle, muscle | 0.02 ppm |
| pig, muscle | 0.02 ppm |
| Other terrestrial mammals, muscle | 0.02 ppm |
| cattle, fat | 0.02 ppm |

| | | |
|-----------|---|----------|
| | pig, fat | 0.02 ppm |
| | Other terrestrial mammals, fat | 0.02 ppm |
| | cattle, liver | 0.02 ppm |
| | pig, liver | 0.02 ppm |
| | Other terrestrial mammals, liver | 0.02 ppm |
| | cattle, kidney | 0.02 ppm |
| | pig, kidney | 0.02 ppm |
| | Other terrestrial mammals, kidney | 0.02 ppm |
| | cattle, edible offal | 0.02 ppm |
| | pig, edible offal | 0.02 ppm |
| | Other terrestrial mammals, edible offal | 0.02 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.02 ppm |
| | Chicken, fat | 0.02 ppm |
| | Other poultry, fat | 0.02 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.02 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| DITHIANON | Japanese radish, roots (including radish) | 0.1 ppm |
| | Japanese radish, leaves (including radish) | 0.5 ppm |
| | Turnip, roots | 0.1 ppm |
| | Turnip, leaves | 0.5 ppm |
| | Horseradish | 0.1 ppm |
| | Watercress | 0.5 ppm |
| | Chinese cabbage | 0.5 ppm |
| | Cabbage | 0.5 ppm |
| | Brussels sprouts | 0.5 ppm |
| | Kale | 0.5 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.5 ppm |
| | <i>Kyona</i> | 0.5 ppm |
| | Qing-geng-cai | 0.5 ppm |
| | Cauliflower | 0.5 ppm |
| | Broccoli | 0.5 ppm |
| | Other cruciferous vegetables | 0.5 ppm |
| | Burdock | 0.1 ppm |
| | Salsify | 0.1 ppm |
| | Artichoke | 0.5 ppm |

| | |
|--|---------|
| Chicory | 0.5 ppm |
| Endive | 0.5 ppm |
| <i>Shungiku</i> | 0.5 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.5 ppm |
| Other composite vegetables | 0.5 ppm |
| Welsh (including leek) | 0.5 ppm |
| <i>Nira</i> | 0.5 ppm |
| Asparagus | 0.5 ppm |
| Multiplying onion | 0.5 ppm |
| Other liliaceous vegetables | 0.5 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Parsley | 0.5 ppm |
| Celery | 0.5 ppm |
| <i>Mitsuba</i> | 0.5 ppm |
| Other umbelliferous vegetables | 0.5 ppm |
| Tomato | 0.5 ppm |
| Pimiento (sweet pepper) | 0.3 ppm |
| Egg plant | 0.5 ppm |
| Cucumber (including gherkin) | 0.5 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 0.2 ppm |
| Melons | 0.2 ppm |
| <i>Makuwauri</i> melon | 0.2 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 0.5 ppm |
| Bamboo shoots | 0.1 ppm |
| Ginger | 0.1 ppm |
| Other vegetables | 0.5 ppm |
| <i>Unshu</i> orange,pulp | 3 ppm |
| Citrus <i>natsudaidai</i> , whole | 5 ppm |
| Lemon | 5 ppm |
| Orange (including navel orange) | 5 ppm |
| Grapefruit | 5 ppm |
| Lime | 5 ppm |
| Other citrus fruits | 5 ppm |
| Apple | 5 ppm |
| Japanese pear | 5 ppm |
| Pear | 5 ppm |
| Quince | 5 ppm |
| Loquat | 5 ppm |
| Peach | 0.2 ppm |

| | | |
|------------------|---------------------------------|----------|
| | Nectarine | 0.5 ppm |
| | Apricot | 0.5 ppm |
| | Japanese plum (including prune) | 0.5 ppm |
| | Mume plum | 0.5 ppm |
| | Cherry | 5 ppm |
| | Strawberry | 0.5 ppm |
| | Raspberry | 0.5 ppm |
| | Blackberry | 0.5 ppm |
| | Blueberry | 0.5 ppm |
| | Cranberry | 0.5 ppm |
| | Huckleberry | 0.5 ppm |
| | Other berries | 0.5 ppm |
| | Grape | 3 ppm |
| | Japanese persimmon | 0.5 ppm |
| | Banana | 0.5 ppm |
| | Kiwifruit | 0.2 ppm |
| | Papaya | 0.5 ppm |
| | Avocado | 0.5 ppm |
| | Pineapple | 2 ppm |
| | Guava | 0.5 ppm |
| | Mango | 0.5 ppm |
| | Passion fruit | 0.5 ppm |
| | Date | 0.5 ppm |
| | Other fruits | 0.5 ppm |
| | Hop | 100 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 0.5 ppm |
| DITHIOCARBAMATES | Rice (brown rice) | 0.3 ppm |
| | Wheat | 1 ppm |
| | Barley | 1 ppm |
| | Rye | 1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 3 ppm |
| | Beans, dry* | 3 ppm |
| | Peas | 0.06 ppm |
| | Broad beans | 0.06 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.06 ppm |
| | Potato | 0.2 ppm |
| | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |

| | |
|--|---------|
| Yam | 0.1 ppm |
| Konjac | 0.1 ppm |
| Other potatoes | 0.1 ppm |
| Sugar beet | 0.5 ppm |
| Sugarcane | 4 ppm |
| Japanese radish, roots (including radish) | 0.2 ppm |
| Japanese radish, leaves (including radish) | 0.2 ppm |
| Turnip, roots | 0.2 ppm |
| Turnip, leaves | 0.2 ppm |
| Horseradish | 0.2 ppm |
| Watercress | 0.2 ppm |
| Chinese cabbage | 0.2 ppm |
| Cabbage | 5 ppm |
| Brussels sprouts | 0.2 ppm |
| Kale | 15 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.2 ppm |
| <i>Kyona</i> | 0.2 ppm |
| Qing-geng-cai | 0.2 ppm |
| Cauliflower | 0.2 ppm |
| Broccoli | 0.2 ppm |
| Other cruciferous vegetables | 0.2 ppm |
| Burdock | 0.2 ppm |
| Salsify | 0.2 ppm |
| Artichoke | 0.2 ppm |
| Chicory | 0.2 ppm |
| Endive | 0.2 ppm |
| <i>Shungiku</i> | 0.2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 10 ppm |
| Other composite vegetables | 0.2 ppm |
| Onion | 0.5 ppm |
| Welsh (including leek) | 10 ppm |
| Garlic | 0.5 ppm |
| <i>Nira</i> | 0.2 ppm |
| Asparagus | 0.1 ppm |
| Multiplying onion | 0.2 ppm |
| Other liliaceous vegetables | 0.2 ppm |
| Carrot | 1 ppm |
| Parsnip | 0.2 ppm |
| Parsley | 0.2 ppm |
| Celery | 0.2 ppm |
| <i>Mitsuba</i> | 0.2 ppm |
| Other umbelliferous vegetables | 0.2 ppm |
| Tomato | 5 ppm |

| | |
|-------------------------------------|---------|
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 0.2 ppm |
| Other solanaceous vegetables | 0.2 ppm |
| Cucumber (including gherkin) | 2 ppm |
| Pumpkin (including squash) | 1 ppm |
| Oriental pickling melon (vegetable) | 0.2 ppm |
| Water melon | 1 ppm |
| Melons | 0.6 ppm |
| <i>Makuwauri</i> melon | 0.5 ppm |
| Other cucurbitaceous vegetables | 0.2 ppm |
| Spinach | 0.2 ppm |
| Bamboo shoots | 0.2 ppm |
| Okra | 0.2 ppm |
| Ginger | 0.2 ppm |
| Peas, immature (with pods) | 0.2 ppm |
| Kidney beans, immature (with pods) | 0.2 ppm |
| Green soybeans | 0.2 ppm |
| Button mushroom | 0.2 ppm |
| <i>Shiitake</i> mushroom | 0.2 ppm |
| Other mushrooms | 0.2 ppm |
| Other vegetables | 0.2 ppm |
| <i>Unshu</i> orange,pulp | 10 ppm |
| Citrus <i>natsudaidai</i> , whole | 3 ppm |
| Lemon | 2 ppm |
| Orange (including navel orange) | 2 ppm |
| Grapefruit | 2 ppm |
| Lime | 2 ppm |
| Other citrus fruits | 10 ppm |
| Apple | 5 ppm |
| Japanese pear | 5 ppm |
| Pear | 5 ppm |
| Quince | 5 ppm |
| Loquat | 5 ppm |
| Peach | 7 ppm |
| Nectarine | 7 ppm |
| Apricot | 7 ppm |
| Japanese plum (including prune) | 7 ppm |
| Mume plum | 7 ppm |
| Cherry | 7 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |

| | |
|-----------------------------------|----------|
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 10 ppm |
| Grape | 5 ppm |
| Japanese persimmon | 0.6 ppm |
| Banana | 2 ppm |
| Kiwifruit | 0.6 ppm |
| Papaya | 5 ppm |
| Avocado | 0.6 ppm |
| Pineapple | 0.6 ppm |
| Guava | 0.6 ppm |
| Mango | 2 ppm |
| Passion fruit | 0.6 ppm |
| Date | 0.6 ppm |
| Other fruits | 0.6 ppm |
| Sunflower seeds | 0.06 ppm |
| Sesame seeds | 0.06 ppm |
| Safflower seeds | 0.06 ppm |
| Cotton seeds | 3 ppm |
| Rapeseeds | 0.3 ppm |
| Other oil seeds | 0.1 ppm |
| Ginkgo nut | 2 ppm |
| Chestnut | 2 ppm |
| Pecan | 0.1 ppm |
| Almond | 0.1 ppm |
| Walnut | 0.7 ppm |
| Other nuts | 3 ppm |
| Tea | 5 ppm |
| Coffee beans | 5 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 30 ppm |
| Other spices | 10 ppm |
| Other herbs | 0.2 ppm |
| cattle, muscle | 0.05 ppm |
| pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| cattle, fat | 0.05 ppm |
| pig, fat | 0.03 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| cattle, liver | 0.1 ppm |
| pig, liver | 0.1 ppm |
| Other terrestrial mammals, liver | 0.1 ppm |
| cattle, kidney | 0.1 ppm |

| | | |
|---------------|---|----------|
| | pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | cattle, edible offal | 0.1 ppm |
| | pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.03 ppm |
| | Other poultry, fat | 0.03 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| DITHIOPYR | Rice (brown rice) | 0.1 ppm |
| DINITOLMIDE | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 3 ppm |
| | Chicken, fat | 2 ppm |
| | Other poultry, fat | 3 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 4 ppm |
| | Chicken, kidney | 6 ppm |
| | Other poultry, kidney | 6 ppm |
| | Chicken, edible offal | 6 ppm |
| | Other poultry, edible offal | 6 ppm |
| CINIDON-ETHYL | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |

| | |
|--|----------|
| Taro | 0.05 ppm |
| Sweet potato | 0.05 ppm |
| Yam | 0.05 ppm |
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |

| | | |
|---------|-------------------------------------|----------|
| | Blueberry | 0.05 ppm |
| | Cranberry | 0.05 ppm |
| | Huckleberry | 0.05 ppm |
| | Other berries | 0.05 ppm |
| | Grape | 0.05 ppm |
| | Japanese persimmon | 0.05 ppm |
| | Banana | 0.05 ppm |
| | Kiwifruit | 0.05 ppm |
| | Papaya | 0.05 ppm |
| | Avocado | 0.05 ppm |
| | Pineapple | 0.05 ppm |
| | Guava | 0.05 ppm |
| | Mango | 0.05 ppm |
| | Passion fruit | 0.05 ppm |
| | Date | 0.05 ppm |
| | Other fruits | 0.05 ppm |
| | Tea | 0.1 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |
| DINOCAP | Wheat | 0.2 ppm |
| | Tomato | 0.3 ppm |
| | Pimiento (sweet pepper) | 0.2 ppm |
| | Egg plant | 0.5 ppm |
| | Other solanaceous vegetables | 0.2 ppm |
| | Cucumber (including gherkin) | 0.05 ppm |
| | Pumpkin (including squash) | 0.05 ppm |
| | Oriental pickling melon (vegetable) | 0.05 ppm |
| | Water melon | 0.05 ppm |
| | Melons | 0.05 ppm |
| | <i>Makuwauri</i> melon | 0.05 ppm |
| | Other cucurbitaceous vegetables | 0.05 ppm |
| | Apple | 0.2 ppm |
| | Japanese pear | 0.1 ppm |
| | Pear | 0.1 ppm |
| | Quince | 0.1 ppm |
| | Loquat | 0.1 ppm |
| | Peach | 0.1 ppm |
| | Nectarine | 0.1 ppm |
| | Apricot | 0.1 ppm |
| | Japanese plum (including prune) | 0.1 ppm |
| | Mume plum | 0.1 ppm |
| | Cherry | 0.1 ppm |

| | | |
|--------------|---|----------|
| | Strawberry | 0.5 ppm |
| | Grape | 0.5 ppm |
| CINOSULFURON | Rice (brown rice) | 0.1 ppm |
| DINOSEB | Rice (brown rice) | 0.01 ppm |
| | Wheat | 0.01 ppm |
| | Barley | 0.01 ppm |
| | Rye | 0.01 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.01 ppm |
| | Other cereal grains | 0.01 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |
| | Brussels sprouts | 0.05 ppm |
| | Kale | 0.05 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| | <i>Kyona</i> | 0.05 ppm |
| | Qing-geng-cai | 0.05 ppm |
| | Cauliflower | 0.05 ppm |
| | Broccoli | 0.05 ppm |
| | Other cruciferous vegetables | 0.05 ppm |
| | Burdock | 0.05 ppm |
| | Salsify | 0.05 ppm |
| | Artichoke | 0.05 ppm |
| | Chicory | 0.05 ppm |

| | |
|--|----------|
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |

| | |
|---------------------------------|----------|
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |

| | | |
|----------|---|----------|
| | Other nuts | 0.05 ppm |
| | Tea | 0.1 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |
| | cattle, muscle | 0.01 ppm |
| | pig, muscle | 0.01 ppm |
| | Other terrestrial mammals, muscle | 0.01 ppm |
| | cattle, fat | 0.01 ppm |
| | pig, fat | 0.01 ppm |
| | Other terrestrial mammals, fat | 0.01 ppm |
| | cattle, liver | 0.01 ppm |
| | pig, liver | 0.01 ppm |
| | Other terrestrial mammals, liver | 0.01 ppm |
| | cattle, kidney | 0.01 ppm |
| | pig, kidney | 0.01 ppm |
| | Other terrestrial mammals, kidney | 0.01 ppm |
| | cattle, edible offal | 0.01 ppm |
| | pig, edible offal | 0.01 ppm |
| | Other terrestrial mammals, edible offal | 0.01 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| DINOTERB | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |

| | |
|--|----------|
| Broad beans | 0.05 ppm |
| Peanuts, dry | 0.05 ppm |
| Other legumes/pulses | 0.05 ppm |
| Potato | 0.05 ppm |
| Taro | 0.05 ppm |
| Sweet potato | 0.05 ppm |
| Yam | 0.05 ppm |
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |

| | |
|-----------------------------------|----------|
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.1 ppm |
| Hop | 0.1 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| cattle, muscle | 0.05 ppm |
| pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| cattle, fat | 0.05 ppm |
| pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| cattle, liver | 0.05 ppm |

| | | |
|-------------|---|----------|
| | pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | cattle, kidney | 0.05 ppm |
| | pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | cattle, edible offal | 0.05 ppm |
| | pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| CYHALOTHRIN | Rice (brown rice) | 0.5 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.04 ppm |
| | Buckwheat | 0.02 ppm |
| | Sugarcane | 0.05 ppm |
| | Hop | 10 ppm |
| | Other spices | 1 ppm |
| | Other herbs | 0.5 ppm |
| | cattle, muscle | 0.02 ppm |
| | pig, muscle | 0.02 ppm |
| | Other terrestrial mammals, muscle | 0.02 ppm |
| | cattle, fat | 0.4 ppm |
| | pig, fat | 0.4 ppm |
| | Other terrestrial mammals, fat | 0.4 ppm |
| | cattle, liver | 0.02 ppm |
| | pig, liver | 0.02 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | cattle, kidney | 0.02 ppm |
| | pig, kidney | 0.02 ppm |
| | Other terrestrial mammals, kidney | 0.02 ppm |
| | cattle, edible offal | 0.2 ppm |
| | pig, edible offal | 0.2 ppm |

| | | |
|---|--|---|
| | Other terrestrial mammals, edible offal | 0.2 ppm |
| | Milk | 0.03 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.02 ppm |
| | Chicken, fat | 0.3 ppm |
| | Other poultry, fat | 0.3 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.02 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| DIHYDROSTREPTOMYCIN and STREPTOMYCIN (as total) | Rice (brown rice) | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Potato | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Taro | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Konjac | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Other potatoes | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Japanese radish, roots (including radish) | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Japanese radish, leaves (including radish) | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Turnip, roots | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Turnip, leaves | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Chinese cabbage | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Cabbage | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |

| | |
|--|---|
| <i>Kyona</i> | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Cauliflower | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Broccoli | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other cruciferous vegetables | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Endive | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| <i>Shungiku</i> | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Onion | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Garlic | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other liliaceous vegetables | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Carrot | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Parsley | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Celery | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Tomato | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| Pimiento (sweet pepper) | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other solanceous vegetables | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |

| | |
|-----------------------------------|---|
| Spinach | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Ginger | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other vegetables | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| <i>Unshu</i> orange,pulp | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm (as total of dihydrostreptomycin and streptomycin) |
| Lemon | 0.02 ppm (as total of dihydrostreptomycin and streptomycin) |
| Orange (including navel orange) | 0.02 ppm (as total of dihydrostreptomycin and streptomycin) |
| Grapefruit | 0.02 ppm (as total of dihydrostreptomycin and streptomycin) |
| Lime | 0.02 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other citrus fruits | 0.02 ppm (as total of dihydrostreptomycin and streptomycin) |
| Apple | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Japanese pear | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Pear | 0.05 ppm (as total of |
| Quince | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| Loquat | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| Peach | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Nectarine | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |

| | |
|--|---|
| Apricot | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Japanese plum (including prune) | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Mume plum | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Grape | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Kiwifruit | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Papaya | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Mango | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other fruits | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other spices | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other herbs | 0.05 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other terrestrial mammals, muscle (except sheep) | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other terrestrial mammals, fat (except sheep) | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other terrestrial mammals, liver (except sheep) | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| Other terrestrial mammals, kidney (except sheep) | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| cattle, edible offal | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| pig, edible offal | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |

| | | |
|---------------|--|--|
| | Other terrestrial mammals, edible offal | 0.3 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Other poultry, muscle | 0.5 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Other poultry, fat | 0.5 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Other poultry, liver | 0.5 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Other poultry, kidney | 1 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Chicken, edible offal | 0.5 ppm (as total of dihydrostreptomycin and streptomycin) |
| | Other poultry, edible offal | 0.5 ppm (as total of dihydrostreptomycin and streptomycin) |
| DIPHENAMID | Strawberry | 1 ppm |
| DIPHENYL | Lemon | 70 ppm |
| | Orange (including navel orange) | 70 ppm |
| | Grapefruit | 70 ppm |
| | Apple | 2 ppm |
| DIPHENYLAMINE | Corn (maize) | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |

| | |
|--|----------|
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |

| | |
|------------------------------------|----------|
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 10 ppm |
| Japanese pear | 5 ppm |
| Pear | 5 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |

| | |
|---|------------|
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.05 ppm |
| Hop | 0.05 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| cattle, muscle | 0.01 ppm |
| pig, muscle | 0.01 ppm |
| Other terrestrial mammals, muscle | 0.01 ppm |
| cattle, fat | 0.01 ppm |
| pig, fat | 0.01 ppm |
| Other terrestrial mammals, fat | 0.01 ppm |
| cattle, liver | 0.05 ppm |
| pig, liver | 0.05 ppm |
| Other terrestrial mammals, liver | 0.08 ppm |
| cattle, kidney | 0.01 ppm |
| pig, kidney | 0.01 ppm |
| Other terrestrial mammals, kidney | 0.01 ppm |
| cattle, edible offal | 0.01 ppm |
| pig, edible offal | 0.01 ppm |
| Other terrestrial mammals, edible offal | 0.01 ppm |
| Milk | 0.0004 ppm |
| Chicken, muscle | 0.01 ppm |
| Other poultry, muscle | 0.01 ppm |
| Chicken, fat | 0.01 ppm |
| Other poultry, fat | 0.01 ppm |
| Chicken, liver | 0.01 ppm |
| Other poultry, liver | 0.01 ppm |
| Chicken, kidney | 0.01 ppm |

| | | |
|----------------|---|------------|
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| | Salmoniformes | 0.0004 ppm |
| | Anguilliformes | 0.0004 ppm |
| | Perciformes | 0.0004 ppm |
| | Other fish | 0.0004 ppm |
| | Shelled molluscas | 0.0004 ppm |
| | Crustaceans | 10 ppm |
| | Other aquatic animal | 0.0004 ppm |
| | Honey | 0.0004 ppm |
| DIFENOCONAZOLE | Turnip, leaves | 0.2 ppm |
| | Chinese cabbage | 0.2 ppm |
| | Cabbage | 0.2 ppm |
| | Brussels sprouts | 0.2 ppm |
| | Kale | 0.2 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.2 ppm |
| | <i>Kyona</i> | 0.2 ppm |
| | Cauliflower | 0.2 ppm |
| | Broccoli | 0.2 ppm |
| | Other cruciferous vegetables | 0.2 ppm |
| | Carrot | 0.2 ppm |
| | Cucumber (including gherkin) | 1 ppm |
| | Pumpkin (including squash) | 0.3 ppm |
| | Water melon | 0.1 ppm |
| | Melons | 0.1 ppm |
| | <i>Makuwauri</i> melon | 0.1 ppm |
| | Nectarine | 1 ppm |
| | Apricot | 5 ppm |
| | Japanese plum (including prune) | 5 ppm |
| | Cherry | 5 ppm |
| | Strawberry | 5 ppm |
| | Raspberry | 5 ppm |
| | Blackberry | 5 ppm |
| | Blueberry | 5 ppm |
| | Cranberry | 5 ppm |
| | Huckleberry | 5 ppm |
| | Other berries | 5 ppm |
| | Japanese persimmon | 1 ppm |
| | Kiwifruit | 0.1 ppm |
| | Papaya | 1 ppm |

| | | |
|-------------|---|----------|
| | Avocado | 1 ppm |
| | Pineapple | 1 ppm |
| | Guava | 1 ppm |
| | Mango | 1 ppm |
| | Passion fruit | 1 ppm |
| | Date | 5 ppm |
| | Other fruits | 5 ppm |
| | Rapeseeds | 0.02 ppm |
| | Other oil seeds | 0.05 ppm |
| | Other nuts | 0.01 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 0.2 ppm |
| | cattle, muscle | 0.05 ppm |
| | pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | cattle, fat | 0.05 ppm |
| | pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | cattle, liver | 0.05 ppm |
| | pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | cattle, kidney | 0.05 ppm |
| | pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | cattle, edible offal | 0.05 ppm |
| | pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| DIFENZOQUAT | Rice (brown rice) | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |

| | |
|--|----------|
| Soybeans, dry | 0.05 ppm |
| Beans, dry* | 0.05 ppm |
| Peas | 0.05 ppm |
| Broad beans | 0.05 ppm |
| Peanuts, dry | 0.05 ppm |
| Other legumes/pulses | 0.05 ppm |
| Potato | 0.05 ppm |
| Taro | 0.05 ppm |
| Sweet potato | 0.05 ppm |
| Yam | 0.05 ppm |
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Sugarcane | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |

| | |
|---------------------------------|----------|
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.05 ppm |
| Coffee beans | 0.05 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 0.05 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| cattle, muscle | 0.05 ppm |

| | | |
|-----------------------|---|----------|
| | pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | cattle, fat | 0.05 ppm |
| | pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | cattle, liver | 0.05 ppm |
| | pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | cattle, kidney | 0.05 ppm |
| | pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | cattle, edible offal | 0.05 ppm |
| | pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| DIBUTYLSUCCINATE | pig, muscle | 0.09 ppm |
| | pig, fat | 0.09 ppm |
| | pig, liver | 0.09 ppm |
| | pig, kidney | 0.09 ppm |
| | pig, edible offal | 0.09 ppm |
| | Milk | 0.04 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Chicken, liver | 0.1 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.1 ppm |
| DIBUTYLHYDROXYTOLUENE | pig, muscle | 0.03 ppm |
| | pig, fat | 0.5 ppm |
| | pig, liver | 0.02 ppm |
| | pig, kidney | 0.08 ppm |
| | pig, edible offal | 0.3 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Chicken, fat | 3 ppm |

| | | |
|--------------------------|--------------------------|---------------------|
| | Chicken, liver | 0.2 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Chicken, edible offal | 2 ppm |
| | Chicken, eggs | 0.02 ppm (in white) |
| | Salmoniformes | 10 ppm |
| | Anguilliformes | 10 ppm |
| | Perciformes | 10 ppm |
| | Other fish | 10 ppm |
| 2,6-DIFLUOROBENZOIC ACID | Button mushroom | 1 ppm |
| CYFLUTHRIN | Rice (brown rice) | 2 ppm |
| | Sugarcane | 0.05 ppm |
| | Horseradish | 0.02 ppm |
| | Watercress | 0.5 ppm |
| | Salsify | 0.02 ppm |
| | Artichoke | 0.02 ppm |
| | Chicory | 0.02 ppm |
| | Endive | 0.5 ppm |
| | <i>Shungiku</i> | 0.02 ppm |
| | Carrot | 0.1 ppm |
| | Parsnip | 0.02 ppm |
| | Parsley | 0.02 ppm |
| | Celery | 0.02 ppm |
| | <i>Mitsuba</i> | 0.02 ppm |
| | Spinach | 0.02 ppm |
| | Okra | 0.1 ppm |
| | Ginger | 0.02 ppm |
| | Button mushroom | 0.02 ppm |
| | <i>Shiitake</i> mushroom | 0.02 ppm |
| | Other mushrooms | 0.02 ppm |
| | Strawberry | 0.02 ppm |
| | Raspberry | 0.02 ppm |
| | Blackberry | 0.02 ppm |
| | Blueberry | 0.02 ppm |
| | Cranberry | 0.02 ppm |
| | Huckleberry | 0.02 ppm |
| | Other berries | 0.02 ppm |
| | Banana | 0.02 ppm |
| | Kiwifruit | 0.02 ppm |
| | Papaya | 0.02 ppm |
| | Avocado | 0.06 ppm |
| | Pineapple | 0.02 ppm |
| | Guava | 0.02 ppm |
| | Mango | 0.02 ppm |

| | |
|---|----------|
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |
| Other nuts | 0.04 ppm |
| Coffee beans | 0.02 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 20 ppm |
| Other spices | 2 ppm |
| Other herbs | 2 ppm |
| cattle, muscle | 0.02 ppm |
| pig, muscle | 0.2 ppm |
| Other terrestrial mammals, muscle | 0.2 ppm |
| cattle, fat | 0.2 ppm |
| pig, fat | 4 ppm |
| Other terrestrial mammals, fat | 4 ppm |
| cattle, liver | 0.02 ppm |
| pig, liver | 0.2 ppm |
| Other terrestrial mammals, liver | 1 ppm |
| cattle, kidney | 0.02 ppm |
| pig, kidney | 0.2 ppm |
| Other terrestrial mammals, kidney | 1 ppm |
| cattle, edible offal | 0.03 ppm |
| pig, edible offal | 0.2 ppm |
| Other terrestrial mammals, edible offal | 1 ppm |
| Milk | 0.04 ppm |
| Chicken, muscle | 0.2 ppm |
| Other poultry, muscle | 0.2 ppm |
| Chicken, fat | 1 ppm |
| Other poultry, fat | 1 ppm |
| Chicken, liver | 0.1 ppm |
| Other poultry, liver | 0.1 ppm |
| Chicken, kidney | 0.1 ppm |
| Other poultry, kidney | 0.1 ppm |
| Chicken, edible offal | 0.05 ppm |

| | | |
|--------------|-------------------------------------|----------|
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| CYFLUFENAMID | Wheat | 0.5 ppm |
| | Barley | 1 ppm |
| | Rye | 1 ppm |
| | Corn (maize) | 1 ppm |
| | Buckwheat | 1 ppm |
| | Other cereal grains | 1 ppm |
| | Tomato | 0.5 ppm |
| | Pimiento (sweet pepper) | 1 ppm |
| | Egg plant | 0.5 ppm |
| | Other solanaceous vegetables | 1 ppm |
| | Cucumber (including gherkin) | 0.5 ppm |
| | Pumpkin (including squash) | 0.5 ppm |
| | Oriental pickling melon (vegetable) | 0.5 ppm |
| | Water melon | 0.1 ppm |
| | Melons | 0.1 ppm |
| | <i>Makuwauri</i> melon | 0.1 ppm |
| | Other cucurbitaceous vegetables | 0.5 ppm |
| | Okra | 1 ppm |
| | Other vegetables | 0.5 ppm |
| | Other citrus fruits | 5 ppm |
| | Apple | 1 ppm |
| | Japanese pear | 1 ppm |
| | Pear | 1 ppm |
| | Quince | 1 ppm |
| | Loquat | 0.1 ppm |
| | Peach | 0.1 ppm |
| | Nectarine | 1 ppm |
| | Apricot | 5 ppm |
| | Japanese plum (including prune) | 5 ppm |
| | Mume plum | 5 ppm |
| | Cherry | 5 ppm |
| | Strawberry | 5 ppm |
| | Raspberry | 5 ppm |
| | Blackberry | 5 ppm |
| | Blueberry | 5 ppm |
| | Cranberry | 5 ppm |
| | Huckleberry | 5 ppm |
| | Other berries | 5 ppm |
| | Grape | 5 ppm |
| | Japanese persimmon | 1 ppm |

| | | |
|--------------|---|-----------|
| | Banana | 1 ppm |
| | Kiwifruit | 0.1 ppm |
| | Papaya | 1 ppm |
| | Avocado | 1 ppm |
| | Pineapple | 1 ppm |
| | Guava | 1 ppm |
| | Mango | 1 ppm |
| | Passion fruit | 1 ppm |
| | Date | 5 ppm |
| | Other fruits | 5 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 0.5 ppm |
| DIFLUFENICAN | Rice (brown rice) | 0.002 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Peanuts, dry | 0.002 ppm |
| | Potato | 0.002 ppm |
| | Taro | 0.002 ppm |
| | Sweet potato | 0.002 ppm |
| | Yam | 0.002 ppm |
| | Konjac | 0.002 ppm |
| | Other potatoes | 0.002 ppm |
| | Sugar beet | 0.002 ppm |
| | Sugarcane | 0.002 ppm |
| | Japanese radish, roots (including radish) | 0.002 ppm |
| | Japanese radish, leaves (including radish) | 0.002 ppm |
| | Turnip, roots | 0.002 ppm |
| | Turnip, leaves | 0.002 ppm |
| | Horseradish | 0.002 ppm |
| | Watercress | 0.002 ppm |
| | Chinese cabbage | 0.002 ppm |
| | Cabbage | 0.002 ppm |
| | Brussels sprouts | 0.002 ppm |
| | Kale | 0.002 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.002 ppm |
| | <i>Kyona</i> | 0.002 ppm |
| | <i>Qing-geng-cai</i> | 0.002 ppm |
| | Cauliflower | 0.002 ppm |
| | Broccoli | 0.002 ppm |
| | Other cruciferous vegetables | 0.002 ppm |
| | Burdock | 0.002 ppm |
| | Salsify | 0.002 ppm |
| | Artichoke | 0.002 ppm |

| | |
|--|-----------|
| Chicory | 0.002 ppm |
| Endive | 0.002 ppm |
| <i>Shungiku</i> | 0.002 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.002 ppm |
| Other composite vegetables | 0.002 ppm |
| Onion | 0.002 ppm |
| Welsh (including leek) | 0.002 ppm |
| Garlic | 0.002 ppm |
| <i>Nira</i> | 0.002 ppm |
| Asparagus | 0.002 ppm |
| Multiplying onion | 0.002 ppm |
| Other liliaceous vegetables | 0.002 ppm |
| Carrot | 0.002 ppm |
| Parsnip | 0.002 ppm |
| Parsley | 0.002 ppm |
| Celery | 0.002 ppm |
| <i>Mitsuba</i> | 0.002 ppm |
| Other umbelliferous vegetables | 0.002 ppm |
| Tomato | 0.002 ppm |
| Pimiento (sweet pepper) | 0.002 ppm |
| Egg plant | 0.002 ppm |
| Other solanceous vegetables | 0.002 ppm |
| Cucumber (including gherkin) | 0.002 ppm |
| Pumpkin (including squash) | 0.002 ppm |
| Oriental pickling melon (vegetable) | 0.002 ppm |
| Water melon | 0.002 ppm |
| Melons | 0.002 ppm |
| <i>Makuwauri</i> melon | 0.002 ppm |
| Other cucurbitaceous vegetables | 0.002 ppm |
| Spinach | 0.002 ppm |
| Bamboo shoots | 0.002 ppm |
| Okra | 0.002 ppm |
| Ginger | 0.002 ppm |
| Kidney beans, immature (with pods) | 0.002 ppm |
| Green soybeans | 0.002 ppm |
| Button mushroom | 0.002 ppm |
| <i>Shiitake</i> mushroom | 0.002 ppm |
| Other mushrooms | 0.002 ppm |
| Other vegetables | 0.05 ppm |
| Loquat | 0.002 ppm |
| Strawberry | 0.002 ppm |
| Raspberry | 0.002 ppm |
| Blackberry | 0.002 ppm |

| | |
|-----------------------------------|-----------|
| Blueberry | 0.002 ppm |
| Cranberry | 0.002 ppm |
| Huckleberry | 0.002 ppm |
| Other berries | 0.002 ppm |
| Grape | 0.002 ppm |
| Japanese persimmon | 0.002 ppm |
| Banana | 0.002 ppm |
| Kiwifruit | 0.002 ppm |
| Papaya | 0.002 ppm |
| Avocado | 0.002 ppm |
| Pineapple | 0.002 ppm |
| Guava | 0.002 ppm |
| Mango | 0.002 ppm |
| Passion fruit | 0.002 ppm |
| Date | 0.002 ppm |
| Sunflower seeds | 0.002 ppm |
| Sesame seeds | 0.002 ppm |
| Safflower seeds | 0.002 ppm |
| Cotton seeds | 0.002 ppm |
| Rapeseeds | 0.002 ppm |
| Other oil seeds | 0.002 ppm |
| Ginkgo nut | 0.002 ppm |
| Chestnut | 0.002 ppm |
| Pecan | 0.002 ppm |
| Almond | 0.002 ppm |
| Walnut | 0.002 ppm |
| Other nuts | 0.002 ppm |
| Tea | 0.002 ppm |
| Coffee beans | 0.002 ppm |
| Cacao beans | 0.002 ppm |
| Hop | 0.002 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| cattle, muscle | 0.01 ppm |
| pig, muscle | 0.01 ppm |
| Other terrestrial mammals, muscle | 0.01 ppm |
| cattle, fat | 0.01 ppm |
| pig, fat | 0.01 ppm |
| Other terrestrial mammals, fat | 0.01 ppm |
| cattle, liver | 0.1 ppm |
| pig, liver | 0.1 ppm |
| Other terrestrial mammals, liver | 0.1 ppm |
| cattle, kidney | 0.1 ppm |

| | | |
|---------------|--|----------|
| | pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | cattle, edible offal | 0.1 ppm |
| | pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.02 ppm |
| | Chicken, fat | 0.02 ppm |
| | Other poultry, fat | 0.02 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.02 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| DIFLUFENZOPYR | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |

| | |
|--|----------|
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |

| | |
|------------------------------------|----------|
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 2 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |

| | | |
|---------------|---|----------|
| | Pineapple | 0.05 ppm |
| | Guava | 0.05 ppm |
| | Mango | 0.05 ppm |
| | Passion fruit | 0.05 ppm |
| | Date | 0.05 ppm |
| | Other fruits | 0.05 ppm |
| | Sunflower seeds | 0.05 ppm |
| | Sesame seeds | 0.05 ppm |
| | Safflower seeds | 0.05 ppm |
| | Cotton seeds | 0.05 ppm |
| | Rapeseeds | 0.05 ppm |
| | Other oil seeds | 0.05 ppm |
| | Ginkgo nut | 0.05 ppm |
| | Chestnut | 0.05 ppm |
| | Pecan | 0.05 ppm |
| | Almond | 0.05 ppm |
| | Walnut | 0.05 ppm |
| | Other nuts | 0.05 ppm |
| | Tea | 0.05 ppm |
| | Coffee beans | 0.05 ppm |
| | Cacao beans | 0.05 ppm |
| | Hop | 0.05 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |
| DIFLUBENZURON | Rice (brown rice) | 1 ppm |
| | Rye | 2 ppm |
| | Corn (maize) | 2 ppm |
| | Buckwheat | 2 ppm |
| | Other cereal grains | 2 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.5 ppm |

| | |
|--|----------|
| Japanese radish, leaves (including radish) | 1 ppm |
| Turnip, roots | 0.5 ppm |
| Turnip, leaves | 1 ppm |
| Horseradish | 0.5 ppm |
| Watercress | 1 ppm |
| Kale | 1 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 1 ppm |
| <i>Kyona</i> | 1 ppm |
| Qing-geng-cai | 1 ppm |
| Cauliflower | 1 ppm |
| Broccoli | 1 ppm |
| Other cruciferous vegetables | 1 ppm |
| Burdock | 0.5 ppm |
| Salsify | 0.5 ppm |
| Chicory | 1 ppm |
| Endive | 1 ppm |
| <i>Shungiku</i> | 1 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 1 ppm |
| Other composite vegetables | 1 ppm |
| Welsh (including leek) | 1 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 1 ppm |
| Asparagus | 1 ppm |
| Multiplying onion | 1 ppm |
| Other liliaceous vegetables | 1 ppm |
| Carrot | 0.5 ppm |
| Parsnip | 0.5 ppm |
| Parsley | 1 ppm |
| Celery | 1 ppm |
| <i>Mitsuba</i> | 1 ppm |
| Other umbelliferous vegetables | 1 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 1 ppm |
| Other solanaceous vegetables | 1 ppm |
| Pumpkin (including squash) | 1 ppm |
| Oriental pickling melon (vegetable) | 1 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 1 ppm |
| Spinach | 1 ppm |
| Bamboo shoots | 0.5 ppm |
| Okra | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |

| | |
|--------------------------|----------|
| Green soybeans | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 1 ppm |
| Quince | 5 ppm |
| Loquat | 5 ppm |
| Nectarine | 0.07 ppm |
| Apricot | 0.07 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.07 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.06 ppm |
| Pecan | 0.06 ppm |
| Almond | 0.06 ppm |
| Other nuts | 0.06 ppm |
| Coffee beans | 0.05 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 0.05 ppm |
| Other spices | 3 ppm |
| Other herbs | 1 ppm |

| | | |
|------------|---|----------|
| | cattle, muscle | 0.05 ppm |
| | pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | cattle, fat | 0.1 ppm |
| | pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | cattle, liver | 0.1 ppm |
| | pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | cattle, kidney | 0.1 ppm |
| | pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | cattle, edible offal | 0.1 ppm |
| | pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.02 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| | Salmoniformes | 1 ppm |
| DIFLOXACIN | cattle, muscle | 0.4 ppm |
| | pig, muscle | 0.02 ppm |
| | Other terrestrial mammals, muscle | 0.4 ppm |
| | cattle, fat | 0.1 ppm |
| | pig, fat | 0.02 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | cattle, liver | 1 ppm |
| | pig, liver | 0.02 ppm |
| | Other terrestrial mammals, liver | 1 ppm |
| | cattle, kidney | 0.8 ppm |
| | pig, kidney | 0.02 ppm |
| | Other terrestrial mammals, kidney | 0.8 ppm |
| | cattle, edible offal | 0.8 ppm |
| | pig, edible offal | 0.02 ppm |

| | | |
|---------------|---|----------|
| | Other terrestrial mammals, edible offal | 0.8 ppm |
| | Chicken, muscle | 0.3 ppm |
| | Other poultry, muscle | 0.3 ppm |
| | Chicken, fat | 0.4 ppm |
| | Other poultry, fat | 0.4 ppm |
| | Chicken, liver | 2 ppm |
| | Other poultry, liver | 2 ppm |
| | Chicken, kidney | 0.6 ppm |
| | Other poultry, kidney | 0.6 ppm |
| | Chicken, edible offal | 0.6 ppm |
| | Other poultry, edible offal | 0.6 ppm |
| | Salmoniformes | 0.3 ppm |
| | Anguilliformes | 0.3 ppm |
| | Perciformes | 0.3 ppm |
| | Other fish | 0.3 ppm |
| | Shelled molluscas | 0.3 ppm |
| | Crustaceans | 0.3 ppm |
| | Other aquatic animal | 0.3 ppm |
| CYPROCONAZOLE | Soybeans, dry | 0.05 ppm |
| | Loquat | 0.5 ppm |
| | Strawberry | 0.5 ppm |
| | Raspberry | 0.5 ppm |
| | Blackberry | 0.5 ppm |
| | Blueberry | 0.5 ppm |
| | Cranberry | 0.5 ppm |
| | Huckleberry | 0.5 ppm |
| | Other berries | 0.5 ppm |
| | Banana | 0.5 ppm |
| | Kiwifruit | 0.5 ppm |
| | Date | 0.5 ppm |
| | Other fruits | 0.5 ppm |
| | Other spices | 0.5 ppm |
| | Other herbs | 0.02 ppm |
| | cattle, muscle | 0.03 ppm |
| | pig, muscle | 0.03 ppm |
| | Other terrestrial mammals, muscle | 0.03 ppm |
| | cattle, fat | 0.03 ppm |
| | pig, fat | 0.03 ppm |
| | Other terrestrial mammals, fat | 0.03 ppm |
| | cattle, liver | 1 ppm |
| | pig, liver | 1 ppm |
| | Other terrestrial mammals, liver | 1 ppm |
| | cattle, kidney | 1 ppm |

| | | |
|------------|---|----------|
| | pig, kidney | 1 ppm |
| | Other terrestrial mammals, kidney | 1 ppm |
| | cattle, edible offal | 1 ppm |
| | pig, edible offal | 1 ppm |
| | Other terrestrial mammals, edible offal | 1 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| CYPRODINIL | Japanese radish, leaves (including radish) | 10 ppm |
| | Turnip, leaves | 10 ppm |
| | Watercress | 30 ppm |
| | Chinese cabbage | 1 ppm |
| | Cabbage | 1 ppm |
| | Brussels sprouts | 1 ppm |
| | Kale | 10 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 10 ppm |
| | <i>Kyona</i> | 10 ppm |
| | Cauliflower | 1 ppm |
| | Broccoli | 1 ppm |
| | Other cruciferous vegetables | 30 ppm |
| | Chicory | 30 ppm |
| | Endive | 30 ppm |
| | <i>Shungiku</i> | 30 ppm |
| | Other composite vegetables | 30 ppm |
| | Welsh (including leek) | 4 ppm |
| | Other liliaceous vegetables | 3 ppm |
| | Carrot | 0.8 ppm |
| | Parsley | 30 ppm |
| | Celery | 30 ppm |
| | Other umbelliferous vegetables | 30 ppm |
| | Pimiento (sweet pepper) | 0.5 ppm |
| | Pumpkin (including squash) | 0.2 ppm |
| | Peas, immature (with pods) | 0.6 ppm |

| | |
|---|------------|
| Kidney beans, immature (with pods) | 0.5 ppm |
| Green soybeans | 0.6 ppm |
| Other vegetables | 0.5 ppm |
| Citrus <i>natsudaidai</i> , whole | 5 ppm |
| Lemon | 5 ppm |
| Orange (including navel orange) | 5 ppm |
| Grapefruit | 5 ppm |
| Lime | 5 ppm |
| Other citrus fruits | 5 ppm |
| Blueberry | 3 ppm |
| Huckleberry | 3 ppm |
| Other berries | 10 ppm |
| Japanese persimmon | 5 ppm |
| Banana | 5 ppm |
| Papaya | 5 ppm |
| Avocado | 5 ppm |
| Pineapple | 5 ppm |
| Guava | 5 ppm |
| Mango | 5 ppm |
| Passion fruit | 5 ppm |
| Other fruits | 3 ppm |
| Other oil seeds | 3 ppm |
| Other nuts | 0.1 ppm |
| Other spices | 30 ppm |
| Other herbs | 30 ppm |
| cattle, muscle | 0.01 ppm |
| pig, muscle | 0.01 ppm |
| Other terrestrial mammals, muscle | 0.01 ppm |
| cattle, fat | 0.01 ppm |
| pig, fat | 0.01 ppm |
| Other terrestrial mammals, fat | 0.01 ppm |
| cattle, liver | 0.01 ppm |
| pig, liver | 0.01 ppm |
| Other terrestrial mammals, liver | 0.01 ppm |
| cattle, kidney | 0.01 ppm |
| pig, kidney | 0.01 ppm |
| Other terrestrial mammals, kidney | 0.01 ppm |
| cattle, edible offal | 0.01 ppm |
| pig, edible offal | 0.01 ppm |
| Other terrestrial mammals, edible offal | 0.01 ppm |
| Milk | 0.0004 ppm |
| Chicken, muscle | 0.01 ppm |
| Other poultry, muscle | 0.01 ppm |

| | | |
|-----------------------------|-------------------------------------|------------|
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| | Salmoniformes | 0.0004 ppm |
| | Anguilliformes | 0.0004 ppm |
| | Perciformes | 0.0004 ppm |
| | Other fish | 0.0004 ppm |
| | Shelled molluscas | 0.0004 ppm |
| | Crustaceans | 0.0004 ppm |
| | Other aquatic animal | 0.0004 ppm |
| | Honey | 0.0004 ppm |
| 1,2-DIBROMOETHANE | Mineral waters | 0.0004 ppm |
| 1,2-DIBROMO-3-CHLOROPROPANE | Mineral waters | 0.001 ppm |
| CYPERMETHRIN | Rice (brown rice) | 0.9 ppm |
| | Buckwheat | 0.5 ppm |
| | Konjac | 0.05 ppm |
| | Sugarcane | 0.3 ppm |
| | Turnip, leaves | 1 ppm |
| | Watercress | 5 ppm |
| | <i>Kyona</i> | 5 ppm |
| | Artichoke | 1 ppm |
| | Chicory | 4 ppm |
| | Endive | 5 ppm |
| | <i>Shungiku</i> | 5 ppm |
| | Garlic | 0.06 ppm |
| | Asparagus | 0.5 ppm |
| | Parsley | 6 ppm |
| | Celery | 3 ppm |
| | <i>Mitsuba</i> | 1 ppm |
| | Other umbelliferous vegetables | 0.05 ppm |
| | Other solanceous vegetables | 0.5 ppm |
| | Oriental pickling melon (vegetable) | 0.1 ppm |
| | <i>Makuwauri</i> melon | 0.1 ppm |
| | Other cucurbitaceous vegetables | 0.05 ppm |
| | Okra | 0.2 ppm |
| | Ginger | 0.03 ppm |

| | |
|--|----------|
| <i>Shiitake</i> mushroom | 0.03 ppm |
| Other mushrooms | 0.5 ppm |
| Banana | 0.03 ppm |
| Papaya | 0.01 ppm |
| Avocado | 0.1 ppm |
| Pineapple | 0.03 ppm |
| Guava | 0.03 ppm |
| Mango | 0.03 ppm |
| Passion fruit | 0.03 ppm |
| Date | 0.03 ppm |
| Other fruits | 0.5 ppm |
| Ginkgo nut | 0.03 ppm |
| Almond | 0.03 ppm |
| Walnut | 0.03 ppm |
| Other nuts | 0.2 ppm |
| Cacao beans | 0.03 ppm |
| Hop | 20 ppm |
| Other spices (except fruits, roots and rhizomes) | 5 ppm |
| Other herbs | 6 ppm |
| cattle, muscle | 0.1 ppm |
| pig, muscle | 0.1 ppm |
| Other terrestrial mammals, muscle | 0.1 ppm |
| cattle, fat | 0.2 ppm |
| pig, fat | 0.2 ppm |
| Other terrestrial mammals, fat | 0.2 ppm |
| cattle, liver | 0.05 ppm |
| pig, liver | 0.05 ppm |
| Other terrestrial mammals, liver | 0.05 ppm |
| cattle, kidney | 0.05 ppm |
| pig, kidney | 0.05 ppm |
| Other terrestrial mammals, kidney | 0.05 ppm |
| cattle, edible offal | 0.05 ppm |
| pig, edible offal | 0.05 ppm |
| Other terrestrial mammals, edible offal | 0.05 ppm |
| Milk | 0.05 ppm |
| Chicken, muscle | 0.05 ppm |
| Other poultry, muscle | 0.05 ppm |
| Chicken, fat | 0.1 ppm |
| Other poultry, fat | 0.1 ppm |
| Chicken, liver | 0.05 ppm |
| Other poultry, liver | 0.05 ppm |
| Chicken, kidney | 0.05 ppm |
| Other poultry, kidney | 0.05 ppm |

| | | |
|-------------|--|----------|
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| | Salmoniformes | 0.03 ppm |
| | Anguilliformes | 0.01 ppm |
| | Perciformes | 0.01 ppm |
| | Other fish | 0.01 ppm |
| | Shelled molluscas | 0.01 ppm |
| | Crustaceans | 0.01 ppm |
| | Other aquatic animal | 0.01 ppm |
| | Honey | 0.01 ppm |
| GIBBERELLIN | Japanese radish, roots (including radish) | 0.2 ppm |
| | Japanese radish, leaves (including radish) | 0.2 ppm |
| | Turnip, roots | 0.2 ppm |
| | Turnip, leaves | 0.2 ppm |
| | Horseradish | 0.2 ppm |
| | Watercress | 0.2 ppm |
| | Chinese cabbage | 0.2 ppm |
| | Cabbage | 0.2 ppm |
| | Brussels sprouts | 0.2 ppm |
| | Kale | 0.2 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.2 ppm |
| | <i>Kyona</i> | 0.2 ppm |
| | Qing-geng-cai | 0.2 ppm |
| | Cauliflower | 0.2 ppm |
| | Broccoli | 0.2 ppm |
| | Other cruciferous vegetables | 0.2 ppm |
| | Burdock | 0.2 ppm |
| | Salsify | 0.2 ppm |
| | Artichoke | 0.2 ppm |
| | Chicory | 0.2 ppm |
| | Endive | 0.2 ppm |
| | <i>Shungiku</i> | 0.2 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 0.2 ppm |
| | Other composite vegetables | 0.2 ppm |
| | Onion | 0.2 ppm |
| | Welsh (including leek) | 0.2 ppm |
| | Garlic | 0.2 ppm |
| | <i>Nira</i> | 0.2 ppm |
| | Asparagus | 0.2 ppm |
| | Multiplying onion | 0.2 ppm |
| | Other liliaceous vegetables | 0.2 ppm |

| | |
|-------------------------------------|---------|
| Carrot | 0.2 ppm |
| Parsnip | 0.2 ppm |
| Parsley | 0.2 ppm |
| Celery | 0.2 ppm |
| <i>Mitsuba</i> | 0.2 ppm |
| Other umbelliferous vegetables | 0.2 ppm |
| Tomato | 0.2 ppm |
| Pimiento (sweet pepper) | 0.2 ppm |
| Egg plant | 0.2 ppm |
| Other solanaceous vegetables | 0.2 ppm |
| Cucumber (including gherkin) | 0.2 ppm |
| Pumpkin (including squash) | 0.2 ppm |
| Oriental pickling melon (vegetable) | 0.2 ppm |
| Water melon | 0.2 ppm |
| Melons | 0.2 ppm |
| <i>Makuwauri</i> melon | 0.2 ppm |
| Other cucurbitaceous vegetables | 0.2 ppm |
| Spinach | 0.2 ppm |
| Bamboo shoots | 0.2 ppm |
| Okra | 0.2 ppm |
| Ginger | 0.2 ppm |
| Peas, immature (with pods) | 0.2 ppm |
| Kidney beans, immature (with pods) | 0.2 ppm |
| Green soybeans | 0.2 ppm |
| Button mushroom | 0.2 ppm |
| <i>Shiitake</i> mushroom | 0.2 ppm |
| Other mushrooms | 0.2 ppm |
| Other vegetables | 0.2 ppm |
| <i>Unshu</i> orange,pulp | 0.2 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.2 ppm |
| Lemon | 0.2 ppm |
| Orange (including navel orange) | 0.2 ppm |
| Grapefruit | 0.2 ppm |
| Lime | 0.2 ppm |
| Other citrus fruits | 0.2 ppm |
| Apple | 0.2 ppm |
| Japanese pear | 0.2 ppm |
| Pear | 0.2 ppm |
| Quince | 0.2 ppm |
| Loquat | 0.2 ppm |
| Peach | 0.2 ppm |
| Nectarine | 0.2 ppm |
| Apricot | 0.2 ppm |

| | | |
|-------------------------------|---------------------------------|---------|
| | Japanese plum (including prune) | 0.2 ppm |
| | Mume plum | 0.2 ppm |
| | Cherry | 0.2 ppm |
| | Strawberry | 0.2 ppm |
| | Raspberry | 0.2 ppm |
| | Blackberry | 0.2 ppm |
| | Blueberry | 0.2 ppm |
| | Cranberry | 0.2 ppm |
| | Huckleberry | 0.2 ppm |
| | Other berries | 0.2 ppm |
| | Grape | 0.2 ppm |
| | Japanese persimmon | 0.2 ppm |
| | Banana | 0.2 ppm |
| | Kiwifruit | 0.2 ppm |
| | Papaya | 0.2 ppm |
| | Avocado | 0.2 ppm |
| | Pineapple | 0.2 ppm |
| | Guava | 0.2 ppm |
| | Mango | 0.2 ppm |
| | Passion fruit | 0.2 ppm |
| | Date | 0.2 ppm |
| | Other fruits | 0.2 ppm |
| | Sunflower seeds | 0.2 ppm |
| | Sesame seeds | 0.2 ppm |
| | Safflower seeds | 0.2 ppm |
| | Cotton seeds | 0.2 ppm |
| | Rapeseeds | 0.2 ppm |
| | Other oil seeds | 0.2 ppm |
| | Ginkgo nut | 0.2 ppm |
| | Chestnut | 0.2 ppm |
| | Pecan | 0.2 ppm |
| | Almond | 0.2 ppm |
| | Walnut | 0.2 ppm |
| | Other nuts | 0.2 ppm |
| | Other spices | 0.2 ppm |
| | Other herbs | 0.2 ppm |
| ALIPHATIC ALCOHOL ETHOXYLATES | cattle, muscle | 0.1 ppm |
| | cattle, fat | 0.1 ppm |
| | cattle, liver | 0.1 ppm |
| | cattle, kidney | 0.1 ppm |
| | cattle, edible offal | 0.1 ppm |
| | Milk | 1 ppm |
| SIMAZINE | Corn (maize) | 0.3 ppm |

| | |
|-----------------------------------|----------|
| Broad beans | 0.01 ppm |
| Other legumes/pulses | 0.05 ppm |
| Welsh (including leek) | 0.01 ppm |
| Asparagus | 0.1 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.2 ppm |
| Orange (including navel orange) | 0.2 ppm |
| Grapefruit | 0.2 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.2 ppm |
| Japanese pear | 0.1 ppm |
| Pear | 0.2 ppm |
| Quince | 0.1 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.2 ppm |
| Nectarine | 0.1 ppm |
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 0.2 ppm |
| Mume plum | 0.1 ppm |
| Cherry | 0.2 ppm |
| Strawberry | 0.2 ppm |
| Raspberry | 0.2 ppm |
| Blackberry | 0.2 ppm |
| Blueberry | 0.2 ppm |
| Cranberry | 0.2 ppm |
| Huckleberry | 0.1 ppm |
| Other berries | 0.2 ppm |
| Grape | 0.2 ppm |
| Japanese persimmon | 0.1 ppm |
| Banana | 0.2 ppm |
| Kiwifruit | 0.1 ppm |
| Papaya | 0.1 ppm |
| Avocado | 0.2 ppm |
| Pineapple | 0.1 ppm |
| Guava | 0.1 ppm |
| Mango | 0.1 ppm |
| Passion fruit | 0.1 ppm |
| Date | 0.1 ppm |
| Other fruits | 0.2 ppm |
| Rapeseeds | 0.02 ppm |

| | | |
|------------|---|-----------|
| | Ginkgo nut | 0.1 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.2 ppm |
| | Walnut | 0.2 ppm |
| | Other nuts | 0.2 ppm |
| | Other spices | 0.2 ppm |
| | Other herbs | 0.05 ppm |
| | cattle, muscle | 0.02 ppm |
| | pig, muscle | 0.02 ppm |
| | Other terrestrial mammals, muscle | 0.02 ppm |
| | cattle, fat | 0.02 ppm |
| | pig, fat | 0.02 ppm |
| | Other terrestrial mammals, fat | 0.02 ppm |
| | cattle, liver | 0.02 ppm |
| | pig, liver | 0.02 ppm |
| | Other terrestrial mammals, liver | 0.02 ppm |
| | cattle, kidney | 0.02 ppm |
| | pig, kidney | 0.02 ppm |
| | Other terrestrial mammals, kidney | 0.02 ppm |
| | cattle, edible offal | 0.02 ppm |
| | pig, edible offal | 0.02 ppm |
| | Other terrestrial mammals, edible offal | 0.02 ppm |
| | Milk | 0.02 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.02 ppm |
| | Chicken, fat | 0.02 ppm |
| | Other poultry, fat | 0.02 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.02 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| | Salmoniformes | 10 ppm |
| | Anguilliformes | 10 ppm |
| | Perciformes | 10 ppm |
| | Other fish | 10 ppm |
| | Mineral waters | 0.002 ppm |
| DIMINAZENE | cattle, muscle | 0.5 ppm |
| | cattle, fat | 0.5 ppm |

| | | |
|--------------|--|----------|
| | cattle, liver | 12 ppm |
| | cattle, kidney | 6 ppm |
| | cattle, edible offal | 6 ppm |
| | Milk | 0.15 ppm |
| SIMECONAZOLE | Rice (brown rice) | 0.1 ppm |
| | Soybeans, dry | 0.2 ppm |
| | Japanese radish, leaves (including radish) | 0.2 ppm |
| | Turnip, leaves | 0.2 ppm |
| | Watercress | 0.2 ppm |
| | Brussels sprouts | 0.2 ppm |
| | Kale | 0.2 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.2 ppm |
| | <i>Kyona</i> | 0.2 ppm |
| | Qing-geng-cai | 0.2 ppm |
| | Cauliflower | 0.2 ppm |
| | Broccoli | 0.2 ppm |
| | Other cruciferous vegetables | 0.2 ppm |
| | Artichoke | 0.2 ppm |
| | Chicory | 0.2 ppm |
| | Endive | 0.2 ppm |
| | <i>Shungiku</i> | 0.2 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 0.2 ppm |
| | Other composite vegetables | 0.2 ppm |
| | Onion | 0.1 ppm |
| | Welsh (including leek) | 0.2 ppm |
| | Garlic | 0.1 ppm |
| | <i>Nira</i> | 0.2 ppm |
| | Asparagus | 0.2 ppm |
| | Multiplying onion | 0.2 ppm |
| | Other liliaceous vegetables | 0.2 ppm |
| | Parsley | 0.2 ppm |
| | Celery | 0.2 ppm |
| | <i>Mitsuba</i> | 0.2 ppm |
| | Other umbelliferous vegetables | 0.2 ppm |
| | Tomato | 0.5 ppm |
| | Egg plant | 0.5 ppm |
| | Other solanaceous vegetables | 0.5 ppm |
| | Cucumber (including gherkin) | 0.5 ppm |
| | Pumpkin (including squash) | 0.5 ppm |
| | Oriental pickling melon (vegetable) | 0.5 ppm |
| | Water melon | 1 ppm |
| | Melons | 1 ppm |
| | <i>Makuwauri</i> melon | 1 ppm |

| | |
|-----------------------------------|---------|
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 0.2 ppm |
| Other vegetables | 0.5 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.5 ppm |
| Lemon | 0.5 ppm |
| Orange (including navel orange) | 0.5 ppm |
| Grapefruit | 0.5 ppm |
| Lime | 0.5 ppm |
| Other citrus fruits | 5 ppm |
| Apple | 0.5 ppm |
| Japanese pear | 0.5 ppm |
| Pear | 0.5 ppm |
| Quince | 0.5 ppm |
| Loquat | 1 ppm |
| Peach | 1 ppm |
| Nectarine | 0.5 ppm |
| Apricot | 5 ppm |
| Japanese plum (including prune) | 5 ppm |
| Mume plum | 5 ppm |
| Cherry | 5 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 5 ppm |
| Grape | 5 ppm |
| Japanese persimmon | 0.5 ppm |
| Banana | 0.5 ppm |
| Kiwifruit | 1 ppm |
| Papaya | 0.5 ppm |
| Avocado | 0.5 ppm |
| Pineapple | 0.5 ppm |
| Guava | 0.5 ppm |
| Mango | 0.5 ppm |
| Passion fruit | 0.5 ppm |
| Date | 5 ppm |
| Other fruits | 5 ppm |
| Tea | 10 ppm |
| Other spices | 5 ppm |
| Other herbs | 0.5 ppm |

| | | |
|---------------|---|----------|
| DIMETHAMETRYN | Rice (brown rice) | 0.1 ppm |
| DIMETHIPIN | Rice (brown rice) | 0.04 ppm |
| | Wheat | 0.04 ppm |
| | Barley | 0.04 ppm |
| | Rye | 0.04 ppm |
| | Corn (maize) | 0.04 ppm |
| | Buckwheat | 0.04 ppm |
| | Other cereal grains | 0.04 ppm |
| | Soybeans, dry | 0.04 ppm |
| | Beans, dry* | 0.04 ppm |
| | Peas | 0.04 ppm |
| | Broad beans | 0.04 ppm |
| | Peanuts, dry | 0.04 ppm |
| | Other legumes/pulses | 0.04 ppm |
| | Taro | 0.04 ppm |
| | Sweet potato | 0.04 ppm |
| | Yam | 0.04 ppm |
| | Konjac | 0.04 ppm |
| | Other potatoes | 0.04 ppm |
| | Sugar beet | 0.04 ppm |
| | Sugarcane | 0.04 ppm |
| | Japanese radish, roots (including radish) | 0.04 ppm |
| | Japanese radish, leaves (including radish) | 0.04 ppm |
| | Turnip, roots | 0.04 ppm |
| | Turnip, leaves | 0.04 ppm |
| | Horseradish | 0.04 ppm |
| | Watercress | 0.04 ppm |
| | Chinese cabbage | 0.04 ppm |
| | Cabbage | 0.04 ppm |
| | Brussels sprouts | 0.04 ppm |
| | Kale | 0.04 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.04 ppm |
| | <i>Kyona</i> | 0.04 ppm |
| | Qing-geng-cai | 0.04 ppm |
| | Cauliflower | 0.04 ppm |
| | Broccoli | 0.04 ppm |
| | Other cruciferous vegetables | 0.04 ppm |
| | Burdock | 0.04 ppm |
| | Salsify | 0.04 ppm |
| | Artichoke | 0.04 ppm |
| | Chicory | 0.04 ppm |
| | Endive | 0.04 ppm |
| | <i>Shungiku</i> | 0.04 ppm |

| | |
|--|----------|
| Lettuce (including cos lettuce and leaf lettuce) | 0.04 ppm |
| Other composite vegetables | 0.04 ppm |
| Onion | 0.04 ppm |
| Welsh (including leek) | 0.04 ppm |
| Garlic | 0.04 ppm |
| <i>Nira</i> | 0.04 ppm |
| Asparagus | 0.04 ppm |
| Multiplying onion | 0.04 ppm |
| Other liliaceous vegetables | 0.04 ppm |
| Carrot | 0.04 ppm |
| Parsnip | 0.04 ppm |
| Parsley | 0.04 ppm |
| Celery | 0.04 ppm |
| <i>Mitsuba</i> | 0.04 ppm |
| Other umbelliferous vegetables | 0.04 ppm |
| Tomato | 0.04 ppm |
| Pimiento (sweet pepper) | 0.04 ppm |
| Egg plant | 0.04 ppm |
| Other solanceous vegetables | 0.04 ppm |
| Cucumber (including gherkin) | 0.04 ppm |
| Pumpkin (including squash) | 0.04 ppm |
| Oriental pickling melon (vegetable) | 0.04 ppm |
| Water melon | 0.04 ppm |
| Melons | 0.04 ppm |
| <i>Makuwauri</i> melon | 0.04 ppm |
| Other cucurbitaceous vegetables | 0.04 ppm |
| Spinach | 0.04 ppm |
| Bamboo shoots | 0.04 ppm |
| Okra | 0.04 ppm |
| Ginger | 0.04 ppm |
| Peas, immature (with pods) | 0.04 ppm |
| Kidney beans, immature (with pods) | 0.04 ppm |
| Green soybeans | 0.04 ppm |
| Button mushroom | 0.04 ppm |
| <i>Shiitake</i> mushroom | 0.04 ppm |
| Other mushrooms | 0.04 ppm |
| Other vegetables | 0.04 ppm |
| <i>Unshu</i> orange,pulp | 0.04 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.04 ppm |
| Lemon | 0.04 ppm |
| Orange (including navel orange) | 0.04 ppm |
| Grapefruit | 0.04 ppm |
| Lime | 0.04 ppm |

| | |
|---------------------------------|----------|
| Other citrus fruits | 0.04 ppm |
| Apple | 0.04 ppm |
| Japanese pear | 0.04 ppm |
| Pear | 0.04 ppm |
| Quince | 0.04 ppm |
| Loquat | 0.04 ppm |
| Peach | 0.04 ppm |
| Nectarine | 0.04 ppm |
| Apricot | 0.04 ppm |
| Japanese plum (including prune) | 0.04 ppm |
| Mume plum | 0.04 ppm |
| Cherry | 0.04 ppm |
| Strawberry | 0.04 ppm |
| Raspberry | 0.04 ppm |
| Blackberry | 0.04 ppm |
| Blueberry | 0.04 ppm |
| Cranberry | 0.04 ppm |
| Huckleberry | 0.04 ppm |
| Other berries | 0.04 ppm |
| Grape | 0.04 ppm |
| Japanese persimmon | 0.04 ppm |
| Banana | 0.04 ppm |
| Kiwifruit | 0.04 ppm |
| Papaya | 0.04 ppm |
| Avocado | 0.04 ppm |
| Pineapple | 0.04 ppm |
| Guava | 0.04 ppm |
| Mango | 0.04 ppm |
| Passion fruit | 0.04 ppm |
| Date | 0.04 ppm |
| Other fruits | 0.04 ppm |
| Sesame seeds | 0.04 ppm |
| Safflower seeds | 0.04 ppm |
| Ginkgo nut | 0.04 ppm |
| Chestnut | 0.04 ppm |
| Pecan | 0.04 ppm |
| Almond | 0.04 ppm |
| Walnut | 0.04 ppm |
| Other nuts | 0.04 ppm |
| Tea | 0.04 ppm |
| Coffee beans | 0.04 ppm |
| Cacao beans | 0.04 ppm |
| Hop | 0.04 ppm |

| | | |
|--------------|---|----------|
| | Other spices | 0.2 ppm |
| | Other herbs | 0.04 ppm |
| | Cattle, muscle | 0.01 ppm |
| | Pig, muscle | 0.01 ppm |
| | Other terrestrial mammals, muscle | 0.01 ppm |
| | Cattle, fat | 0.02 ppm |
| | Pig, fat | 0.02 ppm |
| | Other terrestrial mammals, fat | 0.02 ppm |
| | Cattle, liver | 0.01 ppm |
| | Pig, liver | 0.01 ppm |
| | Other terrestrial mammals, liver | 0.01 ppm |
| | Cattle, kidney | 0.01 ppm |
| | Pig, kidney | 0.01 ppm |
| | Other terrestrial mammals, kidney | 0.01 ppm |
| | Cattle, edible offal | 0.01 ppm |
| | Pig, edible offal | 0.01 ppm |
| | Other terrestrial mammals, edible offal | 0.01 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| DIMETHIRIMOL | Japanese radish, roots (including radish) | 0.2 ppm |
| | Japanese radish, leaves (including radish) | 0.2 ppm |
| | Turnip, roots | 0.2 ppm |
| | Turnip, leaves | 0.2 ppm |
| | Horseradish | 0.2 ppm |
| | Watercress | 0.2 ppm |
| | Chinese cabbage | 0.2 ppm |
| | Cabbage | 0.2 ppm |
| | Brussels sprouts | 0.2 ppm |
| | Kale | 0.2 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.2 ppm |
| | <i>Kyona</i> | 0.2 ppm |
| | Qing-geng-cai | 0.2 ppm |

| | |
|--|---------|
| Cauliflower | 0.2 ppm |
| Broccoli | 0.2 ppm |
| Other cruciferous vegetables | 0.2 ppm |
| Burdock | 0.2 ppm |
| Salsify | 0.2 ppm |
| Artichoke | 0.2 ppm |
| Chicory | 0.2 ppm |
| Endive | 0.2 ppm |
| <i>Shungiku</i> | 0.2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.2 ppm |
| Other composite vegetables | 0.2 ppm |
| Onion | 0.2 ppm |
| Welsh (including leek) | 0.2 ppm |
| Garlic | 0.2 ppm |
| <i>Nira</i> | 0.2 ppm |
| Asparagus | 0.2 ppm |
| Multiplying onion | 0.2 ppm |
| Other liliaceous vegetables | 0.2 ppm |
| Carrot | 0.2 ppm |
| Parsnip | 0.2 ppm |
| Parsley | 0.2 ppm |
| Celery | 0.2 ppm |
| <i>Mitsuba</i> | 0.2 ppm |
| Other umbelliferous vegetables | 0.2 ppm |
| Tomato | 0.2 ppm |
| Pimiento (sweet pepper) | 0.2 ppm |
| Egg plant | 0.2 ppm |
| Other solanceous vegetables | 0.2 ppm |
| Cucumber (including gherkin) | 0.2 ppm |
| Pumpkin (including squash) | 0.2 ppm |
| Oriental pickling melon (vegetable) | 0.2 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Other cucurbitaceous vegetables | 0.2 ppm |
| Spinach | 0.2 ppm |
| Bamboo shoots | 0.2 ppm |
| Okra | 0.2 ppm |
| Ginger | 0.2 ppm |
| Peas, immature (with pods) | 0.2 ppm |
| Kidney beans, immature (with pods) | 0.2 ppm |
| Green soybeans | 0.2 ppm |
| Button mushroom | 0.2 ppm |

| | |
|-----------------------------------|---------|
| <i>Shiitake</i> mushroom | 0.2 ppm |
| Other mushrooms | 0.2 ppm |
| Other vegetables | 0.2 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.1 ppm |
| Japanese pear | 0.1 ppm |
| Pear | 0.1 ppm |
| Quince | 0.1 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.1 ppm |
| Nectarine | 0.1 ppm |
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 0.1 ppm |
| Mume plum | 0.1 ppm |
| Cherry | 0.1 ppm |
| Strawberry | 0.1 ppm |
| Raspberry | 0.1 ppm |
| Blackberry | 0.1 ppm |
| Blueberry | 0.1 ppm |
| Cranberry | 0.1 ppm |
| Huckleberry | 0.1 ppm |
| Other berries | 0.1 ppm |
| Grape | 0.1 ppm |
| Japanese persimmon | 0.1 ppm |
| Banana | 0.1 ppm |
| Kiwifruit | 0.1 ppm |
| Papaya | 0.1 ppm |
| Avocado | 0.1 ppm |
| Pineapple | 0.1 ppm |
| Guava | 0.1 ppm |
| Mango | 0.1 ppm |
| Passion fruit | 0.1 ppm |
| Date | 0.1 ppm |
| Other fruits | 0.1 ppm |
| Sunflower seeds | 0.1 ppm |
| Sesame seeds | 0.1 ppm |
| Safflower seeds | 0.1 ppm |

| | | |
|--------------|---------------------------------|----------|
| | Cotton seeds | 0.1 ppm |
| | Rapeseeds | 0.1 ppm |
| | Other oil seeds | 0.1 ppm |
| | Ginkgo nut | 0.1 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.1 ppm |
| | Walnut | 0.1 ppm |
| | Other nuts | 0.1 ppm |
| | Other spices | 0.2 ppm |
| | Other herbs | 0.2 ppm |
| DIMETHENAMID | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Potato | 0.01 ppm |
| | Taro | 0.01 ppm |
| | Sweet potato | 0.01 ppm |
| | Yam | 0.01 ppm |
| | Other potatoes | 0.01 ppm |
| | Sugar beet | 0.01 ppm |
| | Horseradish | 0.01 ppm |
| | Chinese cabbage | 0.1 ppm |
| | Onion | 0.01 ppm |
| | Garlic | 0.01 ppm |
| | Other liliaceous vegetables | 0.01 ppm |
| | Other cucurbitaceous vegetables | 0.01 ppm |
| | Ginger | 0.01 ppm |
| | Other vegetables | 0.01 ppm |
| | Other spices | 0.01 ppm |
| | Other herbs | 0.01 ppm |
| DIMETHOATE | Rice (brown rice) | 1 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.04 ppm |
| | Rye | 0.2 ppm |
| | Corn (maize) | 1 ppm |
| | Buckwheat | 0.04 ppm |
| | Other cereal grains | 0.2 ppm |
| | Soybeans, dry | 1 ppm |
| | Beans, dry* | 1 ppm |
| | Peas | 1 ppm |
| | Broad beans | 1 ppm |
| | Peanuts, dry | 1 ppm |
| | Other legumes/pulses | 1 ppm |

| | |
|--|----------|
| Taro | 1 ppm |
| Sweet potato | 1 ppm |
| Yam | 1 ppm |
| Konjac | 1 ppm |
| Other potatoes | 1 ppm |
| Sugar beet | 0.05 ppm |
| Sugarcane | 1 ppm |
| Japanese radish, roots (including radish) | 1 ppm |
| Japanese radish, leaves (including radish) | 1 ppm |
| Turnip, roots | 1 ppm |
| Turnip, leaves | 1 ppm |
| Horseradish | 1 ppm |
| Watercress | 1 ppm |
| Chinese cabbage | 1 ppm |
| Cabbage | 1 ppm |
| Brussels sprouts | 0.2 ppm |
| Kale | 1 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 1 ppm |
| <i>Kyona</i> | 1 ppm |
| Qing-geng-cai | 1 ppm |
| Cauliflower | 1 ppm |
| Broccoli | 1 ppm |
| Other cruciferous vegetables | 1 ppm |
| Burdock | 1 ppm |
| Salsify | 1 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 1 ppm |
| Endive | 1 ppm |
| <i>Shungiku</i> | 1 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 2 ppm |
| Other composite vegetables | 1 ppm |
| Onion | 0.3 ppm |
| Welsh (including leek) | 1 ppm |
| Garlic | 1 ppm |
| <i>Nira</i> | 1 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 1 ppm |
| Other liliaceous vegetables | 1 ppm |
| Carrot | 1 ppm |
| Parsnip | 1 ppm |
| Parsley | 1 ppm |
| Celery | 1 ppm |
| <i>Mitsuba</i> | 1 ppm |

| | |
|-------------------------------------|-------|
| Other umbelliferous vegetables | 1 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 1 ppm |
| Other solanaceous vegetables | 1 ppm |
| Cucumber (including gherkin) | 1 ppm |
| Pumpkin (including squash) | 1 ppm |
| Oriental pickling melon (vegetable) | 1 ppm |
| Water melon | 1 ppm |
| Melons | 1 ppm |
| <i>Makuwauri</i> melon | 1 ppm |
| Other cucurbitaceous vegetables | 1 ppm |
| Spinach | 1 ppm |
| Bamboo shoots | 1 ppm |
| Okra | 1 ppm |
| Ginger | 1 ppm |
| Peas, immature (with pods) | 1 ppm |
| Kidney beans, immature (with pods) | 1 ppm |
| Green soybeans | 1 ppm |
| Button mushroom | 1 ppm |
| <i>Shiitake</i> mushroom | 1 ppm |
| Other mushrooms | 1 ppm |
| Other vegetables | 1 ppm |
| Lemon | 2 ppm |
| Orange (including navel orange) | 2 ppm |
| Grapefruit | 2 ppm |
| Lime | 2 ppm |
| Other citrus fruits | 2 ppm |
| Apple | 1 ppm |
| Japanese pear | 1 ppm |
| Pear | 1 ppm |
| Quince | 1 ppm |
| Loquat | 1 ppm |
| Peach | 1 ppm |
| Nectarine | 1 ppm |
| Apricot | 1 ppm |
| Japanese plum (including prune) | 1 ppm |
| Mume plum | 1 ppm |
| Cherry | 2 ppm |
| Strawberry | 1 ppm |
| Raspberry | 1 ppm |
| Blackberry | 1 ppm |
| Blueberry | 1 ppm |
| Cranberry | 1 ppm |

| | |
|---|----------|
| Huckleberry | 1 ppm |
| Other berries | 1 ppm |
| Grape | 1 ppm |
| Banana | 1 ppm |
| Kiwifruit | 1 ppm |
| Papaya | 1 ppm |
| Avocado | 1 ppm |
| Pineapple | 2 ppm |
| Guava | 1 ppm |
| Mango | 1 ppm |
| Passion fruit | 1 ppm |
| Date | 1 ppm |
| Other fruits | 0.5 ppm |
| Sunflower seeds | 1 ppm |
| Sesame seeds | 1 ppm |
| Safflower seeds | 1 ppm |
| Cotton seeds | 1 ppm |
| Rapeseeds | 1 ppm |
| Other oil seeds | 1 ppm |
| Ginkgo nut | 1 ppm |
| Chestnut | 1 ppm |
| Pecan | 1 ppm |
| Almond | 1 ppm |
| Walnut | 1 ppm |
| Other nuts | 1 ppm |
| Tea | 1 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 0.05 ppm |
| Other spices (except seeds, fruits, roots and rhizomes) | 2 ppm |
| Other herbs | 1 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| Cattle, liver | 0.05 ppm |
| Pig, liver | 0.04 ppm |
| Other terrestrial mammals, liver | 0.05 ppm |
| Cattle, kidney | 0.05 ppm |
| Pig, kidney | 0.04 ppm |
| Other terrestrial mammals, kidney | 0.05 ppm |

| | | |
|--------------|---|-----------|
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.04 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| | Mineral waters | 0.006 ppm |
| DIMETHOMORPH | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Japanese radish, leaves (including radish) | 2 ppm |
| | Turnip, leaves | 2 ppm |
| | Watercress | 2 ppm |
| | Chinese cabbage | 1 ppm |
| | Cabbage | 1 ppm |
| | Brussels sprouts | 2 ppm |
| | Kale | 2 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 2 ppm |
| | <i>Kyona</i> | 2 ppm |
| | Qing-geng-cai | 2 ppm |
| | Cauliflower | 2 ppm |
| | Broccoli | 2 ppm |
| | Other cruciferous vegetables | 2 ppm |
| | Artichoke | 2 ppm |
| | Chicory | 2 ppm |
| | Endive | 2 ppm |
| | <i>Shungiku</i> | 2 ppm |
| | Other composite vegetables | 2 ppm |
| | Welsh (including leek) | 2 ppm |
| | Garlic | 0.1 ppm |
| | <i>Nira</i> | 2 ppm |

| | |
|-------------------------------------|----------|
| Asparagus | 2 ppm |
| Multiplying onion | 2 ppm |
| Other liliaceous vegetables | 2 ppm |
| Parsley | 2 ppm |
| Celery | 2 ppm |
| <i>Mitsuba</i> | 2 ppm |
| Other umbelliferous vegetables | 2 ppm |
| Pimiento (sweet pepper) | 2 ppm |
| Egg plant | 2 ppm |
| Other solanaceous vegetables | 2 ppm |
| Pumpkin (including squash) | 2 ppm |
| Oriental pickling melon (vegetable) | 2 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Other cucurbitaceous vegetables | 2 ppm |
| Spinach | 2 ppm |
| Other vegetables | 2 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.1 ppm |
| Apricot | 5 ppm |
| Japanese plum (including prune) | 5 ppm |
| Mume plum | 5 ppm |
| Cherry | 5 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 5 ppm |
| Kiwifruit | 0.1 ppm |
| Date | 5 ppm |
| Other fruits | 5 ppm |
| Other oil seeds | 0.02 ppm |
| Hop | 60 ppm |
| Other spices | 5 ppm |
| Other herbs | 2 ppm |
| Cattle, muscle | 0.01 ppm |
| Pig, muscle | 0.01 ppm |
| Other terrestrial mammals, muscle | 0.01 ppm |
| Cattle, fat | 0.01 ppm |
| Pig, fat | 0.01 ppm |

| | | |
|--------------|---|----------|
| | Other terrestrial mammals, fat | 0.01 ppm |
| | Cattle, liver | 0.01 ppm |
| | Pig, liver | 0.01 ppm |
| | Other terrestrial mammals, liver | 0.01 ppm |
| | Cattle, kidney | 0.01 ppm |
| | Pig, kidney | 0.01 ppm |
| | Other terrestrial mammals, kidney | 0.01 ppm |
| | Cattle, edible offal | 0.01 ppm |
| | Pig, edible offal | 0.01 ppm |
| | Other terrestrial mammals, edible offal | 0.01 ppm |
| | Milk | 0.01 ppm |
| DIMEPIPERATE | Rice (brown rice) | 0.03 ppm |
| CYMOXANIL | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.2 ppm |
| | Cabbage | 0.2 ppm |
| | Brussels sprouts | 0.05 ppm |
| | Kale | 0.05 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |

| | |
|-------------------------------------|----------|
| <i>Kyona</i> | 0.05 ppm |
| <i>Qing-geng-cai</i> | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.1 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.1 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Pimiento (sweet pepper) | 0.2 ppm |
| Egg plant | 0.5 ppm |
| Other solanaceous vegetables | 0.2 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |

| | |
|-----------------------------------|----------|
| Other vegetables | 0.5 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.1 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.2 ppm |
| Japanese plum (including prune) | 0.2 ppm |
| Mume plum | 0.2 ppm |
| Cherry | 0.2 ppm |
| Strawberry | 0.2 ppm |
| Raspberry | 0.2 ppm |
| Blackberry | 0.2 ppm |
| Blueberry | 0.2 ppm |
| Cranberry | 0.2 ppm |
| Huckleberry | 0.2 ppm |
| Other berries | 0.2 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.1 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.2 ppm |
| Other fruits | 0.2 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |

| | | |
|---------|---|----------|
| | Ginkgo nut | 0.05 ppm |
| | Chestnut | 0.05 ppm |
| | Pecan | 0.05 ppm |
| | Almond | 0.05 ppm |
| | Walnut | 0.05 ppm |
| | Other nuts | 0.05 ppm |
| | Tea | 0.05 ppm |
| | Coffee beans | 0.05 ppm |
| | Cacao beans | 0.05 ppm |
| | Other spices | 0.5 ppm |
| | Other herbs | 0.5 ppm |
| | Milk | 0.05 ppm |
| BROMIDE | Soybeans, dry | 200 ppm |
| | Beans, dry* | 200 ppm |
| | Peas | 50 ppm |
| | Broad beans | 200 ppm |
| | Peanuts, dry | 200 ppm |
| | Other legumes/pulses | 200 ppm |
| | Potato | 60 ppm |
| | Taro | 50 ppm |
| | Sweet potato | 60 ppm |
| | Yam | 50 ppm |
| | Konjac | 50 ppm |
| | Other potatoes | 40 ppm |
| | Sugar beet | 40 ppm |
| | Sugarcane | 50 ppm |
| | Japanese radish, roots (including radish) | 200 ppm |
| | Japanese radish, leaves (including radish) | 50 ppm |
| | Turnip, roots | 200 ppm |
| | Turnip, leaves | 1000 ppm |
| | Horseradish | 40 ppm |
| | Watercress | 50 ppm |
| | Chinese cabbage | 50 ppm |
| | Cabbage | 100 ppm |
| | Brussels sprouts | 100 ppm |
| | Kale | 50 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 50 ppm |
| | <i>Kyona</i> | 50 ppm |
| | Qing-geng-cai | 50 ppm |
| | Cauliflower | 100 ppm |
| | Broccoli | 110 ppm |
| | Other cruciferous vegetables | 50 ppm |
| | Burdock | 50 ppm |

| | |
|--|---------|
| Salsify | 40 ppm |
| Artichoke | 50 ppm |
| Chicory | 50 ppm |
| Endive | 50 ppm |
| <i>Shungiku</i> | 50 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 100 ppm |
| Other composite vegetables | 400 ppm |
| Onion | 50 ppm |
| Welsh (including leek) | 50 ppm |
| Garlic | 50 ppm |
| <i>Nira</i> | 50 ppm |
| Asparagus | 100 ppm |
| Multiplying onion | 50 ppm |
| Other liliaceous vegetables | 50 ppm |
| Carrot | 40 ppm |
| Parsnip | 40 ppm |
| Parsley | 50 ppm |
| Celery | 300 ppm |
| <i>Mitsuba</i> | 50 ppm |
| Other umbelliferous vegetables | 50 ppm |
| Tomato | 75 ppm |
| Pimiento (sweet pepper) | 150 ppm |
| Egg plant | 40 ppm |
| Other solanceous vegetables | 150 ppm |
| Cucumber (including gherkin) | 150 ppm |
| Pumpkin (including squash) | 200 ppm |
| Oriental pickling melon (vegetable) | 50 ppm |
| Water melon | 100 ppm |
| Melons | 230 ppm |
| <i>Makuwauri</i> melon | 50 ppm |
| Other cucurbitaceous vegetables | 50 ppm |
| Spinach | 50 ppm |
| Bamboo shoots | 50 ppm |
| Okra | 200 ppm |
| Ginger | 400 ppm |
| Peas, immature (with pods) | 50 ppm |
| Kidney beans, immature (with pods) | 50 ppm |
| Green soybeans | 110 ppm |
| Button mushroom | 50 ppm |
| <i>Shiitake</i> mushroom | 50 ppm |
| Other mushrooms | 50 ppm |
| Other vegetables | 500 ppm |
| Sunflower seeds | 50 ppm |

| | |
|---|---------|
| Sesame seeds | 110 ppm |
| Safflower seeds | 50 ppm |
| Cotton seeds | 130 ppm |
| Rapeseeds | 50 ppm |
| Other oil seeds | 400 ppm |
| Ginkgo nut | 200 ppm |
| Chestnut | 200 ppm |
| Pecan | 200 ppm |
| Almond | 200 ppm |
| Walnut | 200 ppm |
| Other nuts | 200 ppm |
| Tea | 50 ppm |
| Coffee beans | 60 ppm |
| Cacao beans | 50 ppm |
| Hop | 400 ppm |
| Other spices | 500 ppm |
| Other herbs | 500 ppm |
| Cattle, muscle | 50 ppm |
| Pig, muscle | 50 ppm |
| Other terrestrial mammals, muscle | 50 ppm |
| Cattle, fat | 50 ppm |
| Pig, fat | 50 ppm |
| Other terrestrial mammals, fat | 50 ppm |
| Cattle, liver | 50 ppm |
| Pig, liver | 50 ppm |
| Other terrestrial mammals, liver | 50 ppm |
| Cattle, kidney | 50 ppm |
| Pig, kidney | 50 ppm |
| Other terrestrial mammals, kidney | 50 ppm |
| Cattle, edible offal | 50 ppm |
| Pig, edible offal | 50 ppm |
| Other terrestrial mammals, edible offal | 50 ppm |
| Milk | 50 ppm |
| Chicken, muscle | 50 ppm |
| Other poultry, muscle | 50 ppm |
| Chicken, fat | 50 ppm |
| Other poultry, fat | 50 ppm |
| Chicken, liver | 50 ppm |
| Other poultry, liver | 50 ppm |
| Chicken, kidney | 50 ppm |
| Other poultry, kidney | 50 ppm |
| Chicken, edible offal | 50 ppm |
| Other poultry, edible offal | 50 ppm |

| | | |
|-------------|--|----------|
| | Chicken, eggs | 50 ppm |
| | Other poultry, eggs | 50 ppm |
| | Salmoniformes | 50 ppm |
| | Anguilliformes | 50 ppm |
| | Perciformes | 50 ppm |
| | Other fish | 50 ppm |
| | Shelled molluscas | 50 ppm |
| | Crustaceans | 50 ppm |
| | Other aquatic animal | 50 ppm |
| | Honey | 50 ppm |
| JOSAMYCIN | Pig, muscle | 0.04 ppm |
| | Pig, fat | 0.04 ppm |
| | Pig, liver | 0.04 ppm |
| | Pig, kidney | 0.04 ppm |
| | Pig, edible offal | 0.3 ppm |
| | Chicken, muscle | 0.04 ppm |
| | Chicken, fat | 0.04 ppm |
| | Chicken, liver | 0.04 ppm |
| | Chicken, kidney | 0.04 ppm |
| | Chicken, edible offal | 0.3 ppm |
| | Perciformes | 0.05 ppm |
| SILAFLUOFEN | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.1 ppm |
| | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |

| | |
|--|----------|
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |

| | |
|------------------------------------|----------|
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 2 ppm |
| Kidney beans, immature (with pods) | 2 ppm |
| Green soybeans | 2 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 2 ppm |
| <i>Unshu</i> orange,pulp | 0.2 ppm |
| Citrus <i>natsudaidai</i> , whole | 5 ppm |
| Lemon | 5 ppm |
| Orange (including navel orange) | 5 ppm |
| Grapefruit | 5 ppm |
| Lime | 5 ppm |
| Other citrus fruits | 5 ppm |
| Quince | 5 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 5 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Banana | 5 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 5 ppm |
| Avocado | 5 ppm |
| Pineapple | 5 ppm |
| Guava | 5 ppm |

| | |
|--|----------|
| Mango | 5 ppm |
| Passion fruit | 5 ppm |
| Date | 0.05 ppm |
| Other fruits | 5 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Coffee beans | 0.05 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 0.05 ppm |
| Other spices | 5 ppm |
| Other herbs | 2 ppm |
| CYROMAZINE | |
| Rice (brown rice) | 0.05 ppm |
| Wheat | 0.05 ppm |
| Barley | 0.05 ppm |
| Rye | 0.05 ppm |
| Corn (maize) | 0.3 ppm |
| Buckwheat | 0.05 ppm |
| Other cereal grains | 0.05 ppm |
| Soybeans, dry | 0.05 ppm |
| Broad beans | 0.05 ppm |
| Peanuts, dry | 0.05 ppm |
| Taro | 0.05 ppm |
| Sweet potato | 0.05 ppm |
| Yam | 0.05 ppm |
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Sugarcane | 0.02 ppm |
| Japanese radish, roots (including radish) | 0.3 ppm |
| Japanese radish, leaves (including radish) | 0.3 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 5 ppm |
| Horseradish | 0.05 ppm |

| | |
|---|----------|
| Watercress | 10 ppm |
| Cabbage | 5 ppm |
| Brussels sprouts | 5 ppm |
| Kale | 5 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 5 ppm |
| <i>Kyona</i> | 5 ppm |
| Qing-geng-cai | 5 ppm |
| Cauliflower | 5 ppm |
| Broccoli | 0.5 ppm |
| Other cruciferous vegetables | 10 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Chicory | 4 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 3 ppm |
| Other liliaceous vegetables | 2 ppm |
| Parsnip | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 4 ppm |
| Other solanaceous vegetables | 1 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| <i>Shiitake</i> mushroom | 5 ppm |
| Other mushrooms | 5 ppm |
| Other vegetables | 4 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |

| | |
|--|----------|
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.08 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.05 ppm |
| Coffee beans | 0.02 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 0.05 ppm |
| Other spices | 4 ppm |
| Other herbs | 10 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle (except sheep) | 0.1 ppm |

| | | |
|----------|--|----------|
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Sheep, fat | 0.2 ppm |
| | Other terrestrial mammals, fat (except sheep) | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Sheep, liver | 0.2 ppm |
| | Other terrestrial mammals, liver (except sheep) | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Sheep, edible offal | 0.2 ppm |
| | Other terrestrial mammals, edible offal (except sheep) | 0.1 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.07 ppm |
| | Other poultry, liver | 0.08 ppm |
| | Chicken, kidney | 0.07 ppm |
| | Other poultry, kidney | 0.08 ppm |
| | Chicken, edible offal | 0.07 ppm |
| | Other poultry, edible offal | 0.08 ppm |
| | Other poultry, eggs | 0.2 ppm |
| SPINOSAD | Rice (brown rice) | 1 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Konjac | 0.02 ppm |
| | Sugar beet | 0.06 ppm |
| | Turnip, roots | 0.2 ppm |
| | Turnip, leaves | 10 ppm |
| | Horseradish | 0.2 ppm |
| | Burdock | 0.2 ppm |
| | Salsify | 0.2 ppm |
| | Artichoke | 5 ppm |
| | <i>Shungiku</i> | 10 ppm |
| | Onion | 0.1 ppm |
| | Welsh (including leek) | 5 ppm |
| | <i>Nira</i> | 5 ppm |
| | Asparagus | 5 ppm |
| | Multiplying onion | 5 ppm |
| | Other liliaceous vegetables | 5 ppm |
| | Carrot | 0.2 ppm |

| | |
|-----------------------------------|----------|
| Parsnip | 0.2 ppm |
| <i>Mitsuba</i> | 5 ppm |
| Other umbelliferous vegetables | 5 ppm |
| Bamboo shoots | 0.2 ppm |
| Okra | 2 ppm |
| Other vegetables | 10 ppm |
| Japanese pear | 0.5 ppm |
| Pear | 0.5 ppm |
| Quince | 0.5 ppm |
| Loquat | 0.2 ppm |
| Strawberry | 1 ppm |
| Raspberry | 1 ppm |
| Blackberry | 1 ppm |
| Blueberry | 1 ppm |
| Cranberry | 1 ppm |
| Huckleberry | 1 ppm |
| Other berries | 1 ppm |
| Grape | 0.5 ppm |
| Japanese persimmon | 0.5 ppm |
| Banana | 0.5 ppm |
| Kiwifruit | 0.2 ppm |
| Pineapple | 0.5 ppm |
| Date | 1 ppm |
| Sunflower seeds | 0.01 ppm |
| Safflower seeds | 0.01 ppm |
| Other oil seeds | 5 ppm |
| Ginkgo nut | 0.01 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Walnut | 0.02 ppm |
| Other spices | 10 ppm |
| Other herbs | 10 ppm |
| Cattle, muscle | 2 ppm |
| Pig, muscle | 2 ppm |
| Other terrestrial mammals, muscle | 0.8 ppm |
| Cattle, fat | 3 ppm |
| Pig, fat | 2 ppm |
| Other terrestrial mammals, fat | 2 ppm |
| Cattle, liver | 2 ppm |
| Pig, liver | 0.5 ppm |
| Other terrestrial mammals, liver | 0.5 ppm |
| Cattle, kidney | 1 ppm |
| Pig, kidney | 0.5 ppm |

| | | |
|-------------|---|--|
| | Other terrestrial mammals, kidney | 0.5 ppm |
| | Cattle, edible offal | 0.5 ppm |
| | Pig, edible offal | 0.5 ppm |
| | Other terrestrial mammals, edible offal | 0.5 ppm |
| | Milk | 1 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.02 ppm |
| | Chicken, fat | 0.4 ppm |
| | Other poultry, fat | 0.4 ppm |
| | Chicken, liver | 0.04 ppm |
| | Other poultry, liver | 0.04 ppm |
| | Chicken, kidney | 0.04 ppm |
| | Other poultry, kidney | 0.04 ppm |
| | Chicken, edible offal | 0.04 ppm |
| | Other poultry, edible offal | 0.04 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| SPIRAMYCIN | Cattle, edible offal | 0.1 ppm (as total of spiramycin and neospiramycin) |
| | Pig, edible offal | 1 ppm (as total of spiramycin and neospiramycin) |
| | Other poultry, muscle | 0.1 ppm (as total of spiramycin and neospiramycin) |
| | Other poultry, fat | 0.1 ppm (as total of spiramycin and neospiramycin) |
| | Other poultry, liver | 1 ppm (as total of spiramycin and neospiramycin) |
| | Other poultry, kidney | 1 ppm (as total of spiramycin and neospiramycin) |
| | Chicken, edible offal | 1 ppm (as total of spiramycin and neospiramycin) |
| | Other poultry, edible offal | 1 ppm (as total of spiramycin and neospiramycin) |
| SPIROXAMINE | Barley | 0.3 ppm |
| | Other cereal grains | 0.3 ppm |
| | Grape | 1 ppm |
| | Banana | 4 ppm |
| | Hop | 50 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |

| | | |
|---------------|---|----------|
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.4 ppm |
| | Pig, liver | 0.4 ppm |
| | Other terrestrial mammals, liver | 0.4 ppm |
| | Cattle, kidney | 0.4 ppm |
| | Pig, kidney | 0.4 ppm |
| | Other terrestrial mammals, kidney | 0.4 ppm |
| | Cattle, edible offal | 0.4 ppm |
| | Pig, edible offal | 0.4 ppm |
| | Other terrestrial mammals, edible offal | 0.4 ppm |
| | Milk | 0.04 ppm |
| SPIRODICLOFEN | <i>Unshu</i> orange,pulp | 0.1 ppm |
| | Citrus <i>natsudaidai</i> , whole | 2 ppm |
| | Lemon | 2 ppm |
| | Orange (including navel orange) | 2 ppm |
| | Grapefruit | 2 ppm |
| | Lime | 2 ppm |
| | Other citrus fruits | 2 ppm |
| | Apple | 2 ppm |
| | Japanese pear | 2 ppm |
| | Pear | 2 ppm |
| | Quince | 2 ppm |
| | Loquat | 0.8 ppm |
| | Peach | 1 ppm |
| | Nectarine | 2 ppm |
| | Apricot | 5 ppm |
| | Japanese plum (including prune) | 5 ppm |
| | Mume plum | 5 ppm |
| | Cherry | 5 ppm |
| | Strawberry | 5 ppm |
| | Raspberry | 5 ppm |
| | Blackberry | 5 ppm |
| | Blueberry | 5 ppm |
| | Cranberry | 5 ppm |
| | Huckleberry | 5 ppm |
| | Other berries | 5 ppm |
| | Grape | 5 ppm |
| | Japanese persimmon | 2 ppm |
| | Banana | 2 ppm |
| | Papaya | 2 ppm |
| | Avocado | 2 ppm |
| | Pineapple | 2 ppm |

| | | |
|--------------|---|----------|
| | Guava | 2 ppm |
| | Mango | 2 ppm |
| | Passion fruit | 2 ppm |
| | Other fruits | 5 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.1 ppm |
| | Walnut | 0.1 ppm |
| | Other nuts | 0.1 ppm |
| | Other spices | 5 ppm |
| | Cattle, muscle | 0.02 ppm |
| | Other terrestrial mammals, muscle | 0.02 ppm |
| | Cattle, fat | 0.02 ppm |
| | Other terrestrial mammals, fat | 0.02 ppm |
| | Cattle, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| SPIROMESIFEN | Wheat | 0.03 ppm |
| | Barley | 0.03 ppm |
| | Corn (maize) | 0.02 ppm |
| | Potato | 0.02 ppm |
| | Taro | 0.02 ppm |
| | Sweet potato | 0.02 ppm |
| | Yam | 0.02 ppm |
| | Other potatoes | 0.02 ppm |
| | Sugar beet | 0.03 ppm |
| | Watercress | 10 ppm |
| | Chinese cabbage | 2 ppm |
| | Cabbage | 2 ppm |
| | Brussels sprouts | 2 ppm |
| | Kale | 10 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 10 ppm |
| | <i>Kyona</i> | 10 ppm |
| | Qing-geng-cai | 10 ppm |
| | Cauliflower | 2 ppm |
| | Broccoli | 2 ppm |
| | Other cruciferous vegetables | 10 ppm |
| | Chicory | 10 ppm |
| | Endive | 10 ppm |

| | | |
|---------------|--|------------------|
| | <i>Shungiku</i> | 10 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 10 ppm |
| | Other composite vegetables | 10 ppm |
| | Parsley | 10 ppm |
| | Other umbelliferous vegetables | 10 ppm |
| | Tomato | 0.3 ppm |
| | Pimiento (sweet pepper) | 0.3 ppm |
| | Egg plant | 0.3 ppm |
| | Other solanaceous vegetables | 0.3 ppm |
| | Cucumber (including gherkin) | 0.1 ppm |
| | Pumpkin (including squash) | 0.1 ppm |
| | Oriental pickling melon (vegetable) | 0.1 ppm |
| | Water melon | 0.1 ppm |
| | Melons | 0.1 ppm |
| | <i>Makuwauri</i> melon | 0.1 ppm |
| | Other cucurbitaceous vegetables | 0.1 ppm |
| | Spinach | 10 ppm |
| | Ginger | 0.02 ppm |
| | Other vegetables | 10 ppm |
| | Strawberry | 2 ppm |
| | Other fruits | 0.3 ppm |
| | Cotton seeds | 0.5 ppm |
| | Other spices | 10 ppm |
| | Other herbs | 10 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.1 ppm (in fat) |
| SPECTINOMYCIN | Other terrestrial mammals, muscle (except sheep) | 0.7 ppm |
| | Other terrestrial mammals, fat (except sheep) | 0.5 ppm |
| | Other terrestrial mammals, liver (except sheep) | 1 ppm |
| | Other terrestrial mammals, kidney (except sheep) | 1 ppm |
| | Cattle, edible offal | 1 ppm |
| | Pig, edible offal | 1 ppm |
| | Other terrestrial mammals, edible offal | 1 ppm |

| | | |
|-----------------------|---|----------|
| | Other poultry, muscle | 0.5 ppm |
| | Other poultry, fat | 0.3 ppm |
| | Other poultry, liver | 0.7 ppm |
| | Other poultry, kidney | 2 ppm |
| | Chicken, edible offal | 0.4 ppm |
| | Other poultry, edible offal | 0.6 ppm |
| | Other poultry, eggs | 2 ppm |
| | Salmoniformes | 0.3 ppm |
| | Anguilliformes | 0.3 ppm |
| | Perciformes | 0.3 ppm |
| | Other fish | 0.3 ppm |
| | Shelled molluscas | 0.3 ppm |
| | Crustaceans | 0.3 ppm |
| | Other aquatic animal | 0.3 ppm |
| SULFAETHOXYPYRIDAZINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| SULFAQUINOXALINE | Cattle, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.05 ppm |

| | | |
|----------------------|---|----------|
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| SULFAGUANIDINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| SULFACHLORPYRIDAZINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.05 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.05 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.05 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.05 ppm |
| SULFADIAZINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |

| | | |
|------------------|--|----------|
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.07 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| | Salmoniformes | 0.1 ppm |
| SULFADIMIDINE | Other terrestrial mammals, muscle (except sheep and horse) | 0.1 ppm |
| | Other terrestrial mammals, fat (except sheep and horse) | 0.1 ppm |
| | Other terrestrial mammals, liver (except sheep and horse) | 0.1 ppm |
| | Other terrestrial mammals, kidney (except sheep and horse) | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Other poultry, muscle (except duck and turkey) | 0.1 ppm |
| | Other poultry, fat (except duck and turkey) | 0.1 ppm |
| | Other poultry, liver (except duck and turkey) | 0.1 ppm |
| | Other poultry, kidney (except duck and turkey) | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| SULFADIMETHOXINE | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.2 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.2 ppm |

| | | |
|---------------|---|----------|
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.02 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 1 ppm |
| | Salmoniformes | 0.1 ppm |
| | Other fish | 0.1 ppm |
| SULFACETAMIDE | Cattle, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| SULFATHIAZOLE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |

| | | |
|----------------|---|----------|
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.09 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| SULFADOXINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.02 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.06 ppm |
| SULFATROXAZOLE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |

| | | |
|----------------------------|---|----------|
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.1 ppm |
| SULFANITRAN | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| SULFANILAMIDE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| SULFAPYRIDINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| SULFABROMOMETHAZINE SODIUM | Cattle, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |

| | | |
|------------------------|---|----------|
| | Milk | 0.01 ppm |
| SULFABENZAMIDE | Cattle, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.01 ppm |
| SULFAMETHOXAZOLE | Pig, muscle | 0.02 ppm |
| | Pig, fat | 0.02 ppm |
| | Pig, liver | 0.02 ppm |
| | Pig, kidney | 0.02 ppm |
| | Pig, edible offal | 0.02 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Chicken, fat | 0.05 ppm |
| | Chicken, liver | 0.02 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| SULFAMETHOXYPYRIDAZINE | Pig, muscle | 0.03 ppm |
| | Pig, fat | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Pig, edible offal | 0.1 ppm |
| SULFAMERAZINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| SULFAMOILDAPSONE | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |

| | | |
|--------------------|---|----------|
| | Pig, fat | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Pig, edible offal | 0.3 ppm |
| SULFAMONOMETHOXINE | Cattle, muscle | 0.01 ppm |
| | Pig, muscle | 0.02 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Salmoniformes | 0.1 ppm |
| | Anguilliformes | 0.1 ppm |
| | Perciformes | 0.1 ppm |
| | Other fish | 0.1 ppm |
| SULFISOZOLE | Salmoniformes | 0.1 ppm |
| | Perciformes | 0.1 ppm |
| | Other fish | 0.1 ppm |
| SULFENTRAZONE | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.2 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.2 ppm |
| | Peas | 0.2 ppm |
| | Broad beans | 0.2 ppm |
| | Peanuts, dry | 0.2 ppm |

| | |
|--|----------|
| Other legumes/pulses | 0.2 ppm |
| Potato | 0.2 ppm |
| Taro | 0.05 ppm |
| Sweet potato | 0.05 ppm |
| Yam | 0.05 ppm |
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Sugarcane | 0.2 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.2 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.2 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.2 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.3 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |

| | | |
|-----------|---------------------------------|----------|
| | Strawberry | 0.6 ppm |
| | Raspberry | 0.05 ppm |
| | Blackberry | 0.05 ppm |
| | Blueberry | 0.05 ppm |
| | Cranberry | 0.05 ppm |
| | Huckleberry | 0.05 ppm |
| | Other berries | 0.05 ppm |
| | Grape | 0.05 ppm |
| | Japanese persimmon | 0.05 ppm |
| | Banana | 0.05 ppm |
| | Kiwifruit | 0.05 ppm |
| | Papaya | 0.05 ppm |
| | Avocado | 0.05 ppm |
| | Pineapple | 0.05 ppm |
| | Guava | 0.05 ppm |
| | Mango | 0.05 ppm |
| | Passion fruit | 0.05 ppm |
| | Date | 0.05 ppm |
| | Other fruits | 0.05 ppm |
| | Sunflower seeds | 0.2 ppm |
| | Sesame seeds | 0.05 ppm |
| | Safflower seeds | 0.05 ppm |
| | Cotton seeds | 0.05 ppm |
| | Rapeseeds | 0.05 ppm |
| | Other oil seeds | 0.2 ppm |
| | Ginkgo nut | 0.05 ppm |
| | Chestnut | 0.05 ppm |
| | Pecan | 0.05 ppm |
| | Almond | 0.05 ppm |
| | Walnut | 0.05 ppm |
| | Other nuts | 0.05 ppm |
| | Tea | 0.05 ppm |
| | Coffee beans | 0.05 ppm |
| | Cacao beans | 0.05 ppm |
| | Hop | 0.05 ppm |
| | Other spices | 0.3 ppm |
| | Other herbs | 0.3 ppm |
| SULPROFOS | Tomato | 1 ppm |
| | Pimiento (sweet pepper) | 5 ppm |
| | Egg plant | 1 ppm |
| | Cucumber (including gherkin) | 1 ppm |
| | Pumpkin (including squash) | 1 ppm |
| | Other cucurbitaceous vegetables | 1 ppm |

| | | |
|---------------|---|-----------|
| | Kidney beans, immature (with pods) | 2 ppm |
| | Cotton seeds | 0.2 ppm |
| SULFOSULFURON | Wheat | 0.02 ppm |
| | Other cereal grains | 0.01 ppm |
| | Cattle, muscle | 0.005 ppm |
| | Pig, muscle | 0.005 ppm |
| | Other terrestrial mammals, muscle | 0.005 ppm |
| | Cattle, fat | 0.005 ppm |
| | Pig, fat | 0.005 ppm |
| | Other terrestrial mammals, fat | 0.005 ppm |
| | Cattle, liver | 0.03 ppm |
| | Pig, liver | 0.03 ppm |
| | Other terrestrial mammals, liver | 0.03 ppm |
| | Cattle, kidney | 0.03 ppm |
| | Pig, kidney | 0.03 ppm |
| | Other terrestrial mammals, kidney | 0.03 ppm |
| | Cattle, edible offal | 0.03 ppm |
| | Pig, edible offal | 0.03 ppm |
| | Other terrestrial mammals, edible offal | 0.03 ppm |
| | Milk | 0.006 ppm |
| | Chicken, muscle | 0.005 ppm |
| | Other poultry, muscle | 0.005 ppm |
| | Chicken, fat | 0.005 ppm |
| | Other poultry, fat | 0.005 ppm |
| | Chicken, liver | 0.005 ppm |
| | Other poultry, liver | 0.005 ppm |
| | Chicken, kidney | 0.005 ppm |
| | Other poultry, kidney | 0.005 ppm |
| | Chicken, edible offal | 0.005 ppm |
| | Other poultry, edible offal | 0.005 ppm |
| | Chicken, eggs | 0.005 ppm |
| | Other poultry, eggs | 0.005 ppm |
| | Salmoniformes | 0.005 ppm |
| | Anguilliformes | 0.005 ppm |
| | Perciformes | 0.005 ppm |
| | Other fish | 0.005 ppm |
| | Shelled molluscas | 0.005 ppm |
| | Crustaceans | 0.005 ppm |
| | Other aquatic animal | 0.005 ppm |
| | Honey | 0.005 ppm |
| SEDECAMYCIN | Pig, muscle | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Pig, liver | 0.05 ppm |

| | | |
|-------------|---|----------|
| | Pig, kidney | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| SETHOXYDIM | Wheat | 0.1 ppm |
| | Barley | 10 ppm |
| | Rye | 10 ppm |
| | Buckwheat | 10 ppm |
| | Other cereal grains | 10 ppm |
| | Other spices | 30 ppm |
| | Other herbs | 10 ppm |
| | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.2 ppm |
| | Pig, fat | 0.2 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | Cattle, liver | 0.5 ppm |
| | Pig, liver | 0.5 ppm |
| | Other terrestrial mammals, liver | 0.5 ppm |
| | Cattle, kidney | 0.5 ppm |
| | Pig, kidney | 0.5 ppm |
| | Other terrestrial mammals, kidney | 0.5 ppm |
| | Cattle, edible offal | 0.5 ppm |
| | Pig, edible offal | 0.5 ppm |
| | Other terrestrial mammals, edible offal | 0.5 ppm |
| | Milk | 0.3 ppm |
| | Chicken, muscle | 0.2 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.9 ppm |
| | Other poultry, liver | 0.9 ppm |
| | Chicken, kidney | 1 ppm |
| | Other poultry, kidney | 1 ppm |
| | Chicken, edible offal | 1 ppm |
| | Other poultry, edible offal | 1 ppm |
| | Chicken, eggs | 1 ppm |
| | Other poultry, eggs | 1 ppm |
| CEFACETRILE | Milk | 0.1 ppm |
| CEFAZOLIN | Cattle, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |

| | | |
|---|---|-------------------------------|
| | Milk | 0.05 ppm |
| CEFAPIRIN | Cattle, muscle | 0.03 ppm |
| | Cattle, fat | 0.03 ppm |
| | Cattle, liver | 0.03 ppm |
| | Cattle, kidney | 0.03 ppm |
| | Cattle, edible offal | 0.03 ppm |
| | Milk | 0.03 ppm |
| CEFALEXIN | Cattle, muscle | 0.2 ppm |
| | Cattle, fat | 0.2 ppm |
| | Cattle, liver | 0.2 ppm |
| | Cattle, kidney | 1 ppm |
| | Cattle, edible offal | 0.2 ppm |
| | Milk | 0.1 ppm |
| CEFALONIUM | Cattle, muscle | 0.01 ppm |
| | Cattle, fat | 0.01 ppm |
| | Cattle, liver | 0.01 ppm |
| | Cattle, kidney | 0.01 ppm |
| | Cattle, edible offal | 0.01 ppm |
| | Milk | 0.01 ppm |
| CEFOPERAZONE | Milk | 0.05 ppm |
| CEFQUINOME | Cattle, muscle | 0.04 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.04 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.04 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.04 ppm |
| | Pig, kidney | 0.2 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.04 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| CEFTIOFUR | Milk | 0.02 ppm |
| | Other terrestrial mammals, muscle | 1 ppm (as desfuroylceftiofur) |
| | Other terrestrial mammals, fat | 2 ppm (as desfuroylceftiofur) |
| | Other terrestrial mammals, liver | 2 ppm (as desfuroylceftiofur) |
| | Other terrestrial mammals, kidney | 6 ppm (as desfuroylceftiofur) |
| | Cattle, edible offal | 2 ppm (as desfuroylceftiofur) |
| | Pig, edible offal | 2 ppm (as desfuroylceftiofur) |
| Other terrestrial mammals, edible offal | | 2 ppm (as desfuroylceftiofur) |

| | | |
|--------------|---|-----------|
| CEFUROXIME | Cattle, muscle | 0.02 ppm |
| | Cattle, fat | 0.02 ppm |
| | Cattle, liver | 0.02 ppm |
| | Cattle, kidney | 0.02 ppm |
| | Cattle, edible offal | 0.08 ppm |
| | Milk | 0.02 ppm |
| ZERANOL | Pig, muscle | 0.002 ppm |
| | Other terrestrial mammals, muscle | 0.02 ppm |
| | Cattle, fat | 0.002 ppm |
| | Pig, fat | 0.002 ppm |
| | Other terrestrial mammals, fat | 0.02 ppm |
| | Pig, liver | 0.002 ppm |
| | Other terrestrial mammals, liver | 0.02 ppm |
| | Cattle, kidney | 0.02 ppm |
| | Pig, kidney | 0.002 ppm |
| | Other terrestrial mammals, kidney | 0.02 ppm |
| | Cattle, edible offal | 0.02 ppm |
| | Pig, edible offal | 0.002 ppm |
| | Other terrestrial mammals, edible offal | 0.02 ppm |
| | Milk | 0.002 ppm |
| | Chicken, muscle | 0.002 ppm |
| | Other poultry, muscle | 0.002 ppm |
| | Chicken, fat | 0.002 ppm |
| | Other poultry, fat | 0.002 ppm |
| | Chicken, liver | 0.002 ppm |
| | Other poultry, liver | 0.002 ppm |
| | Chicken, kidney | 0.002 ppm |
| | Other poultry, kidney | 0.002 ppm |
| | Chicken, edible offal | 0.002 ppm |
| | Other poultry, edible offal | 0.002 ppm |
| | Chicken, eggs | 0.002 ppm |
| | Other poultry, eggs | 0.002 ppm |
| | Salmoniformes | 0.002 ppm |
| | Anguilliformes | 0.002 ppm |
| | Perciformes | 0.002 ppm |
| | Other fish | 0.002 ppm |
| | Shelled molluscas | 0.002 ppm |
| | Crustaceans | 0.002 ppm |
| | Other aquatic animal | 0.002 ppm |
| | Honey | 0.002 ppm |
| SEMDURAMICIN | Chicken, muscle | 0.09 ppm |
| | Other poultry, muscle | 0.09 ppm |
| | Chicken, fat | 0.5 ppm |

| | | |
|----------|-------------------------------------|----------|
| | Other poultry, fat | 0.5 ppm |
| | Chicken, liver | 0.5 ppm |
| | Other poultry, liver | 0.5 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.5 ppm |
| | Chicken, edible offal | 0.03 ppm |
| | Other poultry, edible offal | 0.5 ppm |
| ZOXAMIDE | Potato | 0.06 ppm |
| | Tomato | 2 ppm |
| | Pimiento (sweet pepper) | 0.3 ppm |
| | Cucumber (including gherkin) | 1 ppm |
| | Pumpkin (including squash) | 1 ppm |
| | Oriental pickling melon (vegetable) | 1 ppm |
| | Water melon | 1 ppm |
| | Melons | 1 ppm |
| | <i>Makuwauri</i> melon | 1 ppm |
| | Other cucurbitaceous vegetables | 1 ppm |
| | Other vegetables | 0.06 ppm |
| | Grape | 3 ppm |
| | Other spices | 0.06 ppm |
| | Other herbs | 0.06 ppm |
| TERBACIL | Water melon | 0.4 ppm |
| | Japanese persimmon | 0.1 ppm |
| | Banana | 0.1 ppm |
| | Papaya | 0.1 ppm |
| | Avocado | 0.1 ppm |
| | Pineapple | 0.1 ppm |
| | Guava | 0.1 ppm |
| | Mango | 0.1 ppm |
| | Passion fruit | 0.1 ppm |
| | Other fruits | 0.1 ppm |
| | Other spices | 0.1 ppm |
| | Other herbs | 0.05 ppm |
| DIAZINON | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Beans, dry* | 0.4 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |
| | Peanuts, dry | 0.1 ppm |

| | |
|---|----------|
| Other legumes/pulses | 0.1 ppm |
| Yam | 0.4 ppm |
| Konjac | 0.4 ppm |
| Other potatoes | 0.4 ppm |
| Sugar beet | 0.1 ppm |
| Sugarcane | 0.1 ppm |
| Horseradish | 0.1 ppm |
| Watercress | 0.1 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.1 ppm |
| <i>Kyona</i> | 0.1 ppm |
| Qing-geng-cai | 0.1 ppm |
| Other cruciferous vegetables | 0.2 ppm |
| Salsify | 0.1 ppm |
| Artichoke | 0.1 ppm |
| Chicory | 0.1 ppm |
| Endive | 0.1 ppm |
| Other composite vegetables | 0.1 ppm |
| Onion | 0.05 ppm |
| Garlic | 0.1 ppm |
| <i>Nira</i> | 0.1 ppm |
| Asparagus | 0.1 ppm |
| Multiplying onion | 0.1 ppm |
| Other liliaceous vegetables | 0.1 ppm |
| Carrot | 0.5 ppm |
| Parsnip | 0.1 ppm |
| Celery | 0.1 ppm |
| <i>Mitsuba</i> | 0.1 ppm |
| Other umbelliferous vegetables | 0.1 ppm |
| Other solanceous vegetables | 0.1 ppm |
| Other cucurbitaceous vegetables | 0.1 ppm |
| Bamboo shoots | 0.1 ppm |
| Okra | 0.1 ppm |
| Ginger | 0.1 ppm |
| Peas, immature (with pods) | 0.1 ppm |
| Kidney beans, immature (with pods) | 0.2 ppm |
| Green soybeans | 0.1 ppm |
| Button mushroom | 0.1 ppm |
| <i>Shiitake</i> mushroom | 0.1 ppm |
| Other mushrooms | 0.1 ppm |
| Other vegetables | 0.2 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |

| | |
|---------------------------------|----------|
| Lemon | 0.5 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.7 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Quince | 0.3 ppm |
| Loquat | 0.3 ppm |
| Nectarine | 0.1 ppm |
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 1 ppm |
| Mume plum | 0.1 ppm |
| Raspberry | 0.2 ppm |
| Blackberry | 0.1 ppm |
| Blueberry | 0.1 ppm |
| Cranberry | 0.1 ppm |
| Huckleberry | 0.1 ppm |
| Other berries | 0.2 ppm |
| Banana | 0.1 ppm |
| Kiwifruit | 0.2 ppm |
| Papaya | 0.1 ppm |
| Avocado | 0.1 ppm |
| Pineapple | 0.1 ppm |
| Guava | 0.1 ppm |
| Mango | 0.1 ppm |
| Passion fruit | 0.1 ppm |
| Date | 0.1 ppm |
| Other fruits | 0.1 ppm |
| Sunflower seeds | 0.1 ppm |
| Sesame seeds | 0.1 ppm |
| Safflower seeds | 0.1 ppm |
| Cotton seeds | 0.1 ppm |
| Rapeseeds | 0.1 ppm |
| Other oil seeds | 0.1 ppm |
| Ginkgo nut | 0.1 ppm |
| Chestnut | 0.1 ppm |
| Pecan | 0.1 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.01 ppm |
| Other nuts | 0.1 ppm |
| Tea (except unfermented tea) | 0.1 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 0.5 ppm |

| | | |
|-----------|---|----------|
| | Other spices (except seeds, fruits, roots and rhizomes) | 0.2 ppm |
| | Other herbs | 0.2 ppm |
| | Cattle, muscle | 0.02 ppm |
| | Pig, muscle | 0.02 ppm |
| | Other terrestrial mammals, muscle | 0.02 ppm |
| | Cattle, fat | 2 ppm |
| | Pig, fat | 2 ppm |
| | Other terrestrial mammals, fat | 2 ppm |
| | Cattle, liver | 0.03 ppm |
| | Pig, liver | 0.03 ppm |
| | Other terrestrial mammals, liver | 0.03 ppm |
| | Cattle, kidney | 0.03 ppm |
| | Pig, kidney | 0.03 ppm |
| | Other terrestrial mammals, kidney | 0.03 ppm |
| | Cattle, edible offal | 0.7 ppm |
| | Pig, edible offal | 0.7 ppm |
| | Other terrestrial mammals, edible offal | 0.7 ppm |
| | Milk | 0.02 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.02 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| DI-ALLATE | Corn (maize) | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |

| | |
|--|----------|
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |

| | |
|---|----------|
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.1 ppm |
| Hop | 0.1 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| Cattle, muscle | 0.2 ppm |
| Pig, muscle | 0.2 ppm |
| Other terrestrial mammals, muscle | 0.2 ppm |
| Cattle, fat | 0.2 ppm |
| Pig, fat | 0.2 ppm |
| Other terrestrial mammals, fat | 0.2 ppm |
| Cattle, liver | 0.2 ppm |
| Pig, liver | 0.2 ppm |
| Other terrestrial mammals, liver | 0.2 ppm |
| Cattle, kidney | 0.2 ppm |
| Pig, kidney | 0.2 ppm |
| Other terrestrial mammals, kidney | 0.2 ppm |
| Cattle, edible offal | 0.2 ppm |
| Pig, edible offal | 0.2 ppm |
| Other terrestrial mammals, edible offal | 0.2 ppm |
| Milk | 0.2 ppm |

| | | |
|---------|---|----------|
| | Chicken, muscle | 0.2 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.2 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.2 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.2 ppm |
| | Other poultry, eggs | 0.2 ppm |
| TYLOSIN | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.2 ppm |
| | Other poultry, eggs | 0.2 ppm |
| | Salmoniformes | 0.1 ppm |
| | Anguilliformes | 0.1 ppm |
| | Perciformes | 0.1 ppm |

| | | |
|---|--|---------|
| | Other fish | 0.1 ppm |
| | Shelled molluscas | 0.1 ppm |
| | Crustaceans | 0.1 ppm |
| | Other aquatic animal | 0.1 ppm |
| DAZOMET, METAM and METHYL ISOTHIOCYANATE (as total) | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Potato | 0.5 ppm |
| | Taro | 0.5 ppm |
| | Sweet potato | 0.5 ppm |
| | Yam | 0.5 ppm |
| | Konjac | 0.5 ppm |
| | Other potatoes | 0.5 ppm |
| | Sugar beet | 0.1 ppm |
| | Japanese radish, roots (including radish) | 0.5 ppm |
| | Japanese radish, leaves (including radish) | 0.5 ppm |
| | Turnip, roots | 0.5 ppm |
| | Turnip, leaves | 0.5 ppm |
| | Horseradish | 0.5 ppm |
| | Watercress | 0.5 ppm |
| | Chinese cabbage | 0.5 ppm |
| | Cabbage | 0.5 ppm |
| | Brussels sprouts | 0.5 ppm |
| | Kale | 0.5 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.5 ppm |
| | <i>Kyona</i> | 0.5 ppm |
| | Qing-geng-cai | 0.5 ppm |
| | Cauliflower | 0.5 ppm |
| | Broccoli | 0.5 ppm |
| | Other cruciferous vegetables | 0.5 ppm |
| | Burdock | 0.5 ppm |
| | Salsify | 0.5 ppm |
| | Artichoke | 0.5 ppm |
| | Chicory | 0.5 ppm |
| | Endive | 0.5 ppm |
| | <i>Shungiku</i> | 0.5 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 0.5 ppm |
| | Other composite vegetables | 0.5 ppm |
| | Onion | 0.5 ppm |
| | Welsh (including leek) | 0.5 ppm |
| | Garlic | 0.5 ppm |
| | <i>Nira</i> | 0.5 ppm |
| | Asparagus | 0.5 ppm |
| | Multiplying onion | 0.5 ppm |

| | |
|-------------------------------------|---------|
| Other liliaceous vegetables | 0.5 ppm |
| Carrot | 0.5 ppm |
| Parsnip | 0.5 ppm |
| Parsley | 0.5 ppm |
| Celery | 0.5 ppm |
| <i>Mitsuba</i> | 0.5 ppm |
| Other umbelliferous vegetables | 0.5 ppm |
| Tomato | 0.5 ppm |
| Pimiento (sweet pepper) | 0.5 ppm |
| Egg plant | 0.5 ppm |
| Other solanceous vegetables | 0.5 ppm |
| Cucumber (including gherkin) | 0.5 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 0.5 ppm |
| Bamboo shoots | 0.5 ppm |
| Okra | 0.5 ppm |
| Ginger | 0.5 ppm |
| Peas, immature (with pods) | 0.5 ppm |
| Kidney beans, immature (with pods) | 0.5 ppm |
| Green soybeans | 0.5 ppm |
| Button mushroom | 0.5 ppm |
| <i>Shiitake</i> mushroom | 0.5 ppm |
| Other mushrooms | 0.5 ppm |
| Other vegetables | 0.5 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.1 ppm |
| Japanese pear | 0.1 ppm |
| Pear | 0.1 ppm |
| Quince | 0.1 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.1 ppm |
| Nectarine | 0.1 ppm |

| | | |
|--------------|-----------------------------------|---------|
| | Apricot | 0.1 ppm |
| | Japanese plum (including prune) | 0.1 ppm |
| | Mume plum | 0.1 ppm |
| | Cherry | 0.1 ppm |
| | Strawberry | 0.1 ppm |
| | Raspberry | 0.1 ppm |
| | Blackberry | 0.1 ppm |
| | Blueberry | 0.1 ppm |
| | Cranberry | 0.1 ppm |
| | Huckleberry | 0.1 ppm |
| | Other berries | 0.1 ppm |
| | Grape | 0.1 ppm |
| | Japanese persimmon | 0.1 ppm |
| | Banana | 0.1 ppm |
| | Kiwifruit | 0.1 ppm |
| | Papaya | 0.1 ppm |
| | Avocado | 0.1 ppm |
| | Pineapple | 0.1 ppm |
| | Guava | 0.1 ppm |
| | Mango | 0.1 ppm |
| | Passion fruit | 0.1 ppm |
| | Date | 0.1 ppm |
| | Other fruits | 0.1 ppm |
| | Sunflower seeds | 0.1 ppm |
| | Sesame seeds | 0.1 ppm |
| | Safflower seeds | 0.1 ppm |
| | Cotton seeds | 0.1 ppm |
| | Rapeseeds | 0.1 ppm |
| | Other oil seeds | 0.1 ppm |
| | Ginkgo nut | 0.1 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.1 ppm |
| | Walnut | 0.1 ppm |
| | Other nuts | 0.1 ppm |
| | Tea | 0.1 ppm |
| | Other spices | 0.5 ppm |
| | Other herbs | 0.5 ppm |
| DANOFLOXACIN | Other terrestrial mammals, muscle | 0.2 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.4 ppm |
| | Other terrestrial mammals, kidney | 0.4 ppm |
| | Cattle, edible offal | 0.4 ppm |

| | | |
|-------------|---|----------|
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.4 ppm |
| | Milk | 0.05 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Other poultry, liver | 0.4 ppm |
| | Other poultry, kidney | 0.4 ppm |
| | Chicken, edible offal | 0.4 ppm |
| | Other poultry, edible offal | 0.4 ppm |
| | Salmoniformes | 0.1 ppm |
| | Anguilliformes | 0.1 ppm |
| | Perciformes | 0.1 ppm |
| | Other fish | 0.1 ppm |
| | Shelled molluscas | 0.1 ppm |
| | Crustaceans | 0.1 ppm |
| | Other aquatic animal | 0.1 ppm |
| THIACLOPRID | Rice (brown rice) | 0.1 ppm |
| | Potato | 0.1 ppm |
| | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Tomato | 1 ppm |
| | Pimiento (sweet pepper) | 5 ppm |
| | Egg plant | 1 ppm |
| | Other solanaceous vegetables | 5 ppm |
| | Cucumber (including gherkin) | 1 ppm |
| | Pumpkin (including squash) | 1 ppm |
| | Oriental pickling melon (vegetable) | 1 ppm |
| | Water melon | 1 ppm |
| | Melons | 1 ppm |
| | <i>Makuwauri</i> melon | 1 ppm |
| | Other cucurbitaceous vegetables | 1 ppm |
| | Okra | 5 ppm |
| | Other vegetables | 1 ppm |
| | Apple | 2 ppm |
| | Japanese pear | 2 ppm |
| | Pear | 2 ppm |
| | Quince | 2 ppm |
| | Loquat | 1 ppm |
| | Peach | 1 ppm |
| | Nectarine | 2 ppm |

| | |
|---|----------|
| Apricot | 5 ppm |
| Japanese plum (including prune) | 5 ppm |
| Mume plum | 5 ppm |
| Cherry | 5 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 5 ppm |
| Grape | 5 ppm |
| Japanese persimmon | 2 ppm |
| Banana | 2 ppm |
| Kiwifruit | 1 ppm |
| Papaya | 2 ppm |
| Avocado | 2 ppm |
| Pineapple | 2 ppm |
| Guava | 2 ppm |
| Mango | 2 ppm |
| Passion fruit | 2 ppm |
| Date | 5 ppm |
| Other fruits | 5 ppm |
| Cotton seeds | 0.02 ppm |
| Tea | 30 ppm |
| Cacao beans | 0.02 ppm |
| Other spices | 5 ppm |
| Other herbs | 1 ppm |
| Cattle, muscle | 0.03 ppm |
| Pig, muscle | 0.02 ppm |
| Other terrestrial mammals, muscle | 0.03 ppm |
| Cattle, fat | 0.02 ppm |
| Pig, fat | 0.02 ppm |
| Other terrestrial mammals, fat | 0.02 ppm |
| Cattle, liver | 0.09 ppm |
| Pig, liver | 0.02 ppm |
| Other terrestrial mammals, liver | 0.09 ppm |
| Cattle, kidney | 0.04 ppm |
| Pig, kidney | 0.02 ppm |
| Other terrestrial mammals, kidney | 0.04 ppm |
| Cattle, edible offal | 0.04 ppm |
| Pig, edible offal | 0.02 ppm |
| Other terrestrial mammals, edible offal | 0.04 ppm |

| | | |
|---------------|---|----------|
| | Milk | 0.02 ppm |
| TIADINIL | Rice (brown rice) | 1 ppm |
| THIAZOPYR | Orange (including navel orange) | 0.05 ppm |
| | Grapefruit | 0.05 ppm |
| THIABENDAZOLE | Rice (brown rice) | 2 ppm |
| | Wheat | 0.5 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.08 ppm |
| | Beans, dry* | 0.08 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 10 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.1 ppm |
| | Japanese radish, roots (including radish) | 2 ppm |
| | Japanese radish, leaves (including radish) | 2 ppm |
| | Turnip, roots | 2 ppm |
| | Turnip, leaves | 2 ppm |
| | Horseradish | 2 ppm |
| | Watercress | 2 ppm |
| | Chinese cabbage | 2 ppm |
| | Cabbage | 2 ppm |
| | Brussels sprouts | 2 ppm |
| | Kale | 2 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 2 ppm |
| | <i>Kyona</i> | 2 ppm |
| | <i>Qing-geng-cai</i> | 2 ppm |
| | Cauliflower | 2 ppm |
| | Broccoli | 2 ppm |
| | Other cruciferous vegetables | 2 ppm |
| | Burdock | 2 ppm |
| | Salsify | 2 ppm |
| | Artichoke | 2 ppm |

| | |
|--|----------|
| Chicory | 0.05 ppm |
| Endive | 2 ppm |
| <i>Shungiku</i> | 2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 2 ppm |
| Other composite vegetables | 2 ppm |
| Onion | 2 ppm |
| Welsh (including leek) | 2 ppm |
| Garlic | 2 ppm |
| <i>Nira</i> | 2 ppm |
| Asparagus | 2 ppm |
| Multiplying onion | 2 ppm |
| Other liliaceous vegetables | 2 ppm |
| Carrot | 2 ppm |
| Parsnip | 2 ppm |
| Parsley | 2 ppm |
| Celery | 2 ppm |
| <i>Mitsuba</i> | 2 ppm |
| Other umbelliferous vegetables | 2 ppm |
| Tomato | 2 ppm |
| Pimiento (sweet pepper) | 2 ppm |
| Egg plant | 2 ppm |
| Other solanceous vegetables | 2 ppm |
| Cucumber (including gherkin) | 2 ppm |
| Pumpkin (including squash) | 2 ppm |
| Oriental pickling melon (vegetable) | 2 ppm |
| Water melon | 3 ppm |
| Melons | 3 ppm |
| <i>Makuwauri</i> melon | 3 ppm |
| Other cucurbitaceous vegetables | 2 ppm |
| Spinach | 2 ppm |
| Bamboo shoots | 2 ppm |
| Okra | 2 ppm |
| Ginger | 2 ppm |
| Peas, immature (with pods) | 2 ppm |
| Kidney beans, immature (with pods) | 2 ppm |
| Green soybeans | 2 ppm |
| Button mushroom | 60 ppm |
| <i>Shiitake</i> mushroom | 2 ppm |
| Other mushrooms | 2 ppm |
| Other vegetables | 2 ppm |
| <i>Unshu</i> orange,pulp | 10 ppm |
| Citrus <i>natsudaidai</i> , whole | 10 ppm |
| Lemon | 10 ppm |

| | |
|---------------------------------|--------|
| Orange (including navel orange) | 10 ppm |
| Grapefruit | 10 ppm |
| Lime | 10 ppm |
| Other citrus fruits | 10 ppm |
| Apple | 3 ppm |
| Japanese pear | 3 ppm |
| Pear | 3 ppm |
| Quince | 3 ppm |
| Loquat | 3 ppm |
| Peach | 3 ppm |
| Nectarine | 3 ppm |
| Apricot | 3 ppm |
| Japanese plum (including prune) | 3 ppm |
| Mume plum | 3 ppm |
| Cherry | 3 ppm |
| Strawberry | 3 ppm |
| Raspberry | 3 ppm |
| Blackberry | 3 ppm |
| Blueberry | 3 ppm |
| Cranberry | 3 ppm |
| Huckleberry | 3 ppm |
| Other berries | 3 ppm |
| Grape | 3 ppm |
| Japanese persimmon | 3 ppm |
| Banana | 3 ppm |
| Kiwifruit | 3 ppm |
| Papaya | 10 ppm |
| Avocado | 3 ppm |
| Pineapple | 3 ppm |
| Guava | 3 ppm |
| Mango | 3 ppm |
| Passion fruit | 3 ppm |
| Date | 3 ppm |
| Other fruits | 3 ppm |
| Sunflower seeds | 3 ppm |
| Sesame seeds | 3 ppm |
| Safflower seeds | 3 ppm |
| Cotton seeds | 3 ppm |
| Rapeseeds | 3 ppm |
| Other oil seeds | 3 ppm |
| Ginkgo nut | 3 ppm |
| Chestnut | 3 ppm |
| Pecan | 3 ppm |

| | |
|--|---|
| Almond | 3 ppm |
| Walnut | 3 ppm |
| Other nuts | 3 ppm |
| Tea | 0.1 ppm |
| Hop | 0.1 ppm |
| Other spices | 10 ppm |
| Other herbs | 2 ppm |
| Other terrestrial mammals, muscle (except sheep) | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Other terrestrial mammals, fat (except sheep) | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Other terrestrial mammals, liver (except sheep) | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Other terrestrial mammals, kidney (except sheep) | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Cattle, edible offal | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Pig, edible offal | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Other terrestrial mammals, edible offal | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Chicken, muscle | 0.05 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Other poultry, muscle | 0.05 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Chicken, fat | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Other poultry, fat | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Chicken, liver | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Other poultry, liver | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| Chicken, kidney | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |

| | | |
|----------|---|---|
| | Other poultry, kidney | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Chicken, edible offal | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Other poultry, edible offal | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Chicken, eggs | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Other poultry, eggs | 0.1 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Salmoniformes | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Anguilliformes | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Perciformes | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Other fish | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Shelled molluscs | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Crustaceans | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Other aquatic animal | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| | Honey | 0.02 ppm (as total of thiabendazole and 5-hydroxythiabendazole) |
| TIAMULIN | Pig, muscle | 0.04 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Pig, fat | 0.08 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Pig, liver | 0.04 ppm |
| | Other terrestrial mammals, liver | 0.5 ppm |
| | Pig, kidney | 0.04 ppm |
| | Other terrestrial mammals, kidney | 0.5 ppm |
| | Pig, edible offal | 0.04 ppm |
| | Other terrestrial mammals, edible offal | 0.5 ppm |

| | | |
|--------------|--|----------|
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.6 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 1 ppm |
| | Other poultry, eggs | 1 ppm |
| THIAMETHOXAM | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.02 ppm |
| | Beans, dry* | 0.5 ppm |
| | Peas | 0.5 ppm |
| | Broad beans | 0.5 ppm |
| | Peanuts, dry | 0.5 ppm |
| | Other legumes/pulses | 0.5 ppm |
| | Potato | 0.5 ppm |
| | Taro | 0.5 ppm |
| | Sweet potato | 0.5 ppm |
| | Yam | 0.5 ppm |
| | Konjac | 0.5 ppm |
| | Other potatoes | 0.5 ppm |
| | Sugar beet | 0.1 ppm |
| | Sugarcane | 0.02 ppm |
| | Japanese radish, roots (including radish) | 0.02 ppm |
| | Japanese radish, leaves (including radish) | 2 ppm |
| | Turnip, roots | 0.02 ppm |
| | Turnip, leaves | 2 ppm |
| | Horseradish | 0.02 ppm |
| | Watercress | 2 ppm |
| | Chinese cabbage | 1 ppm |
| | Cabbage | 1 ppm |
| | Brussels sprouts | 2 ppm |
| | Kale | 2 ppm |

| | |
|--|----------|
| <i>Komatsuna</i> (Japanese mustard spinach) | 2 ppm |
| <i>Kyona</i> | 2 ppm |
| <i>Qing-geng-cai</i> | 2 ppm |
| Cauliflower | 2 ppm |
| Broccoli | 2 ppm |
| Other cruciferous vegetables | 2 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 2 ppm |
| Chicory | 2 ppm |
| Endive | 2 ppm |
| <i>Shungiku</i> | 2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 2 ppm |
| Other composite vegetables | 2 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 2 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 2 ppm |
| Asparagus | 2 ppm |
| Multiplying onion | 2 ppm |
| Other liliaceous vegetables | 2 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 2 ppm |
| Celery | 2 ppm |
| <i>Mitsuba</i> | 2 ppm |
| Other umbelliferous vegetables | 2 ppm |
| Tomato | 0.5 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 0.5 ppm |
| Other solanceous vegetables | 1 ppm |
| Cucumber (including gherkin) | 0.5 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 0.5 ppm |
| Melons | 0.5 ppm |
| <i>Makuwauri</i> melon | 0.5 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 2 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 1 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.5 ppm |

| | |
|------------------------------------|----------|
| Kidney beans, immature (with pods) | 0.5 ppm |
| Green soybeans | 0.5 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 2 ppm |
| <i>Unshu</i> orange,pulp | 0.5 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.5 ppm |
| Lemon | 0.5 ppm |
| Orange (including navel orange) | 0.5 ppm |
| Grapefruit | 0.5 ppm |
| Lime | 0.5 ppm |
| Other citrus fruits | 0.5 ppm |
| Apple | 1 ppm |
| Japanese pear | 1 ppm |
| Pear | 1 ppm |
| Quince | 1 ppm |
| Loquat | 0.5 ppm |
| Peach | 0.5 ppm |
| Nectarine | 1 ppm |
| Apricot | 5 ppm |
| Japanese plum (including prune) | 5 ppm |
| Mume plum | 5 ppm |
| Cherry | 5 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 5 ppm |
| Grape | 5 ppm |
| Japanese persimmon | 1 ppm |
| Banana | 1 ppm |
| Kiwifruit | 0.5 ppm |
| Papaya | 1 ppm |
| Avocado | 1 ppm |
| Pineapple | 1 ppm |
| Guava | 1 ppm |
| Mango | 1 ppm |
| Passion fruit | 1 ppm |
| Date | 5 ppm |
| Other fruits | 5 ppm |

| | |
|---|----------|
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |
| Other nuts | 0.02 ppm |
| Tea | 20 ppm |
| Coffee beans | 0.04 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 0.06 ppm |
| Other spices | 5 ppm |
| Other herbs | 2 ppm |
| Cattle, muscle | 0.02 ppm |
| Pig, muscle | 0.02 ppm |
| Other terrestrial mammals, muscle | 0.02 ppm |
| Cattle, fat | 0.02 ppm |
| Pig, fat | 0.02 ppm |
| Other terrestrial mammals, fat | 0.02 ppm |
| Cattle, liver | 0.02 ppm |
| Pig, liver | 0.02 ppm |
| Other terrestrial mammals, liver | 0.02 ppm |
| Cattle, kidney | 0.02 ppm |
| Pig, kidney | 0.02 ppm |
| Other terrestrial mammals, kidney | 0.02 ppm |
| Cattle, edible offal | 0.02 ppm |
| Pig, edible offal | 0.02 ppm |
| Other terrestrial mammals, edible offal | 0.02 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.02 ppm |
| Other poultry, muscle | 0.02 ppm |
| Chicken, fat | 0.02 ppm |
| Other poultry, fat | 0.02 ppm |
| Chicken, liver | 0.02 ppm |
| Other poultry, liver | 0.02 ppm |
| Chicken, kidney | 0.02 ppm |
| Other poultry, kidney | 0.02 ppm |
| Chicken, edible offal | 0.02 ppm |

| | | |
|------------------------------------|--|----------|
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| THIAMPHENICOL | Cattle, muscle | 0.02 ppm |
| | Pig, muscle | 0.02 ppm |
| | Cattle, fat | 0.02 ppm |
| | Pig, fat | 0.02 ppm |
| | Cattle, liver | 0.02 ppm |
| | Pig, liver | 0.02 ppm |
| | Cattle, kidney | 0.02 ppm |
| | Pig, kidney | 0.02 ppm |
| | Cattle, edible offal | 0.02 ppm |
| | Pig, edible offal | 0.02 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Chicken, fat | 0.04 ppm |
| | Chicken, liver | 0.05 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Perciformes | 0.02 ppm |
| THIODICARB and METHOMYL (as total) | Rice (brown rice) | 0.5 ppm |
| | Wheat | 2 ppm |
| | Barley | 2 ppm |
| | Rye | 0.3 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.2 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.3 ppm |
| | Taro | 0.5 ppm |
| | Sweet potato | 0.5 ppm |
| | Yam | 0.5 ppm |
| | Konjac | 0.5 ppm |
| | Other potatoes | 0.5 ppm |
| | Sugar beet | 0.5 ppm |
| | Japanese radish, roots (including radish) | 0.5 ppm |
| | Japanese radish, leaves (including radish) | 2 ppm |
| | Turnip, roots | 0.5 ppm |

| | |
|--|---------|
| Turnip, leaves | 2 ppm |
| Horseradish | 0.5 ppm |
| Watercress | 2 ppm |
| Chinese cabbage | 2 ppm |
| Cabbage | 5 ppm |
| Brussels sprouts | 2 ppm |
| Kale | 5 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 2 ppm |
| <i>Kyona</i> | 2 ppm |
| Qing-geng-cai | 2 ppm |
| Cauliflower | 2 ppm |
| Broccoli | 2 ppm |
| Other cruciferous vegetables | 2 ppm |
| Burdock | 0.5 ppm |
| Salsify | 0.5 ppm |
| Artichoke | 2 ppm |
| Chicory | 2 ppm |
| Endive | 2 ppm |
| <i>Shungiku</i> | 2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 5 ppm |
| Other composite vegetables | 2 ppm |
| Onion | 0.2 ppm |
| Welsh (including leek) | 2 ppm |
| Garlic | 0.5 ppm |
| <i>Nira</i> | 2 ppm |
| Asparagus | 2 ppm |
| Multiplying onion | 2 ppm |
| Other liliaceous vegetables | 2 ppm |
| Carrot | 0.5 ppm |
| Parsnip | 0.5 ppm |
| Parsley | 2 ppm |
| Celery | 2 ppm |
| <i>Mitsuba</i> | 2 ppm |
| Other umbelliferous vegetables | 2 ppm |
| Tomato | 0.5 ppm |
| Pimiento (sweet pepper) | 0.7 ppm |
| Egg plant | 0.5 ppm |
| Other solanceous vegetables | 0.7 ppm |
| Cucumber (including gherkin) | 0.2 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 1 ppm |
| Melons | 0.3 ppm |

| | |
|------------------------------------|---------|
| <i>Makuwauri</i> melon | 0.2 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 5 ppm |
| Bamboo shoots | 0.5 ppm |
| Okra | 0.5 ppm |
| Ginger | 0.5 ppm |
| Peas, immature (with pods) | 5 ppm |
| Kidney beans, immature (with pods) | 1 ppm |
| Green soybeans | 0.5 ppm |
| Button mushroom | 0.5 ppm |
| <i>Shiitake</i> mushroom | 0.5 ppm |
| Other mushrooms | 0.5 ppm |
| Other vegetables | 5 ppm |
| <i>Unshu</i> orange,pulp | 1 ppm |
| Citrus <i>natsudaidai</i> , whole | 10 ppm |
| Lemon | 10 ppm |
| Orange (including navel orange) | 10 ppm |
| Grapefruit | 10 ppm |
| Lime | 10 ppm |
| Other citrus fruits | 10 ppm |
| Apple | 3 ppm |
| Japanese pear | 3 ppm |
| Pear | 3 ppm |
| Quince | 2 ppm |
| Loquat | 2 ppm |
| Peach | 2 ppm |
| Nectarine | 0.2 ppm |
| Apricot | 1 ppm |
| Japanese plum (including prune) | 1 ppm |
| Mume plum | 1 ppm |
| Cherry | 1 ppm |
| Strawberry | 1 ppm |
| Raspberry | 1 ppm |
| Blackberry | 1 ppm |
| Blueberry | 1 ppm |
| Cranberry | 1 ppm |
| Huckleberry | 1 ppm |
| Other berries | 1 ppm |
| Grape | 5 ppm |
| Japanese persimmon | 3 ppm |
| Banana | 3 ppm |
| Kiwifruit | 2 ppm |
| Papaya | 3 ppm |

| | |
|---|----------|
| Avocado | 3 ppm |
| Pineapple | 3 ppm |
| Guava | 3 ppm |
| Mango | 3 ppm |
| Passion fruit | 3 ppm |
| Date | 1 ppm |
| Other fruits | 1 ppm |
| Sunflower seeds | 1 ppm |
| Sesame seeds | 1 ppm |
| Safflower seeds | 1 ppm |
| Cotton seeds | 0.2 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 1 ppm |
| Ginkgo nut | 1 ppm |
| Chestnut | 1 ppm |
| Pecan | 1 ppm |
| Almond | 1 ppm |
| Walnut | 1 ppm |
| Other nuts | 1 ppm |
| Tea | 20 ppm |
| Coffee beans | 1 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 8 ppm |
| Other spices | 10 ppm |
| Other herbs | 5 ppm |
| Cattle, muscle | 0.02 ppm |
| Pig, muscle | 0.02 ppm |
| Other terrestrial mammals, muscle | 0.02 ppm |
| Cattle, fat | 0.02 ppm |
| Pig, fat | 0.02 ppm |
| Other terrestrial mammals, fat | 0.02 ppm |
| Cattle, liver | 0.02 ppm |
| Pig, liver | 0.02 ppm |
| Other terrestrial mammals, liver | 0.02 ppm |
| Cattle, kidney | 0.02 ppm |
| Pig, kidney | 0.02 ppm |
| Other terrestrial mammals, kidney | 0.02 ppm |
| Cattle, edible offal | 0.02 ppm |
| Pig, edible offal | 0.02 ppm |
| Other terrestrial mammals, edible offal | 0.02 ppm |
| Milk | 0.02 ppm |
| Chicken, muscle | 0.02 ppm |
| Other poultry, muscle | 0.02 ppm |

| | | |
|-------------|---|----------|
| | Chicken, fat | 0.02 ppm |
| | Other poultry, fat | 0.02 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.02 ppm |
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| TIOPRONIN | Cattle, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Milk | 0.02 ppm |
| THIOBENCARB | Other spices | 0.2 ppm |
| | Other herbs | 0.2 ppm |
| | Cattle, muscle | 0.2 ppm |
| | Pig, muscle | 0.2 ppm |
| | Other terrestrial mammals, muscle | 0.2 ppm |
| | Cattle, fat | 0.2 ppm |
| | Pig, fat | 0.2 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | Cattle, liver | 0.2 ppm |
| | Pig, liver | 0.2 ppm |
| | Other terrestrial mammals, liver | 0.2 ppm |
| | Cattle, kidney | 0.2 ppm |
| | Pig, kidney | 0.2 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.2 ppm |
| | Pig, edible offal | 0.2 ppm |
| | Other terrestrial mammals, edible offal | 0.2 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.2 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.2 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.2 ppm |

| | | |
|-------------|---|----------|
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.2 ppm |
| | Other poultry, eggs | 0.2 ppm |
| THIOMETON | Other spices | 0.1 ppm |
| | Other herbs | 0.1 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| THIDIAZURON | Cotton seeds | 0.5 ppm |
| | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.2 ppm |
| | Pig, fat | 0.2 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |

| | | |
|----------------|---|----------|
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.03 ppm |
| | Chicken, muscle | 0.2 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.2 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.2 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.1 ppm |
| | Other poultry, eggs | 0.1 ppm |
| THIFENSULFURON | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.1 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.1 ppm |
| | Sugar beet | 0.05 ppm |
| | Cotton seeds | 0.02 ppm |
| | Rapeseeds | 0.02 ppm |
| | Other oil seeds | 0.02 ppm |
| | Other spices | 0.1 ppm |
| | Cattle, muscle | 0.01 ppm |
| | Pig, muscle | 0.01 ppm |
| | Other terrestrial mammals, muscle | 0.01 ppm |
| | Cattle, fat | 0.01 ppm |
| | Pig, fat | 0.01 ppm |
| | Other terrestrial mammals, fat | 0.01 ppm |
| | Cattle, liver | 0.01 ppm |

| | | |
|-----------------------|--|----------|
| | Pig, liver | 0.01 ppm |
| | Other terrestrial mammals, liver | 0.01 ppm |
| | Cattle, kidney | 0.01 ppm |
| | Pig, kidney | 0.01 ppm |
| | Other terrestrial mammals, kidney | 0.01 ppm |
| | Cattle, edible offal | 0.01 ppm |
| | Pig, edible offal | 0.01 ppm |
| | Other terrestrial mammals, edible offal | 0.01 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| THIFENSULFURON-METHYL | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.1 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.1 ppm |
| | Sugar beet | 0.05 ppm |
| | Cotton seeds | 0.02 ppm |
| | Rapeseeds | 0.02 ppm |
| | Other oil seeds | 0.02 ppm |
| | Other spices | 0.1 ppm |
| TILMICOSIN | Other terrestrial mammals, muscle (except sheep) | 0.05 ppm |
| | Other terrestrial mammals, fat (except sheep) | 0.05 ppm |
| | Other terrestrial mammals, liver (except sheep) | 1 ppm |
| | Other terrestrial mammals, kidney (except sheep) | 1 ppm |

| | | |
|---------------|--|----------|
| | Cattle, edible offal | 1 ppm |
| | Pig, edible offal | 1 ppm |
| | Sheep, edible offal | 0.3 ppm |
| | Other terrestrial mammals, edible offal (except sheep) | 1 ppm |
| | Chicken, muscle | 0.08 ppm |
| | Other poultry, muscle | 0.08 ppm |
| | Chicken, fat | 0.08 ppm |
| | Other poultry, fat | 0.08 ppm |
| | Chicken, liver | 1 ppm |
| | Other poultry, liver | 1 ppm |
| | Chicken, kidney | 0.3 ppm |
| | Other poultry, kidney | 0.3 ppm |
| | Chicken, edible offal | 0.3 ppm |
| | Other poultry, edible offal | 0.3 ppm |
| | Salmoniformes | 0.05 ppm |
| | Anguilliformes | 0.05 ppm |
| | Perciformes | 0.05 ppm |
| | Other fish | 0.05 ppm |
| | Shelled molluscas | 0.05 ppm |
| | Crustaceans | 0.05 ppm |
| | Other aquatic animal | 0.05 ppm |
| DEXAMETHASONE | Cattle, muscle | 0.04 ppm |
| | Pig, muscle | 0.04 ppm |
| | Other terrestrial mammals, muscle | 0.04 ppm |
| | Cattle, fat | 0.02 ppm |
| | Pig, fat | 0.02 ppm |
| | Other terrestrial mammals, fat | 0.04 ppm |
| | Cattle, liver | 0.04 ppm |
| | Pig, liver | 0.04 ppm |
| | Other terrestrial mammals, liver | 0.04 ppm |
| | Cattle, kidney | 0.04 ppm |
| | Pig, kidney | 0.04 ppm |
| | Other terrestrial mammals, kidney | 0.04 ppm |
| | Cattle, edible offal | 0.02 ppm |
| | Pig, edible offal | 0.02 ppm |
| | Other terrestrial mammals, edible offal | 0.06 ppm |
| | Milk | 0.02 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |

| | | |
|-----------|--|--------------|
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | Not detected |
| | Other poultry, eggs | Not detected |
| | Salmoniformes | Not detected |
| | Anguilliformes | Not detected |
| | Perciformes | Not detected |
| | Other fish | Not detected |
| | Shelled molluscas | Not detected |
| | Crustaceans | Not detected |
| | Other aquatic animal | Not detected |
| | Honey | Not detected |
| TECNAZENE | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |

| | |
|--|----------|
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |

| | |
|------------------------------------|----------|
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |

| | |
|---|----------|
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.1 ppm |
| Hop | 0.1 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| Cattle, liver | 0.05 ppm |
| Pig, liver | 0.05 ppm |
| Other terrestrial mammals, liver | 0.05 ppm |
| Cattle, kidney | 0.05 ppm |
| Pig, kidney | 0.05 ppm |
| Other terrestrial mammals, kidney | 0.05 ppm |
| Cattle, edible offal | 0.05 ppm |
| Pig, edible offal | 0.05 ppm |
| Other terrestrial mammals, edible offal | 0.05 ppm |
| Milk | 0.05 ppm |
| Chicken, muscle | 0.05 ppm |
| Other poultry, muscle | 0.05 ppm |
| Chicken, fat | 0.05 ppm |
| Other poultry, fat | 0.05 ppm |
| Chicken, liver | 0.05 ppm |
| Other poultry, liver | 0.05 ppm |
| Chicken, kidney | 0.05 ppm |
| Other poultry, kidney | 0.05 ppm |
| Chicken, edible offal | 0.05 ppm |

| | | |
|-------------------|---|----------|
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| DECOQUINATE | Cattle, muscle | 1 ppm |
| | Other terrestrial mammals, muscle | 1 ppm |
| | Cattle, fat | 2 ppm |
| | Other terrestrial mammals, fat | 2 ppm |
| | Cattle, liver | 2 ppm |
| | Other terrestrial mammals, liver | 2 ppm |
| | Cattle, kidney | 2 ppm |
| | Other terrestrial mammals, kidney | 2 ppm |
| | Cattle, edible offal | 2 ppm |
| | Other terrestrial mammals, edible offal | 2 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Chicken, fat | 2 ppm |
| | Chicken, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| DESTOMYCIN A | Pig, muscle | 0.5 ppm |
| | Pig, fat | 0.5 ppm |
| | Pig, liver | 0.5 ppm |
| | Pig, kidney | 0.5 ppm |
| | Pig, edible offal | 0.5 ppm |
| DESMEDIPHAM | Other vegetables | 20 ppm |
| | Other spices | 20 ppm |
| | Other herbs | 20 ppm |
| TETRACHLORVINPHOS | Rice (brown rice) | 0.3 ppm |
| | Japanese radish, roots (including radish) | 0.3 ppm |
| | Japanese radish, leaves (including radish) | 0.3 ppm |
| | Turnip, roots | 0.3 ppm |
| | Turnip, leaves | 0.3 ppm |
| | Horseradish | 0.3 ppm |
| | Watercress | 0.3 ppm |
| | Chinese cabbage | 0.3 ppm |
| | Cabbage | 0.3 ppm |
| | Brussels sprouts | 0.3 ppm |
| | Kale | 0.3 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.3 ppm |
| | <i>Kyona</i> | 0.3 ppm |
| | Qing-geng-cai | 0.3 ppm |
| | Cauliflower | 0.3 ppm |
| | Broccoli | 0.3 ppm |
| | Other cruciferous vegetables | 0.3 ppm |

| | |
|--|---------|
| Burdock | 0.3 ppm |
| Salsify | 0.3 ppm |
| Artichoke | 0.3 ppm |
| Chicory | 0.3 ppm |
| Endive | 0.3 ppm |
| <i>Shungiku</i> | 0.3 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.3 ppm |
| Other composite vegetables | 0.3 ppm |
| Onion | 0.3 ppm |
| Welsh (including leek) | 0.3 ppm |
| Garlic | 0.3 ppm |
| <i>Nira</i> | 0.3 ppm |
| Asparagus | 0.3 ppm |
| Multiplying onion | 0.3 ppm |
| Other liliaceous vegetables | 0.3 ppm |
| Carrot | 0.3 ppm |
| Parsnip | 0.3 ppm |
| Parsley | 0.3 ppm |
| Celery | 0.3 ppm |
| <i>Mitsuba</i> | 0.3 ppm |
| Other umbelliferous vegetables | 0.3 ppm |
| Tomato | 0.3 ppm |
| Pimiento (sweet pepper) | 0.3 ppm |
| Egg plant | 0.3 ppm |
| Other solanaceous vegetables | 0.3 ppm |
| Cucumber (including gherkin) | 0.3 ppm |
| Pumpkin (including squash) | 0.3 ppm |
| Oriental pickling melon (vegetable) | 0.3 ppm |
| Other cucurbitaceous vegetables | 0.3 ppm |
| Spinach | 0.3 ppm |
| Bamboo shoots | 0.3 ppm |
| Okra | 0.3 ppm |
| Ginger | 0.3 ppm |
| Peas, immature (with pods) | 0.3 ppm |
| Kidney beans, immature (with pods) | 0.3 ppm |
| Green soybeans | 0.3 ppm |
| Button mushroom | 0.3 ppm |
| <i>Shiitake</i> mushroom | 0.3 ppm |
| Other mushrooms | 0.3 ppm |
| Other vegetables | 0.3 ppm |
| Apple | 10 ppm |
| Grape | 10 ppm |
| Other spices | 0.3 ppm |

| | | |
|---------------|---|------------------|
| | Other herbs | 0.3 ppm |
| | Cattle, muscle | 0.8 ppm |
| | Pig, muscle | 0.8 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 2 ppm |
| | Pig, fat | 2 ppm |
| | Other terrestrial mammals, fat | 0.5 ppm |
| | Cattle, liver | 0.8 ppm |
| | Pig, liver | 0.8 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.8 ppm |
| | Pig, kidney | 0.8 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.8 ppm |
| | Pig, edible offal | 0.8 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.3 ppm (in fat) |
| | Chicken, muscle | 0.8 ppm |
| | Other poultry, muscle | 0.8 ppm |
| | Chicken, fat | 0.8 ppm |
| | Other poultry, fat | 0.8 ppm |
| | Chicken, liver | 0.8 ppm |
| | Other poultry, liver | 0.8 ppm |
| | Chicken, kidney | 0.8 ppm |
| | Other poultry, kidney | 0.8 ppm |
| | Chicken, edible offal | 0.8 ppm |
| | Other poultry, edible offal | 0.8 ppm |
| | Chicken, eggs | 0.1 ppm |
| | Other poultry, eggs | 0.1 ppm |
| TETRACONAZOLE | Soybeans, dry | 0.05 ppm |
| | Pimiento (sweet pepper) | 1 ppm |
| | Egg plant | 1 ppm |
| | Other solanceous vegetables | 1 ppm |
| | Green soybeans | 0.05 ppm |
| | Other vegetables | 1 ppm |
| | Raspberry | 2 ppm |
| | Blackberry | 2 ppm |
| | Blueberry | 2 ppm |
| | Cranberry | 2 ppm |
| | Huckleberry | 2 ppm |
| | Other berries | 2 ppm |
| | Date | 2 ppm |
| | Other fruits | 2 ppm |

| | | |
|------------|---|------------|
| | Other spices | 2 ppm |
| | Other herbs | 1 ppm |
| | Cattle, muscle | 0.0003 ppm |
| | Pig, muscle | 0.0003 ppm |
| | Other terrestrial mammals, muscle | 0.0003 ppm |
| | Cattle, fat | 0.0003 ppm |
| | Pig, fat | 0.0003 ppm |
| | Other terrestrial mammals, fat | 0.0003 ppm |
| | Cattle, liver | 0.0003 ppm |
| | Pig, liver | 0.0003 ppm |
| | Other terrestrial mammals, liver | 0.0003 ppm |
| | Cattle, kidney | 0.0003 ppm |
| | Pig, kidney | 0.0003 ppm |
| | Other terrestrial mammals, kidney | 0.0003 ppm |
| | Cattle, edible offal | 0.0003 ppm |
| | Pig, edible offal | 0.0003 ppm |
| | Other terrestrial mammals, edible offal | 0.0003 ppm |
| | Milk | 0.0003 ppm |
| | Chicken, muscle | 0.0003 ppm |
| | Other poultry, muscle | 0.0003 ppm |
| | Chicken, fat | 0.004 ppm |
| | Other poultry, fat | 0.004 ppm |
| | Chicken, liver | 0.03 ppm |
| | Other poultry, liver | 0.03 ppm |
| | Chicken, kidney | 0.002 ppm |
| | Other poultry, kidney | 0.002 ppm |
| | Chicken, edible offal | 0.002 ppm |
| | Other poultry, edible offal | 0.002 ppm |
| | Chicken, eggs | 0.03 ppm |
| | Other poultry, eggs | 0.03 ppm |
| | Salmoniformes | 0.0003 ppm |
| | Anguilliformes | 0.0003 ppm |
| | Perciformes | 0.0003 ppm |
| | Other fish | 0.0003 ppm |
| | Shelled molluscas | 0.0003 ppm |
| | Crustaceans | 0.0003 ppm |
| | Other aquatic animal | 0.0003 ppm |
| | Honey | 0.0003 ppm |
| TETRADIFON | Corn (maize) | 5 ppm |
| | Soybeans, dry | 5 ppm |
| | Beans, dry* | 5 ppm |
| | Peas | 5 ppm |
| | Broad beans | 5 ppm |

| | |
|--|-------|
| Other legumes/pulses | 5 ppm |
| Potato | 5 ppm |
| Taro | 5 ppm |
| Sweet potato | 5 ppm |
| Yam | 5 ppm |
| Konjac | 5 ppm |
| Other potatoes | 5 ppm |
| Sugar beet | 5 ppm |
| Japanese radish, roots (including radish) | 1 ppm |
| Japanese radish, leaves (including radish) | 1 ppm |
| Turnip, roots | 1 ppm |
| Turnip, leaves | 1 ppm |
| Horseradish | 1 ppm |
| Watercress | 1 ppm |
| Chinese cabbage | 1 ppm |
| Cabbage | 1 ppm |
| Brussels sprouts | 1 ppm |
| Kale | 1 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 1 ppm |
| <i>Kyona</i> | 1 ppm |
| Qing-geng-cai | 1 ppm |
| Cauliflower | 1 ppm |
| Broccoli | 1 ppm |
| Other cruciferous vegetables | 1 ppm |
| Burdock | 1 ppm |
| Salsify | 1 ppm |
| Artichoke | 1 ppm |
| Chicory | 1 ppm |
| Endive | 1 ppm |
| <i>Shungiku</i> | 1 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 1 ppm |
| Other composite vegetables | 1 ppm |
| Onion | 1 ppm |
| Welsh (including leek) | 1 ppm |
| Garlic | 1 ppm |
| <i>Nira</i> | 1 ppm |
| Asparagus | 1 ppm |
| Multiplying onion | 1 ppm |
| Other liliaceous vegetables | 1 ppm |
| Carrot | 1 ppm |
| Parsnip | 1 ppm |
| Parsley | 1 ppm |
| Celery | 1 ppm |

| | |
|-------------------------------------|-------|
| <i>Mitsuba</i> | 1 ppm |
| Other umbelliferous vegetables | 1 ppm |
| Tomato | 1 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 1 ppm |
| Other solanaceous vegetables | 1 ppm |
| Cucumber (including gherkin) | 1 ppm |
| Pumpkin (including squash) | 1 ppm |
| Oriental pickling melon (vegetable) | 1 ppm |
| Water melon | 1 ppm |
| Melons | 1 ppm |
| <i>Makuwauri</i> melon | 1 ppm |
| Other cucurbitaceous vegetables | 1 ppm |
| Spinach | 1 ppm |
| Bamboo shoots | 1 ppm |
| Okra | 1 ppm |
| Ginger | 1 ppm |
| Peas, immature (with pods) | 1 ppm |
| Kidney beans, immature (with pods) | 1 ppm |
| Green soybeans | 1 ppm |
| Button mushroom | 1 ppm |
| <i>Shiitake</i> mushroom | 1 ppm |
| Other mushrooms | 1 ppm |
| Other vegetables | 1 ppm |
| <i>Unshu</i> orange,pulp | 3 ppm |
| Citrus <i>natsudaidai</i> , whole | 3 ppm |
| Lemon | 3 ppm |
| Orange (including navel orange) | 3 ppm |
| Grapefruit | 3 ppm |
| Lime | 3 ppm |
| Other citrus fruits | 3 ppm |
| Apple | 1 ppm |
| Japanese pear | 1 ppm |
| Pear | 1 ppm |
| Quince | 1 ppm |
| Loquat | 1 ppm |
| Peach | 1 ppm |
| Nectarine | 1 ppm |
| Apricot | 1 ppm |
| Japanese plum (including prune) | 1 ppm |
| Mume plum | 1 ppm |
| Cherry | 1 ppm |
| Strawberry | 1 ppm |

| | | |
|--------------|---|---------|
| | Raspberry | 1 ppm |
| | Blackberry | 1 ppm |
| | Blueberry | 1 ppm |
| | Cranberry | 1 ppm |
| | Huckleberry | 1 ppm |
| | Other berries | 1 ppm |
| | Grape | 1 ppm |
| | Japanese persimmon | 1 ppm |
| | Banana | 1 ppm |
| | Kiwifruit | 1 ppm |
| | Papaya | 1 ppm |
| | Avocado | 1 ppm |
| | Pineapple | 5 ppm |
| | Guava | 1 ppm |
| | Mango | 1 ppm |
| | Passion fruit | 1 ppm |
| | Date | 1 ppm |
| | Other fruits | 1 ppm |
| | Sunflower seeds | 1 ppm |
| | Sesame seeds | 1 ppm |
| | Safflower seeds | 1 ppm |
| | Cotton seeds | 1 ppm |
| | Rapeseeds | 1 ppm |
| | Other oil seeds | 1 ppm |
| | Ginkgo nut | 1 ppm |
| | Chestnut | 1 ppm |
| | Pecan | 1 ppm |
| | Almond | 1 ppm |
| | Walnut | 1 ppm |
| | Other nuts | 1 ppm |
| | Tea | 1 ppm |
| | Hop | 60 ppm |
| | Other spices | 5 ppm |
| | Spearmint | 100 ppm |
| | Peppermint | 100 ppm |
| | Other herbs (except spearmint and peppermint) | 1 ppm |
| TEBUCONAZOLE | Soybeans, dry | 0.1 ppm |
| | Broad beans | 0.5 ppm |
| | Other legumes/pulses | 0.2 ppm |
| | Sugar beet | 0.5 ppm |
| | Sugarcane | 0.1 ppm |
| | Japanese radish, leaves (including radish) | 0.5 ppm |
| | Turnip, leaves | 0.5 ppm |

| | |
|--|----------|
| Watercress | 0.5 ppm |
| Brussels sprouts | 0.5 ppm |
| Kale | 0.5 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.5 ppm |
| <i>Kyona</i> | 0.5 ppm |
| Qing-geng-cai | 0.5 ppm |
| Cauliflower | 0.5 ppm |
| Broccoli | 0.5 ppm |
| Other cruciferous vegetables | 0.5 ppm |
| Artichoke | 0.5 ppm |
| Chicory | 0.5 ppm |
| Endive | 0.5 ppm |
| <i>Shungiku</i> | 0.5 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.5 ppm |
| Other composite vegetables | 0.5 ppm |
| Welsh (including leek) | 0.5 ppm |
| Garlic | 0.1 ppm |
| <i>Nira</i> | 0.5 ppm |
| Multiplying onion | 0.5 ppm |
| Other liliaceous vegetables | 0.5 ppm |
| Parsley | 0.5 ppm |
| Celery | 0.5 ppm |
| <i>Mitsuba</i> | 0.5 ppm |
| Other umbelliferous vegetables | 0.5 ppm |
| Cucumber (including gherkin) | 0.2 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Spinach | 0.5 ppm |
| Peas, immature (with pods) | 0.5 ppm |
| Kidney beans, immature (with pods) | 0.5 ppm |
| Green soybeans | 0.3 ppm |
| Other vegetables | 0.5 ppm |
| Japanese pear | 0.5 ppm |
| Pear | 0.5 ppm |
| Quince | 0.5 ppm |
| Loquat | 0.5 ppm |
| Japanese plum (including prune) | 0.5 ppm |
| Mume plum | 0.5 ppm |
| Grape | 2 ppm |
| Japanese persimmon | 1 ppm |
| Papaya | 1 ppm |
| Avocado | 1 ppm |
| Pineapple | 1 ppm |
| Guava | 1 ppm |

| | | |
|-------------|---|----------|
| | Mango | 1 ppm |
| | Passion fruit | 1 ppm |
| | Sunflower seeds | 0.2 ppm |
| | Cotton seeds | 1 ppm |
| | Rapeseeds | 0.05 ppm |
| | Tea | 30 ppm |
| | Hop | 30 ppm |
| | Other spices | 0.5 ppm |
| | Other herbs | 0.5 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.2 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.3 ppm |
| | Other terrestrial mammals, liver | 0.3 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.3 ppm |
| | Other terrestrial mammals, kidney | 0.3 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.3 ppm |
| | Other terrestrial mammals, edible offal | 0.3 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TEBUTHIURON | Rice (brown rice) | 0.02 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |

| | |
|--|----------|
| Other cereal grains | 0.02 ppm |
| Soybeans, dry | 0.02 ppm |
| Beans, dry* | 0.02 ppm |
| Peas | 0.02 ppm |
| Broad beans | 0.02 ppm |
| Peanuts, dry | 0.02 ppm |
| Other legumes/pulses | 0.02 ppm |
| Potato | 0.02 ppm |
| Taro | 0.02 ppm |
| Sweet potato | 0.02 ppm |
| Yam | 0.02 ppm |
| Konjac | 0.02 ppm |
| Other potatoes | 0.02 ppm |
| Sugar beet | 0.02 ppm |
| Sugarcane | 0.2 ppm |
| Japanese radish, roots (including radish) | 0.02 ppm |
| Japanese radish, leaves (including radish) | 0.02 ppm |
| Turnip, roots | 0.02 ppm |
| Turnip, leaves | 0.02 ppm |
| Horseradish | 0.02 ppm |
| Watercress | 0.02 ppm |
| Chinese cabbage | 0.02 ppm |
| Cabbage | 0.02 ppm |
| Brussels sprouts | 0.02 ppm |
| Kale | 0.02 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| <i>Kyona</i> | 0.02 ppm |
| Qing-geng-cai | 0.02 ppm |
| Cauliflower | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |

| | |
|-------------------------------------|----------|
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| <i>Unshu</i> orange,pulp | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |
| Lemon | 0.02 ppm |
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Apple | 0.02 ppm |
| Japanese pear | 0.02 ppm |
| Pear | 0.02 ppm |
| Quince | 0.02 ppm |
| Loquat | 0.02 ppm |

| | |
|---------------------------------|----------|
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |
| Other nuts | 0.02 ppm |
| Tea | 0.02 ppm |
| Coffee beans | 0.02 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 0.02 ppm |
| Other spices | 0.02 ppm |
| Other herbs | 0.02 ppm |

| | | |
|--------------|---|---------|
| | Cattle, muscle | 1 ppm |
| | Pig, muscle | 0.5 ppm |
| | Other terrestrial mammals, muscle | 1 ppm |
| | Cattle, fat | 2 ppm |
| | Pig, fat | 2 ppm |
| | Other terrestrial mammals, fat | 2 ppm |
| | Cattle, liver | 2 ppm |
| | Pig, liver | 2 ppm |
| | Other terrestrial mammals, liver | 2 ppm |
| | Cattle, kidney | 2 ppm |
| | Pig, kidney | 2 ppm |
| | Other terrestrial mammals, kidney | 2 ppm |
| | Cattle, edible offal | 2 ppm |
| | Pig, edible offal | 2 ppm |
| | Other terrestrial mammals, edible offal | 2 ppm |
| | Milk | 0.3 ppm |
| TEBUFENOZIDE | Barley | 5 ppm |
| | Rye | 5 ppm |
| | Corn (maize) | 5 ppm |
| | Buckwheat | 5 ppm |
| | Other cereal grains | 5 ppm |
| | Soybeans, dry | 0.5 ppm |
| | Potato | 0.1 ppm |
| | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Sugarcane | 1 ppm |
| | Japanese radish, leaves (including radish) | 10 ppm |
| | Turnip, roots | 9 ppm |
| | Turnip, leaves | 10 ppm |
| | Watercress | 10 ppm |
| | Chinese cabbage | 10 ppm |
| | Cabbage | 5 ppm |
| | Brussels sprouts | 5 ppm |
| | Kale | 10 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 10 ppm |
| | <i>Kyona</i> | 10 ppm |
| | Qing-geng-cai | 10 ppm |
| | Broccoli | 0.5 ppm |
| | Other cruciferous vegetables | 10 ppm |
| | Chicory | 10 ppm |

| | |
|--|----------|
| Endive | 10 ppm |
| <i>Shungiku</i> | 10 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 10 ppm |
| Other composite vegetables | 10 ppm |
| Parsley | 10 ppm |
| Celery | 2 ppm |
| Other umbelliferous vegetables | 2 ppm |
| Tomato | 1 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 1 ppm |
| Other solanaceous vegetables | 10 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Other cucurbitaceous vegetables | 10 ppm |
| Spinach | 10 ppm |
| Ginger | 0.02 ppm |
| Other vegetables | 20 ppm |
| <i>Unshu</i> orange,pulp | 2 ppm |
| Citrus <i>natsudaidai</i> , whole | 2 ppm |
| Lemon | 2 ppm |
| Orange (including navel orange) | 2 ppm |
| Grapefruit | 2 ppm |
| Lime | 2 ppm |
| Other citrus fruits | 2 ppm |
| Japanese pear | 1 ppm |
| Pear | 1 ppm |
| Quince | 1 ppm |
| Loquat | 1 ppm |
| Peach | 0.5 ppm |
| Nectarine | 0.5 ppm |
| Apricot | 1 ppm |
| Japanese plum (including prune) | 1 ppm |
| Mume plum | 1 ppm |
| Cherry | 1 ppm |
| Strawberry | 1 ppm |
| Raspberry | 2 ppm |
| Blackberry | 1 ppm |
| Blueberry | 3 ppm |
| Cranberry | 0.5 ppm |
| Huckleberry | 1 ppm |
| Other berries | 1 ppm |
| Japanese persimmon | 1 ppm |

| | |
|---|----------|
| Banana | 1 ppm |
| Kiwifruit | 0.5 ppm |
| Papaya | 1 ppm |
| Avocado | 1 ppm |
| Pineapple | 1 ppm |
| Guava | 1 ppm |
| Mango | 1 ppm |
| Passion fruit | 1 ppm |
| Date | 1 ppm |
| Other fruits | 1 ppm |
| Cotton seeds | 2 ppm |
| Rapeseeds | 2 ppm |
| Chestnut | 0.1 ppm |
| Pecan | 0.01 ppm |
| Almond | 0.05 ppm |
| Other nuts | 0.08 ppm |
| Coffee beans | 0.05 ppm |
| Other spices | 20 ppm |
| Other herbs | 20 ppm |
| Cattle, muscle | 0.02 ppm |
| Pig, muscle | 0.02 ppm |
| Other terrestrial mammals, muscle | 0.02 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| Cattle, liver | 0.02 ppm |
| Pig, liver | 0.02 ppm |
| Other terrestrial mammals, liver | 0.02 ppm |
| Cattle, kidney | 0.02 ppm |
| Pig, kidney | 0.02 ppm |
| Other terrestrial mammals, kidney | 0.02 ppm |
| Cattle, edible offal | 0.02 ppm |
| Pig, edible offal | 0.02 ppm |
| Other terrestrial mammals, edible offal | 0.02 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.02 ppm |
| Other poultry, muscle | 0.02 ppm |
| Chicken, fat | 0.02 ppm |
| Other poultry, fat | 0.02 ppm |
| Chicken, liver | 0.02 ppm |
| Other poultry, liver | 0.02 ppm |
| Chicken, kidney | 0.02 ppm |
| Other poultry, kidney | 0.02 ppm |

| | | |
|--------------|-------------------------------------|----------|
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| TEBUFENPYRAD | Beans, dry* | 0.2 ppm |
| | Peas | 0.2 ppm |
| | Broad beans | 0.2 ppm |
| | Peanuts, dry | 0.2 ppm |
| | Other legumes/pulses | 0.2 ppm |
| | Pimiento (sweet pepper) | 0.5 ppm |
| | Other solanaceous vegetables | 0.5 ppm |
| | Oriental pickling melon (vegetable) | 0.5 ppm |
| | Other cucurbitaceous vegetables | 0.5 ppm |
| | Other vegetables | 0.5 ppm |
| | Nectarine | 0.5 ppm |
| | Apricot | 2 ppm |
| | Japanese plum (including prune) | 2 ppm |
| | Mume plum | 2 ppm |
| | Raspberry | 2 ppm |
| | Blackberry | 2 ppm |
| | Blueberry | 2 ppm |
| | Cranberry | 2 ppm |
| | Huckleberry | 2 ppm |
| | Other berries | 2 ppm |
| | Banana | 0.5 ppm |
| | Kiwifruit | 0.1 ppm |
| | Papaya | 0.5 ppm |
| | Avocado | 0.5 ppm |
| | Pineapple | 0.5 ppm |
| | Guava | 0.5 ppm |
| | Mango | 0.5 ppm |
| | Passion fruit | 0.5 ppm |
| | Date | 2 ppm |
| | Other spices | 1 ppm |
| | Other herbs | 0.5 ppm |
| TEPRALOXYDIM | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Peas | 0.2 ppm |

| | |
|--|----------|
| Broad beans | 0.2 ppm |
| Peanuts, dry | 0.2 ppm |
| Other legumes/pulses | 0.2 ppm |
| Potato | 0.2 ppm |
| Taro | 0.2 ppm |
| Sweet potato | 0.2 ppm |
| Konjac | 0.2 ppm |
| Other potatoes | 0.2 ppm |
| Sugarcane | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.2 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.2 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.2 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.2 ppm |
| Burdock | 0.2 ppm |
| Salsify | 0.2 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.2 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.5 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.5 ppm |
| Parsnip | 0.2 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Other umbelliferous vegetables | 0.2 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.2 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.2 ppm |
| Peas, immature (with pods) | 1 ppm |
| Kidney beans, immature (with pods) | 1 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 1 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |

| | |
|-----------------------------------|----------|
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.05 ppm |
| Coffee beans | 0.05 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 0.05 ppm |
| Other spices | 1 ppm |
| Other herbs | 1 ppm |
| Cattle, muscle | 0.2 ppm |
| Pig, muscle | 0.2 ppm |
| Other terrestrial mammals, muscle | 0.2 ppm |
| Cattle, fat | 0.2 ppm |
| Pig, fat | 0.2 ppm |
| Other terrestrial mammals, fat | 0.2 ppm |
| Cattle, liver | 0.2 ppm |
| Pig, liver | 0.2 ppm |
| Other terrestrial mammals, liver | 0.2 ppm |
| Cattle, kidney | 0.3 ppm |
| Pig, kidney | 0.3 ppm |

| | | |
|------------|---|----------|
| | Other terrestrial mammals, kidney | 0.3 ppm |
| | Cattle, edible offal | 0.2 ppm |
| | Pig, edible offal | 0.2 ppm |
| | Other terrestrial mammals, edible offal | 0.2 ppm |
| | Milk | 0.06 ppm |
| | Chicken, muscle | 0.2 ppm |
| | Other poultry, muscle | 0.2 ppm |
| | Chicken, fat | 0.3 ppm |
| | Other poultry, fat | 0.3 ppm |
| | Chicken, liver | 0.6 ppm |
| | Other poultry, liver | 0.6 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.2 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.2 ppm |
| | Other poultry, eggs | 0.2 ppm |
| TEFLUTHRIN | Beans, dry* | 0.1 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |
| | Other legumes/pulses | 0.1 ppm |
| | Potato | 0.1 ppm |
| | Taro | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Turnip, roots | 0.1 ppm |
| | Turnip, leaves | 0.5 ppm |
| | Horseradish | 0.1 ppm |
| | Watercress | 0.5 ppm |
| | Kale | 0.5 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.5 ppm |
| | <i>Kyona</i> | 0.5 ppm |
| | Qing-geng-cai | 0.5 ppm |
| | Cauliflower | 0.5 ppm |
| | Broccoli | 0.5 ppm |
| | Other cruciferous vegetables | 0.5 ppm |
| | Burdock | 0.1 ppm |
| | Salsify | 0.1 ppm |
| | Artichoke | 0.5 ppm |
| | Chicory | 0.5 ppm |
| | Endive | 0.5 ppm |
| | <i>Shungiku</i> | 0.5 ppm |

| | |
|--|-----------|
| Lettuce (including cos lettuce and leaf lettuce) | 0.5 ppm |
| Other composite vegetables | 0.5 ppm |
| Welsh (including leek) | 0.5 ppm |
| <i>Nira</i> | 0.5 ppm |
| Asparagus | 0.5 ppm |
| Multiplying onion | 0.5 ppm |
| Other liliaceous vegetables | 0.5 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Parsley | 0.5 ppm |
| Celery | 0.5 ppm |
| <i>Mitsuba</i> | 0.5 ppm |
| Other umbelliferous vegetables | 0.5 ppm |
| Spinach | 0.5 ppm |
| Bamboo shoots | 0.1 ppm |
| Ginger | 0.1 ppm |
| Other vegetables | 0.5 ppm |
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 0.1 ppm |
| Mume plum | 0.1 ppm |
| Cherry | 0.1 ppm |
| Raspberry | 0.1 ppm |
| Blackberry | 0.1 ppm |
| Blueberry | 0.1 ppm |
| Cranberry | 0.1 ppm |
| Huckleberry | 0.1 ppm |
| Other berries | 0.1 ppm |
| Grape | 0.1 ppm |
| Date | 0.1 ppm |
| Other fruits | 0.1 ppm |
| Tea | 0.2 ppm |
| Other spices | 0.5 ppm |
| Other herbs | 0.5 ppm |
| Cattle, muscle | 0.001 ppm |
| Pig, muscle | 0.001 ppm |
| Other terrestrial mammals, muscle | 0.001 ppm |
| Cattle, fat | 0.001 ppm |
| Pig, fat | 0.001 ppm |
| Other terrestrial mammals, fat | 0.001 ppm |
| Cattle, liver | 0.001 ppm |
| Pig, liver | 0.001 ppm |
| Other terrestrial mammals, liver | 0.001 ppm |
| Cattle, kidney | 0.001 ppm |

| | | |
|---------------|---|-----------|
| | Pig, kidney | 0.001 ppm |
| | Other terrestrial mammals, kidney | 0.001 ppm |
| | Cattle, edible offal | 0.001 ppm |
| | Pig, edible offal | 0.001 ppm |
| | Other terrestrial mammals, edible offal | 0.001 ppm |
| | Milk | 0.001 ppm |
| | Chicken, muscle | 0.001 ppm |
| | Other poultry, muscle | 0.001 ppm |
| | Chicken, fat | 0.001 ppm |
| | Other poultry, fat | 0.001 ppm |
| | Chicken, liver | 0.001 ppm |
| | Other poultry, liver | 0.001 ppm |
| | Chicken, kidney | 0.001 ppm |
| | Other poultry, kidney | 0.001 ppm |
| | Chicken, edible offal | 0.001 ppm |
| | Other poultry, edible offal | 0.001 ppm |
| | Chicken, eggs | 0.001 ppm |
| | Other poultry, eggs | 0.001 ppm |
| | Salmoniformes | 0.001 ppm |
| | Anguilliformes | 0.001 ppm |
| | Perciformes | 0.001 ppm |
| | Other fish | 0.001 ppm |
| | Shelled molluscas | 0.001 ppm |
| | Crustaceans | 0.001 ppm |
| | Other aquatic animal | 0.001 ppm |
| | Honey | 0.001 ppm |
| TEFLUBENZURON | Beans, dry* | 0.02 ppm |
| | Peas | 0.02 ppm |
| | Broad beans | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.02 ppm |
| | Taro | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Sugarcane | 0.02 ppm |
| | Turnip, roots | 0.1 ppm |
| | Turnip, leaves | 1 ppm |
| | Horseradish | 0.1 ppm |
| | Watercress | 1 ppm |
| | Kale | 1 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 1 ppm |
| | <i>Kyona</i> | 1 ppm |

| | |
|-------------------------------------|----------|
| Salsify | 0.1 ppm |
| Artichoke | 1 ppm |
| Chicory | 1 ppm |
| Endive | 1 ppm |
| <i>Shungiku</i> | 1 ppm |
| Other composite vegetables | 1 ppm |
| Onion | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 1 ppm |
| Multiplying onion | 1 ppm |
| Other liliaceous vegetables | 1 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Parsley | 1 ppm |
| Celery | 1 ppm |
| <i>Mitsuba</i> | 1 ppm |
| Other umbelliferous vegetables | 1 ppm |
| Other solanceous vegetables | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Spinach | 5 ppm |
| Bamboo shoots | 0.1 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.1 ppm |
| Peas, immature (with pods) | 5 ppm |
| Kidney beans, immature (with pods) | 1 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 1 ppm |
| Loquat | 1 ppm |
| Raspberry | 1 ppm |
| Blackberry | 1 ppm |
| Blueberry | 1 ppm |
| Cranberry | 1 ppm |
| Huckleberry | 1 ppm |
| Other berries | 1 ppm |
| Banana | 0.5 ppm |
| Kiwifruit | 0.1 ppm |
| Papaya | 0.5 ppm |
| Avocado | 0.5 ppm |
| Pineapple | 0.5 ppm |
| Guava | 0.5 ppm |

| | | |
|------------------|----------------------|----------|
| | Mango | 0.5 ppm |
| | Passion fruit | 0.5 ppm |
| | Date | 1 ppm |
| | Other fruits | 1 ppm |
| | Sunflower seeds | 0.02 ppm |
| | Sesame seeds | 0.02 ppm |
| | Safflower seeds | 0.02 ppm |
| | Cotton seeds | 0.02 ppm |
| | Rapeseeds | 0.02 ppm |
| | Other oil seeds | 0.02 ppm |
| | Ginkgo nut | 0.02 ppm |
| | Chestnut | 0.02 ppm |
| | Pecan | 0.02 ppm |
| | Almond | 0.02 ppm |
| | Walnut | 0.02 ppm |
| | Other nuts | 0.02 ppm |
| | Coffee beans | 0.02 ppm |
| | Cacao beans | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 1 ppm |
| | Other herbs | 1 ppm |
| | Salmoniformes | 0.5 ppm |
| DEMETON-S-METHYL | Rice (brown rice) | 0.4 ppm |
| | Wheat | 0.4 ppm |
| | Barley | 0.4 ppm |
| | Rye | 0.4 ppm |
| | Corn (maize) | 0.4 ppm |
| | Buckwheat | 0.4 ppm |
| | Other cereal grains | 0.4 ppm |
| | Soybeans, dry | 0.4 ppm |
| | Beans, dry* | 0.4 ppm |
| | Peas | 0.4 ppm |
| | Broad beans | 0.4 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.4 ppm |
| | Potato | 0.4 ppm |
| | Taro | 0.4 ppm |
| | Sweet potato | 0.4 ppm |
| | Yam | 0.4 ppm |
| | Konjac | 0.4 ppm |
| | Other potatoes | 0.4 ppm |
| | Sugar beet | 0.4 ppm |
| | Sugarcane | 0.05 ppm |

| | |
|--|----------|
| Japanese radish, roots (including radish) | 0.4 ppm |
| Japanese radish, leaves (including radish) | 0.4 ppm |
| Turnip, roots | 0.4 ppm |
| Turnip, leaves | 0.4 ppm |
| Horseradish | 0.4 ppm |
| Watercress | 0.4 ppm |
| Chinese cabbage | 0.4 ppm |
| Cabbage | 0.4 ppm |
| Brussels sprouts | 0.4 ppm |
| Kale | 0.4 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.4 ppm |
| <i>Kyona</i> | 0.4 ppm |
| Qing-geng-cai | 0.4 ppm |
| Cauliflower | 0.4 ppm |
| Broccoli | 0.4 ppm |
| Other cruciferous vegetables | 0.4 ppm |
| Burdock | 0.4 ppm |
| Salsify | 0.4 ppm |
| Artichoke | 0.4 ppm |
| Chicory | 0.4 ppm |
| Endive | 0.4 ppm |
| <i>Shungiku</i> | 0.4 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.4 ppm |
| Other composite vegetables | 0.4 ppm |
| Onion | 0.4 ppm |
| Welsh (including leek) | 0.4 ppm |
| Garlic | 0.4 ppm |
| <i>Nira</i> | 0.4 ppm |
| Asparagus | 0.4 ppm |
| Multiplying onion | 0.4 ppm |
| Other liliaceous vegetables | 0.4 ppm |
| Carrot | 0.4 ppm |
| Parsnip | 0.4 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.4 ppm |
| <i>Mitsuba</i> | 0.4 ppm |
| Other umbelliferous vegetables | 0.4 ppm |
| Tomato | 0.4 ppm |
| Pimiento (sweet pepper) | 0.4 ppm |
| Egg plant | 0.4 ppm |
| Other solanaceous vegetables | 0.4 ppm |
| Cucumber (including gherkin) | 0.4 ppm |
| Pumpkin (including squash) | 0.4 ppm |

| | |
|-------------------------------------|---------|
| Oriental pickling melon (vegetable) | 0.4 ppm |
| Water melon | 0.4 ppm |
| Melons | 0.4 ppm |
| <i>Makuwauri</i> melon | 0.4 ppm |
| Other cucurbitaceous vegetables | 0.4 ppm |
| Spinach | 0.4 ppm |
| Bamboo shoots | 0.4 ppm |
| Okra | 0.4 ppm |
| Ginger | 0.4 ppm |
| Peas, immature (with pods) | 0.4 ppm |
| Kidney beans, immature (with pods) | 0.4 ppm |
| Green soybeans | 0.4 ppm |
| Button mushroom | 0.4 ppm |
| <i>Shiitake</i> mushroom | 0.4 ppm |
| Other mushrooms | 0.4 ppm |
| Other vegetables | 0.4 ppm |
| <i>Unshu</i> orange,pulp | 0.4 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.4 ppm |
| Lemon | 0.4 ppm |
| Orange (including navel orange) | 0.4 ppm |
| Grapefruit | 0.4 ppm |
| Lime | 0.4 ppm |
| Other citrus fruits | 0.4 ppm |
| Apple | 0.4 ppm |
| Japanese pear | 0.4 ppm |
| Pear | 0.4 ppm |
| Quince | 0.4 ppm |
| Loquat | 0.4 ppm |
| Peach | 0.4 ppm |
| Nectarine | 0.4 ppm |
| Apricot | 0.4 ppm |
| Japanese plum (including prune) | 0.4 ppm |
| Mume plum | 0.4 ppm |
| Cherry | 0.4 ppm |
| Strawberry | 0.4 ppm |
| Raspberry | 0.4 ppm |
| Blackberry | 0.4 ppm |
| Blueberry | 0.4 ppm |
| Cranberry | 0.4 ppm |
| Huckleberry | 0.4 ppm |
| Other berries | 0.4 ppm |
| Grape | 0.4 ppm |
| Japanese persimmon | 0.4 ppm |

| | | |
|---|-----------------------------------|----------|
| | Banana | 0.4 ppm |
| | Kiwifruit | 0.4 ppm |
| | Papaya | 0.4 ppm |
| | Avocado | 0.4 ppm |
| | Pineapple | 0.4 ppm |
| | Guava | 0.4 ppm |
| | Mango | 0.4 ppm |
| | Passion fruit | 0.4 ppm |
| | Date | 0.4 ppm |
| | Other fruits | 0.4 ppm |
| | Sunflower seeds | 0.05 ppm |
| | Sesame seeds | 0.05 ppm |
| | Safflower seeds | 0.05 ppm |
| | Cotton seeds | 0.05 ppm |
| | Rapeseeds | 0.05 ppm |
| | Other oil seeds | 0.05 ppm |
| | Ginkgo nut | 0.4 ppm |
| | Chestnut | 0.4 ppm |
| | Pecan | 0.4 ppm |
| | Almond | 0.4 ppm |
| | Walnut | 0.4 ppm |
| | Other nuts | 0.4 ppm |
| | Tea | 0.05 ppm |
| | Coffee beans | 0.05 ppm |
| | Cacao beans | 0.05 ppm |
| | Hop | 0.05 ppm |
| | Other spices | 0.4 ppm |
| | Other herbs | 0.4 ppm |
| TEMEPHOS | Cattle, muscle | 2 ppm |
| | Other terrestrial mammals, muscle | 0.5 ppm |
| | Cattle, fat | 4 ppm |
| | Other terrestrial mammals, fat | 3 ppm |
| | Cattle, liver | 2 ppm |
| | Other terrestrial mammals, liver | 0.5 ppm |
| | Cattle, kidney | 2 ppm |
| | Other terrestrial mammals, kidney | 0.5 ppm |
| | Cattle, edible offal | 2 ppm |
| | Other terrestrial mammals, muscle | 0.5 ppm |
| DELTAMETHORIN and TRALOMETHORIN (as total) | Other spices | 1 ppm |
| | Other herbs | 0.5 ppm |
| | Cattle, muscle | 0.03 ppm |
| | Pig, muscle | 0.5 ppm |
| | Other terrestrial mammals, muscle | 0.03 ppm |

| | | |
|---------------|---|-----------|
| | Cattle, fat | 0.5 ppm |
| | Pig, fat | 0.5 ppm |
| | Other terrestrial mammals, fat | 0.5 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.03 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.03 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.08 ppm |
| | Pig, edible offal | 0.01 ppm |
| | Other terrestrial mammals, edible offal | 0.08 ppm |
| | Milk | 0.03 ppm |
| | Chicken, muscle | 0.03 ppm |
| | Other poultry, muscle | 0.04 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.02 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.02 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.03 ppm |
| | Other poultry, eggs | 0.03 ppm |
| | Salmoniformes | 0.03 ppm |
| | Anguilliformes | 0.01 ppm |
| | Perciformes | 0.01 ppm |
| | Other fish | 0.01 ppm |
| TERDECAMYCIN | Pig, muscle | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Chicken, muscle | 0.3 ppm |
| | Chicken, fat | 0.3 ppm |
| | Chicken, liver | 0.3 ppm |
| | Chicken, kidney | 0.3 ppm |
| | Chicken, edible offal | 0.3 ppm |
| TERBUTYLAZINE | Mineral waters | 0.007 ppm |
| TERBUTRYN | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |

| | | |
|----------|---|-----------|
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Sugarcane | 0.05 ppm |
| | Peas, immature (with pods) | 0.1 ppm |
| | Other vegetables | 0.1 ppm |
| | Other spices | 0.1 ppm |
| | Other herbs | 0.1 ppm |
| | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 3 ppm |
| | Pig, liver | 3 ppm |
| | Other terrestrial mammals, liver | 3 ppm |
| | Cattle, kidney | 3 ppm |
| | Pig, kidney | 3 ppm |
| | Other terrestrial mammals, kidney | 3 ppm |
| | Cattle, edible offal | 3 ppm |
| | Pig, edible offal | 3 ppm |
| | Other terrestrial mammals, edible offal | 3 ppm |
| | Milk | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TERBUFOS | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.005 ppm |
| | Peas | 0.005 ppm |
| | Broad beans | 0.005 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.005 ppm |

| | |
|--|-----------|
| Potato | 0.005 ppm |
| Taro | 0.005 ppm |
| Sweet potato | 0.005 ppm |
| Yam | 0.005 ppm |
| Konjac | 0.005 ppm |
| Other potatoes | 0.005 ppm |
| Sugarcane | 0.005 ppm |
| Japanese radish, roots (including radish) | 0.005 ppm |
| Japanese radish, leaves (including radish) | 0.005 ppm |
| Turnip, roots | 0.005 ppm |
| Turnip, leaves | 0.005 ppm |
| Horseradish | 0.005 ppm |
| Watercress | 0.005 ppm |
| Chinese cabbage | 0.005 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.005 ppm |
| Kale | 0.005 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.005 ppm |
| <i>Kyona</i> | 0.005 ppm |
| Qing-geng-cai | 0.005 ppm |
| Cauliflower | 0.005 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.005 ppm |
| Burdock | 0.005 ppm |
| Salsify | 0.005 ppm |
| Artichoke | 0.005 ppm |
| Chicory | 0.005 ppm |
| Endive | 0.005 ppm |
| <i>Shungiku</i> | 0.005 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.005 ppm |
| Other composite vegetables | 0.005 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.005 ppm |
| Garlic | 0.005 ppm |
| <i>Nira</i> | 0.005 ppm |
| Asparagus | 0.005 ppm |
| Multiplying onion | 0.005 ppm |
| Other liliaceous vegetables | 0.005 ppm |
| Carrot | 0.005 ppm |
| Parsnip | 0.005 ppm |
| Parsley | 0.005 ppm |
| Celery | 0.005 ppm |
| <i>Mitsuba</i> | 0.005 ppm |

| | |
|-------------------------------------|-----------|
| Other umbelliferous vegetables | 0.005 ppm |
| Tomato | 0.005 ppm |
| Pimiento (sweet pepper) | 0.005 ppm |
| Egg plant | 0.005 ppm |
| Other solanaceous vegetables | 0.005 ppm |
| Cucumber (including gherkin) | 0.005 ppm |
| Pumpkin (including squash) | 0.005 ppm |
| Oriental pickling melon (vegetable) | 0.005 ppm |
| Water melon | 0.005 ppm |
| Melons | 0.005 ppm |
| <i>Makuwauri</i> melon | 0.005 ppm |
| Other cucurbitaceous vegetables | 0.005 ppm |
| Spinach | 0.005 ppm |
| Bamboo shoots | 0.005 ppm |
| Okra | 0.005 ppm |
| Ginger | 0.005 ppm |
| Peas, immature (with pods) | 0.005 ppm |
| Kidney beans, immature (with pods) | 0.005 ppm |
| Green soybeans | 0.005 ppm |
| Button mushroom | 0.005 ppm |
| <i>Shiitake</i> mushroom | 0.005 ppm |
| Other mushrooms | 0.005 ppm |
| Other vegetables | 0.1 ppm |
| <i>Unshu</i> orange,pulp | 0.005 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.005 ppm |
| Lemon | 0.005 ppm |
| Orange (including navel orange) | 0.005 ppm |
| Grapefruit | 0.005 ppm |
| Lime | 0.005 ppm |
| Other citrus fruits | 0.005 ppm |
| Apple | 0.005 ppm |
| Japanese pear | 0.005 ppm |
| Pear | 0.005 ppm |
| Quince | 0.005 ppm |
| Loquat | 0.005 ppm |
| Peach | 0.005 ppm |
| Nectarine | 0.005 ppm |
| Apricot | 0.005 ppm |
| Japanese plum (including prune) | 0.005 ppm |
| Mume plum | 0.005 ppm |
| Cherry | 0.005 ppm |
| Strawberry | 0.005 ppm |
| Raspberry | 0.005 ppm |

| | |
|-----------------------|-----------|
| Blackberry | 0.005 ppm |
| Blueberry | 0.005 ppm |
| Cranberry | 0.005 ppm |
| Huckleberry | 0.005 ppm |
| Other berries | 0.005 ppm |
| Grape | 0.005 ppm |
| Japanese persimmon | 0.005 ppm |
| Kiwifruit | 0.005 ppm |
| Papaya | 0.005 ppm |
| Avocado | 0.005 ppm |
| Pineapple | 0.005 ppm |
| Guava | 0.005 ppm |
| Mango | 0.005 ppm |
| Passion fruit | 0.005 ppm |
| Date | 0.005 ppm |
| Other fruits | 0.005 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.005 ppm |
| Safflower seeds | 0.005 ppm |
| Cotton seeds | 0.005 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.005 ppm |
| Chestnut | 0.005 ppm |
| Pecan | 0.005 ppm |
| Almond | 0.005 ppm |
| Walnut | 0.005 ppm |
| Other nuts | 0.005 ppm |
| Tea | 0.005 ppm |
| Coffee beans | 0.05 ppm |
| Cacao beans | 0.01 ppm |
| Hop | 0.005 ppm |
| Other spices | 0.1 ppm |
| Other herbs | 0.1 ppm |
| Cattle, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Cattle, liver | 0.05 ppm |
| Cattle, kidney | 0.05 ppm |
| Cattle, edible offal | 0.05 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.05 ppm |
| Other poultry, muscle | 0.05 ppm |
| Chicken, fat | 0.05 ppm |

| | | |
|----------------------|---|----------|
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| COPPER TELEPHthalATE | Rice (brown rice) | 0.5 ppm |
| | Wheat | 0.5 ppm |
| | Barley | 0.5 ppm |
| | Rye | 0.5 ppm |
| | Corn (maize) | 0.5 ppm |
| | Buckwheat | 0.5 ppm |
| | Other cereal grains | 0.5 ppm |
| | Soybeans, dry | 0.5 ppm |
| | Beans, dry* | 0.5 ppm |
| | Peas | 0.5 ppm |
| | Broad beans | 0.5 ppm |
| | Peanuts, dry | 0.5 ppm |
| | Other legumes/pulses | 0.5 ppm |
| | Potato | 0.5 ppm |
| | Taro | 0.5 ppm |
| | Sweet potato | 0.5 ppm |
| | Yam | 0.5 ppm |
| | Konjac | 0.5 ppm |
| | Other potatoes | 0.5 ppm |
| | Sugar beet | 0.5 ppm |
| | Sugarcane | 0.5 ppm |
| | Japanese radish, roots (including radish) | 0.5 ppm |
| | Japanese radish, leaves (including radish) | 0.5 ppm |
| | Turnip, roots | 0.5 ppm |
| | Turnip, leaves | 0.5 ppm |
| | Horseradish | 0.5 ppm |
| | Watercress | 0.5 ppm |
| | Chinese cabbage | 0.5 ppm |
| | Cabbage | 0.5 ppm |
| | Brussels sprouts | 0.5 ppm |
| | Kale | 0.5 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.5 ppm |
| | <i>Kyona</i> | 0.5 ppm |
| | Qing-geng-cai | 0.5 ppm |

| | |
|--|---------|
| Cauliflower | 0.5 ppm |
| Broccoli | 0.5 ppm |
| Other cruciferous vegetables | 0.5 ppm |
| Burdock | 0.5 ppm |
| Salsify | 0.5 ppm |
| Artichoke | 0.5 ppm |
| Chicory | 0.5 ppm |
| Endive | 0.5 ppm |
| <i>Shungiku</i> | 0.5 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.5 ppm |
| Other composite vegetables | 0.5 ppm |
| Onion | 0.5 ppm |
| Welsh (including leek) | 0.5 ppm |
| Garlic | 0.5 ppm |
| <i>Nira</i> | 0.5 ppm |
| Asparagus | 0.5 ppm |
| Multiplying onion | 0.5 ppm |
| Other liliaceous vegetables | 0.5 ppm |
| Carrot | 0.5 ppm |
| Parsnip | 0.5 ppm |
| Parsley | 0.5 ppm |
| Celery | 0.5 ppm |
| <i>Mitsuba</i> | 0.5 ppm |
| Other umbelliferous vegetables | 0.5 ppm |
| Tomato | 0.5 ppm |
| Pimiento (sweet pepper) | 0.5 ppm |
| Egg plant | 0.5 ppm |
| Other solanaceous vegetables | 0.5 ppm |
| Cucumber (including gherkin) | 0.5 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 0.5 ppm |
| Bamboo shoots | 0.5 ppm |
| Okra | 0.5 ppm |
| Ginger | 0.5 ppm |
| Peas, immature (with pods) | 0.5 ppm |
| Kidney beans, immature (with pods) | 0.5 ppm |
| Green soybeans | 0.5 ppm |
| Button mushroom | 0.5 ppm |
| <i>Shiitake</i> mushroom | 0.5 ppm |
| Other mushrooms | 0.5 ppm |
| Other vegetables | 0.5 ppm |

| | | |
|-------------|--|----------|
| | Tea | 0.5 ppm |
| | Coffee beans | 0.5 ppm |
| | Cacao beans | 0.5 ppm |
| | Hop | 0.5 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 0.5 ppm |
| DOXYCYCLINE | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.05 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.05 ppm |
| | Cattle, liver | 0.3 ppm |
| | Pig, liver | 0.05 ppm |
| | Cattle, kidney | 0.6 ppm |
| | Pig, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.3 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.3 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.3 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.6 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.3 ppm |
| | Perciformes | 0.05 ppm |
| DODINE | Taro | 0.2 ppm |
| | Sweet potato | 0.2 ppm |
| | Yam | 0.2 ppm |
| | Konjac | 0.2 ppm |
| | Other potatoes | 0.2 ppm |
| | Sugar beet | 0.2 ppm |
| | Japanese radish, roots (including radish) | 0.2 ppm |
| | Japanese radish, leaves (including radish) | 0.2 ppm |
| | Turnip, roots | 0.2 ppm |
| | Turnip, leaves | 0.2 ppm |
| | Horseradish | 0.2 ppm |
| | Watercress | 0.2 ppm |
| | Chinese cabbage | 0.2 ppm |
| | Cabbage | 0.2 ppm |
| | Brussels sprouts | 0.2 ppm |
| | Kale | 0.2 ppm |

| | |
|--|---------|
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.2 ppm |
| <i>Kyona</i> | 0.2 ppm |
| <i>Qing-geng-cai</i> | 0.2 ppm |
| Cauliflower | 0.2 ppm |
| Other cruciferous vegetables | 0.2 ppm |
| Burdock | 0.2 ppm |
| Salsify | 0.2 ppm |
| Artichoke | 0.2 ppm |
| Chicory | 0.2 ppm |
| Endive | 0.2 ppm |
| <i>Shungiku</i> | 0.2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.2 ppm |
| Other composite vegetables | 1 ppm |
| Onion | 0.2 ppm |
| Welsh (including leek) | 0.2 ppm |
| Garlic | 0.2 ppm |
| <i>Nira</i> | 0.2 ppm |
| Asparagus | 0.2 ppm |
| Multiplying onion | 0.2 ppm |
| Other liliaceous vegetables | 0.2 ppm |
| Carrot | 0.2 ppm |
| Parsnip | 0.2 ppm |
| Celery | 0.2 ppm |
| <i>Mitsuba</i> | 0.2 ppm |
| Other umbelliferous vegetables | 0.2 ppm |
| Tomato | 0.2 ppm |
| Pimiento (sweet pepper) | 0.2 ppm |
| Egg plant | 0.2 ppm |
| Other solanceous vegetables | 0.2 ppm |
| Cucumber (including gherkin) | 0.2 ppm |
| Water melon | 0.2 ppm |
| Melons | 0.2 ppm |
| Spinach | 0.2 ppm |
| Ginger | 0.2 ppm |
| Kidney beans, immature (with pods) | 0.2 ppm |
| Green soybeans | 0.2 ppm |
| Button mushroom | 0.2 ppm |
| <i>Shiitake</i> mushroom | 0.2 ppm |
| Other mushrooms | 0.2 ppm |
| Other vegetables | 0.2 ppm |
| <i>Unshu</i> orange,pulp | 0.2 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.2 ppm |
| Lemon | 0.2 ppm |

| | | |
|------------|-----------------------------------|-----------|
| | Orange (including navel orange) | 0.2 ppm |
| | Grapefruit | 0.2 ppm |
| | Lime | 0.2 ppm |
| | Other citrus fruits | 0.2 ppm |
| | Apple | 5 ppm |
| | Japanese pear | 5 ppm |
| | Pear | 5 ppm |
| | Quince | 5 ppm |
| | Loquat | 5 ppm |
| | Peach | 5 ppm |
| | Nectarine | 5 ppm |
| | Apricot | 3 ppm |
| | Japanese plum (including prune) | 3 ppm |
| | Mume plum | 3 ppm |
| | Cherry | 3 ppm |
| | Strawberry | 3 ppm |
| | Raspberry | 0.2 ppm |
| | Blackberry | 0.2 ppm |
| | Blueberry | 0.2 ppm |
| | Cranberry | 0.2 ppm |
| | Huckleberry | 0.2 ppm |
| | Other berries | 0.2 ppm |
| | Grape | 0.2 ppm |
| | Japanese persimmon | 0.2 ppm |
| | Banana | 0.2 ppm |
| | Kiwifruit | 0.2 ppm |
| | Avocado | 0.2 ppm |
| | Pineapple | 0.2 ppm |
| | Guava | 0.2 ppm |
| | Mango | 0.2 ppm |
| | Passion fruit | 0.2 ppm |
| | Other fruits | 1 ppm |
| | Ginkgo nut | 0.2 ppm |
| | Chestnut | 0.2 ppm |
| | Pecan | 0.3 ppm |
| | Almond | 0.2 ppm |
| | Walnut | 0.3 ppm |
| | Other nuts | 0.2 ppm |
| | Other spices | 1 ppm |
| | Other herbs | 1 ppm |
| DORAMECTIN | Cattle, muscle | 0.01 ppm |
| | Pig, muscle | 0.005 ppm |
| | Other terrestrial mammals, muscle | 0.02 ppm |

| | | |
|-------------|---|-----------|
| | Cattle, fat | 0.15 ppm |
| | Pig, fat | 0.15 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.03 ppm |
| | Pig, kidney | 0.03 ppm |
| | Other terrestrial mammals, kidney | 0.04 ppm |
| | Cattle, edible offal | 0.03 ppm |
| | Pig, edible offal | 0.03 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.03 ppm |
| | Chicken, muscle | 0.005 ppm |
| | Other poultry, muscle | 0.005 ppm |
| | Chicken, fat | 0.005 ppm |
| | Other poultry, fat | 0.005 ppm |
| | Chicken, liver | 0.005 ppm |
| | Other poultry, liver | 0.005 ppm |
| | Chicken, kidney | 0.005 ppm |
| | Other poultry, kidney | 0.005 ppm |
| | Chicken, edible offal | 0.005 ppm |
| | Other poultry, edible offal | 0.005 ppm |
| | Chicken, eggs | 0.005 ppm |
| | Other poultry, eggs | 0.005 ppm |
| | Salmoniformes | 0.005 ppm |
| | Anguilliformes | 0.005 ppm |
| | Perciformes | 0.005 ppm |
| | Other fish | 0.005 ppm |
| | Shelled molluscas | 0.005 ppm |
| | Crustaceans | 0.005 ppm |
| | Other aquatic animal | 0.005 ppm |
| | Honey | 0.005 ppm |
| TRALKOXYDIM | Rice (brown rice) | 0.02 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| TRIADIMENOL | Rice (brown rice) | 0.5 ppm |
| | Wheat | 0.5 ppm |
| | Barley | 0.5 ppm |

| | |
|--|----------|
| Rye | 0.5 ppm |
| Corn (maize) | 0.1 ppm |
| Buckwheat | 0.1 ppm |
| Other cereal grains | 0.5 ppm |
| Soybeans, dry | 0.2 ppm |
| Beans, dry* | 0.1 ppm |
| Peas | 0.2 ppm |
| Broad beans | 0.1 ppm |
| Peanuts, dry | 0.2 ppm |
| Other legumes/pulses | 0.05 ppm |
| Potato | 0.1 ppm |
| Taro | 0.1 ppm |
| Sweet potato | 0.1 ppm |
| Yam | 0.1 ppm |
| Konjac | 0.1 ppm |
| Other potatoes | 0.1 ppm |
| Sugar beet | 0.1 ppm |
| Japanese radish, roots (including radish) | 0.1 ppm |
| Japanese radish, leaves (including radish) | 0.1 ppm |
| Turnip, roots | 0.1 ppm |
| Turnip, leaves | 0.1 ppm |
| Horseradish | 0.1 ppm |
| Watercress | 0.1 ppm |
| Chinese cabbage | 0.1 ppm |
| Cabbage | 1 ppm |
| Brussels sprouts | 1 ppm |
| Kale | 0.1 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.1 ppm |
| <i>Kyona</i> | 0.1 ppm |
| Qing-geng-cai | 0.1 ppm |
| Cauliflower | 1 ppm |
| Broccoli | 1 ppm |
| Other cruciferous vegetables | 1 ppm |
| Burdock | 0.1 ppm |
| Salsify | 0.1 ppm |
| Artichoke | 1 ppm |
| Chicory | 0.1 ppm |
| Endive | 0.1 ppm |
| <i>Shungiku</i> | 0.1 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.1 ppm |
| Other composite vegetables | 0.1 ppm |
| Onion | 0.5 ppm |
| Welsh (including leek) | 0.2 ppm |

| | |
|-------------------------------------|---------|
| Garlic | 0.1 ppm |
| <i>Nira</i> | 0.5 ppm |
| Asparagus | 0.1 ppm |
| Multiplying onion | 0.2 ppm |
| Other liliaceous vegetables | 1 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Parsley | 1 ppm |
| Celery | 0.1 ppm |
| <i>Mitsuba</i> | 0.1 ppm |
| Other umbelliferous vegetables | 0.2 ppm |
| Tomato | 0.5 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Egg plant | 0.5 ppm |
| Other solanaceous vegetables | 1 ppm |
| Pumpkin (including squash) | 2 ppm |
| Oriental pickling melon (vegetable) | 2 ppm |
| Water melon | 2 ppm |
| Other cucurbitaceous vegetables | 2 ppm |
| Spinach | 0.1 ppm |
| Bamboo shoots | 0.1 ppm |
| Okra | 0.2 ppm |
| Ginger | 0.1 ppm |
| Peas, immature (with pods) | 0.3 ppm |
| Kidney beans, immature (with pods) | 1 ppm |
| Green soybeans | 0.1 ppm |
| Button mushroom | 0.2 ppm |
| <i>Shiitake</i> mushroom | 0.2 ppm |
| Other mushrooms | 0.2 ppm |
| Other vegetables | 1 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.5 ppm |
| Japanese pear | 0.5 ppm |
| Pear | 0.5 ppm |
| Quince | 0.5 ppm |
| Loquat | 0.5 ppm |
| Peach | 0.1 ppm |

| | |
|-----------------------------------|----------|
| Nectarine | 2 ppm |
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 0.1 ppm |
| Mume plum | 0.1 ppm |
| Cherry | 0.1 ppm |
| Strawberry | 0.1 ppm |
| Raspberry | 0.5 ppm |
| Blackberry | 0.5 ppm |
| Blueberry | 0.5 ppm |
| Cranberry | 0.5 ppm |
| Huckleberry | 0.5 ppm |
| Other berries | 0.5 ppm |
| Japanese persimmon | 0.5 ppm |
| Banana | 0.2 ppm |
| Kiwifruit | 0.1 ppm |
| Avocado | 0.1 ppm |
| Pineapple | 3 ppm |
| Guava | 0.1 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.1 ppm |
| Date | 0.2 ppm |
| Other fruits | 0.2 ppm |
| Sunflower seeds | 0.2 ppm |
| Sesame seeds | 0.2 ppm |
| Safflower seeds | 0.2 ppm |
| Cotton seeds | 0.2 ppm |
| Rapeseeds | 0.2 ppm |
| Other oil seeds | 0.2 ppm |
| Ginkgo nut | 0.2 ppm |
| Chestnut | 0.2 ppm |
| Pecan | 0.2 ppm |
| Almond | 0.2 ppm |
| Walnut | 0.2 ppm |
| Other nuts | 0.2 ppm |
| Tea | 20 ppm |
| Coffee beans | 0.1 ppm |
| Hop | 5 ppm |
| Other spices | 1 ppm |
| Other herbs | 1 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.6 ppm |

| | | |
|-------------|---|----------|
| | Pig, fat | 0.6 ppm |
| | Other terrestrial mammals, fat | 0.6 ppm |
| | Cattle, liver | 0.4 ppm |
| | Pig, liver | 0.06 ppm |
| | Other terrestrial mammals, liver | 0.4 ppm |
| | Cattle, kidney | 0.4 ppm |
| | Pig, kidney | 0.06 ppm |
| | Other terrestrial mammals, kidney | 0.4 ppm |
| | Cattle, edible offal | 0.4 ppm |
| | Pig, edible offal | 0.06 ppm |
| | Other terrestrial mammals, edible offal | 0.4 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.07 ppm |
| | Other poultry, fat | 0.07 ppm |
| | Chicken, liver | 0.06 ppm |
| | Other poultry, liver | 0.06 ppm |
| | Chicken, kidney | 0.06 ppm |
| | Other poultry, kidney | 0.06 ppm |
| | Chicken, edible offal | 0.06 ppm |
| | Other poultry, edible offal | 0.06 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TRIADIMEFON | Rice (brown rice) | 0.3 ppm |
| | Wheat | 0.1 ppm |
| | Barley | 0.5 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.2 ppm |
| | Beans, dry* | 0.1 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |
| | Peanuts, dry | 0.2 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.1 ppm |
| | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |

| | |
|--|----------|
| Sugar beet | 0.3 ppm |
| Sugarcane | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.1 ppm |
| Japanese radish, leaves (including radish) | 0.1 ppm |
| Turnip, roots | 0.1 ppm |
| Turnip, leaves | 0.1 ppm |
| Horseradish | 0.1 ppm |
| Watercress | 0.1 ppm |
| Chinese cabbage | 0.1 ppm |
| Cabbage | 0.1 ppm |
| Brussels sprouts | 0.1 ppm |
| Kale | 0.1 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.1 ppm |
| <i>Kyona</i> | 0.1 ppm |
| Qing-geng-cai | 0.1 ppm |
| Cauliflower | 0.1 ppm |
| Broccoli | 0.1 ppm |
| Other cruciferous vegetables | 0.1 ppm |
| Burdock | 0.1 ppm |
| Salsify | 0.1 ppm |
| Artichoke | 1 ppm |
| Chicory | 0.1 ppm |
| Endive | 0.1 ppm |
| <i>Shungiku</i> | 0.1 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.1 ppm |
| Other composite vegetables | 0.1 ppm |
| Onion | 0.5 ppm |
| Welsh (including leek) | 0.1 ppm |
| Garlic | 0.1 ppm |
| <i>Nira</i> | 0.1 ppm |
| Asparagus | 0.1 ppm |
| Multiplying onion | 0.1 ppm |
| Other liliaceous vegetables | 1 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Parsley | 1 ppm |
| Celery | 0.1 ppm |
| <i>Mitsuba</i> | 0.1 ppm |
| Other umbelliferous vegetables | 0.1 ppm |
| Tomato | 0.3 ppm |
| Pimiento (sweet pepper) | 0.3 ppm |
| Egg plant | 0.05 ppm |
| Other solanaceous vegetables | 1 ppm |

| | |
|-------------------------------------|----------|
| Cucumber (including gherkin) | 0.1 ppm |
| Pumpkin (including squash) | 0.1 ppm |
| Oriental pickling melon (vegetable) | 1 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Other cucurbitaceous vegetables | 1 ppm |
| Spinach | 0.1 ppm |
| Bamboo shoots | 0.1 ppm |
| Okra | 0.2 ppm |
| Ginger | 0.1 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.2 ppm |
| Green soybeans | 0.1 ppm |
| Button mushroom | 0.2 ppm |
| <i>Shiitake</i> mushroom | 0.2 ppm |
| Other mushrooms | 0.2 ppm |
| Other vegetables | 1 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.5 ppm |
| Japanese pear | 0.5 ppm |
| Pear | 0.5 ppm |
| Quince | 0.5 ppm |
| Loquat | 0.5 ppm |
| Peach | 0.1 ppm |
| Nectarine | 2 ppm |
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 0.1 ppm |
| Mume plum | 0.1 ppm |
| Cherry | 0.1 ppm |
| Strawberry | 0.5 ppm |
| Raspberry | 1 ppm |
| Blackberry | 0.1 ppm |
| Blueberry | 0.1 ppm |
| Cranberry | 1 ppm |
| Huckleberry | 0.1 ppm |
| Other berries | 0.2 ppm |

| | |
|-----------------------------------|----------|
| Grape | 0.5 ppm |
| Japanese persimmon | 0.2 ppm |
| Banana | 0.5 ppm |
| Kiwifruit | 0.1 ppm |
| Papaya | 0.1 ppm |
| Avocado | 0.1 ppm |
| Pineapple | 3 ppm |
| Guava | 0.1 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.1 ppm |
| Date | 0.2 ppm |
| Other fruits | 0.2 ppm |
| Sunflower seeds | 0.2 ppm |
| Sesame seeds | 0.2 ppm |
| Safflower seeds | 0.2 ppm |
| Cotton seeds | 0.2 ppm |
| Rapeseeds | 0.2 ppm |
| Other oil seeds | 0.2 ppm |
| Ginkgo nut | 0.2 ppm |
| Chestnut | 0.2 ppm |
| Pecan | 0.2 ppm |
| Almond | 0.2 ppm |
| Walnut | 0.2 ppm |
| Other nuts | 0.2 ppm |
| Tea | 1 ppm |
| Coffee beans | 0.05 ppm |
| Hop | 10 ppm |
| Other spices | 1 ppm |
| Other herbs | 1 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.6 ppm |
| Pig, fat | 0.5 ppm |
| Other terrestrial mammals, fat | 0.6 ppm |
| Cattle, liver | 0.4 ppm |
| Pig, liver | 0.06 ppm |
| Other terrestrial mammals, liver | 0.4 ppm |
| Cattle, kidney | 0.4 ppm |
| Pig, kidney | 0.06 ppm |
| Other terrestrial mammals, kidney | 0.4 ppm |
| Cattle, edible offal | 0.4 ppm |
| Pig, edible offal | 0.06 ppm |

| | | |
|--------------|---|----------|
| | Other terrestrial mammals, edible offal | 0.4 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.07 ppm |
| | Other poultry, fat | 0.07 ppm |
| | Chicken, liver | 0.06 ppm |
| | Other poultry, liver | 0.06 ppm |
| | Chicken, kidney | 0.06 ppm |
| | Other poultry, kidney | 0.06 ppm |
| | Chicken, edible offal | 0.06 ppm |
| | Other poultry, edible offal | 0.06 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TRIASULFURON | Rice (brown rice) | 0.02 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Cattle, muscle | 0.08 ppm |
| | Pig, muscle | 0.08 ppm |
| | Other terrestrial mammals, muscle | 0.08 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.08 ppm |
| | Pig, liver | 0.08 ppm |
| | Other terrestrial mammals, liver | 0.08 ppm |
| | Cattle, kidney | 0.3 ppm |
| | Pig, kidney | 0.3 ppm |
| | Other terrestrial mammals, kidney | 0.3 ppm |
| | Cattle, edible offal | 0.08 ppm |
| | Pig, edible offal | 0.08 ppm |
| | Other terrestrial mammals, edible offal | 0.08 ppm |
| | Milk | 0.02 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TRIAZOPHOS | Peas | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.02 ppm |
| | Taro | 0.02 ppm |

| | |
|--|--------------|
| Sweet potato | 0.02 ppm |
| Yam | 0.02 ppm |
| Konjac | 0.02 ppm |
| Other potatoes | 0.02 ppm |
| Sugarcane | Not detected |
| Japanese radish, roots (including radish) | 0.02 ppm |
| Japanese radish, leaves (including radish) | 0.02 ppm |
| Turnip, roots | 0.02 ppm |
| Turnip, leaves | 0.02 ppm |
| Horseradish | 0.02 ppm |
| Watercress | 0.02 ppm |
| Chinese cabbage | 0.02 ppm |
| Brussels sprouts | 0.1 ppm |
| Kale | 0.02 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| <i>Kyona</i> | 0.02 ppm |
| Qing-geng-cai | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanaceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |

| | |
|-------------------------------------|--------------|
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.1 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.1 ppm |
| <i>Unshu</i> orange,pulp | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |
| Lemon | 0.02 ppm |
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | Not detected |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |

| | |
|---|--------------|
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |
| Tea | 0.05 ppm |
| Cacao beans | Not detected |
| Hop | 0.05 ppm |
| Other spices | 0.1 ppm |
| Other herbs | 0.1 ppm |
| Cattle, muscle | 0.01 ppm |
| Pig, muscle | 0.02 ppm |
| Other terrestrial mammals, muscle | 0.02 ppm |
| Cattle, fat | 0.01 ppm |
| Pig, fat | 0.02 ppm |
| Other terrestrial mammals, fat | 0.02 ppm |
| Cattle, liver | 0.02 ppm |
| Pig, liver | 0.02 ppm |
| Other terrestrial mammals, liver | 0.02 ppm |
| Cattle, kidney | 0.02 ppm |
| Pig, kidney | 0.02 ppm |
| Other terrestrial mammals, kidney | 0.02 ppm |
| Cattle, edible offal | 0.02 ppm |
| Pig, edible offal | 0.02 ppm |
| Other terrestrial mammals, edible offal | 0.02 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.02 ppm |
| Other poultry, muscle | 0.02 ppm |
| Chicken, fat | 0.02 ppm |
| Other poultry, fat | 0.02 ppm |
| Chicken, liver | 0.02 ppm |
| Other poultry, liver | 0.02 ppm |
| Chicken, kidney | 0.02 ppm |
| Other poultry, kidney | 0.02 ppm |
| Chicken, edible offal | 0.02 ppm |

| | | |
|------------|--|----------|
| | Other poultry, edible offal | 0.02 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| TRI-ALLATE | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.07 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Taro | 0.1 ppm |
| | Sweet potato | 0.1 ppm |
| | Yam | 0.1 ppm |
| | Konjac | 0.1 ppm |
| | Other potatoes | 0.1 ppm |
| | Sugar beet | 0.1 ppm |
| | Japanese radish, roots (including radish) | 0.1 ppm |
| | Japanese radish, leaves (including radish) | 0.1 ppm |
| | Turnip, roots | 0.1 ppm |
| | Turnip, leaves | 0.1 ppm |
| | Horseradish | 0.1 ppm |
| | Watercress | 0.1 ppm |
| | Chinese cabbage | 0.1 ppm |
| | Cabbage | 0.1 ppm |
| | Brussels sprouts | 0.1 ppm |
| | Kale | 0.1 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.1 ppm |
| | <i>Kyona</i> | 0.1 ppm |
| | Qing-geng-cai | 0.1 ppm |
| | Cauliflower | 0.1 ppm |
| | Other cruciferous vegetables | 0.1 ppm |
| | Burdock | 0.1 ppm |
| | Salsify | 0.1 ppm |
| | Artichoke | 0.1 ppm |
| | Chicory | 0.1 ppm |
| | Endive | 0.1 ppm |
| | <i>Shungiku</i> | 0.1 ppm |
| | Lettuce (including cos lettuce and leaf lettuce) | 0.1 ppm |

| | |
|------------------------------------|----------|
| Other composite vegetables | 0.1 ppm |
| Onion | 0.1 ppm |
| Welsh (including leek) | 0.1 ppm |
| Garlic | 0.1 ppm |
| <i>Nira</i> | 0.1 ppm |
| Asparagus | 0.1 ppm |
| Multiplying onion | 0.1 ppm |
| Other liliaceous vegetables | 0.1 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Celery | 0.1 ppm |
| <i>Mitsuba</i> | 0.1 ppm |
| Other umbelliferous vegetables | 0.1 ppm |
| Tomato | 0.1 ppm |
| Pimiento (sweet pepper) | 0.1 ppm |
| Egg plant | 0.1 ppm |
| Other solanceous vegetables | 0.1 ppm |
| Cucumber (including gherkin) | 0.1 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| Spinach | 0.1 ppm |
| Ginger | 0.1 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.08 ppm |
| Green soybeans | 0.08 ppm |
| Button mushroom | 0.1 ppm |
| <i>Shiitake</i> mushroom | 0.1 ppm |
| Other mushrooms | 0.1 ppm |
| Other vegetables | 0.07 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.1 ppm |
| Japanese pear | 0.1 ppm |
| Pear | 0.1 ppm |
| Quince | 0.1 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.1 ppm |
| Nectarine | 0.1 ppm |

| | |
|-----------------------------------|----------|
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 0.1 ppm |
| Mume plum | 0.1 ppm |
| Cherry | 0.1 ppm |
| Strawberry | 0.1 ppm |
| Raspberry | 0.1 ppm |
| Blackberry | 0.1 ppm |
| Blueberry | 0.1 ppm |
| Cranberry | 0.1 ppm |
| Huckleberry | 0.1 ppm |
| Other berries | 0.1 ppm |
| Grape | 0.1 ppm |
| Japanese persimmon | 0.1 ppm |
| Banana | 0.1 ppm |
| Kiwifruit | 0.1 ppm |
| Avocado | 0.1 ppm |
| Pineapple | 0.1 ppm |
| Guava | 0.1 ppm |
| Mango | 0.1 ppm |
| Passion fruit | 0.1 ppm |
| Other fruits | 0.1 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.1 ppm |
| Chestnut | 0.1 ppm |
| Pecan | 0.1 ppm |
| Almond | 0.1 ppm |
| Walnut | 0.1 ppm |
| Other nuts | 0.08 ppm |
| Other spices | 0.1 ppm |
| Other herbs | 0.1 ppm |
| Cattle, muscle | 0.1 ppm |
| Pig, muscle | 0.1 ppm |
| Other terrestrial mammals, muscle | 0.1 ppm |
| Cattle, fat | 0.2 ppm |
| Pig, fat | 0.2 ppm |
| Other terrestrial mammals, fat | 0.2 ppm |
| Cattle, liver | 0.1 ppm |
| Pig, liver | 0.1 ppm |

| | | |
|-----------------|--|---------|
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.2 ppm |
| | Pig, kidney | 0.2 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.2 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.2 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| TRICLABENDAZOLE | Pig, muscle | 0.5 ppm |
| | Other terrestrial mammals, muscle (except sheep) | 0.5 ppm |
| | Pig, fat | 1 ppm |
| | Other terrestrial mammals, fat (except sheep) | 1 ppm |
| | Pig, liver | 2 ppm |
| | Other terrestrial mammals, liver (except sheep) | 2 ppm |
| | Pig, kidney | 1 ppm |
| | Other terrestrial mammals, kidney (except sheep) | 1 ppm |
| | Cattle, edible offal | 0.3 ppm |
| | Pig, edible offal | 1 ppm |
| | Sheep, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal (except sheep) | 1 ppm |
| TRICHLAMIDE | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.1 ppm |
| | Peas | 0.1 ppm |
| | Broad beans | 0.1 ppm |

| | |
|-----------------------------------|---------|
| Peanuts, dry | 0.1 ppm |
| Other legumes/pulses | 0.1 ppm |
| Sugar beet | 0.1 ppm |
| Sugarcane | 0.1 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.1 ppm |
| Japanese pear | 0.1 ppm |
| Pear | 0.1 ppm |
| Quince | 0.1 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.1 ppm |
| Nectarine | 0.1 ppm |
| Apricot | 0.1 ppm |
| Japanese plum (including prune) | 0.1 ppm |
| Mume plum | 0.1 ppm |
| Cherry | 0.1 ppm |
| Strawberry | 0.1 ppm |
| Raspberry | 0.1 ppm |
| Blackberry | 0.1 ppm |
| Blueberry | 0.1 ppm |
| Cranberry | 0.1 ppm |
| Huckleberry | 0.1 ppm |
| Other berries | 0.1 ppm |
| Grape | 0.1 ppm |
| Japanese persimmon | 0.1 ppm |
| Banana | 0.1 ppm |
| Kiwifruit | 0.1 ppm |
| Papaya | 0.1 ppm |
| Avocado | 0.1 ppm |
| Pineapple | 0.1 ppm |
| Guava | 0.1 ppm |
| Mango | 0.1 ppm |
| Passion fruit | 0.1 ppm |
| Date | 0.1 ppm |

| | | |
|-----------|--|----------|
| | Other fruits | 0.1 ppm |
| | Sunflower seeds | 0.1 ppm |
| | Sesame seeds | 0.1 ppm |
| | Safflower seeds | 0.1 ppm |
| | Cotton seeds | 0.1 ppm |
| | Rapeseeds | 0.1 ppm |
| | Other oil seeds | 0.1 ppm |
| | Ginkgo nut | 0.1 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.1 ppm |
| | Walnut | 0.1 ppm |
| | Other nuts | 0.1 ppm |
| | Tea | 0.1 ppm |
| | Coffee beans | 0.1 ppm |
| | Cacao beans | 0.1 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 0.2 ppm |
| | Other herbs | 0.2 ppm |
| TRICLOPYR | Rice (brown rice) | 0.3 ppm |
| | Wheat | 0.03 ppm |
| | Barley | 0.03 ppm |
| | Rye | 0.03 ppm |
| | Corn (maize) | 0.03 ppm |
| | Buckwheat | 0.03 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.03 ppm |
| | Beans, dry* | 0.03 ppm |
| | Peas | 0.03 ppm |
| | Broad beans | 0.03 ppm |
| | Peanuts, dry | 0.03 ppm |
| | Other legumes/pulses | 0.03 ppm |
| | Potato | 0.03 ppm |
| | Taro | 0.03 ppm |
| | Sweet potato | 0.03 ppm |
| | Yam | 0.03 ppm |
| | Konjac | 0.03 ppm |
| | Other potatoes | 0.03 ppm |
| | Sugar beet | 0.03 ppm |
| | Sugarcane | 0.03 ppm |
| | Japanese radish, roots (including radish) | 0.03 ppm |
| | Japanese radish, leaves (including radish) | 0.03 ppm |
| | Turnip, roots | 0.03 ppm |

| | |
|--|----------|
| Turnip, leaves | 0.03 ppm |
| Horseradish | 0.03 ppm |
| Watercress | 0.03 ppm |
| Chinese cabbage | 0.03 ppm |
| Cabbage | 0.03 ppm |
| Brussels sprouts | 0.03 ppm |
| Kale | 0.03 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.03 ppm |
| <i>Kyona</i> | 0.03 ppm |
| Qing-geng-cai | 0.03 ppm |
| Cauliflower | 0.03 ppm |
| Broccoli | 0.03 ppm |
| Other cruciferous vegetables | 0.03 ppm |
| Burdock | 0.03 ppm |
| Salsify | 0.03 ppm |
| Artichoke | 0.03 ppm |
| Chicory | 0.03 ppm |
| Endive | 0.03 ppm |
| <i>Shungiku</i> | 0.03 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.03 ppm |
| Other composite vegetables | 0.03 ppm |
| Onion | 0.03 ppm |
| Welsh (including leek) | 0.03 ppm |
| Garlic | 0.03 ppm |
| <i>Nira</i> | 0.03 ppm |
| Asparagus | 0.03 ppm |
| Multiplying onion | 0.03 ppm |
| Other liliaceous vegetables | 0.03 ppm |
| Carrot | 0.03 ppm |
| Parsnip | 0.03 ppm |
| Parsley | 0.03 ppm |
| Celery | 0.03 ppm |
| <i>Mitsuba</i> | 0.03 ppm |
| Other umbelliferous vegetables | 0.03 ppm |
| Tomato | 0.03 ppm |
| Pimiento (sweet pepper) | 0.03 ppm |
| Egg plant | 0.03 ppm |
| Other solanceous vegetables | 0.03 ppm |
| Cucumber (including gherkin) | 0.03 ppm |
| Pumpkin (including squash) | 0.03 ppm |
| Oriental pickling melon (vegetable) | 0.03 ppm |
| Water melon | 0.03 ppm |
| Melons | 0.03 ppm |

| | |
|------------------------------------|----------|
| <i>Makuwauri</i> melon | 0.03 ppm |
| Other cucurbitaceous vegetables | 0.03 ppm |
| Spinach | 0.03 ppm |
| Bamboo shoots | 0.03 ppm |
| Okra | 0.03 ppm |
| Ginger | 0.03 ppm |
| Peas, immature (with pods) | 0.03 ppm |
| Kidney beans, immature (with pods) | 0.03 ppm |
| Green soybeans | 0.03 ppm |
| Button mushroom | 0.03 ppm |
| <i>Shiitake</i> mushroom | 0.03 ppm |
| Other mushrooms | 0.03 ppm |
| Other vegetables | 0.03 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 0.03 ppm |
| Japanese pear | 0.03 ppm |
| Pear | 0.03 ppm |
| Quince | 0.03 ppm |
| Loquat | 0.03 ppm |
| Peach | 0.03 ppm |
| Nectarine | 0.03 ppm |
| Apricot | 0.03 ppm |
| Japanese plum (including prune) | 0.03 ppm |
| Mume plum | 0.03 ppm |
| Cherry | 0.03 ppm |
| Strawberry | 0.03 ppm |
| Raspberry | 0.03 ppm |
| Blackberry | 0.03 ppm |
| Blueberry | 0.03 ppm |
| Cranberry | 0.03 ppm |
| Huckleberry | 0.03 ppm |
| Other berries | 0.03 ppm |
| Grape | 0.03 ppm |
| Japanese persimmon | 0.03 ppm |
| Banana | 0.03 ppm |
| Kiwifruit | 0.03 ppm |
| Papaya | 0.03 ppm |

| | |
|---|----------|
| Avocado | 0.03 ppm |
| Pineapple | 0.03 ppm |
| Guava | 0.03 ppm |
| Mango | 0.03 ppm |
| Passion fruit | 0.03 ppm |
| Date | 0.03 ppm |
| Other fruits | 0.03 ppm |
| Sunflower seeds | 0.03 ppm |
| Sesame seeds | 0.03 ppm |
| Safflower seeds | 0.03 ppm |
| Cotton seeds | 0.03 ppm |
| Rapeseeds | 0.03 ppm |
| Other oil seeds | 0.03 ppm |
| Ginkgo nut | 0.03 ppm |
| Chestnut | 0.03 ppm |
| Pecan | 0.03 ppm |
| Almond | 0.03 ppm |
| Walnut | 0.03 ppm |
| Other nuts | 0.03 ppm |
| Tea | 0.03 ppm |
| Coffee beans | 0.03 ppm |
| Cacao beans | 0.03 ppm |
| Hop | 0.03 ppm |
| Other spices | 0.1 ppm |
| Other herbs | 0.03 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.1 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.1 ppm |
| Cattle, liver | 2 ppm |
| Pig, liver | 0.5 ppm |
| Other terrestrial mammals, liver | 2 ppm |
| Cattle, kidney | 2 ppm |
| Pig, kidney | 0.5 ppm |
| Other terrestrial mammals, kidney | 2 ppm |
| Cattle, edible offal | 3 ppm |
| Pig, edible offal | 0.05 ppm |
| Other terrestrial mammals, edible offal | 3 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.1 ppm |
| Other poultry, muscle | 0.1 ppm |

| | | |
|-------------|---|----------|
| | Chicken, fat | 0.08 ppm |
| | Other poultry, fat | 0.08 ppm |
| | Chicken, liver | 0.08 ppm |
| | Other poultry, liver | 0.08 ppm |
| | Chicken, kidney | 0.08 ppm |
| | Other poultry, kidney | 0.08 ppm |
| | Chicken, edible offal | 0.08 ppm |
| | Other poultry, edible offal | 0.08 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| | Salmoniformes | 3 ppm |
| | Anguilliformes | 3 ppm |
| | Perciformes | 3 ppm |
| | Other fish | 3 ppm |
| | Shelled molluscas | 4 ppm |
| TRICHLORFON | Other spices | 0.5 ppm |
| | Other herbs | 0.5 ppm |
| | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.05 ppm |

| | | |
|--------------|---|-----------|
| | Chicken, eggs | 0.004 ppm |
| | Salmoniformes | 0.004 ppm |
| | Anguilliformes | 0.01 ppm |
| | Perciformes | 0.004 ppm |
| | Other fish | 0.01 ppm |
| | Shelled molluscas | 0.004 ppm |
| | Crustaceans | 0.004 ppm |
| | Other aquatic animal | 0.004 ppm |
| | Honey | 0.004 ppm |
| SODIUM TCA | Barley | 0.5 ppm |
| | Other cereal grains | 0.5 ppm |
| TRICYCLAZOLE | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.02 ppm |
| | Beans, dry* | 0.02 ppm |
| | Peas | 0.02 ppm |
| | Broad beans | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.02 ppm |
| | Potato | 0.02 ppm |
| | Taro | 0.02 ppm |
| | Sweet potato | 0.02 ppm |
| | Yam | 0.02 ppm |
| | Konjac | 0.02 ppm |
| | Other potatoes | 0.02 ppm |
| | Sugar beet | 0.02 ppm |
| | Sugarcane | 0.02 ppm |
| | Japanese radish, roots (including radish) | 0.02 ppm |
| | Japanese radish, leaves (including radish) | 0.02 ppm |
| | Turnip, roots | 0.02 ppm |
| | Turnip, leaves | 0.02 ppm |
| | Horseradish | 0.02 ppm |
| | Watercress | 0.02 ppm |
| | Chinese cabbage | 0.02 ppm |
| | Cabbage | 0.02 ppm |
| | Brussels sprouts | 0.02 ppm |
| | Kale | 0.02 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| | <i>Kyona</i> | 0.02 ppm |

| | |
|--|----------|
| Qing-geng-cai | 0.02 ppm |
| Cauliflower | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |

| | |
|-----------------------------------|----------|
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| <i>Unshu</i> orange,pulp | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |
| Lemon | 0.02 ppm |
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Apple | 0.02 ppm |
| Japanese pear | 0.02 ppm |
| Pear | 0.02 ppm |
| Quince | 0.02 ppm |
| Loquat | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |

| | | |
|---------------|---|----------|
| | Safflower seeds | 0.02 ppm |
| | Cotton seeds | 0.02 ppm |
| | Rapeseeds | 0.02 ppm |
| | Other oil seeds | 0.02 ppm |
| | Ginkgo nut | 0.02 ppm |
| | Chestnut | 0.02 ppm |
| | Pecan | 0.02 ppm |
| | Almond | 0.02 ppm |
| | Walnut | 0.02 ppm |
| | Other nuts | 0.02 ppm |
| | Tea | 0.02 ppm |
| | Coffee beans | 0.02 ppm |
| | Cacao beans | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 0.02 ppm |
| | Other herbs | 0.02 ppm |
| TRITICONAZOLE | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.04 ppm |
| | Barley | 0.04 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.03 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |

| | | |
|------------|---|----------|
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TRIDEMORPH | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.2 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.2 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.1 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |
| | Brussels sprouts | 0.05 ppm |
| | Kale | 0.05 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| | <i>Kyona</i> | 0.05 ppm |
| | Qing-geng-cai | 0.05 ppm |
| | Cauliflower | 0.05 ppm |
| | Broccoli | 0.05 ppm |

| | |
|--|----------|
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.08 ppm |
| Pumpkin (including squash) | 0.08 ppm |
| Oriental pickling melon (vegetable) | 0.08 ppm |
| Water melon | 0.08 ppm |
| Melons | 0.08 ppm |
| <i>Makuwauri</i> melon | 0.08 ppm |
| Other cucurbitaceous vegetables | 0.08 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |

| | |
|-----------------------------------|----------|
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.07 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.1 ppm |
| Sesame seeds | 0.1 ppm |
| Safflower seeds | 0.1 ppm |
| Cotton seeds | 0.1 ppm |
| Rapeseeds | 0.1 ppm |

| | | |
|------------------|---|----------|
| | Other oil seeds | 0.1 ppm |
| | Ginkgo nut | 0.1 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.1 ppm |
| | Walnut | 0.1 ppm |
| | Other nuts | 0.1 ppm |
| | Tea | 20 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 0.1 ppm |
| | Other herbs | 0.05 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TRINEXAPAC-ETHYL | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |

| | |
|--|----------|
| Buckwheat | 0.02 ppm |
| Other cereal grains | 0.02 ppm |
| Soybeans, dry | 0.02 ppm |
| Beans, dry* | 0.02 ppm |
| Peas | 0.02 ppm |
| Broad beans | 0.02 ppm |
| Peanuts, dry | 0.02 ppm |
| Other legumes/pulses | 0.02 ppm |
| Potato | 0.02 ppm |
| Taro | 0.02 ppm |
| Sweet potato | 0.02 ppm |
| Yam | 0.02 ppm |
| Konjac | 0.02 ppm |
| Other potatoes | 0.02 ppm |
| Sugar beet | 0.02 ppm |
| Sugarcane | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.02 ppm |
| Japanese radish, leaves (including radish) | 0.02 ppm |
| Turnip, roots | 0.02 ppm |
| Turnip, leaves | 0.02 ppm |
| Horseradish | 0.02 ppm |
| Watercress | 0.02 ppm |
| Chinese cabbage | 0.02 ppm |
| Cabbage | 0.02 ppm |
| Brussels sprouts | 0.02 ppm |
| Kale | 0.02 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| <i>Kyona</i> | 0.02 ppm |
| Qing-geng-cai | 0.02 ppm |
| Cauliflower | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |

| | |
|-------------------------------------|----------|
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanaceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| <i>Unshu</i> orange,pulp | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |
| Lemon | 0.02 ppm |
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Apple | 0.02 ppm |
| Japanese pear | 0.02 ppm |
| Pear | 0.02 ppm |
| Quince | 0.02 ppm |

| | |
|---------------------------------|----------|
| Loquat | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |
| Other nuts | 0.02 ppm |
| Tea | 0.02 ppm |
| Coffee beans | 0.02 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 0.02 ppm |
| Other spices | 0.02 ppm |

| | | |
|-----------------------|---|-----------|
| | Other herbs | 0.02 ppm |
| TRIBUPHOS | Cotton seeds | 4 ppm |
| | Cattle, muscle | 0.02 ppm |
| | Pig, muscle | 0.002 ppm |
| | Other terrestrial mammals, muscle | 0.02 ppm |
| | Cattle, fat | 0.02 ppm |
| | Pig, fat | 0.002 ppm |
| | Other terrestrial mammals, fat | 0.02 ppm |
| | Cattle, liver | 0.02 ppm |
| | Pig, liver | 0.002 ppm |
| | Other terrestrial mammals, liver | 0.02 ppm |
| | Cattle, kidney | 0.02 ppm |
| | Pig, kidney | 0.002 ppm |
| | Other terrestrial mammals, kidney | 0.02 ppm |
| | Cattle, edible offal | 0.02 ppm |
| | Pig, edible offal | 0.002 ppm |
| | Other terrestrial mammals, edible offal | 0.02 ppm |
| | Milk | 0.002 ppm |
| | Chicken, muscle | 0.002 ppm |
| | Other poultry, muscle | 0.002 ppm |
| | Chicken, fat | 0.002 ppm |
| | Other poultry, fat | 0.002 ppm |
| | Chicken, liver | 0.002 ppm |
| | Other poultry, liver | 0.002 ppm |
| | Chicken, kidney | 0.002 ppm |
| | Other poultry, kidney | 0.002 ppm |
| | Chicken, edible offal | 0.002 ppm |
| | Other poultry, edible offal | 0.002 ppm |
| | Chicken, eggs | 0.002 ppm |
| | Other poultry, eggs | 0.002 ppm |
| | Salmoniformes | 0.002 ppm |
| | Anguilliformes | 0.002 ppm |
| | Perciformes | 0.002 ppm |
| | Other fish | 0.002 ppm |
| | Shelled molluscas | 0.002 ppm |
| | Crustaceans | 0.002 ppm |
| | Other aquatic animal | 0.002 ppm |
| | Honey | 0.002 ppm |
| TRIFLUSULFURON-METHYL | Sugar beet | 0.05 ppm |
| | Other composite vegetables | 0.05 ppm |
| | Other vegetables | 0.05 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.05 ppm |

| | | |
|--------------|---|----------|
| TRIFLUMIZOLE | Rice (brown rice) | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.05 ppm |
| | Coffee beans | 0.05 ppm |
| | Cacao beans | 0.05 ppm |
| | Hop | 0.05 ppm |
| | Other spices | 2 ppm |
| | Other herbs | 5 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.5 ppm |
| | Pig, fat | 0.5 ppm |
| | Other terrestrial mammals, fat | 0.5 ppm |
| | Cattle, liver | 0.5 ppm |
| | Pig, liver | 0.5 ppm |
| | Other terrestrial mammals, liver | 0.5 ppm |
| | Cattle, kidney | 0.5 ppm |
| | Pig, kidney | 0.5 ppm |
| | Other terrestrial mammals, kidney | 0.5 ppm |
| | Cattle, edible offal | 0.5 ppm |
| | Pig, edible offal | 0.5 ppm |
| | Other terrestrial mammals, edible offal | 0.5 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |

| | | |
|-------------|---|----------|
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TRIFLUMURON | Rice (brown rice) | 0.05 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.05 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.05 ppm |
| | Soybeans, dry | 0.02 ppm |
| | Beans, dry* | 0.02 ppm |
| | Peas | 0.02 ppm |
| | Broad beans | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.02 ppm |
| | Potato | 0.02 ppm |
| | Taro | 0.02 ppm |
| | Sweet potato | 0.02 ppm |
| | Yam | 0.02 ppm |
| | Konjac | 0.02 ppm |
| | Other potatoes | 0.02 ppm |
| | Sugar beet | 0.02 ppm |
| | Sugarcane | 0.02 ppm |
| | Japanese radish, roots (including radish) | 0.02 ppm |
| | Japanese radish, leaves (including radish) | 0.02 ppm |
| | Turnip, roots | 0.02 ppm |
| | Turnip, leaves | 0.02 ppm |
| | Horseradish | 0.02 ppm |
| | Watercress | 0.02 ppm |
| | Chinese cabbage | 0.02 ppm |
| | Cabbage | 0.02 ppm |
| | Brussels sprouts | 0.02 ppm |
| | Kale | 0.02 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| | <i>Kyona</i> | 0.02 ppm |
| | Qing-geng-cai | 0.02 ppm |
| | Cauliflower | 0.02 ppm |
| | Broccoli | 0.02 ppm |
| | Other cruciferous vegetables | 0.02 ppm |
| | Burdock | 0.02 ppm |
| | Salsify | 0.02 ppm |

| | |
|--|----------|
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Tomato | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Egg plant | 0.02 ppm |
| Other solanceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.02 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.02 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.1 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.02 ppm |
| <i>Unshu</i> orange,pulp | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |

| | |
|---------------------------------|----------|
| Lemon | 0.02 ppm |
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Apple | 0.02 ppm |
| Japanese pear | 0.02 ppm |
| Pear | 0.02 ppm |
| Quince | 0.02 ppm |
| Loquat | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |

| | | |
|-------------|---|----------|
| | Pecan | 0.02 ppm |
| | Almond | 0.02 ppm |
| | Walnut | 0.02 ppm |
| | Other nuts | 0.02 ppm |
| | Tea | 0.02 ppm |
| | Coffee beans | 0.02 ppm |
| | Cacao beans | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 0.02 ppm |
| | Other herbs | 0.02 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 2 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.08 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.08 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.08 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| TRIFLURALIN | Other spices | 2 ppm |
| | Other herbs | 2 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |

| | | |
|-----------------|---|-----------|
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| | Salmoniformes | 0.001 ppm |
| | Anguilliformes | 0.001 ppm |
| | Perciformes | 0.001 ppm |
| | Other fish | 0.001 ppm |
| | Shelled molluscas | 0.001 ppm |
| | Crustaceans | 0.001 ppm |
| | Other aquatic animal | 0.001 ppm |
| | Honey | 0.001 ppm |
| | Mineral waters | 0.02 ppm |
| TRIFLOXYSTROBIN | Rice (brown rice) | 4 ppm |
| | Wheat | 0.2 ppm |
| | Barley | 0.5 ppm |
| | Corn (maize) | 0.05 ppm |
| | Soybeans, dry | 0.04 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Potato | 0.04 ppm |
| | Sugar beet | 0.05 ppm |
| | Japanese radish, roots (including radish) | 0.1 ppm |

| | |
|-------------------------------------|----------|
| Turnip, roots | 0.1 ppm |
| Horseradish | 0.1 ppm |
| Burdock | 0.1 ppm |
| Salsify | 0.1 ppm |
| Other composite vegetables | 4 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Celery | 4 ppm |
| Other umbelliferous vegetables | 4 ppm |
| Tomato | 1 ppm |
| Pimiento (sweet pepper) | 0.5 ppm |
| Egg plant | 1 ppm |
| Other solanaceous vegetables | 1 ppm |
| Cucumber (including gherkin) | 1 ppm |
| Pumpkin (including squash) | 1 ppm |
| Oriental pickling melon (vegetable) | 1 ppm |
| Water melon | 0.5 ppm |
| Melons | 0.5 ppm |
| <i>Makuwauri</i> melon | 0.5 ppm |
| Other cucurbitaceous vegetables | 1 ppm |
| Green soybeans | 0.04 ppm |
| Other vegetables | 1 ppm |
| <i>Unshu</i> orange,pulp | 0.3 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.3 ppm |
| Lemon | 0.3 ppm |
| Orange (including navel orange) | 0.3 ppm |
| Grapefruit | 0.3 ppm |
| Lime | 0.3 ppm |
| Other citrus fruits | 0.3 ppm |
| Apple | 3 ppm |
| Japanese pear | 0.7 ppm |
| Pear | 0.7 ppm |
| Quince | 0.7 ppm |
| Loquat | 0.7 ppm |
| Peach | 2 ppm |
| Nectarine | 5 ppm |
| Apricot | 2 ppm |
| Japanese plum (including prune) | 2 ppm |
| Cherry | 2 ppm |
| Strawberry | 2 ppm |
| Grape | 3 ppm |
| Japanese persimmon | 5 ppm |
| Banana | 5 ppm |

| | |
|---|----------|
| Papaya | 5 ppm |
| Avocado | 5 ppm |
| Pineapple | 5 ppm |
| Guava | 5 ppm |
| Mango | 5 ppm |
| Passion fruit | 5 ppm |
| Other fruits | 5 ppm |
| Chestnut | 0.04 ppm |
| Pecan | 0.04 ppm |
| Almond | 0.04 ppm |
| Walnut | 0.04 ppm |
| Other nuts | 0.04 ppm |
| Tea | 5 ppm |
| Hop | 20 ppm |
| Other spices | 5 ppm |
| Other herbs | 4 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| Cattle, liver | 0.05 ppm |
| Pig, liver | 0.05 ppm |
| Other terrestrial mammals, liver | 0.05 ppm |
| Cattle, kidney | 0.04 ppm |
| Pig, kidney | 0.04 ppm |
| Other terrestrial mammals, kidney | 0.04 ppm |
| Cattle, edible offal | 0.05 ppm |
| Pig, edible offal | 0.05 ppm |
| Other terrestrial mammals, edible offal | 0.05 ppm |
| Milk | 0.02 ppm |
| Chicken, muscle | 0.04 ppm |
| Other poultry, muscle | 0.04 ppm |
| Chicken, fat | 0.04 ppm |
| Other poultry, fat | 0.04 ppm |
| Chicken, liver | 0.04 ppm |
| Other poultry, liver | 0.04 ppm |
| Chicken, kidney | 0.04 ppm |
| Other poultry, kidney | 0.04 ppm |
| Chicken, edible offal | 0.04 ppm |
| Other poultry, edible offal | 0.04 ppm |
| Chicken, eggs | 0.04 ppm |

| | | |
|------------------|---|----------|
| | Other poultry, eggs | 0.04 ppm |
| TRIFLOXYSULFURON | Sugarcane | 0.01 ppm |
| | Tomato | 0.01 ppm |
| | <i>Unshu</i> orange,pulp | 0.03 ppm |
| | Citrus <i>natsudaidai</i> , whole | 0.03 ppm |
| | Lemon | 0.03 ppm |
| | Orange (including navel orange) | 0.03 ppm |
| | Grapefruit | 0.03 ppm |
| | Lime | 0.03 ppm |
| | Other citrus fruits | 0.03 ppm |
| | Cotton seeds | 0.03 ppm |
| | Almond | 0.02 ppm |
| | Other spices | 0.03 ppm |
| | Cattle, muscle | 0.01 ppm |
| | Pig, muscle | 0.01 ppm |
| | Other terrestrial mammals, muscle | 0.01 ppm |
| | Cattle, fat | 0.01 ppm |
| | Pig, fat | 0.01 ppm |
| | Other terrestrial mammals, fat | 0.01 ppm |
| | Cattle, liver | 0.01 ppm |
| | Pig, liver | 0.01 ppm |
| | Other terrestrial mammals, liver | 0.01 ppm |
| | Cattle, kidney | 0.01 ppm |
| | Pig, kidney | 0.01 ppm |
| | Other terrestrial mammals, kidney | 0.01 ppm |
| | Cattle, edible offal | 0.01 ppm |
| | Pig, edible offal | 0.01 ppm |
| | Other terrestrial mammals, edible offal | 0.01 ppm |
| | Milk | 0.01 ppm |
| | Chicken, muscle | 0.01 ppm |
| | Other poultry, muscle | 0.01 ppm |
| | Chicken, fat | 0.01 ppm |
| | Other poultry, fat | 0.01 ppm |
| | Chicken, liver | 0.01 ppm |
| | Other poultry, liver | 0.01 ppm |
| | Chicken, kidney | 0.01 ppm |
| | Other poultry, kidney | 0.01 ppm |
| | Chicken, edible offal | 0.01 ppm |
| | Other poultry, edible offal | 0.01 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| TRIBROMSALAN | Cattle, muscle | 0.04 ppm |
| | Cattle, fat | 0.04 ppm |

| | | |
|-------------------|---|----------|
| | Cattle, liver | 0.04 ppm |
| | Cattle, kidney | 0.04 ppm |
| | Cattle, edible offal | 0.04 ppm |
| | Milk | 0.01 ppm |
| TRIBENURON-METHYL | Corn (maize) | 0.05 ppm |
| | Soybeans, dry | 0.01 ppm |
| | Other legumes/pulses | 0.01 ppm |
| | Sunflower seeds | 0.01 ppm |
| | Cotton seeds | 0.04 ppm |
| | Rapeseeds | 0.02 ppm |
| | Other oil seeds | 0.02 ppm |
| | Other spices | 0.02 ppm |
| | Cattle, muscle | 0.01 ppm |
| | Pig, muscle | 0.01 ppm |
| | Other terrestrial mammals, muscle | 0.01 ppm |
| | Cattle, fat | 0.01 ppm |
| | Pig, fat | 0.01 ppm |
| | Other terrestrial mammals, fat | 0.01 ppm |
| | Cattle, liver | 0.01 ppm |
| | Pig, liver | 0.01 ppm |
| | Other terrestrial mammals, liver | 0.01 ppm |
| | Cattle, kidney | 0.01 ppm |
| | Pig, kidney | 0.01 ppm |
| | Other terrestrial mammals, kidney | 0.01 ppm |
| | Cattle, edible offal | 0.01 ppm |
| | Pig, edible offal | 0.01 ppm |
| | Other terrestrial mammals, edible offal | 0.01 ppm |
| | Milk | 0.01 ppm |
| TRIPELENNAMINE | Cattle, muscle | 0.2 ppm |
| | Cattle, fat | 0.2 ppm |
| | Cattle, liver | 0.2 ppm |
| | Cattle, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.2 ppm |
| | Milk | 0.02 ppm |
| TRIFORINE | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |

| | |
|--|----------|
| Peas | 0.05 ppm |
| Broad beans | 0.05 ppm |
| Peanuts, dry | 0.05 ppm |
| Other legumes/pulses | 0.05 ppm |
| Potato | 0.05 ppm |
| Taro | 0.05 ppm |
| Sweet potato | 0.05 ppm |
| Yam | 0.05 ppm |
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Japanese radish, roots (including radish) | 2 ppm |
| Japanese radish, leaves (including radish) | 2 ppm |
| Turnip, roots | 2 ppm |
| Turnip, leaves | 2 ppm |
| Horseradish | 2 ppm |
| Watercress | 2 ppm |
| Chinese cabbage | 2 ppm |
| Cabbage | 2 ppm |
| Brussels sprouts | 0.2 ppm |
| Kale | 2 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 2 ppm |
| <i>Kyona</i> | 2 ppm |
| Qing-geng-cai | 2 ppm |
| Cauliflower | 2 ppm |
| Broccoli | 2 ppm |
| Other cruciferous vegetables | 2 ppm |
| Burdock | 2 ppm |
| Salsify | 2 ppm |
| Artichoke | 2 ppm |
| Chicory | 2 ppm |
| Endive | 2 ppm |
| <i>Shungiku</i> | 2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 2 ppm |
| Other composite vegetables | 2 ppm |
| Onion | 2 ppm |
| Welsh (including leek) | 2 ppm |
| Garlic | 2 ppm |
| <i>Nira</i> | 2 ppm |
| Asparagus | 2 ppm |
| Multiplying onion | 2 ppm |
| Other liliaceous vegetables | 2 ppm |
| Carrot | 2 ppm |

| | |
|-------------------------------------|---------|
| Parsnip | 2 ppm |
| Parsley | 2 ppm |
| Celery | 2 ppm |
| <i>Mitsuba</i> | 2 ppm |
| Other umbelliferous vegetables | 2 ppm |
| Tomato | 2 ppm |
| Pimiento (sweet pepper) | 2 ppm |
| Egg plant | 2 ppm |
| Other solanaceous vegetables | 2 ppm |
| Cucumber (including gherkin) | 1 ppm |
| Pumpkin (including squash) | 0.5 ppm |
| Oriental pickling melon (vegetable) | 0.5 ppm |
| Water melon | 0.5 ppm |
| Melons | 0.5 ppm |
| <i>Makuwauri</i> melon | 0.5 ppm |
| Other cucurbitaceous vegetables | 0.5 ppm |
| Spinach | 2 ppm |
| Bamboo shoots | 2 ppm |
| Okra | 2 ppm |
| Ginger | 2 ppm |
| Peas, immature (with pods) | 2 ppm |
| Kidney beans, immature (with pods) | 1 ppm |
| Green soybeans | 2 ppm |
| Button mushroom | 2 ppm |
| <i>Shiitake</i> mushroom | 2 ppm |
| Other mushrooms | 2 ppm |
| Other vegetables | 2 ppm |
| <i>Unshu</i> orange,pulp | 2 ppm |
| Citrus <i>natsudaidai</i> , whole | 2 ppm |
| Lemon | 2 ppm |
| Orange (including navel orange) | 2 ppm |
| Grapefruit | 2 ppm |
| Lime | 2 ppm |
| Other citrus fruits | 2 ppm |
| Apple | 2 ppm |
| Japanese pear | 2 ppm |
| Pear | 2 ppm |
| Quince | 2 ppm |
| Loquat | 2 ppm |
| Peach | 2 ppm |
| Nectarine | 2 ppm |
| Apricot | 2 ppm |
| Japanese plum (including prune) | 2 ppm |

| | |
|-----------------------------------|----------|
| Mume plum | 2 ppm |
| Cherry | 2 ppm |
| Strawberry | 2 ppm |
| Raspberry | 2 ppm |
| Blackberry | 2 ppm |
| Blueberry | 1 ppm |
| Cranberry | 2 ppm |
| Huckleberry | 1 ppm |
| Other berries | 1 ppm |
| Grape | 2 ppm |
| Japanese persimmon | 2 ppm |
| Banana | 2 ppm |
| Kiwifruit | 2 ppm |
| Papaya | 2 ppm |
| Avocado | 2 ppm |
| Pineapple | 2 ppm |
| Guava | 2 ppm |
| Mango | 2 ppm |
| Passion fruit | 2 ppm |
| Date | 2 ppm |
| Other fruits | 2 ppm |
| Sunflower seeds | 2 ppm |
| Sesame seeds | 2 ppm |
| Safflower seeds | 2 ppm |
| Cotton seeds | 2 ppm |
| Rapeseeds | 2 ppm |
| Other oil seeds | 2 ppm |
| Ginkgo nut | 2 ppm |
| Chestnut | 2 ppm |
| Pecan | 2 ppm |
| Almond | 2 ppm |
| Walnut | 2 ppm |
| Other nuts | 2 ppm |
| Tea | 0.1 ppm |
| Hop | 30 ppm |
| Other spices | 2 ppm |
| Other herbs | 2 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |

| | | |
|--------------|---|----------|
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TRIMETHOPRIM | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.08 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.08 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.08 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |

| | | |
|------------------|--|----------|
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.02 ppm |
| | Other poultry, eggs | 0.02 ppm |
| | Salmoniformes | 0.08 ppm |
| | Anguilliformes | 0.05 ppm |
| | Perciformes | 0.05 ppm |
| | Other fish | 0.05 ppm |
| | Shelled molluscas | 0.05 ppm |
| | Crustaceans | 0.05 ppm |
| | Other aquatic animal | 0.05 ppm |
| TOLYLFLUANID | Lettuce (including cos lettuce and leaf lettuce) | 15 ppm |
| | Welsh (including leek) | 2 ppm |
| | Tomato | 3 ppm |
| | Pimiento (sweet pepper) | 2 ppm |
| | Cucumber (including gherkin) | 1 ppm |
| | Apple | 5 ppm |
| | Japanese pear | 5 ppm |
| | Pear | 5 ppm |
| | Quince | 5 ppm |
| | Loquat | 5 ppm |
| | Strawberry | 5 ppm |
| | Raspberry | 5 ppm |
| | Blackberry | 5 ppm |
| | Blueberry | 20 ppm |
| | Cranberry | 20 ppm |
| | Huckleberry | 20 ppm |
| | Other berries | 5 ppm |
| | Grape | 3 ppm |
| | Other fruits | 0.5 ppm |
| | Hop | 50 ppm |
| | Other spices | 0.5 ppm |
| TOLCLOFOS-METHYL | Other spices | 2 ppm |
| | Other herbs | 2 ppm |
| TOLTRAZURIL | Pig, muscle | 0.3 ppm |
| | Pig, fat | 0.6 ppm |
| | Pig, liver | 2 ppm |
| | Pig, kidney | 1 ppm |
| | Pig, edible offal | 2 ppm |
| | Chicken, muscle | 0.9 ppm |

| | | |
|-----------------|-----------------------------------|-----------|
| | Other poultry, muscle | 0.3 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 2 ppm |
| | Other poultry, liver | 0.8 ppm |
| | Chicken, kidney | 2 ppm |
| | Other poultry, kidney | 0.7 ppm |
| | Chicken, edible offal | 3 ppm |
| | Other poultry, edible offal | 1 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| TOLFENAMIC ACID | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.03 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.03 ppm |
| | Cattle, liver | 0.2 ppm |
| | Pig, liver | 0.3 ppm |
| | Cattle, kidney | 0.06 ppm |
| | Pig, kidney | 0.06 ppm |
| | Cattle, edible offal | 0.06 ppm |
| | Pig, edible offal | 0.06 ppm |
| | Milk | 0.05 ppm |
| TOLFENPYRAD | Other spices | 3 ppm |
| NICARBAZIN | Other poultry, muscle | 0.5 ppm |
| | Other poultry, fat | 0.5 ppm |
| | Other poultry, liver | 0.5 ppm |
| | Other poultry, kidney | 0.5 ppm |
| | Chicken, edible offal | 0.5 ppm |
| | Other poultry, edible offal | 0.5 ppm |
| NANAFROCIN | Cattle, muscle | 0.03 ppm |
| | Cattle, fat | 0.03 ppm |
| | Cattle, liver | 0.03 ppm |
| | Cattle, kidney | 0.03 ppm |
| | Cattle, edible offal | 0.03 ppm |
| | Milk | 0.03 ppm |
| NAFCILLIN | Cattle, muscle | 0.005 ppm |
| | Pig, muscle | 0.005 ppm |
| | Other terrestrial mammals, muscle | 0.3 ppm |
| | Cattle, fat | 0.005 ppm |
| | Pig, fat | 0.005 ppm |
| | Other terrestrial mammals, fat | 0.3 ppm |
| | Cattle, liver | 0.005 ppm |
| | Pig, liver | 0.005 ppm |

| | | |
|--------------------------|---|-----------|
| | Other terrestrial mammals, liver | 0.3 ppm |
| | Cattle, kidney | 0.005 ppm |
| | Pig, kidney | 0.005 ppm |
| | Other terrestrial mammals, kidney | 0.3 ppm |
| | Cattle, edible offal | 0.005 ppm |
| | Pig, edible offal | 0.005 ppm |
| | Other terrestrial mammals, edible offal | 0.3 ppm |
| | Milk | 0.005 ppm |
| | Chicken, muscle | 0.005 ppm |
| | Other poultry, muscle | 0.005 ppm |
| | Chicken, fat | 0.005 ppm |
| | Other poultry, fat | 0.005 ppm |
| | Chicken, liver | 0.005 ppm |
| | Other poultry, liver | 0.005 ppm |
| | Chicken, kidney | 0.005 ppm |
| | Other poultry, kidney | 0.005 ppm |
| | Chicken, edible offal | 0.005 ppm |
| | Other poultry, edible offal | 0.005 ppm |
| | Chicken, eggs | 0.005 ppm |
| | Other poultry, eggs | 0.005 ppm |
| | Salmoniformes | 0.005 ppm |
| | Anguilliformes | 0.005 ppm |
| | Perciformes | 0.005 ppm |
| | Other fish | 0.005 ppm |
| | Shelled molluscas | 0.005 ppm |
| | Crustaceans | 0.005 ppm |
| | Other aquatic animal | 0.005 ppm |
| | Honey | 0.005 ppm |
| NAPTALAM | Cucumber (including gherkin) | 0.1 ppm |
| | Pumpkin (including squash) | 0.1 ppm |
| | Oriental pickling melon (vegetable) | 0.1 ppm |
| | Water melon | 0.1 ppm |
| | Melons | 0.1 ppm |
| | <i>Makuwauri</i> melon | 0.1 ppm |
| | Other cucurbitaceous vegetables | 0.1 ppm |
| 1-NAPHTHALENEACETIC ACID | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.1 ppm |
| | Barley | 0.1 ppm |
| | Rye | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Soybeans, dry | 0.1 ppm |

| | |
|--|---------|
| Beans, dry* | 0.1 ppm |
| Peas | 0.1 ppm |
| Broad beans | 0.1 ppm |
| Peanuts, dry | 0.1 ppm |
| Other legumes/pulses | 0.1 ppm |
| Potato | 0.1 ppm |
| Taro | 0.1 ppm |
| Sweet potato | 0.1 ppm |
| Yam | 0.1 ppm |
| Konjac | 0.1 ppm |
| Other potatoes | 0.1 ppm |
| Sugar beet | 0.1 ppm |
| Sugarcane | 0.1 ppm |
| Japanese radish, roots (including radish) | 0.1 ppm |
| Japanese radish, leaves (including radish) | 0.1 ppm |
| Turnip, roots | 0.1 ppm |
| Turnip, leaves | 0.1 ppm |
| Horseradish | 0.1 ppm |
| Watercress | 0.1 ppm |
| Chinese cabbage | 0.1 ppm |
| Cabbage | 0.1 ppm |
| Brussels sprouts | 0.1 ppm |
| Kale | 0.1 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.1 ppm |
| <i>Kyona</i> | 0.1 ppm |
| Qing-geng-cai | 0.1 ppm |
| Cauliflower | 0.1 ppm |
| Broccoli | 0.1 ppm |
| Other cruciferous vegetables | 0.1 ppm |
| Burdock | 0.1 ppm |
| Salsify | 0.1 ppm |
| Artichoke | 0.1 ppm |
| Chicory | 0.1 ppm |
| Endive | 0.1 ppm |
| <i>Shungiku</i> | 0.1 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.1 ppm |
| Other composite vegetables | 0.1 ppm |
| Onion | 0.1 ppm |
| Welsh (including leek) | 0.1 ppm |
| Garlic | 0.1 ppm |
| <i>Nira</i> | 0.1 ppm |
| Asparagus | 0.1 ppm |
| Multiplying onion | 0.1 ppm |

| | |
|-------------------------------------|---------|
| Other liliaceous vegetables | 0.1 ppm |
| Carrot | 0.1 ppm |
| Parsnip | 0.1 ppm |
| Parsley | 0.1 ppm |
| Celery | 0.1 ppm |
| <i>Mitsuba</i> | 0.1 ppm |
| Other umbelliferous vegetables | 0.1 ppm |
| Tomato | 0.1 ppm |
| Pimiento (sweet pepper) | 0.1 ppm |
| Egg plant | 0.1 ppm |
| Other solanceous vegetables | 0.1 ppm |
| Cucumber (including gherkin) | 0.1 ppm |
| Pumpkin (including squash) | 0.1 ppm |
| Oriental pickling melon (vegetable) | 0.1 ppm |
| Water melon | 0.1 ppm |
| Melons | 0.1 ppm |
| <i>Makuwauri</i> melon | 0.1 ppm |
| Other cucurbitaceous vegetables | 0.1 ppm |
| Spinach | 0.1 ppm |
| Bamboo shoots | 0.1 ppm |
| Okra | 0.1 ppm |
| Ginger | 0.1 ppm |
| Peas, immature (with pods) | 0.1 ppm |
| Kidney beans, immature (with pods) | 0.1 ppm |
| Green soybeans | 0.1 ppm |
| Button mushroom | 0.1 ppm |
| <i>Shiitake</i> mushroom | 0.1 ppm |
| Other mushrooms | 0.1 ppm |
| Other vegetables | 0.1 ppm |
| <i>Unshu</i> orange,pulp | 0.1 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| Lemon | 0.1 ppm |
| Orange (including navel orange) | 0.1 ppm |
| Grapefruit | 0.1 ppm |
| Lime | 0.1 ppm |
| Other citrus fruits | 0.1 ppm |
| Apple | 1 ppm |
| Japanese pear | 1 ppm |
| Pear | 1 ppm |
| Quince | 1 ppm |
| Loquat | 0.1 ppm |
| Peach | 0.1 ppm |
| Nectarine | 0.1 ppm |

| | | |
|---------------|-----------------------------------|---------|
| | Apricot | 0.1 ppm |
| | Japanese plum (including prune) | 0.1 ppm |
| | Mume plum | 0.1 ppm |
| | Cherry | 0.1 ppm |
| | Strawberry | 0.1 ppm |
| | Raspberry | 0.1 ppm |
| | Blackberry | 0.1 ppm |
| | Blueberry | 0.1 ppm |
| | Cranberry | 0.1 ppm |
| | Huckleberry | 0.1 ppm |
| | Other berries | 0.1 ppm |
| | Grape | 0.1 ppm |
| | Japanese persimmon | 0.1 ppm |
| | Banana | 0.1 ppm |
| | Kiwifruit | 0.1 ppm |
| | Papaya | 0.1 ppm |
| | Avocado | 0.1 ppm |
| | Pineapple | 0.5 ppm |
| | Guava | 0.1 ppm |
| | Mango | 0.1 ppm |
| | Passion fruit | 0.1 ppm |
| | Date | 0.1 ppm |
| | Other fruits | 0.1 ppm |
| | Sunflower seeds | 0.1 ppm |
| | Sesame seeds | 0.1 ppm |
| | Safflower seeds | 0.1 ppm |
| | Cotton seeds | 0.1 ppm |
| | Rapeseeds | 0.1 ppm |
| | Other oil seeds | 0.1 ppm |
| | Ginkgo nut | 0.1 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.1 ppm |
| | Walnut | 0.1 ppm |
| | Other nuts | 0.1 ppm |
| | Tea | 0.1 ppm |
| | Coffee beans | 0.1 ppm |
| | Cacao beans | 0.1 ppm |
| | Hop | 0.1 ppm |
| | Other spices | 0.1 ppm |
| | Other herbs | 0.1 ppm |
| NAPHTHALOPHOS | Other terrestrial mammals, muscle | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |

| | | |
|-------------------------|---|----------|
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| 2-(1-NAPHTHYL)ACETAMIDE | Apple | 0.1 ppm |
| | Pear | 0.1 ppm |
| NAPROANILIDE | Rice (brown rice) | 0.05 ppm |
| NAPROPAMIDE | Sweet potato | 0.1 ppm |
| | Chinese cabbage | 0.1 ppm |
| | Cabbage | 0.1 ppm |
| | Brussels sprouts | 0.1 ppm |
| | Kale | 0.1 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.1 ppm |
| | <i>Kyona</i> | 0.1 ppm |
| | Qing-geng-cai | 0.1 ppm |
| | Cauliflower | 0.1 ppm |
| | Broccoli | 0.1 ppm |
| | Other cruciferous vegetables | 0.1 ppm |
| | Artichoke | 0.1 ppm |
| | Asparagus | 0.1 ppm |
| | Tomato | 0.1 ppm |
| | Pimiento (sweet pepper) | 0.1 ppm |
| | Egg plant | 0.1 ppm |
| | Other solanceous vegetables | 0.1 ppm |
| | Cucumber (including gherkin) | 0.1 ppm |
| | Pumpkin (including squash) | 0.1 ppm |
| | Oriental pickling melon (vegetable) | 0.1 ppm |
| | Water melon | 0.1 ppm |
| | Melons | 0.1 ppm |
| | <i>Makuwauri</i> melon | 0.1 ppm |
| | Other cucurbitaceous vegetables | 0.1 ppm |
| | Other vegetables | 0.1 ppm |
| | <i>Unshu</i> orange,pulp | 0.1 ppm |
| | Citrus <i>natsudaidai</i> , whole | 0.1 ppm |
| | Lemon | 0.1 ppm |
| | Orange (including navel orange) | 0.1 ppm |
| | Grapefruit | 0.1 ppm |
| | Lime | 0.1 ppm |
| | Other citrus fruits | 0.1 ppm |
| | Apple | 0.1 ppm |
| | Japanese pear | 0.1 ppm |
| | Pear | 0.1 ppm |
| | Quince | 0.1 ppm |
| | Loquat | 0.1 ppm |

| | | |
|----------------|---------------------------------|----------|
| | Peach | 0.1 ppm |
| | Nectarine | 0.1 ppm |
| | Apricot | 0.1 ppm |
| | Japanese plum (including prune) | 0.1 ppm |
| | Mume plum | 0.1 ppm |
| | Cherry | 0.1 ppm |
| | Strawberry | 0.1 ppm |
| | Raspberry | 0.1 ppm |
| | Blackberry | 0.1 ppm |
| | Blueberry | 0.1 ppm |
| | Cranberry | 0.1 ppm |
| | Huckleberry | 0.1 ppm |
| | Other berries | 0.1 ppm |
| | Grape | 0.1 ppm |
| | Japanese persimmon | 0.1 ppm |
| | Kiwifruit | 0.1 ppm |
| | Avocado | 0.1 ppm |
| | Other fruits | 0.1 ppm |
| | Chestnut | 0.1 ppm |
| | Pecan | 0.1 ppm |
| | Almond | 0.1 ppm |
| | Walnut | 0.1 ppm |
| | Other nuts | 0.1 ppm |
| | Coffee beans | 0.1 ppm |
| | Other spices | 0.1 ppm |
| | Other herbs | 0.1 ppm |
| NARASIN | Cattle, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.5 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.3 ppm |
| | Other poultry, liver | 0.3 ppm |
| | Chicken, kidney | 0.3 ppm |
| | Other poultry, kidney | 0.3 ppm |
| | Chicken, edible offal | 0.3 ppm |
| | Other poultry, edible offal | 0.3 ppm |
| NALIDIXIC ACID | Cattle, muscle | 0.03 ppm |
| | Cattle, fat | 0.03 ppm |

| | | |
|---------------------|---|----------|
| | Cattle, liver | 0.03 ppm |
| | Cattle, kidney | 0.03 ppm |
| | Cattle, edible offal | 0.03 ppm |
| ETHYLENE DICHLORIDE | Rice (brown rice) | 0.06 ppm |
| | Wheat | 0.06 ppm |
| | Barley | 0.06 ppm |
| | Rye | 0.06 ppm |
| | Corn (maize) | 0.06 ppm |
| | Buckwheat | 0.06 ppm |
| | Other cereal grains | 0.06 ppm |
| | Soybeans, dry | 0.02 ppm |
| | Beans, dry* | 0.01 ppm |
| | Peas | 0.01 ppm |
| | Broad beans | 0.01 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.01 ppm |
| | Potato | 0.01 ppm |
| | Taro | 0.01 ppm |
| | Sweet potato | 0.01 ppm |
| | Yam | 0.01 ppm |
| | Konjac | 0.01 ppm |
| | Other potatoes | 0.01 ppm |
| | Sugar beet | 0.01 ppm |
| | Japanese radish, roots (including radish) | 0.01 ppm |
| | Japanese radish, leaves (including radish) | 0.01 ppm |
| | Turnip, roots | 0.01 ppm |
| | Turnip, leaves | 0.01 ppm |
| | Horseradish | 0.01 ppm |
| | Watercress | 0.01 ppm |
| | Chinese cabbage | 0.01 ppm |
| | Cabbage | 0.01 ppm |
| | Brussels sprouts | 0.01 ppm |
| | Kale | 0.01 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.01 ppm |
| | <i>Kyona</i> | 0.01 ppm |
| | Qing-geng-cai | 0.01 ppm |
| | Cauliflower | 0.01 ppm |
| | Broccoli | 0.01 ppm |
| | Other cruciferous vegetables | 0.01 ppm |
| | Burdock | 0.01 ppm |
| | Salsify | 0.01 ppm |
| | Artichoke | 0.01 ppm |
| | Chicory | 0.01 ppm |

| | |
|--|----------|
| Endive | 0.01 ppm |
| <i>Shungiku</i> | 0.01 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.01 ppm |
| Other composite vegetables | 0.01 ppm |
| Onion | 0.01 ppm |
| Welsh (including leek) | 0.01 ppm |
| Garlic | 0.01 ppm |
| <i>Nira</i> | 0.01 ppm |
| Asparagus | 0.01 ppm |
| Multiplying onion | 0.01 ppm |
| Other liliaceous vegetables | 0.01 ppm |
| Carrot | 0.01 ppm |
| Parsnip | 0.01 ppm |
| Parsley | 0.01 ppm |
| Celery | 0.01 ppm |
| <i>Mitsuba</i> | 0.01 ppm |
| Other umbelliferous vegetables | 0.01 ppm |
| Tomato | 0.01 ppm |
| Pimiento (sweet pepper) | 0.01 ppm |
| Egg plant | 0.01 ppm |
| Other solanceous vegetables | 0.01 ppm |
| Cucumber (including gherkin) | 0.01 ppm |
| Pumpkin (including squash) | 0.01 ppm |
| Oriental pickling melon (vegetable) | 0.01 ppm |
| Water melon | 0.01 ppm |
| Melons | 0.01 ppm |
| <i>Makuwauri</i> melon | 0.01 ppm |
| Other cucurbitaceous vegetables | 0.01 ppm |
| Spinach | 0.01 ppm |
| Bamboo shoots | 0.01 ppm |
| Okra | 0.01 ppm |
| Ginger | 0.01 ppm |
| Peas, immature (with pods) | 0.01 ppm |
| Kidney beans, immature (with pods) | 0.01 ppm |
| Green soybeans | 0.01 ppm |
| Button mushroom | 0.01 ppm |
| <i>Shiitake</i> mushroom | 0.01 ppm |
| Other mushrooms | 0.01 ppm |
| Other vegetables | 0.01 ppm |
| <i>Unshu</i> orange,pulp | 0.01 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.01 ppm |
| Lemon | 0.01 ppm |
| Orange (including navel orange) | 0.01 ppm |

| | |
|---------------------------------|----------|
| Grapefruit | 0.01 ppm |
| Lime | 0.01 ppm |
| Other citrus fruits | 0.01 ppm |
| Apple | 0.01 ppm |
| Japanese pear | 0.01 ppm |
| Pear | 0.01 ppm |
| Quince | 0.01 ppm |
| Loquat | 0.01 ppm |
| Peach | 0.01 ppm |
| Nectarine | 0.01 ppm |
| Apricot | 0.01 ppm |
| Japanese plum (including prune) | 0.01 ppm |
| Mume plum | 0.01 ppm |
| Cherry | 0.01 ppm |
| Strawberry | 0.01 ppm |
| Raspberry | 0.01 ppm |
| Blackberry | 0.01 ppm |
| Blueberry | 0.01 ppm |
| Cranberry | 0.01 ppm |
| Huckleberry | 0.01 ppm |
| Other berries | 0.01 ppm |
| Grape | 0.01 ppm |
| Japanese persimmon | 0.01 ppm |
| Banana | 0.01 ppm |
| Kiwifruit | 0.01 ppm |
| Papaya | 0.01 ppm |
| Avocado | 0.01 ppm |
| Pineapple | 0.01 ppm |
| Guava | 0.01 ppm |
| Mango | 0.01 ppm |
| Passion fruit | 0.01 ppm |
| Date | 0.01 ppm |
| Other fruits | 0.01 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.01 ppm |
| Chestnut | 0.01 ppm |
| Pecan | 0.01 ppm |
| Almond | 0.01 ppm |

| | | |
|--------------|---|----------|
| | Walnut | 0.01 ppm |
| | Other nuts | 0.01 ppm |
| | Tea | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 0.02 ppm |
| | Other herbs | 0.01 ppm |
| | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.1 ppm |
| | Pig, liver | 0.1 ppm |
| | Other terrestrial mammals, liver | 0.1 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| | Chicken, eggs | 0.1 ppm |
| | Other poultry, eggs | 0.1 ppm |
| NICOSULFURON | Corn (maize) | 0.1 ppm |
| | Blueberry | 0.05 ppm |
| NICOTINE | Corn (maize) | 2 ppm |
| | Beans, dry* | 2 ppm |
| | Peas | 2 ppm |
| | Broad beans | 2 ppm |
| | Other legumes/pulses | 2 ppm |
| | Japanese radish, roots (including radish) | 2 ppm |
| | Turnip, roots | 2 ppm |

| | |
|--|-------|
| Cabbage | 2 ppm |
| Brussels sprouts | 2 ppm |
| Kale | 2 ppm |
| Cauliflower | 2 ppm |
| Broccoli | 2 ppm |
| Other cruciferous vegetables | 2 ppm |
| Artichoke | 2 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 2 ppm |
| Onion | 2 ppm |
| Welsh (including leek) | 2 ppm |
| Asparagus | 2 ppm |
| Parsnip | 2 ppm |
| Parsley | 2 ppm |
| Celery | 2 ppm |
| Tomato | 2 ppm |
| Pimiento (sweet pepper) | 2 ppm |
| Egg plant | 2 ppm |
| Other solanaceous vegetables | 2 ppm |
| Cucumber (including gherkin) | 2 ppm |
| Pumpkin (including squash) | 2 ppm |
| Water melon | 2 ppm |
| Melons | 2 ppm |
| Spinach | 2 ppm |
| Okra | 2 ppm |
| Kidney beans, immature (with pods) | 2 ppm |
| Button mushroom | 2 ppm |
| Other vegetables | 2 ppm |
| Lemon | 2 ppm |
| Orange (including navel orange) | 2 ppm |
| Grapefruit | 2 ppm |
| Lime | 2 ppm |
| Other citrus fruits | 2 ppm |
| Apple | 2 ppm |
| Japanese pear | 2 ppm |
| Pear | 2 ppm |
| Quince | 2 ppm |
| Peach | 2 ppm |
| Nectarine | 2 ppm |
| Apricot | 2 ppm |
| Japanese plum (including prune) | 2 ppm |
| Cherry | 2 ppm |
| Blackberry | 2 ppm |
| Other berries | 2 ppm |

| | | |
|--------------------------|---|--------------|
| | Other fruits | 2 ppm |
| | Other spices | 2 ppm |
| | Other herbs | 2 ppm |
| ETHYLENE DIBROMIDE (EDB) | Rice (brown rice) | 0.01 ppm |
| | Wheat | 0.1 ppm |
| | Barley | 0.01 ppm |
| | Rye | 0.01 ppm |
| | Corn (maize) | 0.01 ppm |
| | Buckwheat | 0.01 ppm |
| | Other cereal grains | 0.01 ppm |
| | Soybeans, dry | 0.01 ppm |
| | Beans, dry* | 0.01 ppm |
| | Peas | 0.01 ppm |
| | Broad beans | 0.01 ppm |
| | Peanuts, dry | 0.01 ppm |
| | Other legumes/pulses | 0.01 ppm |
| | Potato | 0.01 ppm |
| | Taro | 0.01 ppm |
| | Sweet potato | 0.01 ppm |
| | Yam | 0.01 ppm |
| | Konjac | 0.01 ppm |
| | Other potatoes | 0.01 ppm |
| | Sugar beet | 0.01 ppm |
| | Sugarcane | Not detected |
| | Japanese radish, roots (including radish) | 0.01 ppm |
| | Japanese radish, leaves (including radish) | 0.01 ppm |
| | Turnip, roots | 0.01 ppm |
| | Turnip, leaves | 0.01 ppm |
| | Horseradish | 0.01 ppm |
| | Watercress | 0.01 ppm |
| | Chinese cabbage | 0.01 ppm |
| | Cabbage | 0.01 ppm |
| | Brussels sprouts | 0.01 ppm |
| | Kale | 0.01 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 0.01 ppm |
| | <i>Kyona</i> | 0.01 ppm |
| | <i>Qing-geng-cai</i> | 0.01 ppm |
| | Cauliflower | 0.01 ppm |
| | Broccoli | 0.01 ppm |
| | Other cruciferous vegetables | 0.01 ppm |
| | Burdock | 0.01 ppm |
| | Salsify | 0.01 ppm |
| | Artichoke | 0.01 ppm |

| | |
|--|--------------|
| Chicory | 0.01 ppm |
| Endive | 0.01 ppm |
| <i>Shungiku</i> | 0.01 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.01 ppm |
| Other composite vegetables | 0.01 ppm |
| Onion | 0.01 ppm |
| Welsh (including leek) | 0.01 ppm |
| Garlic | 0.01 ppm |
| <i>Nira</i> | 0.01 ppm |
| Asparagus | 0.01 ppm |
| Multiplying onion | 0.01 ppm |
| Other liliaceous vegetables | 0.01 ppm |
| Carrot | 0.01 ppm |
| Parsnip | 0.01 ppm |
| Parsley | 0.01 ppm |
| Celery | 0.01 ppm |
| <i>Mitsuba</i> | 0.01 ppm |
| Other umbelliferous vegetables | 0.01 ppm |
| Tomato | 0.01 ppm |
| Pimiento (sweet pepper) | 0.01 ppm |
| Egg plant | 0.01 ppm |
| Other solanceous vegetables | 0.01 ppm |
| Cucumber (including gherkin) | 0.01 ppm |
| Pumpkin (including squash) | 0.01 ppm |
| Oriental pickling melon (vegetable) | 0.01 ppm |
| Water melon | 0.01 ppm |
| Melons | 0.01 ppm |
| <i>Makuwauri</i> melon | 0.01 ppm |
| Other cucurbitaceous vegetables | 0.01 ppm |
| Spinach | 0.01 ppm |
| Bamboo shoots | 0.01 ppm |
| Okra | 0.01 ppm |
| Ginger | 0.01 ppm |
| Peas, immature (with pods) | 0.01 ppm |
| Kidney beans, immature (with pods) | Not detected |
| Green soybeans | 0.01 ppm |
| Button mushroom | 0.01 ppm |
| <i>Shiitake</i> mushroom | 0.01 ppm |
| Other mushrooms | 0.01 ppm |
| Other vegetables | 0.01 ppm |
| <i>Unshu</i> orange,pulp | Not detected |
| Citrus <i>natsudaidai</i> , whole | Not detected |
| Lemon | Not detected |

| | |
|---------------------------------|--------------|
| Orange (including navel orange) | Not detected |
| Grapefruit | Not detected |
| Lime | Not detected |
| Other citrus fruits | Not detected |
| Apple | 0.01 ppm |
| Japanese pear | 0.01 ppm |
| Pear | 0.01 ppm |
| Quince | 0.01 ppm |
| Loquat | 0.01 ppm |
| Peach | 0.01 ppm |
| Nectarine | 0.01 ppm |
| Apricot | 0.01 ppm |
| Japanese plum (including prune) | 0.01 ppm |
| Mume plum | 0.01 ppm |
| Cherry | 0.01 ppm |
| Strawberry | 0.01 ppm |
| Raspberry | 0.01 ppm |
| Blackberry | 0.01 ppm |
| Blueberry | 0.01 ppm |
| Cranberry | 0.01 ppm |
| Huckleberry | 0.01 ppm |
| Other berries | 0.01 ppm |
| Grape | 0.01 ppm |
| Japanese persimmon | 0.01 ppm |
| Banana | 0.01 ppm |
| Kiwifruit | 0.01 ppm |
| Papaya | Not detected |
| Avocado | 0.01 ppm |
| Pineapple | 0.01 ppm |
| Guava | 0.01 ppm |
| Mango | Not detected |
| Passion fruit | 0.01 ppm |
| Date | 0.01 ppm |
| Other fruits | Not detected |
| Sunflower seeds | 0.01 ppm |
| Sesame seeds | 0.01 ppm |
| Safflower seeds | 0.01 ppm |
| Cotton seeds | 0.01 ppm |
| Rapeseeds | 0.01 ppm |
| Other oil seeds | 0.01 ppm |
| Ginkgo nut | 0.01 ppm |
| Chestnut | 0.01 ppm |
| Pecan | 0.01 ppm |

| | | |
|------------|---|--------------|
| | Almond | 0.01 ppm |
| | Walnut | 0.01 ppm |
| | Other nuts | 0.01 ppm |
| | Tea | 0.1 ppm |
| | Coffee beans | Not detected |
| | Cacao beans | Not detected |
| | Hop | 0.01 ppm |
| | Other spices | 0.01 ppm |
| | Other herbs | 0.01 ppm |
| NITARSONE | Other poultry, muscle | 0.5 ppm |
| | Other poultry, fat | 0.5 ppm |
| | Other poultry, liver | 2 ppm |
| | Other poultry, kidney | 2 ppm |
| | Other poultry, edible offal | 2 ppm |
| NITENPYRAM | Wheat | 0.03 ppm |
| | Barley | 0.03 ppm |
| | Rye | 0.03 ppm |
| | Corn (maize) | 0.03 ppm |
| | Buckwheat | 0.03 ppm |
| | Other cereal grains | 0.03 ppm |
| | Soybeans, dry | 0.03 ppm |
| | Beans, dry* | 0.03 ppm |
| | Peas | 0.03 ppm |
| | Broad beans | 0.03 ppm |
| | Peanuts, dry | 0.03 ppm |
| | Other legumes/pulses | 0.03 ppm |
| | Taro | 0.2 ppm |
| | Sweet potato | 0.2 ppm |
| | Yam | 0.2 ppm |
| | Konjac | 0.2 ppm |
| | Other potatoes | 0.2 ppm |
| | Sugar beet | 0.03 ppm |
| | Sugarcane | 0.03 ppm |
| | Turnip, roots | 0.2 ppm |
| | Turnip, leaves | 5 ppm |
| | Horseradish | 0.2 ppm |
| | Watercress | 5 ppm |
| | Chinese cabbage | 0.03 ppm |
| | Cabbage | 0.03 ppm |
| | Brussels sprouts | 5 ppm |
| | Kale | 5 ppm |
| | <i>Komatsuna</i> (Japanese mustard spinach) | 5 ppm |
| | <i>Kyona</i> | 5 ppm |

| | |
|--|----------|
| Qing-geng-cai | 5 ppm |
| Cauliflower | 5 ppm |
| Broccoli | 5 ppm |
| Other cruciferous vegetables | 5 ppm |
| Burdock | 0.2 ppm |
| Salsify | 0.2 ppm |
| Artichoke | 5 ppm |
| Chicory | 5 ppm |
| Endive | 5 ppm |
| <i>Shungiku</i> | 5 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 5 ppm |
| Other composite vegetables | 5 ppm |
| Onion | 0.03 ppm |
| Welsh (including leek) | 5 ppm |
| Garlic | 0.03 ppm |
| <i>Nira</i> | 5 ppm |
| Asparagus | 5 ppm |
| Multiplying onion | 5 ppm |
| Other liliaceous vegetables | 5 ppm |
| Carrot | 0.2 ppm |
| Parsnip | 0.2 ppm |
| Parsley | 5 ppm |
| Celery | 5 ppm |
| <i>Mitsuba</i> | 5 ppm |
| Other umbelliferous vegetables | 5 ppm |
| Pimiento (sweet pepper) | 1 ppm |
| Other solanaceous vegetables | 5 ppm |
| Pumpkin (including squash) | 5 ppm |
| Oriental pickling melon (vegetable) | 5 ppm |
| <i>Makuwauri</i> melon | 1 ppm |
| Other cucurbitaceous vegetables | 5 ppm |
| Spinach | 5 ppm |
| Bamboo shoots | 0.2 ppm |
| Okra | 1 ppm |
| Ginger | 0.2 ppm |
| Peas, immature (with pods) | 0.03 ppm |
| Kidney beans, immature (with pods) | 0.03 ppm |
| Green soybeans | 0.03 ppm |
| Button mushroom | 0.03 ppm |
| <i>Shiitake</i> mushroom | 0.03 ppm |
| Other mushrooms | 0.03 ppm |
| Other vegetables | 5 ppm |
| <i>Unshu</i> orange,pulp | 0.5 ppm |

| | |
|-----------------------------------|----------|
| Citrus <i>natsudaidai</i> , whole | 2 ppm |
| Lemon | 2 ppm |
| Orange (including navel orange) | 2 ppm |
| Grapefruit | 2 ppm |
| Lime | 2 ppm |
| Other citrus fruits | 2 ppm |
| Quince | 1 ppm |
| Loquat | 1 ppm |
| Nectarine | 1 ppm |
| Apricot | 5 ppm |
| Japanese plum (including prune) | 5 ppm |
| Mume plum | 5 ppm |
| Cherry | 5 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 5 ppm |
| Japanese persimmon | 1 ppm |
| Banana | 1 ppm |
| Kiwifruit | 1 ppm |
| Papaya | 1 ppm |
| Avocado | 1 ppm |
| Pineapple | 1 ppm |
| Guava | 1 ppm |
| Mango | 1 ppm |
| Passion fruit | 1 ppm |
| Date | 5 ppm |
| Other fruits | 5 ppm |
| Sunflower seeds | 0.03 ppm |
| Sesame seeds | 0.03 ppm |
| Safflower seeds | 0.03 ppm |
| Cotton seeds | 0.03 ppm |
| Rapeseeds | 0.03 ppm |
| Other oil seeds | 0.03 ppm |
| Ginkgo nut | 0.03 ppm |
| Chestnut | 0.03 ppm |
| Pecan | 0.03 ppm |
| Almond | 0.03 ppm |
| Walnut | 0.03 ppm |
| Other nuts | 0.03 ppm |

| | | |
|------------|---|----------|
| | Coffee beans | 0.03 ppm |
| | Cacao beans | 0.03 ppm |
| | Hop | 0.03 ppm |
| | Other spices | 5 ppm |
| | Other herbs | 5 ppm |
| NITRAPYRIN | Wheat | 0.1 ppm |
| | Corn (maize) | 0.1 ppm |
| | Other cereal grains | 0.1 ppm |
| | Cattle, muscle | 0.05 ppm |
| | Pig, muscle | 0.05 ppm |
| | Other terrestrial mammals, muscle | 0.05 ppm |
| | Cattle, fat | 0.05 ppm |
| | Pig, fat | 0.05 ppm |
| | Other terrestrial mammals, fat | 0.05 ppm |
| | Cattle, liver | 0.05 ppm |
| | Pig, liver | 0.05 ppm |
| | Other terrestrial mammals, liver | 0.05 ppm |
| | Cattle, kidney | 0.05 ppm |
| | Pig, kidney | 0.05 ppm |
| | Other terrestrial mammals, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.05 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Other terrestrial mammals, edible offal | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| NITROXYNIL | Cattle, muscle | 0.5 ppm |
| | Pig, muscle | 1 ppm |
| | Other terrestrial mammals, muscle | 0.7 ppm |
| | Cattle, fat | 0.6 ppm |
| | Pig, fat | 1 ppm |
| | Other terrestrial mammals, fat | 0.6 ppm |
| | Cattle, liver | 0.5 ppm |
| | Pig, liver | 1 ppm |
| | Other terrestrial mammals, liver | 0.5 ppm |
| | Cattle, kidney | 0.5 ppm |

| | | |
|-----------------------|---|----------|
| | Pig, kidney | 1 ppm |
| | Other terrestrial mammals, kidney | 0.7 ppm |
| | Cattle, edible offal | 0.5 ppm |
| | Pig, edible offal | 1 ppm |
| | Other terrestrial mammals, edible offal | 1 ppm |
| | Chicken, muscle | 1 ppm |
| | Other poultry, muscle | 1 ppm |
| | Chicken, fat | 1 ppm |
| | Other poultry, fat | 1 ppm |
| | Chicken, liver | 1 ppm |
| | Other poultry, liver | 1 ppm |
| | Chicken, kidney | 1 ppm |
| | Other poultry, kidney | 1 ppm |
| | Chicken, edible offal | 1 ppm |
| | Other poultry, edible offal | 1 ppm |
| NITROTHAL-ISOPROPYL | Apple | 1 ppm |
| SODIUM NIFRUSTYRENATE | Other fish | 0.05 ppm |
| NEOMYCIN | Other terrestrial mammals, muscle (except sheep and goat) | 0.5 ppm |
| | Other terrestrial mammals, fat (except sheep and goat) | 0.5 ppm |
| | Other terrestrial mammals, liver (except sheep and goat) | 0.5 ppm |
| | Other terrestrial mammals, kidney (except sheep and goat) | 5 ppm |
| | Cattle, edible offal | 0.5 ppm |
| | Pig, edible offal | 0.5 ppm |
| | Other terrestrial mammals, edible offal | 0.5 ppm |
| | Other poultry, muscle (except duck and turkey) | 0.5 ppm |
| | Other poultry, fat (except duck and turkey) | 0.5 ppm |
| | Other poultry, liver (except duck and turkey) | 0.5 ppm |
| | Other poultry, kidney (except duck and turkey) | 8 ppm |
| | Chicken, edible offal | 0.5 ppm |
| | Other poultry, edible offal | 0.5 ppm |
| | Other poultry, eggs | 0.5 ppm |
| | Salmoniformes | 0.5 ppm |
| | Anguilliformes | 0.5 ppm |
| | Perciformes | 0.5 ppm |
| | Other fish | 0.5 ppm |
| | Shelled molluscas | 0.5 ppm |
| | Crustaceans | 0.5 ppm |
| | Other aquatic animal | 0.5 ppm |
| NEQUINATE | Chicken, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |

| | | |
|-----------------------------|--|----------|
| | Chicken, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| NOSIHEPTIDE | Pig, muscle | 0.03 ppm |
| | Pig, fat | 0.03 ppm |
| | Pig, liver | 0.03 ppm |
| | Pig, kidney | 0.03 ppm |
| | Pig, edible offal | 0.03 ppm |
| | Chicken, muscle | 0.03 ppm |
| | Chicken, fat | 0.03 ppm |
| | Chicken, liver | 0.03 ppm |
| | Chicken, kidney | 0.03 ppm |
| | Chicken, edible offal | 0.03 ppm |
| COPPER NONYLPHENOLSULFONATE | Rice (brown rice) | 0.04 ppm |
| | Wheat | 0.04 ppm |
| | Barley | 0.04 ppm |
| | Rye | 0.04 ppm |
| | Corn (maize) | 0.04 ppm |
| | Buckwheat | 0.04 ppm |
| | Other cereal grains | 0.04 ppm |
| | Soybeans, dry | 0.04 ppm |
| | Beans, dry* | 0.04 ppm |
| | Peas | 0.04 ppm |
| | Broad beans | 0.04 ppm |
| | Peanuts, dry | 0.04 ppm |
| | Other legumes/pulses | 0.04 ppm |
| | Potato | 5 ppm |
| | Taro | 5 ppm |
| | Sweet potato | 5 ppm |
| | Yam | 5 ppm |
| | Konjac | 5 ppm |
| | Other potatoes | 5 ppm |
| | Sugar beet | 0.04 ppm |
| | Sugarcane | 0.04 ppm |
| | Japanese radish, roots (including radish) | 10 ppm |
| | Japanese radish, leaves (including radish) | 10 ppm |
| | Turnip, roots | 10 ppm |
| | Turnip, leaves | 10 ppm |
| | Horseradish | 10 ppm |
| | Watercress | 10 ppm |
| | Chinese cabbage | 10 ppm |
| | Cabbage | 10 ppm |
| | Brussels sprouts | 10 ppm |

| | |
|--|--------|
| Kale | 10 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 10 ppm |
| <i>Kyona</i> | 10 ppm |
| Qing-geng-cai | 10 ppm |
| Cauliflower | 10 ppm |
| Broccoli | 10 ppm |
| Other cruciferous vegetables | 10 ppm |
| Burdock | 10 ppm |
| Salsify | 10 ppm |
| Artichoke | 10 ppm |
| Chicory | 10 ppm |
| Endive | 10 ppm |
| <i>Shungiku</i> | 10 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 10 ppm |
| Other composite vegetables | 10 ppm |
| Onion | 10 ppm |
| Welsh (including leek) | 10 ppm |
| Garlic | 10 ppm |
| <i>Nira</i> | 10 ppm |
| Asparagus | 10 ppm |
| Multiplying onion | 10 ppm |
| Other liliaceous vegetables | 10 ppm |
| Carrot | 10 ppm |
| Parsnip | 10 ppm |
| Parsley | 10 ppm |
| Celery | 10 ppm |
| <i>Mitsuba</i> | 10 ppm |
| Other umbelliferous vegetables | 10 ppm |
| Tomato | 10 ppm |
| Pimiento (sweet pepper) | 10 ppm |
| Egg plant | 10 ppm |
| Other solanaceous vegetables | 10 ppm |
| Cucumber (including gherkin) | 10 ppm |
| Pumpkin (including squash) | 10 ppm |
| Oriental pickling melon (vegetable) | 10 ppm |
| Water melon | 5 ppm |
| Melons | 5 ppm |
| <i>Makuwauri</i> melon | 5 ppm |
| Other cucurbitaceous vegetables | 10 ppm |
| Spinach | 10 ppm |
| Bamboo shoots | 10 ppm |
| Okra | 10 ppm |
| Ginger | 10 ppm |

| | |
|------------------------------------|--------|
| Peas, immature (with pods) | 10 ppm |
| Kidney beans, immature (with pods) | 10 ppm |
| Green soybeans | 10 ppm |
| Button mushroom | 10 ppm |
| <i>Shiitake</i> mushroom | 10 ppm |
| Other mushrooms | 10 ppm |
| Other vegetables | 10 ppm |
| <i>Unshu</i> orange,pulp | 5 ppm |
| Citrus <i>natsudaidai</i> , whole | 5 ppm |
| Lemon | 5 ppm |
| Orange (including navel orange) | 5 ppm |
| Grapefruit | 5 ppm |
| Lime | 5 ppm |
| Other citrus fruits | 5 ppm |
| Apple | 5 ppm |
| Japanese pear | 5 ppm |
| Pear | 5 ppm |
| Quince | 5 ppm |
| Loquat | 5 ppm |
| Peach | 5 ppm |
| Nectarine | 5 ppm |
| Apricot | 5 ppm |
| Japanese plum (including prune) | 5 ppm |
| Mume plum | 5 ppm |
| Cherry | 5 ppm |
| Strawberry | 5 ppm |
| Raspberry | 5 ppm |
| Blackberry | 5 ppm |
| Blueberry | 5 ppm |
| Cranberry | 5 ppm |
| Huckleberry | 5 ppm |
| Other berries | 5 ppm |
| Grape | 5 ppm |
| Japanese persimmon | 5 ppm |
| Banana | 5 ppm |
| Kiwifruit | 5 ppm |
| Papaya | 5 ppm |
| Avocado | 5 ppm |
| Pineapple | 5 ppm |
| Guava | 5 ppm |
| Mango | 5 ppm |
| Passion fruit | 5 ppm |
| Date | 5 ppm |

| | | |
|-----------|--|----------|
| | Other fruits | 5 ppm |
| | Sunflower seeds | 5 ppm |
| | Sesame seeds | 5 ppm |
| | Safflower seeds | 5 ppm |
| | Cotton seeds | 5 ppm |
| | Rapeseeds | 5 ppm |
| | Other oil seeds | 5 ppm |
| | Ginkgo nut | 5 ppm |
| | Chestnut | 5 ppm |
| | Pecan | 5 ppm |
| | Almond | 5 ppm |
| | Walnut | 5 ppm |
| | Other nuts | 5 ppm |
| | Tea | 0.04 ppm |
| | Coffee beans | 0.04 ppm |
| | Cacao beans | 0.04 ppm |
| | Hop | 0.04 ppm |
| | Other spices | 10 ppm |
| | Other herbs | 10 ppm |
| NOVALURON | Rice (brown rice) | 0.02 ppm |
| | Wheat | 0.02 ppm |
| | Barley | 0.02 ppm |
| | Rye | 0.02 ppm |
| | Corn (maize) | 0.02 ppm |
| | Buckwheat | 0.02 ppm |
| | Other cereal grains | 0.02 ppm |
| | Soybeans, dry | 0.02 ppm |
| | Beans, dry* | 0.02 ppm |
| | Peas | 0.02 ppm |
| | Broad beans | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.02 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.02 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.02 ppm |
| | Sugarcane | 0.02 ppm |
| | Japanese radish, roots (including radish) | 0.02 ppm |
| | Japanese radish, leaves (including radish) | 0.02 ppm |
| | Turnip, roots | 0.02 ppm |

| | |
|--|----------|
| Turnip, leaves | 0.02 ppm |
| Horseradish | 0.02 ppm |
| Watercress | 0.02 ppm |
| Chinese cabbage | 0.02 ppm |
| Brussels sprouts | 0.02 ppm |
| Kale | 0.02 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.02 ppm |
| <i>Kyona</i> | 0.02 ppm |
| Qing-geng-cai | 0.02 ppm |
| Cauliflower | 0.02 ppm |
| Broccoli | 0.02 ppm |
| Other cruciferous vegetables | 0.02 ppm |
| Burdock | 0.02 ppm |
| Salsify | 0.02 ppm |
| Artichoke | 0.02 ppm |
| Chicory | 0.02 ppm |
| Endive | 0.02 ppm |
| <i>Shungiku</i> | 0.02 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.02 ppm |
| Other composite vegetables | 0.02 ppm |
| Onion | 0.02 ppm |
| Welsh (including leek) | 0.02 ppm |
| Garlic | 0.02 ppm |
| <i>Nira</i> | 0.02 ppm |
| Asparagus | 0.02 ppm |
| Multiplying onion | 0.02 ppm |
| Other liliaceous vegetables | 0.02 ppm |
| Carrot | 0.02 ppm |
| Parsnip | 0.02 ppm |
| Parsley | 0.02 ppm |
| Celery | 0.02 ppm |
| <i>Mitsuba</i> | 0.02 ppm |
| Other umbelliferous vegetables | 0.02 ppm |
| Pimiento (sweet pepper) | 0.02 ppm |
| Other solanceous vegetables | 0.02 ppm |
| Cucumber (including gherkin) | 0.02 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Water melon | 0.02 ppm |
| Melons | 0.02 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.02 ppm |

| | |
|------------------------------------|----------|
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.02 ppm |
| Kidney beans, immature (with pods) | 0.02 ppm |
| Green soybeans | 0.02 ppm |
| Button mushroom | 0.02 ppm |
| <i>Shiitake</i> mushroom | 0.02 ppm |
| Other mushrooms | 0.02 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.02 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.02 ppm |
| Lemon | 0.02 ppm |
| Orange (including navel orange) | 0.02 ppm |
| Grapefruit | 0.02 ppm |
| Lime | 0.02 ppm |
| Other citrus fruits | 0.02 ppm |
| Peach | 0.02 ppm |
| Nectarine | 0.02 ppm |
| Apricot | 0.02 ppm |
| Japanese plum (including prune) | 0.02 ppm |
| Mume plum | 0.02 ppm |
| Cherry | 0.02 ppm |
| Strawberry | 0.02 ppm |
| Raspberry | 0.02 ppm |
| Blackberry | 0.02 ppm |
| Blueberry | 0.02 ppm |
| Cranberry | 0.02 ppm |
| Huckleberry | 0.02 ppm |
| Other berries | 0.02 ppm |
| Grape | 0.02 ppm |
| Japanese persimmon | 0.02 ppm |
| Banana | 0.02 ppm |
| Kiwifruit | 0.02 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.02 ppm |
| Pineapple | 0.02 ppm |
| Guava | 0.02 ppm |
| Mango | 0.02 ppm |
| Passion fruit | 0.02 ppm |
| Date | 0.02 ppm |
| Other fruits | 0.02 ppm |
| Sunflower seeds | 0.02 ppm |

| | |
|---|----------|
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |
| Ginkgo nut | 0.02 ppm |
| Chestnut | 0.02 ppm |
| Pecan | 0.02 ppm |
| Almond | 0.02 ppm |
| Walnut | 0.02 ppm |
| Other nuts | 0.02 ppm |
| Tea | 0.02 ppm |
| Coffee beans | 0.02 ppm |
| Cacao beans | 0.02 ppm |
| Hop | 0.02 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| Cattle, muscle | 0.6 ppm |
| Pig, muscle | 0.01 ppm |
| Other terrestrial mammals, muscle | 0.6 ppm |
| Cattle, fat | 10 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 10 ppm |
| Cattle, liver | 1 ppm |
| Pig, liver | 0.01 ppm |
| Other terrestrial mammals, liver | 1 ppm |
| Cattle, kidney | 1 ppm |
| Pig, kidney | 0.01 ppm |
| Other terrestrial mammals, kidney | 1 ppm |
| Cattle, edible offal | 0.6 ppm |
| Pig, edible offal | 0.01 ppm |
| Other terrestrial mammals, edible offal | 0.6 ppm |
| Milk | 1 ppm |
| Chicken, muscle | 0.03 ppm |
| Other poultry, muscle | 0.03 ppm |
| Chicken, fat | 0.4 ppm |
| Other poultry, fat | 0.4 ppm |
| Chicken, liver | 0.04 ppm |
| Other poultry, liver | 0.04 ppm |
| Chicken, kidney | 0.04 ppm |
| Other poultry, kidney | 0.04 ppm |
| Chicken, edible offal | 0.04 ppm |
| Other poultry, edible offal | 0.04 ppm |
| Chicken, eggs | 0.05 ppm |

| | | |
|-------------|---|------------|
| | Other poultry, eggs | 0.05 ppm |
| NOVOBIOCIN | Cattle, muscle | 0.7 ppm |
| | Cattle, fat | 1 ppm |
| | Cattle, liver | 0.7 ppm |
| | Cattle, kidney | 0.7 ppm |
| | Cattle, edible offal | 0.7 ppm |
| | Milk | 0.08 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 1 ppm |
| | Chicken, fat | 1 ppm |
| | Other poultry, fat | 1 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 1 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 1 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 1 ppm |
| | Perciformes | 0.05 ppm |
| NORGESTOMET | Cattle, muscle | 0.0001 ppm |
| | Pig, muscle | 0.0001 ppm |
| | Other terrestrial mammals, muscle | 0.0001 ppm |
| | Cattle, fat | 0.0001 ppm |
| | Pig, fat | 0.0001 ppm |
| | Other terrestrial mammals, fat | 0.0001 ppm |
| | Cattle, liver | 0.0001 ppm |
| | Pig, liver | 0.0001 ppm |
| | Other terrestrial mammals, liver | 0.0001 ppm |
| | Cattle, kidney | 0.0001 ppm |
| | Pig, kidney | 0.0001 ppm |
| | Other terrestrial mammals, kidney | 0.0001 ppm |
| | Cattle, edible offal | 0.0001 ppm |
| | Pig, edible offal | 0.0001 ppm |
| | Other terrestrial mammals, edible offal | 0.0001 ppm |
| | Milk | 0.0001 ppm |
| | Chicken, muscle | 0.0001 ppm |
| | Other poultry, muscle | 0.0001 ppm |
| | Chicken, fat | 0.0001 ppm |
| | Other poultry, fat | 0.0001 ppm |
| | Chicken, liver | 0.0001 ppm |
| | Other poultry, liver | 0.0001 ppm |
| | Chicken, kidney | 0.0001 ppm |
| | Other poultry, kidney | 0.0001 ppm |
| | Chicken, edible offal | 0.0001 ppm |

| | | |
|-------------|-----------------------------------|------------|
| | Other poultry, edible offal | 0.0001 ppm |
| | Chicken, eggs | 0.0001 ppm |
| | Other poultry, eggs | 0.0001 ppm |
| | Salmoniformes | 0.0001 ppm |
| | Anguilliformes | 0.0001 ppm |
| | Perciformes | 0.0001 ppm |
| | Other fish | 0.0001 ppm |
| | Shelled molluscas | 0.0001 ppm |
| | Crustaceans | 0.0001 ppm |
| | Other aquatic animal | 0.0001 ppm |
| | Honey | 0.0001 ppm |
| NORFLURAZON | Soybeans, dry | 0.1 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Asparagus | 0.05 ppm |
| | Green soybeans | 0.1 ppm |
| | <i>Unshu</i> orange,pulp | 0.2 ppm |
| | Citrus <i>natsudaidai</i> , whole | 0.2 ppm |
| | Lemon | 0.2 ppm |
| | Orange (including navel orange) | 0.2 ppm |
| | Grapefruit | 0.2 ppm |
| | Lime | 0.2 ppm |
| | Other citrus fruits | 0.2 ppm |
| | Apple | 0.2 ppm |
| | Japanese pear | 0.2 ppm |
| | Pear | 0.2 ppm |
| | Quince | 0.2 ppm |
| | Loquat | 0.2 ppm |
| | Peach | 0.2 ppm |
| | Nectarine | 0.2 ppm |
| | Apricot | 0.2 ppm |
| | Japanese plum (including prune) | 0.2 ppm |
| | Mume plum | 0.2 ppm |
| | Cherry | 0.2 ppm |
| | Raspberry | 0.2 ppm |
| | Blackberry | 0.1 ppm |
| | Blueberry | 0.2 ppm |
| | Cranberry | 0.1 ppm |
| | Grape | 0.1 ppm |
| | Avocado | 0.2 ppm |
| | Other fruits | 0.2 ppm |
| | Cotton seeds | 0.1 ppm |
| | Ginkgo nut | 0.2 ppm |
| | Chestnut | 0.2 ppm |

| | | |
|-------------|---|----------|
| | Pecan | 0.2 ppm |
| | Almond | 0.2 ppm |
| | Walnut | 0.2 ppm |
| | Other nuts | 0.2 ppm |
| | Hop | 3 ppm |
| | Other spices | 0.2 ppm |
| | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.1 ppm |
| | Pig, fat | 0.1 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.3 ppm |
| | Pig, liver | 0.3 ppm |
| | Other terrestrial mammals, liver | 0.3 ppm |
| | Cattle, kidney | 0.1 ppm |
| | Pig, kidney | 0.1 ppm |
| | Other terrestrial mammals, kidney | 0.1 ppm |
| | Cattle, edible offal | 0.1 ppm |
| | Pig, edible offal | 0.1 ppm |
| | Other terrestrial mammals, edible offal | 0.1 ppm |
| | Milk | 0.1 ppm |
| | Chicken, muscle | 0.1 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.1 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.1 ppm |
| | Other poultry, liver | 0.1 ppm |
| | Chicken, kidney | 0.1 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.1 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| NORFLOXACIN | Pig, muscle | 0.02 ppm |
| | Pig, fat | 0.02 ppm |
| | Pig, liver | 0.02 ppm |
| | Pig, kidney | 0.02 ppm |
| | Pig, edible offal | 0.02 ppm |
| | Chicken, muscle | 0.02 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.02 ppm |
| | Other poultry, fat | 0.1 ppm |
| | Chicken, liver | 0.02 ppm |
| | Other poultry, liver | 0.1 ppm |

| | | |
|---------------|---|----------|
| | Chicken, kidney | 0.02 ppm |
| | Other poultry, kidney | 0.1 ppm |
| | Chicken, edible offal | 0.02 ppm |
| | Other poultry, edible offal | 0.1 ppm |
| VIRGINIAMYCIN | Cattle, muscle | 0.1 ppm |
| | Pig, muscle | 0.1 ppm |
| | Other terrestrial mammals, muscle | 0.1 ppm |
| | Cattle, fat | 0.2 ppm |
| | Pig, fat | 0.3 ppm |
| | Other terrestrial mammals, fat | 0.1 ppm |
| | Cattle, liver | 0.2 ppm |
| | Pig, liver | 0.3 ppm |
| | Other terrestrial mammals, liver | 0.2 ppm |
| | Cattle, kidney | 0.2 ppm |
| | Pig, kidney | 0.3 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.2 ppm |
| | Pig, edible offal | 0.2 ppm |
| | Other terrestrial mammals, edible offal | 0.2 ppm |
| | Milk | 0.1 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.1 ppm |
| | Chicken, fat | 0.2 ppm |
| | Other poultry, fat | 0.2 ppm |
| | Chicken, liver | 0.2 ppm |
| | Other poultry, liver | 0.2 ppm |
| | Chicken, kidney | 0.2 ppm |
| | Other poultry, kidney | 0.2 ppm |
| | Chicken, edible offal | 0.2 ppm |
| | Other poultry, edible offal | 0.2 ppm |
| | Chicken, eggs | 0.1 ppm |
| | Other poultry, eggs | 0.1 ppm |
| BARBAN | Corn (maize) | 0.05 ppm |
| | Soybeans, dry | 0.05 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.05 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |

| | |
|--|----------|
| Konjac | 0.05 ppm |
| Other potatoes | 0.05 ppm |
| Sugar beet | 0.05 ppm |
| Japanese radish, roots (including radish) | 0.05 ppm |
| Japanese radish, leaves (including radish) | 0.05 ppm |
| Turnip, roots | 0.05 ppm |
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Cabbage | 0.05 ppm |
| Brussels sprouts | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |

| | |
|-------------------------------------|----------|
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |

| | |
|---|----------|
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.05 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.05 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.1 ppm |
| Hop | 0.1 ppm |
| Other spices | 0.05 ppm |
| Other herbs | 0.05 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| Cattle, liver | 0.05 ppm |
| Pig, liver | 0.05 ppm |
| Other terrestrial mammals, liver | 0.05 ppm |
| Cattle, kidney | 0.05 ppm |
| Pig, kidney | 0.05 ppm |
| Other terrestrial mammals, kidney | 0.05 ppm |
| Cattle, edible offal | 0.05 ppm |
| Pig, edible offal | 0.05 ppm |
| Other terrestrial mammals, edible offal | 0.05 ppm |

| | | |
|---------------|-----------------------------|----------|
| | Milk | 0.05 ppm |
| | Chicken, muscle | 0.05 ppm |
| | Other poultry, muscle | 0.05 ppm |
| | Chicken, fat | 0.05 ppm |
| | Other poultry, fat | 0.05 ppm |
| | Chicken, liver | 0.05 ppm |
| | Other poultry, liver | 0.05 ppm |
| | Chicken, kidney | 0.05 ppm |
| | Other poultry, kidney | 0.05 ppm |
| | Chicken, edible offal | 0.05 ppm |
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.05 ppm |
| | Other poultry, eggs | 0.05 ppm |
| BUQUINOLATE | Chicken, muscle | 0.1 ppm |
| | Chicken, fat | 0.4 ppm |
| | Chicken, liver | 0.4 ppm |
| | Chicken, kidney | 0.4 ppm |
| | Chicken, edible offal | 0.4 ppm |
| | Chicken, eggs | 0.2 ppm |
| | Other poultry, eggs | 0.2 ppm |
| BAQUILOPRIM | Cattle, muscle | 0.01 ppm |
| | Pig, muscle | 0.04 ppm |
| | Cattle, fat | 0.01 ppm |
| | Pig, fat | 0.04 ppm |
| | Cattle, liver | 0.3 ppm |
| | Pig, liver | 0.05 ppm |
| | Cattle, kidney | 0.2 ppm |
| | Pig, kidney | 0.05 ppm |
| | Cattle, edible offal | 0.2 ppm |
| | Pig, edible offal | 0.05 ppm |
| | Milk | 0.03 ppm |
| PACLOBUTRAZOL | Water melon | 0.2 ppm |
| | Melons | 0.2 ppm |
| | <i>Makuwauri</i> melon | 0.2 ppm |
| | Strawberry | 0.5 ppm |
| | Raspberry | 0.5 ppm |
| | Blackberry | 0.5 ppm |
| | Blueberry | 0.5 ppm |
| | Cranberry | 0.5 ppm |
| | Huckleberry | 0.5 ppm |
| | Grape | 0.5 ppm |
| | Japanese persimmon | 0.01 ppm |
| | Other spices | 0.5 ppm |

| | | |
|-------------|--|----------|
| BACITRACIN | Cattle, muscle | 0.5 ppm |
| | Pig, muscle | 0.5 ppm |
| | Other terrestrial mammals, muscle | 0.2 ppm |
| | Cattle, fat | 0.5 ppm |
| | Pig, fat | 0.5 ppm |
| | Other terrestrial mammals, fat | 0.2 ppm |
| | Cattle, liver | 0.5 ppm |
| | Pig, liver | 0.5 ppm |
| | Other terrestrial mammals, liver | 0.2 ppm |
| | Cattle, kidney | 0.5 ppm |
| | Pig, kidney | 0.5 ppm |
| | Other terrestrial mammals, kidney | 0.2 ppm |
| | Cattle, edible offal | 0.5 ppm |
| | Pig, edible offal | 0.5 ppm |
| | Other terrestrial mammals, edible offal | 0.2 ppm |
| | Milk | 0.4 ppm |
| | Chicken, muscle | 0.5 ppm |
| | Other poultry, muscle | 0.5 ppm |
| | Chicken, fat | 0.5 ppm |
| | Other poultry, fat | 0.5 ppm |
| | Chicken, liver | 0.5 ppm |
| | Other poultry, liver | 0.5 ppm |
| | Chicken, kidney | 0.5 ppm |
| | Other poultry, kidney | 0.5 ppm |
| | Chicken, edible offal | 0.5 ppm |
| | Other poultry, edible offal | 0.5 ppm |
| | Chicken, eggs | 0.5 ppm |
| | Other poultry, eggs | 0.5 ppm |
| VAMIDOTHION | Soybeans, dry | 0.02 ppm |
| | Beans, dry* | 0.02 ppm |
| | Peas | 0.02 ppm |
| | Broad beans | 0.02 ppm |
| | Peanuts, dry | 0.02 ppm |
| | Other legumes/pulses | 0.02 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugarcane | 0.02 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |

| | |
|--|----------|
| Turnip, leaves | 0.05 ppm |
| Horseradish | 0.05 ppm |
| Watercress | 0.05 ppm |
| Chinese cabbage | 0.05 ppm |
| Kale | 0.05 ppm |
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| Qing-geng-cai | 0.05 ppm |
| Other cruciferous vegetables | 0.3 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.02 ppm |
| Oriental pickling melon (vegetable) | 0.02 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.02 ppm |
| Other cucurbitaceous vegetables | 0.02 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.02 ppm |
| Okra | 0.02 ppm |

| | |
|-----------------------------------|----------|
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Cherry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.02 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.02 ppm |
| Sesame seeds | 0.02 ppm |
| Safflower seeds | 0.02 ppm |
| Cotton seeds | 0.02 ppm |
| Rapeseeds | 0.02 ppm |
| Other oil seeds | 0.02 ppm |

| | | |
|----------|--|----------|
| | Ginkgo nut | 0.05 ppm |
| | Chestnut | 0.05 ppm |
| | Pecan | 0.05 ppm |
| | Almond | 0.05 ppm |
| | Walnut | 0.05 ppm |
| | Other nuts | 0.05 ppm |
| | Tea | 0.02 ppm |
| | Coffee beans | 0.02 ppm |
| | Cacao beans | 0.02 ppm |
| | Hop | 0.02 ppm |
| | Other spices | 0.05 ppm |
| | Other herbs | 0.3 ppm |
| PARAQUAT | Rice (brown rice) | 0.1 ppm |
| | Wheat | 0.05 ppm |
| | Barley | 0.05 ppm |
| | Rye | 0.05 ppm |
| | Corn (maize) | 0.1 ppm |
| | Buckwheat | 0.05 ppm |
| | Other cereal grains | 0.5 ppm |
| | Soybeans, dry | 0.1 ppm |
| | Beans, dry* | 0.05 ppm |
| | Peas | 0.05 ppm |
| | Broad beans | 0.05 ppm |
| | Peanuts, dry | 0.04 ppm |
| | Other legumes/pulses | 0.05 ppm |
| | Potato | 0.2 ppm |
| | Taro | 0.05 ppm |
| | Sweet potato | 0.05 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Sugarcane | 0.3 ppm |
| | Japanese radish, roots (including radish) | 0.05 ppm |
| | Japanese radish, leaves (including radish) | 0.05 ppm |
| | Turnip, roots | 0.05 ppm |
| | Turnip, leaves | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Chinese cabbage | 0.05 ppm |
| | Cabbage | 0.05 ppm |
| | Brussels sprouts | 0.05 ppm |
| | Kale | 0.05 ppm |

| | |
|--|----------|
| <i>Komatsuna</i> (Japanese mustard spinach) | 0.05 ppm |
| <i>Kyona</i> | 0.05 ppm |
| <i>Qing-geng-cai</i> | 0.05 ppm |
| Cauliflower | 0.05 ppm |
| Broccoli | 0.05 ppm |
| Other cruciferous vegetables | 0.05 ppm |
| Burdock | 0.05 ppm |
| Salsify | 0.05 ppm |
| Artichoke | 0.05 ppm |
| Chicory | 0.05 ppm |
| Endive | 0.05 ppm |
| <i>Shungiku</i> | 0.05 ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 0.05 ppm |
| Other composite vegetables | 0.05 ppm |
| Onion | 0.05 ppm |
| Welsh (including leek) | 0.05 ppm |
| Garlic | 0.05 ppm |
| <i>Nira</i> | 0.05 ppm |
| Asparagus | 0.05 ppm |
| Multiplying onion | 0.05 ppm |
| Other liliaceous vegetables | 0.05 ppm |
| Carrot | 0.05 ppm |
| Parsnip | 0.05 ppm |
| Parsley | 0.05 ppm |
| Celery | 0.05 ppm |
| <i>Mitsuba</i> | 0.05 ppm |
| Other umbelliferous vegetables | 0.05 ppm |
| Tomato | 0.05 ppm |
| Pimiento (sweet pepper) | 0.05 ppm |
| Egg plant | 0.05 ppm |
| Other solanceous vegetables | 0.05 ppm |
| Cucumber (including gherkin) | 0.05 ppm |
| Pumpkin (including squash) | 0.05 ppm |
| Oriental pickling melon (vegetable) | 0.05 ppm |
| Water melon | 0.05 ppm |
| Melons | 0.05 ppm |
| <i>Makuwauri</i> melon | 0.05 ppm |
| Other cucurbitaceous vegetables | 0.05 ppm |
| Spinach | 0.05 ppm |
| Bamboo shoots | 0.05 ppm |
| Okra | 0.05 ppm |
| Ginger | 0.05 ppm |
| Peas, immature (with pods) | 0.05 ppm |

| | |
|------------------------------------|----------|
| Kidney beans, immature (with pods) | 0.05 ppm |
| Green soybeans | 0.05 ppm |
| Button mushroom | 0.05 ppm |
| <i>Shiitake</i> mushroom | 0.05 ppm |
| Other mushrooms | 0.05 ppm |
| Other vegetables | 0.05 ppm |
| <i>Unshu</i> orange,pulp | 0.05 ppm |
| Citrus <i>natsudaidai</i> , whole | 0.05 ppm |
| Lemon | 0.05 ppm |
| Orange (including navel orange) | 0.05 ppm |
| Grapefruit | 0.05 ppm |
| Lime | 0.05 ppm |
| Other citrus fruits | 0.05 ppm |
| Apple | 0.05 ppm |
| Japanese pear | 0.05 ppm |
| Pear | 0.05 ppm |
| Quince | 0.05 ppm |
| Loquat | 0.05 ppm |
| Peach | 0.05 ppm |
| Nectarine | 0.05 ppm |
| Apricot | 0.05 ppm |
| Japanese plum (including prune) | 0.05 ppm |
| Mume plum | 0.05 ppm |
| Cherry | 0.05 ppm |
| Strawberry | 0.05 ppm |
| Raspberry | 0.05 ppm |
| Blackberry | 0.05 ppm |
| Blueberry | 0.05 ppm |
| Cranberry | 0.05 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.05 ppm |
| Grape | 0.05 ppm |
| Japanese persimmon | 0.05 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.2 ppm |
| Date | 0.05 ppm |
| Other fruits | 1 ppm |

| | |
|---|----------|
| Sunflower seeds | 2 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.2 ppm |
| Rapeseeds | 0.05 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea | 0.3 ppm |
| Coffee beans | 0.05 ppm |
| Cacao beans | 0.05 ppm |
| Hop | 0.2 ppm |
| Other spices | 1 ppm |
| Other herbs | 0.05 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |
| Cattle, liver | 0.3 ppm |
| Pig, liver | 0.3 ppm |
| Other terrestrial mammals, liver | 0.3 ppm |
| Cattle, kidney | 0.5 ppm |
| Pig, kidney | 0.5 ppm |
| Other terrestrial mammals, kidney | 0.5 ppm |
| Cattle, edible offal | 0.3 ppm |
| Pig, edible offal | 0.3 ppm |
| Other terrestrial mammals, edible offal | 0.3 ppm |
| Milk | 0.01 ppm |
| Chicken, muscle | 0.05 ppm |
| Other poultry, muscle | 0.05 ppm |
| Chicken, fat | 0.05 ppm |
| Other poultry, fat | 0.05 ppm |
| Chicken, liver | 0.05 ppm |
| Other poultry, liver | 0.05 ppm |
| Chicken, kidney | 0.05 ppm |
| Other poultry, kidney | 0.05 ppm |
| Chicken, edible offal | 0.05 ppm |

| | | |
|-----------|---------------------------------|----------|
| | Other poultry, edible offal | 0.05 ppm |
| | Chicken, eggs | 0.01 ppm |
| | Other poultry, eggs | 0.01 ppm |
| PARATHION | Barley | 0.5 ppm |
| | Rye | 0.05 ppm |
| | Other cereal grains | 0.08 ppm |
| | Peanuts, dry | 0.05 ppm |
| | Other legumes/pulses | 0.4 ppm |
| | Yam | 0.05 ppm |
| | Konjac | 0.05 ppm |
| | Other potatoes | 0.05 ppm |
| | Sugar beet | 0.05 ppm |
| | Horseradish | 0.05 ppm |
| | Watercress | 0.05 ppm |
| | Kale | 0.4 ppm |
| | Other cruciferous vegetables | 0.4 ppm |
| | Salsify | 0.05 ppm |
| | Artichoke | 0.05 ppm |
| | Chicory | 0.05 ppm |
| | Endive | 0.4 ppm |
| | Other composite vegetables | 0.05 ppm |
| | Garlic | 0.05 ppm |
| | <i>Nira</i> | 0.05 ppm |
| | Multiplying onion | 0.05 ppm |
| | Other liliaceous vegetables | 0.05 ppm |
| | Parsnip | 0.4 ppm |
| | Other umbelliferous vegetables | 0.05 ppm |
| | Other solanceous vegetables | 0.4 ppm |
| | Other cucurbitaceous vegetables | 0.05 ppm |
| | Bamboo shoots | 0.05 ppm |
| | Okra | 0.05 ppm |
| | Ginger | 0.05 ppm |
| | Green soybeans | 0.08 ppm |
| | Button mushroom | 0.05 ppm |
| | <i>Shiitake</i> mushroom | 0.05 ppm |
| | Other mushrooms | 0.05 ppm |
| | Other vegetables | 0.4 ppm |
| | Lemon | 0.5 ppm |
| | Orange (including navel orange) | 0.5 ppm |
| | Grapefruit | 0.5 ppm |
| | Lime | 0.5 ppm |
| | Other citrus fruits | 0.5 ppm |
| | Quince | 0.5 ppm |

| | |
|---|----------|
| Nectarine | 0.5 ppm |
| Apricot | 0.5 ppm |
| Japanese plum (including prune) | 0.5 ppm |
| Mume plum | 0.05 ppm |
| Raspberry | 0.5 ppm |
| Blackberry | 0.5 ppm |
| Blueberry | 0.5 ppm |
| Cranberry | 0.5 ppm |
| Huckleberry | 0.05 ppm |
| Other berries | 0.5 ppm |
| Banana | 0.05 ppm |
| Kiwifruit | 0.05 ppm |
| Papaya | 0.05 ppm |
| Avocado | 0.05 ppm |
| Pineapple | 0.05 ppm |
| Guava | 0.05 ppm |
| Mango | 0.05 ppm |
| Passion fruit | 0.05 ppm |
| Date | 0.05 ppm |
| Other fruits | 0.05 ppm |
| Sunflower seeds | 0.1 ppm |
| Sesame seeds | 0.05 ppm |
| Safflower seeds | 0.05 ppm |
| Cotton seeds | 0.4 ppm |
| Rapeseeds | 0.1 ppm |
| Other oil seeds | 0.05 ppm |
| Ginkgo nut | 0.05 ppm |
| Chestnut | 0.05 ppm |
| Pecan | 0.05 ppm |
| Almond | 0.05 ppm |
| Walnut | 0.05 ppm |
| Other nuts | 0.05 ppm |
| Tea (except unfermented tea) | 0.3 ppm |
| Hop | 0.6 ppm |
| Other spices (except seeds, fruits, roots and rhizomes) | 0.5 ppm |
| Other herbs | 0.4 ppm |
| Cattle, muscle | 0.05 ppm |
| Pig, muscle | 0.05 ppm |
| Other terrestrial mammals, muscle | 0.05 ppm |
| Cattle, fat | 0.05 ppm |
| Pig, fat | 0.05 ppm |
| Other terrestrial mammals, fat | 0.05 ppm |