

	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PARATHION-METHYL	Japanese radish, leaves (including radish)	0.6 ppm
	Turnip, leaves	0.6 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Other nuts	0.2 ppm
	Other spices (except seeds, fruits, roots and rhizomes)	1 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm

	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
VALIDAMYCIN	Rice (brown rice)	0.06 ppm
	Soybeans, dry	0.05 ppm
	Potato	0.05 ppm
	Yam	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Endive	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
	Other composite vegetables	0.05 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.05 ppm
	Garlic	0.05 ppm
	<i>Nira</i>	0.05 ppm
	Asparagus	0.05 ppm
	Carrot	0.05 ppm
	Celery	0.05 ppm
	<i>Mitsuba</i>	0.05 ppm
	Other umbelliferous vegetables	0.05 ppm
	Tomato	0.05 ppm
	Egg plant	0.05 ppm
	Cucumber (including gherkin)	0.05 ppm
	Other cucurbitaceous vegetables	0.05 ppm
	Ginger	0.05 ppm
	Green soybeans	0.05 ppm
	Other vegetables	0.05 ppm
	<i>Unshu</i> orange,pulp	0.05 ppm
	Citrus <i>natsudaidai</i> , whole	0.05 ppm
	Lemon	0.05 ppm
	Orange (including navel orange)	0.05 ppm
	Grapefruit	0.05 ppm
	Lime	0.05 ppm
	Other citrus fruits	0.05 ppm

	Peach	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Strawberry	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
VALNEMULIN	Pig, muscle	0.05 ppm
	Pig, fat	0.05 ppm
	Pig, liver	0.05 ppm
	Pig, kidney	0.05 ppm
	Pig, edible offal	0.05 ppm
HALFENPROX	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.5 ppm
	Loquat	0.1 ppm
	Peach	0.1 ppm
	Nectarine	0.5 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.5 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.5 ppm
	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Other spices	1 ppm
PARBENDAZOLE	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm

	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
HALOXYFOP	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.1 ppm
	Sugarcane	0.03 ppm
	Onion	0.05 ppm
	Garlic	0.05 ppm
	<i>Unshu</i> orange,pulp	0.05 ppm
	Citrus <i>natsudaidai</i> , whole	0.05 ppm
	Lemon	0.05 ppm
	Orange (including navel orange)	0.05 ppm
	Grapefruit	0.05 ppm
	Lime	0.05 ppm
	Other citrus fruits	0.05 ppm
	Apple	0.05 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Quince	0.05 ppm
	Loquat	0.05 ppm
	Peach	0.05 ppm
	Nectarine	0.05 ppm
	Apricot	0.05 ppm
	Japanese plum (including prune)	0.05 ppm
	Mume plum	0.05 ppm
	Cherry	0.05 ppm
	Strawberry	0.05 ppm
	Raspberry	0.05 ppm
	Blackberry	0.05 ppm
	Blueberry	0.05 ppm
	Cranberry	0.05 ppm
	Huckleberry	0.05 ppm
	Other berries	0.05 ppm
	Grape	0.05 ppm
	Japanese persimmon	0.05 ppm
	Banana	0.05 ppm
	Kiwifruit	0.05 ppm
	Papaya	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.05 ppm

Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Hop	0.02 ppm
Other spices	0.1 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.02 ppm
Other terrestrial mammals, fat	0.02 ppm
Cattle, liver	0.5 ppm
Pig, liver	0.5 ppm
Other terrestrial mammals, liver	0.5 ppm
Cattle, kidney	0.5 ppm
Pig, kidney	0.5 ppm
Other terrestrial mammals, kidney	0.5 ppm
Cattle, edible offal	0.5 ppm
Pig, edible offal	0.5 ppm
Other terrestrial mammals, edible offal	0.5 ppm
Milk	0.02 ppm
Chicken, muscle	0.01 ppm
Other poultry, muscle	0.01 ppm
Chicken, fat	0.01 ppm
Other poultry, fat	0.01 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.05 ppm
Chicken, kidney	0.05 ppm
Other poultry, kidney	0.05 ppm
Chicken, edible offal	0.05 ppm
Other poultry, edible offal	0.05 ppm
Chicken, eggs	0.01 ppm

	Other poultry, eggs	0.01 ppm
HALOXON	Cattle, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
HALOSULFURON METHYL	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Buckwheat	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.05 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm
	Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm	
Burdock	0.02 ppm	
Salsify	0.02 ppm	
Artichoke	0.02 ppm	
Chicory	0.02 ppm	

Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.8 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm

Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Tea	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Other spices	0.05 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm

	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
HALOFUGINONE	Cattle, muscle	0.01 ppm
	Cattle, fat	0.03 ppm
	Cattle, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.4 ppm
	Other poultry, liver	0.6 ppm
	Chicken, kidney	1 ppm
	Other poultry, kidney	1 ppm
	Chicken, edible offal	1 ppm
	Other poultry, edible offal	1 ppm
PAROMOMYCIN	Cattle, muscle	0.5 ppm
	Pig, muscle	0.5 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm

	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	2 ppm
	Pig, liver	2 ppm
	Other terrestrial mammals, liver	2 ppm
	Cattle, kidney	2 ppm
	Pig, kidney	2 ppm
	Other terrestrial mammals, kidney	2 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	2 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Chicken, muscle	0.5 ppm
	Other poultry, muscle	0.5 ppm
	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	2 ppm
	Other poultry, liver	2 ppm
	Chicken, kidney	2 ppm
	Other poultry, kidney	2 ppm
	Chicken, edible offal	2 ppm
	Other poultry, edible offal	2 ppm
	Salmoniformes	0.5 ppm
	Anguilliformes	0.5 ppm
	Perciformes	0.5 ppm
	Other fish	0.5 ppm
	Shelled molluscas	0.5 ppm
	Crustaceans	0.5 ppm
	Other aquatic animal	0.5 ppm
BILANAFOS (BIALAPHOS)	Rice (brown rice)	0.004 ppm
	Wheat	0.004 ppm
	Barley	0.004 ppm
	Rye	0.004 ppm
	Corn (maize)	0.004 ppm
	Buckwheat	0.004 ppm
	Other cereal grains	0.004 ppm
	Soybeans, dry	0.004 ppm
	Beans, dry*	0.004 ppm
	Peas	0.004 ppm
	Broad beans	0.004 ppm
	Peanuts, dry	0.004 ppm
	Other legumes/pulses	0.004 ppm
	Potato	0.004 ppm
	Taro	0.004 ppm
	Sweet potato	0.004 ppm

Yam	0.004 ppm
Konjac	0.004 ppm
Other potatoes	0.004 ppm
Sugar beet	0.004 ppm
Sugarcane	0.004 ppm
Japanese radish, roots (including radish)	0.004 ppm
Japanese radish, leaves (including radish)	0.004 ppm
Turnip, roots	0.004 ppm
Turnip, leaves	0.004 ppm
Horseradish	0.004 ppm
Watercress	0.004 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.004 ppm
Brussels sprouts	0.004 ppm
Kale	0.004 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.004 ppm
<i>Kyona</i>	0.004 ppm
Qing-geng-cai	0.004 ppm
Cauliflower	0.004 ppm
Broccoli	0.004 ppm
Other cruciferous vegetables	0.01 ppm
Burdock	0.004 ppm
Salsify	0.004 ppm
Artichoke	0.004 ppm
Chicory	0.004 ppm
Endive	0.004 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.004 ppm
Other composite vegetables	0.01 ppm
Onion	0.004 ppm
Welsh (including leek)	0.004 ppm
Garlic	0.004 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.004 ppm
Multiplying onion	0.004 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.004 ppm
Parsnip	0.004 ppm
Parsley	0.004 ppm
Celery	0.004 ppm
<i>Mitsuba</i>	0.004 ppm
Other umbelliferous vegetables	0.01 ppm
Tomato	0.004 ppm

Pimiento (sweet pepper)	0.004 ppm
Egg plant	0.004 ppm
Other solanaceous vegetables	0.004 ppm
Cucumber (including gherkin)	0.004 ppm
Pumpkin (including squash)	0.004 ppm
Oriental pickling melon (vegetable)	0.004 ppm
Water melon	0.02 ppm
Melons	0.004 ppm
<i>Makuwauri</i> melon	0.004 ppm
Other cucurbitaceous vegetables	0.004 ppm
Spinach	0.004 ppm
Bamboo shoots	0.004 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.004 ppm
Kidney beans, immature (with pods)	0.004 ppm
Green soybeans	0.004 ppm
Button mushroom	0.004 ppm
<i>Shiitake</i> mushroom	0.004 ppm
Other mushrooms	0.004 ppm
Other vegetables	0.01 ppm
<i>Unshu</i> orange, pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.004 ppm
Japanese pear	0.004 ppm
Pear	0.004 ppm
Quince	0.004 ppm
Loquat	0.004 ppm
Peach	0.004 ppm
Nectarine	0.004 ppm
Apricot	0.004 ppm
Japanese plum (including prune)	0.004 ppm
Mume plum	0.004 ppm
Cherry	0.004 ppm
Strawberry	0.004 ppm
Raspberry	0.004 ppm
Blackberry	0.004 ppm
Blueberry	0.004 ppm

	Cranberry	0.004 ppm
	Huckleberry	0.004 ppm
	Other berries	0.004 ppm
	Grape	0.02 ppm
	Japanese persimmon	0.004 ppm
	Banana	0.004 ppm
	Kiwifruit	0.004 ppm
	Papaya	0.004 ppm
	Avocado	0.004 ppm
	Pineapple	0.004 ppm
	Guava	0.004 ppm
	Mango	0.004 ppm
	Passion fruit	0.004 ppm
	Date	0.004 ppm
	Other fruits	0.004 ppm
	Sunflower seeds	0.004 ppm
	Sesame seeds	0.004 ppm
	Safflower seeds	0.004 ppm
	Cotton seeds	0.004 ppm
	Rapeseeds	0.004 ppm
	Other oil seeds	0.004 ppm
	Ginkgo nut	0.004 ppm
	Chestnut	0.004 ppm
	Pecan	0.004 ppm
	Almond	0.004 ppm
	Walnut	0.004 ppm
	Other nuts	0.004 ppm
	Tea	0.004 ppm
	Coffee beans	0.004 ppm
	Cacao beans	0.004 ppm
	Hop	0.008 ppm
	Other spices	0.02 ppm
	Other herbs	0.01 ppm
BIORESMETHRIN	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.5 ppm
	Pig, muscle	0.5 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.5 ppm

	Other terrestrial mammals, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Pig, kidney	0.5 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
	Pig, edible offal	0.5 ppm
	Other terrestrial mammals, edible offal	0.5 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.5 ppm
	Other poultry, muscle	0.5 ppm
	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	0.5 ppm
	Other poultry, liver	0.5 ppm
	Chicken, kidney	0.5 ppm
	Other poultry, kidney	0.5 ppm
	Chicken, edible offal	0.5 ppm
	Other poultry, edible offal	0.5 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PICLORAM	Rice (brown rice)	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Sugarcane	0.01 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	2 ppm
	Pig, liver	2 ppm
	Other terrestrial mammals, liver	2 ppm
	Cattle, kidney	3 ppm
	Pig, kidney	3 ppm
	Other terrestrial mammals, kidney	3 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	2 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm

	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
BICOZAMYCIN	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Cattle, edible offal	0.3 ppm
	Pig, edible offal	0.2 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Perciformes	0.05 ppm
PICOLINAFEN	Rice (brown rice)	0.02 ppm
	Wheat	0.04 ppm
	Barley	0.04 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Peas	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Other spices	0.02 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm

	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
BITHIONOL	Cattle, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
BITERTANOL	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm

Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	3 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	0.05 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.05 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm

Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.3 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Nectarine	1 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm

	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.3 ppm
	Other herbs	0.3 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
HYDRAMETHYLNON	Pineapple	0.05 ppm
HYDROCORTISONE	Milk	0.01 ppm
PINOXADEN	Wheat	0.7 ppm
	Barley	0.5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.05 ppm

	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.06 ppm
	Other poultry, muscle	0.06 ppm
	Chicken, fat	0.06 ppm
	Other poultry, fat	0.06 ppm
	Chicken, liver	0.06 ppm
	Other poultry, liver	0.06 ppm
	Chicken, kidney	0.06 ppm
	Other poultry, kidney	0.06 ppm
	Chicken, edible offal	0.06 ppm
	Other poultry, edible offal	0.06 ppm
	Chicken, eggs	0.06 ppm
	Other poultry, eggs	0.06 ppm
BIFENAZATE	Rice (brown rice)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Wheat	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Barley	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Rye	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Corn (maize)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
	Buckwheat	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Other cereal grains	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Soybeans, dry	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Beans, dry*	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Peas	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Broad beans	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Peanuts, dry	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other legumes/pulses	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Potato	0.05 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Taro	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Sweet potato	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Yam	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Konjac	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Other potatoes	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Sugar beet	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Sugarcane	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Japanese radish, roots (including radish)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Japanese radish, leaves (including radish)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Turnip, roots	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Turnip, leaves	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Horseradish	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Watercress	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Chinese cabbage	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cabbage	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Brussels sprouts	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Kale	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
<i>Kyona</i>	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Qing-geng-cai	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cauliflower	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Broccoli	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other cruciferous vegetables	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Burdock	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Salsify	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Artichoke	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Chicory	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Endive	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

<i>Shungiku</i>	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other composite vegetables	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Onion	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Welsh (including leek)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Garlic	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
<i>Nira</i>	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Asparagus	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Multiplying onion	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other liliaceous vegetables	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Carrot	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Parsnip	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Parsley	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Celery	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
<i>Mitsuba</i>	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other umbelliferous vegetables	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Spinach	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Bamboo shoots	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Ginger	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Peas, immature (with pods)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Kidney beans, immature (with pods)	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Green soybeans	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Button mushroom	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
<i>Shiitake</i> mushroom	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Other mushrooms	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other vegetables	25 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Apricot	0.5 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Mume plum	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Raspberry	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Blackberry	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Blueberry	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cranberry	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Huckleberry	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other berries	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Kiwifruit	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Avocado	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Pineapple	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Guava	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Passion fruit	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Date	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Sunflower seeds	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Sesame seeds	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Safflower seeds	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Rapeseeds	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other oil seeds	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Ginkgo nut	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Coffee beans	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Cacao beans	0.02 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)

Other spices	25 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other herbs (except spearmint and peppermint)	25 ppm (as total of bifenazate and isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate)
Other terrestrial mammals, muscle (except sheep, horse and goat)	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other terrestrial mammals, fat (except sheep, horse and goat)	0.1 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other terrestrial mammals, liver (except sheep, horse and goat)	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other terrestrial mammals, kidney (except sheep, horse and goat)	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other terrestrial mammals, edible offal (except sheep, horse and goat)	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Chicken, muscle	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other poultry, muscle	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)

Chicken, fat	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other poultry, fat	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Chicken, liver	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other poultry, liver	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Chicken, kidney	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other poultry, kidney	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Chicken, edible offal	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
Other poultry, edible offal	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)

	Chicken, eggs	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
	Other poultry, eggs	0.01 ppm (as total of bifenazate, isopropyl 2-(4-methoxybiphenyl-3-yl) diazenylformate, 4-hydroxybiphenyl and 4-sulfatobiphenyl)
BIFENTHRIN	Rice (brown rice)	1 ppm
	Wheat	0.5 ppm
	Barley	0.05 ppm
	Rye	1 ppm
	Buckwheat	1 ppm
	Soybeans, dry	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugarcane	0.01 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	1 ppm
	Horseradish	0.1 ppm
	Watercress	1 ppm
	Kale	1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
	<i>Kyona</i>	1 ppm
	Qing-geng-cai	1 ppm
	Other cruciferous vegetables	1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Chicory	1 ppm
	Endive	1 ppm
	<i>Shungiku</i>	1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	1 ppm
	Other composite vegetables	1 ppm

Onion	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	1 ppm
Celery	1 ppm
<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	1 ppm
Pimiento (sweet pepper)	0.4 ppm
Other solanaceous vegetables	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	1 ppm
Okra	0.4 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.6 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Nectarine	0.5 ppm
Apricot	2 ppm
Mume plum	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Kiwifruit	0.1 ppm
Papaya	0.5 ppm
Avocado	0.5 ppm
Pineapple	0.5 ppm
Guava	0.5 ppm
Mango	0.5 ppm
Passion fruit	0.5 ppm
Date	2 ppm
Other fruits	2 ppm

	Sunflower seeds	0.1 ppm
	Sesame seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Cacao beans	0.1 ppm
	Other spices	2 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.3 ppm
	Pig, muscle	0.3 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	1 ppm
	Other terrestrial mammals, fat	2 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
PIPERAZINE	Cattle, muscle	0.05 ppm
	Pig, muscle	0.3 ppm

	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	1 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.6 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	2 ppm
	Other poultry, eggs	2 ppm
	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.05 ppm
	Other fish	0.05 ppm
	Shelled molluscas	0.05 ppm
	Crustaceans	0.05 ppm
	Other aquatic animal	0.05 ppm
	Honey	0.05 ppm
PIPERONYL BUTOXIDE	Rice (brown rice)	24 ppm
	Wheat	24 ppm
	Barley	24 ppm
	Rye	24 ppm
	Corn (maize)	24 ppm
	Buckwheat	24 ppm
	Other cereal grains	24 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm

Peas	0.2 ppm
Broad beans	0.2 ppm
Peanuts, dry	1 ppm
Other legumes/pulses	0.2 ppm
Potato	0.5 ppm
Taro	0.5 ppm
Sweet potato	0.5 ppm
Yam	0.5 ppm
Konjac	0.5 ppm
Other potatoes	0.5 ppm
Sugar beet	0.5 ppm
Japanese radish, roots (including radish)	0.5 ppm
Japanese radish, leaves (including radish)	50 ppm
Turnip, roots	0.5 ppm
Turnip, leaves	8 ppm
Horseradish	0.5 ppm
Watercress	8 ppm
Chinese cabbage	8 ppm
Cabbage	8 ppm
Brussels sprouts	8 ppm
Kale	8 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	8 ppm
<i>Kyona</i>	8 ppm
Qing-geng-cai	8 ppm
Cauliflower	8 ppm
Broccoli	8 ppm
Other cruciferous vegetables	50 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	8 ppm
Chicory	8 ppm
Endive	8 ppm
<i>Shungiku</i>	8 ppm
Lettuce (including cos lettuce and leaf lettuce)	50 ppm
Other composite vegetables	0.5 ppm
Onion	8 ppm
Welsh (including leek)	8 ppm
Garlic	8 ppm
<i>Nira</i>	8 ppm
Asparagus	8 ppm
Multiplying onion	8 ppm
Other liliaceous vegetables	8 ppm
Carrot	0.5 ppm

Parsnip	0.5 ppm
Celery	8 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	2 ppm
Egg plant	8 ppm
Other solanaceous vegetables	2 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	50 ppm
Bamboo shoots	8 ppm
Okra	8 ppm
Peas, immature (with pods)	8 ppm
Kidney beans, immature (with pods)	8 ppm
Green soybeans	8 ppm
Button mushroom	8 ppm
<i>Shiitake</i> mushroom	8 ppm
Other mushrooms	8 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	5 ppm
Citrus <i>natsudaidai</i> , whole	5 ppm
Lemon	5 ppm
Orange (including navel orange)	5 ppm
Grapefruit	5 ppm
Lime	5 ppm
Other citrus fruits	5 ppm
Apple	8 ppm
Japanese pear	8 ppm
Pear	8 ppm
Quince	8 ppm
Loquat	8 ppm
Peach	8 ppm
Nectarine	8 ppm
Apricot	8 ppm
Japanese plum (including prune)	8 ppm
Mume plum	8 ppm
Cherry	8 ppm
Strawberry	8 ppm

Raspberry	8 ppm
Blackberry	8 ppm
Blueberry	8 ppm
Cranberry	8 ppm
Huckleberry	8 ppm
Other berries	8 ppm
Grape	8 ppm
Japanese persimmon	8 ppm
Banana	8 ppm
Kiwifruit	8 ppm
Papaya	8 ppm
Avocado	8 ppm
Pineapple	8 ppm
Guava	8 ppm
Mango	8 ppm
Passion fruit	8 ppm
Date	8 ppm
Other fruits	8 ppm
Sunflower seeds	8 ppm
Sesame seeds	8 ppm
Safflower seeds	8 ppm
Cotton seeds	8 ppm
Rapeseeds	8 ppm
Other oil seeds	8 ppm
Ginkgo nut	8 ppm
Chestnut	8 ppm
Pecan	8 ppm
Almond	8 ppm
Walnut	5 ppm
Other nuts	8 ppm
Cacao beans	8 ppm
Other spices	8 ppm
Other herbs	50 ppm
Cattle, muscle	2 ppm
Pig, muscle	2 ppm
Other terrestrial mammals, muscle	2 ppm
Cattle, fat	5 ppm
Pig, fat	0.03 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	1 ppm
Pig, liver	1 ppm
Other terrestrial mammals, liver	1 ppm
Cattle, kidney	0.3 ppm

	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.03 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.2 ppm
	Chicken, muscle	0.08 ppm
	Other poultry, muscle	3 ppm
	Chicken, fat	7 ppm
	Other poultry, fat	7 ppm
	Chicken, liver	10 ppm
	Other poultry, liver	10 ppm
	Chicken, kidney	10 ppm
	Other poultry, kidney	10 ppm
	Chicken, edible offal	10 ppm
	Other poultry, edible offal	10 ppm
	Chicken, eggs	1 ppm
	Other poultry, eggs	1 ppm
PIPEROPHOS	Rice (brown rice)	0.01 ppm
HYMEXAZOL	Rice (brown rice)	0.5 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.5 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm

Turnip, leaves	0.5 ppm
Horseradish	0.5 ppm
Watercress	0.5 ppm
Chinese cabbage	0.5 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.5 ppm
Kale	0.5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	0.5 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	0.5 ppm
Melons	0.5 ppm

<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.5 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm
Lime	0.5 ppm
Other citrus fruits	0.5 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.5 ppm
Loquat	0.5 ppm
Peach	0.5 ppm
Nectarine	0.5 ppm
Apricot	0.5 ppm
Japanese plum (including prune)	0.5 ppm
Mume plum	0.5 ppm
Cherry	0.5 ppm
Strawberry	0.5 ppm
Raspberry	0.5 ppm
Blackberry	0.5 ppm
Blueberry	0.5 ppm
Cranberry	0.5 ppm
Huckleberry	0.5 ppm
Other berries	0.5 ppm
Grape	0.5 ppm
Japanese persimmon	0.5 ppm
Banana	0.5 ppm
Kiwifruit	0.5 ppm
Papaya	0.5 ppm

	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	0.5 ppm
	Other fruits	0.5 ppm
	Sunflower seeds	0.5 ppm
	Sesame seeds	0.5 ppm
	Safflower seeds	0.5 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.5 ppm
	Other oil seeds	0.5 ppm
	Ginkgo nut	0.5 ppm
	Chestnut	0.5 ppm
	Pecan	0.5 ppm
	Almond	0.5 ppm
	Walnut	0.5 ppm
	Other nuts	0.5 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.5 ppm
	Other herbs	0.5 ppm
PYMETROZINE	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, leaves	0.4 ppm
	Watercress	0.6 ppm
	Chinese cabbage	0.5 ppm
	Kale	0.4 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.4 ppm
	<i>Kyona</i>	0.4 ppm
	Chicory	0.5 ppm
	Endive	0.6 ppm
	<i>Shungiku</i>	0.6 ppm
	Other composite vegetables	0.6 ppm
	Asparagus	0.04 ppm
	Parsley	0.6 ppm

Celery	0.6 ppm
Other umbelliferous vegetables	0.6 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	0.6 ppm
Okra	2 ppm
Ginger	0.02 ppm
Other vegetables	0.6 ppm
Apple	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Nectarine	0.1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Cherry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm
Other berries	1 ppm
Grape	1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	1 ppm
Other fruits	1 ppm
Cotton seeds	0.2 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Other nuts	0.02 ppm
Hop	6 ppm
Other spices	1 ppm
Other herbs	0.6 ppm
Cattle, muscle	0.01 ppm

	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
PYRACLOFOS	Turnip, leaves	0.05 ppm
	Watercress	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Artichoke	0.05 ppm
	Chicory	0.05 ppm
	Endive	0.05 ppm
	<i>Shungiku</i>	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
	Other composite vegetables	0.05 ppm
	Welsh (including leek)	0.05 ppm

	Asparagus	0.05 ppm
	Multiplying onion	0.05 ppm
	Parsley	0.05 ppm
	Celery	0.05 ppm
	<i>Mitsuba</i>	0.05 ppm
	Other umbelliferous vegetables	0.05 ppm
	Pimiento (sweet pepper)	0.05 ppm
	Other solanaceous vegetables	0.05 ppm
	Spinach	0.05 ppm
	Okra	0.05 ppm
	Other vegetables	0.05 ppm
	Other spices	1 ppm
	Other herbs	0.5 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
PYRAZOSULFURON-ETHYL	Rice (brown rice)	0.1 ppm
PYRAZOPHOS	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm

Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm

Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm

Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	0.05 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.02 ppm
Other terrestrial mammals, fat	0.02 ppm
Cattle, liver	0.02 ppm
Pig, liver	0.02 ppm
Other terrestrial mammals, liver	0.02 ppm
Cattle, kidney	0.02 ppm
Pig, kidney	0.02 ppm
Other terrestrial mammals, kidney	0.02 ppm
Cattle, edible offal	0.02 ppm
Pig, edible offal	0.02 ppm
Other terrestrial mammals, edible offal	0.02 ppm
Milk	0.02 ppm
Chicken, muscle	0.02 ppm
Other poultry, muscle	0.02 ppm
Chicken, fat	0.02 ppm
Other poultry, fat	0.02 ppm
Chicken, liver	0.02 ppm

	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
PYRAZOLYNATE	Rice (brown rice)	0.1 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm
	Broccoli	0.02 ppm

Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm

Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm

	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
PYRAFLUFEN ETHYL	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.01 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	0.1 ppm

Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Welsh (including leek)	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Ginger	0.1 ppm
Green soybeans	0.01 ppm
Other vegetables	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm

	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Cotton seeds	0.04 ppm
	Ginkgo nut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
PYRANTEL TARTRATE	Pig, muscle	1 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Pig, fat	1 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Pig, liver	10 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Pig, kidney	10 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Pig, edible offal	10 ppm
	Other terrestrial mammals, edible offal	0.5 ppm
PYRIDAFENTHION	Rice (brown rice)	0.05 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Japanese radish, roots (including radish)	0.03 ppm
	Japanese radish, leaves (including radish)	0.03 ppm
	Turnip, roots	0.03 ppm
	Turnip, leaves	0.03 ppm
	Horseradish	0.03 ppm
	Watercress	0.03 ppm
	Chinese cabbage	0.03 ppm
	Cabbage	0.03 ppm
	Brussels sprouts	0.03 ppm
	Kale	0.03 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.03 ppm
	<i>Kyona</i>	0.03 ppm
	Qing-geng-cai	0.03 ppm
	Cauliflower	0.03 ppm

Broccoli	0.03 ppm
Other cruciferous vegetables	0.03 ppm
Burdock	0.03 ppm
Salsify	0.03 ppm
Artichoke	0.03 ppm
Chicory	0.03 ppm
Endive	0.03 ppm
<i>Shungiku</i>	0.03 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.03 ppm
Other composite vegetables	0.03 ppm
Onion	0.03 ppm
Welsh (including leek)	0.03 ppm
Garlic	0.03 ppm
<i>Nira</i>	0.03 ppm
Asparagus	0.03 ppm
Multiplying onion	0.03 ppm
Other liliaceous vegetables	0.03 ppm
Carrot	0.03 ppm
Parsnip	0.03 ppm
Parsley	0.03 ppm
Celery	0.03 ppm
<i>Mitsuba</i>	0.03 ppm
Other umbelliferous vegetables	0.03 ppm
Tomato	0.03 ppm
Pimiento (sweet pepper)	0.03 ppm
Egg plant	0.03 ppm
Other solanaceous vegetables	0.03 ppm
Cucumber (including gherkin)	0.03 ppm
Pumpkin (including squash)	0.03 ppm
Oriental pickling melon (vegetable)	0.03 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.03 ppm
Spinach	0.03 ppm
Bamboo shoots	0.03 ppm
Okra	0.03 ppm
Ginger	0.03 ppm
Peas, immature (with pods)	0.03 ppm
Kidney beans, immature (with pods)	0.03 ppm
Green soybeans	0.03 ppm
Button mushroom	0.03 ppm
<i>Shiitake</i> mushroom	0.03 ppm

Other mushrooms	0.03 ppm
Other vegetables	0.03 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm

	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.03 ppm
PYRIDABEN	Other spices	3 ppm
	Other herbs	3 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
PYRIDALYL	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm

Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm

Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm

	Passion fruit	0.02 ppm
	Date	0.02 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Cotton seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
PYRITHIOBAC-SODIUM	Cotton seeds	0.02 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm

	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
PYRIDATE	Other legumes/pulses	0.1 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Turnip, leaves	10 ppm
	Watercress	10 ppm
	Chinese cabbage	0.03 ppm
	Kale	10 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	10 ppm
	<i>Kyona</i>	10 ppm
	Qing-geng-cai	10 ppm
	Cauliflower	10 ppm
	Broccoli	10 ppm
	Other cruciferous vegetables	10 ppm
	Artichoke	10 ppm
	Chicory	10 ppm
	Endive	10 ppm
	<i>Shungiku</i>	10 ppm
	Lettuce (including cos lettuce and leaf lettuce)	10 ppm
	Other composite vegetables	10 ppm
	Welsh (including leek)	10 ppm
	Garlic	0.1 ppm
	<i>Nira</i>	10 ppm
	Multiplying onion	10 ppm
	Other liliaceous vegetables	10 ppm
	Parsley	10 ppm
	Celery	10 ppm
	<i>Mitsuba</i>	10 ppm
	Other umbelliferous vegetables	10 ppm
	Spinach	10 ppm
	Other vegetables	10 ppm
	Other spices	10 ppm
	Other herbs	10 ppm
	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.2 ppm

	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.3 ppm
	Pig, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.2 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.2 ppm
	Other poultry, eggs	0.2 ppm
PYRIFENOX	Other spices	0.1 ppm
PYRIFTALID	Rice (brown rice)	0.1 ppm
PYRIPROXYFEN	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.6 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm

Other potatoes	0.1 ppm
Sugar beet	0.1 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.7 ppm
Cabbage	0.7 ppm
Brussels sprouts	0.7 ppm
Kale	2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
<i>Kyona</i>	2 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.7 ppm
Broccoli	0.7 ppm
Other cruciferous vegetables	2 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	3 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Pimiento (sweet pepper)	5 ppm
Other solanaceous vegetables	5 ppm
Pumpkin (including squash)	1 ppm

Oriental pickling melon (vegetable)	1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	5 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.1 ppm
Button mushroom	0.6 ppm
<i>Shiitake</i> mushroom	0.6 ppm
Other mushrooms	0.6 ppm
Other vegetables	1 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	0.1 ppm
Cherry	1 ppm
Strawberry	0.3 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	1 ppm
Cranberry	0.1 ppm
Huckleberry	1 ppm
Other berries	1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	1 ppm

	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	1 ppm
	Sunflower seeds	0.1 ppm
	Sesame seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.1 ppm
	Other nuts	0.02 ppm
	Tea	0.1 ppm
	Coffee beans	0.1 ppm
	Cacao beans	0.1 ppm
	Hop	0.1 ppm
	Other spices	1 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.02 ppm
	Mineral waters	0.3 ppm
PIRIMICARB	Rice (brown rice)	0.3 ppm
	Soybeans, dry	1 ppm
	Broad beans	1 ppm
	Other legumes/pulses	1 ppm
	Taro	1 ppm

Yam	1 ppm
Konjac	1 ppm
Other potatoes	1 ppm
Kale	2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
<i>Kyona</i>	2 ppm
Burdock	1 ppm
Chicory	2 ppm
<i>Shungiku</i>	2 ppm
Other composite vegetables	2 ppm
<i>Nira</i>	3 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	3 ppm
<i>Mitsuba</i>	3 ppm
Other umbelliferous vegetables	3 ppm
Oriental pickling melon (vegetable)	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	2 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	0.2 ppm
Nectarine	0.8 ppm
Japanese persimmon	0.5 ppm
Papaya	0.5 ppm
Guava	0.5 ppm
Other fruits	2 ppm
Other oil seeds	3 ppm
Ginkgo nut	0.05 ppm
Walnut	0.05 ppm
Cacao beans	0.05 ppm
Other spices (except seeds)	3 ppm
Other herbs	3 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.1 ppm

	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PYRIMIDIFEN	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.1 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Burdock	0.05 ppm
	Salsify	0.05 ppm
	Artichoke	0.05 ppm
	Chicory	0.05 ppm
	Endive	0.05 ppm
	<i>Shungiku</i>	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
	Other composite vegetables	0.05 ppm
	Welsh (including leek)	0.05 ppm

<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Ginger	0.05 ppm
Other vegetables	0.05 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.1 ppm
Nectarine	0.2 ppm
Apricot	0.3 ppm
Japanese plum (including prune)	0.3 ppm
Mume plum	0.3 ppm
Cherry	0.3 ppm
Strawberry	0.3 ppm
Raspberry	0.3 ppm
Blackberry	0.3 ppm
Blueberry	0.3 ppm
Cranberry	0.3 ppm
Huckleberry	0.3 ppm
Other berries	0.3 ppm
Grape	0.3 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.1 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm

	Date	0.3 ppm
	Other fruits	0.3 ppm
	Tea	5 ppm
	Other spices	0.3 ppm
	Other herbs	0.05 ppm
PIRIMIPHOS-METHYL	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.05 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Cacao beans	0.05 ppm
	Hop	0.05 ppm
	Other spices (except seeds and fruits)	5 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm

	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
PYRIMETHANIL	Potato	0.03 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Other potatoes	0.05 ppm
	Onion	0.1 ppm
	Welsh (including leek)	2 ppm
	Other cucurbitaceous vegetables	0.05 ppm
	Ginger	0.05 ppm
	Other vegetables	0.05 ppm
	Peach	3 ppm
	Nectarine	5 ppm
	Apricot	10 ppm
	Japanese plum (including prune)	10 ppm
	Mume plum	10 ppm
	Cherry	10 ppm
	Raspberry	10 ppm
	Blackberry	10 ppm
	Blueberry	10 ppm
	Cranberry	10 ppm
	Huckleberry	10 ppm
	Other berries	10 ppm
	Japanese persimmon	5 ppm
	Papaya	5 ppm
	Avocado	5 ppm
	Pineapple	5 ppm
	Guava	5 ppm
	Mango	5 ppm
	Passion fruit	5 ppm
	Date	10 ppm
	Other fruits	10 ppm
	Almond	0.2 ppm
	Other nuts	0.2 ppm
	Other spices	15 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.03 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.03 ppm

	Cattle, fat	0.01 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.03 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.03 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.04 ppm
	Cattle, edible offal	0.03 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.03 ppm
	Milk	0.02 ppm
PYRIMETHAMINE	Pig, muscle	0.05 ppm
	Pig, fat	0.05 ppm
	Pig, liver	0.05 ppm
	Pig, kidney	0.05 ppm
	Pig, edible offal	0.05 ppm
	Chicken, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
PYRETHRINS	Sugarcane	0.05 ppm
	Coffee beans	0.05 ppm
	Hop	0.05 ppm
	Other spices	1 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm

	Milk	0.5 ppm (in fat)
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
PYROQUILON	Rice (brown rice)	0.2 ppm
VINCLOZOLIN	Soybeans, dry	0.5 ppm
	Beans, dry*	0.8 ppm
	Broad beans	0.8 ppm
	Other legumes/pulses	0.8 ppm
	Potato	0.1 ppm
	Cabbage	1 ppm
	Cauliflower	1 ppm
	Chicory	2 ppm
	Endive	5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	5 ppm
	Other composite vegetables	5 ppm
	Onion	1 ppm
	Tomato	3 ppm
	Pimiento (sweet pepper)	3 ppm
	Other solanaceous vegetables	2 ppm
	Cucumber (including gherkin)	1 ppm
	Melons	1 ppm
	<i>Makuwauri</i> melon	1 ppm
	Kidney beans, immature (with pods)	2 ppm
	Other vegetables	1 ppm
	Apple	1 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Quince	1 ppm
	Loquat	1 ppm
	Peach	2 ppm
	Nectarine	2 ppm
	Apricot	5 ppm
	Japanese plum (including prune)	1 ppm

	Cherry	3 ppm
	Strawberry	10 ppm
	Raspberry	5 ppm
	Blackberry	5 ppm
	Blueberry	5 ppm
	Huckleberry	5 ppm
	Other berries	5 ppm
	Grape	5 ppm
	Kiwifruit	10 ppm
	Rapeseeds	1 ppm
	Hop	40 ppm
	Other herbs	5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PINDONE	Rice (brown rice)	0.001 ppm
	Wheat	0.001 ppm
	Barley	0.001 ppm

Rye	0.001 ppm
Corn (maize)	0.001 ppm
Buckwheat	0.001 ppm
Other cereal grains	0.001 ppm
Soybeans, dry	0.001 ppm
Beans, dry*	0.001 ppm
Peas	0.001 ppm
Broad beans	0.001 ppm
Peanuts, dry	0.001 ppm
Other legumes/pulses	0.001 ppm
Potato	0.001 ppm
Taro	0.001 ppm
Sweet potato	0.001 ppm
Yam	0.001 ppm
Konjac	0.001 ppm
Other potatoes	0.001 ppm
Sugar beet	0.001 ppm
Sugarcane	0.001 ppm
Japanese radish, roots (including radish)	0.001 ppm
Japanese radish, leaves (including radish)	0.001 ppm
Turnip, roots	0.001 ppm
Turnip, leaves	0.001 ppm
Horseradish	0.001 ppm
Watercress	0.001 ppm
Chinese cabbage	0.001 ppm
Cabbage	0.001 ppm
Brussels sprouts	0.001 ppm
Kale	0.001 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.001 ppm
<i>Kyona</i>	0.001 ppm
Qing-geng-cai	0.001 ppm
Cauliflower	0.001 ppm
Broccoli	0.001 ppm
Other cruciferous vegetables	0.001 ppm
Burdock	0.001 ppm
Salsify	0.001 ppm
Artichoke	0.001 ppm
Chicory	0.001 ppm
Endive	0.001 ppm
<i>Shungiku</i>	0.001 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.001 ppm
Other composite vegetables	0.001 ppm
Onion	0.001 ppm

Welsh (including leek)	0.001 ppm
Garlic	0.001 ppm
<i>Nira</i>	0.001 ppm
Asparagus	0.001 ppm
Multiplying onion	0.001 ppm
Other liliaceous vegetables	0.001 ppm
Carrot	0.001 ppm
Parsnip	0.001 ppm
Parsley	0.001 ppm
Celery	0.001 ppm
<i>Mitsuba</i>	0.001 ppm
Other umbelliferous vegetables	0.001 ppm
Tomato	0.001 ppm
Pimiento (sweet pepper)	0.001 ppm
Egg plant	0.001 ppm
Other solanceous vegetables	0.001 ppm
Cucumber (including gherkin)	0.001 ppm
Pumpkin (including squash)	0.001 ppm
Oriental pickling melon (vegetable)	0.001 ppm
Water melon	0.001 ppm
Melons	0.001 ppm
<i>Makuwauri</i> melon	0.001 ppm
Other cucurbitaceous vegetables	0.001 ppm
Spinach	0.001 ppm
Bamboo shoots	0.001 ppm
Okra	0.001 ppm
Ginger	0.001 ppm
Peas, immature (with pods)	0.001 ppm
Kidney beans, immature (with pods)	0.001 ppm
Green soybeans	0.001 ppm
Button mushroom	0.001 ppm
<i>Shiitake</i> mushroom	0.001 ppm
Other mushrooms	0.001 ppm
Other vegetables	0.001 ppm
<i>Unshu</i> orange,pulp	0.001 ppm
Citrus <i>natsudaidai</i> , whole	0.001 ppm
Lemon	0.001 ppm
Orange (including navel orange)	0.001 ppm
Grapefruit	0.001 ppm
Lime	0.001 ppm
Other citrus fruits	0.001 ppm
Apple	0.001 ppm
Japanese pear	0.001 ppm

Pear	0.001 ppm
Quince	0.001 ppm
Loquat	0.001 ppm
Peach	0.001 ppm
Nectarine	0.001 ppm
Apricot	0.001 ppm
Japanese plum (including prune)	0.001 ppm
Mume plum	0.001 ppm
Cherry	0.001 ppm
Strawberry	0.001 ppm
Raspberry	0.001 ppm
Blackberry	0.001 ppm
Blueberry	0.001 ppm
Cranberry	0.001 ppm
Huckleberry	0.001 ppm
Other berries	0.001 ppm
Grape	0.001 ppm
Japanese persimmon	0.001 ppm
Banana	0.001 ppm
Kiwifruit	0.001 ppm
Papaya	0.001 ppm
Avocado	0.001 ppm
Pineapple	0.001 ppm
Guava	0.001 ppm
Mango	0.001 ppm
Passion fruit	0.001 ppm
Date	0.001 ppm
Other fruits	0.001 ppm
Sunflower seeds	0.001 ppm
Sesame seeds	0.001 ppm
Safflower seeds	0.001 ppm
Cotton seeds	0.001 ppm
Rapeseeds	0.001 ppm
Other oil seeds	0.001 ppm
Ginkgo nut	0.001 ppm
Chestnut	0.001 ppm
Pecan	0.001 ppm
Almond	0.001 ppm
Walnut	0.001 ppm
Other nuts	0.001 ppm
Tea	0.001 ppm
Coffee beans	0.001 ppm
Cacao beans	0.001 ppm

	Hop	0.001 ppm
	Other spices	0.001 ppm
	Other herbs	0.001 ppm
	Cattle, muscle	0.001 ppm
	Pig, muscle	0.001 ppm
	Other terrestrial mammals, muscle	0.001 ppm
	Cattle, fat	0.001 ppm
	Pig, fat	0.001 ppm
	Other terrestrial mammals, fat	0.001 ppm
	Cattle, liver	0.001 ppm
	Pig, liver	0.001 ppm
	Other terrestrial mammals, liver	0.001 ppm
	Cattle, kidney	0.001 ppm
	Pig, kidney	0.001 ppm
	Other terrestrial mammals, kidney	0.001 ppm
	Cattle, edible offal	0.001 ppm
	Pig, edible offal	0.001 ppm
	Other terrestrial mammals, edible offal	0.001 ppm
	Milk	0.001 ppm
	Chicken, muscle	0.001 ppm
	Other poultry, muscle	0.001 ppm
	Chicken, fat	0.001 ppm
	Other poultry, fat	0.001 ppm
	Chicken, liver	0.001 ppm
	Other poultry, liver	0.001 ppm
	Chicken, kidney	0.001 ppm
	Other poultry, kidney	0.001 ppm
	Chicken, edible offal	0.001 ppm
	Other poultry, edible offal	0.001 ppm
	Chicken, eggs	0.001 ppm
	Other poultry, eggs	0.001 ppm
	Salmoniformes	0.001 ppm
	Anguilliformes	0.001 ppm
	Perciformes	0.001 ppm
	Other fish	0.001 ppm
	Shelled molluscas	0.001 ppm
	Crustaceans	0.001 ppm
	Other aquatic animal	0.001 ppm
	Honey	0.001 ppm
FAMPHUR	Cattle, muscle	0.08 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm

	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.08 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.08 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.08 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Salmoniformes	0.02 ppm
	Anguilliformes	0.02 ppm
	Perciformes	0.02 ppm
	Other fish	0.02 ppm
	Shelled molluscas	0.02 ppm
	Crustaceans	0.02 ppm
	Other aquatic animal	0.02 ppm
	Honey	0.02 ppm
FAMOXADONE	Wheat	0.1 ppm
	Barley	0.2 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm

Sugar beet	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Cabbage	1 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	5 ppm
Other composite vegetables	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Pimiento (sweet pepper)	4 ppm
Egg plant	2 ppm
Other solanaceous vegetables	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	2 ppm

Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	2 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.02 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.1 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm

	Passion fruit	0.02 ppm
	Date	2 ppm
	Other fruits	2 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Other spices	2 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.5 ppm
	Pig, muscle	0.5 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.5 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Pig, kidney	0.5 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
	Pig, edible offal	0.5 ppm
	Other terrestrial mammals, edible offal	0.5 ppm
	Milk	0.03 ppm (in fat)
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
FIPRONIL	Wheat	0.002 ppm
	Barley	0.002 ppm
	Rye	0.002 ppm
	Buckwheat	0.002 ppm

Soybeans, dry	0.002 ppm
Beans, dry*	0.002 ppm
Peas	0.002 ppm
Broad beans	0.002 ppm
Peanuts, dry	0.01 ppm
Other legumes/pulses	0.002 ppm
Taro	0.002 ppm
Sweet potato	0.01 ppm
Yam	0.002 ppm
Konjac	0.002 ppm
Other potatoes	0.002 ppm
Japanese radish, roots (including radish)	0.002 ppm
Japanese radish, leaves (including radish)	0.002 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.002 ppm
Watercress	0.1 ppm
Brussels sprouts	0.05 ppm
Kale	0.002 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.002 ppm
<i>Kyona</i>	0.1 ppm
Burdock	0.002 ppm
Salsify	0.002 ppm
Artichoke	0.002 ppm
Chicory	0.002 ppm
Endive	0.002 ppm
<i>Shungiku</i>	0.002 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.002 ppm
Other composite vegetables	0.1 ppm
Onion	0.002 ppm
Welsh (including leek)	0.002 ppm
Garlic	0.002 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.2 ppm
Multiplying onion	0.002 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.002 ppm
Parsnip	0.002 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.002 ppm

Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.002 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.002 ppm
Pumpkin (including squash)	0.002 ppm
Oriental pickling melon (vegetable)	0.002 ppm
Water melon	0.002 ppm
Melons	0.002 ppm
<i>Makuwauri</i> melon	0.002 ppm
Other cucurbitaceous vegetables	0.002 ppm
Spinach	0.002 ppm
Bamboo shoots	0.002 ppm
Okra	0.002 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.002 ppm
Kidney beans, immature (with pods)	0.002 ppm
Green soybeans	0.002 ppm
<i>Shiitake</i> mushroom	0.002 ppm
Other mushrooms	0.002 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm

Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Kiwifruit	0.01 ppm
Papaya	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Other fruits	0.1 ppm
Sesame seeds	0.002 ppm
Safflower seeds	0.002 ppm
Cotton seeds	0.01 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.002 ppm
Chestnut	0.002 ppm
Pecan	0.01 ppm
Almond	0.002 ppm
Walnut	0.002 ppm
Other nuts	0.002 ppm
Tea	0.002 ppm
Coffee beans	0.002 ppm
Cacao beans	0.01 ppm
Hop	0.002 ppm
Other spices	0.1 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.04 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.04 ppm
Cattle, fat	0.5 ppm
Pig, fat	0.3 ppm
Other terrestrial mammals, fat	0.3 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.02 ppm
Other terrestrial mammals, liver	0.06 ppm
Cattle, kidney	0.02 ppm
Pig, kidney	0.02 ppm
Other terrestrial mammals, kidney	0.03 ppm
Cattle, edible offal	0.03 ppm
Pig, edible offal	0.02 ppm
Other terrestrial mammals, edible offal	0.03 ppm

	Milk	0.02 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.04 ppm
	Other poultry, fat	0.04 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Honey	0.05 ppm
FENAMIPHOS	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.04 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.04 ppm
	Horseradish	0.1 ppm
	Watercress	0.04 ppm
	Chinese cabbage	0.04 ppm
	Cabbage	0.05 ppm

Brussels sprouts	0.05 ppm
Kale	0.04 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.04 ppm
<i>Kyona</i>	0.04 ppm
Qing-geng-cai	0.04 ppm
Cauliflower	0.04 ppm
Broccoli	0.04 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.02 ppm
Chicory	0.04 ppm
Endive	0.04 ppm
<i>Shungiku</i>	0.04 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.04 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.3 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.2 ppm
Parsnip	0.1 ppm
Parsley	0.02 ppm
Celery	0.04 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.2 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.08 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.04 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.04 ppm
Bamboo shoots	0.02 ppm
Okra	0.2 ppm
Ginger	0.04 ppm

Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.06 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange, pulp	0.04 ppm
Citrus <i>natsudaidai</i> , whole	0.04 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.04 ppm
Apple	0.05 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.1 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.1 ppm
Strawberry	0.3 ppm
Raspberry	0.06 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.06 ppm
Japanese persimmon	0.02 ppm
Banana	0.05 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.1 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm

Other fruits	0.02 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.05 ppm
Hop	0.05 ppm
Other spices	0.1 ppm
Other herbs	0.5 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.03 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.01 ppm
Other terrestrial mammals, kidney	0.01 ppm
Cattle, edible offal	0.01 ppm
Pig, edible offal	0.01 ppm
Other terrestrial mammals, edible offal	0.01 ppm
Milk	0.005 ppm
Chicken, muscle	0.01 ppm
Other poultry, muscle	0.01 ppm
Chicken, fat	0.01 ppm
Other poultry, fat	0.01 ppm
Chicken, liver	0.01 ppm
Other poultry, liver	0.01 ppm
Chicken, kidney	0.01 ppm
Other poultry, kidney	0.01 ppm
Chicken, edible offal	0.01 ppm
Other poultry, edible offal	0.01 ppm

	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Salmoniformes	0.005 ppm
	Anguilliformes	0.005 ppm
	Perciformes	0.005 ppm
	Other fish	0.005 ppm
	Shelled molluscas	0.005 ppm
	Crustaceans	0.005 ppm
	Other aquatic animal	0.005 ppm
	Honey	0.005 ppm
FENARIMOL	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Tea	0.05 ppm
	Hop	5 ppm
	Other spices	1 ppm
	Other herbs	0.5 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.06 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.06 ppm
	Other terrestrial mammals, liver	0.06 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.06 ppm
	Other terrestrial mammals, kidney	0.06 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.01 ppm

	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
FENITROTHION	Taro	0.05 ppm
	Yam	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	0.5 ppm
	Chinese cabbage	0.5 ppm
	Kale	0.5 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
	<i>Kyona</i>	0.5 ppm
	Qing-geng-cai	0.5 ppm
	Broccoli	0.5 ppm
	Other cruciferous vegetables	0.5 ppm
	Salsify	0.5 ppm
	Artichoke	0.5 ppm
	Chicory	0.5 ppm
	Endive	0.5 ppm
	Garlic	0.2 ppm
	Asparagus	0.2 ppm
	Parsnip	0.2 ppm
	Celery	0.2 ppm
	<i>Mitsuba</i>	0.2 ppm
	<i>Makuwauri</i> melon	0.2 ppm
	Okra	0.5 ppm
	Ginger	0.5 ppm
	Kidney beans, immature (with pods)	0.5 ppm
	Button mushroom	0.5 ppm
	Other mushrooms	0.5 ppm

Quince	0.8 ppm
Nectarine	0.8 ppm
Apricot	0.8 ppm
Japanese plum (including prune)	0.8 ppm
Raspberry	0.8 ppm
Blackberry	0.8 ppm
Blueberry	0.8 ppm
Cranberry	0.8 ppm
Huckleberry	0.8 ppm
Other berries	0.8 ppm
Kiwifruit	0.8 ppm
Papaya	1 ppm
Avocado	0.8 ppm
Guava	0.8 ppm
Mango	0.8 ppm
Passion fruit	0.8 ppm
Date	1 ppm
Tea (except unfermented tea)	0.2 ppm
Other spices (except seeds, fruits, roots and rhizomes)	2 ppm
Other herbs	0.5 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.002 ppm
Chicken, muscle	0.01 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm
Other poultry, fat	0.05 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.05 ppm

	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Salmoniformes	0.002 ppm
	Anguilliformes	0.002 ppm
	Perciformes	0.002 ppm
	Other fish	0.002 ppm
	Shelled molluscas	0.002 ppm
	Crustaceans	0.002 ppm
	Other aquatic animal	0.002 ppm
	Honey	0.002 ppm
FENOXAPROP-ETHYL	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Taro	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	0.1 ppm
	Chicory	0.1 ppm
	Endive	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Other composite vegetables	0.1 ppm
	Welsh (including leek)	0.1 ppm
	Garlic	0.1 ppm

<i>Nira</i>	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm

Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Other spices	0.1 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.1 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.1 ppm
Pig, kidney	0.1 ppm
Other terrestrial mammals, kidney	0.1 ppm

	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
FENOXYCARB	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm

Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm

Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	2 ppm
Japanese pear	2 ppm
Pear	2 ppm
Quince	2 ppm
Loquat	2 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	2 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm

	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.05 ppm
	Other fruits	0.05 ppm
	Sunflower seeds	0.05 ppm
	Sesame seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.05 ppm
	Coffee beans	0.05 ppm
	Cacao beans	0.05 ppm
	Hop	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
PHENOXYMETHYLPENICILLIN	Pig, muscle	0.03 ppm
	Pig, fat	0.03 ppm
	Pig, liver	0.03 ppm
	Pig, kidney	0.03 ppm
	Pig, edible offal	0.03 ppm
FENOTHIOCARB	Water melon	0.5 ppm
	Melons	0.5 ppm
	<i>Makuwauri</i> melon	0.5 ppm
	<i>Unshu</i> orange,pulp	0.5 ppm
	Citrus <i>natsudaidai</i> , peels	20 ppm
	Citrus <i>natsudaidai</i> , whole	0.5 ppm
	Lemon	0.5 ppm
	Orange (including navel orange)	0.5 ppm
	Grapefruit	0.5 ppm
	Lime	0.5 ppm
	Other citrus fruits	0.5 ppm
	Apple	0.5 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm

	Peach	0.5 ppm
	Nectarine	0.5 ppm
	Apricot	0.5 ppm
	Japanese plum (including prune)	0.5 ppm
	Mume plum	0.5 ppm
	Cherry	0.5 ppm
	Strawberry	0.5 ppm
	Raspberry	0.5 ppm
	Blackberry	0.5 ppm
	Blueberry	0.5 ppm
	Cranberry	0.5 ppm
	Huckleberry	0.5 ppm
	Other berries	0.5 ppm
	Grape	0.5 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.5 ppm
	Kiwifruit	0.5 ppm
	Papaya	0.5 ppm
	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	0.5 ppm
	Other fruits	0.5 ppm
	Sunflower seeds	0.5 ppm
	Sesame seeds	0.5 ppm
	Safflower seeds	0.5 ppm
	Cotton seeds	0.5 ppm
	Rapeseeds	0.5 ppm
	Other oil seeds	0.5 ppm
	Ginkgo nut	0.5 ppm
	Chestnut	0.5 ppm
	Pecan	0.5 ppm
	Almond	0.5 ppm
	Walnut	0.5 ppm
	Other nuts	0.5 ppm
	Other spices	0.5 ppm
PHENOTHHRIN	Rice (brown rice)	0.02 ppm
	Wheat	2 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm

Buckwheat	0.02 ppm
Other cereal grains	0.02 ppm
Soybeans, dry	0.02 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm

<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm

Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Other spices	0.02 ppm

	Other herbs	0.02 ppm
	Cattle, muscle	0.5 ppm
	Pig, muscle	0.5 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.5 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Pig, kidney	0.5 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
	Pig, edible offal	0.5 ppm
	Other terrestrial mammals, edible offal	0.5 ppm
	Milk	0.05 ppm
	Chicken, eggs	0.5 ppm
	Other poultry, eggs	0.5 ppm
FENOBU CARB	Cacao beans	0.02 ppm
	Other spices	7 ppm
	Other herbs	0.3 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm

	Chicken, eggs	0.02 ppm
FENOPROP	Mineral waters	0.009 ppm
FERIMZONE	Rice (brown rice)	1 ppm
FENAMIDONE	Japanese persimmon	1 ppm
	Other spices	0.02 ppm
	Other herbs	1.5 ppm
FENCHLORPHOS	Corn (maize)	0.01 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.01 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Sugar beet	0.01 ppm
	Japanese radish, roots (including radish)	0.01 ppm
	Japanese radish, leaves (including radish)	0.01 ppm
	Turnip, roots	0.01 ppm
	Turnip, leaves	0.01 ppm
	Horseradish	0.01 ppm
	Watercress	0.01 ppm
	Chinese cabbage	0.01 ppm
	Cabbage	0.01 ppm
	Brussels sprouts	0.01 ppm
	Kale	0.01 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
	<i>Kyona</i>	0.01 ppm
	Qing-geng-cai	0.01 ppm
	Cauliflower	0.01 ppm
	Broccoli	0.01 ppm
	Other cruciferous vegetables	0.01 ppm
	Burdock	0.01 ppm
	Salsify	0.01 ppm
	Artichoke	0.01 ppm
	Chicory	0.01 ppm
	Endive	0.01 ppm
	<i>Shungiku</i>	0.01 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.01 ppm

Other composite vegetables	0.01 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.01 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm
Tomato	0.01 ppm
Pimiento (sweet pepper)	0.01 ppm
Egg plant	0.01 ppm
Other solanceous vegetables	0.01 ppm
Cucumber (including gherkin)	0.01 ppm
Pumpkin (including squash)	0.01 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	0.01 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	0.01 ppm
Green soybeans	0.01 ppm
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm
Other vegetables	0.01 ppm
<i>Unshu</i> orange,pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm

Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.01 ppm
Tea	0.1 ppm
Hop	0.1 ppm

	Other spices	0.01 ppm
	Other herbs	0.01 ppm
FENTHION	Corn (maize)	5 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Sugarcane	0.02 ppm
	Tomato	5 ppm
	Pimiento (sweet pepper)	5 ppm
	Egg plant	5 ppm
	Other solanaceous vegetables	5 ppm
	Cucumber (including gherkin)	3 ppm
	Pumpkin (including squash)	3 ppm
	Oriental pickling melon (vegetable)	3 ppm
	Water melon	3 ppm
	Melons	3 ppm
	<i>Makuwauri</i> melon	3 ppm
	Other cucurbitaceous vegetables	3 ppm
	Okra	5 ppm
	Button mushroom	5 ppm
	<i>Shiitake</i> mushroom	5 ppm
	Other mushrooms	5 ppm
	<i>Unshu</i> orange, pulp	2 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	2 ppm
	Orange (including navel orange)	2 ppm
	Grapefruit	2 ppm
	Lime	2 ppm
	Other citrus fruits	2 ppm
	Apple	2 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Quince	2 ppm
	Loquat	2 ppm
	Peach	5 ppm
	Nectarine	5 ppm
	Apricot	5 ppm
	Japanese plum (including prune)	5 ppm
	Mume plum	5 ppm
	Cherry	2 ppm
	Grape	2 ppm
	Japanese persimmon	5 ppm

	Banana	3 ppm
	Kiwifruit	5 ppm
	Papaya	5 ppm
	Avocado	5 ppm
	Pineapple	5 ppm
	Guava	2 ppm
	Mango	5 ppm
	Passion fruit	5 ppm
	Other fruits	1 ppm
	Other spices	2 ppm
	Cattle, muscle	0.6 ppm
	Pig, muscle	0.5 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.6 ppm
	Pig, liver	0.5 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.6 ppm
	Pig, kidney	0.5 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.6 ppm
	Pig, edible offal	0.5 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.2 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FENTIN	Rice (brown rice)	0.1 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm

Buckwheat	0.05 ppm
Other cereal grains	0.05 ppm
Soybeans, dry	0.02 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.02 ppm
Potato	0.1 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.2 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm

<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.1 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.08 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm

Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.02 ppm
Coffee beans	0.1 ppm
Cacao beans	0.1 ppm
Hop	0.5 ppm
Other spices	0.08 ppm

	Other herbs	0.08 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PHENTHOATE	Wheat	0.4 ppm
	Barley	0.4 ppm
	Rye	0.4 ppm
	Corn (maize)	0.4 ppm
	Buckwheat	0.4 ppm
	Other cereal grains	0.4 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm

Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm

Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm

	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesame seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	0.1 ppm
	Other spices (except seeds)	0.1 ppm
	Other herbs	0.1 ppm
FENVALERATE	Rice (brown rice)	2 ppm
	Other spices	3 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.9 ppm
	Pig, muscle	0.9 ppm
	Other terrestrial mammals, muscle	0.9 ppm
	Cattle, fat	1 ppm
	Pig, fat	1 ppm
	Other terrestrial mammals, fat	1 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.1 ppm

	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
FENPYROXIMATE	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm

Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Celery	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Quince	0.4 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Banana	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm

Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Other spices	5 ppm
Other herbs	5 ppm
Cattle, muscle	0.03 ppm
Pig, muscle	0.005 ppm
Other terrestrial mammals, muscle	0.03 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.005 ppm
Other terrestrial mammals, fat	0.03 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.005 ppm
Other terrestrial mammals, liver	0.3 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.005 ppm
Other terrestrial mammals, kidney	0.3 ppm
Cattle, edible offal	0.03 ppm
Pig, edible offal	0.005 ppm
Other terrestrial mammals, edible offal	0.03 ppm
Milk	0.005 ppm
Chicken, muscle	0.005 ppm
Other poultry, muscle	0.005 ppm
Chicken, fat	0.005 ppm
Other poultry, fat	0.005 ppm
Chicken, liver	0.005 ppm
Other poultry, liver	0.005 ppm
Chicken, kidney	0.005 ppm
Other poultry, kidney	0.005 ppm
Chicken, edible offal	0.005 ppm
Other poultry, edible offal	0.005 ppm
Chicken, eggs	0.005 ppm
Other poultry, eggs	0.005 ppm

	Salmoniformes	0.005 ppm
	Anguilliformes	0.005 ppm
	Perciformes	0.005 ppm
	Other fish	0.005 ppm
	Shelled molluscas	0.005 ppm
	Crustaceans	0.005 ppm
	Other aquatic animal	0.005 ppm
	Honey	0.005 ppm
FENBUCONAZOLE	Wheat	0.1 ppm
	Barley	0.2 ppm
	Rye	0.1 ppm
	Cucumber (including gherkin)	0.2 ppm
	Pumpkin (including squash)	0.05 ppm
	Water melon	0.2 ppm
	Melons	0.2 ppm
	<i>Makuwauri</i> melon	0.2 ppm
	Grapefruit	0.5 ppm
	Apple	1 ppm
	Japanese pear	1 ppm
	Pear	1 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	0.5 ppm
	Nectarine	1 ppm
	Apricot	0.5 ppm
	Japanese plum (including prune)	5 ppm
	Mume plum	5 ppm
	Cherry	1 ppm
	Strawberry	5 ppm
	Raspberry	5 ppm
	Blackberry	5 ppm
	Blueberry	5 ppm
	Cranberry	5 ppm
	Huckleberry	5 ppm
	Other berries	5 ppm
	Grape	3 ppm
	Japanese persimmon	1 ppm
	Banana	0.05 ppm
	Kiwifruit	0.2 ppm
	Papaya	1 ppm
	Avocado	1 ppm
	Pineapple	1 ppm
	Guava	1 ppm

	Mango	1 ppm
	Passion fruit	1 ppm
	Date	5 ppm
	Other fruits	5 ppm
	Sunflower seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Pecan	0.05 ppm
	Tea	5 ppm
	Other spices	5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FENPROSTALENE	Cattle, muscle	0.01 ppm
	Cattle, fat	0.04 ppm
	Cattle, liver	0.02 ppm
	Cattle, kidney	0.03 ppm
	Cattle, edible offal	0.02 ppm
FENPROPATHRIN	Peas	0.1 ppm

Broad beans	0.1 ppm
Other legumes/pulses	0.1 ppm
Chinese cabbage	3 ppm
Cauliflower	3 ppm
Broccoli	3 ppm
Other cruciferous vegetables	3 ppm
Other solanaceous vegetables	2 ppm
Oriental pickling melon (vegetable)	2 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	2 ppm
Okra	2 ppm
Raspberry	5 ppm
Blackberry	5 ppm
Blueberry	5 ppm
Cranberry	5 ppm
Huckleberry	5 ppm
Other berries	5 ppm
Banana	2 ppm
Kiwifruit	0.5 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	5 ppm
Other fruits	5 ppm
Other spices	5 ppm
Other herbs	3 ppm
Cattle, muscle	0.1 ppm
Pig, muscle	0.1 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.5 ppm
Pig, fat	1 ppm
Other terrestrial mammals, fat	1 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.1 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.1 ppm
Other terrestrial mammals, kidney	0.1 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.1 ppm

	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
FENPROPIMORPH	Rice (brown rice)	0.3 ppm
	Wheat	0.5 ppm
	Barley	0.5 ppm
	Rye	0.5 ppm
	Corn (maize)	0.3 ppm
	Buckwheat	0.3 ppm
	Other cereal grains	0.5 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.5 ppm

Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm

Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange, pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	2 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm

Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	0.05 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.01 ppm
Other terrestrial mammals, fat	0.01 ppm
Cattle, liver	0.3 ppm
Pig, liver	0.3 ppm
Other terrestrial mammals, liver	0.3 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.01 ppm
Pig, edible offal	0.01 ppm
Other terrestrial mammals, edible offal	0.01 ppm
Milk	0.01 ppm
Chicken, muscle	0.01 ppm
Other poultry, muscle	0.01 ppm
Chicken, fat	0.01 ppm
Other poultry, fat	0.01 ppm
Chicken, liver	0.01 ppm
Other poultry, liver	0.01 ppm
Chicken, kidney	0.01 ppm
Other poultry, kidney	0.01 ppm
Chicken, edible offal	0.01 ppm
Other poultry, edible offal	0.01 ppm

	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
FENHEXAMID	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Watercress	30 ppm
	Other cruciferous vegetables	30 ppm
	Chicory	30 ppm
	Endive	30 ppm
	<i>Shungiku</i>	30 ppm
	Lettuce (including cos lettuce and leaf lettuce)	30 ppm
	Other composite vegetables	30 ppm
	Garlic	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	Parsley	30 ppm
	Other umbelliferous vegetables	30 ppm
	Pimiento (sweet pepper)	2 ppm
	Other solanaceous vegetables	2 ppm
	Pumpkin (including squash)	2 ppm
	Oriental pickling melon (vegetable)	2 ppm
	Water melon	1 ppm
	Melons	1 ppm
	<i>Makuwauri</i> melon	1 ppm
	Other cucurbitaceous vegetables	2 ppm
	Other vegetables	30 ppm
	Pear	20 ppm
	Loquat	1 ppm
	Blackberry	20 ppm
	Blueberry	20 ppm
	Cranberry	20 ppm
	Huckleberry	20 ppm
	Other berries	20 ppm
	Date	20 ppm
	Other nuts	0.02 ppm
	Other spices	30 ppm
	Other herbs	30 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm

	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	2 ppm
	Pig, liver	2 ppm
	Other terrestrial mammals, liver	2 ppm
	Cattle, kidney	2 ppm
	Pig, kidney	2 ppm
	Other terrestrial mammals, kidney	2 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	2 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Milk	0.01 ppm
PHENMEDIPHAM	Sugar beet	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
	Spinach	0.5 ppm
	Other vegetables	0.2 ppm
	Other spices	0.2 ppm
	Other herbs	0.2 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
FTHALIDE	Rice (brown rice)	1 ppm
BUTAFENACIL	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm

<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Cotton seeds	0.5 ppm
Other spices	0.1 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm

	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.3 ppm
	Pig, liver	0.3 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.04 ppm
	Other terrestrial mammals, kidney	0.04 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
BUTAMIFOS	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Sweet potato	0.2 ppm
	Other potatoes	0.2 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm

Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Other composite vegetables	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm

	Other berries	0.05 ppm
	Grape	0.05 ppm
	Kiwifruit	0.05 ppm
	Date	0.05 ppm
	Other fruits	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
Sec-BUTYLAMINE	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm

Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm

Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	30 ppm
Citrus <i>natsudaidai</i> , whole	30 ppm
Lemon	30 ppm
Orange (including navel orange)	30 ppm
Grapefruit	30 ppm
Lime	30 ppm
Other citrus fruits	30 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm

	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	0.1 ppm
	Coffee beans	0.1 ppm
	Cacao beans	0.1 ppm
	Hop	0.1 ppm
	Other spices	30 ppm
	Other herbs	0.1 ppm
BUTYLHYDROXYANISOL	Pig, muscle	0.03 ppm
	Pig, fat	0.04 ppm
	Pig, liver	0.03 ppm
	Pig, kidney	0.02 ppm
	Pig, edible offal	0.02 ppm
	Chicken, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm (in white)
	Salmoniformes	0.5 ppm
	Anguilliformes	0.5 ppm
	Perciformes	0.5 ppm
	Other fish	0.5 ppm
SULFURYL FLUORIDE	Rice (brown rice)	0.04 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Corn (maize)	0.05 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Other composite vegetables	0.5 ppm
	Other liliaceous vegetables	0.5 ppm
	Parsley	0.5 ppm
	Other umbelliferous vegetables	0.5 ppm

	Ginger	0.5 ppm
	Peas, immature (with pods)	0.5 ppm
	Kidney beans, immature (with pods)	0.5 ppm
	Green soybeans	0.5 ppm
	Other vegetables	0.5 ppm
	Other berries	0.5 ppm
	Other fruits	1 ppm
	Cotton seeds	0.5 ppm
	Other oil seeds	0.5 ppm
	Chestnut	3 ppm
	Pecan	3 ppm
	Almond	3 ppm
	Walnut	3 ppm
	Other nuts	3 ppm
	Coffee beans	1 ppm
	Cacao beans	0.2 ppm
	Other spices	1 ppm
	Other herbs	0.5 ppm
BUTROXYDIM	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Peas, immature (with pods)	0.01 ppm
	Kidney beans, immature (with pods)	0.01 ppm
	Green soybeans	0.01 ppm
	Other vegetables	0.01 ppm
	Sunflower seeds	0.01 ppm
	Sesame seeds	0.01 ppm
	Safflower seeds	0.01 ppm
	Cotton seeds	0.01 ppm
	Rapeseeds	0.01 ppm
	Other oil seeds	0.01 ppm
	Other nuts	0.01 ppm
	Other spices	0.01 ppm
	Other herbs	0.01 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm

	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
BUPIRIMATE	Cucumber (including gherkin)	1 ppm
	Pumpkin (including squash)	1 ppm
	Oriental pickling melon (vegetable)	1 ppm
	Water melon	1 ppm
	Melons	1 ppm
	<i>Makuwauri</i> melon	1 ppm
	Other cucurbitaceous vegetables	1 ppm
	Apple	0.8 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm
BUPROFEZIN	Rice (brown rice)	0.5 ppm
	Wheat	0.3 ppm
	Corn (maize)	0.5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	10 ppm
	Other composite vegetables	5 ppm
	Tomato	1 ppm
	Pimiento (sweet pepper)	0.5 ppm
	Egg plant	1 ppm
	Other solanaceous vegetables	1 ppm

Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	1 ppm
Okra	0.5 ppm
Peas, immature (with pods)	0.02 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange,pulp	0.3 ppm
Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	2 ppm
Apple	0.5 ppm
Japanese pear	2 ppm
Pear	2 ppm
Quince	0.5 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	0.5 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm
Other berries	1 ppm
Grape	1 ppm
Japanese persimmon	0.5 ppm
Banana	0.5 ppm
Kiwifruit	1 ppm
Papaya	0.5 ppm

	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	1 ppm
	Other fruits	1 ppm
	Cotton seeds	1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	20 ppm
	Other spices	5 ppm
	Other herbs	5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
FLAZASULFURON	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm

Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm

Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm

	Other berries	0.1 ppm
	Japanese persimmon	0.02 ppm
	Banana	0.02 ppm
	Kiwifruit	0.02 ppm
	Papaya	0.02 ppm
	Avocado	0.02 ppm
	Pineapple	0.02 ppm
	Guava	0.02 ppm
	Mango	0.02 ppm
	Passion fruit	0.02 ppm
	Date	0.1 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Cotton seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.1 ppm
	Other herbs	0.02 ppm
PRAZIQUNTEL	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.03 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.3 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.02 ppm

	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.04 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Salmoniformes	0.02 ppm
	Anguilliformes	0.02 ppm
	Perciformes	0.02 ppm
	Other fish	0.02 ppm
	Shelled molluscas	0.02 ppm
	Crustaceans	0.02 ppm
	Other aquatic animal	0.02 ppm
	Honey	0.02 ppm
FURATHIOCARB	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm

Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.3 ppm
Japanese radish, leaves (including radish)	0.3 ppm
Turnip, roots	0.3 ppm
Turnip, leaves	0.3 ppm
Horseradish	0.3 ppm
Watercress	0.3 ppm
Chinese cabbage	0.3 ppm
Cabbage	0.3 ppm
Brussels sprouts	0.3 ppm
Kale	0.3 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.3 ppm
<i>Kyona</i>	0.3 ppm
Qing-geng-cai	0.3 ppm
Cauliflower	0.3 ppm
Broccoli	0.3 ppm
Other cruciferous vegetables	0.3 ppm
Burdock	0.3 ppm
Salsify	0.3 ppm
Artichoke	0.3 ppm
Chicory	0.3 ppm
Endive	0.3 ppm
<i>Shungiku</i>	0.3 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
Other composite vegetables	0.3 ppm
Onion	0.3 ppm
Welsh (including leek)	0.3 ppm
Garlic	0.3 ppm
<i>Nira</i>	0.3 ppm
Asparagus	0.3 ppm
Multiplying onion	0.3 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.3 ppm
Parsnip	0.3 ppm
Parsley	0.3 ppm
Celery	0.3 ppm
<i>Mitsuba</i>	0.3 ppm
Other umbelliferous vegetables	0.3 ppm
Tomato	0.3 ppm
Pimiento (sweet pepper)	0.3 ppm
Egg plant	0.3 ppm
Other solanceous vegetables	0.3 ppm
Cucumber (including gherkin)	0.3 ppm

Pumpkin (including squash)	0.3 ppm
Oriental pickling melon (vegetable)	0.3 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.3 ppm
Spinach	0.3 ppm
Bamboo shoots	0.3 ppm
Okra	0.3 ppm
Ginger	0.3 ppm
Peas, immature (with pods)	0.3 ppm
Kidney beans, immature (with pods)	0.3 ppm
Green soybeans	0.3 ppm
Button mushroom	0.3 ppm
<i>Shiitake</i> mushroom	0.3 ppm
Other mushrooms	0.3 ppm
Other vegetables	0.3 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm

Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Tea	0.1 ppm
Hop	5 ppm
Other spices	0.3 ppm
Other herbs	0.3 ppm
Cattle, muscle	0.3 ppm
Pig, muscle	0.3 ppm
Other terrestrial mammals, muscle	0.3 ppm
Cattle, fat	0.3 ppm
Pig, fat	0.5 ppm
Other terrestrial mammals, fat	0.3 ppm
Cattle, liver	0.3 ppm
Pig, liver	0.3 ppm
Other terrestrial mammals, liver	0.3 ppm
Cattle, kidney	0.3 ppm
Pig, kidney	0.3 ppm
Other terrestrial mammals, kidney	0.3 ppm
Cattle, edible offal	0.3 ppm
Pig, edible offal	0.3 ppm
Other terrestrial mammals, edible offal	0.3 ppm
Milk	0.05 ppm

	Chicken, muscle	0.3 ppm
	Other poultry, muscle	0.3 ppm
	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	0.3 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.3 ppm
	Other poultry, kidney	0.3 ppm
	Chicken, edible offal	0.3 ppm
	Other poultry, edible offal	0.3 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FLAVOPHOSPHOLIPOL	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.03 ppm
	Chicken, fat	0.03 ppm
	Chicken, liver	0.03 ppm
	Chicken, kidney	0.03 ppm
	Chicken, edible offal	0.03 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
FLAMPROP-METHYL	Wheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Safflower seeds	0.05 ppm
	Other spices	0.05 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm

	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
FURAMETPYR	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Sugarcane	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm

Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm

Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm

	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	0.1 ppm
	Coffee beans	0.1 ppm
	Cacao beans	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
PRIFINIUM	Cattle, muscle	0.05 ppm
	Cattle, fat	0.03 ppm
	Cattle, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Milk	0.05 ppm
PRIMISULFURON-METHYL	Corn (maize)	0.06 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm

	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
FURILAZOLE	Corn (maize)	0.01 ppm
FLUACRYPYRIM	<i>Unshu</i> orange,pulp	0.1 ppm
	Citrus <i>natsudaidai</i> , whole	0.5 ppm
	Lemon	0.5 ppm
	Orange (including navel orange)	0.5 ppm
	Grapefruit	0.5 ppm
	Lime	0.5 ppm
	Other citrus fruits	0.5 ppm
	Apple	2 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Quince	2 ppm
	Nectarine	2 ppm
	Japanese persimmon	2 ppm
	Banana	2 ppm
	Papaya	2 ppm
	Avocado	2 ppm
	Pineapple	2 ppm
	Guava	2 ppm
	Mango	2 ppm
	Passion fruit	2 ppm
	Other spices	0.5 ppm
FLUAZINAM	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Horseradish	0.05 ppm
	Watercress	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Salsify	0.05 ppm

	Artichoke	0.1 ppm
	Chicory	0.1 ppm
	Endive	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Other composite vegetables	0.1 ppm
	Garlic	0.1 ppm
	Multiplying onion	0.1 ppm
	Carrot	0.05 ppm
	Parsnip	0.05 ppm
	Parsley	0.1 ppm
	Celery	0.1 ppm
	<i>Mitsuba</i>	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Pimiento (sweet pepper)	0.3 ppm
	Water melon	0.5 ppm
	Melons	0.5 ppm
	<i>Makuwauri</i> melon	0.5 ppm
	Spinach	0.1 ppm
	Bamboo shoots	0.05 ppm
	Ginger	0.05 ppm
	Other vegetables	0.1 ppm
	Quince	0.5 ppm
	Nectarine	0.5 ppm
	Apricot	0.5 ppm
	Japanese plum (including prune)	0.5 ppm
	Strawberry	0.5 ppm
	Raspberry	0.5 ppm
	Blackberry	0.5 ppm
	Blueberry	0.5 ppm
	Cranberry	0.5 ppm
	Huckleberry	0.5 ppm
	Other berries	0.5 ppm
	Banana	0.5 ppm
	Papaya	0.5 ppm
	Avocado	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	0.5 ppm
	Other fruits	0.5 ppm
	Other spices	5 ppm
	Other herbs	0.1 ppm
FLUAZIFOP	Peas	5 ppm

Broad beans	5 ppm
Sugarcane	0.1 ppm
Salsify	0.5 ppm
Artichoke	0.2 ppm
Chicory	0.2 ppm
<i>Shungiku</i>	0.2 ppm
Other composite vegetables	0.2 ppm
Parsnip	0.5 ppm
Parsley	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	0.5 ppm
Egg plant	0.1 ppm
Spinach	0.2 ppm
Ginger	0.5 ppm
Japanese persimmon	0.1 ppm
Other fruits	0.1 ppm
Other spices	0.5 ppm
Other herbs	1 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.05 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm
Other poultry, fat	0.05 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.05 ppm
Chicken, kidney	0.05 ppm
Other poultry, kidney	0.05 ppm
Chicken, edible offal	0.05 ppm

	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FLUAZURON	Cattle, muscle	0.2 ppm
	Cattle, fat	7 ppm
	Cattle, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
FLUOMETURON	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Cauliflower	0.02 ppm

Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm

Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.5 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm
Lime	0.5 ppm
Other citrus fruits	0.5 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.1 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.1 ppm

	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.5 ppm
	Other herbs	0.02 ppm
FLUOROIMIDE	Rice (brown rice)	0.04 ppm
	Wheat	0.04 ppm
	Barley	0.04 ppm
	Rye	0.04 ppm
	Corn (maize)	0.04 ppm
	Buckwheat	0.04 ppm
	Other cereal grains	0.04 ppm
	Soybeans, dry	0.04 ppm
	Beans, dry*	0.04 ppm
	Peas	0.04 ppm
	Broad beans	0.04 ppm
	Peanuts, dry	0.04 ppm
	Other legumes/pulses	0.04 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.04 ppm
	Sugarcane	0.04 ppm
	Japanese radish, roots (including radish)	0.04 ppm
	Japanese radish, leaves (including radish)	0.04 ppm
	Turnip, roots	0.04 ppm
	Turnip, leaves	0.04 ppm
	Horseradish	0.04 ppm
	Watercress	0.04 ppm
	Chinese cabbage	0.04 ppm
	Cabbage	0.04 ppm
	Brussels sprouts	0.04 ppm

Kale	0.04 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.04 ppm
<i>Kyona</i>	0.04 ppm
Qing-geng-cai	0.04 ppm
Cauliflower	0.04 ppm
Broccoli	0.04 ppm
Other cruciferous vegetables	0.04 ppm
Burdock	0.04 ppm
Salsify	0.04 ppm
Artichoke	0.04 ppm
Chicory	0.04 ppm
Endive	0.04 ppm
<i>Shungiku</i>	0.04 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.04 ppm
Other composite vegetables	0.04 ppm
Welsh (including leek)	0.04 ppm
Garlic	1 ppm
<i>Nira</i>	0.04 ppm
Asparagus	0.04 ppm
Multiplying onion	0.04 ppm
Other liliaceous vegetables	0.04 ppm
Carrot	0.04 ppm
Parsnip	0.04 ppm
Parsley	0.04 ppm
Celery	0.04 ppm
<i>Mitsuba</i>	0.04 ppm
Other umbelliferous vegetables	0.04 ppm
Tomato	0.04 ppm
Pimiento (sweet pepper)	0.04 ppm
Egg plant	0.04 ppm
Other solanaceous vegetables	0.04 ppm
Cucumber (including gherkin)	0.04 ppm
Pumpkin (including squash)	0.04 ppm
Oriental pickling melon (vegetable)	0.04 ppm
Water melon	0.04 ppm
Melons	0.04 ppm
<i>Makuwauri</i> melon	0.04 ppm
Other cucurbitaceous vegetables	0.04 ppm
Spinach	0.04 ppm
Bamboo shoots	0.04 ppm
Okra	0.04 ppm
Ginger	0.04 ppm
Peas, immature (with pods)	0.04 ppm

Kidney beans, immature (with pods)	0.04 ppm
Green soybeans	0.04 ppm
Button mushroom	0.04 ppm
<i>Shiitake</i> mushroom	0.04 ppm
Other mushrooms	0.04 ppm
Other vegetables	0.04 ppm
Citrus <i>natsudaidai</i> , whole	0.04 ppm
Lemon	0.04 ppm
Orange (including navel orange)	0.04 ppm
Grapefruit	0.04 ppm
Lime	0.04 ppm
Other citrus fruits	0.04 ppm
Japanese pear	5 ppm
Pear	5 ppm
Quince	5 ppm
Loquat	0.04 ppm
Peach	0.04 ppm
Nectarine	5 ppm
Apricot	0.04 ppm
Japanese plum (including prune)	0.04 ppm
Mume plum	0.04 ppm
Cherry	0.04 ppm
Strawberry	0.04 ppm
Raspberry	0.04 ppm
Blackberry	0.04 ppm
Blueberry	0.04 ppm
Cranberry	0.04 ppm
Huckleberry	0.04 ppm
Other berries	0.04 ppm
Grape	0.04 ppm
Banana	5 ppm
Kiwifruit	0.04 ppm
Papaya	5 ppm
Avocado	5 ppm
Pineapple	5 ppm
Guava	5 ppm
Mango	5 ppm
Passion fruit	5 ppm
Date	0.04 ppm
Other fruits	0.04 ppm
Sunflower seeds	0.04 ppm
Sesame seeds	0.04 ppm
Safflower seeds	0.04 ppm

	Cotton seeds	0.04 ppm
	Rapeseeds	0.04 ppm
	Other oil seeds	0.04 ppm
	Ginkgo nut	0.04 ppm
	Chestnut	0.04 ppm
	Pecan	0.04 ppm
	Almond	0.04 ppm
	Walnut	0.04 ppm
	Other nuts	0.04 ppm
	Coffee beans	0.04 ppm
	Cacao beans	0.04 ppm
	Hop	0.04 ppm
	Other spices	5 ppm
	Other herbs	0.04 ppm
FLUCARBAZONE SODIUM	Wheat	0.01 ppm
FLUQUINCONAZOLE	Wheat	0.02 ppm
	Cucumber (including gherkin)	0.1 ppm
	Apple	0.05 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Quince	0.05 ppm
	Loquat	0.05 ppm
	Rapeseeds	0.01 ppm
	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm

	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
FLUDIOXONIL	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	8 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	2 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	2 ppm
	Horseradish	0.02 ppm
	Watercress	10 ppm
	Chinese cabbage	1 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Kale	2 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
	<i>Kyona</i>	2 ppm
	Qing-geng-cai	2 ppm
	Cauliflower	2 ppm
	Broccoli	0.7 ppm
	Other cruciferous vegetables	10 ppm
	Burdock	0.02 ppm
	Salsify	0.02 ppm
	Artichoke	2 ppm
	Chicory	2 ppm
	Endive	2 ppm
	<i>Shungiku</i>	2 ppm
	Other composite vegetables	2 ppm
	Welsh (including leek)	5 ppm
	Garlic	0.1 ppm
	<i>Nira</i>	10 ppm
	Asparagus	2 ppm
	Multiplying onion	2 ppm
	Other liliaceous vegetables	2 ppm
	Carrot	0.7 ppm

Parsnip	0.02 ppm
Parsley	2 ppm
Celery	2 ppm
<i>Mitsuba</i>	2 ppm
Other umbelliferous vegetables	2 ppm
Pimiento (sweet pepper)	0.01 ppm
Other solanaceous vegetables	1 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	0.03 ppm
Melons	0.03 ppm
<i>Makuwauri</i> melon	0.03 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	2 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	5 ppm
Kidney beans, immature (with pods)	5 ppm
Green soybeans	5 ppm
Other vegetables	10 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	10 ppm
Orange (including navel orange)	1 ppm
Grapefruit	10 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	5 ppm
Japanese pear	5 ppm
Pear	5 ppm
Quince	5 ppm
Loquat	5 ppm
Raspberry	5 ppm
Blackberry	5 ppm
Blueberry	2 ppm
Cranberry	5 ppm
Huckleberry	5 ppm
Other berries	5 ppm
Kiwifruit	20 ppm
Date	5 ppm
Other fruits	5 ppm
Sunflower seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.05 ppm

	Rapeseeds	0.02 ppm
	Other oil seeds	0.05 ppm
	Other nuts	0.2 ppm
	Other spices	10 ppm
	Other herbs	10 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FLUCYTHRINATE	Rice (brown rice)	0.05 ppm
	Rye	0.05 ppm
	Buckwheat	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm

<i>Kyona</i>	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Okra	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm

Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Other spices	2 ppm
Other herbs	0.5 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.07 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm
Other poultry, fat	0.05 ppm
Chicken, liver	0.05 ppm
Other poultry, liver	0.05 ppm
Chicken, kidney	0.05 ppm
Other poultry, kidney	0.05 ppm
Chicken, edible offal	0.05 ppm
Other poultry, edible offal	0.05 ppm

	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FLUSILAZOLE	Strawberry	0.5 ppm
	Other spices	0.05 ppm
	Cattle, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Cattle, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
FLUSULFAMIDE	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	0.1 ppm
	Chicory	0.1 ppm
	Endive	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Other composite vegetables	0.1 ppm
	Welsh (including leek)	0.1 ppm
	<i>Nira</i>	0.1 ppm
	Asparagus	0.1 ppm
	Multiplying onion	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	Carrot	0.1 ppm

	Parsnip	0.1 ppm
	Parsley	0.1 ppm
	Celery	0.1 ppm
	<i>Mitsuba</i>	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Spinach	0.1 ppm
	Bamboo shoots	0.1 ppm
	Ginger	0.1 ppm
	Other vegetables	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
FLUTHIACET-METHYL	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.01 ppm
FLUTOLANIL	Beans, dry*	1 ppm
	Peas	1 ppm
	Broad beans	1 ppm
	Other legumes/pulses	1 ppm
	Strawberry	5 ppm
	Other spices	1 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.08 ppm
	Pig, fat	0.08 ppm
	Other terrestrial mammals, fat	0.08 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm

	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FLUTRIAFOL	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.2 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.1 ppm
	Other vegetables	0.01 ppm
	Rapeseeds	0.02 ppm
	Other spices	0.01 ppm
	Other herbs	0.01 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.5 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Pig, kidney	0.5 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
	Pig, edible offal	0.5 ppm
	Other terrestrial mammals, edible offal	0.5 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm

	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
FLUNIXIN	Cattle, muscle	0.02 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.03 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.03 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.03 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.02 ppm
FLUVALINATE	Asparagus	0.2 ppm
	Japanese plum (including prune)	0.05 ppm
	Other spices	2 ppm
	Honey	0.05 ppm
FLUFENACET	Wheat	1 ppm
	Corn (maize)	0.05 ppm
	Soybeans, dry	0.1 ppm
	Green soybeans	0.1 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.5 ppm
	Pig, kidney	0.5 ppm
	Other terrestrial mammals, kidney	0.5 ppm
	Cattle, edible offal	0.1 ppm

	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
FLUFENOXURON	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugarcane	0.02 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	10 ppm
	Horseradish	0.1 ppm
	Watercress	10 ppm
	Kale	10 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	10 ppm
	<i>Kyona</i>	10 ppm
	Qing-geng-cai	10 ppm
	Cauliflower	10 ppm
	Broccoli	10 ppm
	Other cruciferous vegetables	10 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	10 ppm
	Chicory	10 ppm
	Endive	10 ppm
	<i>Shungiku</i>	10 ppm
	Lettuce (including cos lettuce and leaf lettuce)	10 ppm
	Other composite vegetables	10 ppm
	Onion	0.02 ppm
	Garlic	0.02 ppm

<i>Nira</i>	10 ppm
Asparagus	10 ppm
Other liliaceous vegetables	10 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	10 ppm
<i>Mitsuba</i>	10 ppm
Other umbelliferous vegetables	10 ppm
Pimiento (sweet pepper)	2 ppm
Other solanaceous vegetables	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	10 ppm
Bamboo shoots	0.1 ppm
Okra	2 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other vegetables	10 ppm
Quince	1 ppm
Loquat	0.2 ppm
Nectarine	1 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	0.2 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm

	Guava	1 ppm
	Mango	1 ppm
	Passion fruit	1 ppm
	Date	2 ppm
	Other fruits	2 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	10 ppm
	Other herbs	10 ppm
FLUFENPYR-ETHYL	Corn (maize)	0.01 ppm
	Soybeans, dry	0.01 ppm
	Sugarcane	0.01 ppm
	Green soybeans	0.01 ppm
FLUPROPANATE	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
FLUBENDAZOLE	Cattle, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm

	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.3 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.01 ppm
	Other poultry, muscle (except duck and turkey)	0.2 ppm
	Chicken, fat	0.05 ppm
	Duck, fat	0.2 ppm
	Other poultry, fat (except duck)	0.05 ppm
	Other poultry, liver (except duck and turkey)	0.5 ppm
	Chicken, kidney	0.4 ppm
	Duck, kidney	0.5 ppm
	Other poultry, kidney (except duck)	0.4 ppm
	Chicken, edible offal	0.5 ppm
	Other poultry, edible offal	0.5 ppm
	Other poultry, eggs	0.4 ppm
FLUMIOXAZIN	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Other potatoes	0.02 ppm
	Sugarcane	0.2 ppm
	Onion	0.02 ppm
	Garlic	0.02 ppm
	Other cucurbitaceous vegetables	0.02 ppm
	Ginger	0.02 ppm

Other vegetables	0.04 ppm
Quince	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Cotton seeds	0.06 ppm
Rapeseeds	0.1 ppm
Almond	0.02 ppm
Other spices	0.1 ppm
Other herbs	0.04 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.01 ppm
Other terrestrial mammals, fat	0.01 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.01 ppm
Other terrestrial mammals, kidney	0.01 ppm
Cattle, edible offal	0.01 ppm
Pig, edible offal	0.01 ppm

	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
FLUMICLORAC PENTYL	Corn (maize)	0.01 ppm
	Soybeans, dry	0.01 ppm
	Cotton seeds	0.1 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm

	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
FLUMEQUINE	Cattle, muscle	0.5 ppm
	Pig, muscle	0.5 ppm
	Other terrestrial mammals, muscle	0.5 ppm
	Cattle, fat	1 ppm
	Pig, fat	1 ppm
	Other terrestrial mammals, fat	1 ppm
	Cattle, liver	0.5 ppm
	Pig, liver	0.5 ppm
	Other terrestrial mammals, liver	0.5 ppm
	Cattle, kidney	3 ppm
	Pig, kidney	3 ppm
	Other terrestrial mammals, kidney	3 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.5 ppm
	Chicken, fat	1 ppm
	Chicken, liver	0.5 ppm
	Chicken, kidney	3 ppm
	Chicken, edible offal	0.5 ppm
	Salmoniformes	0.5 ppm
	Anguilliformes	0.6 ppm
	Perciformes	0.04 ppm
	Other fish	0.6 ppm
FLUMETSULAM	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Green soybeans	0.05 ppm
	Other vegetables	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.1 ppm

	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
FLUMETHRIN	Cattle, muscle	0.01 ppm
	Pig, muscle	0.005 ppm
	Other terrestrial mammals, muscle	0.06 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.005 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.005 ppm
	Other terrestrial mammals, liver	0.06 ppm
	Cattle, kidney	0.03 ppm
	Pig, kidney	0.005 ppm
	Other terrestrial mammals, kidney	0.06 ppm
	Cattle, edible offal	0.03 ppm
	Pig, edible offal	0.005 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.05 ppm

	Chicken, muscle	0.03 ppm
	Other poultry, muscle	0.005 ppm
	Chicken, fat	0.03 ppm
	Other poultry, fat	0.005 ppm
	Chicken, liver	0.03 ppm
	Other poultry, liver	0.005 ppm
	Chicken, kidney	0.03 ppm
	Other poultry, kidney	0.005 ppm
	Chicken, edible offal	0.03 ppm
	Other poultry, edible offal	0.005 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
	Salmoniformes	0.005 ppm
	Anguilliformes	0.005 ppm
	Perciformes	0.005 ppm
	Other fish	0.005 ppm
	Shelled molluscas	0.005 ppm
	Crustaceans	0.005 ppm
	Other aquatic animal	0.005 ppm
	Honey	0.005 ppm
FLURIDONE	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.1 ppm

Salsify	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Cherry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm

Blueberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Avocado	0.1 ppm
Other fruits	0.1 ppm
Cotton seeds	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Hop	0.1 ppm
Other spices	0.1 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.1 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.1 ppm
Pig, kidney	0.1 ppm
Other terrestrial mammals, kidney	0.1 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.05 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm
Other poultry, fat	0.05 ppm
Chicken, liver	0.01 ppm
Other poultry, liver	0.01 ppm
Chicken, kidney	0.01 ppm
Other poultry, kidney	0.01 ppm
Chicken, edible offal	0.05 ppm
Other poultry, edible offal	0.05 ppm
Chicken, eggs	0.05 ppm
Other poultry, eggs	0.05 ppm
Salmoniformes	0.5 ppm

	Anguilliformes	0.5 ppm
	Perciformes	0.5 ppm
	Other fish	0.5 ppm
	Crustaceans	0.5 ppm
FLUROXYPYR	Rice (brown rice)	0.1 ppm
	Wheat	0.3 ppm
	Barley	0.3 ppm
	Rye	0.2 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.3 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.2 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Burdock	0.05 ppm
	Salsify	0.05 ppm

Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.04 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange, pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm

Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.1 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm

	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.08 ppm
	Pig, muscle	0.08 ppm
	Other terrestrial mammals, muscle	0.08 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.08 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.7 ppm
	Pig, liver	0.7 ppm
	Other terrestrial mammals, liver	0.7 ppm
	Cattle, kidney	1 ppm
	Pig, kidney	1 ppm
	Other terrestrial mammals, kidney	1 ppm
	Cattle, edible offal	0.7 ppm
	Pig, edible offal	0.7 ppm
	Other terrestrial mammals, edible offal	0.7 ppm
	Milk	0.2 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
PREDNISOLONE	Cattle, muscle	0.004 ppm
	Pig, muscle	0.0007 ppm
	Other terrestrial mammals, muscle	0.0007 ppm
	Cattle, fat	0.004 ppm
	Pig, fat	0.0007 ppm
	Other terrestrial mammals, fat	0.0007 ppm
	Cattle, liver	0.01 ppm

	Pig, liver	0.0007 ppm
	Other terrestrial mammals, liver	0.0007 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.0007 ppm
	Other terrestrial mammals, kidney	0.0007 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.0007 ppm
	Other terrestrial mammals, edible offal	0.0007 ppm
	Milk	0.0007 ppm
	Chicken, muscle	0.0007 ppm
	Other poultry, muscle	0.0007 ppm
	Chicken, fat	0.0007 ppm
	Other poultry, fat	0.0007 ppm
	Chicken, liver	0.0007 ppm
	Other poultry, liver	0.0007 ppm
	Chicken, kidney	0.0007 ppm
	Other poultry, kidney	0.0007 ppm
	Chicken, edible offal	0.0007 ppm
	Other poultry, edible offal	0.0007 ppm
	Chicken, eggs	0.0007 ppm
	Other poultry, eggs	0.0007 ppm
	Salmoniformes	0.0007 ppm
	Anguilliformes	0.0007 ppm
	Perciformes	0.0007 ppm
	Other fish	0.0007 ppm
	Shelled molluscas	0.0007 ppm
	Crustaceans	0.0007 ppm
	Other aquatic animal	0.0007 ppm
	Honey	0.0007 ppm
PROCHLORAZ	Rice (brown rice)	2 ppm
	Corn (maize)	2 ppm
	Buckwheat	2 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.05 ppm
	Peas	0.3 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.3 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm

Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	5 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	5 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	5 ppm
<i>Shungiku</i>	5 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.5 ppm
<i>Nira</i>	5 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	5 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm

Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
<i>Shiitake</i> mushroom	2 ppm
Other mushrooms	2 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange,pulp	10 ppm
Citrus <i>natsudaidai</i> , whole	10 ppm
Lemon	10 ppm
Grapefruit	10 ppm
Lime	10 ppm
Other citrus fruits	10 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Kiwifruit	0.05 ppm
Guava	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	10 ppm
Sunflower seeds	0.5 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm

	Cotton seeds	0.1 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.3 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	10 ppm
	Other herbs	5 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.5 ppm
	Pig, fat	0.5 ppm
	Other terrestrial mammals, fat	0.5 ppm
	Cattle, liver	10 ppm
	Pig, liver	10 ppm
	Other terrestrial mammals, liver	10 ppm
	Cattle, kidney	10 ppm
	Pig, kidney	10 ppm
	Other terrestrial mammals, kidney	10 ppm
	Cattle, edible offal	10 ppm
	Pig, edible offal	10 ppm
	Other terrestrial mammals, edible offal	10 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.2 ppm
	Other poultry, liver	0.2 ppm
	Chicken, kidney	0.2 ppm
	Other poultry, kidney	0.2 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
PROCYMIDONE	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm

Rye	0.02 ppm
Corn (maize)	0.02 ppm
Buckwheat	0.02 ppm
Other cereal grains	0.02 ppm
Peas	5 ppm
Broad beans	5 ppm
Taro	0.5 ppm
Sweet potato	0.5 ppm
Yam	0.5 ppm
Konjac	0.5 ppm
Other potatoes	0.5 ppm
Sugar beet	0.5 ppm
Japanese radish, roots (including radish)	0.5 ppm
Japanese radish, leaves (including radish)	5 ppm
Turnip, roots	0.5 ppm
Turnip, leaves	5 ppm
Horseradish	0.5 ppm
Watercress	5 ppm
Chinese cabbage	0.5 ppm
Kale	5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
<i>Kyona</i>	5 ppm
Qing-geng-cai	5 ppm
Cauliflower	5 ppm
Broccoli	5 ppm
Other cruciferous vegetables	5 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	5 ppm
<i>Shungiku</i>	5 ppm
<i>Nira</i>	5 ppm
Asparagus	5 ppm
Other liliaceous vegetables	5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Other solanaceous vegetables	5 ppm
Oriental pickling melon (vegetable)	5 ppm
<i>Makuwauri</i> melon	5 ppm
Spinach	5 ppm

Bamboo shoots	0.02 ppm
Okra	5 ppm
Ginger	0.02 ppm
Green soybeans	1 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	5 ppm
Blueberry	5 ppm
Cranberry	5 ppm
Huckleberry	5 ppm
Other berries	5 ppm
Japanese persimmon	0.5 ppm
Banana	0.5 ppm
Papaya	0.5 ppm
Avocado	0.5 ppm
Pineapple	0.5 ppm
Guava	0.5 ppm
Mango	0.5 ppm
Passion fruit	0.5 ppm
Date	5 ppm
Other fruits	5 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Other oil seeds	2 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	5 ppm
Other herbs	5 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.2 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.2 ppm
Cattle, liver	0.05 ppm

	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.04 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.08 ppm
	Other poultry, fat	0.08 ppm
	Chicken, liver	0.03 ppm
	Other poultry, liver	0.03 ppm
	Chicken, kidney	0.03 ppm
	Other poultry, kidney	0.03 ppm
	Chicken, edible offal	0.03 ppm
	Other poultry, edible offal	0.03 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
PROSULFURON	Corn (maize)	0.01 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm

	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PROTHIOFOS	Other spices	0.1 ppm
	Other herbs	0.2 ppm
BROTIZOLAM	Cattle, muscle	0.001 ppm
	Pig, muscle	0.001 ppm
	Other terrestrial mammals, muscle	0.001 ppm
	Cattle, fat	0.001 ppm
	Pig, fat	0.001 ppm
	Other terrestrial mammals, fat	0.001 ppm
	Cattle, liver	0.001 ppm
	Pig, liver	0.001 ppm
	Other terrestrial mammals, liver	0.001 ppm
	Cattle, kidney	0.001 ppm
	Pig, kidney	0.001 ppm
	Other terrestrial mammals, kidney	0.001 ppm
	Cattle, edible offal	0.001 ppm
	Pig, edible offal	0.001 ppm
	Other terrestrial mammals, edible offal	0.001 ppm
	Milk	0.001 ppm
	Chicken, muscle	0.001 ppm
	Other poultry, muscle	0.001 ppm
	Chicken, fat	0.001 ppm
	Other poultry, fat	0.001 ppm
	Chicken, liver	0.001 ppm
	Other poultry, liver	0.001 ppm
	Chicken, kidney	0.001 ppm
	Other poultry, kidney	0.001 ppm
	Chicken, edible offal	0.001 ppm
	Other poultry, edible offal	0.001 ppm
	Chicken, eggs	0.001 ppm
	Other poultry, eggs	0.001 ppm
	Salmoniformes	0.001 ppm
	Anguilliformes	0.001 ppm
	Perciformes	0.001 ppm
	Other fish	0.001 ppm
	Shelled molluscas	0.001 ppm
	Crustaceans	0.001 ppm

	Other aquatic animal	0.001 ppm
	Honey	0.001 ppm
BRODIFACOUM	Rice (brown rice)	0.0005 ppm
	Wheat	0.0005 ppm
	Barley	0.0005 ppm
	Rye	0.0005 ppm
	Corn (maize)	0.0005 ppm
	Buckwheat	0.0005 ppm
	Other cereal grains	0.0005 ppm
	Soybeans, dry	0.0005 ppm
	Beans, dry*	0.0005 ppm
	Peas	0.0005 ppm
	Broad beans	0.0005 ppm
	Peanuts, dry	0.001 ppm
	Other legumes/pulses	0.0005 ppm
	Potato	0.001 ppm
	Taro	0.001 ppm
	Sweet potato	0.001 ppm
	Yam	0.001 ppm
	Konjac	0.001 ppm
	Other potatoes	0.001 ppm
	Sugar beet	0.001 ppm
	Sugarcane	0.0008 ppm
	Japanese radish, roots (including radish)	0.001 ppm
	Japanese radish, leaves (including radish)	0.001 ppm
	Turnip, roots	0.001 ppm
	Turnip, leaves	0.001 ppm
	Horseradish	0.001 ppm
	Watercress	0.001 ppm
	Chinese cabbage	0.001 ppm
	Cabbage	0.001 ppm
	Brussels sprouts	0.001 ppm
	Kale	0.001 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.001 ppm
	<i>Kyona</i>	0.001 ppm
	Qing-geng-cai	0.001 ppm
	Cauliflower	0.001 ppm
	Broccoli	0.001 ppm
	Other cruciferous vegetables	0.001 ppm
	Burdock	0.001 ppm
	Salsify	0.001 ppm
	Artichoke	0.001 ppm
	Chicory	0.001 ppm

Endive	0.001 ppm
<i>Shungiku</i>	0.001 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.001 ppm
Other composite vegetables	0.001 ppm
Onion	0.001 ppm
Welsh (including leek)	0.001 ppm
Garlic	0.001 ppm
<i>Nira</i>	0.001 ppm
Asparagus	0.001 ppm
Multiplying onion	0.001 ppm
Other liliaceous vegetables	0.001 ppm
Carrot	0.001 ppm
Parsnip	0.001 ppm
Parsley	0.001 ppm
Celery	0.001 ppm
<i>Mitsuba</i>	0.001 ppm
Other umbelliferous vegetables	0.001 ppm
Tomato	0.001 ppm
Pimiento (sweet pepper)	0.001 ppm
Egg plant	0.001 ppm
Other solanceous vegetables	0.001 ppm
Cucumber (including gherkin)	0.001 ppm
Pumpkin (including squash)	0.001 ppm
Oriental pickling melon (vegetable)	0.001 ppm
Water melon	0.001 ppm
Melons	0.001 ppm
<i>Makuwauri</i> melon	0.001 ppm
Other cucurbitaceous vegetables	0.001 ppm
Spinach	0.001 ppm
Bamboo shoots	0.001 ppm
Okra	0.001 ppm
Ginger	0.001 ppm
Peas, immature (with pods)	0.001 ppm
Kidney beans, immature (with pods)	0.001 ppm
Green soybeans	0.001 ppm
Button mushroom	0.001 ppm
<i>Shiitake</i> mushroom	0.001 ppm
Other mushrooms	0.001 ppm
Other vegetables	0.001 ppm
<i>Unshu</i> orange, pulp	0.001 ppm
Citrus <i>natsudaidai</i> , whole	0.001 ppm
Lemon	0.001 ppm
Orange (including navel orange)	0.001 ppm

Grapefruit	0.001 ppm
Lime	0.001 ppm
Other citrus fruits	0.001 ppm
Apple	0.001 ppm
Japanese pear	0.001 ppm
Pear	0.001 ppm
Quince	0.001 ppm
Loquat	0.001 ppm
Peach	0.001 ppm
Nectarine	0.001 ppm
Apricot	0.001 ppm
Japanese plum (including prune)	0.001 ppm
Mume plum	0.001 ppm
Cherry	0.001 ppm
Strawberry	0.001 ppm
Raspberry	0.001 ppm
Blackberry	0.001 ppm
Blueberry	0.001 ppm
Cranberry	0.001 ppm
Huckleberry	0.001 ppm
Other berries	0.001 ppm
Grape	0.001 ppm
Japanese persimmon	0.001 ppm
Banana	0.001 ppm
Kiwifruit	0.001 ppm
Papaya	0.001 ppm
Avocado	0.001 ppm
Pineapple	0.001 ppm
Guava	0.001 ppm
Mango	0.001 ppm
Passion fruit	0.001 ppm
Date	0.001 ppm
Other fruits	0.001 ppm
Sunflower seeds	0.001 ppm
Sesame seeds	0.001 ppm
Safflower seeds	0.001 ppm
Cotton seeds	0.001 ppm
Rapeseeds	0.001 ppm
Other oil seeds	0.001 ppm
Ginkgo nut	0.001 ppm
Chestnut	0.001 ppm
Pecan	0.001 ppm
Almond	0.001 ppm

Walnut	0.001 ppm
Other nuts	0.001 ppm
Tea	0.001 ppm
Coffee beans	0.001 ppm
Cacao beans	0.001 ppm
Hop	0.001 ppm
Other spices	0.001 ppm
Other herbs	0.001 ppm
Cattle, muscle	0.0005 ppm
Pig, muscle	0.0005 ppm
Other terrestrial mammals, muscle	0.0005 ppm
Cattle, fat	0.001 ppm
Pig, fat	0.001 ppm
Other terrestrial mammals, fat	0.001 ppm
Cattle, liver	0.0005 ppm
Pig, liver	0.0005 ppm
Other terrestrial mammals, liver	0.0005 ppm
Cattle, kidney	0.0005 ppm
Pig, kidney	0.0005 ppm
Other terrestrial mammals, kidney	0.0005 ppm
Cattle, edible offal	0.0005 ppm
Pig, edible offal	0.0005 ppm
Other terrestrial mammals, edible offal	0.0005 ppm
Milk	0.001 ppm
Chicken, muscle	0.001 ppm
Other poultry, muscle	0.001 ppm
Chicken, fat	0.001 ppm
Other poultry, fat	0.001 ppm
Chicken, liver	0.001 ppm
Other poultry, liver	0.001 ppm
Chicken, kidney	0.001 ppm
Other poultry, kidney	0.001 ppm
Chicken, edible offal	0.001 ppm
Other poultry, edible offal	0.001 ppm
Chicken, eggs	0.001 ppm
Other poultry, eggs	0.001 ppm
Salmoniformes	0.001 ppm
Anguilliformes	0.001 ppm
Perciformes	0.001 ppm
Other fish	0.001 ppm
Shelled molluscas	0.001 ppm
Crustaceans	0.001 ppm
Other aquatic animal	0.001 ppm

	Honey	0.001 ppm
PROPAQUIZAFOP	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Onion	0.05 ppm
	Peas, immature (with pods)	0.05 ppm
	Other vegetables	0.05 ppm
	Sunflower seeds	0.05 ppm
	Sesame seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Other nuts	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
Other terrestrial mammals, edible offal	0.02 ppm	
Milk	0.01 ppm	
PROPACHLOR	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.08 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.2 ppm
	Japanese radish, roots (including radish)	0.02 ppm

	Turnip, roots	0.02 ppm
	Cabbage	0.6 ppm
	Brussels sprouts	0.6 ppm
	Cauliflower	0.6 ppm
	Broccoli	0.6 ppm
	Other cruciferous vegetables	0.6 ppm
	Onion	3 ppm
	Welsh (including leek)	0.02 ppm
	Garlic	3 ppm
	Other vegetables	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.6 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.06 ppm
	Pig, liver	0.06 ppm
	Other terrestrial mammals, liver	0.06 ppm
	Cattle, kidney	0.06 ppm
	Pig, kidney	0.06 ppm
	Other terrestrial mammals, kidney	0.06 ppm
	Cattle, edible offal	0.06 ppm
	Pig, edible offal	0.06 ppm
	Other terrestrial mammals, edible offal	0.06 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
PROPAZINE	Other cereal grains	0.3 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm

Peas	0.1 ppm
Broad beans	0.1 ppm
Other legumes/pulses	0.1 ppm
Potato	0.1 ppm
Taro	0.1 ppm
Sweet potato	0.1 ppm
Yam	0.1 ppm
Konjac	0.1 ppm
Other potatoes	0.1 ppm
Sugar beet	0.1 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm

	Celery	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Tomato	0.1 ppm
	Pimiento (sweet pepper)	0.1 ppm
	Egg plant	0.1 ppm
	Other solanaceous vegetables	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.1 ppm
	Oriental pickling melon (vegetable)	0.1 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Other cucurbitaceous vegetables	0.1 ppm
	Spinach	0.1 ppm
	Bamboo shoots	0.1 ppm
	Okra	0.1 ppm
	Peas, immature (with pods)	0.1 ppm
	Kidney beans, immature (with pods)	0.1 ppm
	Green soybeans	0.1 ppm
	Button mushroom	0.1 ppm
	<i>Shiitake</i> mushroom	0.1 ppm
	Other mushrooms	0.1 ppm
	Other vegetables	0.1 ppm
	Other fruits	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
PROPANIL	Rice (brown rice)	2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Other cereal grains	0.2 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm

Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm

Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm

Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Other spices	0.1 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.1 ppm
Pig, muscle	0.1 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.1 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.1 ppm
Pig, kidney	0.1 ppm
Other terrestrial mammals, kidney	0.1 ppm
Cattle, edible offal	0.1 ppm
Pig, edible offal	0.1 ppm
Other terrestrial mammals, edible offal	0.1 ppm
Milk	0.03 ppm
Chicken, muscle	0.1 ppm
Other poultry, muscle	0.1 ppm
Chicken, fat	0.1 ppm
Other poultry, fat	0.1 ppm
Chicken, liver	2 ppm
Other poultry, liver	2 ppm
Chicken, kidney	2 ppm
Other poultry, kidney	2 ppm
Chicken, edible offal	2 ppm
Other poultry, edible offal	2 ppm

	Chicken, eggs	0.08 ppm
	Other poultry, eggs	0.08 ppm
PROPAPHOS	Rice (brown rice)	0.05 ppm
PROPAMOCARB	Other solanaceous vegetables	2 ppm
	Other spices	0.2 ppm
	Other herbs	0.5 ppm
PROPARGITE (BPPS)	Corn (maize)	0.1 ppm
	Other cereal grains	5 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peas	3 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.1 ppm
	Taro	3 ppm
	Sweet potato	3 ppm
	Yam	3 ppm
	Konjac	3 ppm
	Other potatoes	3 ppm
	Sugar beet	3 ppm
	Japanese radish, roots (including radish)	3 ppm
	Japanese radish, leaves (including radish)	3 ppm
	Turnip, roots	3 ppm
	Turnip, leaves	3 ppm
	Horseradish	3 ppm
	Watercress	3 ppm
	Chinese cabbage	3 ppm
	Cabbage	3 ppm
	Brussels sprouts	3 ppm
	Kale	3 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	3 ppm
	<i>Kyona</i>	3 ppm
	Qing-geng-cai	3 ppm
	Cauliflower	3 ppm
	Broccoli	3 ppm
	Other cruciferous vegetables	3 ppm
	Burdock	3 ppm
	Salsify	3 ppm
	Artichoke	3 ppm
	Chicory	3 ppm
	Endive	3 ppm
	<i>Shungiku</i>	3 ppm

Lettuce (including cos lettuce and leaf lettuce)	3 ppm
Other composite vegetables	3 ppm
Onion	3 ppm
Welsh (including leek)	3 ppm
Garlic	3 ppm
Asparagus	3 ppm
Multiplying onion	3 ppm
Other liliaceous vegetables	3 ppm
Carrot	3 ppm
Parsnip	3 ppm
Celery	3 ppm
Other umbelliferous vegetables	3 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	3 ppm
Egg plant	3 ppm
Other solanaceous vegetables	3 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	3 ppm
Oriental pickling melon (vegetable)	3 ppm
Water melon	3 ppm
Melons	3 ppm
<i>Makuwauri</i> melon	3 ppm
Other cucurbitaceous vegetables	3 ppm
Spinach	3 ppm
Bamboo shoots	3 ppm
Okra	3 ppm
Peas, immature (with pods)	3 ppm
Kidney beans, immature (with pods)	20 ppm
Green soybeans	3 ppm
Button mushroom	3 ppm
<i>Shiitake</i> mushroom	3 ppm
Other mushrooms	3 ppm
Other vegetables	30 ppm
<i>Unshu</i> orange, pulp	3 ppm
Citrus <i>natsudaidai</i> , whole	3 ppm
Lemon	3 ppm
Orange (including navel orange)	3 ppm
Grapefruit	3 ppm
Lime	3 ppm
Other citrus fruits	3 ppm
Apple	3 ppm
Japanese pear	5 ppm
Pear	5 ppm

Quince	3 ppm
Loquat	3 ppm
Peach	4 ppm
Nectarine	4 ppm
Apricot	4 ppm
Japanese plum (including prune)	4 ppm
Mume plum	4 ppm
Cherry	4 ppm
Strawberry	7 ppm
Raspberry	3 ppm
Blackberry	3 ppm
Blueberry	3 ppm
Cranberry	10 ppm
Huckleberry	3 ppm
Other berries	3 ppm
Grape	7 ppm
Japanese persimmon	3 ppm
Banana	3 ppm
Kiwifruit	3 ppm
Papaya	3 ppm
Avocado	3 ppm
Pineapple	3 ppm
Guava	3 ppm
Mango	3 ppm
Passion fruit	3 ppm
Date	3 ppm
Other fruits	2 ppm
Sunflower seeds	3 ppm
Sesame seeds	3 ppm
Safflower seeds	3 ppm
Cotton seeds	0.1 ppm
Rapeseeds	3 ppm
Other oil seeds	3 ppm
Ginkgo nut	3 ppm
Chestnut	3 ppm
Pecan	3 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	3 ppm
Tea	5 ppm
Cacao beans	0.05 ppm
Hop	100 ppm
Other spices	30 ppm

	Other herbs	30 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
PROPICONAZOLE	Taro	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, leaves	0.05 ppm
	Watercress	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Burdock	0.05 ppm
	Salsify	0.05 ppm
	Artichoke	0.05 ppm
	<i>Shungiku</i>	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm

Other composite vegetables	0.05 ppm
<i>Nira</i>	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Parsnip	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Green soybeans	1 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
Loquat	0.05 ppm
Blueberry	1 ppm
Huckleberry	1 ppm
Other berries	0.05 ppm
Japanese persimmon	0.1 ppm
Guava	0.05 ppm
Other fruits	0.1 ppm
Safflower seeds	0.05 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Other spices	0.1 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.08 ppm
Pig, fat	0.08 ppm
Other terrestrial mammals, fat	0.08 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm

	Milk	0.01 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.08 ppm
	Other poultry, fat	0.08 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.08 ppm
	Other poultry, edible offal	0.08 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PROPYZAMIDE	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm

<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm

Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.06 ppm
Japanese pear	0.02 ppm
Pear	0.06 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.06 ppm
Nectarine	0.06 ppm
Apricot	0.06 ppm
Japanese plum (including prune)	0.06 ppm
Mume plum	0.02 ppm
Cherry	0.06 ppm
Strawberry	0.02 ppm
Raspberry	0.04 ppm
Blackberry	0.04 ppm
Blueberry	0.04 ppm
Cranberry	0.04 ppm
Huckleberry	0.02 ppm
Other berries	0.04 ppm
Grape	0.06 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.05 ppm

Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.05 ppm
Hop	0.05 ppm
Other spices	0.1 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.03 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.04 ppm
Other terrestrial mammals, fat	0.02 ppm
Cattle, liver	0.2 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm
Cattle, kidney	0.2 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.2 ppm
Cattle, edible offal	0.09 ppm
Pig, edible offal	0.04 ppm
Other terrestrial mammals, edible offal	0.04 ppm
Milk	0.01 ppm
Chicken, muscle	0.04 ppm
Other poultry, muscle	0.04 ppm
Chicken, fat	0.04 ppm
Other poultry, fat	0.04 ppm
Chicken, liver	0.1 ppm
Other poultry, liver	0.1 ppm
Chicken, kidney	0.1 ppm
Other poultry, kidney	0.1 ppm
Chicken, edible offal	0.04 ppm
Other poultry, edible offal	0.04 ppm
Chicken, eggs	0.03 ppm
Other poultry, eggs	0.03 ppm

5-(PROPYLSULPHONYL)-1-H-BENZ IMIDAZOLE-2-AMINE	Other terrestrial mammals, muscle (except sheep and horse)	0.1 ppm	
	Other terrestrial mammals, fat (except sheep and horse)	0.1 ppm	
	Other terrestrial mammals, liver (except sheep and horse)	5 ppm	
	Other terrestrial mammals, kidney (except sheep and horse)	5 ppm	
	Cattle, edible offal	0.1 ppm	
	Pig, edible offal	5 ppm	
	Sheep, edible offal	3 ppm	
	Horse, edible offal	5 ppm	
	Other terrestrial mammals, edible offal (except sheep and horse)	0.1 ppm	
	Other poultry, muscle (except duck and turkey)	0.1 ppm	
	Other poultry, fat (except duck and turkey)	0.1 ppm	
	Other poultry, liver (except duck and turkey)	5 ppm	
	Other poultry, kidney (except duck and turkey)	5 ppm	
	Chicken, edible offal	5 ppm	
	Other poultry, edible offal	5 ppm	
	PROFENOFOS	Rice (brown rice)	0.05 ppm
		Wheat	0.05 ppm
		Barley	0.05 ppm
Rye		0.05 ppm	
Corn (maize)		0.05 ppm	
Buckwheat		0.05 ppm	
Other cereal grains		0.05 ppm	
Soybeans, dry		0.05 ppm	
Beans, dry*		0.05 ppm	
Peas		0.05 ppm	
Broad beans		0.05 ppm	
Peanuts, dry		0.05 ppm	
Other legumes/pulses		0.05 ppm	
Potato		0.05 ppm	
Taro		0.02 ppm	
Sweet potato		0.02 ppm	
Yam		0.02 ppm	
Konjac		0.02 ppm	
Other potatoes		0.02 ppm	
Sugar beet		0.1 ppm	
Japanese radish, roots (including radish)		0.05 ppm	
Japanese radish, leaves (including radish)		0.05 ppm	
Turnip, roots	0.05 ppm		
Turnip, leaves	0.05 ppm		

Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	1 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	5 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm

Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm

Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	2 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	1 ppm
Hop	0.1 ppm
Other spices	0.05 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm
Pig, kidney	0.05 ppm
Other terrestrial mammals, kidney	0.05 ppm
Cattle, edible offal	0.05 ppm
Pig, edible offal	0.05 ppm
Other terrestrial mammals, edible offal	0.05 ppm
Milk	0.01 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm
Other poultry, fat	0.05 ppm
Chicken, liver	0.05 ppm

	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
PROHEXADIONE-CALCIUM	Wheat	0.5 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.6 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.2 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm

Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanaceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm

<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	2 ppm
Japanese pear	2 ppm
Pear	2 ppm
Quince	2 ppm
Loquat	2 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Grape	2 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	2 ppm
Other fruits	2 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm

	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.1 ppm
	Other spices	2 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.08 ppm
	Pig, kidney	0.08 ppm
	Other terrestrial mammals, kidney	0.08 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PROPETAMPHOS	Cattle, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.02 ppm

	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.02 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.02 ppm
PROBENAZOLE	Rice (brown rice)	0.5 ppm
	Wheat	0.03 ppm
	Barley	0.03 ppm
	Rye	0.03 ppm
	Corn (maize)	0.03 ppm
	Buckwheat	0.03 ppm
	Other cereal grains	0.03 ppm
	Soybeans, dry	0.03 ppm
	Beans, dry*	0.03 ppm
	Peas	0.03 ppm
	Broad beans	0.03 ppm
	Peanuts, dry	0.03 ppm
	Other legumes/pulses	0.03 ppm
	Potato	0.03 ppm
	Taro	0.03 ppm
	Sweet potato	0.03 ppm
	Yam	0.03 ppm
	Konjac	0.03 ppm
	Other potatoes	0.03 ppm
	Sugar beet	0.03 ppm
	Sugarcane	0.03 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm

Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.03 ppm
Melons	0.03 ppm
<i>Makuwauri</i> melon	0.03 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm

Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.03 ppm
Citrus <i>natsudaidai</i> , whole	0.03 ppm
Lemon	0.03 ppm
Orange (including navel orange)	0.03 ppm
Grapefruit	0.03 ppm
Lime	0.03 ppm
Other citrus fruits	0.03 ppm
Apple	0.03 ppm
Japanese pear	0.03 ppm
Pear	0.03 ppm
Quince	0.03 ppm
Loquat	0.03 ppm
Peach	0.03 ppm
Nectarine	0.03 ppm
Apricot	0.03 ppm
Japanese plum (including prune)	0.03 ppm
Mume plum	0.03 ppm
Cherry	0.03 ppm
Strawberry	0.03 ppm
Raspberry	0.03 ppm
Blackberry	0.03 ppm
Blueberry	0.03 ppm
Cranberry	0.03 ppm
Huckleberry	0.03 ppm
Other berries	0.03 ppm
Grape	0.03 ppm
Japanese persimmon	0.03 ppm
Banana	0.03 ppm
Kiwifruit	0.03 ppm
Papaya	0.03 ppm
Avocado	0.03 ppm
Pineapple	0.03 ppm
Guava	0.03 ppm
Mango	0.03 ppm
Passion fruit	0.03 ppm
Date	0.03 ppm
Other fruits	0.03 ppm
Sunflower seeds	0.03 ppm
Sesame seeds	0.03 ppm
Safflower seeds	0.03 ppm
Cotton seeds	0.03 ppm

	Rapeseeds	0.03 ppm
	Other oil seeds	0.03 ppm
	Ginkgo nut	0.03 ppm
	Chestnut	0.03 ppm
	Pecan	0.03 ppm
	Almond	0.03 ppm
	Walnut	0.03 ppm
	Other nuts	0.03 ppm
	Tea	0.03 ppm
	Coffee beans	0.03 ppm
	Cacao beans	0.03 ppm
	Hop	0.03 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
PROPOXYCARBAZONE	Wheat	0.02 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.004 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.004 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.004 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.004 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.004 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.004 ppm
	Chicken, muscle	0.004 ppm
	Other poultry, muscle	0.004 ppm
	Chicken, fat	0.004 ppm
	Other poultry, fat	0.004 ppm
	Chicken, liver	0.004 ppm
	Other poultry, liver	0.004 ppm
	Chicken, kidney	0.004 ppm
	Other poultry, kidney	0.004 ppm
	Chicken, edible offal	0.004 ppm
	Other poultry, edible offal	0.004 ppm
	Chicken, eggs	0.004 ppm
	Other poultry, eggs	0.004 ppm

	Salmoniformes	0.004 ppm
	Anguilliformes	0.004 ppm
	Perciformes	0.004 ppm
	Other fish	0.004 ppm
	Shelled molluscas	0.004 ppm
	Crustaceans	0.004 ppm
	Other aquatic animal	0.004 ppm
	Honey	0.004 ppm
PROPOXUR	Rice (brown rice)	1 ppm
	Wheat	0.5 ppm
	Barley	0.5 ppm
	Rye	0.5 ppm
	Corn (maize)	0.5 ppm
	Buckwheat	0.5 ppm
	Other cereal grains	0.5 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	2 ppm
	Japanese radish, leaves (including radish)	2 ppm
	Turnip, roots	2 ppm
	Turnip, leaves	2 ppm
	Horseradish	2 ppm
	Watercress	2 ppm
	Chinese cabbage	2 ppm
	Cabbage	2 ppm
	Brussels sprouts	2 ppm
	Kale	2 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
	<i>Kyona</i>	2 ppm
	Qing-geng-cai	2 ppm
	Cauliflower	2 ppm
	Broccoli	2 ppm

Other cruciferous vegetables	2 ppm
Burdock	2 ppm
Salsify	2 ppm
Artichoke	2 ppm
Chicory	2 ppm
Endive	2 ppm
<i>Shungiku</i>	2 ppm
Lettuce (including cos lettuce and leaf lettuce)	2 ppm
Other composite vegetables	2 ppm
Onion	2 ppm
Welsh (including leek)	2 ppm
Garlic	2 ppm
<i>Nira</i>	2 ppm
Asparagus	2 ppm
Multiplying onion	2 ppm
Other liliaceous vegetables	2 ppm
Carrot	2 ppm
Parsnip	2 ppm
Parsley	2 ppm
Celery	2 ppm
<i>Mitsuba</i>	2 ppm
Other umbelliferous vegetables	2 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	2 ppm
Egg plant	2 ppm
Other solanaceous vegetables	2 ppm
Cucumber (including gherkin)	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	2 ppm
Bamboo shoots	2 ppm
Okra	2 ppm
Ginger	2 ppm
Peas, immature (with pods)	2 ppm
Kidney beans, immature (with pods)	2 ppm
Green soybeans	2 ppm
Button mushroom	2 ppm
<i>Shiitake</i> mushroom	2 ppm
Other mushrooms	2 ppm

Other vegetables	2 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm
Other berries	1 ppm
Grape	1 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	1 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	1 ppm
Other fruits	1 ppm
Sunflower seeds	1 ppm
Sesame seeds	1 ppm
Safflower seeds	1 ppm
Cotton seeds	1 ppm
Rapeseeds	1 ppm

	Other oil seeds	1 ppm
	Ginkgo nut	1 ppm
	Chestnut	1 ppm
	Pecan	1 ppm
	Almond	1 ppm
	Walnut	1 ppm
	Other nuts	1 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	2 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.03 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
BROMACIL	Asparagus	0.04 ppm
	Water melon	0.05 ppm
	Melons	0.05 ppm
	<i>Makuwauri</i> melon	0.05 ppm

<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.07 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.07 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.07 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm

	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Other spices	0.05 ppm
	Cattle, muscle	0.04 ppm
	Pig, muscle	0.04 ppm
	Other terrestrial mammals, muscle	0.04 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.04 ppm
	Other terrestrial mammals, fat	0.04 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.04 ppm
	Other terrestrial mammals, liver	0.04 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.04 ppm
	Other terrestrial mammals, kidney	0.04 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.04 ppm
	Other terrestrial mammals, edible offal	0.04 ppm
	Milk	0.04 ppm
BROMOFENOFOS	Cattle, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
PROMETRYN	Rice (brown rice)	0.05 ppm
	Wheat	0.1 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm

Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.1 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.1 ppm

	Pimiento (sweet pepper)	0.1 ppm
	Egg plant	0.1 ppm
	Other solanaceous vegetables	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.1 ppm
	Oriental pickling melon (vegetable)	0.1 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Other cucurbitaceous vegetables	0.1 ppm
	Spinach	0.05 ppm
	Bamboo shoots	0.05 ppm
	Okra	0.1 ppm
	Ginger	0.05 ppm
	Peas, immature (with pods)	0.05 ppm
	Kidney beans, immature (with pods)	0.05 ppm
	Green soybeans	0.05 ppm
	Button mushroom	0.1 ppm
	<i>Shiitake</i> mushroom	0.1 ppm
	Other mushrooms	0.1 ppm
	Other vegetables	0.05 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Cotton seeds	0.2 ppm
	Other spices	0.1 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
BROMOXYNIL	Rice (brown rice)	0.2 ppm

	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Sugarcane	0.02 ppm
	Onion	0.1 ppm
	Garlic	0.1 ppm
	Grape	0.01 ppm
	Cotton seeds	2 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.06 ppm
	Other spices	0.06 ppm
	Cattle, muscle	0.07 ppm
	Pig, muscle	0.06 ppm
	Other terrestrial mammals, muscle	0.06 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.07 ppm
	Pig, liver	0.06 ppm
	Other terrestrial mammals, liver	0.06 ppm
	Cattle, kidney	0.07 ppm
	Pig, kidney	0.06 ppm
	Other terrestrial mammals, kidney	0.06 ppm
	Cattle, edible offal	0.07 ppm
	Pig, edible offal	0.06 ppm
	Other terrestrial mammals, edible offal	0.06 ppm
	Milk	0.07 ppm
	Chicken, muscle	0.06 ppm
	Other poultry, muscle	0.06 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.04 ppm
	Other poultry, eggs	0.04 ppm
BROMOCHLOROMETHANE	Cattle, muscle	0.02 ppm

	Cattle, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
BROMOBUTIDE	Rice (brown rice)	1 ppm
BROMOPROPYLATE	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	0.5 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Kale	0.5 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
	<i>Kyona</i>	0.5 ppm
	Qing-geng-cai	0.5 ppm
	Cauliflower	0.5 ppm
	Broccoli	0.5 ppm
	Other cruciferous vegetables	0.5 ppm
	Burdock	0.5 ppm
	Salsify	0.5 ppm

Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Water melon	2 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	3 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	2 ppm
Citrus <i>natsudaidai</i> , peels	5 ppm

Citrus <i>natsudaidai</i> , whole	2 ppm
Lemon	2 ppm
Orange (including navel orange)	2 ppm
Grapefruit	2 ppm
Lime	2 ppm
Other citrus fruits	2 ppm
Apple	2 ppm
Japanese pear	2 ppm
Pear	2 ppm
Quince	2 ppm
Loquat	2 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Grape	2 ppm
Japanese persimmon	2 ppm
Banana	2 ppm
Kiwifruit	2 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	2 ppm
Other fruits	2 ppm
Sunflower seeds	2 ppm
Sesame seeds	2 ppm
Safflower seeds	2 ppm
Cotton seeds	2 ppm
Rapeseeds	2 ppm
Other oil seeds	2 ppm
Ginkgo nut	2 ppm

	Chestnut	2 ppm
	Pecan	2 ppm
	Almond	2 ppm
	Walnut	2 ppm
	Other nuts	2 ppm
	Tea	0.1 ppm
	Hop	1 ppm
	Other spices	2 ppm
	Other herbs	0.5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.08 ppm
	Other poultry, eggs	0.08 ppm
BROMOPHOS	Apple	2 ppm
	Cacao beans	0.05 ppm
BROMOPHOS-ETHYL	Corn (maize)	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm

Broad beans	0.05 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.05 ppm
Potato	0.05 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm

Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm

	Cherry	0.05 ppm
	Strawberry	0.05 ppm
	Raspberry	0.05 ppm
	Blackberry	0.05 ppm
	Blueberry	0.05 ppm
	Cranberry	0.05 ppm
	Huckleberry	0.05 ppm
	Other berries	0.05 ppm
	Grape	0.05 ppm
	Japanese persimmon	0.05 ppm
	Banana	0.05 ppm
	Kiwifruit	0.05 ppm
	Avocado	0.05 ppm
	Pineapple	0.05 ppm
	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.05 ppm
	Other fruits	0.05 ppm
	Sunflower seeds	0.05 ppm
	Sesame seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Cacao beans	0.05 ppm
	Hop	0.1 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
FLORASULAM	Wheat	0.01 ppm
	Barley	0.01 ppm
	Other cereal grains	0.01 ppm
FLORFENICOL	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.2 ppm

	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Other terrestrial mammals, liver	3 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.3 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.3 ppm
	Other poultry, fat	0.3 ppm
	Chicken, liver	3 ppm
	Other poultry, liver	3 ppm
	Chicken, kidney	0.5 ppm
	Other poultry, kidney	0.5 ppm
	Chicken, edible offal	0.5 ppm
	Other poultry, edible offal	0.5 ppm
	Salmoniformes	0.2 ppm
	Anguilliformes	0.2 ppm
	Perciformes	0.03 ppm
	Other fish	0.2 ppm
	Shelled molluscas	0.1 ppm
	Crustaceans	0.1 ppm
	Other aquatic animal	0.1 ppm
HEXACHLOROBENZENE	Rice (brown rice)	0.03 ppm
	Wheat	0.03 ppm
	Barley	0.05 ppm
	Rye	0.03 ppm
	Corn (maize)	0.03 ppm
	Buckwheat	0.03 ppm
	Other cereal grains	0.03 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.01 ppm
	Taro	0.01 ppm

Sweet potato	0.01 ppm
Yam	0.01 ppm
Konjac	0.01 ppm
Other potatoes	0.01 ppm
Sugar beet	0.01 ppm
Japanese radish, roots (including radish)	0.01 ppm
Japanese radish, leaves (including radish)	0.01 ppm
Turnip, roots	0.01 ppm
Turnip, leaves	0.01 ppm
Horseradish	0.01 ppm
Watercress	0.01 ppm
Chinese cabbage	0.01 ppm
Cabbage	0.01 ppm
Brussels sprouts	0.01 ppm
Kale	0.01 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
<i>Kyona</i>	0.01 ppm
Qing-geng-cai	0.01 ppm
Cauliflower	0.01 ppm
Broccoli	0.01 ppm
Other cruciferous vegetables	0.01 ppm
Burdock	0.01 ppm
Salsify	0.01 ppm
Artichoke	0.01 ppm
Chicory	0.01 ppm
Endive	0.01 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.01 ppm
Other composite vegetables	0.01 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.01 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm
Tomato	0.01 ppm

Pimiento (sweet pepper)	0.01 ppm
Egg plant	0.01 ppm
Other solanaceous vegetables	0.01 ppm
Cucumber (including gherkin)	0.01 ppm
Pumpkin (including squash)	0.01 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	0.01 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	0.01 ppm
Green soybeans	0.01 ppm
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm
Other vegetables	0.01 ppm
<i>Unshu</i> orange, pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm

Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Papaya	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.01 ppm
Tea	0.02 ppm
Hop	0.02 ppm
Other spices	0.02 ppm
Other herbs	0.01 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.6 ppm
Pig, fat	0.6 ppm
Other terrestrial mammals, fat	0.6 ppm
Cattle, liver	0.6 ppm
Pig, liver	0.6 ppm
Other terrestrial mammals, liver	0.6 ppm
Cattle, kidney	0.6 ppm
Pig, kidney	0.6 ppm
Other terrestrial mammals, kidney	0.6 ppm

	Cattle, edible offal	0.6 ppm
	Pig, edible offal	0.6 ppm
	Other terrestrial mammals, edible offal	0.6 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.6 ppm
	Other poultry, fat	0.6 ppm
	Chicken, liver	0.6 ppm
	Other poultry, liver	0.6 ppm
	Chicken, kidney	0.6 ppm
	Other poultry, kidney	0.6 ppm
	Chicken, edible offal	0.6 ppm
	Other poultry, edible offal	0.6 ppm
	Chicken, eggs	0.5 ppm
	Other poultry, eggs	0.5 ppm
	Salmoniformes	0.1 ppm
	Anguilliformes	0.1 ppm
	Perciformes	0.1 ppm
	Other fish	0.1 ppm
	Shelled molluscas	0.1 ppm
	Crustaceans	0.1 ppm
	Other aquatic animal	0.1 ppm
HEXACONAZOLE	Rice (brown rice)	0.02 ppm
	Corn (maize)	0.02 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm

Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
<i>Nira</i>	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.5 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm

	Other mushrooms	0.02 ppm
	Other vegetables	0.02 ppm
	<i>Unshu</i> orange,pulp	0.02 ppm
	Citrus <i>natsudaidai</i> , whole	0.02 ppm
	Lemon	0.02 ppm
	Orange (including navel orange)	0.02 ppm
	Grapefruit	0.02 ppm
	Lime	0.02 ppm
	Other citrus fruits	0.02 ppm
	Quince	0.5 ppm
	Loquat	0.5 ppm
	Nectarine	0.5 ppm
	Mume plum	0.5 ppm
	Raspberry	0.5 ppm
	Blackberry	0.5 ppm
	Blueberry	0.5 ppm
	Cranberry	0.5 ppm
	Huckleberry	0.5 ppm
	Other berries	0.5 ppm
	Kiwifruit	0.5 ppm
	Papaya	0.5 ppm
	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	0.5 ppm
	Other fruits	0.5 ppm
	Sunflower seeds	0.05 ppm
	Sesame seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Walnut	0.05 ppm
	Tea	0.05 ppm
	Hop	0.05 ppm
	Other spices	0.5 ppm
	Other herbs	0.02 ppm
HEXAZINONE	Sugarcane	0.1 ppm

	Blueberry	0.2 ppm
	Pineapple	0.8 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.08 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
HEXAFLUMURON	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm

Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm

Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Quince	0.5 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.5 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm

	Other berries	0.02 ppm
	Grape	0.02 ppm
	Japanese persimmon	0.5 ppm
	Banana	0.5 ppm
	Kiwifruit	0.02 ppm
	Papaya	0.5 ppm
	Avocado	0.5 ppm
	Pineapple	0.5 ppm
	Guava	0.5 ppm
	Mango	0.5 ppm
	Passion fruit	0.5 ppm
	Date	0.02 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
HEXYTHIAZOX	Corn (maize)	0.05 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.2 ppm
	Sweet potato	0.2 ppm
	Konjac	0.2 ppm
	Other potatoes	0.2 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, leaves	0.5 ppm
	Watercress	0.5 ppm
	Brussels sprouts	0.5 ppm
	Kale	0.5 ppm

<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	0.5 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Welsh (including leek)	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.1 ppm
Other solanaceous vegetables	2 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	0.5 ppm
Okra	2 ppm
Green soybeans	2 ppm
Banana	1 ppm
Kiwifruit	0.2 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Chestnut	0.3 ppm
Pecan	0.3 ppm
Almond	0.3 ppm
Walnut	0.3 ppm
Other nuts	0.3 ppm

	Other spices	2 ppm
	Other herbs	2 ppm
	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.02 ppm
VEDAPROFEN	Other terrestrial mammals, muscle	0.05 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Other terrestrial mammals, kidney	1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
BETAMETHASONE	Cattle, muscle	0.0008 ppm
	Pig, muscle	0.0008 ppm
	Other terrestrial mammals, muscle	0.0003 ppm
	Cattle, fat	0.0008 ppm
	Pig, fat	0.0008 ppm
	Other terrestrial mammals, fat	0.0003 ppm
	Cattle, liver	0.002 ppm
	Pig, liver	0.002 ppm
	Other terrestrial mammals, liver	0.0003 ppm
	Cattle, kidney	0.0008 ppm
	Pig, kidney	0.0008 ppm
	Other terrestrial mammals, kidney	0.0003 ppm
	Cattle, edible offal	0.0008 ppm
	Pig, edible offal	0.0008 ppm
	Other terrestrial mammals, edible offal	0.0003 ppm
	Milk	0.0003 ppm
	Chicken, muscle	0.0003 ppm
	Other poultry, muscle	0.0003 ppm
	Chicken, fat	0.0003 ppm
	Other poultry, fat	0.0003 ppm

	Chicken, liver	0.0003 ppm
	Other poultry, liver	0.0003 ppm
	Chicken, kidney	0.0003 ppm
	Other poultry, kidney	0.0003 ppm
	Chicken, edible offal	0.0003 ppm
	Other poultry, edible offal	0.0003 ppm
	Chicken, eggs	0.0003 ppm
	Other poultry, eggs	0.0003 ppm
	Salmoniformes	0.0003 ppm
	Anguilliformes	0.0003 ppm
	Perciformes	0.0003 ppm
	Other fish	0.0003 ppm
	Shelled molluscas	0.0003 ppm
	Crustaceans	0.0003 ppm
	Other aquatic animal	0.0003 ppm
	Honey	0.0003 ppm
BENALAXYL	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.02 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm

Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.03 ppm
Other composite vegetables	0.05 ppm
Onion	0.2 ppm
Welsh (including leek)	0.08 ppm
Garlic	0.08 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.2 ppm
Other solanaceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.2 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm

Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.2 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm

Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Hop	0.2 ppm
Other spices	0.05 ppm
Other herbs	0.3 ppm
Cattle, muscle	0.5 ppm
Pig, muscle	0.5 ppm
Other terrestrial mammals, muscle	0.5 ppm
Cattle, fat	0.5 ppm
Pig, fat	0.5 ppm
Other terrestrial mammals, fat	0.5 ppm
Cattle, liver	0.5 ppm
Pig, liver	0.5 ppm
Other terrestrial mammals, liver	0.5 ppm
Cattle, kidney	0.5 ppm
Pig, kidney	0.5 ppm
Other terrestrial mammals, kidney	0.5 ppm
Cattle, edible offal	0.5 ppm
Pig, edible offal	0.5 ppm
Other terrestrial mammals, edible offal	0.5 ppm
Milk	0.05 ppm
Chicken, muscle	0.5 ppm
Other poultry, muscle	0.5 ppm
Chicken, fat	0.5 ppm
Other poultry, fat	0.5 ppm
Chicken, liver	0.5 ppm
Other poultry, liver	0.5 ppm
Chicken, kidney	0.5 ppm
Other poultry, kidney	0.5 ppm
Chicken, edible offal	0.5 ppm

	Other poultry, edible offal	0.5 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
BENOXACOR	Rice (brown rice)	0.01 ppm
	Wheat	0.01 ppm
	Barley	0.01 ppm
	Rye	0.01 ppm
	Corn (maize)	0.01 ppm
	Buckwheat	0.01 ppm
	Other cereal grains	0.01 ppm
	Soybeans, dry	0.01 ppm
	Beans, dry*	0.01 ppm
	Peas	0.01 ppm
	Broad beans	0.01 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.01 ppm
	Potato	0.01 ppm
	Sweet potato	0.01 ppm
	Sugar beet	0.01 ppm
	Horseradish	0.01 ppm
	Cabbage	0.01 ppm
	Welsh (including leek)	0.01 ppm
	Asparagus	0.01 ppm
	Carrot	0.01 ppm
	Celery	0.01 ppm
	Tomato	0.01 ppm
	Pimiento (sweet pepper)	0.01 ppm
	Spinach	0.01 ppm
	Peas, immature (with pods)	0.01 ppm
	Kidney beans, immature (with pods)	0.01 ppm
	Green soybeans	0.01 ppm
	Other vegetables	0.01 ppm
	Peach	0.01 ppm
	Nectarine	0.01 ppm
	Apricot	0.01 ppm
	Japanese plum (including prune)	0.01 ppm
	Cherry	0.01 ppm
	Sunflower seeds	0.01 ppm
	Safflower seeds	0.01 ppm
	Cotton seeds	0.01 ppm
	Chestnut	0.01 ppm
	Pecan	0.01 ppm
	Almond	0.01 ppm

	Walnut	0.01 ppm
	Other nuts	0.01 ppm
	Other spices	0.01 ppm
	Other herbs	0.01 ppm
PENOXSULAM	Rice (brown rice)	0.02 ppm
HEPTACHLOR	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.03 ppm
	Peas	0.03 ppm
	Broad beans	0.03 ppm
	Peanuts, dry	0.01 ppm
	Other legumes/pulses	0.03 ppm
	Potato	0.03 ppm
	Taro	0.03 ppm
	Sweet potato	0.03 ppm
	Yam	0.03 ppm
	Konjac	0.03 ppm
	Other potatoes	0.03 ppm
	Sugar beet	0.03 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.03 ppm
	Japanese radish, leaves (including radish)	0.03 ppm
	Turnip, roots	0.03 ppm
	Turnip, leaves	0.03 ppm
	Horseradish	0.03 ppm
	Watercress	0.03 ppm
	Chinese cabbage	0.03 ppm
	Cabbage	0.03 ppm
	Brussels sprouts	0.03 ppm
	Kale	0.03 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.03 ppm
	<i>Kyona</i>	0.03 ppm
	Qing-geng-cai	0.03 ppm
	Cauliflower	0.03 ppm
	Broccoli	0.03 ppm
	Other cruciferous vegetables	0.03 ppm
	Burdock	0.03 ppm

Salsify	0.03 ppm
Artichoke	0.03 ppm
Chicory	0.03 ppm
Endive	0.03 ppm
<i>Shungiku</i>	0.03 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.03 ppm
Other composite vegetables	0.03 ppm
Onion	0.03 ppm
Welsh (including leek)	0.03 ppm
Garlic	0.03 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.03 ppm
Multiplying onion	0.03 ppm
Other liliaceous vegetables	0.03 ppm
Carrot	0.1 ppm
Parsnip	0.03 ppm
Parsley	0.01 ppm
Celery	0.03 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.03 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.03 ppm
Egg plant	0.03 ppm
Other solanceous vegetables	0.03 ppm
Cucumber (including gherkin)	0.03 ppm
Pumpkin (including squash)	0.03 ppm
Oriental pickling melon (vegetable)	0.03 ppm
Water melon	0.03 ppm
Melons	0.03 ppm
<i>Makuwauri</i> melon	0.03 ppm
Other cucurbitaceous vegetables	0.03 ppm
Spinach	0.03 ppm
Bamboo shoots	0.03 ppm
Okra	0.03 ppm
Peas, immature (with pods)	0.03 ppm
Kidney beans, immature (with pods)	0.03 ppm
Green soybeans	0.02 ppm
Button mushroom	0.03 ppm
<i>Shiitake</i> mushroom	0.03 ppm
Other mushrooms	0.03 ppm
Other vegetables	0.03 ppm
<i>Unshu</i> orange, pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm

Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.03 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm

Almond	10 ppm
Walnut	0.01 ppm
Other nuts	0.01 ppm
Tea	0.02 ppm
Hop	0.01 ppm
Other spices	0.03 ppm
Other herbs	0.03 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.2 ppm
Pig, fat	0.2 ppm
Other terrestrial mammals, fat	0.2 ppm
Cattle, liver	0.2 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.2 ppm
Cattle, kidney	0.2 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.2 ppm
Cattle, edible offal	0.2 ppm
Pig, edible offal	0.2 ppm
Other terrestrial mammals, edible offal	0.2 ppm
Milk	0.006 ppm
Chicken, muscle	0.2 ppm
Other poultry, muscle	0.2 ppm
Chicken, fat	0.2 ppm
Other poultry, fat	0.2 ppm
Chicken, liver	0.2 ppm
Other poultry, liver	0.2 ppm
Chicken, kidney	0.2 ppm
Other poultry, kidney	0.2 ppm
Chicken, edible offal	0.2 ppm
Other poultry, edible offal	0.2 ppm
Chicken, eggs	0.05 ppm
Other poultry, eggs	0.05 ppm
Salmoniformes	0.05 ppm
Anguilliformes	0.05 ppm
Perciformes	0.05 ppm
Other fish	0.05 ppm
Shelled molluscas	0.05 ppm
Crustaceans	0.05 ppm
Other aquatic animal	0.05 ppm
Honey	0.006 ppm

PEBULATE	Corn (maize)	0.1 ppm
	Sugar beet	0.1 ppm
	Tomato	0.1 ppm
	Pimiento (sweet pepper)	0.1 ppm
	Egg plant	0.1 ppm
	Other solanceous vegetables	0.1 ppm
	Okra	0.1 ppm
	Button mushroom	0.1 ppm
	<i>Shiitake</i> mushroom	0.1 ppm
	Other mushrooms	0.1 ppm
	Other vegetables	0.1 ppm
	Other fruits	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
PERMETHRIN	Cacao beans	0.05 ppm
	Other herbs	3 ppm
	Cattle, muscle	0.4 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.4 ppm
	Cattle, fat	1 ppm
	Pig, fat	1 ppm
	Other terrestrial mammals, fat	1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	0.2 ppm
	Chicken, liver	0.3 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.3 ppm
	Other poultry, kidney	0.3 ppm
	Chicken, edible offal	0.4 ppm
	Other poultry, edible offal	0.3 ppm
	Chicken, eggs	0.1 ppm

	Other poultry, eggs	0.1 ppm
PENCONAZOLE	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm
	Horseradish	0.05 ppm
	Watercress	0.05 ppm
	Chinese cabbage	0.05 ppm
	Kale	0.05 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
	<i>Kyona</i>	0.05 ppm
	Qing-geng-cai	0.05 ppm
	Cauliflower	0.05 ppm
	Broccoli	0.05 ppm
	Other cruciferous vegetables	0.05 ppm
	Burdock	0.05 ppm
	Salsify	0.05 ppm
	Chicory	0.05 ppm
	Endive	0.05 ppm
	<i>Shungiku</i>	0.05 ppm
	Other composite vegetables	0.05 ppm
	Garlic	0.05 ppm
	<i>Nira</i>	0.05 ppm
	Asparagus	0.05 ppm
Multiplying onion	0.05 ppm	

Other liliaceous vegetables	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm

	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PENCYCURON	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm

Corn (maize)	0.1 ppm
Buckwheat	0.1 ppm
Other cereal grains	0.1 ppm
Soybeans, dry	0.1 ppm
Beans, dry*	0.1 ppm
Peas	0.1 ppm
Broad beans	0.1 ppm
Peanuts, dry	0.1 ppm
Other legumes/pulses	0.1 ppm
Taro	0.5 ppm
Sweet potato	0.5 ppm
Konjac	0.5 ppm
Other potatoes	0.5 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	1 ppm
Japanese radish, leaves (including radish)	0.5 ppm
Turnip, roots	1 ppm
Turnip, leaves	0.5 ppm
Horseradish	1 ppm
Watercress	0.5 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.5 ppm
Kale	0.5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Other composite vegetables	1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm

Other liliaceous vegetables	1 ppm
Carrot	1 ppm
Parsnip	1 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	1 ppm
Pimiento (sweet pepper)	0.2 ppm
Other solanaceous vegetables	0.2 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Bamboo shoots	1 ppm
Okra	0.2 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm

	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Banana	0.1 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.1 ppm
	Sesame seeds	0.1 ppm
	Safflower seeds	0.1 ppm
	Cotton seeds	0.1 ppm
	Rapeseeds	0.1 ppm
	Other oil seeds	0.1 ppm
	Ginkgo nut	0.1 ppm
	Chestnut	0.1 ppm
	Pecan	0.1 ppm
	Almond	0.1 ppm
	Walnut	0.1 ppm
	Other nuts	0.1 ppm
	Tea	0.1 ppm
	Coffee beans	0.1 ppm
	Cacao beans	0.1 ppm
	Hop	0.1 ppm
	Other spices	1 ppm
	Other herbs	1 ppm
BENZYLADENINE (BENZYLAMINOPRIN)	Rice (brown rice)	0.1 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm

Soybeans, dry	0.02 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.5 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.5 ppm
Horseradish	0.02 ppm
Watercress	0.5 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.5 ppm
Kale	0.5 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
<i>Kyona</i>	0.5 ppm
Qing-geng-cai	0.5 ppm
Cauliflower	0.5 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	0.5 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.5 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.02 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm

Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.5 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm

	Nectarine	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Mume plum	0.1 ppm
	Cherry	0.1 ppm
	Strawberry	0.1 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm
	Banana	0.1 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Cotton seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.5 ppm
	Other herbs	0.5 ppm
BENZYL PENICILLIN	Other terrestrial mammals, muscle	0.06 ppm

	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Other terrestrial mammals, liver	0.06 ppm
	Other terrestrial mammals, kidney	0.06 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.06 ppm
	Other terrestrial mammals, edible offal	0.06 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.02 ppm
	Other poultry, liver	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.004 ppm
	Other poultry, eggs	0.004 ppm
	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.05 ppm
	Other fish	0.05 ppm
	Shelled molluscas	0.05 ppm
	Crustaceans	0.05 ppm
	Other aquatic animal	0.05 ppm
	Honey	0.004 ppm
BENSULIDE	Rice (brown rice)	0.1 ppm
	Wheat	0.03 ppm
	Barley	0.03 ppm
	Rye	0.03 ppm
	Corn (maize)	0.03 ppm
	Buckwheat	0.03 ppm
	Other cereal grains	0.03 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm

Other potatoes	0.5 ppm
Sugar beet	0.03 ppm
Sugarcane	0.03 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm

Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.03 ppm
Citrus <i>natsudaidai</i> , whole	0.03 ppm
Lemon	0.03 ppm
Orange (including navel orange)	0.03 ppm
Grapefruit	0.03 ppm
Lime	0.03 ppm
Other citrus fruits	0.03 ppm
Apple	0.03 ppm
Japanese pear	0.03 ppm
Pear	0.03 ppm
Quince	0.03 ppm
Loquat	0.03 ppm
Peach	0.03 ppm
Nectarine	0.03 ppm
Apricot	0.03 ppm
Japanese plum (including prune)	0.03 ppm
Mume plum	0.03 ppm
Cherry	0.03 ppm
Strawberry	0.03 ppm
Raspberry	0.03 ppm
Blackberry	0.03 ppm
Blueberry	0.03 ppm
Cranberry	0.03 ppm
Huckleberry	0.03 ppm

	Other berries	0.03 ppm
	Grape	0.03 ppm
	Japanese persimmon	0.03 ppm
	Banana	0.03 ppm
	Kiwifruit	0.03 ppm
	Papaya	0.03 ppm
	Avocado	0.03 ppm
	Pineapple	0.03 ppm
	Guava	0.03 ppm
	Mango	0.03 ppm
	Passion fruit	0.03 ppm
	Date	0.03 ppm
	Other fruits	0.1 ppm
	Sunflower seeds	0.03 ppm
	Sesame seeds	0.03 ppm
	Safflower seeds	0.03 ppm
	Cotton seeds	0.03 ppm
	Rapeseeds	0.03 ppm
	Other oil seeds	0.03 ppm
	Ginkgo nut	0.03 ppm
	Chestnut	0.03 ppm
	Pecan	0.03 ppm
	Almond	0.03 ppm
	Walnut	0.03 ppm
	Other nuts	0.03 ppm
	Tea	0.03 ppm
	Coffee beans	0.03 ppm
	Cacao beans	0.03 ppm
	Hop	0.03 ppm
	Other spices	0.1 ppm
	Other herbs	0.1 ppm
BENSULFURON-METHYL	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm

Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm

<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm

	Raspberry	0.02 ppm
	Blackberry	0.02 ppm
	Blueberry	0.02 ppm
	Cranberry	0.02 ppm
	Huckleberry	0.02 ppm
	Other berries	0.02 ppm
	Grape	0.02 ppm
	Japanese persimmon	0.02 ppm
	Banana	0.02 ppm
	Kiwifruit	0.02 ppm
	Papaya	0.02 ppm
	Avocado	0.02 ppm
	Pineapple	0.02 ppm
	Guava	0.02 ppm
	Mango	0.02 ppm
	Passion fruit	0.02 ppm
	Date	0.02 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.02 ppm
	Sesame seeds	0.02 ppm
	Safflower seeds	0.02 ppm
	Cotton seeds	0.02 ppm
	Rapeseeds	0.02 ppm
	Other oil seeds	0.02 ppm
	Ginkgo nut	0.02 ppm
	Chestnut	0.02 ppm
	Pecan	0.02 ppm
	Almond	0.02 ppm
	Walnut	0.02 ppm
	Other nuts	0.02 ppm
	Tea	0.02 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	0.02 ppm
	Other herbs	0.02 ppm
	Crustaceans	0.05 ppm
BENZOCAINE	Salmoniformes	0.05 ppm
	Anguilliformes	0.05 ppm
	Perciformes	0.05 ppm
	Other fish	0.05 ppm
	Shelled molluscas	0.05 ppm
BENZOBICYCLON	Rice (brown rice)	0.1 ppm

BENZOFENAP	Rice (brown rice)	0.1 ppm
BENDIOCARB	Other vegetables	0.05 ppm
	Banana	0.02 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
	Cattle, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Cattle, kidney	0.2 ppm
	Cattle, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
Chicken, eggs	0.05 ppm	
Other poultry, eggs	0.05 ppm	
PENTACHLOROPHENOL	Mineral waters	0.009 ppm
BENTAZONE	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	<i>Unshu</i> orange,pulp	0.02 ppm
	Citrus <i>natsudaidai</i> , whole	0.02 ppm
	Lemon	0.02 ppm
	Orange (including navel orange)	0.02 ppm
	Grapefruit	0.02 ppm
	Lime	0.02 ppm
	Other citrus fruits	0.02 ppm
	Apple	0.02 ppm
	Japanese pear	0.02 ppm
	Pear	0.02 ppm
	Quince	0.02 ppm
	Loquat	0.02 ppm
	Peach	0.02 ppm
	Nectarine	0.02 ppm
	Apricot	0.02 ppm
	Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm	

Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.05 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Other spices	0.5 ppm
Other herbs	2 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm

	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
PENDIMETHALIN	Other cereal grains	0.1 ppm
	Burdock	0.05 ppm
	Salsify	0.05 ppm
	Parsnip	0.05 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Other cucurbitaceous vegetables	0.05 ppm
	Spinach	0.05 ppm
	Other vegetables	0.08 ppm
	Other fruits	0.1 ppm
	Other spices	0.2 ppm
	Other herbs	0.2 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm

	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Mineral waters	0.02 ppm
BENFURACARB	Rice (brown rice)	0.2 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.3 ppm
	Beans, dry*	0.3 ppm
	Peas	0.3 ppm
	Broad beans	0.3 ppm
	Peanuts, dry	0.3 ppm
	Other legumes/pulses	0.3 ppm
	Potato	0.5 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.2 ppm
	Japanese radish, roots (including radish)	1 ppm

Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	1 ppm
Turnip, leaves	1 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	1 ppm
Kale	1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	1 ppm
Onion	1 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	1 ppm
Parsnip	1 ppm
Parsley	1 ppm
Celery	1 ppm
<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	1 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanceous vegetables	1 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm

Water melon	0.5 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	1 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Ginger	1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange,pulp	0.5 ppm
Citrus <i>natsudaidai</i> , whole	0.5 ppm
Lemon	0.5 ppm
Orange (including navel orange)	0.5 ppm
Grapefruit	0.5 ppm
Lime	0.5 ppm
Other citrus fruits	0.5 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.5 ppm
Loquat	0.5 ppm
Peach	0.5 ppm
Nectarine	0.5 ppm
Apricot	0.5 ppm
Japanese plum (including prune)	0.5 ppm
Mume plum	0.5 ppm
Cherry	0.5 ppm
Strawberry	0.5 ppm
Raspberry	0.5 ppm
Blackberry	0.5 ppm
Blueberry	0.5 ppm
Cranberry	0.5 ppm
Huckleberry	0.5 ppm
Other berries	0.5 ppm
Grape	0.5 ppm
Japanese persimmon	0.5 ppm
Banana	0.5 ppm

Kiwifruit	0.5 ppm
Papaya	0.5 ppm
Avocado	0.5 ppm
Pineapple	0.5 ppm
Guava	0.5 ppm
Mango	0.5 ppm
Passion fruit	0.5 ppm
Date	0.5 ppm
Other fruits	0.5 ppm
Sunflower seeds	0.5 ppm
Sesame seeds	0.5 ppm
Safflower seeds	0.5 ppm
Cotton seeds	0.5 ppm
Rapeseeds	0.5 ppm
Other oil seeds	0.5 ppm
Ginkgo nut	0.5 ppm
Chestnut	0.5 ppm
Pecan	0.5 ppm
Almond	0.5 ppm
Walnut	0.5 ppm
Other nuts	0.5 ppm
Tea	0.1 ppm
Hop	5 ppm
Other spices	1 ppm
Other herbs	1 ppm
Cattle, muscle	0.5 ppm
Pig, muscle	0.5 ppm
Other terrestrial mammals, muscle	0.5 ppm
Cattle, fat	0.5 ppm
Pig, fat	0.5 ppm
Other terrestrial mammals, fat	0.5 ppm
Cattle, liver	0.5 ppm
Pig, liver	0.5 ppm
Other terrestrial mammals, liver	0.5 ppm
Cattle, kidney	0.5 ppm
Pig, kidney	0.5 ppm
Other terrestrial mammals, kidney	0.5 ppm
Cattle, edible offal	0.5 ppm
Pig, edible offal	0.5 ppm
Other terrestrial mammals, edible offal	0.5 ppm
Milk	0.05 ppm
Chicken, muscle	0.5 ppm
Other poultry, muscle	0.5 ppm

	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	0.5 ppm
	Other poultry, liver	0.5 ppm
	Chicken, kidney	0.5 ppm
	Other poultry, kidney	0.5 ppm
	Chicken, edible offal	0.5 ppm
	Other poultry, edible offal	0.5 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
BENFLURALIN	Peanuts, dry	0.05 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
PHOXIM	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Chinese cabbage	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
	<i>Kyona</i>	0.02 ppm
	Qing-geng-cai	0.02 ppm
	Broccoli	0.02 ppm
	Other cruciferous vegetables	0.02 ppm
	Burdock	0.02 ppm
	Salsify	0.02 ppm
	Artichoke	0.02 ppm
	Chicory	0.02 ppm
	Endive	0.02 ppm

<i>Shungiku</i>	0.02 ppm
Other composite vegetables	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm

Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.05 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.1 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm

	Other spices	0.02 ppm
	Other herbs	0.02 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Pig, fat	0.4 ppm
	Other terrestrial mammals, fat	0.4 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
PHOSALONE	Peas	1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	0.5 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	0.5 ppm
	Horseradish	0.5 ppm
	Watercress	0.5 ppm
	Chinese cabbage	0.5 ppm
	Cabbage	0.5 ppm
	Brussels sprouts	0.5 ppm
	Kale	0.5 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.5 ppm
	<i>Kyona</i>	0.5 ppm
	Qing-geng-cai	0.5 ppm
	Cauliflower	0.5 ppm
	Broccoli	0.5 ppm
	Other cruciferous vegetables	0.5 ppm
	Burdock	0.5 ppm
	Salsify	0.5 ppm
	Artichoke	0.5 ppm
	Chicory	0.5 ppm
	Endive	0.5 ppm
	<i>Shungiku</i>	0.5 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.5 ppm

Other composite vegetables	0.5 ppm
Onion	0.5 ppm
Welsh (including leek)	0.5 ppm
Garlic	0.5 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.5 ppm
Multiplying onion	0.5 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	0.5 ppm
Celery	0.5 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.5 ppm
Pimiento (sweet pepper)	0.5 ppm
Egg plant	0.5 ppm
Other solanaceous vegetables	0.5 ppm
Cucumber (including gherkin)	0.5 ppm
Pumpkin (including squash)	0.5 ppm
Oriental pickling melon (vegetable)	0.5 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	0.5 ppm
Okra	0.5 ppm
Ginger	0.5 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Other vegetables	0.5 ppm
<i>Unshu</i> orange, pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	2 ppm

Japanese pear	2 ppm
Pear	2 ppm
Quince	2 ppm
Loquat	2 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	1 ppm
Raspberry	1 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm
Other berries	1 ppm
Grape	1 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	1 ppm
Papaya	1 ppm
Avocado	1 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	1 ppm
Other fruits	1 ppm
Sunflower seeds	1 ppm
Sesame seeds	1 ppm
Safflower seeds	1 ppm
Cotton seeds	1 ppm
Rapeseeds	1 ppm
Other oil seeds	1 ppm
Ginkgo nut	1 ppm
Chestnut	1 ppm
Pecan	1 ppm
Almond	0.1 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	2 ppm

	Other spices (except seeds, fruits, roots and rhizomes)	1 ppm
	Other herbs	0.5 ppm
BOSCALID	Turnip, leaves	10 ppm
	Other spices	2.5 ppm
	Other herbs	18 ppm
	Other terrestrial mammals, muscle (except sheep, horse and goat)	0.05 ppm
	Other terrestrial mammals, fat (except sheep, horse and goat)	0.1 ppm
	Other terrestrial mammals, liver (except sheep, horse and goat)	0.05 ppm
	Other terrestrial mammals, kidney (except sheep, horse and goat)	0.05 ppm
	Other terrestrial mammals, edible offal (except sheep, horse and goat)	0.05 ppm
FOSTHIAZATE	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Taro	0.03 ppm
	Yam	0.03 ppm
	Konjac	0.03 ppm
	Other potatoes	0.03 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.2 ppm
	Watercress	0.1 ppm
	Brussels sprouts	0.1 ppm
	Kale	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Qing-geng-cai	0.1 ppm
	Cauliflower	0.1 ppm
	Broccoli	0.1 ppm
	Other cruciferous vegetables	0.1 ppm
	Burdock	0.2 ppm
	Salsify	0.2 ppm
	Artichoke	0.1 ppm
	Chicory	0.1 ppm
	Endive	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Other composite vegetables	0.1 ppm

Onion	0.05 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Parsnip	0.2 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Other solanceous vegetables	0.1 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.5 ppm
Melons	0.5 ppm
<i>Makuwauri</i> melon	0.5 ppm
Other cucurbitaceous vegetables	0.2 ppm
Spinach	0.1 ppm
Bamboo shoots	0.2 ppm
Okra	0.1 ppm
Ginger	0.2 ppm
Other vegetables	0.1 ppm
Loquat	0.5 ppm
Peach	0.5 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Kiwifruit	0.5 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Other spices	0.1 ppm

	Other herbs	0.1 ppm
PHOSPHAMIDON	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Peas	0.2 ppm
	Taro	0.2 ppm
	Sweet potato	0.2 ppm
	Yam	0.2 ppm
	Konjac	0.2 ppm
	Other potatoes	0.2 ppm
	Sugar beet	0.2 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	0.2 ppm
	Horseradish	0.2 ppm
	Watercress	0.2 ppm
	Chinese cabbage	0.2 ppm
	Cabbage	0.2 ppm
	Brussels sprouts	0.2 ppm
	Kale	0.2 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.2 ppm
	<i>Kyona</i>	0.2 ppm
	Qing-geng-cai	0.2 ppm
	Cauliflower	0.2 ppm
	Broccoli	0.2 ppm
	Other cruciferous vegetables	0.2 ppm
	Burdock	0.2 ppm
	Salsify	0.2 ppm
	Artichoke	0.2 ppm
	Chicory	0.2 ppm
Endive	0.2 ppm	
<i>Shungiku</i>	0.2 ppm	
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm	
Other composite vegetables	0.2 ppm	
Onion	0.2 ppm	
Welsh (including leek)	0.2 ppm	
Garlic	0.2 ppm	
<i>Nira</i>	0.2 ppm	

Asparagus	0.2 ppm
Multiplying onion	0.2 ppm
Other liliaceous vegetables	0.2 ppm
Carrot	0.2 ppm
Parsnip	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Other solanceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.1 ppm
Water melon	0.1 ppm
Melons	0.2 ppm
Spinach	0.2 ppm
Ginger	0.2 ppm
Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.2 ppm
Button mushroom	0.2 ppm
<i>Shiitake</i> mushroom	0.2 ppm
Other mushrooms	0.2 ppm
Other vegetables	0.2 ppm
<i>Unshu</i> orange,pulp	0.4 ppm
Citrus <i>natsudaidai</i> , whole	0.4 ppm
Lemon	0.4 ppm
Orange (including navel orange)	0.4 ppm
Grapefruit	0.4 ppm
Lime	0.4 ppm
Other citrus fruits	0.4 ppm
Apple	0.5 ppm
Japanese pear	0.5 ppm
Pear	0.5 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm

	Raspberry	0.2 ppm
	Blackberry	0.2 ppm
	Blueberry	0.2 ppm
	Cranberry	0.2 ppm
	Huckleberry	0.2 ppm
	Other berries	0.2 ppm
	Grape	0.2 ppm
	Japanese persimmon	0.2 ppm
	Banana	0.2 ppm
	Kiwifruit	0.2 ppm
	Avocado	0.2 ppm
	Pineapple	0.2 ppm
	Guava	0.2 ppm
	Mango	0.2 ppm
	Passion fruit	0.2 ppm
	Date	0.05 ppm
	Other fruits	0.2 ppm
	Ginkgo nut	0.2 ppm
	Chestnut	0.2 ppm
	Pecan	0.2 ppm
	Almond	0.2 ppm
	Walnut	0.2 ppm
	Other nuts	0.2 ppm
	Tea	0.1 ppm
	Other spices	0.4 ppm
	Other herbs	0.2 ppm
FOSFOMYCIN	Cattle, muscle	0.5 ppm
	Cattle, fat	0.5 ppm
	Cattle, liver	0.5 ppm
	Cattle, kidney	0.5 ppm
	Cattle, edible offal	0.5 ppm
	Milk	0.05 ppm
	Perciformes	0.05 ppm
PHOSMET	Rice (brown rice)	0.1 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm

Broad beans	0.05 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.05 ppm
Potato	0.05 ppm
Sweet potato	10 ppm
Japanese radish, roots (including radish)	1 ppm
Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	1 ppm
Turnip, leaves	1 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	1 ppm
Kale	1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	1 ppm
Onion	1 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	1 ppm
Parsnip	1 ppm
Parsley	1 ppm
Celery	1 ppm
<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	1 ppm
Tomato	1 ppm

Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	1 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Ginger	1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange, pulp	5 ppm
Citrus <i>natsudaidai</i> , whole	5 ppm
Lemon	5 ppm
Orange (including navel orange)	5 ppm
Grapefruit	5 ppm
Lime	5 ppm
Other citrus fruits	5 ppm
Apple	10 ppm
Japanese pear	10 ppm
Pear	10 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	10 ppm
Nectarine	5 ppm
Apricot	5 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	10 ppm

Cranberry	0.1 ppm
Huckleberry	10 ppm
Other berries	0.1 ppm
Grape	10 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.2 ppm
Sunflower seeds	0.1 ppm
Sesame seeds	0.1 ppm
Safflower seeds	0.1 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.1 ppm
Ginkgo nut	0.2 ppm
Chestnut	0.2 ppm
Pecan	0.2 ppm
Almond	0.2 ppm
Walnut	0.2 ppm
Other nuts	0.2 ppm
Tea	0.5 ppm
Other spices	5 ppm
Other herbs	1 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.6 ppm
Pig, fat	0.2 ppm
Other terrestrial mammals, fat	0.2 ppm
Cattle, liver	0.6 ppm
Pig, liver	0.2 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.6 ppm
Pig, kidney	0.2 ppm
Other terrestrial mammals, kidney	0.1 ppm
Cattle, edible offal	0.6 ppm

	Pig, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.2 ppm (in fat)
FOSETYL	Rice (brown rice)	0.5 ppm
	Wheat	0.5 ppm
	Barley	0.5 ppm
	Rye	0.5 ppm
	Corn (maize)	0.5 ppm
	Buckwheat	0.5 ppm
	Other cereal grains	0.5 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Taro	40 ppm
	Sweet potato	40 ppm
	Yam	40 ppm
	Konjac	40 ppm
	Other potatoes	40 ppm
	Sugar beet	100 ppm
	Sugarcane	0.5 ppm
	Japanese radish, roots (including radish)	50 ppm
	Japanese radish, leaves (including radish)	100 ppm
	Turnip, roots	50 ppm
	Turnip, leaves	100 ppm
	Horseradish	50 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	100 ppm
	<i>Kyona</i>	100 ppm
	Burdock	50 ppm
	Salsify	50 ppm
	Carrot	50 ppm
	Parsnip	50 ppm
	<i>Mitsuba</i>	100 ppm
	Pimiento (sweet pepper)	0.5 ppm
	Egg plant	100 ppm
	Other solanaceous vegetables	100 ppm
	Oriental pickling melon (vegetable)	100 ppm
	<i>Makuwauri</i> melon	70 ppm
	Okra	0.5 ppm
	Ginger	50 ppm
	Peas, immature (with pods)	100 ppm

Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.5 ppm
<i>Shiitake</i> mushroom	0.5 ppm
Other mushrooms	0.5 ppm
Nectarine	50 ppm
Apricot	70 ppm
Japanese plum (including prune)	70 ppm
Mume plum	70 ppm
Cherry	70 ppm
Cranberry	70 ppm
Huckleberry	70 ppm
Japanese persimmon	50 ppm
Banana	50 ppm
Papaya	50 ppm
Guava	50 ppm
Mango	50 ppm
Passion fruit	50 ppm
Date	70 ppm
Other fruits	70 ppm
Sunflower seeds	0.5 ppm
Sesame seeds	0.5 ppm
Safflower seeds	0.5 ppm
Rapeseeds	0.5 ppm
Other oil seeds	1 ppm
Ginkgo nut	1000 ppm
Chestnut	1000 ppm
Pecan	1000 ppm
Almond	1000 ppm
Walnut	1000 ppm
Other nuts	1000 ppm
Tea	0.5 ppm
Coffee beans	0.5 ppm
Cacao beans	0.5 ppm
Other spices	150 ppm
Other herbs	100 ppm
Cattle, muscle	1 ppm
Pig, muscle	1 ppm
Other terrestrial mammals, muscle	1 ppm
Cattle, fat	1 ppm
Pig, fat	1 ppm
Other terrestrial mammals, fat	1 ppm
Cattle, liver	5 ppm

	Pig, liver	5 ppm
	Other terrestrial mammals, liver	5 ppm
	Cattle, kidney	5 ppm
	Pig, kidney	5 ppm
	Other terrestrial mammals, kidney	5 ppm
	Cattle, edible offal	5 ppm
	Pig, edible offal	5 ppm
	Other terrestrial mammals, edible offal	5 ppm
FOMESAFEN	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Broad beans	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Peas, immature (with pods)	0.05 ppm
	Green soybeans	0.05 ppm
	Other spices	0.05 ppm
FORAMSULFURON	Corn (maize)	0.01 ppm
POLYOXINS	Rice (brown rice)	0.06 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Other composite vegetables	0.1 ppm
	Onion	0.05 ppm
	Welsh (including leek)	0.2 ppm
	Garlic	0.05 ppm
	<i>Nira</i>	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	Carrot	0.3 ppm
	Celery	0.1 ppm
	<i>Mitsuba</i>	0.1 ppm
	Other umbelliferous vegetables	0.1 ppm
	Tomato	0.1 ppm
	Pimiento (sweet pepper)	0.05 ppm
	Egg plant	0.1 ppm
	Other solanaceous vegetables	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.1 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	Other vegetables	0.3 ppm
	<i>Unshu</i> orange, pulp	0.05 ppm
	Citrus <i>natsudaidai</i> , whole	0.1 ppm
	Lemon	0.1 ppm
	Orange (including navel orange)	0.1 ppm

	Grapefruit	0.1 ppm
	Lime	0.1 ppm
	Other citrus fruits	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.05 ppm
	Pear	0.05 ppm
	Mume plum	0.05 ppm
	Strawberry	0.1 ppm
	Grape	0.05 ppm
	Japanese persimmon	0.05 ppm
	Other fruits	0.1 ppm
	Other spices	0.3 ppm
	Other herbs	0.3 ppm
POLYMYXINE B	Milk	0.5 ppm
FORCHLORFENURON	Tomato	0.1 ppm
	Egg plant	0.1 ppm
	Cucumber (including gherkin)	0.1 ppm
	Pumpkin (including squash)	0.1 ppm
	Oriental pickling melon (vegetable)	0.1 ppm
	Water melon	0.1 ppm
	Melons	0.1 ppm
	<i>Makuwauri</i> melon	0.1 ppm
	Other cucurbitaceous vegetables	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Quince	0.1 ppm
	Loquat	0.1 ppm
	Peach	0.1 ppm
	Nectarine	0.1 ppm
	Apricot	0.1 ppm
	Japanese plum (including prune)	0.1 ppm
	Mume plum	0.1 ppm
	Cherry	0.1 ppm
	Strawberry	0.1 ppm
	Raspberry	0.1 ppm
	Blackberry	0.1 ppm
	Blueberry	0.1 ppm
	Cranberry	0.1 ppm
	Huckleberry	0.1 ppm
	Other berries	0.1 ppm
	Grape	0.1 ppm
	Japanese persimmon	0.1 ppm

	Banana	0.1 ppm
	Kiwifruit	0.1 ppm
	Papaya	0.1 ppm
	Avocado	0.1 ppm
	Pineapple	0.1 ppm
	Guava	0.1 ppm
	Mango	0.1 ppm
	Passion fruit	0.1 ppm
	Date	0.1 ppm
	Other fruits	0.1 ppm
	Almond	0.01 ppm
	Other spices	0.1 ppm
FOLPET	Welsh (including leek)	30 ppm
	Garlic	20 ppm
	Celery	30 ppm
	Pumpkin (including squash)	20 ppm
	<i>Makuwauri</i> melon	3 ppm
	Kidney beans, immature (with pods)	0.05 ppm
	<i>Unshu</i> orange, pulp	10 ppm
	Citrus <i>natsudaidai</i> , whole	10 ppm
	Lemon	10 ppm
	Orange (including navel orange)	10 ppm
	Grapefruit	10 ppm
	Lime	10 ppm
	Other citrus fruits	10 ppm
	Cherry	30 ppm
	Raspberry	20 ppm
	Blackberry	20 ppm
	Blueberry	20 ppm
	Cranberry	20 ppm
	Huckleberry	20 ppm
	Other berries	20 ppm
	Avocado	30 ppm
	Other fruits	30 ppm
	Hop	120 ppm
	Other spices	30 ppm
FORMOTHION	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm

Soybeans, dry	0.05 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.05 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm

Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm
Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm

	Apricot	0.02 ppm
	Japanese plum (including prune)	0.02 ppm
	Mume plum	0.02 ppm
	Cherry	0.02 ppm
	Strawberry	0.02 ppm
	Raspberry	0.02 ppm
	Blackberry	0.02 ppm
	Blueberry	0.02 ppm
	Cranberry	0.02 ppm
	Huckleberry	0.02 ppm
	Other berries	0.02 ppm
	Grape	0.02 ppm
	Japanese persimmon	0.02 ppm
	Banana	0.02 ppm
	Kiwifruit	0.02 ppm
	Papaya	0.02 ppm
	Avocado	0.02 ppm
	Pineapple	0.02 ppm
	Guava	0.02 ppm
	Mango	0.02 ppm
	Passion fruit	0.02 ppm
	Date	0.02 ppm
	Other fruits	0.02 ppm
	Sunflower seeds	0.05 ppm
	Sesame seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.05 ppm
	Cacao beans	0.05 ppm
	Hop	0.05 ppm
	Other spices	0.05 ppm
	Other herbs	0.02 ppm
PHORATE	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm

Rye	0.05 ppm
Corn (maize)	0.05 ppm
Buckwheat	0.05 ppm
Other cereal grains	0.05 ppm
Soybeans, dry	0.05 ppm
Beans, dry*	0.2 ppm
Peas	0.3 ppm
Broad beans	0.3 ppm
Peanuts, dry	0.1 ppm
Other legumes/pulses	0.3 ppm
Potato	0.2 ppm
Taro	0.3 ppm
Sweet potato	0.3 ppm
Yam	0.3 ppm
Konjac	0.3 ppm
Other potatoes	0.3 ppm
Sugar beet	0.05 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	0.3 ppm
Japanese radish, leaves (including radish)	0.3 ppm
Turnip, roots	0.3 ppm
Turnip, leaves	0.3 ppm
Horseradish	0.3 ppm
Watercress	0.3 ppm
Chinese cabbage	0.3 ppm
Cabbage	0.3 ppm
Brussels sprouts	0.3 ppm
Kale	0.3 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.3 ppm
<i>Kyona</i>	0.3 ppm
Qing-geng-cai	0.3 ppm
Cauliflower	0.3 ppm
Broccoli	0.3 ppm
Other cruciferous vegetables	0.3 ppm
Burdock	0.3 ppm
Salsify	0.3 ppm
Artichoke	0.3 ppm
Chicory	0.3 ppm
Endive	0.3 ppm
<i>Shungiku</i>	0.3 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.3 ppm
Other composite vegetables	0.3 ppm
Onion	0.3 ppm

Welsh (including leek)	0.3 ppm
Garlic	0.3 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.3 ppm
Multiplying onion	0.3 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.3 ppm
Parsnip	0.3 ppm
Parsley	0.05 ppm
Celery	0.3 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.3 ppm
Tomato	0.3 ppm
Pimiento (sweet pepper)	0.3 ppm
Egg plant	0.3 ppm
Other solanaceous vegetables	0.3 ppm
Cucumber (including gherkin)	0.3 ppm
Pumpkin (including squash)	0.3 ppm
Oriental pickling melon (vegetable)	0.3 ppm
Water melon	0.3 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.3 ppm
Other cucurbitaceous vegetables	0.3 ppm
Spinach	0.3 ppm
Bamboo shoots	0.3 ppm
Okra	0.3 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.3 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.2 ppm
Button mushroom	0.3 ppm
<i>Shiitake</i> mushroom	0.3 ppm
Other mushrooms	0.3 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm

Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.3 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Coffee beans	0.02 ppm
Hop	0.3 ppm

	Other spices (except seeds, fruits, roots and rhizomes)	1 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
MADURAMICIN	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.4 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.8 ppm
	Other poultry, liver	0.8 ppm
	Chicken, kidney	1 ppm
	Other poultry, kidney	1 ppm
	Chicken, edible offal	1 ppm
	Other poultry, edible offal	1 ppm
MAFOPRAZINE	Pig, muscle	0.03 ppm
	Pig, fat	0.03 ppm

	Pig, liver	0.03 ppm
	Pig, kidney	0.03 ppm
	Pig, edible offal	0.03 ppm
MALATHION	Sugarcane	0.5 ppm
	<i>Mitsuba</i>	2 ppm
	Ginger	0.5 ppm
	<i>Shiitake</i> mushroom	4 ppm
	Other mushrooms	4 ppm
	Sesame seeds	0.5 ppm
	Rapeseeds	0.5 ppm
	Tea	0.5 ppm
	Coffee beans	0.5 ppm
	Cacao beans	0.5 ppm
	Other spices (except seeds, fruits, roots and rhizomes)	8 ppm
	Other herbs	2 ppm
	Cattle, muscle	2 ppm
	Pig, muscle	2 ppm
	Other terrestrial mammals, muscle	2 ppm
	Cattle, fat	2 ppm
	Pig, fat	2 ppm
	Other terrestrial mammals, fat	2 ppm
	Cattle, liver	2 ppm
	Pig, liver	2 ppm
	Other terrestrial mammals, liver	2 ppm
	Cattle, kidney	2 ppm
	Pig, kidney	2 ppm
	Other terrestrial mammals, kidney	2 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	2 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Milk	0.5 ppm
	Chicken, muscle	2 ppm
	Other poultry, muscle	2 ppm
	Chicken, fat	2 ppm
	Other poultry, fat	2 ppm
	Chicken, liver	2 ppm
	Other poultry, liver	2 ppm
	Chicken, kidney	2 ppm
	Other poultry, kidney	2 ppm
	Chicken, edible offal	2 ppm
	Other poultry, edible offal	2 ppm
	Chicken, eggs	0.7 ppm

	Other poultry, eggs	0.7 ppm
	Salmoniformes	0.5 ppm
	Anguilliformes	0.5 ppm
	Perciformes	0.5 ppm
	Other fish	0.5 ppm
	Shelled molluscas	0.5 ppm
	Crustaceans	0.5 ppm
	Other aquatic animal	0.5 ppm
	Honey	0.5 ppm
MARBOFLOXACIN	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Cattle, liver	0.2 ppm
	Pig, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.2 ppm
	Milk	0.08 ppm
MALEIC HYDRAZIDE	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	1 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Sugarcane	0.2 ppm
	Coffee beans	0.2 ppm
	Cacao beans	0.2 ppm
	Other spices	40 ppm
	Other herbs	30 ppm
MYCLOBUTANIL	Rice (brown rice)	0.03 ppm
	Rye	0.03 ppm
	Corn (maize)	0.03 ppm
	Buckwheat	0.03 ppm
	Other cereal grains	0.03 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.03 ppm
	Peas	0.03 ppm
	Broad beans	0.03 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.03 ppm

Potato	0.03 ppm
Taro	0.03 ppm
Sweet potato	0.03 ppm
Yam	0.03 ppm
Konjac	0.02 ppm
Other potatoes	0.03 ppm
Sugar beet	0.04 ppm
Japanese radish, roots (including radish)	0.03 ppm
Japanese radish, leaves (including radish)	0.03 ppm
Turnip, roots	0.03 ppm
Turnip, leaves	0.03 ppm
Horseradish	0.03 ppm
Watercress	0.03 ppm
Cabbage	0.03 ppm
Brussels sprouts	0.03 ppm
Kale	0.03 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.03 ppm
<i>Kyona</i>	0.03 ppm
Cauliflower	0.03 ppm
Broccoli	0.03 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.03 ppm
Parsley	0.03 ppm
Celery	0.03 ppm
Ginger	0.03 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
<i>Unshu</i> orange,pulp	3 ppm
Citrus <i>natsudaidai</i> , whole	3 ppm
Lemon	3 ppm
Orange (including navel orange)	3 ppm
Grapefruit	3 ppm
Lime	3 ppm
Other citrus fruits	3 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.04 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm

	Almond	0.08 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Hop	2 ppm
	Other spices	3 ppm
	Other herbs	1 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.04 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.4 ppm
	Other terrestrial mammals, liver	0.4 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.09 ppm
	Other terrestrial mammals, kidney	0.09 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.09 ppm
	Other terrestrial mammals, edible offal	0.09 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
MILNEB	Water melon	0.6 ppm
	Melons	0.6 ppm
	<i>Makuwauri</i> melon	0.6 ppm
	<i>Unshu</i> orange, pulp	0.6 ppm
	Citrus <i>natsudaidai</i> , whole	0.6 ppm
	Lemon	0.6 ppm
	Orange (including navel orange)	0.6 ppm
	Grapefruit	0.6 ppm
	Lime	0.6 ppm

Other citrus fruits	0.6 ppm
Apple	0.6 ppm
Japanese pear	0.6 ppm
Pear	0.6 ppm
Quince	0.6 ppm
Loquat	0.6 ppm
Peach	0.6 ppm
Nectarine	0.6 ppm
Apricot	0.6 ppm
Japanese plum (including prune)	0.6 ppm
Mume plum	0.6 ppm
Cherry	0.6 ppm
Strawberry	0.6 ppm
Raspberry	0.6 ppm
Blackberry	0.6 ppm
Blueberry	0.6 ppm
Cranberry	0.6 ppm
Huckleberry	0.6 ppm
Other berries	0.6 ppm
Grape	0.6 ppm
Japanese persimmon	0.6 ppm
Banana	0.6 ppm
Kiwifruit	0.6 ppm
Papaya	0.6 ppm
Avocado	0.6 ppm
Pineapple	0.6 ppm
Guava	0.6 ppm
Mango	0.6 ppm
Passion fruit	0.6 ppm
Date	0.6 ppm
Other fruits	0.6 ppm
Sunflower seeds	0.6 ppm
Sesame seeds	0.6 ppm
Safflower seeds	0.6 ppm
Cotton seeds	0.6 ppm
Rapeseeds	0.6 ppm
Other oil seeds	0.6 ppm
Ginkgo nut	0.6 ppm
Chestnut	0.6 ppm
Pecan	0.6 ppm
Almond	0.6 ppm
Walnut	0.6 ppm
Other nuts	0.6 ppm

	Other spices	0.6 ppm
MILBEMECTIN	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.02 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.02 ppm
	Japanese radish, leaves (including radish)	5 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	5 ppm
	Horseradish	0.02 ppm
	Watercress	5 ppm
	Chinese cabbage	0.02 ppm
	Cabbage	0.02 ppm
	Brussels sprouts	5 ppm
	Kale	5 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	5 ppm
	<i>Kyona</i>	5 ppm
	Qing-geng-cai	5 ppm
Cauliflower	5 ppm	
Broccoli	5 ppm	
Other cruciferous vegetables	5 ppm	
Burdock	0.02 ppm	
Salsify	0.02 ppm	
Artichoke	5 ppm	
Chicory	5 ppm	
Endive	5 ppm	

<i>Shungiku</i>	5 ppm
Lettuce (including cos lettuce and leaf lettuce)	5 ppm
Other composite vegetables	5 ppm
Onion	0.02 ppm
Welsh (including leek)	5 ppm
Garlic	0.02 ppm
<i>Nira</i>	5 ppm
Asparagus	5 ppm
Multiplying onion	5 ppm
Other liliaceous vegetables	5 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	5 ppm
Celery	5 ppm
<i>Mitsuba</i>	5 ppm
Other umbelliferous vegetables	5 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.2 ppm
Other solanceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.2 ppm
Spinach	5 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	5 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm

Lime	0.2 ppm
Other citrus fruits	0.5 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.5 ppm
Japanese plum (including prune)	0.5 ppm
Mume plum	0.5 ppm
Cherry	0.5 ppm
Strawberry	0.5 ppm
Raspberry	0.5 ppm
Blackberry	0.5 ppm
Blueberry	0.5 ppm
Cranberry	0.5 ppm
Huckleberry	0.5 ppm
Other berries	0.5 ppm
Grape	0.5 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.5 ppm
Other fruits	0.5 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm

	Other nuts	0.02 ppm
	Tea	2 ppm
	Coffee beans	0.02 ppm
	Cacao beans	0.02 ppm
	Hop	0.02 ppm
	Other spices	5 ppm
	Other herbs	5 ppm
MILOXACIN	Anguilliformes	0.5 ppm
MIROSAMYCIN	Pig, muscle	0.05 ppm
	Pig, fat	0.05 ppm
	Pig, liver	0.05 ppm
	Pig, kidney	0.05 ppm
	Pig, edible offal	0.05 ppm
	Chicken, muscle	0.04 ppm
	Chicken, fat	0.04 ppm
	Chicken, liver	0.04 ppm
	Chicken, kidney	0.04 ppm
	Chicken, edible offal	0.04 ppm
	Honey	0.05 ppm
MECARBAM	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.05 ppm
	Turnip, roots	0.05 ppm
	Turnip, leaves	0.05 ppm

Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm

Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm

	Guava	0.05 ppm
	Mango	0.05 ppm
	Passion fruit	0.05 ppm
	Date	0.05 ppm
	Other fruits	0.05 ppm
	Sunflower seeds	0.05 ppm
	Sesame seeds	0.05 ppm
	Safflower seeds	0.05 ppm
	Cotton seeds	0.05 ppm
	Rapeseeds	0.05 ppm
	Other oil seeds	0.05 ppm
	Ginkgo nut	0.05 ppm
	Chestnut	0.05 ppm
	Pecan	0.05 ppm
	Almond	0.05 ppm
	Walnut	0.05 ppm
	Other nuts	0.05 ppm
	Tea	0.1 ppm
	Hop	0.1 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
MECOPROP	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm

	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
	Mineral waters	0.01 ppm
MECILLINAM	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Milk	0.05 ppm
MESOSULFURON-METHYL	Wheat	0.03 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm

	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
MESOTRIONE	Corn (maize)	0.01 ppm
	Cranberry	0.01 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
METALDEHYDE	Corn (maize)	1 ppm
	Soybeans, dry	1 ppm

Beans, dry*	1 ppm
Peas	1 ppm
Broad beans	1 ppm
Other legumes/pulses	1 ppm
Potato	1 ppm
Taro	1 ppm
Sweet potato	1 ppm
Yam	1 ppm
Konjac	1 ppm
Other potatoes	1 ppm
Sugar beet	1 ppm
Japanese radish, roots (including radish)	1 ppm
Japanese radish, leaves (including radish)	1 ppm
Turnip, roots	1 ppm
Turnip, leaves	1 ppm
Horseradish	1 ppm
Watercress	1 ppm
Chinese cabbage	1 ppm
Cabbage	1 ppm
Brussels sprouts	1 ppm
Kale	1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	1 ppm
<i>Kyona</i>	1 ppm
Qing-geng-cai	1 ppm
Cauliflower	1 ppm
Broccoli	1 ppm
Other cruciferous vegetables	1 ppm
Burdock	1 ppm
Salsify	1 ppm
Artichoke	1 ppm
Chicory	1 ppm
Endive	1 ppm
<i>Shungiku</i>	1 ppm
Lettuce (including cos lettuce and leaf lettuce)	1 ppm
Other composite vegetables	1 ppm
Onion	1 ppm
Welsh (including leek)	1 ppm
Garlic	1 ppm
<i>Nira</i>	1 ppm
Asparagus	1 ppm
Multiplying onion	1 ppm
Other liliaceous vegetables	1 ppm
Carrot	1 ppm

Parsnip	1 ppm
Parsley	1 ppm
Celery	1 ppm
<i>Mitsuba</i>	1 ppm
Other umbelliferous vegetables	1 ppm
Tomato	1 ppm
Pimiento (sweet pepper)	1 ppm
Egg plant	1 ppm
Other solanaceous vegetables	1 ppm
Cucumber (including gherkin)	1 ppm
Pumpkin (including squash)	1 ppm
Oriental pickling melon (vegetable)	1 ppm
Water melon	1 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	1 ppm
Other cucurbitaceous vegetables	1 ppm
Spinach	1 ppm
Bamboo shoots	1 ppm
Okra	1 ppm
Peas, immature (with pods)	1 ppm
Kidney beans, immature (with pods)	1 ppm
Green soybeans	1 ppm
Button mushroom	1 ppm
<i>Shiitake</i> mushroom	1 ppm
Other mushrooms	1 ppm
Other vegetables	1 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm

	Cherry	1 ppm
	Strawberry	1 ppm
	Raspberry	1 ppm
	Blackberry	1 ppm
	Blueberry	1 ppm
	Cranberry	1 ppm
	Huckleberry	1 ppm
	Other berries	1 ppm
	Grape	1 ppm
	Japanese persimmon	1 ppm
	Banana	1 ppm
	Kiwifruit	1 ppm
	Papaya	1 ppm
	Avocado	1 ppm
	Pineapple	1 ppm
	Guava	1 ppm
	Mango	1 ppm
	Passion fruit	1 ppm
	Date	1 ppm
	Other fruits	1 ppm
	Other spices	1 ppm
	Other herbs	1 ppm
METHACRIFOS	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	3 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	3 ppm
	Potato	0.05 ppm
	Taro	0.05 ppm
	Sweet potato	0.05 ppm
	Yam	0.05 ppm
	Konjac	0.05 ppm
	Other potatoes	0.05 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm

Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm

Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm
Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm

Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	3 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.01 ppm
Other terrestrial mammals, fat	0.01 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm
Cattle, kidney	0.01 ppm
Pig, kidney	0.01 ppm
Other terrestrial mammals, kidney	0.01 ppm
Cattle, edible offal	0.01 ppm
Pig, edible offal	0.01 ppm
Other terrestrial mammals, edible offal	0.01 ppm
Milk	0.01 ppm
Chicken, muscle	0.01 ppm
Other poultry, muscle	0.01 ppm

	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
METHAZOLE	Onion	0.1 ppm
METHABENZTHIAZURON	Grape	0.1 ppm
METHAMIDOPHOS	Rice (brown rice)	0.01 ppm
	Wheat	0.01 ppm
	Barley	0.01 ppm
	Rye	0.01 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.01 ppm
	Other cereal grains	0.01 ppm
	Beans, dry*	2 ppm
	Peas	0.01 ppm
	Broad beans	0.2 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.3 ppm
	Taro	0.01 ppm
	Sweet potato	0.01 ppm
	Yam	0.3 ppm
	Konjac	0.01 ppm
	Other potatoes	0.01 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	1 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	5 ppm
	Horseradish	3 ppm
	Watercress	0.5 ppm
	Chinese cabbage	2 ppm
	Kale	0.7 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.7 ppm
	<i>Kyona</i>	2 ppm
	Qing-geng-cai	0.5 ppm
	Other cruciferous vegetables	3 ppm
	Burdock	0.05 ppm
	Salsify	0.01 ppm

Artichoke	0.2 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Other composite vegetables	0.5 ppm
Onion	0.3 ppm
Welsh (including leek)	0.05 ppm
Garlic	1 ppm
<i>Nira</i>	0.3 ppm
Asparagus	0.01 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.3 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.3 ppm
Celery	5 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.5 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.5 ppm
Spinach	0.5 ppm
Bamboo shoots	2 ppm
Okra	0.5 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.5 ppm
Kidney beans, immature (with pods)	0.5 ppm
Green soybeans	0.5 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	30 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	1 ppm
Orange (including navel orange)	1 ppm
Grapefruit	1 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm

Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Nectarine	0.01 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.3 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm
Blueberry	0.01 ppm
Cranberry	0.3 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	3 ppm
Japanese persimmon	1 ppm
Banana	0.1 ppm
Kiwifruit	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Other oil seeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.05 ppm
Tea	5 ppm
<i>Sansho</i> (Japanese peper)	0.2 ppm
Other herbs	0.8 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm

	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
METAMITRON	Sugar beet	0.1 ppm
METALAXYL and MEFENOXAM (as total)	Rice (brown rice)	0.1 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.3 ppm
	Taro	0.5 ppm
	Sweet potato	0.5 ppm
	Yam	0.5 ppm
	Konjac	0.5 ppm
	Other potatoes	0.5 ppm

Sugar beet	0.05 ppm
Sugarcane	0.1 ppm
Japanese radish, roots (including radish)	2 ppm
Japanese radish, leaves (including radish)	2 ppm
Turnip, roots	2 ppm
Turnip, leaves	2 ppm
Horseradish	2 ppm
Watercress	2 ppm
Chinese cabbage	2 ppm
Cabbage	0.5 ppm
Brussels sprouts	0.2 ppm
Kale	2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	2 ppm
<i>Kyona</i>	2 ppm
Qing-geng-cai	2 ppm
Cauliflower	0.5 ppm
Broccoli	2 ppm
Other cruciferous vegetables	2 ppm
Burdock	2 ppm
Salsify	2 ppm
Artichoke	2 ppm
Chicory	2 ppm
Endive	2 ppm
<i>Shungiku</i>	2 ppm
Lettuce (including cos lettuce and leaf lettuce)	2 ppm
Other composite vegetables	2 ppm
Onion	2 ppm
Welsh (including leek)	2 ppm
Garlic	2 ppm
<i>Nira</i>	2 ppm
Asparagus	0.05 ppm
Multiplying onion	2 ppm
Other liliaceous vegetables	2 ppm
Carrot	0.05 ppm
Parsnip	2 ppm
Parsley	2 ppm
Celery	2 ppm
<i>Mitsuba</i>	2 ppm
Other umbelliferous vegetables	2 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	2 ppm
Egg plant	2 ppm
Other solanceous vegetables	2 ppm

Cucumber (including gherkin)	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	0.2 ppm
Melons	1 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	2 ppm
Bamboo shoots	2 ppm
Okra	2 ppm
Ginger	2 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	2 ppm
Green soybeans	2 ppm
Button mushroom	2 ppm
<i>Shiitake</i> mushroom	2 ppm
Other mushrooms	2 ppm
Other vegetables	2 ppm
<i>Unshu</i> orange,pulp	1 ppm
Citrus <i>natsudaidai</i> , whole	1 ppm
Lemon	2 ppm
Orange (including navel orange)	1 ppm
Grapefruit	2 ppm
Lime	1 ppm
Other citrus fruits	1 ppm
Apple	1 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	1 ppm
Loquat	1 ppm
Peach	1 ppm
Nectarine	1 ppm
Apricot	1 ppm
Japanese plum (including prune)	1 ppm
Mume plum	1 ppm
Cherry	1 ppm
Strawberry	1 ppm
Raspberry	0.2 ppm
Blackberry	1 ppm
Blueberry	1 ppm
Cranberry	1 ppm
Huckleberry	1 ppm
Other berries	1 ppm

Grape	1 ppm
Japanese persimmon	1 ppm
Banana	1 ppm
Kiwifruit	1 ppm
Papaya	1 ppm
Avocado	0.2 ppm
Pineapple	1 ppm
Guava	1 ppm
Mango	1 ppm
Passion fruit	1 ppm
Date	1 ppm
Other fruits	1 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	1 ppm
Safflower seeds	1 ppm
Cotton seeds	0.05 ppm
Rapeseeds	1 ppm
Other oil seeds	1 ppm
Ginkgo nut	1 ppm
Chestnut	1 ppm
Pecan	1 ppm
Almond	1 ppm
Walnut	1 ppm
Other nuts	1 ppm
Tea	0.1 ppm
Cacao beans	0.2 ppm
Hop	10 ppm
Other spices (except seeds)	2 ppm
Other herbs	2 ppm
Cattle, muscle	0.2 ppm
Pig, muscle	0.2 ppm
Other terrestrial mammals, muscle	0.2 ppm
Cattle, fat	0.4 ppm
Pig, fat	0.5 ppm
Other terrestrial mammals, fat	0.4 ppm
Cattle, liver	0.3 ppm
Pig, liver	0.3 ppm
Other terrestrial mammals, liver	0.3 ppm
Cattle, kidney	0.3 ppm
Pig, kidney	0.3 ppm
Other terrestrial mammals, kidney	0.3 ppm
Cattle, edible offal	0.2 ppm
Pig, edible offal	0.2 ppm

	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.03 ppm
	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm
	Chicken, liver	0.3 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.3 ppm
	Other poultry, kidney	0.3 ppm
	Chicken, edible offal	0.2 ppm
	Other poultry, edible offal	0.2 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
METHIOCARB	<i>Unshu</i> orange,pulp	0.1 ppm
	Other spices	0.1 ppm
	Other herbs	0.05 ppm
METHIDATHION	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.2 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Sweet potato	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugar beet	0.05 ppm
	Japanese radish, roots (including radish)	0.05 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm

Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.05 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanaceous vegetables	0.1 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm

Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	5 ppm
Citrus <i>natsudaidai</i> , whole	5 ppm
Lemon	5 ppm
Orange (including navel orange)	5 ppm
Grapefruit	5 ppm
Lime	5 ppm
Other citrus fruits	5 ppm
Apple	0.5 ppm
Japanese pear	1 ppm
Pear	1 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	1 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm
Pineapple	0.1 ppm
Guava	0.2 ppm

Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	1 ppm
Sunflower seeds	0.5 ppm
Sesame seeds	0.2 ppm
Safflower seeds	0.1 ppm
Cotton seeds	1 ppm
Rapeseeds	0.1 ppm
Other oil seeds	0.2 ppm
Ginkgo nut	0.2 ppm
Chestnut	0.2 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	1 ppm
Coffee beans	1 ppm
Hop	5 ppm
Other spices	5 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.02 ppm
Pig, muscle	0.02 ppm
Other terrestrial mammals, muscle	0.02 ppm
Cattle, fat	0.02 ppm
Pig, fat	0.02 ppm
Other terrestrial mammals, fat	0.02 ppm
Cattle, liver	0.02 ppm
Pig, liver	0.02 ppm
Other terrestrial mammals, liver	0.02 ppm
Cattle, kidney	0.02 ppm
Pig, kidney	0.02 ppm
Other terrestrial mammals, kidney	0.02 ppm
Cattle, edible offal	0.02 ppm
Pig, edible offal	0.02 ppm
Other terrestrial mammals, edible offal	0.02 ppm
Milk	0.001 ppm
Chicken, muscle	0.02 ppm
Other poultry, muscle	0.02 ppm
Chicken, fat	0.02 ppm
Other poultry, fat	0.02 ppm
Chicken, liver	0.02 ppm
Other poultry, liver	0.02 ppm

	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Salmoniformes	0.001 ppm
	Anguilliformes	0.001 ppm
	Perciformes	0.001 ppm
	Other fish	0.001 ppm
	Shelled molluscas	0.001 ppm
	Crustaceans	0.001 ppm
	Other aquatic animal	0.001 ppm
	Honey	0.001 ppm
METHYLPREDNISOLONE	Cattle, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Milk	0.01 ppm
METHYLBENZOQUATE	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
METHOXYCHLOR	Rice (brown rice)	2 ppm
	Wheat	2 ppm
	Barley	2 ppm
	Rye	2 ppm
	Corn (maize)	7 ppm
	Other cereal grains	2 ppm
	Soybeans, dry	1 ppm
	Beans, dry*	7 ppm
	Peas	7 ppm
	Broad beans	7 ppm
	Peanuts, dry	7 ppm
	Other legumes/pulses	7 ppm
	Potato	0.01 ppm

Taro	0.01 ppm
Sweet potato	0.01 ppm
Yam	0.01 ppm
Konjac	0.01 ppm
Other potatoes	0.01 ppm
Sugar beet	0.01 ppm
Japanese radish, roots (including radish)	7 ppm
Japanese radish, leaves (including radish)	0.01 ppm
Turnip, roots	7 ppm
Turnip, leaves	0.01 ppm
Horseradish	0.01 ppm
Watercress	0.01 ppm
Chinese cabbage	0.01 ppm
Cabbage	7 ppm
Brussels sprouts	7 ppm
Kale	7 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
<i>Kyona</i>	0.01 ppm
Qing-geng-cai	0.01 ppm
Cauliflower	7 ppm
Broccoli	7 ppm
Other cruciferous vegetables	7 ppm
Burdock	0.01 ppm
Salsify	0.01 ppm
Artichoke	0.01 ppm
Chicory	0.01 ppm
Endive	0.01 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	7 ppm
Other composite vegetables	0.01 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	7 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	7 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm

Tomato	7 ppm
Pimiento (sweet pepper)	7 ppm
Egg plant	7 ppm
Other solanaceous vegetables	7 ppm
Cucumber (including gherkin)	7 ppm
Pumpkin (including squash)	7 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	7 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	7 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	7 ppm
Green soybeans	1 ppm
Button mushroom	7 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm
Other vegetables	7 ppm
<i>Unshu</i> orange, pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	7 ppm
Japanese pear	7 ppm
Pear	7 ppm
Quince	7 ppm
Loquat	0.01 ppm
Peach	7 ppm
Nectarine	7 ppm
Apricot	7 ppm
Japanese plum (including prune)	7 ppm
Mume plum	0.01 ppm
Cherry	7 ppm
Strawberry	7 ppm
Raspberry	7 ppm
Blackberry	7 ppm

Blueberry	7 ppm
Cranberry	7 ppm
Huckleberry	0.01 ppm
Other berries	7 ppm
Grape	7 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Avocado	0.01 ppm
Pineapple	7 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.01 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.01 ppm
Sesame seeds	0.01 ppm
Safflower seeds	0.01 ppm
Cotton seeds	0.01 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.01 ppm
Tea	0.1 ppm
Hop	0.1 ppm
Other spices	7 ppm
Other herbs	7 ppm
Cattle, muscle	2 ppm
Pig, muscle	2 ppm
Other terrestrial mammals, muscle	2 ppm
Cattle, fat	3 ppm
Pig, fat	2 ppm
Other terrestrial mammals, fat	3 ppm
Cattle, liver	2 ppm
Pig, liver	2 ppm
Other terrestrial mammals, liver	2 ppm
Cattle, kidney	2 ppm
Pig, kidney	2 ppm
Other terrestrial mammals, kidney	2 ppm

	Cattle, edible offal	2 ppm
	Pig, edible offal	2 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Mineral waters	0.02 ppm
METHOXYFENOZIDE	Rice (brown rice)	0.1 ppm
	Corn (maize)	0.02 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	4 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.5 ppm
	Japanese radish, leaves (including radish)	10 ppm
	Turnip, roots	0.5 ppm
	Turnip, leaves	10 ppm
	Horseradish	0.5 ppm
	Watercress	10 ppm
	Chinese cabbage	1 ppm
	Cabbage	7 ppm
	Brussels sprouts	10 ppm
	Kale	10 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	10 ppm
	<i>Kyona</i>	10 ppm
	Qing-geng-cai	10 ppm

Cauliflower	10 ppm
Broccoli	3 ppm
Other cruciferous vegetables	30 ppm
Burdock	0.5 ppm
Salsify	0.5 ppm
Artichoke	10 ppm
Chicory	10 ppm
Endive	10 ppm
<i>Shungiku</i>	10 ppm
Lettuce (including cos lettuce and leaf lettuce)	30 ppm
Other composite vegetables	10 ppm
Onion	0.2 ppm
Welsh (including leek)	10 ppm
Garlic	0.2 ppm
<i>Nira</i>	10 ppm
Asparagus	10 ppm
Multiplying onion	10 ppm
Other liliaceous vegetables	10 ppm
Carrot	0.5 ppm
Parsnip	0.5 ppm
Parsley	10 ppm
Celery	15 ppm
<i>Mitsuba</i>	10 ppm
Other umbelliferous vegetables	10 ppm
Tomato	2 ppm
Pimiento (sweet pepper)	3 ppm
Egg plant	2 ppm
Other solanaceous vegetables	2 ppm
Cucumber (including gherkin)	2 ppm
Pumpkin (including squash)	2 ppm
Oriental pickling melon (vegetable)	2 ppm
Water melon	0.3 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.3 ppm
Other cucurbitaceous vegetables	2 ppm
Spinach	10 ppm
Okra	5 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	2 ppm
Kidney beans, immature (with pods)	2 ppm
Green soybeans	2 ppm
Other vegetables	10 ppm
Apple	2 ppm

Japanese pear	2 ppm
Pear	2 ppm
Quince	2 ppm
Loquat	2 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Grape	1 ppm
Japanese persimmon	2 ppm
Banana	2 ppm
Kiwifruit	0.5 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	2 ppm
Other fruits	0.1 ppm
Cotton seeds	7 ppm
Other oil seeds	10 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm
Tea	20 ppm
Other spices	10 ppm
Other herbs	30 ppm
Cattle, muscle	0.06 ppm
Pig, muscle	0.06 ppm
Other terrestrial mammals, muscle	0.06 ppm

	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.02 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.02 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
METOCLOPRAMIDE	Cattle, muscle	0.03 ppm
	Pig, muscle	0.03 ppm
	Other terrestrial mammals, muscle	0.005 ppm
	Cattle, fat	0.03 ppm
	Pig, fat	0.03 ppm
	Other terrestrial mammals, fat	0.005 ppm
	Cattle, liver	0.03 ppm
	Pig, liver	0.03 ppm
	Other terrestrial mammals, liver	0.005 ppm
	Cattle, kidney	0.03 ppm
	Pig, kidney	0.03 ppm
	Other terrestrial mammals, kidney	0.005 ppm
	Cattle, edible offal	0.03 ppm
	Pig, edible offal	0.03 ppm
	Other terrestrial mammals, edible offal	0.005 ppm
	Milk	0.005 ppm
	Chicken, muscle	0.005 ppm
	Other poultry, muscle	0.005 ppm

	Chicken, fat	0.005 ppm
	Other poultry, fat	0.005 ppm
	Chicken, liver	0.005 ppm
	Other poultry, liver	0.005 ppm
	Chicken, kidney	0.005 ppm
	Other poultry, kidney	0.005 ppm
	Chicken, edible offal	0.005 ppm
	Other poultry, edible offal	0.005 ppm
	Chicken, eggs	0.005 ppm
	Other poultry, eggs	0.005 ppm
	Salmoniformes	0.005 ppm
	Anguilliformes	0.005 ppm
	Perciformes	0.005 ppm
	Other fish	0.005 ppm
	Shelled molluscas	0.005 ppm
	Crustaceans	0.005 ppm
	Other aquatic animal	0.005 ppm
	Honey	0.005 ppm
METOSULAM	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Other spices	0.02 ppm
	Cattle, muscle	0.01 ppm
	Pig, muscle	0.01 ppm
	Other terrestrial mammals, muscle	0.01 ppm
	Cattle, fat	0.01 ppm
	Pig, fat	0.01 ppm
	Other terrestrial mammals, fat	0.01 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm

	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
METSULFURON-METHYL	Other legumes/pulses	0.05 ppm
	Other oil seeds	0.02 ppm
	Other spices	0.05 ppm
	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.1 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.4 ppm
	Pig, kidney	0.4 ppm
	Other terrestrial mammals, kidney	0.3 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.07 ppm
METHOPRENE	Cattle, muscle	0.1 ppm
	Pig, muscle	0.1 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.2 ppm
	Pig, fat	0.2 ppm
	Other terrestrial mammals, fat	0.2 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm

	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	1 ppm
	Other poultry, fat	1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
METOMINOSTROBIN	Rice (brown rice)	0.5 ppm
METOLACHLOR	Yam	0.1 ppm
	Other potatoes	0.1 ppm
	Horseradish	0.1 ppm
	Watercress	0.1 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
	<i>Kyona</i>	0.1 ppm
	Burdock	0.1 ppm
	Salsify	0.1 ppm
	Artichoke	0.1 ppm
	Chicory	0.1 ppm
	Endive	0.1 ppm
	<i>Shungiku</i>	0.1 ppm
	Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
	Other composite vegetables	0.1 ppm
	Welsh (including leek)	0.1 ppm
	<i>Nira</i>	0.1 ppm
	Other liliaceous vegetables	0.1 ppm
	Parsnip	0.1 ppm
	Parsley	0.1 ppm
	<i>Mitsuba</i>	0.1 ppm
	Tomato	0.07 ppm
	Ginger	0.1 ppm
	Apple	0.1 ppm
	Japanese pear	0.1 ppm
	Pear	0.1 ppm
	Other fruits	0.05 ppm

	Other oil seeds	0.05 ppm
	Other spices	0.3 ppm
	Other herbs	0.1 ppm
	Cattle, muscle	0.03 ppm
	Pig, muscle	0.03 ppm
	Other terrestrial mammals, muscle	0.03 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.2 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.04 ppm
	Other terrestrial mammals, edible offal	0.04 ppm
	Milk	0.03 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.04 ppm
	Other poultry, liver	0.04 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Mineral waters	0.01 ppm
METRIBUZIN	Broad beans	0.01 ppm
	Other legumes/pulses	0.03 ppm
	Peas, immature (with pods)	0.08 ppm
	Other vegetables	0.08 ppm
	Apple	0.3 ppm
	Other spices	0.08 ppm
	Other herbs	0.08 ppm
	Cattle, muscle	0.4 ppm
	Pig, muscle	0.4 ppm
	Other terrestrial mammals, muscle	0.4 ppm
	Cattle, fat	0.7 ppm

	Pig, fat	0.7 ppm
	Other terrestrial mammals, fat	0.7 ppm
	Cattle, liver	0.4 ppm
	Pig, liver	0.4 ppm
	Other terrestrial mammals, liver	0.4 ppm
	Cattle, kidney	0.4 ppm
	Pig, kidney	0.4 ppm
	Other terrestrial mammals, kidney	0.4 ppm
	Cattle, edible offal	0.4 ppm
	Pig, edible offal	0.4 ppm
	Other terrestrial mammals, edible offal	0.4 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.4 ppm
	Other poultry, muscle	0.4 ppm
	Chicken, fat	0.7 ppm
	Other poultry, fat	0.7 ppm
	Chicken, liver	0.4 ppm
	Other poultry, liver	0.4 ppm
	Chicken, kidney	0.4 ppm
	Other poultry, kidney	0.4 ppm
	Chicken, edible offal	0.4 ppm
	Other poultry, edible offal	0.4 ppm
	Chicken, eggs	0.03 ppm
	Other poultry, eggs	0.03 ppm
MEPANIPYRIM	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Welsh (including leek)	10 ppm
	Other solanaceous vegetables	5 ppm
	Pumpkin (including squash)	5 ppm
	Oriental pickling melon (vegetable)	5 ppm
	Water melon	2 ppm
	Melons	2 ppm
	<i>Makuwauri</i> melon	2 ppm
	Other cucurbitaceous vegetables	5 ppm
	Peas, immature (with pods)	2 ppm
	Green soybeans	2 ppm
	Other vegetables	5 ppm
	Quince	2 ppm
	Loquat	2 ppm
	Nectarine	2 ppm
	Apricot	20 ppm

	Japanese plum (including prune)	20 ppm
	Mume plum	20 ppm
	Cherry	20 ppm
	Raspberry	20 ppm
	Blackberry	20 ppm
	Blueberry	20 ppm
	Cranberry	20 ppm
	Huckleberry	20 ppm
	Other berries	20 ppm
	Japanese persimmon	2 ppm
	Banana	2 ppm
	Kiwifruit	2 ppm
	Papaya	2 ppm
	Avocado	2 ppm
	Pineapple	2 ppm
	Guava	2 ppm
	Mango	2 ppm
	Passion fruit	2 ppm
	Date	20 ppm
	Other fruits	20 ppm
	Other spices	20 ppm
	Other herbs	5 ppm
MEPIQUAT-CHLORIDE	Rice (brown rice)	2 ppm
	Wheat	2 ppm
	Barley	2 ppm
	Rye	2 ppm
	Corn (maize)	2 ppm
	Buckwheat	2 ppm
	Other cereal grains	2 ppm
	Water melon	2 ppm
	Melons	2 ppm
	<i>Makuwauri</i> melon	2 ppm
	<i>Unshu</i> orange,pulp	2 ppm
	Citrus <i>natsudaidai</i> , whole	2 ppm
	Lemon	2 ppm
	Orange (including navel orange)	2 ppm
	Grapefruit	2 ppm
	Lime	2 ppm
	Other citrus fruits	2 ppm
	Apple	2 ppm
	Japanese pear	2 ppm
	Pear	2 ppm
	Quince	2 ppm

Loquat	2 ppm
Peach	2 ppm
Nectarine	2 ppm
Apricot	2 ppm
Japanese plum (including prune)	2 ppm
Mume plum	2 ppm
Cherry	2 ppm
Strawberry	2 ppm
Raspberry	2 ppm
Blackberry	2 ppm
Blueberry	2 ppm
Cranberry	2 ppm
Huckleberry	2 ppm
Other berries	2 ppm
Grape	2 ppm
Japanese persimmon	2 ppm
Banana	2 ppm
Kiwifruit	2 ppm
Papaya	2 ppm
Avocado	2 ppm
Pineapple	2 ppm
Guava	2 ppm
Mango	2 ppm
Passion fruit	2 ppm
Date	2 ppm
Other fruits	2 ppm
Sunflower seeds	2 ppm
Sesame seeds	2 ppm
Safflower seeds	2 ppm
Cotton seeds	2 ppm
Rapeseeds	2 ppm
Other oil seeds	2 ppm
Ginkgo nut	2 ppm
Chestnut	2 ppm
Pecan	2 ppm
Almond	2 ppm
Walnut	2 ppm
Other nuts	2 ppm
Other spices	2 ppm
Cattle, muscle	0.1 ppm
Pig, muscle	0.1 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.1 ppm

	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.1 ppm
	Cattle, liver	0.1 ppm
	Pig, liver	0.1 ppm
	Other terrestrial mammals, liver	0.1 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.1 ppm
	Other terrestrial mammals, kidney	0.1 ppm
	Cattle, edible offal	0.1 ppm
	Pig, edible offal	0.1 ppm
	Other terrestrial mammals, edible offal	0.1 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
MEVINPHOS	Peas	0.3 ppm
	Other legumes/pulses	0.3 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.1 ppm
	Japanese radish, roots (including radish)	0.1 ppm
	Japanese radish, leaves (including radish)	0.1 ppm
	Turnip, roots	0.1 ppm
	Turnip, leaves	0.2 ppm
	Horseradish	0.1 ppm
	Watercress	0.5 ppm
	Chinese cabbage	0.1 ppm
	Cabbage	0.05 ppm
	Brussels sprouts	0.2 ppm
	Kale	0.2 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm

<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.4 ppm
Broccoli	0.5 ppm
Other cruciferous vegetables	0.4 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.5 ppm
Endive	0.5 ppm
<i>Shungiku</i>	0.5 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.4 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.5 ppm
Asparagus	0.2 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.5 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.5 ppm
Celery	0.6 ppm
<i>Mitsuba</i>	0.5 ppm
Other umbelliferous vegetables	0.5 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.3 ppm
Water melon	0.3 ppm
Melons	0.3 ppm
<i>Makuwauri</i> melon	0.5 ppm
Spinach	0.6 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm

Other vegetables	0.4 ppm
<i>Unshu</i> orange,pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.4 ppm
Nectarine	0.4 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.4 ppm
Mume plum	0.5 ppm
Cherry	0.5 ppm
Strawberry	0.5 ppm
Raspberry	0.2 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm
Grape	0.3 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.5 ppm
Ginkgo nut	0.1 ppm
Chestnut	0.1 ppm
Pecan	0.1 ppm
Almond	0.1 ppm
Walnut	0.1 ppm
Other nuts	0.1 ppm

	Other spices	0.5 ppm
	Other herbs	0.5 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.05 ppm
	Pig, liver	0.05 ppm
	Other terrestrial mammals, liver	0.05 ppm
	Cattle, kidney	0.05 ppm
	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
MEFENPYR-DIETHYL	Rice (brown rice)	0.01 ppm
	Wheat	0.03 ppm
	Barley	0.03 ppm
	Rye	0.01 ppm
	Corn (maize)	0.01 ppm
	Buckwheat	0.01 ppm
	Other cereal grains	0.01 ppm
	Cattle, muscle	0.05 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.08 ppm
	Pig, liver	0.08 ppm
	Other terrestrial mammals, liver	0.08 ppm
	Cattle, kidney	0.08 ppm
	Pig, kidney	0.08 ppm
	Other terrestrial mammals, kidney	0.08 ppm
	Cattle, edible offal	0.08 ppm
	Pig, edible offal	0.08 ppm
	Other terrestrial mammals, edible offal	0.08 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm

	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
MEPRONIL	Other herbs	1 ppm
MEBENDAZOLE	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.04 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.02 ppm
	Other terrestrial mammals, fat	0.06 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.02 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.02 ppm
	Other terrestrial mammals, kidney	0.04 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.02 ppm
	Other terrestrial mammals, edible offal	0.02 ppm
	Milk	0.02 ppm
	Chicken, muscle	0.02 ppm
	Other poultry, muscle	0.02 ppm
	Chicken, fat	0.02 ppm
	Other poultry, fat	0.02 ppm
	Chicken, liver	0.02 ppm
	Other poultry, liver	0.02 ppm
	Chicken, kidney	0.02 ppm
	Other poultry, kidney	0.02 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.02 ppm
	Chicken, eggs	0.02 ppm
	Other poultry, eggs	0.02 ppm
	Salmoniformes	0.02 ppm
	Anguilliformes	0.02 ppm
	Perciformes	0.02 ppm
	Other fish	0.02 ppm

	Shelled molluscas	0.02 ppm
	Crustaceans	0.02 ppm
	Other aquatic animal	0.02 ppm
	Honey	0.02 ppm
MELOXICAM	Cattle, muscle	0.02 ppm
	Pig, muscle	0.02 ppm
	Other terrestrial mammals, muscle	0.02 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.1 ppm
	Other terrestrial mammals, fat	0.02 ppm
	Cattle, liver	0.07 ppm
	Pig, liver	0.06 ppm
	Other terrestrial mammals, liver	0.07 ppm
	Cattle, kidney	0.1 ppm
	Pig, kidney	0.09 ppm
	Other terrestrial mammals, kidney	0.07 ppm
	Cattle, edible offal	0.07 ppm
	Pig, edible offal	0.06 ppm
	Other terrestrial mammals, edible offal	0.07 ppm
	Milk	0.01 ppm
MENBUTONE	Cattle, muscle	0.04 ppm
	Pig, muscle	0.04 ppm
	Cattle, fat	0.04 ppm
	Pig, fat	0.04 ppm
	Cattle, liver	0.04 ppm
	Pig, liver	0.04 ppm
	Cattle, kidney	0.04 ppm
	Pig, kidney	0.04 ppm
	Cattle, edible offal	0.04 ppm
	Pig, edible offal	0.04 ppm
	Milk	0.04 ppm
MOXIDECTIN	Other terrestrial mammals, muscle (except sheep and deer)	0.05 ppm
	Other terrestrial mammals, fat (except sheep and deer)	0.5 ppm
	Other terrestrial mammals, liver (except sheep and deer)	0.1 ppm
	Other terrestrial mammals, kidney (except sheep and deer)	0.05 ppm
	Cattle, edible offal	0.5 ppm
	Deer, edible offal	0.2 ppm
	Other terrestrial mammals, edible offal (except deer)	0.05 ppm
	Milk	0.04 ppm

MONENSIN	Cattle, muscle	0.05 ppm	
	Pig, muscle	0.05 ppm	
	Other terrestrial mammals, muscle	0.05 ppm	
	Cattle, fat	0.05 ppm	
	Pig, fat	0.05 ppm	
	Other terrestrial mammals, fat	0.05 ppm	
	Cattle, liver	0.05 ppm	
	Pig, liver	0.05 ppm	
	Other terrestrial mammals, liver	0.05 ppm	
	Cattle, kidney	0.05 ppm	
	Pig, kidney	0.05 ppm	
	Other terrestrial mammals, kidney	0.05 ppm	
	Cattle, edible offal	0.05 ppm	
	Pig, edible offal	0.05 ppm	
	Other terrestrial mammals, edible offal	0.05 ppm	
	Milk	0.01 ppm	
	Chicken, muscle	0.5 ppm	
	Other poultry, muscle	0.5 ppm	
	Chicken, fat	0.5 ppm	
	Other poultry, fat	0.5 ppm	
	Chicken, liver	0.5 ppm	
	Other poultry, liver	0.5 ppm	
	Chicken, kidney	0.5 ppm	
	Other poultry, kidney	0.5 ppm	
	Chicken, edible offal	0.5 ppm	
	Other poultry, edible offal	0.5 ppm	
	MONOCROTOPHOS	Rice (brown rice)	0.05 ppm
		Japanese radish, roots (including radish)	0.05 ppm
		Japanese radish, leaves (including radish)	0.05 ppm
		Turnip, roots	0.05 ppm
Turnip, leaves		0.05 ppm	
Horseradish		0.05 ppm	
Watercress		0.05 ppm	
Chinese cabbage		0.05 ppm	
Cabbage		0.05 ppm	
Brussels sprouts		0.05 ppm	
Kale		0.05 ppm	
<i>Komatsuna</i> (Japanese mustard spinach)		0.05 ppm	
<i>Kyona</i>		0.05 ppm	
Qing-geng-cai		0.05 ppm	
Cauliflower		0.05 ppm	
Broccoli		0.05 ppm	
Other cruciferous vegetables	0.05 ppm		

Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.1 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm
Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.2 ppm
Other solanaceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.1 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange, pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm

	Lemon	0.2 ppm
	Orange (including navel orange)	0.2 ppm
	Grapefruit	0.2 ppm
	Lime	0.2 ppm
	Other citrus fruits	0.2 ppm
	Apple	1 ppm
	Japanese pear	0.5 ppm
	Pear	0.5 ppm
	Cotton seeds	0.1 ppm
	Tea	0.1 ppm
	Cacao beans	0.02 ppm
	Other spices	0.2 ppm
	Other herbs	0.1 ppm
[MONOBIS (TRIMETHYLAMMONIUM METHYLENE CHLORIDE)] -ALKYLTOLUENE	Cattle, muscle	1 ppm
	Pig, muscle	1 ppm
	Cattle, fat	1 ppm
	Pig, fat	1 ppm
	Cattle, liver	2 ppm
	Pig, liver	2 ppm
	Cattle, kidney	1 ppm
	Pig, kidney	1 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	2 ppm
	Milk	1 ppm
	Chicken, muscle	1 ppm
	Chicken, fat	1 ppm
	Chicken, liver	2 ppm
	Chicken, kidney	1 ppm
	Chicken, edible offal	2 ppm
	Chicken, eggs	1 ppm
MONOLINURON	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.05 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.05 ppm
	Beans, dry*	0.05 ppm
	Peas	0.05 ppm
	Broad beans	0.05 ppm
	Peanuts, dry	0.05 ppm
	Other legumes/pulses	0.05 ppm

Potato	0.05 ppm
Taro	0.05 ppm
Sweet potato	0.05 ppm
Yam	0.05 ppm
Konjac	0.05 ppm
Other potatoes	0.05 ppm
Sugar beet	0.05 ppm
Japanese radish, roots (including radish)	0.05 ppm
Japanese radish, leaves (including radish)	0.05 ppm
Turnip, roots	0.05 ppm
Turnip, leaves	0.05 ppm
Horseradish	0.05 ppm
Watercress	0.05 ppm
Chinese cabbage	0.05 ppm
Cabbage	0.05 ppm
Brussels sprouts	0.05 ppm
Kale	0.05 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.05 ppm
<i>Kyona</i>	0.05 ppm
Qing-geng-cai	0.05 ppm
Cauliflower	0.05 ppm
Broccoli	0.05 ppm
Other cruciferous vegetables	0.05 ppm
Burdock	0.05 ppm
Salsify	0.05 ppm
Artichoke	0.05 ppm
Chicory	0.05 ppm
Endive	0.05 ppm
<i>Shungiku</i>	0.05 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.05 ppm
Other composite vegetables	0.05 ppm
Onion	0.05 ppm
Welsh (including leek)	0.05 ppm
Garlic	0.05 ppm
<i>Nira</i>	0.05 ppm
Asparagus	0.05 ppm
Multiplying onion	0.05 ppm
Other liliaceous vegetables	0.05 ppm
Carrot	0.05 ppm
Parsnip	0.05 ppm
Parsley	0.05 ppm
Celery	0.05 ppm
<i>Mitsuba</i>	0.05 ppm

Other umbelliferous vegetables	0.05 ppm
Tomato	0.05 ppm
Pimiento (sweet pepper)	0.05 ppm
Egg plant	0.05 ppm
Other solanceous vegetables	0.05 ppm
Cucumber (including gherkin)	0.05 ppm
Pumpkin (including squash)	0.05 ppm
Oriental pickling melon (vegetable)	0.05 ppm
Water melon	0.05 ppm
Melons	0.05 ppm
<i>Makuwauri</i> melon	0.05 ppm
Other cucurbitaceous vegetables	0.05 ppm
Spinach	0.05 ppm
Bamboo shoots	0.05 ppm
Okra	0.05 ppm
Ginger	0.05 ppm
Peas, immature (with pods)	0.05 ppm
Kidney beans, immature (with pods)	0.05 ppm
Green soybeans	0.05 ppm
Button mushroom	0.05 ppm
<i>Shiitake</i> mushroom	0.05 ppm
Other mushrooms	0.05 ppm
Other vegetables	0.05 ppm
<i>Unshu</i> orange,pulp	0.05 ppm
Citrus <i>natsudaidai</i> , whole	0.05 ppm
Lemon	0.05 ppm
Orange (including navel orange)	0.05 ppm
Grapefruit	0.05 ppm
Lime	0.05 ppm
Other citrus fruits	0.05 ppm
Apple	0.05 ppm
Japanese pear	0.05 ppm
Pear	0.05 ppm
Quince	0.05 ppm
Loquat	0.05 ppm
Peach	0.05 ppm
Nectarine	0.05 ppm
Apricot	0.05 ppm
Japanese plum (including prune)	0.05 ppm
Mume plum	0.05 ppm
Cherry	0.05 ppm
Strawberry	0.05 ppm
Raspberry	0.05 ppm

Blackberry	0.05 ppm
Blueberry	0.05 ppm
Cranberry	0.05 ppm
Huckleberry	0.05 ppm
Other berries	0.05 ppm
Grape	0.05 ppm
Japanese persimmon	0.05 ppm
Banana	0.05 ppm
Kiwifruit	0.05 ppm
Papaya	0.05 ppm
Avocado	0.05 ppm
Pineapple	0.05 ppm
Guava	0.05 ppm
Mango	0.05 ppm
Passion fruit	0.05 ppm
Date	0.05 ppm
Other fruits	0.05 ppm
Sunflower seeds	0.05 ppm
Sesame seeds	0.05 ppm
Safflower seeds	0.05 ppm
Cotton seeds	0.05 ppm
Rapeseeds	0.05 ppm
Other oil seeds	0.05 ppm
Ginkgo nut	0.05 ppm
Chestnut	0.05 ppm
Pecan	0.05 ppm
Almond	0.05 ppm
Walnut	0.05 ppm
Other nuts	0.05 ppm
Tea	0.05 ppm
Hop	0.1 ppm
Other spices	0.05 ppm
Other herbs	0.05 ppm
Cattle, muscle	0.05 ppm
Pig, muscle	0.05 ppm
Other terrestrial mammals, muscle	0.05 ppm
Cattle, fat	0.05 ppm
Pig, fat	0.05 ppm
Other terrestrial mammals, fat	0.05 ppm
Cattle, liver	0.05 ppm
Pig, liver	0.05 ppm
Other terrestrial mammals, liver	0.05 ppm
Cattle, kidney	0.05 ppm

	Pig, kidney	0.05 ppm
	Other terrestrial mammals, kidney	0.05 ppm
	Cattle, edible offal	0.05 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.05 ppm
	Milk	0.05 ppm
	Chicken, muscle	0.05 ppm
	Other poultry, muscle	0.05 ppm
	Chicken, fat	0.05 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
MORANTEL	Cattle, muscle	0.3 ppm
	Pig, muscle	0.3 ppm
	Other terrestrial mammals, muscle	0.3 ppm
	Cattle, fat	0.3 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	1 ppm
	Pig, liver	5 ppm
	Other terrestrial mammals, liver	1 ppm
	Cattle, kidney	2 ppm
	Pig, kidney	5 ppm
	Other terrestrial mammals, kidney	2 ppm
	Cattle, edible offal	2 ppm
	Pig, edible offal	5 ppm
	Other terrestrial mammals, edible offal	2 ppm
	Milk	0.1 ppm
	Chicken, muscle	0.03 ppm
	Chicken, fat	0.03 ppm
	Chicken, liver	0.03 ppm
	Chicken, kidney	0.03 ppm
	Chicken, edible offal	0.03 ppm
MOLINATE	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Corn (maize)	0.02 ppm

Buckwheat	0.02 ppm
Other cereal grains	0.02 ppm
Soybeans, dry	0.02 ppm
Beans, dry*	0.02 ppm
Peas	0.02 ppm
Broad beans	0.02 ppm
Peanuts, dry	0.02 ppm
Other legumes/pulses	0.02 ppm
Potato	0.02 ppm
Taro	0.02 ppm
Sweet potato	0.02 ppm
Yam	0.02 ppm
Konjac	0.02 ppm
Other potatoes	0.02 ppm
Sugar beet	0.02 ppm
Sugarcane	0.02 ppm
Japanese radish, roots (including radish)	0.02 ppm
Japanese radish, leaves (including radish)	0.02 ppm
Turnip, roots	0.02 ppm
Turnip, leaves	0.02 ppm
Horseradish	0.02 ppm
Watercress	0.02 ppm
Chinese cabbage	0.02 ppm
Cabbage	0.02 ppm
Brussels sprouts	0.02 ppm
Kale	0.02 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm
<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Welsh (including leek)	0.02 ppm
Garlic	0.02 ppm

<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Multiplying onion	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Tomato	0.02 ppm
Pimiento (sweet pepper)	0.02 ppm
Egg plant	0.02 ppm
Other solanceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm
<i>Unshu</i> orange,pulp	0.02 ppm
Citrus <i>natsudaidai</i> , whole	0.02 ppm
Lemon	0.02 ppm
Orange (including navel orange)	0.02 ppm
Grapefruit	0.02 ppm
Lime	0.02 ppm
Other citrus fruits	0.02 ppm
Apple	0.02 ppm
Japanese pear	0.02 ppm
Pear	0.02 ppm
Quince	0.02 ppm

Loquat	0.02 ppm
Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Strawberry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Grape	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.02 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Tea	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Other spices	0.02 ppm

	Other herbs	0.02 ppm
	Mineral waters	0.006 ppm
LAILOMYCIN	Cattle, muscle	0.2 ppm
	Cattle, fat	0.2 ppm
	Cattle, liver	0.2 ppm
	Cattle, kidney	0.2 ppm
	Cattle, edible offal	0.2 ppm
LACTOFEN	Soybeans, dry	0.05 ppm
	Peanuts, dry	0.01 ppm
	Kidney beans, immature (with pods)	0.05 ppm
	Green soybeans	0.05 ppm
	Other vegetables	0.05 ppm
	Cotton seeds	0.01 ppm
	Other spices	0.05 ppm
	Other herbs	0.05 ppm
LASALOCID	Cattle, muscle	0.02 ppm
	Pig, muscle	0.05 ppm
	Other terrestrial mammals, muscle	0.05 ppm
	Cattle, fat	0.02 ppm
	Pig, fat	0.05 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.02 ppm
	Pig, liver	0.7 ppm
	Other terrestrial mammals, liver	0.9 ppm
	Cattle, kidney	0.02 ppm
	Pig, kidney	0.7 ppm
	Other terrestrial mammals, kidney	0.7 ppm
	Cattle, edible offal	0.02 ppm
	Pig, edible offal	0.7 ppm
	Other terrestrial mammals, edible offal	0.7 ppm
	Milk	0.01 ppm (in fat)
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.2 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	2 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.4 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.4 ppm
	Chicken, eggs	0.005 ppm (in white)
	Other poultry, eggs	0.05 ppm

	Salmoniformes	0.005 ppm
	Anguilliformes	0.005 ppm
	Perciformes	0.005 ppm
	Other fish	0.005 ppm
	Shelled molluscas	0.005 ppm
	Crustaceans	0.005 ppm
	Other aquatic animal	0.005 ppm
	Honey	0.005 ppm
RAFOXANIDE	Cattle, muscle	0.03 ppm
	Other terrestrial mammals, muscle	0.1 ppm
	Cattle, fat	0.03 ppm
	Other terrestrial mammals, fat	0.3 ppm
	Cattle, liver	0.01 ppm
	Other terrestrial mammals, liver	0.2 ppm
	Cattle, kidney	0.04 ppm
	Other terrestrial mammals, kidney	0.2 ppm
	Cattle, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
LINURON	Rice (brown rice)	0.1 ppm
	Wheat	0.2 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.5 ppm
	Beans, dry*	0.5 ppm
	Peas	0.5 ppm
	Broad beans	0.5 ppm
	Peanuts, dry	0.5 ppm
	Other legumes/pulses	0.5 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm
	Other potatoes	0.1 ppm
	Sugar beet	0.05 ppm
	Sugarcane	0.02 ppm
	Japanese radish, roots (including radish)	0.2 ppm
	Japanese radish, leaves (including radish)	0.2 ppm
	Turnip, roots	0.2 ppm
	Turnip, leaves	0.2 ppm

Horseradish	0.2 ppm
Watercress	0.2 ppm
Chinese cabbage	0.2 ppm
Cabbage	0.2 ppm
Brussels sprouts	0.2 ppm
Kale	0.2 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.2 ppm
<i>Kyona</i>	0.2 ppm
Qing-geng-cai	0.2 ppm
Cauliflower	0.2 ppm
Broccoli	0.2 ppm
Other cruciferous vegetables	0.2 ppm
Burdock	0.2 ppm
Salsify	0.2 ppm
Artichoke	0.2 ppm
Chicory	0.2 ppm
Endive	0.2 ppm
<i>Shungiku</i>	0.2 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.2 ppm
Other composite vegetables	0.2 ppm
Onion	0.2 ppm
Welsh (including leek)	0.2 ppm
Garlic	0.2 ppm
<i>Nira</i>	0.2 ppm
Asparagus	7 ppm
Multiplying onion	0.2 ppm
Other liliaceous vegetables	0.2 ppm
Carrot	1 ppm
Parsnip	0.2 ppm
Parsley	0.2 ppm
Celery	0.2 ppm
<i>Mitsuba</i>	0.2 ppm
Other umbelliferous vegetables	0.2 ppm
Tomato	0.2 ppm
Pimiento (sweet pepper)	0.2 ppm
Egg plant	0.2 ppm
Other solanceous vegetables	0.2 ppm
Cucumber (including gherkin)	0.2 ppm
Pumpkin (including squash)	0.2 ppm
Oriental pickling melon (vegetable)	0.2 ppm
Water melon	0.2 ppm
Melons	0.2 ppm
<i>Makuwauri</i> melon	0.2 ppm

Other cucurbitaceous vegetables	0.2 ppm
Spinach	0.2 ppm
Bamboo shoots	0.2 ppm
Okra	0.2 ppm
Ginger	0.2 ppm
Peas, immature (with pods)	0.2 ppm
Kidney beans, immature (with pods)	0.2 ppm
Green soybeans	0.2 ppm
Button mushroom	0.2 ppm
<i>Shiitake</i> mushroom	0.2 ppm
Other mushrooms	0.2 ppm
Other vegetables	0.2 ppm
<i>Unshu</i> orange,pulp	0.2 ppm
Citrus <i>natsudaidai</i> , whole	0.2 ppm
Lemon	0.2 ppm
Orange (including navel orange)	0.2 ppm
Grapefruit	0.2 ppm
Lime	0.2 ppm
Other citrus fruits	0.2 ppm
Apple	0.2 ppm
Japanese pear	0.2 ppm
Pear	0.2 ppm
Quince	0.2 ppm
Loquat	0.2 ppm
Peach	0.2 ppm
Nectarine	0.2 ppm
Apricot	0.2 ppm
Japanese plum (including prune)	0.2 ppm
Mume plum	0.2 ppm
Cherry	0.2 ppm
Strawberry	0.2 ppm
Raspberry	0.2 ppm
Blackberry	0.2 ppm
Blueberry	0.2 ppm
Cranberry	0.2 ppm
Huckleberry	0.2 ppm
Other berries	0.2 ppm
Grape	0.2 ppm
Japanese persimmon	0.2 ppm
Banana	0.2 ppm
Kiwifruit	0.2 ppm
Papaya	0.2 ppm
Avocado	0.2 ppm

Pineapple	0.2 ppm
Guava	0.2 ppm
Mango	0.2 ppm
Passion fruit	0.2 ppm
Date	0.2 ppm
Other fruits	0.2 ppm
Sunflower seeds	0.2 ppm
Sesame seeds	0.2 ppm
Safflower seeds	0.2 ppm
Cotton seeds	0.2 ppm
Rapeseeds	0.2 ppm
Other oil seeds	0.2 ppm
Ginkgo nut	0.2 ppm
Chestnut	0.2 ppm
Pecan	0.2 ppm
Almond	0.2 ppm
Walnut	0.2 ppm
Other nuts	0.2 ppm
Tea	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Other spices	0.5 ppm
Other herbs	0.2 ppm
Cattle, muscle	0.5 ppm
Pig, muscle	0.5 ppm
Other terrestrial mammals, muscle	0.5 ppm
Cattle, fat	1 ppm
Pig, fat	1 ppm
Other terrestrial mammals, fat	1 ppm
Cattle, liver	1 ppm
Pig, liver	1 ppm
Other terrestrial mammals, liver	1 ppm
Cattle, kidney	1 ppm
Pig, kidney	1 ppm
Other terrestrial mammals, kidney	1 ppm
Cattle, edible offal	1 ppm
Pig, edible offal	1 ppm
Other terrestrial mammals, edible offal	1 ppm
Milk	0.05 ppm
Chicken, muscle	0.05 ppm
Other poultry, muscle	0.05 ppm
Chicken, fat	0.05 ppm

	Other poultry, fat	0.05 ppm
	Chicken, liver	0.05 ppm
	Other poultry, liver	0.05 ppm
	Chicken, kidney	0.05 ppm
	Other poultry, kidney	0.05 ppm
	Chicken, edible offal	0.05 ppm
	Other poultry, edible offal	0.05 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
RIFAXIMIN	Milk	0.06 ppm
RIMSULFURON	Corn (maize)	0.1 ppm
	Potato	0.1 ppm
	Tomato	0.05 ppm
	Blueberry	0.05 ppm
CARBONYL SULPHIDE	Rice (brown rice)	0.2 ppm
	Wheat	0.2 ppm
	Barley	0.2 ppm
	Rye	0.2 ppm
	Corn (maize)	0.2 ppm
	Buckwheat	0.2 ppm
	Other cereal grains	0.2 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.2 ppm
	Peas	0.2 ppm
	Broad beans	0.2 ppm
	Other legumes/pulses	0.2 ppm
	Rapeseeds	0.2 ppm
	Other spices	0.2 ppm
HYDROGEN PHOSPHIDE	Rice (brown rice)	0.1 ppm
	Wheat	0.1 ppm
	Barley	0.1 ppm
	Rye	0.1 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.1 ppm
	Other cereal grains	0.1 ppm
	Soybeans, dry	0.1 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.1 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.02 ppm
	Taro	0.01 ppm

Sweet potato	0.01 ppm
Yam	0.01 ppm
Konjac	0.01 ppm
Other potatoes	0.01 ppm
Sugar beet	0.02 ppm
Sugarcane	0.01 ppm
Japanese radish, roots (including radish)	0.01 ppm
Japanese radish, leaves (including radish)	0.01 ppm
Turnip, roots	0.01 ppm
Turnip, leaves	0.01 ppm
Horseradish	0.01 ppm
Watercress	0.01 ppm
Chinese cabbage	0.01 ppm
Cabbage	0.01 ppm
Brussels sprouts	0.01 ppm
Kale	0.01 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.01 ppm
<i>Kyona</i>	0.01 ppm
Qing-geng-cai	0.01 ppm
Cauliflower	0.01 ppm
Broccoli	0.01 ppm
Other cruciferous vegetables	0.01 ppm
Burdock	0.01 ppm
Salsify	0.01 ppm
Artichoke	0.01 ppm
Chicory	0.01 ppm
Endive	0.01 ppm
<i>Shungiku</i>	0.01 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.01 ppm
Other composite vegetables	0.01 ppm
Onion	0.01 ppm
Welsh (including leek)	0.01 ppm
Garlic	0.01 ppm
<i>Nira</i>	0.01 ppm
Asparagus	0.01 ppm
Multiplying onion	0.01 ppm
Other liliaceous vegetables	0.01 ppm
Carrot	0.01 ppm
Parsnip	0.01 ppm
Parsley	0.01 ppm
Celery	0.01 ppm
<i>Mitsuba</i>	0.01 ppm
Other umbelliferous vegetables	0.01 ppm

Tomato	0.01 ppm
Pimiento (sweet pepper)	0.01 ppm
Egg plant	0.01 ppm
Other solanaceous vegetables	0.01 ppm
Cucumber (including gherkin)	0.01 ppm
Pumpkin (including squash)	0.01 ppm
Oriental pickling melon (vegetable)	0.01 ppm
Water melon	0.01 ppm
Melons	0.01 ppm
<i>Makuwauri</i> melon	0.01 ppm
Other cucurbitaceous vegetables	0.01 ppm
Spinach	0.01 ppm
Bamboo shoots	0.01 ppm
Okra	0.01 ppm
Ginger	0.01 ppm
Peas, immature (with pods)	0.01 ppm
Kidney beans, immature (with pods)	0.01 ppm
Green soybeans	0.04 ppm
Button mushroom	0.01 ppm
<i>Shiitake</i> mushroom	0.01 ppm
Other mushrooms	0.01 ppm
Other vegetables	0.07 ppm
<i>Unshu</i> orange,pulp	0.01 ppm
Citrus <i>natsudaidai</i> , whole	0.01 ppm
Lemon	0.01 ppm
Orange (including navel orange)	0.01 ppm
Grapefruit	0.01 ppm
Lime	0.01 ppm
Other citrus fruits	0.01 ppm
Apple	0.01 ppm
Japanese pear	0.01 ppm
Pear	0.01 ppm
Quince	0.01 ppm
Loquat	0.01 ppm
Peach	0.01 ppm
Nectarine	0.01 ppm
Apricot	0.01 ppm
Japanese plum (including prune)	0.01 ppm
Mume plum	0.01 ppm
Cherry	0.01 ppm
Strawberry	0.01 ppm
Raspberry	0.01 ppm
Blackberry	0.01 ppm

Blueberry	0.01 ppm
Cranberry	0.01 ppm
Huckleberry	0.01 ppm
Other berries	0.01 ppm
Grape	0.01 ppm
Japanese persimmon	0.01 ppm
Banana	0.01 ppm
Kiwifruit	0.01 ppm
Papaya	0.01 ppm
Avocado	0.01 ppm
Pineapple	0.01 ppm
Guava	0.01 ppm
Mango	0.01 ppm
Passion fruit	0.01 ppm
Date	0.07 ppm
Other fruits	0.01 ppm
Sunflower seeds	0.04 ppm
Sesame seeds	0.04 ppm
Safflower seeds	0.04 ppm
Cotton seeds	0.04 ppm
Rapeseeds	0.01 ppm
Other oil seeds	0.01 ppm
Ginkgo nut	0.01 ppm
Chestnut	0.01 ppm
Pecan	0.01 ppm
Almond	0.01 ppm
Walnut	0.01 ppm
Other nuts	0.01 ppm
Tea	0.01 ppm
Coffee beans	0.06 ppm
Cacao beans	0.01 ppm
Hop	0.01 ppm
Other spices	0.1 ppm
Other herbs	0.07 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm
Cattle, fat	0.01 ppm
Pig, fat	0.01 ppm
Other terrestrial mammals, fat	0.01 ppm
Cattle, liver	0.01 ppm
Pig, liver	0.01 ppm
Other terrestrial mammals, liver	0.01 ppm

	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.01 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	0.01 ppm
	Other poultry, fat	0.01 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.01 ppm
	Other poultry, eggs	0.01 ppm
	Salmoniformes	0.01 ppm
	Anguilliformes	0.01 ppm
	Perciformes	0.01 ppm
	Other fish	0.01 ppm
	Shelled molluscas	0.01 ppm
	Crustaceans	0.01 ppm
	Other aquatic animal	0.01 ppm
	Honey	0.01 ppm
LINCOMYCIN	Cattle, muscle	0.2 ppm
	Pig, muscle	0.2 ppm
	Other terrestrial mammals, muscle	0.2 ppm
	Cattle, fat	0.05 ppm
	Pig, fat	0.3 ppm
	Other terrestrial mammals, fat	0.05 ppm
	Cattle, liver	0.4 ppm
	Pig, liver	0.5 ppm
	Other terrestrial mammals, liver	0.4 ppm
	Cattle, kidney	0.9 ppm
	Pig, kidney	1.5 ppm
	Other terrestrial mammals, kidney	0.9 ppm
	Cattle, edible offal	0.2 ppm
	Pig, edible offal	0.05 ppm
	Other terrestrial mammals, edible offal	0.2 ppm
	Milk	0.15 ppm

	Chicken, muscle	0.2 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.3 ppm
	Other poultry, fat	0.05 ppm
	Chicken, liver	0.5 ppm
	Other poultry, liver	0.3 ppm
	Chicken, kidney	0.5 ppm
	Other poultry, kidney	0.8 ppm
	Chicken, edible offal	0.02 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
	Salmoniformes	0.1 ppm
	Anguilliformes	0.1 ppm
	Perciformes	0.05 ppm
	Other fish	0.1 ppm
	Shelled molluscas	0.1 ppm
	Crustaceans	0.1 ppm
	Other aquatic animal	0.1 ppm
LUFENURON	Rice (brown rice)	0.02 ppm
	Wheat	0.02 ppm
	Barley	0.02 ppm
	Rye	0.02 ppm
	Buckwheat	0.02 ppm
	Other cereal grains	0.02 ppm
	Soybeans, dry	0.02 ppm
	Beans, dry*	0.02 ppm
	Peas	0.02 ppm
	Broad beans	0.02 ppm
	Peanuts, dry	0.02 ppm
	Other legumes/pulses	0.02 ppm
	Potato	0.02 ppm
	Taro	0.02 ppm
	Yam	0.02 ppm
	Konjac	0.02 ppm
	Other potatoes	0.02 ppm
	Sugarcane	0.02 ppm
	Turnip, roots	0.02 ppm
	Turnip, leaves	0.02 ppm
	Horseradish	0.02 ppm
	Watercress	0.02 ppm
	Kale	0.02 ppm
	<i>Komatsuna</i> (Japanese mustard spinach)	0.02 ppm

<i>Kyona</i>	0.02 ppm
Qing-geng-cai	0.02 ppm
Cauliflower	0.02 ppm
Broccoli	0.02 ppm
Other cruciferous vegetables	0.02 ppm
Burdock	0.02 ppm
Salsify	0.02 ppm
Artichoke	0.02 ppm
Chicory	0.02 ppm
Endive	0.02 ppm
<i>Shungiku</i>	0.02 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.02 ppm
Other composite vegetables	0.02 ppm
Onion	0.02 ppm
Garlic	0.02 ppm
<i>Nira</i>	0.02 ppm
Asparagus	0.02 ppm
Other liliaceous vegetables	0.02 ppm
Carrot	0.02 ppm
Parsnip	0.02 ppm
Parsley	0.02 ppm
Celery	0.02 ppm
<i>Mitsuba</i>	0.02 ppm
Other umbelliferous vegetables	0.02 ppm
Other solanaceous vegetables	0.02 ppm
Cucumber (including gherkin)	0.02 ppm
Pumpkin (including squash)	0.02 ppm
Oriental pickling melon (vegetable)	0.02 ppm
Water melon	0.02 ppm
Melons	0.02 ppm
<i>Makuwauri</i> melon	0.02 ppm
Other cucurbitaceous vegetables	0.02 ppm
Spinach	0.02 ppm
Bamboo shoots	0.02 ppm
Okra	0.02 ppm
Ginger	0.02 ppm
Peas, immature (with pods)	0.02 ppm
Kidney beans, immature (with pods)	0.02 ppm
Green soybeans	0.02 ppm
Button mushroom	0.02 ppm
<i>Shiitake</i> mushroom	0.02 ppm
Other mushrooms	0.02 ppm
Other vegetables	0.02 ppm

Peach	0.02 ppm
Nectarine	0.02 ppm
Apricot	0.02 ppm
Japanese plum (including prune)	0.02 ppm
Mume plum	0.02 ppm
Cherry	0.02 ppm
Raspberry	0.02 ppm
Blackberry	0.02 ppm
Blueberry	0.02 ppm
Cranberry	0.02 ppm
Huckleberry	0.02 ppm
Other berries	0.02 ppm
Japanese persimmon	0.02 ppm
Banana	0.02 ppm
Kiwifruit	0.02 ppm
Papaya	0.02 ppm
Avocado	0.02 ppm
Pineapple	0.02 ppm
Guava	0.02 ppm
Mango	0.02 ppm
Passion fruit	0.02 ppm
Date	0.02 ppm
Other fruits	0.02 ppm
Sunflower seeds	0.02 ppm
Sesame seeds	0.02 ppm
Safflower seeds	0.02 ppm
Cotton seeds	0.2 ppm
Rapeseeds	0.02 ppm
Other oil seeds	0.02 ppm
Ginkgo nut	0.02 ppm
Chestnut	0.02 ppm
Pecan	0.02 ppm
Almond	0.02 ppm
Walnut	0.02 ppm
Other nuts	0.02 ppm
Coffee beans	0.02 ppm
Cacao beans	0.02 ppm
Hop	0.02 ppm
Other spices	0.3 ppm
Other herbs	0.02 ppm
Cattle, muscle	0.01 ppm
Pig, muscle	0.01 ppm
Other terrestrial mammals, muscle	0.01 ppm

	Cattle, fat	1 ppm
	Pig, fat	1 ppm
	Other terrestrial mammals, fat	1 ppm
	Cattle, liver	0.01 ppm
	Pig, liver	0.01 ppm
	Other terrestrial mammals, liver	0.01 ppm
	Cattle, kidney	0.01 ppm
	Pig, kidney	0.01 ppm
	Other terrestrial mammals, kidney	0.01 ppm
	Cattle, edible offal	0.01 ppm
	Pig, edible offal	0.01 ppm
	Other terrestrial mammals, edible offal	0.01 ppm
	Milk	0.2 ppm
	Chicken, muscle	0.01 ppm
	Other poultry, muscle	0.01 ppm
	Chicken, fat	1 ppm
	Other poultry, fat	1 ppm
	Chicken, liver	0.01 ppm
	Other poultry, liver	0.01 ppm
	Chicken, kidney	0.01 ppm
	Other poultry, kidney	0.01 ppm
	Chicken, edible offal	0.01 ppm
	Other poultry, edible offal	0.01 ppm
	Chicken, eggs	0.05 ppm
	Other poultry, eggs	0.05 ppm
RESMETHRIN	Rice (brown rice)	0.05 ppm
	Wheat	0.05 ppm
	Barley	0.05 ppm
	Rye	0.05 ppm
	Corn (maize)	0.1 ppm
	Buckwheat	0.05 ppm
	Other cereal grains	0.05 ppm
	Soybeans, dry	0.2 ppm
	Beans, dry*	0.1 ppm
	Peas	0.1 ppm
	Broad beans	0.1 ppm
	Peanuts, dry	0.2 ppm
	Other legumes/pulses	0.1 ppm
	Potato	0.1 ppm
	Taro	0.1 ppm
	Sweet potato	0.1 ppm
	Yam	0.1 ppm
	Konjac	0.1 ppm

Other potatoes	0.1 ppm
Sugar beet	0.1 ppm
Japanese radish, roots (including radish)	0.1 ppm
Japanese radish, leaves (including radish)	0.1 ppm
Turnip, roots	0.1 ppm
Turnip, leaves	0.1 ppm
Horseradish	0.1 ppm
Watercress	0.1 ppm
Chinese cabbage	0.1 ppm
Cabbage	0.1 ppm
Brussels sprouts	0.1 ppm
Kale	0.1 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.1 ppm
<i>Kyona</i>	0.1 ppm
Qing-geng-cai	0.1 ppm
Cauliflower	0.1 ppm
Broccoli	0.1 ppm
Other cruciferous vegetables	0.1 ppm
Burdock	0.1 ppm
Salsify	0.1 ppm
Artichoke	0.1 ppm
Chicory	0.1 ppm
Endive	0.1 ppm
<i>Shungiku</i>	0.1 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.1 ppm
Other composite vegetables	0.1 ppm
Onion	0.1 ppm
Welsh (including leek)	0.1 ppm
Garlic	0.1 ppm
<i>Nira</i>	0.1 ppm
Asparagus	0.1 ppm
Multiplying onion	0.1 ppm
Other liliaceous vegetables	0.1 ppm
Carrot	0.1 ppm
Parsnip	0.1 ppm
Parsley	0.1 ppm
Celery	0.1 ppm
<i>Mitsuba</i>	0.1 ppm
Other umbelliferous vegetables	0.1 ppm
Tomato	0.1 ppm
Pimiento (sweet pepper)	0.1 ppm
Egg plant	0.1 ppm
Other solanceous vegetables	0.1 ppm

Cucumber (including gherkin)	0.1 ppm
Pumpkin (including squash)	0.1 ppm
Oriental pickling melon (vegetable)	0.1 ppm
Water melon	0.1 ppm
Melons	0.1 ppm
<i>Makuwauri</i> melon	0.1 ppm
Other cucurbitaceous vegetables	0.1 ppm
Spinach	0.1 ppm
Bamboo shoots	0.1 ppm
Okra	0.1 ppm
Ginger	0.1 ppm
Peas, immature (with pods)	0.1 ppm
Kidney beans, immature (with pods)	0.1 ppm
Green soybeans	0.1 ppm
Button mushroom	0.1 ppm
<i>Shiitake</i> mushroom	0.1 ppm
Other mushrooms	0.1 ppm
Other vegetables	0.1 ppm
<i>Unshu</i> orange,pulp	0.1 ppm
Citrus <i>natsudaidai</i> , whole	0.1 ppm
Lemon	0.1 ppm
Orange (including navel orange)	0.1 ppm
Grapefruit	0.1 ppm
Lime	0.1 ppm
Other citrus fruits	0.1 ppm
Apple	0.1 ppm
Japanese pear	0.1 ppm
Pear	0.1 ppm
Quince	0.1 ppm
Loquat	0.1 ppm
Peach	0.1 ppm
Nectarine	0.1 ppm
Apricot	0.1 ppm
Japanese plum (including prune)	0.1 ppm
Mume plum	0.1 ppm
Cherry	0.1 ppm
Strawberry	0.1 ppm
Raspberry	0.1 ppm
Blackberry	0.1 ppm
Blueberry	0.1 ppm
Cranberry	0.1 ppm
Huckleberry	0.1 ppm
Other berries	0.1 ppm

Grape	0.1 ppm
Japanese persimmon	0.1 ppm
Banana	0.1 ppm
Kiwifruit	0.1 ppm
Papaya	0.1 ppm
Avocado	0.1 ppm
Pineapple	0.1 ppm
Guava	0.1 ppm
Mango	0.1 ppm
Passion fruit	0.1 ppm
Date	0.1 ppm
Other fruits	0.1 ppm
Sunflower seeds	0.2 ppm
Sesame seeds	0.2 ppm
Safflower seeds	0.2 ppm
Cotton seeds	0.2 ppm
Rapeseeds	0.2 ppm
Other oil seeds	0.2 ppm
Ginkgo nut	0.2 ppm
Chestnut	0.2 ppm
Pecan	0.2 ppm
Almond	0.2 ppm
Walnut	0.2 ppm
Other nuts	0.2 ppm
Tea	0.2 ppm
Hop	0.2 ppm
Other spices	0.2 ppm
Other herbs	0.1 ppm
Cattle, muscle	0.1 ppm
Pig, muscle	0.1 ppm
Other terrestrial mammals, muscle	0.1 ppm
Cattle, fat	0.1 ppm
Pig, fat	0.1 ppm
Other terrestrial mammals, fat	0.1 ppm
Cattle, liver	0.1 ppm
Pig, liver	0.1 ppm
Other terrestrial mammals, liver	0.1 ppm
Cattle, kidney	0.1 ppm
Pig, kidney	0.1 ppm
Other terrestrial mammals, kidney	0.1 ppm
Cattle, edible offal	0.1 ppm
Pig, edible offal	0.1 ppm
Other terrestrial mammals, edible offal	0.1 ppm

	Milk	0.1 ppm
	Chicken, muscle	0.1 ppm
	Other poultry, muscle	0.1 ppm
	Chicken, fat	0.1 ppm
	Other poultry, fat	0.1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
	Chicken, eggs	0.1 ppm
	Other poultry, eggs	0.1 ppm
LENACIL	Other spices	0.3 ppm
	Other herbs	0.3 ppm
LEVAMISOLE	Other terrestrial mammals, muscle (except sheep)	0.06 ppm
	Other terrestrial mammals, fat (except sheep)	0.01 ppm
	Other terrestrial mammals, liver (except sheep)	0.6 ppm
	Other terrestrial mammals, kidney (except sheep)	0.5 ppm
	Cattle, edible offal	0.3 ppm
	Pig, edible offal	0.3 ppm
	Sheep, edible offal	0.3 ppm
	Other terrestrial mammals, edible offal (except sheep)	0.5 ppm
	Milk	0.3 ppm
	Other poultry, muscle (except duck and turkey)	0.01 ppm
	Other poultry, fat (except duck and turkey)	0.01 ppm
	Other poultry, liver (except duck and turkey)	0.1 ppm
	Other poultry, kidney (except duck and turkey)	0.01 ppm
	Chicken, edible offal	0.06 ppm
	Other poultry, edible offal	0.06 ppm
	Chicken, eggs	1 ppm
	Other poultry, eggs	1 ppm
ROXARSONE	Pig, muscle	0.5 ppm
	Pig, fat	0.5 ppm
	Pig, liver	2 ppm
	Pig, kidney	2 ppm
	Pig, edible offal	2 ppm
	Chicken, muscle	0.5 ppm
	Other poultry, muscle	0.5 ppm
	Chicken, fat	0.5 ppm
	Other poultry, fat	0.5 ppm

	Chicken, liver	2 ppm
	Other poultry, liver	2 ppm
	Chicken, kidney	2 ppm
	Other poultry, kidney	2 ppm
	Chicken, edible offal	2 ppm
	Other poultry, edible offal	2 ppm
	Chicken, eggs	0.5 ppm
	Other poultry, eggs	0.5 ppm
ROBENIDINE	Chicken, muscle	0.1 ppm
	Other poultry, muscle	1 ppm
	Chicken, fat	0.2 ppm
	Other poultry, fat	1 ppm
	Chicken, liver	0.1 ppm
	Other poultry, liver	0.1 ppm
	Chicken, kidney	0.1 ppm
	Other poultry, kidney	0.1 ppm
	Chicken, edible offal	0.1 ppm
	Other poultry, edible offal	0.1 ppm
WARFARIN	Rice (brown rice)	0.001 ppm
	Wheat	0.001 ppm
	Barley	0.001 ppm
	Rye	0.001 ppm
	Corn (maize)	0.001 ppm
	Buckwheat	0.001 ppm
	Other cereal grains	0.001 ppm
	Soybeans, dry	0.001 ppm
	Beans, dry*	0.001 ppm
	Peas	0.001 ppm
	Broad beans	0.001 ppm
	Peanuts, dry	0.001 ppm
	Other legumes/pulses	0.001 ppm
	Potato	0.001 ppm
	Taro	0.001 ppm
	Sweet potato	0.001 ppm
	Yam	0.001 ppm
	Konjac	0.001 ppm
	Other potatoes	0.001 ppm
	Sugar beet	0.001 ppm
	Sugarcane	0.001 ppm
	Japanese radish, roots (including radish)	0.001 ppm
	Japanese radish, leaves (including radish)	0.001 ppm
	Turnip, roots	0.001 ppm
	Turnip, leaves	0.001 ppm

Horseradish	0.001 ppm
Watercress	0.001 ppm
Chinese cabbage	0.001 ppm
Cabbage	0.001 ppm
Brussels sprouts	0.001 ppm
Kale	0.001 ppm
<i>Komatsuna</i> (Japanese mustard spinach)	0.001 ppm
<i>Kyona</i>	0.001 ppm
Qing-geng-cai	0.001 ppm
Cauliflower	0.001 ppm
Broccoli	0.001 ppm
Other cruciferous vegetables	0.001 ppm
Burdock	0.001 ppm
Salsify	0.001 ppm
Artichoke	0.001 ppm
Chicory	0.001 ppm
Endive	0.001 ppm
<i>Shungiku</i>	0.001 ppm
Lettuce (including cos lettuce and leaf lettuce)	0.001 ppm
Other composite vegetables	0.001 ppm
Onion	0.001 ppm
Welsh (including leek)	0.001 ppm
Garlic	0.001 ppm
<i>Nira</i>	0.001 ppm
Asparagus	0.001 ppm
Multiplying onion	0.001 ppm
Other liliaceous vegetables	0.001 ppm
Carrot	0.001 ppm
Parsnip	0.001 ppm
Parsley	0.001 ppm
Celery	0.001 ppm
<i>Mitsuba</i>	0.001 ppm
Other umbelliferous vegetables	0.001 ppm
Tomato	0.001 ppm
Pimiento (sweet pepper)	0.001 ppm
Egg plant	0.001 ppm
Other solanceous vegetables	0.001 ppm
Cucumber (including gherkin)	0.001 ppm
Pumpkin (including squash)	0.001 ppm
Oriental pickling melon (vegetable)	0.001 ppm
Water melon	0.001 ppm
Melons	0.001 ppm
<i>Makuwauri</i> melon	0.001 ppm

Other cucurbitaceous vegetables	0.001 ppm
Spinach	0.001 ppm
Bamboo shoots	0.001 ppm
Okra	0.001 ppm
Ginger	0.001 ppm
Peas, immature (with pods)	0.001 ppm
Kidney beans, immature (with pods)	0.001 ppm
Green soybeans	0.001 ppm
Button mushroom	0.001 ppm
<i>Shiitake</i> mushroom	0.001 ppm
Other mushrooms	0.001 ppm
Other vegetables	0.001 ppm
<i>Unshu</i> orange,pulp	0.001 ppm
Citrus <i>natsudaidai</i> , whole	0.001 ppm
Lemon	0.001 ppm
Orange (including navel orange)	0.001 ppm
Grapefruit	0.001 ppm
Lime	0.001 ppm
Other citrus fruits	0.001 ppm
Apple	0.001 ppm
Japanese pear	0.001 ppm
Pear	0.001 ppm
Quince	0.001 ppm
Loquat	0.001 ppm
Peach	0.001 ppm
Nectarine	0.001 ppm
Apricot	0.001 ppm
Japanese plum (including prune)	0.001 ppm
Mume plum	0.001 ppm
Cherry	0.001 ppm
Strawberry	0.001 ppm
Raspberry	0.001 ppm
Blackberry	0.001 ppm
Blueberry	0.001 ppm
Cranberry	0.001 ppm
Huckleberry	0.001 ppm
Other berries	0.001 ppm
Grape	0.001 ppm
Japanese persimmon	0.001 ppm
Banana	0.001 ppm
Kiwifruit	0.001 ppm
Papaya	0.001 ppm
Avocado	0.001 ppm

Pineapple	0.001 ppm
Guava	0.001 ppm
Mango	0.001 ppm
Passion fruit	0.001 ppm
Date	0.001 ppm
Other fruits	0.001 ppm
Sunflower seeds	0.001 ppm
Sesame seeds	0.001 ppm
Safflower seeds	0.001 ppm
Cotton seeds	0.001 ppm
Rapeseeds	0.001 ppm
Other oil seeds	0.001 ppm
Ginkgo nut	0.001 ppm
Chestnut	0.001 ppm
Pecan	0.001 ppm
Almond	0.001 ppm
Walnut	0.001 ppm
Other nuts	0.001 ppm
Tea	0.001 ppm
Coffee beans	0.001 ppm
Cacao beans	0.001 ppm
Hop	0.001 ppm
Other spices	0.001 ppm
Other herbs	0.001 ppm
Cattle, muscle	0.001 ppm
Pig, muscle	0.001 ppm
Other terrestrial mammals, muscle	0.001 ppm
Cattle, fat	0.001 ppm
Pig, fat	0.001 ppm
Other terrestrial mammals, fat	0.001 ppm
Cattle, liver	0.001 ppm
Pig, liver	0.001 ppm
Other terrestrial mammals, liver	0.001 ppm
Cattle, kidney	0.001 ppm
Pig, kidney	0.001 ppm
Other terrestrial mammals, kidney	0.001 ppm
Cattle, edible offal	0.001 ppm
Pig, edible offal	0.001 ppm
Other terrestrial mammals, edible offal	0.001 ppm
Milk	0.001 ppm
Chicken, muscle	0.001 ppm
Other poultry, muscle	0.001 ppm
Chicken, fat	0.001 ppm

Other poultry, fat	0.001 ppm
Chicken, liver	0.001 ppm
Other poultry, liver	0.001 ppm
Chicken, kidney	0.001 ppm
Other poultry, kidney	0.001 ppm
Chicken, edible offal	0.001 ppm
Other poultry, edible offal	0.001 ppm
Chicken, eggs	0.001 ppm
Other poultry, eggs	0.001 ppm
Salmoniformes	0.001 ppm
Anguilliformes	0.001 ppm
Perciformes	0.001 ppm
Other fish	0.001 ppm
Shelled molluscas	0.001 ppm
Crustaceans	0.001 ppm
Other aquatic animal	0.001 ppm
Honey	0.001 ppm