

65. BHC

	M P R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		M P R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)	0.2	MRL	0.2										UNSHU orange	0.2	MRL	0.2									
Wheat	0.2	MRL	0.2										NATSUDAIDAI (flesh)	0.2	MRL	0.2									
Barley	0.2						0.5		0.01		6		NATSUDAIDAI (peel)	0.2	MRL	0.2									
Rye	0.2						0.5		0.02		6		NATSUDAIDAI (whole)	0.2					0.5		0.01			6	
Corn (including Maize, Sweet corn)	0.2	MRL	0.2										Lemon	0.2					0.5		0.01			6	
Buckwheat	0.2	MRL	0.2										Orange (including Navel)	0.2					0.5		0.01			6	
Other cereal grains	0.2						0.5		0.02		6		Grapefruit	0.2					0.5		0.01			6	
Soybeans (dry)	0.2	MRL	0.2										Lime	0.2					0.5		0.01			6	
Beans (dry)*	0.2	MRL	0.2										Other citrus fruits	0.2					0.5		0.01			6	
Peas	0.2	MRL	0.2										Apple	0.2	MRL	0.2									
Broad beans	0.2	MRL	0.2										Japanese pear	0.2	MRL	0.2									
Peanuts	0.03	FC					0.05		0.01		5-1		Pear	0.2	MRL	0.2									
Other legumes/pulses	0.2						2		0.01		6		Quince	0.2					1	0.5	3	0.01		6	
Potato	0.2	MRL	0.2										Loquat	0.2	MRL	0.2									
Taro	0.2	MRL	0.2										Peach	0.2	MRL	0.2									
Sweet potato	0.2	MRL	0.2										Nectarine	0.2					1	0.5	3	0.01		6	
Yam	0.2						2		0.01		6		Apricot	0.2					1	0.5	3	0.01		6	
Konjac	0.2						2		0.01		6		Japanese plum (including Prunes)	0.2					1	0.5	3	0.01		6	
Other potatoes	0.2						2		0.01		6		Mume plum	0.2					0.5		0.01			6	
Sugar beet	0.1	Codex			0.1		2		0.01		2		Cherry	0.2	MRL	0.2									
Sugarcane													Strawberry	0.2	MRL	0.2									
Japanese radish(including Radish)(root)	0.2	MRL	0.2										Raspberr	0.2					0.5		0.01			6	
Japanese radish(including Radish)(leaf)	0.2	MRL	0.2										Blackberry	0.2					0.5		0.01			6	
Turnip (including Rutabaga)(root)	0.2	MRL	0.2										Blueberry	0.2					0.5		0.01			6	
Turnip (including Rutabaga)(leaf)	0.2	MRL	0.2										Cranberry	0.2					3		0.01			6	
Horseradish	0.2						2		0.01		6		Huckleberry	0.2					0.5		0.01			6	
Watercress	0.2						2		0.01		6		Other berries	0.2					0.5		0.5			6	
Chinese cabbage	0.2	MRL	0.2										Grape	0.2	MRL	0.2									
Cabbage	0.2	MRL	0.2										Japanese persimon	0.2	MRL	0.2									
Brussels sprouts	0.2	MRL	0.2										Banana	0.2					0.5		0.01			6	
Kale	0.2					1	2	3	0.01		6		Kiwifruit	0.2					0.5		0.01			6	
KOMATSUNA	0.2	MRL	0.2										Papaya	0.2					0.5		0.01			6	
KYONA	0.2	MRL	0.2										Avocado	0.2					1	0.5	3	0.01		6	
Qing-geng-cai	0.2						2		0.01		6		Pineapple	0.2					1	0.5	3	0.01		6	
Cauliflower	0.2	MRL	0.2										Guava	0.2					1	0.5	3	0.01		6	
Broccoli	0.2	MRL	0.2										Mango	0.2					1	0.5	3	0.01		6	
Other cruciferous vegetables	0.2					1	2	3	0.01		6		Passion fruit	0.2					0.5		0.01			6	
Burdock	0.2	MRL	0.2										Date	0.2					0.5		0.01			6	
Salsify	0.2						2		0.01		6		Other fruits	0.2					2		0.01			6	
Artichoke	0.2						2		0.01		6		Sunflower seeds												
Chicory	0.2						2		0.01		6		Sesam seeds												
Endive	0.2						2		0.01		6		Safflower seeds												
SHUNGIKU	0.2						2		0.01		6		Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)	0.2	MRL	0.2										Rapeseeds	0.05	Codex		0.05							2	
Other composite vegetables	0.2						2		0.01		6		Other oil seeds												
Onion	0.2					1	2	3	0.01		6		Ginkgo nut												
Welsh (including Leek)	0.2						2		0.01		6		Chestnut												
Garlic	0.2						2		0.01		6		Pecan	0.01	FC		0.01				0.01			5-1	
NIRA													Almond												
Asparagus	0.2	MRL	0.2				2		0.01		6		Walnut												
Multiplying Onion (including Shallot)	0.2						2		0.01		6		Other nuts												
Other liliaceous vegetables	0.2						2		0.01		6		Tea (Green, Black, Oolong, Wulong tea)	0.2	MRL*	0.2									
Carrot	0.2	Codex			0.2		2		0.01		2		Coffee beans												
Parsnip	0.2						2		0.01		6		Cacao beans												
Parsley													Hop												
Celery	0.2	MRL	0.2										Cattle, muscle	1	FC						2	0.3		5-1	
MITSUBA	0.2	MRL	0.2										Pig, muscle	1	FC						2	0.3		5-1	
Other umbelliferous vegetables	0.2						2		0.01		6		Other terrestrial mammals, muscle	1	FC						2	0.3		5-1	
Tomato	0.2	MRL	0.2										Cattle, fat	3	FC					7	2	2	0.3	2	5-1
Pimento (Sweet pepper)	0.2	MRL	0.2										Pig, fat	3	FC					7	2	2	0.3	2	5-1
Egg plant	0.2	MRL	0.2										Other terrestrial mammals, fat	3	FC					7	2	2	0.3	2	5-1
Other solanaceous vegetables	0.2					1	2	3	0.01		6														
Cucumber (including Gherkin)	0.2	MRL	0.2																						
Pumpkin (including Squash)	0.2	MRL	0.2																						
Oriental pickling melon (vegetable)	0.2	MRL	0.2																						
Water melon	0.2	MRL	0.2																						
Melons	0.2					3	2	3	0.01		6														
MAKUWAURI	0.2					3	2	3	0.01		6														
Other cucurbitaceous vegetables	0.2					2			0.01		6														
Spinach	0.2	MRL	0.2																						
Bamboo shoots	0.2	FC					2		0.01		5-1														
Okra	0.2					1	2	3			6														
Ginger	0.2								0.01		6														
Peas (with pods, immature)	0.2	MRL	0.2																						
Kidney beans (with pods, immature)	0.2	MRL	0.2										Cattle, liver	1	FC					2		0.3		5-1	
Soybeans																									

67. BIFENAZATE

	M	P	R	R	L	R	e	f	M	R	L	W	H	L	C	o	d	e	x	U	S	A	C	A	E	N	Z	T	y	p	e								
Rice (brown rice)																																							
Wheat																																							
Barley																																							
Rye																																							
Corn (including Maize, Sweet corn)																																							
Buckwheat																																							
Other cereal grains																																							
Soybeans (dry)																																							
Beans (dry)*																																							
Peas																																							
Broad beans																																							
Peanuts																																							
Other legumes/pulses																																							
Potato																																							
Taro																																							
Sweet potato																																							
Yam																																							
Konjac																																							
Other potatoes																																							
Sugar beet																																							
Sugarcane																																							
Japanese radish(including Radish)(root)																																							
Japanese radish(including Radish)(leaf)																																							
Turnip (including Rutabaga)(root)																																							
Turnip (including Rutabaga)(leaf)																																							
Horseradish																																							
Watercress																																							
Chinese cabbage																																							
Cabbage																																							
Brussels sprouts																																							
Kale																																							
KOMATSUNA																																							
KYONA																																							
Qing-geng-cai																																							
Cauliflower																																							
Broccoli																																							
Other cruciferous vegetables																																							
Burdock																																							
Salsify																																							
Artichoke																																							
Chicory																																							
Endive																																							
SHUNGIKU																																							
Lettuce (Cos lettuce, Leaf lettuce)																																							
Other composite vegetables																																							
Onion																																							
Welsh (including Leek)																																							
Garlic																																							
NIRA																																							
Asparagus																																							
Multiplying Onion (including Shallot)																																							
Other liliaceous vegetables																																							
Carrot																																							
Parsnip																																							
Parsley																																							
Celery																																							
MITSUBA																																							
Other umbelliferous vegetables																																							

69. BIOALLETHRIN

	M P R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		M P R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)	2	FC								2	5-1	Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
												Lime												
Soybeans (dry)	2	FC								2	5-1	Other citrus fruits												
Beans (dry)*	2	FC								2	5-1	Apple												
Peas	2	FC								2	5-1	Japanese pear												
Broad beans	2	FC								2	5-1	Pear												
Peanuts												Quince												
Other legumes/pulses	2	FC								2	5-1	Loquat												
Potato	2	FC								2	5-1	Peach												
Taro	2	FC								2	5-1	Nectarine												
Sweet potato	2	FC								2	5-1	Apricot												
Yam	2	FC								2	5-1	Japanese plum (including Prunes)												
Konjac	2	FC								2	5-1	Mume plum												
Other potatoes	2	FC								2	5-1	Cherry												
Sugar beet	2	FC								2	5-1	Strawberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish(including Radish)(root)	2	FC								2	5-1	Blueberry												
Japanese radish(including Radish)(leaf)	2	FC								2	5-1	Cranberry												
Turnip (including Rutabaga)(root)	2	FC								2	5-1	Huckleberry												
Turnip (including Rutabaga)(leaf)	2	FC								2	5-1	Other berries												
Horseradish	2	FC								2	5-1													
Watercress	2	FC								2	5-1	Grape												
Chinese cabbage	2	FC								2	5-1	Japanese persimon												
Cabbage	2	FC								2	5-1													
Brussels sprouts	2	FC								2	5-1	Banana												
Kale	2	FC								2	5-1	Kiwifruit												
KOMATSUNA	2	FC								2	5-1	Papaya												
KYONA	2	FC								2	5-1	Avocado												
Qing-geng-cai	2	FC								2	5-1	Pineapple												
Cauliflower	2	FC								2	5-1	Guava												
Broccoli	2	FC								2	5-1	Mango												
Other cruciferous vegetables	2	FC								2	5-1	Passion fruit												
												Date												
Burdock	2	FC								2	5-1													
Salsify	2	FC								2	5-1	Other fruits												
Artichoke	2	FC								2	5-1													
Chicory	2	FC								2	5-1	Sunflower seeds												
Endive	2	FC								2	5-1	Sesam seeds												
SHUNGIKU	2	FC								2	5-1	Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)	2	FC								2	5-1	Cotton seeds												
Other composite vegetables	2	FC								2	5-1	Rapeseeds												
												Other oil seeds												
Onion	2	FC								2	5-1													
Welsh (including Leek)	2	FC								2	5-1	Ginkgo nut												
Garlic	2	FC								2	5-1	Chestnut												
NIRA	2	FC								2	5-1	Pecan												
Asparagus	2	FC								2	5-1	Almond												
Multiplying Onion (including Shallot)	2	FC								2	5-1	Walnut												
Other liliaceous vegetables	2	FC								2	5-1	Other nuts												
Carrot	2	FC								2	5-1	Tea (Green, Black, Oolong, Wulong tea)												
Parsnip	2	FC								2	5-1	Coffee beans												
Parsley												Cacao beans												
Celery	2	FC								2	5-1	Hop												
MITSUBA																								
Other umbelliferous vegetables	2	FC								2	5-1	Cattle, muscle												
												Pig, muscle												
Tomato	2	FC								2	5-1	Other terrestrial mammals, muscle												
Pimento (Sweet pepper)	2	FC								2	5-1													
Egg plant	2	FC								2	5-1													
Other solanaceous vegetables	2	FC								2	5-1													
Cucumber (including Gherkin)	2	FC								2	5-1													
Pumpkin (including Squash)	2	FC								2	5-1													
Oriental pickling melon (vegetable)	2	FC								2	5-1													
Water melon	2	FC								2	5-1	Cattle, fat												
Melons	2	FC								2	5-1	Pig, fat												
MAKUWAURI	2	FC								2	5-1	Other terrestrial mammals, fat												
Other cucurbitaceous vegetables	2	FC								2	5-1													
Spinach	2	FC								2	5-1													
Bamboo shoots	2	FC								2	5-1													
Okra	2	FC								2	5-1													
Ginger																								
Peas (with pods, immature)	2	FC								2	5-1													
Kidney beans (with pods, immature)	2	FC								2	5-1	Cattle, liver												
Soybeans	2	FC								2	5-1	Pig, liver												
												Other terrestrial mammals, liver												

70. BIORESMETHRIN

	M	P	R	M	W	C	U	A	C	E	N	T		M	P	R	M	W	C	U	A	C	E	N	T	
	R	R	e	R	H	o	S	U	A	U	Z	y		R	R	e	R	H	o	S	U	A	C	E	N	y
	L	L	f	L	L	d								L	L	f	L	L	d							
Rice (brown rice)	1		MRL	1									UNSHU orange	0.1		MRL	0.1									
													NATSUDAIDAI (flesh)													
Wheat	1		MRL	1									NATSUDAIDAI (peel)													
Barley	1		MRL	1									NATSUDAIDAI (whole)	0.1		MRL	0.1									
Rye	1		MRL	1									Lemon	0.1		MRL	0.1									
Corn (including Maize, Sweet corn)	1		MRL	1									Orange (including Navel)	0.1		MRL	0.1									
Buckwheat	1		MRL	1									Grapefruit	0.1		MRL	0.1									
Other cereal grains	1		MRL	1									Lime	0.1		MRL	0.1									
													Other citrus fruits	0.1		MRL	0.1									
Soybeans (dry)	0.1		MRL	0.1																						
Beans (dry)*	0.1		MRL	0.1									Apple	0.1		MRL	0.1									
Peas	0.1		MRL	0.1									Japanese pear	0.1		MRL	0.1									
Broad beans	0.1		MRL	0.1									Pear	0.1		MRL	0.1									
Peanuts	0.1		MRL	0.1									Quince	0.1		MRL	0.1									
Other legumes/pulses	0.1		MRL	0.1									Loquat	0.1		MRL	0.1									
Potato	0.1		MRL	0.1									Peach	0.1		MRL	0.1									
Taro	0.1		MRL	0.1									Nectarine	0.1		MRL	0.1									
Sweet potato	0.1		MRL	0.1									Apricot	0.1		MRL	0.1									
Yam	0.1		MRL	0.1									Japanese plum (including Prunes)	0.1		MRL	0.1									
Konjac	0.1		MRL	0.1									Mume plum	0.1		MRL	0.1									
Other potatoes	0.1		MRL	0.1									Cherry	0.1		MRL	0.1									
Sugar beet	0.1		MRL	0.1									Strawberry	0.1		MRL	0.1									
Sugarcane	0.1		MRL	0.1									Raspberry	0.1		MRL	0.1									
													Blackberry	0.1		MRL	0.1									
Japanese radish(including Radish)(root)	0.1		MRL	0.1									Blueberry	0.1		MRL	0.1									
Japanese radish(including Radish)(leaf)	0.1		MRL	0.1									Cranberry	0.1		MRL	0.1									
Turnip (including Rutabaga)(root)	0.1		MRL	0.1									Huckleberry	0.1		MRL	0.1									
Turnip (including Rutabaga)(leaf)	0.1		MRL	0.1									Other berries	0.1		MRL	0.1									
Horseradish	0.1		MRL	0.1																						
Watercress	0.1		MRL	0.1									Grape	0.1		MRL	0.1									
Chinese cabbage	0.1		MRL	0.1									Japanese persimon	0.1		MRL	0.1									
Cabbage	0.1		MRL	0.1																						
Brussels sprouts	3		FC								3	5-1	Banana	0.1		MRL	0.1									
Kale	0.1		MRL	0.1									Kiwifruit	0.1		MRL	0.1									
KOMATSUNA	0.1		MRL	0.1									Papaya	0.1		MRL	0.1									
KYONA	0.1		MRL	0.1									Avocado	0.1		MRL	0.1									
Qing-geng-cai	0.1		MRL	0.1									Pineapple	0.1		MRL	0.1									
Cauliflower	0.1		MRL	0.1									Guava	0.1		MRL	0.1									
Broccoli	0.1		MRL	0.1									Mango	0.1		MRL	0.1									
Other cruciferous vegetables	0.1		MRL	0.1									Passion fruit	0.1		MRL	0.1									
													Date	0.1		MRL	0.1									
Burdock	0.1		MRL	0.1																						
Salsify	0.1		MRL	0.1									Other fruits	0.1		MRL	0.1									
Artichoke	0.1		MRL	0.1																						
Chicory	0.1		MRL	0.1									Sunflower seeds	0.1		MRL	0.1									
Endive	0.1		MRL	0.1									Sesam seeds	0.1		MRL	0.1									
SHUNGIKU	0.1		MRL	0.1									Safflower seeds	0.1		MRL	0.1									
Lettuce (Cos lettuce, Leaf lettuce)	0.1		MRL	0.1									Cotton seeds	0.1		MRL	0.1									
Other composite vegetables	0.1		MRL	0.1									Rapeseeds	0.1		MRL	0.1									
													Other oil seeds	0.1		MRL	0.1									
Onion	0.1		MRL	0.1																						
Welsh (including Leek)	0.1		MRL	0.1									Ginkgo nut	0.1		MRL	0.1									
Garlic	0.1		MRL	0.1									Chestnut	0.1		MRL	0.1									
NIRA	0.1		MRL	0.1									Pecan	0.1		MRL	0.1									
Asparagus	0.1		MRL	0.1									Almond	0.1		MRL	0.1									
Multiplying Onion (including Shallot)	0.1		MRL	0.1									Walnut	0.1		MRL	0.1									
Other liliaceous vegetables	0.1		MRL	0.1									Other nuts	0.1		MRL	0.1									
Carrot	0.1		MRL	0.1																						
Parsnip	0.1		MRL	0.1									Tea (Green, Black, Oolong, Wulong tea)	0.1		MRL	0.1									
Parsley	0.1		MRL	0.1									Coffee beans	0.1		MRL	0.1									
Celery	0.1		MRL	0.1									Cacao beans	0.1		MRL	0.1									
MIITSUBA	0.1		MRL	0.1									Hop	0.1		MRL	0.1									
Other umbelliferous vegetables	0.1		MRL	0.1																						
													Cattle, muscle	0.5												8
Tomato	0.1		MRL	0.1									Pig, muscle	0.5												8
Pimento (Sweet pepper)	0.1		MRL	0.1									Other terrestrial mammals, muscle	0.5												8
Egg plant	0.1		MRL	0.1																						
Other solanaceous vegetables	0.1		MRL	0.1																						
Cucumber (including Gherkin)	0.1		MRL	0.1																						
Pumpkin (including Squash)	0.1		MRL	0.1																						
Oriental pickling melon (vegetable)	0.1		MRL	0.1																						
Water melon	0.1		MRL	0.1																						

