

91. CARBARYL

	M P R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		M P R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)	1	MRL	1									UNSHU orange	1	MRL	1										
Wheat	2	Codex			2	3	5	2	0.5		2	NATSUDAIDAI (flesh)	1	MRL	1										
Barley	5	Codex			5	5	2	0.5			2	NATSUDAIDAI (peel)	1	MRL	1										
Rye	5	Codex			5	5	2	0.5			2	NATSUDAIDAI (whole)	7	Codex			7	10	7	10	1	3	2		
Corn (including Maize, Sweet corn)	0.1	Codex			0.1	5	5	1	0.5		3	Lemon	7	Codex			7	10	7	10	1	3	2		
Buckwheat	3	FC				5	5		0.5		5-1	Orange (including Navel)	7	Codex			7	10	7	10	1	3	2		
Other cereal grains	10	Codex			10	10	5	2	0.5		2	Grapefruit	7	Codex			7	10	7	10	1	3	2		
Soybeans (dry)	0.2	Codex			0.2	5	5				3	2	Lime	7	Codex			7	10	7	10	1	3	2	
Beans (dry)*	1	Codex			1	10	5	5			3	2	Other citrus fruits	7	Codex			7	10	7	10	1	3	2	
Peas	4	FC				5	5				3	5-1	Apple	1	MRL	1									
Broad beans	4	FC				5	5				3	5-1	Japanese pear	1	MRL	1									
Peanuts	5	FC				5					3	5-1	Pear	5	Codex			5	10	5	5	3	3	2	
Other legumes/pulses	4	FC					5	5			3	5-1	Quince	5	FC			10	5			1	3	5-1	
Potato	0.1	MRL	0.1									2	Loquat	5	FC			10	5			1	3	5-1	
Taro	3	FC					5				1	3	5-1	Peach	1	MRL	1								
Sweet potato	0.02	Codex			0.02	0.2	5				1	3	5-1	Nectarine	10	Codex		10	10	10	10	1	3	2	
Yam	3	FC				5					1	3	5-1	Apricot	10	Codex		10	10	10	10	3	3	2	
Konjac	3	FC				5					1	3	5-1	Japanese plum (including Prunes)	10	Codex		10	10	5	10	3	3	2	
Other potatoes	3	FC				5					1	3	5-1	Mume plum	2	FC									
							5				1	3	5-1	Cherry	10	Codex		10	10	5	10	1	3	2	
Sugar beet	0.1	Codex			0.1		5				1	3	2	Strawberry	7	Codex		7	10	7	7	1	3	2	
Sugarcane														Raspberry	10	Codex		10	12	10	10	1	3	2	
Japanese radish(including Radish)(root)	1	MRL	1										Blackberry	10	Codex		10	12	10	10	1	3	2		
Japanese radish(including Radish)(leaf)	1	MRL	1										Blueberry	7	Codex		7	10	7	7	1	3	2		
Turnip (including Rutabaga)(root)	1	Codex			1	5	5	5	1		3	2	Cranberry	7	Codex		7	10		10	1	3	2		
Turnip (including Rutabaga)(leaf)	10	Codex			10	12	10	10	3		3	2	Huckleberry	7	Codex			7				1	3	2	
Horseradish	4	FC				5	5	5	1		3	5-1	Other berries	7	FC			12			10	1	3	5-1	
Watercress	10	Codex			10		10	10	3		3	2	Grape	1	MRL	1									
Chinese cabbage	1	MRL	1										Japanese persimon	1	MRL	1									
Cabbage	1	MRL	1										Banana	5	Codex			5	10	5	5	1	3	2	
Brussels sprouts	1	MRL	1										Kiwifruit	10	Codex		10					1	3	2	
Kale	10	Codex			10	12	10	10	3		3	2	Papaya	4	FC				5				3	5-1	
KOMATSUNA	10	Codex			10		10				3	3	2	Avocado	5	FC				10			1	3	5-1
KYONA	10	Codex			10		10				3	3	2	Pineapple	2	FC			2				1	3	5-1
Qing-geng-cai	10	Codex			10	10	10				3	3	2	Guava	3	FC					5		1	3	5-1
Cauliflower	5	FC				10	5	5	3		3	5-1	Mango	3	FC						5		1	3	5-1
Broccoli	6	FC				10	5	5	3		3	5-1	Passion fruit	3	FC						5		1	3	5-1
Other cruciferous vegetables	10	Codex			10	12	10	10	3		3	2	Date	2	FC								0.5	3	5-1
Burdock	3	FC					5				1	3	5-1	Other fruits	30	Codex		30	12	10	10	1	3	2	
Salsify	4	FC				5	5	5	1		3	5-1	Sunflower seeds	0.2	Codex		0.2	1	1					2	
Artichoke	3	FC					5				1	3	5-1	Sesam seeds	10	Codex		10	10	10	3	3	2		
Chicory	10	Codex			10		10				1	3	2	Safflower seeds	10	Codex		10	10	10	3	3	2		
Endive	10	Codex			10	10	10	10	3		3	2	Cotton seeds	1	Codex			1	5	1				2	
SHUNGIKU	10	Codex			10		10				1	3	2	Rapeseeds	10	Codex		10	10	10	3	3	2		
Lettuce (Cos lettuce, Leaf lettuce)	10	Codex			10	10	10	10	3		3	2	Other oil seeds	5	FC			5						5-1	
Other composite vegetables	10	Codex			10	12	10	10	1		3	2	Ginkgo nut	1	Codex			1		1	10	1		2	
Onion	3	FC					5				1	3	5-1	Chestnut	1	Codex		1	1	1	10	1		2	
Welsh (including Leek)	3	FC					5				1	3	5-1	Pecan	1	Codex		1	1	1	10	1		2	
Garlic	3	FC					5				1	3	5-1	Almond	1	Codex		1	1	1	10	1		2	
NIRA	2	FC									1	3	5-1	Walnut	1	Codex		1	1	1	10	1		2	
Asparagus	15	Codex			15	10	10	10	1		3	2	Other nuts	1	Codex			1	1	1			1	2	
Multiplying Onion (including Shallot)	3	FC				5					1	3	5-1	Tea (Green, Black, Oolong, Wulong tea)	1	MRL*	1								
Other liliaceous vegetables	3	FC				5					1	3	5-1	Coffee beans											
Carrot	0.5	Codex			0.5	10	5	5	1		3	2	Cacao beans												
Parsnip	2	Codex			2	5	5	5	1		3	2	Hop												
Parsley	10	FC				12		10			5-1		Cattle, muscle	0.05	Codex		0.05	0.1	0.2				2		
Celery	5	FC				10	5	5	1		3	5-1	Pig, muscle	0.05	Codex		0.05	0.1	0.2				2		
MITSUBA	1	FC									1	5-1	Other terrestrial mammals, muscle	0.05	Codex		0.05	0.1	0.2				2		
Other umbelliferous vegetables	10	Codex			10		10				1	3	2												
Tomato	5	Codex			5	10	5	5	1		3	2	Cattle, fat	0.1	FC			0.1						5-1	
Pimento (Sweet pepper)	5	Codex			5	10	5	5	1		3	2	Pig, fat	0.1	FC			0.1						5-1	
Egg plant	1	Codex			1	10	5	5	1		3	2	Other terrestrial mammals, fat	0.1	FC			0.1						5-1	
Other solanaceous vegetables	10	Codex			10	10	10	5	1		3	2		0.1	FC			0.1						5-1	
Cucumber (including Gherkin)	3	Codex			3	10	3	3	1		3	2													
Pumpkin (including Squash)	3	Codex			3	10	3	3	3		3	2													
Oriental pickling melon (vegetable)	3	FC					3				3	5-1													
Water melon	2	FC					3				1	3	5-1	Cattle, liver	1	Codex		1	1	0.2				2	
Melons	3	Codex			3	10	3	3	1		3	2	Pig, liver	1	Codex		1	1	0.2					2	
MAKUWARI	3	Codex			3	10	3				3	2	Other terrestrial mammals, liver	1	Codex		1	1	0.2					2	
Other cucurbitaceous vegetables	10	Codex			10		10				3	2													
Spinach	1	MRL	1											0.1	FC			0.1						5-1	
Bamboo shoots	4	FC																							

92. CARBENDAZIM, BENOMYL, THIOPHANATE-METHYL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	1	WHL		1		3	0.05		0.1	0.2	3-1	UNSHU orange	3	WHL		3		6	10	10	5	5	3-1	
												NATSUDAIDAI (flesh)												
Wheat	0.6	WHL		0.6		0.1	0.05		0.1	0.2	3-1	NATSUDAIDAI (peel)												
Barley	0.6	WHL		0.6		0.1	0.05		0.1	0.2	3-1	NATSUDAIDAI (whole)	3	WHL		3		6	10	10	5	5	3-1	
Rye	0.6	WHL		0.6		0.1	0.05		0.1	0.2	3-1	Lemon	7	FC		3		6	10	10	5	5	3-2-1	
Corn (including Maize, Sweet corn)	0.6	WHL		0.6		0.1	2		0.1	0.5	3-1	Orange (including Navel)	3	WHL		3		6	10	10	5	5	3-1	
Buckwheat	0.6	WHL		0.6			0.05		0.1	0.2	3-1	Grapefruit	7	FC		3		6	10	10	5	5	3-2-1	
Other cereal grains	0.6	WHL		0.6		0.1	0.05		0.1	0.2	3-1	Lime	3	WHL		3		6	10	10	5	5	3-1	
												Other citrus fruits	3	WHL		3		6	10	10	5	5	3-1	
Soybeans (dry)	0.2	Codex		0.6	0.2	0.1	3		0.2	2	1-1	Apple	3	Codex		3	3	4	5	5	2	2	1-1	
Beans (dry)*	2	FC		0.6		1	0.5	1	2	2	3-2-1	Japanese pear	3	Codex		3	3		5	5	2	2	1-1	
Peas	0.6	WHL		0.6			3	1	0.1		3-1	Pear	3	Codex		3	3	4	5	5	2	2	1-1	
Broad beans	0.6	WHL		0.6			0.5	1	2	2	3-1	Quince	3	Codex		3	3		5					
Peanuts	0.6	WHL		0.6		0.1	0.2		0.1		3-1	Loquat	3	Codex		3	3		5					
Other legumes/pulses	0.6	WHL		0.6			3	1	2	2	3-1								5					
Potato	0.6	WHL		0.6		0.06	3		0.1		3-1	Peach	2	Codex		3	2	8	10	10		1	1-1	
Taro	0.6	WHL		0.6			3		0.1		3-1	Nectarine	2	Codex		3	2	8	10	10		0.1	1-1	
Sweet potato	0.6	WHL		0.6		0.1	3		0.1		3-1	Apricot	2	Codex		3	2	8	10	5		1	1-1	
Yam	0.6	WHL		0.6			3		0.1		3-1	Japanese plum (including Prunes)	0.5	Codex		3	0.5	8	10	5	0.5		1-1	
Konjac	0.6	WHL		0.6			3		0.1		3-1	Mume plum	3	WHL		3			10				0.1	
Other potatoes	0.6	WHL		0.6			3		0.1		3-1	Cherry	3	WHL		3		8	10	5		0.1	3-1	
Sugar beet	0.6	WHL		0.6		0.1	3		0.1		3-1	Strawberry	3	WHL		3		3	5	5	0.1		5	
Sugarcane	0.06	FC				0.06	0.1				5-1	Raspberry	3	WHL		3		4	5	6	0.1		5	
												Blackberry	3	WHL		3		4	5	6	0.1		5	
Japanese radish(including Radish)(root)	3	WHL		3			3		0.1		3-1	Blueberry	3	WHL		3		4	5		0.1		5	
Japanese radish(including Radish)(leaf)	3	WHL		3			3		0.1		3-1	Cranberry	3	WHL		3			5		0.1		5	
Turnip (including Rutabaga)(root)	3	WHL		3		0.1	3		0.1		3-1	Huckleberry	3	WHL		3			5		0.1		5	
Turnip (including Rutabaga)(leaf)	3	WHL		3			3		0.1		3-1	Other berries	3	WHL		3		4	5	6	0.1		5	
Horseradish	3	WHL		3			3		0.1		3-1													
Watercress	3	WHL		3			3		0.1		3-1	Grape	3	WHL		3		6	3	5		2	5	
Chinese cabbage	3	WHL		3		6	3		0.1		3-1	Japanese persimon	3	WHL		3								4
Cabbage	3	WHL		3		0.1	3		3		3-1													
Brussels sprouts	0.5	Codex		3	0.5	8	3		0.5		1-1	Banana	3	WHL		3		1	1				1	
Kale	3	WHL		3		0.1	3		0.1		3-1	Kiwifruit	3	WHL		3								4
KOMATSUNA	3	WHL		3			3		0.1		3-1	Papaya	3	WHL		3			20					3-1
KYONA	3	WHL		3			3		0.1		3-1	Avocado	3	WHL		3			3					0.5
Qing-geng-cai	3	WHL		3		6	3		0.1		3-1	Pineapple	7	FC		3		20		1		0.1	3-2-1	
Cauliflower	3	WHL		3		0.1	3		0.1		3-1	Guava	3	WHL		3								4
Broccoli	3	WHL		3		0.1	3		0.1		3-1	Mango	2	Codex		3	2	2	5			0.1		1-1
Other cruciferous vegetables	3	WHL		3		0.1	3		3		3-1	Passion fruit	3	WHL		3								4
												Date	3	WHL		3								4
Burdock	3	WHL		3			3		0.1		3-1													
Salsify	3	WHL		3			3		0.1		3-1	Other fruits	0.1	Codex		3	0.1		10			0.2	5	1-1
Artichoke	3	WHL		3			3		0.1		3-1													
Chicory	3	WHL		3			3		0.1		3-1	Sunflower seeds	3	WHL		3								4
Endive	3	WHL		3			3		0.1		3-1	Sesam seeds	3	WHL		3								4
SHUNGIKU	3	WHL		3			3		0.1		3-1	Safflower seeds	3	WHL		3								4
Lettuce (Cos lettuce, Leaf lettuce)	3	WHL		3			3		0.1	2	3-1	Cotton seeds	3	WHL		3								4
Other composite vegetables	3	WHL		3			3		0.1		3-1	Rapeseeds	3	WHL		3								4
												Other oil seeds	3	WHL		3						0.2		3-1
Onion	3	WHL		3		2	3		0.1		3-1													
Welsh (including Leek)	3	WHL		3		2	3		0.1		3-1	Ginkgo nut	0.1	Codex		3	0.1		0.1			0.1		1-1
Garlic	3	WHL		3		0.1	3		0.1		3-1	Chestnut	0.1	Codex		3	0.1	0.1	0.1			0.1		1-1
NIRA	3	WHL		3			3		0.1		3-1	Pecan	0.1	Codex		3	0.1	0.1	0.1			0.1		1-1
Asparagus	0.1	Codex		3	0.1		3	0.5	1	1	1-1	Almond	0.1	Codex		3	0.1	0.1	0.1			0.1		1-1
Multiplying Onion (including Shallot)	3	WHL		3			3		0.1		3-1	Walnut	0.1	Codex		3	0.1	0.1	0.1			0.1		1-1
Other liliaceous vegetables	3	WHL		3			3		0.1		3-1	Other nuts	0.1	Codex		3	0.1	0.1	0.1			0.2		1-1
Carrot	3	WHL		3		0.1	3	5	0.1		3-1	Tea (Green, Black, Oolong, Wulong tea)	10	WHL		10								4
Parsnip	3	WHL		3			3		0.1		3-1	Coffee beans	0.1	Codex			0.1							2
Parsley	3	WHL		3			3				3-1	Cacao beans												
Celery	3	WHL		3		2	3		2		3-1	Hop												
MITSUBA	3	WHL		3			3		0.1		3-1													
Other umbelliferous vegetables	3	WHL		3			3		0.1		3-1	Cattle, muscle	0.1	FC				0.06	0.2			0.1		5-1
												Pig, muscle	0.1	FC				0.06	0.2			0.1		5-1
Tomato	0.5	Codex		3	0.5	3	2	2.5	0.5	2	1-1	Other terrestrial mammals, muscle	0.1	FC				0.06	0.2			0.1		5-1
Pimento (Sweet pepper)	3	WHL		3			2		0.1	0.5	3-1													
Egg plant	3	WHL		3			2		0.5	0.5	3-1													
Other solanaceous vegetables	3	WHL		3			3		0.1	0.5	3-1													
Cucumber (including Gherkin)	3	WHL		3		0.6	2	0.5	0.5	0.5	3-1													
Pumpkin (including Squash)	3	WHL		3		0.6	2	0.5	0.5	0.5	3-1													
Oriental pickling melon (vegetable)	3	WHL																						

94. CARBOFURAN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	Codex			0.1	0.2	0.2		0.1		2	UNSHU orange	0.3	FC								0.3	5-1
Wheat	0.2	FC				0.2	0.2		0.1		5-1	NATSUDAIDAI (flesh)											
Barley	0.2	FC				0.2			0.1		5-1	NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	0.3	FC								0.3	5-1
Corn (including Maize, Sweet corn)	0.1	Codex			0.1	1	0.05		0.1		2	Lemon	0.3	FC								0.3	5-1
Buckwheat												Orange (including Navel)	0.3	FC								0.3	5-1
Other cereal grains	0.1	Codex			0.1	0.2	0.05		0.1		2	Grapefruit	0.3	FC								0.3	5-1
Soybeans (dry)	0.6	FC				1			0.1		5-1	Lime	0.3	FC								0.3	5-1
Beans (dry)*	0.2										7	Other citrus fruits	0.3	FC								0.3	5-1
Peas	0.2										7	Apple	0.3										7
Broad beans	0.2										7	Japanese pear	0.3										7
Peanuts	0.2				0.1						7	Pear	0.3										7
Other legumes/pulses	0.2										7	Quince	0.3										7
Potato	0.5				0.1	2		0.5	0.1		7	Loquat	0.3										7
Taro	0.5										7	Peach	0.3										7
Sweet potato	0.5										7	Nectarine	0.3										7
Yam	0.5										7	Apricot	0.3										7
Konjac	0.5										7	Japanese plum (including Prunes)	0.3										7
Other potatoes	0.5										7	Mume plum	0.3										7
Sugar beet	0.1	FC				0.1			0.1		5-1	Cherry	0.3										7
Sugarcane	0.1				0.1	0.1	0.1				7	Strawberry	0.3				0.5		0.4	0.1			7
Japanese radish(including Radish)(root)	0.5								0.5		7	Raspberry	0.3										7
Japanese radish(including Radish)(leaf)	0.5										7	Blackberry	0.3										7
Turnip (including Rutabaga)(root)	0.5						0.5	0.2			7	Blueberry	0.3										7
Turnip (including Rutabaga)(leaf)	0.5										7	Cranberry	0.3	FC				0.5			0.1		5-1
Horseradish	0.5										7	Huckleberry	0.3										7
Watercress	0.5										7	Other berries	0.3										7
Chinese cabbage	0.5										7	Grape	0.3	FC			0.4				0.1		5-1
Cabbage	0.5										7	Japanese persimon	0.3										7
Brussels sprouts	0.5										7	Banana	0.3			0.1	0.1	0.1			0.1		7
Kale	0.5										7	Kiwifruit	0.3										7
KOMATSUNA	0.5										7	Papaya	0.3										7
KYONA	0.5										7	Avocado	0.3										7
Qing-geng-cai	0.5										7	Pineapple	0.3										7
Cauliflower	0.5								0.2		7	Guava	0.3										7
Broccoli	0.5								0.2		7	Mango	0.3										7
Other cruciferous vegetables	0.5								0.2		7	Passion fruit	0.3										7
Burdock	0.5										7	Date	0.3										7
Salsify	0.5										7	Other fruits	0.3										7
Artichoke	0.5										7	Sunflower seeds	0.3			0.1	1	0.05			0.1		7
Chicory	0.5										7	Sesam seeds	0.3										7
Endive	0.5										7	Safflower seeds	0.3										7
SHUNGIKU	0.5										7	Cotton seeds	0.3			0.1	1	0.05			0.1		7
Lettuce (Cos lettuce, Leaf lettuce)	0.5										7	Rapeseeds	0.3			0.05							7
Other composite vegetables	0.5										7	Other oil seeds	0.3			0.1							7
Onion	0.5							0.3	0.3		7	Tea (Green, Black, Oolong, Wulong tea)	0.2	FC							0.2	5-1	
Welsh (including Leek)	0.5										7	Coffee beans	1	Codex		1	0.1						2
Garlic	0.5								0.3		7	Cacao beans											2
NIRA	0.5										7	Hop	10	FC								10	5-1
Asparagus	0.5										7	Cattle, muscle	0.05	Codex			0.05	0.05	0.05		0.1		2
Multiplying Onion (including Shallot)	0.5										7	Pig, muscle	0.05	Codex			0.05	0.05	0.05		0.1		2
Other liliaceous vegetables	0.5								0.3		7	Other terrestrial mammals, muscle	0.05	Codex			0.05	0.05	0.05		0.1		2
Carrot	0.5							0.5	0.3		7												
Parsnip	0.5									0.3	7												
Parsley	0.5										7												
Celery	0.5										7												
MITSUBA	0.5										7												
Other umbelliferous vegetables	0.5										7												
Tomato	0.5				0.1						7												
Pimento (Sweet pepper)	0.5					1		0.5	0.1		7												
Egg plant	0.5				0.1						7												
Other solanaceous vegetables	0.5					1		0.5	0.1		7												
Cucumber (including Gherkin)	0.5					0.4			0.1		7												
Pumpkin (including Squash)	0.5					0.8			0.2		7												
Oriental pickling melon (vegetable)	0.5										7												
Water melon	0.3								0.2		7	Cattle, fat	0.05	Codex			0.05	0.05			0.1		2
Melons	0.3					0.4			0.2		7	Pig, fat	0.05	Codex			0.05	0.05			0.1		2
MAKUWAURI	0.3					0.4			0.1		7	Other terrestrial mammals, fat	0.05	Codex			0.05	0.05			0.1		2
Other cucurbitaceous vegetables	0.5								0.2		7												
Spinach	0.5										7												
Bamboo shoots	0.5										7												
Okra	0.5										7												
Ginger	0.5										7												
Peas (with pods, immature)	0.5										7												
Kidney beans (with pods, immature)	0.5										7	Cattle, liver	0.05	Codex			0.05	0.05	0.05		0.1		2
Soybeans	0.5					1			0.1		7	Pig, liver	0.05	Codex			0.05	0.05	0.05		0.1		2
Button mushroom	0.5										7	Other terrestrial mammals, liver	0.05	Codex			0.05	0.05	0.05		0.1		2
SHIITAKE	0.5										7												
Other mushrooms	0.5										7												
Other vegetables	1	FC				2			0.1		5-												

101. CARTAP, BENSULTAP, THIOCYCLAM

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	WHL		0.2							4	UNSHU orange	3	WHL		3							4
Wheat	0.2	WHL		0.2							4	NATSUDAIDAI (flesh)											
Barley	0.2	WHL		0.2							4	NATSUDAIDAI (peel)											
Rye	0.2	WHL		0.2							4	NATSUDAIDAI (whole)	3	WHL		3							4
Corn (including Maize, Sweet corn)	0.2	WHL		0.2							4	Lemon	3	WHL		3							4
Buckwheat	0.2	WHL		0.2							4	Orange (including Navel)	3	WHL		3							4
Other cereal grains	0.2	WHL		0.2							4	Grapefruit	3	WHL		3							4
Soybeans (dry)												Lime	3	WHL		3							4
Beans (dry)*												Other citrus fruits	3	WHL		3							4
Peas												Apple	3	WHL		3							4
Broad beans												Japanese pear	3	WHL		3							4
Peanuts												Pear	3	WHL		3							4
Other legumes/pulses												Quince	3	WHL		3							4
Potato	0.1	WHL		0.1							4	Loquat	3	WHL		3							4
Taro	0.1	WHL		0.1							4	Peach	3	WHL		3							4
Sweet potato	0.1	WHL		0.1							4	Nectarine	3	WHL		3							4
Yam	0.1	WHL		0.1							4	Apricot	3	WHL		3							4
Konjac	0.1	WHL		0.1							4	Japanese plum (including Prunes)	3	WHL		3							4
Other potatoes	0.1	WHL		0.1							4	Mume plum	3	WHL		3							4
Sugar beet												Cherry	3	WHL		3							4
Sugarcane												Strawberry	3	WHL		3							4
Japanese radish(including Radish)(root)	3	WHL		3							4	Raspberry	3	WHL		3							4
Japanese radish(including Radish)(leaf)	3	WHL		3							4	Blackberry	3	WHL		3							4
Turnip (including Rutabaga)(root)	3	WHL		3							4	Blueberry	3	WHL		3							4
Turnip (including Rutabaga)(leaf)	3	WHL		3							4	Cranberry	3	WHL		3							4
Horseradish	3	WHL		3							4	Huckleberry	3	WHL		3							4
Watercress	3	WHL		3							4	Other berries	3	WHL		3							4
Chinese cabbage	3	WHL		3							4	Grape	3	WHL		3							4
Cabbage	3	WHL		3							4	Japanese persimon	3	WHL		3							4
Brussels sprouts	3	WHL		3							4	Banana	3	WHL		3							4
Kale	3	WHL		3							4	Kiwifruit	3	WHL		3							4
KOMATSUNA	3	WHL		3							4	Papaya	3	WHL		3							4
KYONA	3	WHL		3							4	Avocado	3	WHL		3							4
Qing-geng-cai	3	WHL		3							4	Pineapple	3	WHL		3							4
Cauliflower	3	WHL		3							4	Guava	3	WHL		3							4
Broccoli	3	WHL		3							4	Mango	3	WHL		3							4
Other cruciferous vegetables	3	WHL		3							4	Passion fruit	3	WHL		3							4
Burdock	3	WHL		3							4	Date	3	WHL		3							4
Salsify	3	WHL		3							4	Other fruits	3	WHL		3							4
Artichoke	3	WHL		3							4	Sunflower seeds	3	WHL		3							4
Chicory	3	WHL		3							4	Sesam seeds	3	WHL		3							4
Endive	3	WHL		3							4	Safflower seeds	3	WHL		3							4
SHUNGIKU	3	WHL		3							4	Cotton seeds	3	WHL		3							4
Lettuce (Cos lettuce, Leaf lettuce)	3	WHL		3							4	Rapeseeds	3	WHL		3							4
Other composite vegetables	3	WHL		3							4	Other oil seeds	3	WHL		3							4
Onion	3	WHL		3							4	Ginkgo nut	3	WHL		3							4
Welsh (including Leek)	3	WHL		3							4	Chestnut	3	WHL		3							4
Garlic	3	WHL		3							4	Pecan	3	WHL		3							4
NIRA	3	WHL		3							4	Almond	3	WHL		3							4
Asparagus	3	WHL		3							4	Walnut	3	WHL		3							4
Multiplying Onion (including Shallot)	3	WHL		3							4	Other nuts	3	WHL		3							4
Other liliaceous vegetables	3	WHL		3							4	Tea (Green, Black, Oolong, Wulong tea)	25	WHL		25							4
Carrot	3	WHL		3							4	Coffee beans											
Parsnip	3	WHL		3							4	Cacao beans											
Parsley	3	WHL		3							4	Hop	10	WHL		10							4
Celery	3	WHL		3							4	Cattle, muscle											
MITSUBA	3	WHL		3							4	Pig, muscle											
Other umbelliferous vegetables	3	WHL		3							4	Other terrestrial mammals, muscle											
Tomato	3	WHL		3							4												
Pimento (Sweet pepper)	3	WHL		3							4												
Egg plant	3	WHL		3							4												
Other solanaceous vegetables	3	WHL		3							4												
Cucamber (including Gherkin)	3	WHL		3							4	Cattle, fat											
Pumpkin (including Squash)	3	WHL		3							4	Pig, fat											
Oriental pickling melon (vegetable)	3	WHL		3							4	Other terrestrial mammals, fat											
Water melon	3	WHL		3							4												
Melons	3	WHL		3							4												
MAKUWAURI	3	WHL		3							4												
Other cucurbitaceous vegetables	3	WHL		3							4												
Spinach	3	WHL		3							4	Cattle, liver											
Bamboo shoots	3	WHL		3							4	Pig, liver											
Okra	3	WHL		3							4	Other terrestrial mammals, liver											
Ginger	3	WHL		3							4												
Peas (with pods, immature)	3	WHL		3							4												
Kidney beans (with pods, immature)	3	WHL		3							4												
Soybeans	3	WHL		3							4												
Button mushroom	3	WHL		3							4												
SHIITAKE	3	WHL		3							4												
Other mushrooms	3	WHL		3							4												
Other vegetables	3	WHL		3							4												

As total of Cartap, Bensultap and Thioyclam expressed as Cartap.

