

136. CLOFENTEZINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)													UNSHU orange	1	MRL	1								
Wheat													NATSUDAIDAI (flesh)											
Barley													NATSUDAIDAI (peel)											
Rye													NATSUDAIDAI (whole)	0.5	MRL	0.5								
Corn (including Maize, Sweet corn)	0.05	MRL	0.05										Lemon	0.5	MRL	0.5								
Buckwheat													Orange (including Navel)	0.5	MRL	0.5								
Other cereal grains													Grapefruit	0.5	MRL	0.5								
Soybeans (dry)	0.05	MRL	0.05										Lime	0.5	MRL	0.5								
Beans (dry)*	0.2	MRL	0.2										Other citrus fruits	0.5	MRL	0.5								
Peas													Apple	1	MRL	1								
Broad beans													Japanese pear	0.5	MRL	0.5								
Peanuts													Pear	0.5	MRL	0.5								
Other legumes/pulses													Quince	0.5	MRL	0.5								
Potato													Loquat	0.5	MRL	0.5								
Taro													Peach	0.2	MRL	0.2								
Sweet potato													Nectarine	0.2	MRL	0.2								
Yam													Apricot	0.2	MRL	0.2								
Konjac													Japanese plum (including Prunes)	0.2	MRL	0.2								
Other potatoes													Mume plum	0.2	MRL	0.2								
Sugar beet	0.05	MRL	0.05										Cherry	0.2	MRL	0.2								
Sugarcane													Strawberry	2	MRL	2								
Japanese radish(including Radish)(root)													Raspberry	2	MRL	2								
Japanese radish(including Radish)(leaf)													Blackberry	2	MRL	2								
Turnip (including Rutabaga)(root)													Blueberry	2	MRL	2								
Turnip (including Rutabaga)(leaf)													Cranberry	2	MRL	2								
Horseradish													Huckleberry	2	MRL	2								
Watercress													Other berries	2	MRL	2								
Chinese cabbage													Grape	1	MRL	1								
Cabbage													Japanese persimon											
Brussels sprouts													Banana	0.01	MRL	0.01								
Kale													Kiwifruit											
KOMATSUNA													Papaya											
KYONA													Avocado											
Qing-geng-cai													Pineapple											
Cauliflower													Guava											
Broccoli													Mango											
Other cruciferous vegetables													Passion fruit											
Burdock													Date											
Salsify													Other fruits	0.05	MRL	0.05								
Artichoke													Sunflower seeds											
Chicory													Sesam seeds											
Endive													Safflower seeds											
SHUNGIKU													Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)													Rapeseeds											
Other composite vegetables													Other oil seeds											
Onion													Ginkgo nut											
Welsh (including Leek)													Chestnut											
Garlic													Pecan											
NIRA													Almond	0.5	MRL	0.5								
Asparagus													Walnut	0.02	MRL	0.02								
Multiplying Onion (including Shallot)													Other nuts											
Other liliaceous vegetables													Tea (Green, Black, Oolong, Wulong tea)	20	MRL	20								
Carrot													Coffee beans											
Parsnip													Cacao beans											
Parsley													Hop	0.2	MRL	0.2								
Celery																								
MITSUBA																								
Other umbelliferous vegetables													Cattle, muscle	0.05	Codex		0.05	0.05	0.05	0.05	0.05		2	
Tomato	1	MRL	1										Pig, muscle	0.05	FC		0.05	0.05	0.05	0.05	0.05		5-1	
Pimento (Sweet pepper)	0.2	MRL	0.2										Other terrestrial mammals, muscle	0.05	FC		0.05	0.05	0.05	0.05	0.05		5-1	
Egg plant	1	MRL	1																					
Other solanaceous vegetables																								
Cucumber (including Gherkin)	1	MRL	1																					
Pumpkin (including Squash)	0.2	MRL	0.2																					
Oriental pickling melon (vegetable)																								
Water melon	0.05	MRL	0.05										Cattle, fat	0.05	FC		0.05				0.05		5-1	
Melons	0.2	MRL	0.2										Pig, fat	0.05	FC		0.05				0.05		5-1	
MAKUWAURI													Other terrestrial mammals, fat	0.05	FC		0.05				0.05		5-1	
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)													Cattle, liver	0.1	Codex		0.1	0.4			0.1		2	
Soybeans	0.04	FC						0.05	0.02		5-1		Pig, liver	0.2	FC		0.4				0.05		5-1	
Button mushroom													Other terrestrial mammals, liver	0.3	FC		0.4				0.1		5-1	
SHIITAKE																								
Other mushrooms																								
Other vegetables																								

The analysis method of Tea uses boiling-water extraction.

139. CLOPIDOL

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	FC				0.2					5-1	UNSHU orange	0.2	FC				0.2					5-1
												NATSUDAIDAI (flesh)											
Wheat	0.2	FC				0.2					5-1	NATSUDAIDAI (peel)											
Barley	0.2	FC				0.2					5-1	NATSUDAIDAI (whole)	0.2	FC				0.2					5-1
Rye	0.2	FC				0.2					5-1	Lemon	0.2	FC				0.2					5-1
Corn (including Maize, Sweet corn)	0.2	FC				0.2					5-1	Orange (including Navel)	0.2	FC				0.2					5-1
Buckwheat	0.2	FC				0.2					5-1	Grapefruit	0.2	FC				0.2					5-1
Other cereal grains	0.2	FC				0.2					5-1	Lime	0.2	FC				0.2					5-1
												Other citrus fruits	0.2	FC				0.2					5-1
Soybeans (dry)	0.2	FC				0.2					5-1												
Beans (dry)*	0.2	FC				0.2					5-1	Apple	0.2	FC				0.2					5-1
Peas	0.2	FC				0.2					5-1	Japanese pear	0.2	FC				0.2					5-1
Broad beans	0.2	FC				0.2					5-1	Pear	0.2	FC				0.2					5-1
Peanuts	0.2	FC				0.2					5-1	Quince	0.2	FC				0.2					5-1
Other legumes/pulses	0.2	FC				0.2					5-1	Loquat	0.2	FC				0.2					5-1
Potato	0.2	FC				0.2					5-1	Peach	0.2	FC				0.2					5-1
Taro	0.2	FC				0.2					5-1	Nectarine	0.2	FC				0.2					5-1
Sweet potato	0.2	FC				0.2					5-1	Apricot	0.2	FC				0.2					5-1
Yam	0.2	FC				0.2					5-1	Japanese plum (including Prunes)	0.2	FC				0.2					5-1
Konjac	0.2	FC				0.2					5-1	Mume plum	0.2	FC				0.2					5-1
Other potatoes	0.2	FC				0.2					5-1	Cherry	0.2	FC				0.2					5-1
Sugar beet	0.2	FC				0.2					5-1	Strawberry	0.2	FC				0.2					5-1
Sugarcane	0.2	FC				0.2					5-1	Raspberry	0.2	FC				0.2					5-1
												Blackberry	0.2	FC				0.2					5-1
Japanese radish (including Radish)(root)	0.2	FC				0.2					5-1	Blueberry	0.2	FC				0.2					5-1
Japanese radish (including Radish)(leaf)	0.2	FC				0.2					5-1	Cranberry	0.2	FC				0.2					5-1
Turnip (including Rutabaga)(root)	0.2	FC				0.2					5-1	Huckleberry	0.2	FC				0.2					5-1
Turnip (including Rutabaga)(leaf)	0.2	FC				0.2					5-1	Other berries	0.2	FC				0.2					5-1
Horseradish	0.2	FC				0.2					5-1												
Watercress	0.2	FC				0.2					5-1	Grape	0.2	FC				0.2					5-1
Chinese cabbage	0.2	FC				0.2					5-1	Japanese persimon	0.2	FC				0.2					5-1
Cabbage	0.2	FC				0.2					5-1												
Brussels sprouts	0.2	FC				0.2					5-1	Banana	0.2	FC				0.2					5-1
Kale	0.2	FC				0.2					5-1	Kiwifruit	0.2	FC				0.2					5-1
KOMATSUNA	0.2	FC				0.2					5-1	Papaya	0.2	FC				0.2					5-1
KYONA	0.2	FC				0.2					5-1	Avocado	0.2	FC				0.2					5-1
Qing-geng-cai	0.2	FC				0.2					5-1	Pineapple	0.2	FC				0.2					5-1
Cauliflower	0.2	FC				0.2					5-1	Guava	0.2	FC				0.2					5-1
Broccoli	0.2	FC				0.2					5-1	Mango	0.2	FC				0.2					5-1
Other cruciferous vegetables	0.2	FC				0.2					5-1	Passion fruit	0.2	FC				0.2					5-1
												Date	0.2	FC				0.2					5-1
Burdock	0.2	FC				0.2					5-1												
Salsify	0.2	FC				0.2					5-1	Other fruits	0.2	FC				0.2					5-1
Artichoke	0.2	FC				0.2					5-1												
Chicory	0.2	FC				0.2					5-1	Sunflower seeds											
Endive	0.2	FC				0.2					5-1	Sesam seeds											
SHUNGIKU	0.2	FC				0.2					5-1	Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)	0.2	FC				0.2					5-1	Cotton seeds											
Other composite vegetables	0.2	FC				0.2					5-1	Rapeseeds											
												Other oil seeds											
Onion	0.2	FC				0.2					5-1												
Welsh (including Leek)	0.2	FC				0.2					5-1	Ginkgo nut											
Garlic	0.2	FC				0.2					5-1	Chestnut											
NIRA	0.2	FC				0.2					5-1	Pecan											
Asparagus	0.2	FC				0.2					5-1	Almond											
Multiplying Onion (including Shallot)	0.2	FC				0.2					5-1	Walnut											
Other liliaceous vegetables	0.2	FC				0.2					5-1	Other nuts											
Carrot	0.2	FC				0.2					5-1	Tea (Green, Black, Oolong, Wul)											
Parsnip	0.2	FC				0.2					5-1	Coffee beans											
Parsley	0.2	FC				0.2					5-1	Cacao beans											
Celery	0.2	FC				0.2					5-1	Hop											
MITSUBA	0.2	FC				0.2					5-1												
Other umbelliferous vegetables	0.2	FC				0.2					5-1	Cattle, muscle	0.2	FC				0.2					5-1
												Pig, muscle	0.2	FC				0.2					5-1
Tomato	0.2	FC				0.2					5-1	Other terrestrial mammals, musc	0.2	FC				0.2					5-1
Pimento (Sweet pepper)	0.2	FC				0.2					5-1												
Egg plant	0.2	FC				0.2					5-1												
Other solanaceous vegetables	0.2	FC				0.2					5-1												
Cucumber (including Gherkin)	0.2	FC				0.2					5-1												
Pumpkin (including Squash)	0.2	FC				0.2					5-1												
Oriental pickling melon (vegetable)	0.2	FC				0.2					5-1												
Water melon	0.2	FC				0.2					5-1	Cattle, fat	0.2	FC									8
Melons	0.2	FC				0.2					5-1	Pig, fat	0.2	FC				0.2					5-1
MAKUWAURI	0.2	FC				0.2					5-1	Other terrestrial mammals, fat	0.2	FC									8
Other cucurbitaceous vegetables	0.2	FC				0.2					5-1												
Spinach	0.2	FC				0.2					5-1												
Bamboo shoots	0.2	FC				0.2					5-1												
Okra	0.2	FC				0.2					5-1		</										

CLOSANTEL

	PR-MRL	Ref.	MRL	PAL	Codex	US	AU	CA	EU	NZ	Type		PR-MRL	Ref.	MRL	PAL	Codex	US	AU	CA	EU	NZ	Type	
Cattle, kidney	3.0	MRL	3.0									Order Salmoniformes												
Pig, kidney												Order Anguilliformes												
Sheep, kidney	5.0	MRL	5.0									Order Perciformes												
Other terrestrial mammals, kidney	5										6	Other fish												
												Order Decapoda												
												Other Crustacea												
												Shelled molluscs												
												Other aquatic animal												
Cattle, edible offal excluding liver and kidney	1										8	Other animals												
Pig, edible offal excluding liver and kidney																								
Other terrestrial mammals, edible offal excluding liver and kidney	5	FC					5			5	5-1	Honey												
Cattle, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Other poultry, muscle																								
Chicken, fat																								
Other poultry, fat																								
Chicken, liver																								
Other poultry, liver																								
Chicken, kidney																								
Other poultry, kidney																								
Chicken, edible offal excluding liver and kidney																								
Other poultry, edible offal excluding liver and kidney																								
Chicken, eggs																								
Other poultry, eggs																								
Chicken, egg yolk																								
Other poultry, egg yolk																								

The corresponding PR-MRLs for sheep were applied to other terrestrial mammal's muscle.

