























186. DICHLORPROP

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)													UNSHU orange	3	WHL		3			0.1		0.05		3-1
													NATSUDAIDAI (flesh)											4
Wheat													NATSUDAIDAI (peel)	10	WHL		10							4
Barley													NATSUDAIDAI (whole)	3	WHL		3			0.1		0.05		3-1
Rye													Lemon	3	WHL		3			0.1		0.05		3-1
Corn (including Maize, Sweet corn)													Orange (including Navel)	3	WHL		3			0.1		0.05		3-1
Buckwheat													Grapefruit	3	WHL		3			0.1		0.05		3-1
Other cereal grains													Lime	3	WHL		3			0.1		0.05		3-1
													Other citrus fruits	3	WHL		3			0.1		0.05		3-1
Soybeans (dry)																								
Beans (dry)*													Apple	3	WHL		3							4
Peas													Japanese pear	3	WHL		3							4
Broad beans													Pear	3	WHL		3							4
Peanuts													Quince	3	WHL		3							4
Other legumes/pulses													Loquat	3	WHL		3							4
Potato													Peach	3	WHL		3							4
Taro													Nectarine	3	WHL		3							4
Sweet potato													Apricot	3	WHL		3							4
Yam													Japanese plum (including Prunes)	3	WHL		3							4
Konjac													Mume plum	3	WHL		3							4
Other potatoes													Cherry	3	WHL		3							4
Sugar beet													Strawberry	3	WHL		3							4
Sugarcane													Raspberry	3	WHL		3							4
													Blackberry	3	WHL		3							4
Japanese radish(including Radish)(root)													Blueberry	3	WHL		3							4
Japanese radish(including Radish)(leaf)													Cranberry	3	WHL		3							4
Turnip (including Rutabaga)(root)													Huckleberry	3	WHL		3							4
Turnip (including Rutabaga)(leaf)													Other berries	3	WHL		3					0.1		3-1
Horseradish																								
Watercress													Grape	3	WHL		3							4
Chinese cabbage													Japanese persimon	3	WHL		3							4
Cabbage																								
Brussels sprouts													Banana	3	WHL		3							4
Kale													Kiwifruit	3	WHL		3							4
KOMATSUNA													Papaya	3	WHL		3							4
KYONA													Avocado	3	WHL		3							4
Qing-geng-cai													Pineapple	3	WHL		3							4
Cauliflower													Guava	3	WHL		3							4
Broccoli													Mango	3	WHL		3							4
Other cruciferous vegetables													Passion fruit	3	WHL		3							4
													Date	3	WHL		3							4
Burdock													Other fruits	3	WHL		3							4
Salsify																								
Artichoke													Sunflower seeds	3	WHL		3							4
Chicory													Sesam seeds	3	WHL		3							4
Endive													Safflower seeds	3	WHL		3							4
SHUNGIKU													Cotton seeds	3	WHL		3							4
Lettuce (Cos lettuce, Leaf lettuce)													Rapeseeds	3	WHL		3							4
Other composite vegetables													Other oil seeds	3	WHL		3							4
Onion																								
Welsh (including Leek)													Ginkgo nut	3	WHL		3							4
Garlic													Chestnut	3	WHL		3							4
NIRA													Pecan	3	WHL		3							4
Asparagus													Almond	3	WHL		3							4
Multiplying Onion (including Shallot)													Walnut	3	WHL		3							4
Other liliaceous vegetables													Other nuts	3	WHL		3							4
Carrot													Tea (Green, Black, Oolong, Wulong tea)											
Parsnip													Coffee beans											
Parsley													Cacao beans											
Celery													Hop											
MITSUBA																								
Other umbelliferous vegetables													Cattle, muscle											
Tomato													Pig, muscle											
Pimento (Sweet pepper)													Other terrestrial mammals, muscle											
Egg plant																								
Other solanaceous vegetables																								
Cucumber (including Gherkin)																								
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)																								
Water melon				3							4		Cattle, fat											
Melons				3							4		Pig, fat											
MAKUWAURI				3							4		Other terrestrial mammals, fat											
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)													Cattle, liver											
Soybeans													Pig, liver											
Button mushroom													Other terrestrial mammals, liver											
SHIITAKE																								
Other mushrooms				</																				



187. DICHLORVOS, NALED

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.2	MRL	0.2										UNSHU orange	0.1	MRL	0.1								
Wheat	0.2	MRL	0.2										NATSUDAIDAI (flesh)											
Barley	0.2	MRL	0.2										NATSUDAIDAI (peel)											
Rye	0.2	MRL	0.2										NATSUDAIDAI (whole)	0.2	MRL	0.2								
Corn (including Maize, Sweet corn)	0.2	MRL	0.2										Lemon	0.2	MRL	0.2								
Buckwheat	0.2	MRL	0.2										Orange (including Navel)	0.2	MRL	0.2								
Other cereal grains	0.2	MRL	0.2										Grapefruit	0.2	MRL	0.2								
Soybeans (dry)	0.2	MRL	0.2										Lime	0.2	MRL	0.2								
Beans (dry)*	0.1	MRL	0.1										Other citrus fruits	0.2	MRL	0.2								
Peas	0.1	MRL	0.1										Apple	0.1	MRL	0.1								
Broad beans	0.1	MRL	0.1										Japanese pear	0.1	MRL	0.1								
Peanuts	0.2	MRL	0.2										Pear	0.1	MRL	0.1								
Other legumes/pulses	0.2	MRL	0.2										Quince	0.1	MRL	0.1								
Potato	0.1	MRL	0.1										Loquat	0.1	MRL	0.1								
Taro	0.1	MRL	0.1										Peach	0.1	MRL	0.1								
Sweet potato	0.1	MRL	0.1										Nectarine	0.1	MRL	0.1								
Yam	0.1	MRL	0.1										Apricot	0.1	MRL	0.1								
Konjac	0.1	MRL	0.1										Japanese plum (including Prunes)	0.1	MRL	0.1								
Other potatoes	0.1	MRL	0.1										Mume plum	0.1	MRL	0.1								
Sugar beet	0.1	MRL	0.1										Cherry	0.1	MRL	0.1								
Sugarcane	0.1	MRL	0.1										Strawberry	0.3	MRL	0.3								
Japanese radish(including Radish)(root)	0.1	MRL	0.1										Raspberry	0.1	MRL	0.1								
Japanese radish(including Radish)(leaf)	0.1	MRL	0.1										Blackberry	0.1	MRL	0.1								
Turnip (including Rutabaga)(root)	0.1	MRL	0.1										Blueberry	0.1	MRL	0.1								
Turnip (including Rutabaga)(leaf)	0.1	MRL	0.1										Cranberry	0.1	MRL	0.1								
Horseradish	0.1	MRL	0.1										Huckleberry	0.1	MRL	0.1								
Watercress	0.1	MRL	0.1										Other berries	0.1	MRL	0.1								
Chinese cabbage	0.1	MRL	0.1										Grape	0.1	MRL	0.1								
Cabbage	0.1	MRL	0.1										Japanese persimon	0.1	MRL	0.1								
Brussels sprouts	0.1	MRL	0.1										Banana	0.1	MRL	0.1								
Kale	0.1	MRL	0.1										Kiwifruit	0.1	MRL	0.1								
KOMATSUNA	0.1	MRL	0.1										Papaya	0.1	MRL	0.1								
KYONA	0.1	MRL	0.1										Avocado	0.1	MRL	0.1								
Qing-geng-cai	0.1	MRL	0.1										Pineapple	0.1	MRL	0.1								
Cauliflower	0.1	MRL	0.1										Guava	0.1	MRL	0.1								
Broccoli	0.1	MRL	0.1										Mango	0.1	MRL	0.1								
Other cruciferous vegetables	0.1	MRL	0.1										Passion fruit	0.1	MRL	0.1								
Burdock	0.1	MRL	0.1										Date	0.1	MRL	0.1								
Salsify	0.1	MRL	0.1										Other fruits	0.1	MRL	0.1								
Artichoke	0.1	MRL	0.1										Sunflower seeds	0.1	MRL	0.1								
Chicory	0.1	MRL	0.1										Sesam seeds	0.1	MRL	0.1								
Endive	0.1	MRL	0.1										Safflower seeds	0.1	MRL	0.1								
SHUNGIKU	0.1	MRL	0.1										Cotton seeds	0.1	MRL	0.1								
Lettuce (Cos lettuce, Leaf lettuce)	0.1	MRL	0.1										Rapeseeds	0.1	MRL	0.1								
Other composite vegetables	0.1	MRL	0.1										Other oil seeds	0.1	MRL	0.1								
Onion	0.1	MRL	0.1										Ginkgo nut	0.2	MRL	0.2								
Welsh (including Leek)	0.1	MRL	0.1										Chestnut	0.2	MRL	0.2								
Garlic	0.1	MRL	0.1										Pecan	0.2	MRL	0.2								
NIRA	0.1	MRL	0.1										Almond	0.2	MRL	0.2								
Asparagus	0.1	MRL	0.1										Walnut	0.2	MRL	0.2								
Multiplying Onion (including Shallot)	0.1	MRL	0.1										Other nuts	0.2	MRL	0.2								
Other liliaceous vegetables	0.1	MRL	0.1										Tea (Green, Black, Oolong, Wulong tea)	0.1	MRL	0.1								
Carrot	0.1	MRL	0.1										Coffee beans	0.2	MRL	0.2								
Parsnip	0.1	MRL	0.1										Cacao beans	0.5	MRL	0.5								
Parsley	0.1	MRL	0.1										Hop	0.1	MRL	0.1								
Celery	0.1	MRL	0.1																					
MITSUBA	0.1	MRL	0.1																					
Other umbelliferous vegetables	0.1	MRL	0.1										Cattle, muscle	0.05	Codex		0.05	0.02	0.05					2
Tomato	0.1	MRL	0.1										Pig, muscle	0.05	Codex		0.05	0.1	0.05					2
Pimento (Sweet pepper)	0.1	MRL	0.1										Other terrestrial mammals, muscle	0.05	Codex		0.05	0.02	0.05					2
Egg plant	0.1	MRL	0.1																					
Other solanaceous vegetables	0.1	MRL	0.1																					
Cucamber (including Gherkin)	0.2	MRL	0.2																					
Pumpkin (including Squash)	0.1	MRL	0.1																					
Oriental pickling melon (vegetable)	0.1	MRL	0.1																					
Water melon	0.1	MRL	0.1										Cattle, fat	0.04										8
Melons	0.1	MRL	0.1										Pig, fat	0.05										8
MAKUWAURI	0.1	MRL	0.1										Other terrestrial mammals, fat	0.04										8
Other cucurbitaceous vegetables	0.1	MRL	0.1																					
Spinach	0.1	MRL	0.1																					
Bamboo shoots	0.1	MRL	0.1																					
Okra	0.1	MRL	0.1																					
Ginger	0.1	MRL	0.1																					
Peas (with pods, immature)	0.1	MRL	0.1																					
Kidney beans (with pods, immature)	0.2	MRL	0.2										Cattle, liver	0.04	FC			0.02	0.05					5-1
Soybeans	0.1	MRL	0.1										Pig, liver	0.06	FC			0.1	0.05					5-1
Button mushroom	0.1</																							



























193. DICOFOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	3	MRL	3									
Wheat												NATSUDAIDAI (flesh)	2	MRL	2									
Barley												NATSUDAIDAI (peel)	3	MRL	3									
Rye												NATSUDAIDAI (whole)	5	Codex		3	5		5			2	3	1-1
Corn (including Maize, Sweet corn)	3	FC					5		0.02	3	5-1	Lemon	5	Codex		3	5	10	5			2	3	1-1
Buckwheat												Orange (including Navel)	5	Codex		3	5	10	5			2	3	1-1
Other cereal grains												Grapefruit	5	Codex		3	5	10	5			2	3	1-1
Soybeans (dry)	0.1	Codex			0.1		5	3	0.05	3	2	Lime	5	Codex		3	5	10	5			2	3	1-1
Beans (dry)*	0.1	Codex			0.1	5	5	3	0.02	3	2	Other citrus fruits	5	Codex		3	5		5			2	3	1-1
Peas	3	FC					5	3	0.02	3	5-1	Apple	3	MRL	3									
Broad beans	0.1	Codex			0.1		5	3	0.02	3	2	Japanese pear	3	MRL	3									
Peanuts	0.05	FC							0.05		5-1	Pear	3	MRL	3									
Other legumes/pulses	0.1	Codex			0.1		5	3	0.02	3	2	Quince	3	WHL	3		5	5	3	0.02	3	3-1		
Potato	3	FC					5		0.02	3	5-1	Loquat	3	WHL	3				5		0.02	3	3-1	
Taro	3	FC					5		0.02	3	5-1	Peach	3	MRL	3									
Sweet potato	3	FC					5		0.02	3	5-1	Nectarine	3	WHL	3		10	5	3	0.02	3	3-1		
Yam	3	FC					5		0.02	3	5-1	Apricot	3	WHL	3		10	5	3	0.02	3	3-1		
Konjac	3	FC					5		0.02	3	5-1	Japanese plum (including Prunes)	1	Codex	3	1	5	5	3	0.02	3	1-1		
Other potatoes	3	FC					5		0.02	3	5-1	Mume plum	3	WHL	3				5		0.02	3	3-1	
Sugar beet	3	FC					5		0.02	3	5-1	Cherry	3	MRL	3									
Sugarcane	3	FC					5		0.02	3	5-1	Strawberry	3	MRL	3									
Japanese radish(including Radish)(root)	2	WHL	2				5		0.02	3	3-1	Raspberry	3	WHL	3		5	5	3	0.02	3	3-1		
Japanese radish(including Radish)(leaf)	2	WHL	2				5		0.02	3	3-1	Blackberry	3	WHL	3		5	5	3	0.02	3	3-1		
Turnip (including Rutabaga)(root)	2	WHL	2				5		0.02	3	3-1	Blueberry	3	WHL	3				5		0.02	3	3-1	
Turnip (including Rutabaga)(leaf)	2	WHL	2				5		0.02	3	3-1	Cranberry	3	WHL	3				5		0.02	3	3-1	
Horseradish	2	WHL	2				5		0.02	3	3-1	Huckleberry	3	WHL	3				5		0.02	3	3-1	
Watercress	2	WHL	2				5		0.02	3	3-1	Other berries	3	WHL	3		5	5	3	0.02	3	3-1		
Chinese cabbage	2	WHL	2				5		0.02	3	3-1	Grape	3	MRL	3									
Cabbage	2	WHL	2				5		0.02	3	3-1	Japanese persimon	3	WHL	3				5		0.02	3	3-1	
Brussels sprouts	2	WHL	2				5		0.02	3	3-1	Banana	3	WHL	3				5		0.02	3	3-1	
Kale	2	WHL	2				5		0.02	3	3-1	Kiwifruit	3	WHL	3				5		0.02	3	3-1	
KOMATSUNA	2	WHL	2				5		0.02	3	3-1	Papaya	3	WHL	3				5		0.02	3	3-1	
KYONA	2	WHL	2				5		0.02	3	3-1	Avocado	3	WHL	3				5		0.02	3	3-1	
Qing-geng-cai	2	WHL	2				5		0.02	3	3-1	Pineapple	3	WHL	3				5		0.02	3	3-1	
Cauliflower	2	WHL	2				5		0.02	3	3-1	Guava	3	WHL	3				5		0.02	3	3-1	
Broccoli	2	WHL	2				5		0.02	3	3-1	Mango	3	WHL	3				5		0.02	3	3-1	
Other cruciferous vegetables	2	WHL	2				5		0.02	3	3-1	Passion fruit	3	WHL	3				5		0.02	3	3-1	
Burdock	2	WHL	2				5		0.02	3	3-1	Date	3	WHL	3				5		0.02	3	3-1	
Salsify	2	WHL	2				5		0.02	3	3-1	Other fruits	3	WHL	3		5	5	3	0.05	3	3-1		
Artichoke	2	WHL	2				5		0.02	3	3-1	Sunflower seeds	3	WHL	3									4
Chicory	2	WHL	2				5		0.02	3	3-1	Sesam seeds	3	WHL	3									4
Endive	2	WHL	2				5		0.02	3	3-1	Safflower seeds	3	WHL	3									4
SHUNGIKU	2	WHL	2				5		0.02	3	3-1	Cotton seeds	0.1	Codex	3	0.1	0.1			0.1				1-1
Lettuce (Cos lettuce, Leaf lettuce)	2	WHL	2				5		0.02	3	3-1	Rapeseeds	3	WHL	3									4
Other composite vegetables	2	WHL	2				5		0.02	3	3-1	Other oil seeds	3	WHL	3					3	0.05			3-1
Onion	2	WHL	2				5		0.02	3	3-1	Ginkgo nut	3	WHL	3									4
Welsh (including Leek)	2	WHL	2				5		0.02	3	3-1	Chestnut	3	WHL	3		5		3	0.05				3-1
Garlic	2	WHL	2				5		0.02	3	3-1	Pecan	0.01	Codex	3	0.01	5		3	0.05				1-1
NIRA	2	WHL	2				5		0.02	3	3-1	Almond	3	WHL	3				5	3	0.05			3-1
Asparagus	2	WHL	2				5		0.02	3	3-1	Walnut	0.01	Codex	3	0.01	5		3	0.05				1-1
Multiplying Onion (including Shallot)	2	WHL	2				5		0.02	3	3-1	Other nuts	3	WHL	3		5			0.05				3-1
Other liliaceous vegetables	2	WHL	2				5		0.02	3	3-1	Tea (Green, Black, Oolong, Wulong tea)	3	MRL*	3									
Carrot	2	WHL	2				5		0.02	3	3-1	Coffee beans												
Parsnip	2	WHL	2				5		0.02	3	3-1	Cacao beans												
Parsley	2	WHL	2								4	Hop	50	Codex			50	30	5			50		2
Celery	2	WHL	2				5		0.02	3	3-1	Cattle, muscle	0.3	FC						0.1	0.5			5-1
MITSUBA	2	WHL	2								4	Pig, muscle	0.08	FC						0.1	0.05			5-1
Other umbelliferous vegetables	2	WHL	2				5		0.02	3	3-1	Other terrestrial mammals, muscle	0.3	FC						0.1	0.5			5-1
Tomato	1	Codex	2		1	5	1	3	1	3	1-1													
Pimento (Sweet pepper)	1	Codex	2		1	5	5	3	0.02	3	1-1													
Egg plant	2	WHL	2				5	3	0.02	3	3-1													
Other solanaceous vegetables	1	Codex	2		1	5	5	3	0.02	3	1-1													
Cucamber (including Gherkin)	2	MRL	2																					
Pumpkin (including Squash)	1	Codex	2		1	5	5	3	0.5	3	1-1													
Oriental pickling melon (vegetable)	2	WHL	2				5		0.2	3	3-1													
Water melon	3	WHL	3				5	3	0.5	3	3-1	Cattle, fat	3	Codex	3						0.5			2
Melons	0.2	Codex	3		0.2	5	5	3	0.5	3	1-1	Pig, fat	0.08	FC										8
MAKUWAURI	0.2	Codex	3		0.2	5	5	0.2	3	1-1	Other terrestrial mammals, fat	0.5	FC								0.5			5-1
Other cucurbitaceous vegetables	2	WHL	2				5		0.5	3	3-1													
Spinach	2	WHL	2				5		0.02	3	3-1													
Bamboo shoots	2	WHL	2				5	</																









