

DIHYDROSTREPTOMYCIN / STREPTOMYCIN (as total)

	PR-MRL	Ref.	MRL	PAL	Codex	US	AU	CA	EU	NZ	Type		PR-MRL	Ref.	MRL	PAL	Codex	US	AU	CA	EU	NZ	Type
Cattle, kidney	1	MRL	1										Order Salmoniformes										
Pig, kidney	1	MRL	1										Order Anguilliformes										
Sheep, kidney	1	MRL	1										Order Perciformes										
Other terrestrial mammals, kidney	1										6		Other fish										
													Order Decapoda										
													Other Crustacea										
													Shelled molluscs										
													Other aquatic animal										
Cattle, edible offal excluding liver and	0.5	PAL		0.5(*1)		1	0.3				3-1												
Pig, edible offal excluding liver and kidney	0.5	PAL		0.5(*1)		1	0.3				3-1												
Other terrestrial mammals, edible offal excluding liver and kidney	0.6										8												
													Honey										
Cattle, milk	0.2	MRL	0.2																				
Sheep, milk	0.2	MRL	0.2																				
Goat, milk	0.2	MRL	0.2																				
Other terrestrial mammals, milk	0.2	FC				0.125 (*2)	0.2	0.25			5-1												
Chicken, muscle	0.6	MRL	0.6																				
Other poultry, muscle	0.5	FC									0.5	5-1											
Chicken, fat	0.6	MRL	0.6																				
Other poultry, fat	0.5	FC									0.5	5-1											
Chicken, liver	0.6	MRL	0.6																				
Other poultry, liver	0.5	FC									0.5	5-1											
Chicken, kidney	1	MRL	1																				
Other poultry, kidney	1	FC									1	5-1											
Chicken, edible offal excluding liver and kidney	0.07	PAL		0.07 (*1)		0.5 (*1)					3-1												
Other poultry, edible offal excluding liver and kidney	0.5										8												
Chicken, eggs	0.5	Codex			0.5						2												
Other poultry, eggs																							
Poultry(excluding Chicken), eggs yolk																							

1. Calculated as STREPTOMYCIN.
2. Calculated as DIHYDROSTREPTOMYCIN.
3. For other terrestrial mammals (muscle, fat, livers and kidneys), the PR-MRLs was harmonized with the corresponding PR-MRLs for sheep.

205. DIMETHAMETRYN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)	0.1	WHL		0.1							4	UNSHU orange													
Wheat												NATSUDAIDAI (flesh)													
Barley												NATSUDAIDAI (peel)													
Rye												NATSUDAIDAI (whole)													
Corn (including Maize, Sweet corn)												Lemon													
Buckwheat												Orange (including Navel)													
Other cereal grains												Grapefruit													
												Lime													
												Other citrus fruits													
Soybeans (dry)																									
Beans (dry)*												Apple													
Peas												Japanese pear													
Broad beans												Pear													
Peanuts												Quince													
Other legumes/pulses												Loquat													
Potato												Peach													
Taro												Nectarine													
Sweet potato												Apricot													
Yam												Japanese plum (including Prunes)													
Konjac												Mume plum													
Other potatoes												Cherry													
Sugar beet												Strawberry													
Sugarcane												Raspberry													
												Blackberry													
Japanese radish(including Radish)(root)												Blueberry													
Japanese radish(including Radish)(leaf)												Cranberry													
Turnip (including Rutabaga)(root)												Huckleberry													
Turnip (including Rutabaga)(leaf)												Other berries													
Horseradish																									
Watercress												Grape													
Chinese cabbage												Japanese persimon													
Cabbage																									
Brussels sprouts												Banana													
Kale												Kiwifruit													
KOMATSUNA												Papaya													
KYONA												Avocado													
Qing-geng-cai												Pineapple													
Cauliflower												Guava													
Broccoli												Mango													
Other cruciferous vegetables												Passion fruit													
												Date													
Burdock												Other fruits													
Salsify																									
Artichoke												Sunflower seeds													
Chicory												Sesam seeds													
Endive												Safflower seeds													
SHUNGIKU												Cotton seeds													
Lettuce (Cos lettuce, Leaf lettuce)												Rapeseeds													
Other composite vegetables												Other oil seeds													
Onion																									
Welsh (including Leek)												Ginkgo nut													
Garlic												Chestnut													
NIRA												Pecan													
Asparagus												Almond													
Multiplying Onion (including Shallot)												Walnut													
Other liliaceous vegetables												Other nuts													
Carrot												Tea (Green, Black, Oolong, Wulong tea)													
Parsnip												Coffee beans													
Parsley												Cacao beans													
Celery												Hop													
MITSUBA																									
Other umbelliferous vegetables												Cattle, muscle													
												Pig, muscle													
Tomato												Other terrestrial mammals, muscle													
Pimento (Sweet pepper)																									
Egg plant																									
Other solanaceous vegetables																									
Cucumber (including Gherkin)																									
Pumpkin (including Squash)																									
Oriental pickling melon (vegetable)																									
Water melon												Cattle, fat													
Melons												Pig, fat													
MAKUWAURI												Other terrestrial mammals, fat													
Other cucurbitaceous vegetables																									
Spinach																									
Bamboo shoots																									
Okra																									
Ginger																									
Peas (with pods, immature)																									
Kidney beans (with pods, immature)												Cattle, liver													
Soybeans												Pig, liver													
												Other terrestrial mammals, liver													
Button mushroom																									
SHIITAKE			</																						

208. DIMETHIRIMOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)												UNSHU orange	0.1	WHL		0.1								4	
Wheat												NATSUDAIDAI (flesh)													
Barley												NATSUDAIDAI (peel)													
Rye												NATSUDAIDAI (whole)	0.1	WHL		0.1								4	
Corn (including Maize, Sweet corn)												Lemon	0.1	WHL		0.1								4	
Buckwheat												Orange (including Navel)	0.1	WHL		0.1								4	
Other cereal grains												Grapefruit	0.1	WHL		0.1								4	
Soybeans (dry)												Lime	0.1	WHL		0.1								4	
Beans (dry)*												Other citrus fruits	0.1	WHL		0.1								4	
Peas												Apple	0.1	WHL		0.1								4	
Broad beans												Japanese pear	0.1	WHL		0.1								4	
Peanuts												Pear	0.1	WHL		0.1								4	
Other legumes/pulses												Quince	0.1	WHL		0.1								4	
Potato												Loquat	0.1	WHL		0.1								4	
Taro												Peach	0.1	WHL		0.1								4	
Sweet potato												Nectarine	0.1	WHL		0.1								4	
Yam												Apricot	0.1	WHL		0.1								4	
Konjac												Japanese plum (including Prunes)	0.1	WHL		0.1								4	
Other potatoes												Mume plum	0.1	WHL		0.1								4	
Sugar beet												Cherry	0.1	WHL		0.1								4	
Sugarcane												Strawberry	0.1	WHL		0.1								4	
Japanese radish(including Radish)(root)	0.2	WHL		0.2							4	Raspberry	0.1	WHL		0.1								4	
Japanese radish(including Radish)(leaf)	0.2	WHL		0.2							4	Blackberry	0.1	WHL		0.1								4	
Turnip (including Rutabaga)(root)	0.2	WHL		0.2							4	Blueberry	0.1	WHL		0.1								4	
Turnip (including Rutabaga)(leaf)	0.2	WHL		0.2							4	Cranberry	0.1	WHL		0.1								4	
Horseradish	0.2	WHL		0.2							4	Huckleberry	0.1	WHL		0.1								4	
Watercress	0.2	WHL		0.2							4	Other berries	0.1	WHL		0.1								4	
Chinese cabbage	0.2	WHL		0.2							4	Grape	0.1	WHL		0.1								4	
Cabbage	0.2	WHL		0.2							4	Japanese persimon	0.1	WHL		0.1								4	
Brussels sprouts	0.2	WHL		0.2							4	Banana	0.1	WHL		0.1								4	
Kale	0.2	WHL		0.2							4	Kiwifruit	0.1	WHL		0.1								4	
KOMATSUNA	0.2	WHL		0.2							4	Papaya	0.1	WHL		0.1								4	
KYONA	0.2	WHL		0.2							4	Avocado	0.1	WHL		0.1									4
Qing-geng-cai	0.2	WHL		0.2							4	Pineapple	0.1	WHL		0.1								4	
Cauliflower	0.2	WHL		0.2							4	Guava	0.1	WHL		0.1								4	
Broccoli	0.2	WHL		0.2							4	Mango	0.1	WHL		0.1								4	
Other cruciferous vegetables	0.2	WHL		0.2							4	Passion fruit	0.1	WHL		0.1								4	
Burdock	0.2	WHL		0.2							4	Date	0.1	WHL		0.1								4	
Salsify	0.2	WHL		0.2							4	Other fruits	0.1	WHL		0.1								4	
Artichoke	0.2	WHL		0.2							4	Sunflower seeds	0.1	WHL		0.1								4	
Chicory	0.2	WHL		0.2							4	Sesam seeds	0.1	WHL		0.1								4	
Endive	0.2	WHL		0.2							4	Safflower seeds	0.1	WHL		0.1								4	
SHUNGIKU	0.2	WHL		0.2							4	Cotton seeds	0.1	WHL		0.1								4	
Lettuce (Cos lettuce, Leaf lettuce)	0.2	WHL		0.2							4	Rapeseeds	0.1	WHL		0.1								4	
Other composite vegetables	0.2	WHL		0.2							4	Other oil seeds	0.1	WHL		0.1								4	
Onion	0.2	WHL		0.2							4	Ginkgo nut	0.1	WHL		0.1								4	
Welsh (including Leek)	0.2	WHL		0.2							4	Chestnut	0.1	WHL		0.1								4	
Garlic	0.2	WHL		0.2							4	Pecan	0.1	WHL		0.1								4	
NIRA	0.2	WHL		0.2							4	Almond	0.1	WHL		0.1								4	
Asparagus	0.2	WHL		0.2							4	Walnut	0.1	WHL		0.1								4	
Multiplying Onion (including Shallot)	0.2	WHL		0.2							4	Other nuts	0.1	WHL		0.1								4	
Other liliaceous vegetables	0.2	WHL		0.2							4	Tea (Green, Black, Oolong, Wulong tea)													
Carrot	0.2	WHL		0.2							4	Coffee beans													
Parsnip	0.2	WHL		0.2							4	Cacao beans													
Parsley	0.2	WHL		0.2							4	Hop													
Celery	0.2	WHL		0.2							4	Cattle, muscle													
MITSUBA	0.2	WHL		0.2							4	Pig, muscle													
Other umbelliferous vegetables	0.2	WHL		0.2							4	Other terrestrial mammals, muscle													
Tomato	0.2	WHL		0.2							4														
Pimento (Sweet pepper)	0.2	WHL		0.2							4														
Egg plant	0.2	WHL		0.2							4														
Other solanaceous vegetables	0.2	WHL		0.2							4														
Cucamber (including Gherkin)	0.2	WHL		0.2							1														
Pumpkin (including Squash)	0.2	WHL		0.2							1														
Oriental pickling melon (vegetable)	0.2	WHL		0.2							1														
Water melon	0.1	WHL		0.1							1														
Melons	0.1	WHL		0.1							1														
MAKUWAURI	0.1	WHL		0.1							1														
Other cucurbitaceous vegetables	0.2	WHL		0.2							1														
Spinach	0.2	WHL		0.2							4														
Bamboo shoots	0.2	WHL		0.2							4														
Okra	0.2	WHL		0.2							4														
Ginger	0.2	WHL		0.2							4														
Peas (with pods, immature)	0.2	WHL		0.2							4														
Kidney beans (with pods, immature)	0.2	WHL		0.2							4														
Soybeans	0.2	WHL		0.2							4														
Button mushroom	0.2	WHL		0.2																					

