









243. ETHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange	5: Codex			0.3	5	2	1	2	2		1-1
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	5: Codex			0.3	5	2	1	2	2		1-1
Corn (including Maize, Sweet corn)												Lemon	5: Codex			0.3	5	2	1	2	2		1-1
Buckwheat												Orange (including Navel)	5: Codex			0.3	5	2	1	2	2		1-1
Other cereal grains												Grapefruit	5: Codex			0.3	5	2	1	2	2		1-1
Soybeans (dry)												Lime	5: Codex			0.3	5	2	1	2	2		1-1
Beans (dry)*	1	FC										Other citrus fruits	5: Codex			0.3	5	2	1	2	2		1-1
Peas								1		5-1		Apple	0.3: WHL			0.3			1	2	0.5		3-1
Broad beans	1	FC								5-1		Japanese pear	0.3: WHL			0.3			1	2	0.5		3-1
Peanuts												Pear	0.3: WHL			0.3			1	2	0.5		3-1
Other legumes/pulses	1	FC						1		5-1		Quince	0.3: WHL			0.3			1		0.5		3-1
Potato												Loquat	0.3: WHL			0.3			1		0.5		3-1
Taro	0.1	FC							0.1	5-1		Peach	0.3: WHL			0.3			1	1	0.5		3-1
Sweet potato	0.1	FC							0.1	5-1		Nectarine	0.3: WHL			0.3			1	1	0.5		3-1
Yam	0.1	FC							0.1	5-1		Apricot	0.3: WHL			0.3			1		0.5		3-1
Konjac	0.1	FC							0.1	5-1		Japanese plum (including Prunes)	0.3: WHL			0.3			1	1	0.5		3-1
Other potatoes	0.1	FC							0.1	5-1		Mume plum	0.3: WHL			0.3			1		0.5		3-1
Sugar beet	0.1	FC							0.1	5-1		Cherry	0.3: WHL			0.3			1		0.5		3-1
Sugarcane												Strawberry	0.3: WHL			0.3				1	0.1		3-1
Japanese radish(including Radish)(root)	0.3	WHL		0.3					0.1	3-1		Raspberry	0.3: WHL			0.3					0.1		3-1
Japanese radish(including Radish)(leaf)	0.3	WHL		0.3					0.1	3-1		Blackberry	0.3: WHL			0.3					0.1		3-1
Turnip (including Rutabaga)(root)	0.3	WHL		0.3					0.1	3-1		Blueberry	0.3: WHL			0.3					0.1		3-1
Turnip (including Rutabaga)(leaf)	0.3	WHL		0.3					0.1	3-1		Cranberry	0.3: WHL			0.3					0.1		3-1
Horseradish	0.3	WHL		0.3					0.1	3-1		Huckleberry	0.3: WHL			0.3					0.1		3-1
Watercress	0.3	WHL		0.3					0.1	3-1		Other berries	0.3: WHL			0.3					0.1		3-1
Chinese cabbage	0.3	WHL		0.3					0.1	3-1		Grape	0.3: WHL			0.3			2	2	0.5		3-1
Cabbage	0.3	WHL		0.3					0.1	3-1		Japanese persimon	0.3: WHL			0.3					0.1		3-1
Brussels sprouts	0.3	WHL		0.3					0.1	3-1		Banana	0.3: WHL			0.3					0.1		3-1
Kale	0.3	WHL		0.3					0.1	3-1		Kiwifruit	0.3: WHL			0.3					0.1		3-1
KOMATSUNA	0.3	WHL		0.3					0.1	3-1		Papaya	0.3: WHL			0.3							4
KYONA	0.3	WHL		0.3					0.1	3-1		Avocado	0.3: WHL			0.3						0.1	3-1
Qing-geng-cai	0.3	WHL		0.3					0.1	3-1		Pineapple	0.3: WHL			0.3					0.1		3-1
Cauliflower	0.3	WHL		0.3					0.1	3-1		Guava	0.3: WHL			0.3					0.1		3-1
Broccoli	0.3	WHL		0.3					0.1	4		Mango	0.3: WHL			0.3					0.1		3-1
Other cruciferous vegetables	0.3	WHL		0.3					0.1	3-1		Passion fruit	0.3: WHL			0.3					0.1		3-1
Burdock	0.3	WHL		0.3					0.1	3-1		Date	0.3: WHL			0.3							4
Salsify	0.3	WHL		0.3					0.1	3-1		Other fruits	0.3: WHL			0.3					0.5		3-1
Artichoke	0.3	WHL		0.3					0.1	3-1		Sunflower seeds	0.3: WHL			0.3							4
Chicory	0.3	WHL		0.3					0.1	3-1		Sesam seeds	0.3: WHL			0.3							4
Endive	0.3	WHL		0.3					0.1	3-1		Safflower seeds	0.3: WHL			0.3							4
SHUNGIKU	0.3	WHL		0.3					0.1	3-1		Cotton seeds	0.3: WHL			0.3			0.1				3-1
Lettuce (Cos lettuce, Leaf lettuce)	0.3	WHL		0.3					0.1	3-1		Rapeseeds	0.3: WHL			0.3							4
Other composite vegetables	0.3	WHL		0.3					0.5	3-1		Other oil seeds	0.3: WHL			0.3							4
Onion	0.3	WHL		0.3					0.1	3-1		Ginkgo nut	0.3: WHL			0.3					0.1		3-1
Welsh (including Leek)	0.3	WHL		0.3					0.1	3-1		Chestnut	0.3: WHL			0.3					0.1		3-1
Garlic	0.3	WHL		0.3					0.1	3-1		Pecan	0.3: WHL			0.3					0.1		3-1
NIRA	0.3	WHL		0.3					0.1	3-1		Almond	0.3: WHL			0.3					0.1		3-1
Asparagus	0.3	WHL		0.3					0.1	3-1		Walnut	0.3: WHL			0.3					0.1		3-1
Multiplying Onion (including Shallot)	0.3	WHL		0.3					0.1	3-1		Other nuts	0.3: WHL			0.3					0.1		3-1
Other liliaceous vegetables	0.3	WHL		0.3					0.1	3-1		Tea (Green, Black, Oolong, Wulong tea)	0.3: WHL			0.3			5		2		3-1
Carrot	0.3	WHL		0.3					0.1	3-1		Coffee beans											
Parsnip	0.3	WHL		0.3					0.1	3-1		Cacao beans											
Parsley	0.3	WHL		0.3					0.1	4		Hop											
Celery	0.3	WHL		0.3					0.1	3-1		Cattle, muscle	3: FC						2.5		2.5		5-1
MITSUBA	0.3	WHL		0.3					0.1	3-1		Pig, muscle	0.2: FC						0.2				5-1
Other umbelliferous vegetables	0.3	WHL		0.3					0.1	3-1		Other terrestrial mammals, muscle	0.2: FC						0.2				5-1
Tomato	0.3	WHL		0.3					0.1	3-1													
Pimento (Sweet pepper)	0.3	WHL		0.3					0.1	3-1													
Egg plant	0.3	WHL		0.3					0.1	3-1													
Other solanaceous vegetables	0.3	WHL		0.3					0.1	3-1													
Cucumber (including Gherkin)	0.3	WHL		0.3					0.1	3-1													
Pumpkin (including Squash)	0.3	WHL		0.3					0.1	4													
Oriental pickling melon (vegetable)	0.3	WHL		0.3					0.1	4													
Water melon	0.3	WHL		0.3					0.1	3-1		Cattle, fat	3: FC					2.5	2.5	2.5			5-1
Melons	0.3	WHL		0.3					0.1	3-1		Pig, fat	3: FC					2.5					5-1
MAKUWAURI	0.3	WHL		0.3					0.1	4		Other terrestrial mammals, fat	0.2: FC					0.2					5-1
Other cucurbitaceous vegetables	0.3	WHL		0.3					0.1	4													
Spinach	0.3	WHL		0.3					0.1	3-1													
Bamboo shoots	0.3	WHL		0.3					0.1	4													
Okra	0.3	WHL		0.3					0.1	4													
Ginger	0.3	WHL		0.3					0.1	3-1													
Peas (with pods, immature)	0.3																						















247. ETHOXYQUIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)												Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
												Lime												
Soybeans (dry)												Other citrus fruits												
Beans (dry)*												Apple	3	MRL	3									
Peas												Japanese pear	3	MRL	3									
Broad beans												Pear	3	MRL	3									
Peanuts												Quince	3	MRL	3									
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
Japanese radish(including Radish)(root)												Blackberry												
Japanese radish(including Radish)(leaf)												Blueberry												
Turnip (including Rutabaga)(root)												Cranberry												
Turnip (including Rutabaga)(leaf)												Huckleberry												
Horseradish												Other berries												
Watercress												Grape												
Chinese cabbage												Japanese persimon												
Cabbage												Banana												
Brussels sprouts												Kiwifruit												
Kale												Papaya												
KOMATSUNA												Avocado												
KYONA												Pineapple												
Qing-geng-cai												Guava												
Cauliflower												Mango												
Broccoli												Passion fruit												
Other cruciferous vegetables												Date												
Burdock												Other fruits												
Salsify												Sunflower seeds												
Artichoke												Sesam seeds												
Chicory												Safflower seeds												
Endive												Cotton seeds												
SHUNGIKU												Rapeseeds												
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds												
Other composite vegetables												Ginkgo nut												
Onion												Chestnut												
Welsh (including Leek)												Pecan												
Garlic												Almond												
NIRA												Walnut												
Asparagus												Other nuts												
Multiplying Onion (including Shallot)												Tea (Green, Black, Oolong, Wulong tea)												
Other liliaceous vegetables												Coffee beans												
Carrot												Cacao beans												
Parsnip												Hop												
Parsley												Cattle, muscle	0.5	FC				0.5		0.5				5-1
Celery												Pig, muscle	0.01	WHL	0.01			0.5		0.5				3-1
MITSUBA												Other terrestrial mammals, muscle	0.5	FC				0.5		0.5				5-1
Other umbelliferous vegetables																								
Tomato																								
Pimento (Sweet pepper)																								
Egg plant																								
Other solanaceous vegetables																								
Cucamber (including Gherkin)																								
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)																								
Water melon												Cattle, fat	5	FC				5						5-1
Melons												Pig, fat	0.3	WHL	0.29			5						3-1
MAKUWAURI												Other terrestrial mammals, fat	5	FC				5						5-1
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)												Cattle, liver	0.5											8
Soybeans												Pig, liver	0.3	WHL	0.29									4
												Other terrestrial mammals, liver	0.5											8
Button mushroom																								
SHIITAKE																								
Other mushrooms																								
Other vegetables																								

# "WHL" shows the residues data under the Feed Additives Safety Control Law.

WHLs were calculated based on residue data in a case where the substance is added to feed at levels of less than 150 ppm, an normal concentration of use.















251. ETOFENPROX

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.5	MRL	0.5										UNSHU orange	2	MRL	2								
													NATSUDAIDAI (flesh)											
Wheat	0.5	MRL	0.5										NATSUDAIDAI (peel)											
Barley	0.5	MRL	0.5										NATSUDAIDAI (whole)	5	MRL	5								
Rye	0.5	MRL	0.5										Lemon	5	MRL	5								
Corn (including Maize, Sweet corn)	0.5	MRL	0.5										Orange (including Navel)	5	MRL	5								
Buckwheat	0.5	WHL		0.5							4		Grapefruit	5	MRL	5								
Other cereal grains	0.5	WHL		0.5							4		Lime	5	MRL	5								
													Other citrus fruits	5	MRL	5								
Soybeans (dry)	0.2	MRL	0.2																					
Beans (dry)*	0.2	MRL	0.2										Apple	2	MRL	2								
Peas	0.1	WHL		0.1							4		Japanese pear	2	MRL	2								
Broad beans	0.1	WHL		0.1							4		Pear	2	MRL	2								
Peanuts	0.1	WHL		0.1							4		Quince	1	Codex		2	1						1-1
Other legumes/pulses	0.1	WHL		0.1							4		Loquat	1	Codex		0.2	1						1-1
Potato	0.1	MRL	0.1										Peach	2	MRL	2								
Taro	0.1	MRL	0.1										Nectarine	2	WHL		2							4
Sweet potato	0.1	MRL	0.1										Apricot											
Yam	0.1	MRL	0.1										Japanese plum (including Prunes)											
Konjac	0.1	WHL		0.1							4		Mume plum											
Other potatoes	0.1	WHL		0.1							4		Cherry											
Sugar beet	0.5	MRL	0.5										Strawberry											
Sugarcane	0.1	MRL	0.1										Raspberry											
													Blackberry											
Japanese radish(including Radish)(root)	2	MRL	2										Blueberry											
Japanese radish(including Radish)(leaf)	10	MRL	10										Cranberry											
Turnip (including Rutabaga)(root)	2	MRL	2										Huckleberry											
Turnip (including Rutabaga)(leaf)	10	MRL	10										Other berries											
Horseradish	0.5	WHL		0.5							4													
Watercress	2	WHL		2							4		Grape											
Chinese cabbage	5	MRL	5										Japanese persimon	2	MRL	2								
Cabbage	2	MRL	2																					
Brussels sprouts	2	MRL	2										Banana	2	WHL		2							4
Kale	2	WHL		2							4		Kiwifruit	0.2	WHL		0.2							4
KOMATSUNA	2	WHL		2							4		Papaya	2	WHL		2							4
KYONA	2	WHL		2							4		Avocado	2	WHL		2							4
Qing-geng-cai	2	WHL		2							4		Pineapple	2	WHL		2							4
Cauliflower	2	WHL		2							4		Guava	2	WHL		2							4
Broccoli	2	WHL		2							4		Mango	2	WHL		2							4
Other cruciferous vegetables	2	WHL		2							4		Passion fruit	2	WHL		2							4
													Date											
Burdock	0.5	WHL		0.5							4		Other fruits											
Salsify	0.5	WHL		0.5							4													
Artichoke	2	WHL		2							4		Sunflower seeds											
Chicory	2	WHL		2							4		Sesam seeds											
Endive	2	WHL		2							4		Safflower seeds											
SHUNGIKU	2	WHL		2							4		Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)	2	MRL	2										Rapeseeds											
Other composite vegetables	2	MRL	2										Other oil seeds											
Onion																								
Welsh (including Leek)	2	MRL	2										Ginkgo nut	0.1	WHL		0.1							4
Garlic													Chestnut	2	MRL	2								
NIRA	2	WHL		2							4		Pecan	0.1	WHL		0.1							4
Asparagus	2	WHL		2							4		Almond	0.1	WHL		0.1							4
Multiplying Onion (including Shallot)	2	MRL	2										Walnut	0.1	WHL		0.1							4
Other liliaceous vegetables	2	WHL		2							4		Other nuts	0.1	WHL		0.1							4
Carrot	0.5	WHL		0.5							4		Tea (Green, Black, Oolong, Wulong tea)	10	MRL	10								
Parsnip	0.5	WHL		0.5							4		Coffee beans											
Parsley	2	WHL		2							4		Cacao beans											
Celery	2	WHL		2							4		Hop											
MITSUBA	2	WHL		2							4													
Other umbelliferous vegetables	2	WHL		2							4		Cattle, muscle											
													Pig, muscle											
Tomato	2	MRL	2										Other terrestrial mammals, muscle											
Pimento (Sweet pepper)	5	WHL		5							4													
Egg plant	2	MRL	2																					
Other solanaceous vegetables	5	WHL		5							4													
Cucumber (including Gherkin)	2	MRL	2																					
Pumpkin (including Squash)	2	WHL		2							4													
Oriental pickling melon (vegetable)	2	WHL		2							4													
Water melon	2	MRL	2										Cattle, fat											
Melons	2	MRL	2										Pig, fat											
MAKUWAURI	2	MRL	2										Other terrestrial mammals, fat											
Other cucurbitaceous vegetables	2	WHL		2							4													
Spinach	2	WHL		2							4													
Bamboo shoots	0.5	WHL		0.5							4													
Okra	5	WHL		5							4													
Ginger	2	MRL	2																					
Peas (with pods, immature)	2	MRL	2																					
Kidney beans (with pods, immature)	5	WHL		5							4													

















