

324. FURILAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)												UNSHU orange													
Wheat												NATSUDAIDAI (flesh)													
Barley												NATSUDAIDAI (peel)													
Rye												NATSUDAIDAI (whole)													
Corn (including Maize, Sweet corn)	0.01	FC				0.01					5-1	Lemon													
Buckwheat												Orange (including Navel)													
Other cereal grains												Grapefruit													
												Lime													
												Other citrus fruits													
Soybeans (dry)																									
Beans (dry)*												Apple													
Peas												Japanese pear													
Broad beans												Pear													
Peanuts												Quince													
Other legumes/pulses												Loquat													
Potato												Peach													
Taro												Nectarine													
Sweet potato												Apricot													
Yam												Japanese plum (including Prunes)													
Konjac												Mume plum													
Other potatoes												Cherry													
Sugar beet																									
Sugarcane												Strawberry													
												Raspberry													
												Blackberry													
Japanese radish(including Radish)(root)												Blueberry													
Japanese radish(including Radish)(leaf)												Cranberry													
Turnip (including Rutabaga)(root)												Huckleberry													
Turnip (including Rutabaga)(leaf)												Other berries													
Horseradish																									
Watercress												Grape													
Chinese cabbage												Japanese persimon													
Cabbage																									
Brussels sprouts																									
Kale												Banana													
KOMATSUNA												Kiwifruit													
KYONA												Papaya													
Qing-geng-cai												Avocado													
Cauliflower												Pineapple													
Broccoli												Guava													
Other cruciferous vegetables												Mango													
												Passion fruit													
												Date													
Burdock																									
Salsify												Other fruits													
Artichoke																									
Chicory												Sunflower seeds													
Endive												Sesam seeds													
SHUNGIKU												Safflower seeds													
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds													
Other composite vegetables												Rapeseeds													
												Other oil seeds													
Onion																									
Welsh (including Leek)												Ginkgo nut													
Garlic												Chestnut													
NIRA												Pecan													
Asparagus												Almond													
Multiplying Onion (including Shallot)												Walnut													
Other liliaceous vegetables												Other nuts													
Carrot																									
Parsnip												Tea (Green, Black, Oolong, Wulong tea)													
Parsley												Coffee beans													
Celery												Cacao beans													
MITSUBA												Hop													
Other umbelliferous vegetables																									
Tomato												Cattle, muscle													
Pimento (Sweet pepper)												Pig, muscle													
Egg plant												Other terrestrial mammals, muscle													
Other solanaceous vegetables																									
Cucumber (including Gherkin)																									
Pumpkin (including Squash)																									
Oriental pickling melon (vegetable)																									
Water melon												Cattle, fat													
Melons												Pig, fat													
MAKUWAURI												Other terrestrial mammals, fat													
Other cucurbitaceous vegetables																									
Spinach																									
Bamboo shoots																									
Okra																									
Ginger																									
Peas (with pods, immature)																									
Kidney beans (with pods, immature)												Cattle, liver													
Soybeans												Pig, liver													
Button mushroom																									

GENTAMICIN

	PR-MRL	Ref.	MRL	PAL	Codex	US	AU	CA	EU	NZ	Type		PR-MRL	Ref.	MRL	PAL	Codex	US	AU	CA	EU	NZ	Type	
Cattle, kidney		5 MRL	5																					Order Salmoniformes
Pig, kidney		5 MRL	5																					Order Anguilliformes
Other terrestrial mammals, kidney																								Order Perciformes
																								Other fish
																								Order Decapoda
																								Other Crustacea
																								Shelled molluscs
																								Other aquatic animal
Cattle, edible offal excluding liver and	0.05	PAL		0.05								4												Other animals
Pig, edible offal excluding liver and kid	0.05	PAL		0.05								4												Other animals
Other terrestrial mammals, edible offal exclud																								Honey
Cattle, milk	0.2	MRL	0.2																					
Sheep, milk	0.2	MRL	0.2																					
Goat, milk	0.2	MRL	0.2																					
Other terrestrial mammals, milk	0.2											6												
Chicken, muscle	0.1	FC				0.1						5-1												
Other poultry, muscle	0.1	FC				0.1		0.1				5-1												
Chicken, fat	0.1	FC				0.1						5-1												
Other poultry, fat	0.1	FC				0.1		0.1				5-1												
Chicken, liver	0.1	FC				0.1						5-1												
Other poultry, liver	0.1	FC				0.1		0.1				5-1												
Chicken, kidney	0.1	FC				0.1						5-1												
Other poultry, kidney	0.1	FC				0.1		0.1				5-1												
Chicken, edible offal excluding liver and	0.1	FC				0.1						5-1												
Other poultry, edible offal excluding liv	0.1	FC				0.1		0.1				5-1												
Chicken, eggs																								
Other poultry, eggs																								
Chicken, egg yolk																								
Other poultry, egg yolk																								

For other terrestrial mammal's milk, the PR-MRL was harmonized with the corresponding PR-MRLs for sheep and goat.

326. GIBBERELLIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)													UNSHU orange	0.2	WHL		0.2							4
Wheat													NATSUDAIDAI (flesh)											
Barley													NATSUDAIDAI (peel)											
Rye													NATSUDAIDAI (whole)	0.2	WHL		0.2							4
Corn (including Maize, Sweet corn)													Lemon	0.2	WHL		0.2							4
Buckwheat													Orange (including Navel)	0.2	WHL		0.2							4
Other cereal grains													Grapefruit	0.2	WHL		0.2							4
Soybeans (dry)													Lime	0.2	WHL		0.2							4
Beans (dry)*													Other citrus fruits	0.2	WHL		0.2							4
Peas													Apple	0.2	WHL		0.2							4
Broad beans													Japanese pear	0.2	WHL		0.2							4
Peanuts													Pear	0.2	WHL		0.2							4
Other legumes/pulses													Quince	0.2	WHL		0.2							4
Potato													Loquat	0.2	WHL		0.2							4
Taro													Peach	0.2	WHL		0.2							4
Sweet potato													Nectarine	0.2	WHL		0.2							4
Yam													Apricot	0.2	WHL		0.2							4
Konjac													Japanese plum (including Prunes)	0.2	WHL		0.2							4
Other potatoes													Mume plum	0.2	WHL		0.2							4
Sugar beet													Cherry	0.2	WHL		0.2							4
Sugarcane													Strawberry	0.2	WHL		0.2							4
Japanese radish(including Radish)(root)	0.2	WHL		0.2							4		Raspberry	0.2	WHL		0.2							4
Japanese radish(including Radish)(leaf)	0.2	WHL		0.2							4		Blackberry	0.2	WHL		0.2							4
Turnip (including Rutabaga)(root)	0.2	WHL		0.2							4		Blueberry	0.2	WHL		0.2							4
Turnip (including Rutabaga)(leaf)	0.2	WHL		0.2							4		Cranberry	0.2	WHL		0.2							4
Horseradish	0.2	WHL		0.2							4		Huckleberry	0.2	WHL		0.2							4
Watercress	0.2	WHL		0.2							4		Other berries	0.2	WHL		0.2							4
Chinese cabbage	0.2	WHL		0.2							4		Grape	0.2	WHL		0.2							4
Cabbage	0.2	WHL		0.2							4		Japanese persimon	0.2	WHL		0.2							4
Brussels sprouts	0.2	WHL		0.2							4		Banana	0.2	WHL		0.2							4
Kale	0.2	WHL		0.2							4		Kiwifruit	0.2	WHL		0.2							4
KOMATSUNA	0.2	WHL		0.2							4		Papaya	0.2	WHL		0.2							4
KYONA	0.2	WHL		0.2							4		Avocado	0.2	WHL		0.2							4
Qing-geng-cai	0.2	WHL		0.2							4		Pineapple	0.2	WHL		0.2							4
Cauliflower	0.2	WHL		0.2							4		Guava	0.2	WHL		0.2							4
Broccoli	0.2	WHL		0.2							4		Mango	0.2	WHL		0.2							4
Other cruciferous vegetables	0.2	WHL		0.2							4		Passion fruit	0.2	WHL		0.2							4
Burdock	0.2	WHL		0.2							4		Date	0.2	WHL		0.2							4
Salsify	0.2	WHL		0.2							4		Other fruits	0.2	WHL		0.2							4
Artichoke	0.2	WHL		0.2							4		Sunflower seeds	0.2	WHL		0.2							4
Chicory	0.2	WHL		0.2							4		Sesam seeds	0.2	WHL		0.2							4
Endive	0.2	WHL		0.2							4		Safflower seeds	0.2	WHL		0.2							4
SHUNGIKU	0.2	WHL		0.2							4		Cotton seeds	0.2	WHL		0.2							4
Lettuce (Cos lettuce, Leaf lettuce)	0.2	WHL		0.2							4		Rapeseeds	0.2	WHL		0.2							4
Other composite vegetables	0.2	WHL		0.2							4		Other oil seeds	0.2	WHL		0.2							4
Onion	0.2	WHL		0.2							4		Ginkgo nut	0.2	WHL		0.2							4
Welsh (including Leek)	0.2	WHL		0.2							4		Chestnut	0.2	WHL		0.2							4
Garlic	0.2	WHL		0.2							4		Pecan	0.2	WHL		0.2							4
NIRA	0.2	WHL		0.2							4		Almond	0.2	WHL		0.2							4
Asparagus	0.2	WHL		0.2							4		Walnut	0.2	WHL		0.2							4
Multiplying Onion (including Shallot)	0.2	WHL		0.2							4		Other nuts	0.2	WHL		0.2							4
Other liliaceous vegetables	0.2	WHL		0.2							4		Tea (Green, Black, Oolong, Wulong tea)											
Carrot	0.2	WHL		0.2							4		Coffee beans											
Parsnip	0.2	WHL		0.2							4		Cacao beans											
Parsley	0.2	WHL		0.2							4		Hop											
Celery	0.2	WHL		0.2							4													
MITSUBA	0.2	WHL		0.2							4													
Other umbelliferous vegetables	0.2	WHL		0.2							4		Cattle, muscle											
Tomato	0.2	WHL		0.2							4		Pig, muscle											
Pimento (Sweet pepper)	0.2	WHL		0.2							4		Other terrestrial mammals, muscle											
Egg plant	0.2	WHL		0.2							4													
Other solanaceous vegetables	0.2	WHL		0.2							4													
Cucamber (including Gherkin)	0.2	WHL		0.2							4													
Pumpkin (including Squash)	0.2	WHL		0.2							4													
Oriental pickling melon (vegetable)	0.2	WHL		0.2							4													
Water melon	0.2	WHL		0.2							4		Cattle, fat											
Melons	0.2	WHL		0.2							4		Pig, fat											
MAKUWAURI	0.2	WHL		0.2							4		Other terrestrial mammals, fat											
Other cucurbitaceous vegetables	0.2	WHL		0.2							4													
Spinach	0.2	WHL		0.2							4													
Bamboo shoots	0.2	WHL		0.2							4													
Okra	0.2	WHL		0.2							4													
Ginger	0.2	WHL		0.2							4													
Peas (with pods, immature)	0.2	WHL		0.2							4													
Kidney beans (with pods, immature)	0.2	WHL		0.2							4		Cattle, liver											
Soybeans	0.2	WHL		0.2							4		Pig, liver											
Button mushroom	0.2	WHL																						

327. GLUFOSINATE

	P R - M R L	R e f . M R L	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f . M R L	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.5	MRL	0.5										UNSHU orange	0.3	MRL	0.3								
Wheat	0.2	MRL	0.2										NATSUDAIDAI (flesh)											
Barley	5	MRL	5										NATSUDAIDAI (peel)											
Rye													NATSUDAIDAI (whole)	0.3	MRL	0.3								
Corn (including Maize, Sweet corn)	0.2	MRL	0.2										Lemon	0.3	MRL	0.3								
Buckwheat													Orange (including Navel)	0.3	MRL	0.3								
Other cereal grains													Grapefruit	0.3	MRL	0.3								
Soybeans (dry)	2	MRL	2										Lime	0.3	MRL	0.3								
Beans (dry)*	2	MRL	2										Other citrus fruits	0.3	MRL	0.3								
Peas	2	MRL	2										Apple	0.3	MRL	0.3								
Broad beans	2	MRL	2										Japanese pear	0.3	MRL	0.3								
Peanuts													Pear	0.3	MRL	0.3								
Other legumes/pulses	3	MRL	3										Quince	0.05	MRL	0.05								
Potato	0.5	MRL	0.5										Loquat	0.3	MRL	0.3								
Taro	0.1	MRL	0.1										Peach	0.3	MRL	0.3								
Sweet potato	0.1	MRL	0.1										Nectarine	0.05	MRL	0.05								
Yam	0.1	MRL	0.1										Apricot	0.05	MRL	0.05								
Konjac	0.1	MRL	0.1										Japanese plum (including Prunes)	0.05	MRL	0.05								
Other potatoes													Mume plum	0.3	MRL	0.3								
Sugar beet	0.9	MRL	0.9										Cherry	0.3	MRL	0.3								
Sugarcane													Strawberry	0.3	MRL	0.3								
Japanese radish(including Radish)(root)	0.5	MRL	0.5										Raspberry	0.1	MRL	0.1								
Japanese radish(including Radish)(leaf)	0.5	MRL	0.5										Blackberry	0.1	MRL	0.1								
Turnip (including Rutabaga)(root)	0.5	MRL	0.5										Blueberry	0.1	MRL	0.1								
Turnip (including Rutabaga)(leaf)	0.5	MRL	0.5										Cranberry	0.1	MRL	0.1								
Horseradish	0.5	MRL	0.5										Huckleberry	0.1	MRL	0.1								
Watercress	0.5	MRL	0.5										Other berries	0.1	MRL	0.1								
Chinese cabbage	0.2	MRL	0.2										Grape	0.3	MRL	0.3								
Cabbage	0.5	MRL	0.5										Japanese persimon	0.3	MRL	0.3								
Brussels sprouts	0.5	MRL	0.5										Banana	0.2	MRL	0.2								
Kale	0.5	MRL	0.5										Kiwifruit	0.05	MRL	0.05								
KOMATSUNA													Papaya	0.05	Codex		0.05		0.2				2	
KYONA													Avocado	0.05	Codex		0.05		0.2				2	
Qing-geng-cai	0.5	MRL	0.5										Pineapple	0.05	Codex		0.05		0.2				2	
Cauliflower	0.5	MRL	0.5										Guava	0.05	Codex		0.05		0.2				2	
Broccoli	0.5	MRL	0.5										Mango	0.05	Codex		0.05		0.2				2	
Other cruciferous vegetables	0.5	MRL	0.5										Passion fruit	0.05	Codex		0.05		0.2				2	
Burdock													Date											
Salsify	0.5	MRL	0.5										Other fruits	0.5	MRL	0.5								
Artichoke	0.5	MRL	0.5										Sunflower seeds	5	MRL	5								
Chicory	0.5	MRL	0.5										Sesam seeds											
Endive	0.5	MRL	0.5										Safflower seeds											
SHUNGIKU													Cotton seeds	4	FC				4					5-1
Lettuce (Cos lettuce, Leaf lettuce)	0.5	MRL	0.5										Rapeseeds	5	MRL	5								
Other composite vegetables	0.5	MRL	0.5										Other oil seeds											
Onion	0.2	MRL	0.2										Ginkgo nut	0.1	MRL	0.1								
Welsh (including Leek)	0.2	MRL	0.2										Chestnut	0.3	MRL	0.3								
Garlic	0.5	MRL	0.5										Pecan	0.1	MRL	0.1								
NIRA	0.5	MRL	0.5										Almond	0.1	MRL	0.1								
Asparagus	0.2	MRL	0.2										Walnut	0.1	MRL	0.1								
Multiplying Onion (including Shallot)													Other nuts	0.1	MRL	0.1								
Other liliaceous vegetables	0.5	MRL	0.5										Tea (Green, Black, Oolong, Wulong tea)	0.5	MRL	0.5								
Carrot	0.2	MRL	0.2										Coffee beans											
Parsnip	0.5	MRL	0.5										Cacao beans											
Parsley	0.5	MRL	0.5										Hop											
Celery	0.5	MRL	0.5																					
MITSUBA													Cattle, muscle	0.05	Codex		0.05	0.15	0.1					2
Other umbelliferous vegetables	0.5	MRL	0.5										Pig, muscle	0.05	Codex		0.05	0.15	0.1					2
Tomato	0.2	MRL	0.2										Other terrestrial mammals, muscle	0.05	Codex		0.05	0.15	0.1					2
Pimento (Sweet pepper)	0.2	MRL	0.2																					
Egg plant	0.2	MRL	0.2																					
Other solanaceous vegetables	0.5	MRL	0.5																					
Cucumber (including Gherkin)	0.2	MRL	0.2										Cattle, fat	0.4	FC			0.4						5-1
Pumpkin (including Squash)	0.2	MRL	0.2										Pig, fat	0.4	FC			0.4						5-1
Oriental pickling melon (vegetable)													Other terrestrial mammals, fat	0.4	FC			0.4						5-1
Water melon	0.3	MRL	0.3																					
Melons	0.3	MRL	0.3																					
MAKUWAURI																								
Other cucurbitaceous vegetables	0.5	MRL	0.5																					
Spinach	0.5	MRL	0.5																					
Bamboo shoots																								
Okra	0.1	WHL		0.1							4													
Ginger	0.5	MRL	0.5																					
Peas (with pods, immature)	0.5	MRL	0.5																					
Kidney beans (with pods, immature)	0.05	MRL	0.05										Cattle, liver	0.1	Codex		0.1	6	5					2
Soybeans	0.2	MRL	0.2										Pig, liver	0.1	Codex		0.1	6	5	1				2
Button mushroom	0.5	MRL	0.5										Other terrestrial mammals, liver	0.1	Codex		0.1	6	5					

329. GLYPHOSATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	MRL	0.1										UNSHU orange	0.5	MRL	0.5								
Wheat	5	MRL	5										NATSUDAIDAI (flesh)											
Barley	20	MRL	20										NATSUDAIDAI (peel)											
Rye	0.2	MRL	0.2										NATSUDAIDAI (whole)	0.5	MRL	0.5								
Corn (including Maize, Sweet corn)	1	MRL	1										Lemon	0.5	MRL	0.5								
Buckwheat	0.2	MRL	0.2										Orange (including Navel)	0.5	MRL	0.5								
Other cereal grains	20	MRL	20										Grapefruit	0.5	MRL	0.5								
Soybeans (dry)	20	MRL	20										Lime	0.5	MRL	0.5								
Beans (dry)*	2	MRL	2										Other citrus fruits	0.5	MRL	0.5								
Peas	5	MRL	5										Apple	0.2	MRL	0.2								
Broad beans	2	MRL	2										Japanese pear	0.2	MRL	0.2								
Peanuts	0.1	MRL	0.1										Pear	0.2	MRL	0.2								
Other legumes/pulses	2	MRL	2										Quince	0.2	MRL	0.2								
Potato	0.2	MRL	0.2										Loquat	0.2	MRL	0.2								
Taro	0.1	WHL		0.1		1	0.1		0.1		3-1		Peach	0.2	MRL	0.2								
Sweet potato	0.2	MRL	0.2										Nectarine	0.2	MRL	0.2								
Yam	0.2	MRL	0.2										Apricot	0.2	MRL	0.2								
Konjac	0.1	MRL	0.1										Japanese plum (including Prunes)	0.2	MRL	0.2								
Other potatoes	0.1	WHL		0.1		1	0.1		0.1		3-1		Mume plum	0.2	MRL	0.2								
Sugar beet	0.2	MRL	0.2										Cherry	0.2	MRL	0.2								
Sugarcane	2	MRL	2										Strawberry	0.2	MRL	0.2								
Japanese radish(including Radish)(root)	0.2	MRL	0.2										Raspberry	0.2	MRL	0.2								
Japanese radish(including Radish)(leaf)	0.2	MRL	0.2										Blackberry	0.2	MRL	0.2								
Turnip (including Rutabaga)(root)	0.2	MRL	0.2										Blueberry	0.2	MRL	0.2								
Turnip (including Rutabaga)(leaf)	0.2	MRL	0.2										Cranberry	0.2	MRL	0.2								
Horseradish	0.2	MRL	0.2										Huckleberry	0.2	MRL	0.2								
Watercress	0.2	MRL	0.2										Other berries	0.2	MRL	0.2								
Chinese cabbage	0.2	MRL	0.2										Grape	0.2	MRL	0.2								
Cabbage	0.2	MRL	0.2										Japanese persimon	0.2	MRL	0.2								
Brussels sprouts	0.2	MRL	0.2										Banana	0.2	MRL	0.2								
Kale	0.2	MRL	0.2										Kiwifruit	0.1	MRL	0.1								
KOMATSUNA	0.2	MRL	0.2										Papaya	0.2	MRL	0.2								
KYONA	0.2	MRL	0.2										Avocado	0.2	MRL	0.2								
Qing-geng-cai	0.2	MRL	0.2										Pineapple	0.1	MRL	0.1								
Cauliflower	0.2	MRL	0.2										Guava	0.2	MRL	0.2								
Broccoli	0.2	MRL	0.2										Mango	0.2	MRL	0.2								
Other cruciferous vegetables	0.2	MRL	0.2										Passion fruit	0.2	MRL	0.2								
Burdock	0.2	MRL	0.2										Date	0.2	MRL	0.2								
Salsify	0.2	MRL	0.2										Other fruits	0.2	MRL	0.2								
Artichoke	0.2	MRL	0.2										Sunflower seeds	0.1	MRL	0.1								
Chicory	0.2	MRL	0.2										Sesam seeds	0.2	MRL	0.2								
Endive	0.2	MRL	0.2										Safflower seeds	0.1	FC		0.1	0.1		0.1			5-1	
SHUNGIKU	0.2	MRL	0.2										Cotton seeds	10	MRL	10								
Lettuce (Cos lettuce, Leaf lettuce)	0.2	MRL	0.2										Rapeseeds	10	MRL	10								
Other composite vegetables	0.2	MRL	0.2										Other oil seeds	0.1	MRL	0.1								
Onion	0.2	MRL	0.2										Ginkgo nut	0.2	MRL	0.2								
Welsh (including Leek)	0.2	MRL	0.2										Chestnut	1	MRL	1								
Garlic	0.2	MRL	0.2										Pecan	1	MRL	1								
NIRA	0.2	FC				0.2			0.1		5-1		Almond	1	MRL	1								
Asparagus	0.5	MRL	0.5										Walnut	1	MRL	1								
Multiplying Onion (including Shallot)	0.2	MRL	0.2										Other nuts	1	MRL	1								
Other liliaceous vegetables	0.2	FC				0.5	0.1		0.1		5-1		Tea (Green, Black, Oolong, Wulong tea)	1	MRL	1								
Carrot	0.2	MRL	0.2										Coffee beans	1	MRL	1								
Parsnip	0.2	MRL	0.2										Cacao beans	0.2	MRL	0.2								
Parsley	0.2	MRL	0.2										Hop	0.1	MRL	0.1								
Celery	0.2	MRL	0.2																					
MITSUBA	0.1	FC				0.2	0.1		0.1		5-1		Cattle, muscle	0.1	Codex		0.1	1	0.1		0.1		2	
Other umbelliferous vegetables	0.1	FC				0.2	0.1		0.1		5-1		Pig, muscle	0.1	Codex		0.1	1	0.1		0.1		2	
Tomato	0.2	MRL	0.2										Other terrestrial mammals, muscle	1	FC			1					5-1	
Pimento (Sweet pepper)	0.1	MRL	0.1																					
Egg plant	0.2	MRL	0.2																					
Other solanaceous vegetables	0.1	MRL	0.1																					
Cucumber (including Gherkin)	0.5	MRL	0.5																					
Pumpkin (including Squash)	0.5	MRL	0.5																					
Oriental pickling melon (vegetable)	0.2	FC				0.5	0.1		0.1		5-1													
Water melon	0.5	MRL	0.5										Cattle, fat	0.5	FC			0.5					5-1	
Melons	0.5	MRL	0.5										Pig, fat	0.5	FC			0.5					5-1	
MAKUWAURI	0.2	FC				0.5	0.1		0.1		5-1		Other terrestrial mammals, fat	0.5	FC			0.5					5-1	
Other cucurbitaceous vegetables	0.5	MRL	0.5																					
Spinach	0.2	MRL	0.2																					
Bamboo shoots	0.2	MRL	0.2																					
Okra	0.3	FC				0.5	0.1				5-1													
Ginger	0.2	MRL	0.2																					
Peas (with pods, immature)	2	FC				5	0.1		0.1		5-1													
Kidney beans (with pods, immature)	2	FC				5	0.1	4	0.1		5-1		Cattle, liver	2	Codex		2	1.5	2	0.2			2	
Soybeans	0.2	MRL	0.2										Pig, liver	1	Codex		1	1.5	2	0.2				

