

331. HALFENPROX

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)													UNSHU orange	0.05	MRL	0.05								
Wheat													NATSUDAIDAI (flesh)											
Barley													NATSUDAIDAI (peel)											
Rye													NATSUDAIDAI (whole)	1	MRL	1								
Corn (including Maize, Sweet corn)													Lemon	1	MRL	1								
Buckwheat													Orange (including Navel)	1	MRL	1								
Other cereal grains													Grapefruit	1	MRL	1								
Soybeans (dry)													Lime	1	MRL	1								
Beans (dry)*													Other citrus fruits	1	MRL	1								
Peas													Apple	1	MRL	1								
Broad beans													Japanese pear	0.5	WHL	0.5								4
Peanuts													Pear	0.5	WHL	0.5								4
Other legumes/pulses													Quince	0.5	WHL	0.5								4
Potato													Loquat	0.1	WHL	0.1								4
Taro													Peach	0.1	WHL	0.1								4
Sweet potato													Nectarine	0.5	WHL	0.5								4
Yam													Apricot											
Konjac													Japanese plum (including Prunes)											
Other potatoes													Mume plum											
Sugar beet													Cherry											
Sugarcane													Strawberry											
Japanese radish(including Radish)(root)													Raspberry											
Japanese radish(including Radish)(leaf)													Blackberry											
Turnip (including Rutabaga)(root)													Blueberry											
Turnip (including Rutabaga)(leaf)													Cranberry											
Horseradish													Huckleberry											
Watercress													Other berries											
Chinese cabbage													Grape											
Cabbage													Japanese persimon	0.5	WHL	0.5								4
Brussels sprouts													Banana	0.5	WHL	0.5								4
Kale													Kiwifruit	0.1	WHL	0.1								4
KOMATSUNA													Papaya	0.5	WHL	0.5								4
KYONA													Avocado	0.5	WHL	0.5								4
Qing-geng-cai													Pineapple	0.5	WHL	0.5								4
Cauliflower													Guava	0.5	WHL	0.5								4
Broccoli													Mango	0.5	WHL	0.5								4
Other cruciferous vegetables													Passion fruit	0.5	WHL	0.5								4
Burdock													Date											
Salsify													Other fruits											
Artichoke													Sunflower seeds											
Chicory													Sesam seeds											
Endive													Safflower seeds											
SHUNGIKU													Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)													Rapeseeds											
Other composite vegetables													Other oil seeds											
Onion													Ginkgo nut											
Welsh (including Leek)													Chestnut											
Garlic													Pecan											
NIRA													Almond											
Asparagus													Walnut											
Multiplying Onion (including Shallot)													Other nuts											
Other liliaceous vegetables													Tea (Green, Black, Oolong, Wulong tea)	10	MRL	10								
Carrot													Coffee beans											
Parsnip													Cacao beans											
Parsley													Hop											
Celery																								
MITSUBA																								
Other umbelliferous vegetables													Cattle, muscle											
Tomato													Pig, muscle											
Pimento (Sweet pepper)													Other terrestrial mammals, muscle											
Egg plant																								
Other solanaceous vegetables																								
Cucumber (including Gherkin)																								
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)																								
Water melon		0.1	WHL	0.1							4		Cattle, fat											
Melons		0.1	WHL	0.1							4		Pig, fat											
MAKUWAURI		0.1	WHL	0.1							4		Other terrestrial mammals, fat											
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)													Cattle, liver											
Soybeans													Pig, liver											
Button mushroom													Other terrestrial mammals, liver											
SHIITAKE																								
Other mushrooms																								
Other vegetables																								

The analysis method of Tea uses boiling-water extraction.

339. HEXAFLUMURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																								UNSHU orange
Wheat																								NATSUDAIDAI (flesh)
Barley																								NATSUDAIDAI (peel)
Rye																								NATSUDAIDAI (whole)
Corn (including Maize, Sweet corn)																								Lemon
Buckwheat																								Orange (including Navel)
Other cereal grains																								Grapefruit
Soybeans (dry)																								Lime
Beans (dry)*																								Other citrus fruits
Peas													0.5	MRL	0.5									Apple
Broad beans													0.5	MRL	0.5									Japanese pear
Peanuts													0.5	MRL	0.5									Pear
Other legumes/pulses													0.5	WHL	0.5									Quince
Potato	0.02	MRL	0.02																					Loquat
Taro																								Peach
Sweet potato																								Nectarine
Yam													0.5	WHL	0.5									Apricot
Konjac																								Japanese plum (including Prunes)
Other potatoes																								Mume plum
Sugar beet																								Cherry
Sugarcane																								Strawberry
Japanese radish(including Radish)(root)																								Raspberry
Japanese radish(including Radish)(leaf)																								Blackberry
Turnip (including Rutabaga)(root)																								Blueberry
Turnip (including Rutabaga)(leaf)																								Cranberry
Horseradish																								Huckleberry
Watercress																								Other berries
Chinese cabbage																								Grape
Cabbage													0.5	WHL	0.5									Japanese persimon
Brussels sprouts																								
Kale													0.5	WHL	0.5									Banana
KOMATSUNA																								Kiwifruit
KYONA													0.5	WHL	0.5									Papaya
Qing-geng-cai													0.5	WHL	0.5									Avocado
Cauliflower													0.5	WHL	0.5									Pineapple
Broccoli													0.5	WHL	0.5									Guava
Other cruciferous vegetables													0.5	WHL	0.5									Mango
Burdock													0.5	WHL	0.5									Passion fruit
Salsify																								Date
Artichoke																								Other fruits
Chicory																								Sunflower seeds
Endive																								Sesam seeds
SHUNGIKU																								Safflower seeds
Lettuce (Cos lettuce, Leaf lettuce)													0.05	MRL	0.05									Cotton seeds
Other composite vegetables																								Rapeseeds
Onion																								Other oil seeds
Welsh (including Leek)																								Ginkgo nut
Garlic																								Chestnut
NIRA																								Pecan
Asparagus																								Almond
Multiplying Onion (including Shallot)																								Walnut
Other liliaceous vegetables																								Other nuts
Carrot													15	MRL	15									Tea (Green, Black, Oolong, Wulong tea)
Parsnip																								Coffee beans
Parsley																								Cacao beans
Celery																								Hop
MITSUBA																								
Other umbelliferous vegetables																								Cattle, muscle
Tomato																								Pig, muscle
Pimento (Sweet pepper)																								Other terrestrial mammals, muscle
Egg plant																								
Other solanaceous vegetables																								
Cucumber (including Gherkin)																								
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)																								
Water melon	0.05	MRL	0.05																					Cattle, fat
Melons																								Pig, fat
MAKUWAURI																								Other terrestrial mammals, fat
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)																								Cattle, liver
Soybeans																								Pig, liver
Button mushroom																								Other terrestrial mammals, liver
SHIITAKE																								
Other mushrooms																								
Other vegetables																								

The analysis method of Tea uses boiling-water extraction.

341. HEXYTHIAZOX

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5	MRL	0.5									
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)	2	MRL	2									
Corn (including Maize, Sweet corn)												Lemon	2	MRL	2									
Buckwheat												Orange (including Navel)	2	MRL	2									
Other cereal grains												Grapefruit	2	MRL	2									
												Lime	2	MRL	2									
Soybeans (dry)	0.5	MRL	0.5									Other citrus fruits	2	MRL	2									
Beans (dry)*	0.5	MRL	0.5									Apple	1	MRL	1									
Peas	0.2	WHL		0.2						4		Japanese pear	1	MRL	1									
Broad beans	0.2	WHL		0.2						4		Pear	1	MRL	1									
Peanuts	0.2	WHL		0.2						4		Quince	1	MRL	1									
Other legumes/pulses	0.2	WHL		0.2						4		Loquat	1	MRL	1									
Potato	0.2	WHL		0.2						4		Peach	1	MRL	1									
Taro	0.5	MRL		0.5								Nectarine	1	MRL	1									
Sweet potato	0.2	WHL		0.2						4		Apricot	1	MRL	1									
Yam	0.5	MRL		0.5								Japanese plum (including Prunes)	1	MRL	1									
Konjac	0.2	WHL		0.2						4		Mume plum	2	MRL	2									
Other potatoes	0.2	WHL		0.2						4		Cherry	2	MRL	2									
Sugar beet	0.2	MRL		0.2								Strawberry	2	MRL	2									
Sugarcane												Raspberry	1	MRL	1									
												Blackberry	1	MRL	1									
Japanese radish(including Radish)(root)												Blueberry	1	MRL	1									
Japanese radish(including Radish)(leaf)	0.5	WHL		0.5						4		Cranberry	1	MRL	1									
Turnip (including Rutabaga)(root)												Huckleberry	1	MRL	1									
Turnip (including Rutabaga)(leaf)	0.5	WHL		0.5						4		Other berries	1	MRL	1									
Horseradish												Grape	2	MRL	2									
Watercress	0.5	WHL		0.5						4		Japanese persimon	1	MRL	1									
Chinese cabbage																								
Cabbage																								
Brussels sprouts	0.5	WHL		0.5						4		Banana	1	WHL		1								4
Kale	0.5	WHL		0.5						4		Kiwifruit	0.2	WHL		0.2								4
KOMATSUNA	0.5	WHL		0.5						4		Papaya	1	WHL		1								4
KYONA	0.5	WHL		0.5						4		Avocado	1	WHL		1								4
Qing-geng-cai	0.5	WHL		0.5						4		Pineapple	1	WHL		1								4
Cauliflower	0.5	WHL		0.5						4		Guava	1	WHL		1								4
Broccoli	0.5	WHL		0.5						4		Mango	1	WHL		1								4
Other cruciferous vegetables	0.5	WHL		0.5						4		Passion fruit	1	WHL		1								4
												Date												
Burdock												Other fruits	2	MRL	2									
Salsify												Sunflower seeds												
Artichoke	0.5	WHL		0.5						4		Sesam seeds												
Chicory	0.5	WHL		0.5						4		Safflower seeds												
Endive	0.5	WHL		0.5						4		Cotton seeds												
SHUNGIKU	0.5	WHL		0.5						4		Rapeseeds												
Lettuce (Cos lettuce, Leaf lettuce)	0.5	WHL		0.5						4		Other oil seeds												
Other composite vegetables	0.5	WHL		0.5						4		Ginkgo nut												
Onion												Chestnut	0.3	FC				0.3						5-1
Welsh (including Leek)	0.5	WHL		0.5						4		Pecan	0.3	FC				0.3						5-1
Garlic												Almond	0.3	FC				0.3						5-1
NIRA	0.5	WHL		0.5						4		Walnut	0.3	FC				0.3						5-1
Asparagus	0.5	WHL		0.5						4		Other nuts	0.3	FC				0.3						5-1
Multiplying Onion (including Shallot)	0.5	WHL		0.5						4		Tea (Green, Black, Oolong, Wulong tea)	35	MRL	35									
Other liliaceous vegetables	0.5	WHL		0.5						4		Coffee beans												
												Cacao beans												
Carrot												Hop	30	MRL	30									
Parsnip																								
Parsley	0.5	WHL		0.5						4		Cattle, muscle	0.02											8
Celery	0.5	WHL		0.5						4		Pig, muscle	0.02											8
MITSUBA	0.5	WHL		0.5						4		Other terrestrial mammals, muscle	0.02											8
Other umbelliferous vegetables	0.5	WHL		0.5						4														
Tomato	0.1	Codex		1	0.1					1-1														
Pimento (Sweet pepper)	2	MRL		2																				
Egg plant	2	MRL		2																				
Other solanaceous vegetables	2	WHL		2						4														
Cucamber (including Gherkin)	1	MRL		1																				
Pumpkin (including Squash)	1	WHL		1						4														
Oriental pickling melon (vegetable)	1	WHL		1						4														
Water melon	0.5	MRL		0.5								Cattle, fat	0.02	FC				0.02						5-1
Melons	0.5	MRL		0.5								Pig, fat	0.02	FC				0.02						5-1
MAKUWAURI	0.2	WHL		0.2						4		Other terrestrial mammals, fat	0.02	FC				0.02						5-1
Other cucurbitaceous vegetables	1	WHL		1						4														
Spinach	0.5	WHL		0.5						4														
Bamboo shoots	2	MRL		2																				
Okra	2	WHL		2						4														
Ginger																								
Peas (with pods, immature)	2	MRL		2								Cattle, liver	0.02	FC				0.02						5-1
Kidney beans (with pods, immature)	2	MRL		2								Pig, liver												

345. HYDROGEN PHOSPHIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	UNSHU orange	0.01	FC				0.01					0.01	5-1
												NATSUDAIDAI (flesh)	0.01	FC									0.01	5-1
Wheat	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	NATSUDAIDAI (peel)	0.01	FC									0.01	5-1
Barley	0.1	Codex		0.1	0.1	0.1	0.1				1-1	NATSUDAIDAI (whole)	0.01	FC				0.01					0.01	5-1
Rye	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	Lemon	0.01	FC				0.01					0.01	5-1
Corn (including Maize, Sweet corn)	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	Orange (including Navel)	0.01	FC				0.01					0.01	5-1
Buckwheat	0.1	Codex		0.1	0.01	0.1			0.1		1-1	Grapefruit	0.01	FC				0.01					0.01	5-1
Other cereal grains	0.1	Codex		0.1	0.1	0.1			0.1		1-1	Lime	0.01	FC				0.01					0.01	5-1
												Other citrus fruits	0.01	FC				0.01					0.01	5-1
Soybeans (dry)	0.1	WHL		0.1		0.01	0.01			0.01	3-1	Apple	0.01	FC				0.01					0.01	5-1
Beans (dry)*	0.1	WHL		0.1	0.05	0.01				0.01	3-1	Japanese pear	0.01	FC				0.01					0.01	5-1
Peas	0.1	WHL		0.1	0.05	0.01				0.01	3-1	Pear	0.01	FC				0.01					0.01	5-1
Broad beans	0.1	WHL		0.1	0.05	0.01				0.01	3-1	Quince	0.01	FC				0.01					0.01	5-1
Peanuts	0.01	Codex		0.1	0.1	0.01				0.01	1-1	Loquat	0.01	FC				0.01					0.01	5-1
Other legumes/pulses	0.1	WHL		0.1	0.05	0.01				0.01	3-1							0.01					0.01	5-1
Potato	0.05	FC			0.05						5-1	Peach	0.01	FC				0.01					0.01	5-1
Taro	0.01	FC			0.01					0.01	5-1	Nectarine	0.01	FC				0.01					0.01	5-1
Sweet potato	0.01	FC			0.01					0.01	5-1	Apricot	0.01	FC				0.01					0.01	5-1
Yam	0.01	FC			0.01					0.01	5-1	Japanese plum (including Prunes)	0.01	FC				0.01					0.01	5-1
Konjac	0.01	FC			0.01					0.01	5-1	Mume plum	0.01	FC				0.01					0.01	5-1
Other potatoes	0.01	FC			0.01					0.01	5-1	Cherry	0.01	FC				0.01					0.01	5-1
Sugar beet	0.05	FC			0.05					0.01	5-1	Strawberry	0.01	FC				0.01					0.01	5-1
Sugarcane	0.01	FC			0.01	0.01				0.01	5-1	Raspberry	0.01	FC				0.01					0.01	5-1
												Blackberry	0.01	FC				0.01					0.01	5-1
Japanese radish(including Radish)(root)	0.01	FC			0.01					0.01	5-1	Blueberry	0.01	FC				0.01					0.01	5-1
Japanese radish(including Radish)(leaf)	0.01	FC			0.01					0.01	5-1	Cranberry	0.01	FC				0.01					0.01	5-1
Turnip (including Rutabaga)(root)	0.01	FC			0.01					0.01	5-1	Huckleberry	0.01	FC				0.01					0.01	5-1
Turnip (including Rutabaga)(leaf)	0.01	FC			0.01					0.01	5-1	Other berries	0.01	FC				0.01	0.01		0.02		0.01	5-1
Horseradish	0.01	FC			0.01					0.01	5-1													
Watercress	0.01	FC			0.01					0.01	5-1	Grape	0.01	FC				0.01					0.01	5-1
Chinese cabbage	0.01	FC			0.01					0.01	5-1	Japanese persimon	0.01	FC				0.01					0.01	5-1
Cabbage	0.01	FC			0.01					0.01	5-1													
Brussels sprouts	0.01	FC			0.01					0.01	5-1	Banana	0.01	FC				0.01					0.01	5-1
Kale	0.01	FC			0.01					0.01	5-1	Kiwifruit	0.01	FC				0.01					0.01	5-1
KOMATSUNA	0.01	FC			0.01					0.01	5-1	Papaya	0.01	FC				0.01					0.01	5-1
KYONA	0.01	FC			0.01					0.01	5-1	Avocado	0.01	FC				0.01					0.01	5-1
Qing-geng-cai	0.01	FC			0.01					0.01	5-1	Pineapple	0.01	FC				0.01					0.01	5-1
Cauliflower	0.01	FC			0.01					0.01	5-1	Guava	0.01	FC				0.01					0.01	5-1
Broccoli	0.01	FC			0.01					0.01	5-1	Mango	0.01	FC				0.01					0.01	5-1
Other cruciferous vegetables	0.01	FC			0.01					0.01	5-1	Passion fruit	0.01	FC				0.01					0.01	5-1
												Date	0.07	FC				0.1				0.1	0.01	5-1
Burdock	0.01	FC			0.01					0.01	5-1	Other fruits	0.01	FC				0.01	0.01				0.01	5-1
Salsify	0.01	FC			0.01					0.01	5-1													
Artichoke	0.01	FC			0.01					0.01	5-1	Sunflower seeds	0.04	FC				0.1	0.01				0.01	5-1
Chicory	0.01	FC			0.01					0.01	5-1	Sesam seeds	0.04	FC				0.1	0.01				0.01	5-1
Endive	0.01	FC			0.01					0.01	5-1	Safflower seeds	0.04	FC				0.1	0.01				0.01	5-1
SHUNGIKU	0.01	FC			0.01					0.01	5-1	Cotton seeds	0.04	FC				0.1	0.01				0.01	5-1
Lettuce (Cos lettuce, Leaf lettuce)	0.01	FC			0.01					0.01	5-1	Rapeseeds	0.01	FC				0.01	0.01				0.01	5-1
Other composite vegetables	0.01	FC			0.01	0.01				0.01	5-1	Other oil seeds	0.01	Codex			0.01	0.01	0.01				0.01	2
Onion	0.01	FC			0.01					0.01	5-1	Ginkgo nut	0.01	Codex			0.01	0.01	0.01				0.01	2
Welsh (including Leek)	0.01	FC			0.01					0.01	5-1	Chestnut	0.01	Codex			0.01	0.01	0.01				0.01	2
Garlic	0.01	FC			0.01					0.01	5-1	Pecan	0.01	Codex			0.01	0.1	0.01				0.01	2
NIRA	0.01	FC			0.01					0.01	5-1	Almond	0.01	Codex			0.01	0.1	0.01				0.01	2
Asparagus	0.01	FC			0.01					0.01	5-1	Walnut	0.01	Codex			0.01	0.1	0.01				0.01	2
Multiplying Onion (including Shallot)	0.01	FC			0.01					0.01	5-1	Other nuts	0.01	Codex			0.01	0.1	0.01				0.01	2
Other liliaceous vegetables	0.01	FC			0.01					0.01	5-1													
Carrot	0.01	FC			0.01					0.01	5-1	Tea (Green, Black, Oolong, Wulong tea)	0.01	FC				0.01					0.01	5-1
Parsnip	0.01	FC			0.01					0.01	5-1	Coffee beans	0.06	FC				0.1					0.01	5-1
Parsley	0.01	FC			0.01					0.01	5-1	Cacao beans	0.01	Codex			0.01	0.01					0.01	2
Celery	0.01	FC			0.01					0.01	5-1	Hop	0.01	FC				0.01					0.01	5-1
MITSUBA	0.01	FC			0.01					0.01	5-1													
Other umbelliferous vegetables	0.01	FC			0.01					0.01	5-1	Cattle, muscle	0.01	FC									0.01	5-1
												Pig, muscle	0.01	FC									0.01	5-1
Tomato	0.01	FC			0.01					0.01	5-1	Other terrestrial mammals, muscle	0.01	FC									0.01	5-1
Pimento (Sweet pepper)	0.01	FC			0.01					0.01	5-1													
Egg plant	0.01	FC			0.01					0.01	5-1													
Other solanaceous vegetables	0.01	FC			0.01					0.01	5-1													

