

411. METHOXYCHLOR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)		2	FC						2		5-1	UNSHU orange												
Wheat		2	FC								5-1	NATSUDAIDAI (flesh)												
Barley		2	FC						2		5-1	NATSUDAIDAI (peel)												
Rye		2	FC						2		5-1	NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)		7	FC						14	0.01	5-1	Lemon												
Buckwheat											5-1	Orange (including Navel)												
Other cereal grains		2	FC						2		5-1	Grapefruit												
Soybeans (dry)		1	FC						2	0.01	5-1	Lime												
Beans (dry)*		7	FC						14	0.01	5-1	Other citrus fruits												
Peas		7	FC						14	0.01	5-1	Apple	7	FC								14	0.01	5-1
Broad beans		7	FC						14	0.01	5-1	Japanese pear	7	FC								14	0.01	5-1
Peanuts		7	FC						14	0.01	5-1	Pear	7	FC								14	0.01	5-1
Other legumes/pulses		7	FC						14	0.01	5-1	Quince	7	FC								14	0.01	5-1
Potato												Loquat												
Taro												Peach	7	FC								14	0.01	5-1
Sweet potato												Nectarine	7	FC								14	0.01	5-1
Yam												Apricot	7	FC								14	0.01	5-1
Konjac												Japanese plum (including Prunes)	7	FC								14	0.01	5-1
Other potatoes												Mume plum												
Sugar beet												Cherry	7	FC								14	0.01	5-1
Sugarcane												Strawberry	7	FC								14	0.01	5-1
Japanese radish(including Radish)(root)		7	FC						14	0.01	5-1	Raspberry	7	FC							14	0.01	5-1	
Japanese radish(including Radish)(leaf)												Blackberry	7	FC								14	0.01	5-1
Turnip (including Rutabaga)(root)		7	FC						14	0.01	5-1	Blueberry	7	FC							14	0.01	5-1	
Turnip (including Rutabaga)(leaf)												Cranberry	7	FC							14	0.01	5-1	
Horseradish												Huckleberry									14	0.01	5-1	
Watercress												Other berries	7	FC							14	0.01	5-1	
Chinese cabbage												Grape	7	FC							14	0.01	5-1	
Cabbage		7	FC						14	0.01	5-1	Japanese persimon												
Brussels sprouts		7	FC						14	0.01	5-1	Banana												
Kale		7	FC						14	0.01	5-1	Kiwifruit												
KOMATSUNA												Papaya												
KYONA												Avocado												
Qing-geng-cai												Pineapple	7	FC								14	0.01	5-1
Cauliflower		7	FC						14	0.01	5-1	Guava												
Broccoli		7	FC						14	0.01	5-1	Mango												
Other cruciferous vegetables		7	FC						14	0.01	5-1	Passion fruit												
Burdock												Date												
Salsify												Other fruits												
Artichoke												Sunflower seeds												
Chicory												Sesam seeds												
Endive												Safflower seeds												
SHUNGIKU												Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)		7	FC						14	0.01	5-1	Rapeseeds												
Other composite vegetables												Other oil seeds												
Onion												Ginkgo nut												
Welsh (including Leek)												Chestnut												
Garlic												Pecan												
NIRA												Almond												
Asparagus		7	FC						14	0.01	5-1	Walnut												
Multiplying Onion (including Shallot)												Other nuts												
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)												
Carrot		7	FC						14	0.01	5-1	Coffee beans												
Parsnip												Cacao beans												
Parsley												Hop												
Celery												Cattle, muscle	2	FC								3	0.01	5-1
MITSUBA												Pig, muscle	2	FC								3	0.01	5-1
Other umbelliferous vegetables												Other terrestrial mammals, muscle	2	FC								3	0.01	5-1
Tomato		7	FC						14	0.01	5-1													
Pimento (Sweet pepper)		7	FC						14	0.01	5-1													
Egg plant		7	FC						14	0.01	5-1													
Other solanaceous vegetables		7	FC						14	0.01	5-1													
Cucumber (including Gherkin)		7	FC						14	0.01	5-1													
Pumpkin (including Squash)		7	FC						14	0.01	5-1													
Oriental pickling melon (vegetable)																								
Water melon												Cattle, fat	2	FC								3	0.01	5-1
Melons		7	FC						14	0.01	5-1	Pig, fat	2	FC								3	0.01	5-1
MAKUWAURI												Other terrestrial mammals, fat	2	FC								3	0.01	5-1
Other cucurbitaceous vegetables																								
Spinach		7	FC						14	0.01	5-1													
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)		7	FC						14	0.01	5-1	Cattle, liver	2	FC								3	0.01	5-1
Soybeans		1	FC						2	0.01	5-1	Pig, liver	2	FC								3	0.01	5-1
Button mushroom		7	FC						14	0.01	5-1	Other terrestrial mammals, liver	2	FC								3	0.01	5-1
SHIITAKE																								
Other mushrooms																								
Other vegetables		7	FC						14															

412. METHOXYFENOZIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	WHL		0.1							4	UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)	0.05	FC				0.05					5-1	Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
												Lime												
												Other citrus fruits												
Soybeans (dry)	0.1	WHL		0.1		0.1					3-1													
Beans (dry)*	4	FC				4					5-1	Apple	2	WHL		2		1.5					3-1	
Peas	0.1	FC				0.1					5-1	Japanese pear	2	WHL		2		1.5					3-1	
Broad beans	0.1	FC				0.1					5-1	Pear	2	WHL		2		1.5					3-1	
Peanuts												Quince	2	WHL		2		1.5					3-1	
Other legumes/pulses	0.1	FC				0.1					5-1	Loquat	2	FC				1.5					5-1	
Potato	0.1	FC				0.1					5-1	Peach	3	FC				3					5-1	
Taro	0.1	FC				0.1					5-1	Nectarine	2	WHL		2		3					3-1	
Sweet potato	0.1	FC				0.1					5-1	Apricot	2	WHL		2		3					3-1	
Yam	0.1	FC				0.1					5-1	Japanese plum (including Prunes)	2	WHL		2		0.3					3-1	
Konjac												Mume plum	2	WHL		2							4	
Other potatoes	0.1	FC				0.1					5-1	Cherry	2	WHL		2		3					3-1	
Sugar beet	0.1	WHL		0.1		0.1					3-1	Strawberry	2	WHL		2							4	
Sugarcane												Raspberry	2	WHL		2							4	
												Blackberry	2	WHL		2							4	
Japanese radish(including Radish)(root)	0.1	FC				0.1					5-1	Blueberry	2	WHL		2							4	
Japanese radish(including Radish)(leaf)	10	WHL		10		0.2					3-1	Cranberry	2	WHL		2		0.5					3-1	
Turnip (including Rutabaga)(root)	0.1	FC				0.1					3-1	Huckleberry	2	WHL		2							4	
Turnip (including Rutabaga)(leaf)	10	WHL		10		30					3-1	Other berries	2	WHL		2							4	
Horseradish	0.1	FC				0.1					5-1													
Watercress	10	WHL		10		30					3-1	Grape	2	WHL		2		1					3-1	
Chinese cabbage	1	WHL		1		7					3-1	Japanese persimon	2	WHL		2							4	
Cabbage	1	WHL		1		7					3-1													
Brussels sprouts	10	WHL		10		7					3-1	Banana	2	WHL		2							4	
Kale	10	WHL		10		30					3-1	Kiwifruit												
KOMATSUNA	10	WHL		10		30					3-1	Papaya	2	WHL		2							4	
KYONA	10	WHL		10		30					3-1	Avocado	2	WHL		2							4	
Qing-geng-cai	10	WHL		10		30					3-1	Pineapple	2	WHL		2							4	
Cauliflower	10	WHL		10		7					3-1	Guava	2	WHL		2							4	
Broccoli	10	WHL		10		7					3-1	Mango	2	WHL		2							4	
Other cruciferous vegetables	10	WHL		10		30					3-1	Passion fruit	2	WHL		2							4	
												Date	2	WHL		2							4	
Burdock	0.1	FC				0.1					5-1													
Salsify	0.1	FC				0.1					5-1	Other fruits	2	WHL		2		10					3-1	
Artichoke	10	WHL		10		3					3-1													
Chicory	10	WHL		10		0.2					3-1	Sunflower seeds												
Endive	10	WHL		10		30					3-1	Sesam seeds												
SHUNGIKU	10	WHL		10		30					3-1	Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)	10	WHL		10		30					3-1	Cotton seeds	3	FC			2	3					5-1	
Other composite vegetables	10	WHL		10		30					3-1	Rapeseeds												
												Other oil seeds	10	FC				10						5-1
Onion	0.2	FC				0.2					5-1													
Welsh (including Leek)	10	WHL		10		0.2					3-1	Ginkgo nut												
Garlic	0.2	FC				0.2					5-1	Chestnut	0.1	FC				0.1					5-1	
NIRA	10	WHL		10		10					3-1	Pecan	0.1	FC				0.1					5-1	
Asparagus	10	WHL		10							4	Almond	0.1	FC				0.1					5-1	
Multiplying Onion (including Shallot)	10	WHL		10							4	Walnut	0.1	FC				0.1					5-1	
Other liliaceous vegetables	10	WHL		10		0.2					3-1	Other nuts	0.1	FC				0.1					5-1	
Carrot	0.1	FC				0.1					5-1	Tea (Green, Black, Oolong, Wulong tea)	20	WHL		20							4	
Parsnip	0.1	FC				0.1					5-1	Coffee beans												
Parsley	10	WHL		10		30					3-1	Cacao beans												
Celery	10	WHL		10		25					3-1	Hop												
MITSUBA	10	WHL		10							4													
Other umbelliferous vegetables	10	WHL		10		25					3-1	Cattle, muscle	0.02	FC				0.02					5-1	
												Pig, muscle	0.02	FC				0.02					5-1	
Tomato	2	WHL		2		2	3				3-1	Other terrestrial mammals, muscle	0.02	FC				0.02					5-1	
Pimento (Sweet pepper)	5	WHL		5		2					3-1													
Egg plant	2	WHL		2		2					3-1													
Other solanaceous vegetables	5	WHL		5		2					3-1													
Cucamber (including Gherkin)	2	WHL		2		0.3					3-1													
Pumpkin (including Squash)	2	WHL		2		0.3					3-1													
Oriental pickling melon (vegetable)	2	WHL		2		0.3					3-1													
Water melon	0.3	FC				0.3					5-1	Cattle, fat	0.3	FC				0.5	0.01				5-1	
Melons	0.3	FC				0.3					5-1	Pig, fat	0.3	FC				0.5	0.01				5-1	
MAKUWAURI	0.3	FC				0.3					5-1	Other terrestrial mammals, fat	0.3	FC				0.5	0.01				5-1	
Other cucurbitaceous vegetables	2	WHL		2		0.3					3-1													
Spinach	10	WHL		10		30					3-1													
Bamboo shoots																								
Okra	5	WHL		5		2					3-1													
Ginger	0.1	FC				0.1																		

413. METHYL-ISOTHIOCYANATE, DAZOMET, METAM

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)													UNSHU orange	0.1	WHL		0.1							4	
Wheat													NATSUDAIDAI (flesh)												
Barley													NATSUDAIDAI (peel)												
Rye													NATSUDAIDAI (whole)	0.1	WHL		0.1							4	
Corn (including Maize, Sweet corn)													Lemon	0.1	WHL		0.1							4	
Buckwheat													Orange (including Navel)	0.1	WHL		0.1							4	
Other cereal grains													Grapefruit	0.1	WHL		0.1							4	
Soybeans (dry)													Lime	0.1	WHL		0.1							4	
Beans (dry)*													Other citrus fruits	0.1	WHL		0.1							4	
Peas													Apple	0.1	WHL		0.1							4	
Broad beans													Japanese pear	0.1	WHL		0.1							4	
Peanuts													Pear	0.1	WHL		0.1							4	
Other legumes/pulses													Quince	0.1	WHL		0.1							4	
Potato		0.5	WHL		0.5						4		Loquat	0.1	WHL		0.1							4	
Taro		0.5	WHL		0.5						4		Peach	0.1	WHL		0.1							4	
Sweet potato		0.5	WHL		0.5						4		Nectarine	0.1	WHL		0.1							4	
Yam		0.5	WHL		0.5						4		Apricot	0.1	WHL		0.1							4	
Konjac		0.5	WHL		0.5						4		Japanese plum (including Prunes)	0.1	WHL		0.1							4	
Other potatoes		0.5	WHL		0.5						4		Mume plum	0.1	WHL		0.1							4	
Sugar beet		0.1	WHL		0.1						4		Cherry	0.1	WHL		0.1							4	
Sugarcane											4		Strawberry	0.1	WHL		0.1							4	
Japanese radish(including Radish)(root)		0.2	WHL		0.2						4		Raspberry	0.1	WHL		0.1							4	
Japanese radish(including Radish)(leaf)		0.2	WHL		0.2						4		Blackberry	0.1	WHL		0.1							4	
Turnip (including Rutabaga)(root)		0.2	WHL		0.2						4		Blueberry	0.1	WHL		0.1							4	
Turnip (including Rutabaga)(leaf)		0.2	WHL		0.2						4		Cranberry	0.1	WHL		0.1							4	
Horseradish		0.2	WHL		0.2						4		Huckleberry	0.1	WHL		0.1							4	
Watercress		0.2	WHL		0.2						4		Other berries	0.1	WHL		0.1							4	
Chinese cabbage		0.2	WHL		0.2						4		Grape	0.1	WHL		0.1							4	
Cabbage		0.2	WHL		0.2						4		Japanese persimon	0.1	WHL		0.1							4	
Brussels sprouts		0.2	WHL		0.2						4		Banana	0.1	WHL		0.1							4	
Kale		0.2	WHL		0.2						4		Kiwifruit	0.1	WHL		0.1							4	
KOMATSUNA		0.2	WHL		0.2						4		Papaya	0.1	WHL		0.1							4	
KYONA		0.2	WHL		0.2						4		Avocado	0.1	WHL		0.1								4
Qing-geng-cai		0.2	WHL		0.2						4		Pineapple	0.1	WHL		0.1							4	
Cauliflower		0.2	WHL		0.2						4		Guava	0.1	WHL		0.1							4	
Broccoli		0.2	WHL		0.2						4		Mango	0.1	WHL		0.1							4	
Other cruciferous vegetables		0.2	WHL		0.2						4		Passion fruit	0.1	WHL		0.1							4	
Burdock		0.2	WHL		0.2						4		Date	0.1	WHL		0.1							4	
Salsify		0.2	WHL		0.2						4		Other fruits	0.1	WHL		0.1							4	
Artichoke		0.2	WHL		0.2						4		Sunflower seeds	0.1	WHL		0.1							4	
Chicory		0.2	WHL		0.2						4		Sesam seeds	0.1	WHL		0.1							4	
Endive		0.2	WHL		0.2						4		Safflower seeds	0.1	WHL		0.1							4	
SHUNGIKU		0.2	WHL		0.2						4		Cotton seeds	0.1	WHL		0.1							4	
Lettuce (Cos lettuce, Leaf lettuce)		0.2	WHL		0.2						4		Rapeseeds	0.1	WHL		0.1							4	
Other composite vegetables		0.2	WHL		0.2						4		Other oil seeds	0.1	WHL		0.1							4	
Onion		0.2	WHL		0.2						4		Ginkgo nut	0.1	WHL		0.1							4	
Welsh (including Leek)		0.2	WHL		0.2						4		Chestnut	0.1	WHL		0.1							4	
Garlic		0.2	WHL		0.2						4		Pecan	0.1	WHL		0.1							4	
NIRA		0.2	WHL		0.2						4		Almond	0.1	WHL		0.1							4	
Asparagus		0.2	WHL		0.2						4		Walnut	0.1	WHL		0.1							4	
Multiplying Onion (including Shallot)		0.2	WHL		0.2						4		Other nuts	0.1	WHL		0.1							4	
Other liliaceous vegetables		0.2	WHL		0.2						4		Tea (Green, Black, Oolong, Wulong tea)	0.1	WHL		0.1							4	
Carrot		0.2	WHL		0.2						4		Coffee beans												
Parsnip		0.2	WHL		0.2						4		Cacao beans												
Parsley		0.2	WHL		0.2						4		Hop												
Celery		0.2	WHL		0.2						4														
MITSUBA		0.2	WHL		0.2						4														
Other umbelliferous vegetables		0.2	WHL		0.2						4														
Tomato		0.2	WHL		0.2						4		Cattle, muscle												
Pimento (Sweet pepper)		0.5	WHL		0.5						4		Pig, muscle												
Egg plant		0.2	WHL		0.2						4		Other terrestrial mammals, muscle												
Other solanaceous vegetables		0.5	WHL		0.5						4														
Cucamber (including Gherkin)		0.2	WHL		0.2						4														
Pumpkin (including Squash)		0.2	WHL		0.2						4														
Oriental pickling melon (vegetable)		0.2	WHL		0.2						4														
Water melon		0.1	WHL		0.1						4		Cattle, fat												
Melons		0.1	WHL		0.1		25				3-1		Pig, fat												
MAKUWAURI		0.1	WHL		0.1		25				3-1		Other terrestrial mammals, fat												
Other cucurbitaceous vegetables		0.2	WHL		0.2						4														
Spinach		0.2	WHL		0.2						4														
Bamboo shoots		0.2	WHL		0.2						4														
Okra		0.5	WHL		0.5						4														
Ginger		0.2	WHL		0.2						4														
Peas (with pods, immature)		0.5	WHL		0.5						4														
Kidney beans (with pods, immature)		0.5	WHL		0.5						4		Cattle, liver												
Soybeans		0.5	WHL		0.5																				

