

422. MEVINPHOS

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e				
Rice (brown rice)												UNSHU orange	0.2	FC										0.2	0.2		5-1
Wheat												NATSUDAIDAI (flesh)															
Barley												NATSUDAIDAI (peel)															
Rye												NATSUDAIDAI (whole)	0.2	FC											0.2	0.2	5-1
Corn (including Maize, Sweet corn)												Lemon	0.2	FC											0.2	0.2	5-1
Buckwheat												Orange (including Navel)	0.2	FC											0.2	0.2	5-1
Other cereal grains												Grapefruit	0.2	FC											0.2	0.2	5-1
Soybeans (dry)												Lime	0.2	FC											0.2	0.2	5-1
Beans (dry)*												Other citrus fruits	0.2	FC											0.2	0.2	5-1
Peas	0.2	FC					0.25		0.1		5-1	Apple	0.2	FC											0.25	0.2	5-1
Broad beans												Japanese pear	0.2	FC											0.25	0.2	5-1
Peanuts												Pear	0.2	FC											0.25	0.2	5-1
Other legumes/pulses	0.3	FC					0.25				5-1	Quince	0.2	FC											0.2		5-1
Potato												Loquat	0.2	FC												0.2	5-1
Taro	0.1	FC							0.1		5-1	Peach	0.4	FC											0.25	0.5	5-1
Sweet potato	0.1	FC							0.1		5-1	Nectarine	0.4	FC											0.25	0.5	5-1
Yam	0.1	FC							0.1		5-1	Apricot	0.2	FC											0.2		5-1
Konjac	0.1	FC							0.1		5-1	Japanese plum (including Prunes)	0.4	FC											0.25	0.5	5-1
Other potatoes	0.1	FC							0.1		5-1	Mume plum	0.5	FC											0.5		5-1
Sugar beet	0.1	FC							0.1		5-1	Cherry	0.5	FC											0.5		5-1
Sugarcane												Strawberry	0.5	FC				1							0.25	0.1	5-1
Japanese radish(including Radish)(root)	0.1	FC							0.1		5-1	Raspberry	0.2	FC											0.25	0.1	5-1
Japanese radish(including Radish)(leaf)	0.1	FC							0.1		5-1	Blackberry	0.1	FC											0.1		5-1
Turnip (including Rutabaga)(root)	0.1	FC							0.1		5-1	Blueberry	0.1	FC											0.1		5-1
Turnip (including Rutabaga)(leaf)	0.2	FC						0.25	0.1		5-1	Cranberry	0.1	FC											0.1		5-1
Horseradish	0.1	FC							0.1		5-1	Huckleberry	0.1	FC											0.1		5-1
Watercress	0.5	FC							0.5		5-1	Other berries	0.1	FC											0.1		5-1
Chinese cabbage	0.1	FC							0.1		5-1	Grape	0.3	FC				0.5							0.1		5-1
Cabbage	0.05	Codex			0.05	1	0.3	0.25	0.1		2	Japanese persimon	0.1	FC											0.1		5-1
Brussels sprouts	0.2	FC						0.3	0.25	0.1	5-1	Banana	0.1	FC											0.1		5-1
Kale	0.2	FC						0.25	0.1		5-1	Kiwifruit	0.1	FC											0.1		5-1
KOMATSUNA	0.1	FC							0.1		5-1	Papaya	0.1	FC											0.1		5-1
KYONA	0.1	FC							0.1		5-1	Avocado	0.1	FC											0.1		5-1
Qing-geng-cai	0.1	FC							0.1		5-1	Pineapple	0.1	FC											0.1		5-1
Cauliflower	0.4	FC				1	0.3	0.25	0.1		5-1	Guava	0.1	FC											0.1		5-1
Broccoli	0.5	FC				1	0.3	0.25	0.1		5-1	Mango	0.1	FC											0.1		5-1
Other cruciferous vegetables	0.4	FC					0.3	0.25	0.5		5-1	Passion fruit	0.1	FC											0.1		5-1
Burdock	0.1	FC							0.1		5-1	Date															
Salsify	0.1	FC							0.1		5-1	Other fruits	0.5	FC											0.5		5-1
Artichoke	0.1	FC							0.1		5-1	Sunflower seeds															
Chicory	0.5	FC							0.5		5-1	Sesam seeds															
Endive	0.5	FC							0.5		5-1	Safflower seeds															
SHUNGIKU	0.5	FC							0.5		5-1	Cotton seeds															
Lettuce (Cos lettuce, Leaf lettuce)	0.4	FC				0.5		0.25	0.5		5-1	Rapeseeds															
Other composite vegetables	0.5	FC							0.5		5-1	Other oil seeds															
Onion	0.1	FC							0.1		5-1	Ginkgo nut	0.1	FC											0.1		5-1
Welsh (including Leek)	0.2	FC						0.25	0.1		5-1	Chestnut	0.1	FC											0.1		5-1
Garlic	0.1	FC							0.1		5-1	Pecan	0.1	FC											0.1		5-1
NIRA	0.5	FC							0.5		5-1	Almond	0.1	FC											0.1		5-1
Asparagus	0.2	FC						0.25	0.1		5-1	Walnut	0.1	FC											0.1		5-1
Multiplying Onion (including Shallot)	0.1	FC							0.1		5-1	Other nuts	0.1	FC											0.1		5-1
Other liliaceous vegetables	0.5	FC							0.5		5-1	Tea (Green, Black, Oolong, Wulong tea)	0.1	FC											0.1		5-1
Carrot	0.1	FC							0.1		5-1	Coffee beans															
Parsnip	0.1	FC							0.1		5-1	Cacao beans															
Parsley												Hop															
Celery	0.6	FC				1		0.25	0.5		5-1	Cattle, muscle															
MITSUBA	0.5	FC							0.5		5-1	Pig, muscle															
Other umbelliferous vegetables	0.5	FC							0.5		5-1	Other terrestrial mammals, muscle															
Tomato	0.2	FC							0.2		5-1																
Pimento (Sweet pepper)	0.2	FC							0.25		5-1																
Egg plant	0.1	FC							0.1		5-1																
Other solanaceous vegetables	0.2	FC							0.25		5-1																
Cucumber (including Gherkin)	0.2	FC							0.2		5-1																
Pumpkin (including Squash)	0.3	FC							0.25		5-1																
Oriental pickling melon (vegetable)																											
Water melon	0.3	FC							0.5		5-1	Cattle, fat															
Melons	0.3	FC							0.5		5-1	Pig, fat															
MAKUWAURI	0.5	FC							0.5		5-1	Other terrestrial mammals, fat															

431. MYCLOBUTANIL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)	0.03	FC				0.03			0.02		5-1	UNSHU orange	3	FC									3	5-1	
Wheat	0.3	MRL	0.3									NATSUDAIDAI (flesh)													
Barley	0.5	MRL	0.5									NATSUDAIDAI (peel)													
Rye	0.03	FC				0.03			0.02		5-1	NATSUDAIDAI (whole)	3	FC									3	5-1	
Corn (including Maize, Sweet corn)	0.03	FC				0.03			0.02		5-1	Lemon	3	FC									3	5-1	
Buckwheat	0.03	FC				0.03			0.02		5-1	Orange (including Navel)	3	FC									3	5-1	
Other cereal grains	0.03	FC				0.03			0.02		5-1	Grapefruit	3	FC									3	5-1	
Soybeans (dry)	0.04	FC				0.03			0.05		5-1	Lime	3	FC									3	5-1	
Beans (dry)*	0.03	FC				0.03			0.02		5-1	Other citrus fruits	3	FC									3	5-1	
Peas	0.03	FC				0.03			0.02		5-1	Apple	5	MRL	5										
Broad beans	0.03	FC				0.03			0.02		5-1	Japanese pear	1	MRL	1										
Peanuts												Pear	1	MRL	1										
Other legumes/pulses	0.03	FC				0.03			0.02		5-1	Quince	1	MRL	1										
Potato	0.03	FC				0.03			0.02		5-1	Loquat	1	MRL	1										
Taro	0.03	FC				0.03			0.02		5-1	Peach	1	MRL	1										
Sweet potato	0.03	FC				0.03			0.02		5-1	Nectarine	1	MRL	1										
Yam	0.03	FC				0.03			0.02		5-1	Apricot	1	MRL	1										
Konjac												Japanese plum (including Prunes)	1	MRL	1										
Other potatoes	0.03	FC				0.03			0.02		5-1	Mume plum	1	MRL	1										
Sugar beet	0.03	FC				0.03			0.02		5-1	Cherry	4	MRL	4										
Sugarcane												Strawberry	1	MRL	1										
Japanese radish(including Radish)(root)	0.03	FC				0.03			0.02		5-1	Raspberry	1	MRL	1										
Japanese radish(including Radish)(leaf)	0.03	FC				0.03			0.02		5-1	Blackberry	1	MRL	1										
Turnip (including Rutabaga)(root)	0.03	FC				0.03			0.02		5-1	Blueberry	1	MRL	1										
Turnip (including Rutabaga)(leaf)	0.03	FC				0.03			0.02		5-1	Cranberry	1	MRL	1										
Horseradish	0.03	FC				0.03			0.02		5-1	Huckleberry	1	MRL	1										
Watercress	0.03	FC				0.03			0.02		5-1	Other berries	1	MRL	1										
Chinese cabbage	1	MRL	1									Grape	1	MRL	1										
Cabbage	0.03	FC				0.03			0.02		5-1	Japanese persimon	1	MRL	1										
Brussels sprouts	0.03	FC				0.03			0.02		5-1	Banana	2	MRL	2										
Kale	0.03	FC				0.03			0.02		5-1	Kiwifruit	1	MRL	1										
KOMATSUNA	0.03	FC				0.03			0.02		5-1	Papaya	1	MRL	1										
KYONA	0.03	FC				0.03			0.02		5-1	Pineapple	1	MRL	1										
Qing-geng-cai	1	MRL	1									Avocado	1	MRL	1										
Cauliflower	0.03	FC				0.03			0.02		5-1	Guava	1	MRL	1										
Broccoli	0.03	FC				0.03			0.02		5-1	Mango	1	MRL	1										
Other cruciferous vegetables	1	MRL	1									Passion fruit	1	MRL	1										
Burdock	1	MRL	1									Date	1	MRL	1										
Salsify	1	MRL	1									Other fruits	1	MRL	1										
Artichoke	1	MRL	1									Sunflower seeds													
Chicory	1	MRL	1									Sesam seeds													
Endive	1	MRL	1									Safflower seeds													
SHUNGIKU	1	MRL	1									Cotton seeds	0.04	FC			0.02					0.05		5-1	
Lettuce (Cos lettuce, Leaf lettuce)	0.03	FC				0.03			0.02		5-1	Rapeseeds													
Other composite vegetables	1	MRL	1									Other oil seeds													
Onion	1	MRL	1									Ginkgo nut													
Welsh (including Leek)	1	MRL	1									Chestnut													
Garlic	1	MRL	1									Pecan													
NIRA	1	MRL	1									Almond	0.08	FC			0.1					0.05		5-1	
Asparagus	1	MRL	1									Walnut													
Multiplying Onion (including Shallot)	1	MRL	1									Other nuts													
Other liliaceous vegetables	1	MRL	1									Tea (Green, Black, Oolong, Wulong tea)	20	MRL	20										
Carrot	1	MRL	1									Coffee beans													
Parsnip	1	MRL	1									Cacao beans													
Parsley	0.03	FC				0.03			0.02		5-1	Hop	2	Codex			2					2		2	
Celery	0.03	FC				0.03			0.02		5-1	Cattle, muscle	0.01	Codex			0.01					0.1	0.05	0.01	2
MITSUBA	1	MRL	1									Pig, muscle	0.05	FC								0.1	0.05	0.01	5-1
Other umbelliferous vegetables	1	MRL	1									Other terrestrial mammals, muscle	0.05	FC								0.1	0.05	0.01	5-1
Tomato	1	MRL	1																						
Pimento (Sweet pepper)	1	MRL	1																						
Egg plant	1	MRL	1																						
Other solanaceous vegetables	1	MRL	1																						
Cucumber (including Gherkin)	1	MRL	1																						
Pumpkin (including Squash)	1	MRL	1																						
Oriental pickling melon (vegetable)	1	MRL	1																						
Water melon	1	MRL	1									Cattle, fat	0.04	FC			0.05					0.05	0.05	0.01	5-1
Melons	1	MRL	1									Pig, fat	0.04	FC			0.05					0.05	0.05	0.01	5-1
MAKUWAURI	1	MRL	1									Other terrestrial mammals, fat	0.04	FC			0.05					0.05	0.05	0.01	5-1
Other cucurbitaceous vegetables	1	MRL	1																						
Spinach	1	MRL	1																						
Bamboo shoots	1	MRL	1																						
Okra	1	MRL	1																						
Ginger	0.03	FC				0.03			0.02		5-1														
Peas (with pods, immature)	1	MRL	1																						
Kidney beans (with pods, immature)	1	MRL	1									Cattle, liver	0.01	Codex			0.01					1	0.3	0.01	2
Soybeans	1	MRL	1																						

