

NEOMYCIN

| | PR-MRL | Ref. | MRL | PAL | Codex | US | AU | CA | EU | NZ | Type | | PR-MRL | Ref. | MRL | PAL | Codex | US | AU | CA | EU | NZ | Type |
|--|--------|------|-----|------|-------|------|-----|----|-----|-----|------|--|----------------------|------|-----|-----|-------|----|----|-----|-----|-----|------|
| Cattle, kidney | 10 | MRL | 10 | | | | | | | | | | Order Salmoniformes | 0.5 | FC | | | | | | 0.5 | | 5-1 |
| Pig, kidney | 10 | MRL | 10 | | | | | | | | | | Order Anguilliformes | 0.5 | FC | | | | | | 0.5 | | 5-1 |
| Sheep, kidney | 10 | MRL | 10 | | | | | | | | | | Order Perciformes | 0.5 | FC | | | | | | 0.5 | | 5-1 |
| Goat, kidney | 10 | MRL | 10 | | | | | | | | | | Other fish | 0.5 | FC | | | | | | 0.5 | | 5-1 |
| Other terrestrial mammals, kidney | 10 | FC | | | | | 0.5 | | 5 | 5 | 6 | | Order Decapoda | 0.5 | FC | | | | | | 0.5 | | 5-1 |
| | | | | | | | | | | | | | Other Crustacea | 0.5 | FC | | | | | | 0.5 | | 5-1 |
| | | | | | | | | | | | | | Shelled molluscas | 0.5 | FC | | | | | | 0.5 | | 5-1 |
| Cattle, edible offal excluding liver and | 0.1 | PAL | | 0.1 | | | | | | | 4 | | Other aquatic animal | 0.5 | FC | | | | | 0.5 | | 5-1 | |
| Pig, edible offal excluding liver and kid | 0.05 | PAL | | 0.05 | | | | | | | 4 | | Other animals | | | | | | | | | | |
| Other terrestrial mammals, edible offal exclud | 0.5 | | | | | | | | | | 8 | | Honey | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Cattle, milk | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Sheep, milk | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Goat, milk | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Other terrestrial mammals, milk | 0.5 | | | | | 0.15 | 0.5 | | 1.5 | | 6 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, muscle | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Duck, muscle | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Turkey, muscle | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Other poultry, muscle | 0.5 | FC | | | | | 0.5 | | 0.5 | 0.5 | 5-1 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, fat | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| あひるの脂肪 | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| 七面鳥の脂肪 | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Other poultry, fat | 0.5 | FC | | | | | | | 0.5 | 0.5 | 5-1 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, liver | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Duck, liver | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Turkey, liver | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Other poultry, liver | 0.5 | FC | | | | | 0.5 | | 0.5 | 0.5 | 5-1 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, kidney | 10 | MRL | 10 | | | | | | | | | | | | | | | | | | | | |
| Duck, kidney | 10 | MRL | 10 | | | | | | | | | | | | | | | | | | | | |
| Turkey, kidney | 10 | MRL | 10 | | | | | | | | | | | | | | | | | | | | |
| Other poultry, kidney | 10 | FC | | | | | 10 | | 5 | | 6 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, edible offal excluding liver and | 0.05 | PAL | | 0.05 | | | | | | | 4 | | | | | | | | | | | | |
| Other poultry, edible offal excluding liv | 0.5 | | | | | | | | | | 8 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, eggs | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| Other poultry, eggs | 0.5 | MRL | 0.5 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |

- 1 For other terrestrial mammal's fat and kidneys, the PR-MRLs was harmonized with the corresponding PR-MRLs for sheep.
- 2 For other terrestrial mammal's milk, the PR-MRL was harmonized with the corresponding PR-MRLs for Sheep and Goat.
- 3 For Other poultry kidneys, the PR-MRLs was harmonized with the corresponding PR-MRLs for Chicken.

NICARBAZIN

| | PR-MRL | Ref. | MRL | PAL | Code x | US | AU | CA | EU | NZ | Type | | PR-MRL | Ref. | MRL | PAL | Code x | US | AU | CA | EU | NZ | Type | |
|--|--------|------|-----|------|--------|----|----|----|----|----|------|-------|----------------------|------|-----|-----|--------|----|----|----|----|----|------|--|
| Cattle, kidney | | | | | | | | | | | | | Order Salmoniformes | | | | | | | | | | | |
| Pig, kidney | | | | | | | | | | | | | Order Anguilliformes | | | | | | | | | | | |
| Other terrestrial mammals, kidney | | | | | | | | | | | | | Order Perciformes | | | | | | | | | | | |
| | | | | | | | | | | | | | Other fish | | | | | | | | | | | |
| | | | | | | | | | | | | | Order Decapoda | | | | | | | | | | | |
| | | | | | | | | | | | | | Other Crustacea | | | | | | | | | | | |
| | | | | | | | | | | | | | Shelled molluscs | | | | | | | | | | | |
| Cattle, edible offal excluding liver and | | | | | | | | | | | | | Other aquatic animal | | | | | | | | | | | |
| Pig, edible offal excluding liver and kid | | | | | | | | | | | | | Other animals | | | | | | | | | | | |
| Other terrestrial mammals, edible offal exclud | | | | | | | | | | | | | Honey | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Cattle, milk | | | | | | | | | | | | | | | | | | | | | | | | |
| Other terrestrial mammals, milk | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Cattle, milk fat | | | | | | | | | | | | | | | | | | | | | | | | |
| Other terrestrial mammals, milk fat | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, muscle | 0.2 | MRL | 0.2 | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, muscle | 0.5 | FC | | | | | 5 | | | | 0.5 | 5-2,6 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, fat | 0.2 | MRL | 0.2 | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, fat | 0.5 | FC | | | | | | | | | 0.5 | 5-1 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, liver | 0.2 | MRL | 0.2 | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, liver | 0.5 | FC | | | | | 20 | | | | 0.5 | 5-2,6 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, kidney | 0.2 | MRL | 0.2 | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, kidney | 0.5 | FC | | | | | 20 | | | | 0.5 | 5-2,6 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, edible offal excluding liver and | 0.01 | PAL | | 0.01 | | | 20 | 4 | | | 0.5 | 3-1 | | | | | | | | | | | | |
| Other poultry, edible offal excluding liv | 0.5 | FC | | | | | 20 | | | | 0.5 | 5-2,6 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, eggs | | | | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, eggs | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, egg yolk | | | | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, egg yolk | | | | | | | | | | | | | | | | | | | | | | | | |

The PR-MRL was harmonized with the current MRL since there is a big difference in foreign PR-MRLs.

447. NITROXYNIL

| | P | R | M | P | C | U | A | C | E | N | T | | P | R | M | P | C | U | A | C | E | N | T | |
|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------------|---|-----|-----|---|---|-----|---|---|---|---|------|-------|
| | R | e | R | A | o | S | U | A | E | Z | y | | R | e | R | A | o | S | U | A | E | Z | y | |
| | M | . | L | L | d | | | | | | | M | . | L | L | d | | | | | | | | |
| Rice (brown rice) | | | | | | | | | | | | UNSHU orange | | | | | | | | | | | | |
| Wheat | | | | | | | | | | | | NATSUDAIDAI (flesh) | | | | | | | | | | | | |
| Barley | | | | | | | | | | | | NATSUDAIDAI (peel) | | | | | | | | | | | | |
| Rye | | | | | | | | | | | | NATSUDAIDAI (whole) | | | | | | | | | | | | |
| Corn (including Maize, Sweet corn) | | | | | | | | | | | | Lemon | | | | | | | | | | | | |
| Buckwheat | | | | | | | | | | | | Orange (including Navel) | | | | | | | | | | | | |
| Other cereal grains | | | | | | | | | | | | Grapefruit | | | | | | | | | | | | |
| Soybeans (dry) | | | | | | | | | | | | Lime | | | | | | | | | | | | |
| Beans (dry)* | | | | | | | | | | | | Other citrus fruits | | | | | | | | | | | | |
| Peas | | | | | | | | | | | | Apple | | | | | | | | | | | | |
| Broad beans | | | | | | | | | | | | Japanese pear | | | | | | | | | | | | |
| Peanuts | | | | | | | | | | | | Pear | | | | | | | | | | | | |
| Other legumes/pulses | | | | | | | | | | | | Quince | | | | | | | | | | | | |
| Potato | | | | | | | | | | | | Loquat | | | | | | | | | | | | |
| Taro | | | | | | | | | | | | Peach | | | | | | | | | | | | |
| Sweet potato | | | | | | | | | | | | Nectarine | | | | | | | | | | | | |
| Yam | | | | | | | | | | | | Apricot | | | | | | | | | | | | |
| Konjac | | | | | | | | | | | | Japanese plum (including Prunes) | | | | | | | | | | | | |
| Other potatoes | | | | | | | | | | | | Mume plum | | | | | | | | | | | | |
| Sugar beet | | | | | | | | | | | | Cherry | | | | | | | | | | | | |
| Sugarcane | | | | | | | | | | | | Strawberry | | | | | | | | | | | | |
| Japanese radish(including Radish)(root) | | | | | | | | | | | | Raspberry | | | | | | | | | | | | |
| Japanese radish(including Radish)(leaf) | | | | | | | | | | | | Blackberry | | | | | | | | | | | | |
| Turip (including Rutabaga)(root) | | | | | | | | | | | | Blueberry | | | | | | | | | | | | |
| Turip (including Rutabaga)(leaf) | | | | | | | | | | | | Cranberry | | | | | | | | | | | | |
| Horseradish | | | | | | | | | | | | Huckleberry | | | | | | | | | | | | |
| Watercress | | | | | | | | | | | | Other berries | | | | | | | | | | | | |
| Chinese cabbage | | | | | | | | | | | | Grape | | | | | | | | | | | | |
| Cabbage | | | | | | | | | | | | Japanese persimon | | | | | | | | | | | | |
| Brussels sprouts | | | | | | | | | | | | Banana | | | | | | | | | | | | |
| Kale | | | | | | | | | | | | Kiwifruit | | | | | | | | | | | | |
| KOMATSUNA | | | | | | | | | | | | Papaya | | | | | | | | | | | | |
| KYONA | | | | | | | | | | | | Pineapple | | | | | | | | | | | | |
| Qing-geng-cai | | | | | | | | | | | | Avocado | | | | | | | | | | | | |
| Cauliflower | | | | | | | | | | | | Guava | | | | | | | | | | | | |
| Broccoli | | | | | | | | | | | | Mango | | | | | | | | | | | | |
| Other cruciferous vegetables | | | | | | | | | | | | Passion fruit | | | | | | | | | | | | |
| Burdock | | | | | | | | | | | | Date | | | | | | | | | | | | |
| Salsify | | | | | | | | | | | | Other fruits | | | | | | | | | | | | |
| Artichoke | | | | | | | | | | | | Sunflower seeds | | | | | | | | | | | | |
| Chicory | | | | | | | | | | | | Sesam seeds | | | | | | | | | | | | |
| Endive | | | | | | | | | | | | Safflower seeds | | | | | | | | | | | | |
| SHUNGIKU | | | | | | | | | | | | Cotton seeds | | | | | | | | | | | | |
| Lettuce (Cos lettuce, Leaf lettuce) | | | | | | | | | | | | Rapeseeds | | | | | | | | | | | | |
| Other composite vegetables | | | | | | | | | | | | Other oil seeds | | | | | | | | | | | | |
| Onion | | | | | | | | | | | | Ginkgo nut | | | | | | | | | | | | |
| Welsh (including Leek) | | | | | | | | | | | | Chestnut | | | | | | | | | | | | |
| Garlic | | | | | | | | | | | | Pecan | | | | | | | | | | | | |
| NIRA | | | | | | | | | | | | Almond | | | | | | | | | | | | |
| Asparagus | | | | | | | | | | | | Walnut | | | | | | | | | | | | |
| Multiplying Onion (including Shallot) | | | | | | | | | | | | Other nuts | | | | | | | | | | | | |
| Other liliaceous vegetables | | | | | | | | | | | | Tea (Green, Black, Oolong, Wulong) | | | | | | | | | | | | |
| Carrot | | | | | | | | | | | | Coffee beans | | | | | | | | | | | | |
| Parsnip | | | | | | | | | | | | Cacao beans | | | | | | | | | | | | |
| Parsley | | | | | | | | | | | | Hop | | | | | | | | | | | | |
| Celery | | | | | | | | | | | | Cattle, muscle | | 0.5 | PAL | | | 0.5 | | | 1 | | 0.4 | 3-1 |
| MITSUBA | | | | | | | | | | | | Pig, muscle | | 1 | FC | | | | | | | | 0.4 | 3-1 |
| Other umbelliferous vegetables | | | | | | | | | | | | Other terrestrial mammals, muscle | | 0.7 | FC | | | | | | 1 | | 0.4 | 5-1 |
| Tomato | | | | | | | | | | | | | | | | | | | | | | | | |
| Pimento (Sweet pepper) | | | | | | | | | | | | | | | | | | | | | | | | |
| Egg plant | | | | | | | | | | | | | | | | | | | | | | | | |
| Other solanaceous vegetables | | | | | | | | | | | | | | | | | | | | | | | | |
| Cucumber (including Gherkin) | | | | | | | | | | | | | | | | | | | | | | | | |
| Pumpkin (including Squash) | | | | | | | | | | | | | | | | | | | | | | | | |
| Oriental pickling melon (vegetable) | | | | | | | | | | | | | | | | | | | | | | | | |
| Water melon | | | | | | | | | | | | Cattle, fat | | 0.6 | FC | | | | | | | | 0.2 | 1 5-1 |
| Melons | | | | | | | | | | | | Pig, fat | | 1 | FC | | | | | | | | 1 | 5-1 |
| MAKUWAURI | | | | | | | | | | | | Other terrestrial mammals, fat | | 0.6 | FC | | | | | | | | 0.2 | 1 5-1 |
| Other cucurbitaceous vegetables | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinach | | | | | | | | | | | | | | | | | | | | | | | | |
| Bamboo shoots | | | | | | | | | | | | | | | | | | | | | | | | |
| Okra | | | | | | | | | | | | | | | | | | | | | | | | |
| Ginger | | | | | | | | | | | | | | | | | | | | | | | | |
| Peas (with pods, immature) | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney beans (with pods, immature) | | | | | | | | | | | | Cattle, liver | | 0.5 | PAL | | | 0.5 | | | 1 | | 0.02 | 3-1 |
| Soybeans | | | | | | | | | | | | Pig, liver | | 1 | FC | | | | | | | | 1 | 5-1 |
| Button mushroom | | | | | | | | | | | | Other terrestrial mammals, liver | | 0.5 | FC | | | | | | 1 | | 0.02 | 5-1 |
| SHIITAKE | | | | | | | | | | | | | | | | | | | | | | | | |
| Other mushrooms | | | | | | | | | | | | | | | | | | | | | | | | |
| Other vegetables | | | | | | | | | | | | | | | | | | | | | | | | |

