

516. PROPANIL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	WHL		0.1		2	2				3-1	UNSHU orange	0.1	WHL		0.1								4
Wheat	0.2	FC				0.2					5-1	NATSUDAIDAI (flesh)												
Barley	0.2	FC				0.2					5-1	NATSUDAIDAI (peel)												
Rye												Lemon	0.1	WHL		0.1								4
Corn (including Maize, Sweet corn)												Orange (including Navel)	0.1	WHL		0.1								4
Buckwheat												Grapefruit	0.1	WHL		0.1								4
Other cereal grains	0.2	FC				0.2					5-1	Lime	0.1	WHL		0.1								4
Soybeans (dry)												Other citrus fruits	0.1	WHL		0.1								4
Beans (dry)*												Apple	0.1	WHL		0.1								4
Peas												Japanese pear	0.1	WHL		0.1								4
Broad beans												Pear	0.1	WHL		0.1								4
Peanuts												Quince	0.1	WHL		0.1								4
Other legumes/pulses												Loquat	0.1	WHL		0.1								4
Potato	0.1	WHL		0.1							4	Peach	0.1	WHL		0.1								4
Taro	0.1	WHL		0.1							4	Nectarine	0.1	WHL		0.1								4
Sweet potato	0.1	WHL		0.1							4	Apricot	0.1	WHL		0.1								4
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	0.1	WHL		0.1								4
Konjac	0.1	WHL		0.1							4	Mume plum	0.1	WHL		0.1								4
Other potatoes	0.1	WHL		0.1							4	Cherry	0.1	WHL		0.1								4
Sugar beet												Strawberry	0.1	WHL		0.1								4
Sugarcane												Raspberry	0.1	WHL		0.1								4
Japanese radish(including Radish)(root)	0.1	WHL		0.1							4	Blackberry	0.1	WHL		0.1								4
Japanese radish(including Radish)(leaf)	0.1	WHL		0.1							4	Blueberry	0.1	WHL		0.1								4
Turnip (including Rutabaga)(root)	0.1	WHL		0.1							4	Cranberry	0.1	WHL		0.1								4
Turnip (including Rutabaga)(leaf)	0.1	WHL		0.1							4	Huckleberry	0.1	WHL		0.1								4
Horseradish	0.1	WHL		0.1							4	Other berries	0.1	WHL		0.1								4
Watercress	0.1	WHL		0.1							4	Grape	0.1	WHL		0.1								4
Chinese cabbage	0.1	WHL		0.1							4	Japanese persimon	0.1	WHL		0.1								4
Cabbage	0.1	WHL		0.1							4													
Brussels sprouts	0.1	WHL		0.1							4	Banana	0.1	WHL		0.1								4
Kale	0.1	WHL		0.1							4	Kiwifruit	0.1	WHL		0.1								4
KOMATSUNA	0.1	WHL		0.1							4	Papaya	0.1	WHL		0.1								4
KYONA	0.1	WHL		0.1							4	Avocado	0.1	WHL		0.1								4
Qing-geng-cai	0.1	WHL		0.1							4	Pineapple	0.1	WHL		0.1								4
Cauliflower	0.1	WHL		0.1							4	Guava	0.1	WHL		0.1								4
Broccoli	0.1	WHL		0.1							4	Mango	0.1	WHL		0.1								4
Other cruciferous vegetables	0.1	WHL		0.1							4	Passion fruit	0.1	WHL		0.1								4
Burdock	0.1	WHL		0.1							4	Date	0.1	WHL		0.1								4
Salsify	0.1	WHL		0.1							4	Other fruits	0.1	WHL		0.1								4
Artichoke	0.1	WHL		0.1							4	Sunflower seeds	0.1	WHL		0.1								4
Chicory	0.1	WHL		0.1							4	Sesam seeds	0.1	WHL		0.1								4
Endive	0.1	WHL		0.1							4	Safflower seeds	0.1	WHL		0.1								4
SHUNGIKU	0.1	WHL		0.1							4	Cotton seeds	0.1	WHL		0.1								4
Lettuce (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1							4	Rapeseeds	0.1	WHL		0.1								4
Other composite vegetables	0.1	WHL		0.1							4	Other oil seeds	0.1	WHL		0.1								4
Onion	0.1	WHL		0.1							4	Ginkgo nut	0.1	WHL		0.1								4
Welsh (including Leek)	0.1	WHL		0.1							4	Chestnut	0.1	WHL		0.1								4
Garlic	0.1	WHL		0.1							4	Pecan	0.1	WHL		0.1								4
NIRA	0.1	WHL		0.1							4	Almond	0.1	WHL		0.1								4
Asparagus	0.1	WHL		0.1							4	Walnut	0.1	WHL		0.1								4
Multiplying Onion (including Shallot)	0.1	WHL		0.1							4	Other nuts	0.1	WHL		0.1								4
Other liliaceous vegetables	0.1	WHL		0.1							4	Tea (Green, Black, Oolong, Wulong tea)												
Carrot	0.1	WHL		0.1							4	Coffee beans												
Parsnip	0.1	WHL		0.1							4	Cacao beans												
Parsley	0.1	WHL		0.1							4	Hop												
Celery	0.1	WHL		0.1							4													
MITSUBA	0.1	WHL		0.1							4	Cattle, muscle												
Other umbelliferous vegetables	0.1	WHL		0.1							4	Pig, muscle												
Tomato	0.1	WHL		0.1							4	Other terrestrial mammals, muscle												
Pimento (Sweet pepper)	0.1	WHL		0.1							4													
Egg plant	0.1	WHL		0.1							4													
Other solanaceous vegetables	0.1	WHL		0.1							4													
Cucumber (including Gherkin)	0.1	WHL		0.1							4	Cattle, fat												
Pumpkin (including Squash)	0.1	WHL		0.1							4	Pig, fat												
Oriental pickling melon (vegetable)	0.1	WHL		0.1							4	Other terrestrial mammals, fat												
Water melon	0.1	WHL		0.1							4													
Melons	0.1	WHL		0.1							4													
MAKUWAURI	0.1	WHL		0.1							4													
Other cucurbitaceous vegetables	0.1	WHL		0.1							4													
Spinach	0.1	WHL		0.1							4	Cattle, liver												
Bamboo shoots	0.1	WHL		0.1							4	Pig, liver												
Okra	0.1	WHL		0.1							4	Other terrestrial mammals, liver												
Ginger	0.1	WHL		0.1							4													
Peas (with pods, immature)	0.1	WHL		0.1							4													
Kidney beans (with pods, immature)	0.1	WHL		0.1							4													
Soybeans	0.1	WHL		0.1																				

518. PROPARGITE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e				
Rice (brown rice)												UNSHU orange	3	Codex			3	3				5		3	1-1		
Wheat												NATSUDAIDAI (flesh)															
Barley												NATSUDAIDAI (peel)															
Rye												NATSUDAIDAI (whole)	3	Codex			3	3				5		3	1-1		
Corn (including Maize, Sweet corn)	0.1	Codex			0.1	0.1	3				2	Lemon	3	Codex			3	3				5		3	1-1		
Buckwheat												Orange (including Navel)	3	Codex			3	3				5		3	1-1		
Other cereal grains	5	Codex			5	10					2	Grapefruit	3	Codex			3	3				5		3	1-1		
Soybeans (dry)	0.2	Codex			0.2		3				2	Lime	3	Codex			3	3				5		3	1-1		
Beans (dry)*	0.2	Codex			0.2	0.2	3	5			2	Other citrus fruits	3	Codex			3	3				5		3	1-1		
Peas	3	FC					3				5-1	Apple	3	Codex			3	3				3	3		3	1-1	
Broad beans	0.2	Codex			0.2		3	5			2	Japanese pear	5	Codex			5	5				3	2		3	2	
Peanuts	0.1	Codex			0.1	0.1					2	Pear	5	Codex			5	5				3	2		3	2	
Other legumes/pulses	0.2	Codex			0.2		3	5			2	Quince	3	WHL			3	3				5		3	3-1		
Potato	0.1	Codex			0.1	0.1	3				2	Loquat	3	WHL			3	3				5		3	3-1		
Taro	3	FC					3				5-1	Peach	4	Codex			3	4				3	7		3	1-1	
Sweet potato	3	FC					3				5-1	Nectarine	4	Codex			3	4	4			3	7		3	1-1	
Yam	3	FC					3				5-1	Apricot	4	Codex			3	4				3	7		3	1-1	
Konjac	3	FC					3				5-1	Japanese plum (including Prunes)	4	Codex			3	4				3	5		3	1-1	
Other potatoes	3	FC					3				5-1	Mume plum	4	Codex			3	4				3	5		3	1-1	
Sugar beet	3	FC					3				5-1	Cherry	4	Codex			3	4				3	5		3	1-1	
Sugarcane	3	FC					3				5-1	Strawberry	7	Codex			3	7				7	7		3	1-1	
Japanese radish(including Radish)(root)	3	FC					3				5-1	Raspberry	3	WHL			3	3							3	3-1	
Japanese radish(including Radish)(leaf)	3	FC					3				5-1	Blackberry	3	WHL			3	3							3	3-1	
Turnip (including Rutabaga)(root)	3	FC					3				5-1	Blueberry	3	WHL			3	3							3	3-1	
Turnip (including Rutabaga)(leaf)	3	FC					3				5-1	Cranberry	10	Codex			3	10				5			3	1-1	
Horseradish	3	FC					3				5-1	Huckleberry	3	WHL			3	3				3	2		3	3-1	
Watercress	3	FC					3				5-1	Other berries	3	WHL			3	3				3	0.05		3	3-1	
Chinese cabbage	3	FC					3				5-1	Grape	7	Codex			3	7	10			7			3	1-1	
Cabbage	3	FC					3				5-1	Japanese persimon	3	WHL			3	3								4	
Brussels sprouts	3	FC					3				5-1	Banana	3	WHL			3	3				3				3-1	
Kale	3	FC					3				5-1	Kiwifruit	3	WHL			3	3								4	
KOMATSUNA	3	FC					3				5-1	Papaya	3	WHL			3	3								4	
KYONA	3	FC					3				5-1	Avocado	3	WHL			3	3								4	
Qing-geng-cai	3	FC					3				5-1	Pineapple	3	WHL			3	3								4	
Cauliflower	3	FC					3				5-1	Guava	3	WHL			3	3								4	
Broccoli	3	FC					3				5-1	Mango	3	WHL			3	3								4	
Other cruciferous vegetables	3	FC					3				5-1	Passion fruit	3	WHL			3	3				3				3-1	
Burdock	3	FC					3				5-1	Date	3	WHL			3	3								4	
Salsify	3	FC					3				5-1	Other fruits	2	Codex			3	2				3				3	1-1
Artichoke	3	FC					3				5-1	Sunflower seeds	3	WHL			3	3								4	
Chicory	3	FC					3				5-1	Sesam seeds	3	WHL			3	3								4	
Endive	3	FC					3				5-1	Safflower seeds	3	WHL			3	3								4	
SHUNGIKU	3	FC					3				5-1	Cotton seeds	0.1	Codex			3	0.1	0.1			0.2				1-1	
Lettuce (Cos lettuce, Leaf lettuce)	3	FC					3				5-1	Rapeseeds	3	WHL			3	3								4	
Other composite vegetables	3	FC					3				5-1	Other oil seeds	3	WHL			3	3								4	
Onion	3	FC					3				5-1	Ginkgo nut	3	WHL			3	3								4	
Welsh (including Leek)	3	FC					3				5-1	Chestnut	3	WHL			3	3								4	
Garlic	3	FC					3				5-1	Pecan	3	WHL			3	3								4	
NIRA	3	FC					3				5-1	Almond	0.1	Codex			3	0.1	0.1							1-1	
Asparagus	3	FC					3				5-1	Walnut	0.1	Codex			3	0.1								1-1	
Multiplying Onion (including Shallot)	3	FC					3				5-1	Other nuts	3	WHL			3	3								4	
Other liliaceous vegetables	3	FC					3				5-1	Tea (Green, Black, Oolong, Wulong tea)	5	Codex			3	5	10							1-1	
Carrot	3	FC					3				5-1	Coffee beans															
Parsnip	3	FC					3				5-1	Cacao beans															
Parsley	3	FC					3				5-1	Hop	100	Codex			100	30				3	30			2	
Celery	3	FC					3				5-1	Cattle, muscle	0.1	Codex				0.1	0.1							2	
MITSUBA	3	FC					3				5-1	Pig, muscle	0.1	Codex				0.1	0.1							2	
Other umbelliferous vegetables	3	FC					3				5-1	Other terrestrial mammals, muscle	0.1	Codex				0.1	0.1							2	
Tomato	2	Codex			2		3				2																
Pimento (Sweet pepper)	3	FC					3				5-1																
Egg plant	3	FC					3				5-1																
Other solanaceous vegetables	3	FC					3				5-1																
Cucumber (including Gherkin)	0.5	Codex			0.5		3				2																
Pumpkin (including Squash)	3	FC					3				5-1																
Oriental pickling melon (vegetable)	3	FC					3				5-1																
Water melon	3	WHL		3			3				3-1	Cattle, fat	0.1	Codex				0.1	0.1			0.1				2	
Melons	3	WHL		3			3				3-1	Pig, fat	0.1	Codex				0.1	0.1			0.1				2	
MAKUWAURI	3	WHL		3			3				3-1	Other terrestrial mammals, fat	0.1	Codex				0.1	0.1			0.1				2	
Other cucurbitaceous vegetables	3	FC					3				5-1																
Spinach	3	FC					3				5-1																

521. PROPICONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	MRL	0.1										UNSHU orange	0.05	MRL	0.05								
Wheat	1	MRL	1										NATSUDAIDAI (flesh)											
Barley	1	MRL	1										NATSUDAIDAI (peel)											
Rye	0.05	MRL	0.05										NATSUDAIDAI (whole)	0.05	MRL	0.05								
Corn (including Maize, Sweet corn)	1	MRL	1										Lemon	0.05	MRL	0.05								
Buckwheat	1	MRL	1										Orange (including Navel)	0.05	MRL	0.05								
Other cereal grains	0.05	MRL	0.05										Grapefruit	0.05	MRL	0.05								
Soybeans (dry)	0.05	MRL	0.05										Lime	0.05	MRL	0.05								
Beans (dry)*	0.05	MRL	0.05										Other citrus fruits	0.05	MRL	0.05								
Peas	0.05	MRL	0.05										Apple	0.05	MRL	0.05								
Broad beans	0.05	MRL	0.05										Japanese pear	0.05	MRL	0.05								
Peanuts	0.05	MRL	0.05										Pear	0.05	MRL	0.05								
Other legumes/pulses	0.05	MRL	0.05										Quince	0.05	MRL	0.05								
Potato	0.05	MRL	0.05										Loquat											
Taro													Peach	1	MRL	1								
Sweet potato	0.05	MRL	0.05										Nectarine	1	MRL	1								
Yam													Apricot	1	MRL	1								
Konjac													Japanese plum (including Prunes)	1	MRL	1								
Other potatoes													Mume plum	1	MRL	1								
Sugar beet	0.05	MRL	0.05										Cherry	1	MRL	1								
Sugarcane	0.05	MRL	0.05										Strawberry	0.05	MRL	0.05								
Japanese radish(including Radish)(root)	0.05	MRL	0.05										Raspberry	0.05	MRL	0.05								
Japanese radish(including Radish)(leaf)													Blackberry	0.05	MRL	0.05								
Turnip (including Rutabaga)(root)	0.05	MRL	0.05										Blueberry	1	FC							2	0.05	5-1
Turnip (including Rutabaga)(leaf)													Cranberry	0.05	MRL	0.05								
Horseradish	0.05	MRL	0.05										Huckleberry	1	FC							2	0.05	5-1
Watercress													Other berries											
Chinese cabbage	0.05	MRL	0.05										Grape	0.5	MRL	0.5								
Cabbage	0.05	MRL	0.05										Japanese persimon	0.1	FC							0.2	0.05	5-1
Brussels sprouts	0.05	MRL	0.05										Banana	0.1	MRL	0.1								
Kale	0.05	MRL	0.05										Kiwifruit	0.05	MRL	0.05								
KOMATSUNA													Papaya											
KYONA													Avocado	0.05	MRL	0.05								
Qing-geng-cai	0.05	MRL	0.05										Pineapple	0.05	MRL	0.05								
Cauliflower	0.05	MRL	0.05										Guava											
Broccoli	0.05	MRL	0.05										Mango	0.05	MRL	0.05								
Other cruciferous vegetables	0.05	MRL	0.05										Passion fruit	0.05	MRL	0.05								
Burdock													Date	0.05	MRL	0.05								
Salsify													Other fruits	0.1	FC							0.2	0.05	5-1
Artichoke													Sunflower seeds	0.05	MRL	0.05								
Chicory	0.05	MRL	0.05										Sesam seeds	0.05	MRL	0.05								
Endive	0.05	MRL	0.05										Safflower seeds											
SHUNGIKU													Cotton seeds	0.05	MRL	0.05								
Lettuce (Cos lettuce, Leaf lettuce)													Rapeseeds	0.05	MRL	0.05								
Other composite vegetables													Other oil seeds	0.05	MRL	0.05								
Onion	0.05	MRL	0.05										Ginkgo nut	0.1	FC							0.2	0.05	5-1
Welsh (including Leek)	0.05	MRL	0.05										Chestnut	0.1	FC							0.2	0.05	5-1
Garlic	0.05	MRL	0.05										Pecan	0.05	MRL	0.05								
NIRA													Almond	0.05	MRL	0.05								
Asparagus	0.05	MRL	0.05										Walnut	0.05	MRL	0.05								
Multiplying Onion (including Shallot)													Other nuts	0.05	MRL	0.05								
Other liliaceous vegetables													Tea (Green, Black, Oolong, Wulong tea)	0.1	MRL	0.1								
Carrot	0.05	MRL	0.05										Coffee beans	0.1	MRL	0.1								
Parsnip													Cacao beans											
Parsley	0.05	MRL	0.05										Hop	0.1	MRL	0.1								
Celery	5	MRL	5																					
MITSUBA	0.05	MRL	0.05																					
Other umbelliferous vegetables													Cattle, muscle	0.05	Codex		0.05	0.1	0.1				0.05	2
Tomato	0.05	MRL	0.05										Pig, muscle	0.05	Codex		0.05	0.1	0.1				0.05	2
Pimento (Sweet pepper)	0.1	MRL	0.1										Other terrestrial mammals, muscle	0.05	Codex		0.05	0.1	0.1				0.05	2
Egg plant	0.05	MRL	0.05																					
Other solanaceous vegetables																								
Cucumber (including Gherkin)	0.05	MRL	0.05																					
Pumpkin (including Squash)	0.05	MRL	0.05																					
Oriental pickling melon (vegetable)																								
Water melon	0.05	MRL	0.05										Cattle, fat	0.08	FC							0.1	0.05	5-1
Melons	0.05	MRL	0.05										Pig, fat	0.08	FC							0.1	0.05	5-1
MAKUWAURI													Other terrestrial mammals, fat	0.08	FC							0.1	0.05	5-1
Other cucurbitaceous vegetables	0.05	MRL	0.05																					
Spinach	0.05	MRL	0.05																					
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)	0.05	MRL	0.05										Cattle, liver	0.05	Codex		0.05	2	1		2	0.1	0.1	2
Kidney beans (with pods, immature)	0.05	MRL	0.05										Pig, liver	0.05	Codex		0.05	2	1			0.1	0.1	2
Soybeans													Other terrestrial mammals, liver	0.05	Codex		0.05	2	1			0.1	0.1	2
Button mushroom	0.1	MRL	0.1																					

522. PROPOXUR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)	1	WHL		1							4	UNSHU orange	1	WHL		1							0.3	3-1	
Wheat	0.5	WHL		0.5							4	NATSUDAIDAI (flesh)													
Barley	0.5	WHL		0.5							4	NATSUDAIDAI (peel)													
Rye	0.5	WHL		0.5							4	NATSUDAIDAI (whole)	1	WHL		1								4	
Corn (including Maize, Sweet corn)	0.5	WHL		0.5							4	Lemon	1	WHL		1							0.3	3-1	
Buckwheat	0.5	WHL		0.5							4	Orange (including Navel)	1	WHL		1								4	
Other cereal grains	0.5	WHL		0.5							4	Grapefruit	1	WHL		1								4	
Soybeans (dry)												Lime	1	WHL		1							0.3	3-1	
Beans (dry)*												Other citrus fruits	1	WHL		1							0.3	3-1	
Peas												Apple	1	WHL		1								4	
Broad beans												Japanese pear	1	WHL		1								4	
Peanuts												Pear	1	WHL		1								4	
Other legumes/pulses												Quince	1	WHL		1								4	
Potato	0.5	WHL		0.5								Loquat	1	WHL		1								4	
Taro	0.5	WHL		0.5			10		0.05		3-1	Peach	1	WHL		1								4	
Sweet potato	0.5	WHL		0.5								Nectarine	1	WHL		1								4	
Yam	0.5	WHL		0.5								Apricot	1	WHL		1								4	
Konjac	0.5	WHL		0.5								Japanese plum (including Prunes)	1	WHL		1								4	
Other potatoes	0.5	WHL		0.5								Mume plum	1	WHL		1								4	
Sugar beet												Cherry	1	WHL		1								4	
Sugarcane												Strawberry	1	WHL		1								4	
Japanese radish(including Radish)(root)	2	WHL		2								Raspberry	1	WHL		1								4	
Japanese radish(including Radish)(leaf)	2	WHL		2								Blackberry	1	WHL		1								4	
Turnip (including Rutabaga)(root)	2	WHL		2								Blueberry	1	WHL		1								4	
Turnip (including Rutabaga)(leaf)	2	WHL		2								Cranberry	1	WHL		1								4	
Horseradish	2	WHL		2								Huckleberry	1	WHL		1								4	
Watercress	2	WHL		2								Other berries	1	WHL		1								0.2	3-1
Chinese cabbage	2	WHL		2								Grape	1	WHL		1								4	
Cabbage	2	WHL		2								Japanese persimon	1	WHL		1								4	
Brussels sprouts	2	WHL		2				0.5			3-1	Banana	1	WHL		1								4	
Kale	2	WHL		2								Kiwifruit	1	WHL		1								4	
KOMATSUNA	2	WHL		2								Papaya	1	WHL		1								4	
KYONA	2	WHL		2								Avocado	1	WHL		1								4	
Qing-geng-cai	2	WHL		2								Pineapple	1	WHL		1								4	
Cauliflower	2	WHL		2					0.5		3-1	Guava	1	WHL		1								4	
Broccoli	2	WHL		2					0.5		3-1	Mango	1	WHL		1								4	
Other cruciferous vegetables	2	WHL		2					0.5		3-1	Passion fruit	1	WHL		1								4	
Burdock	2	WHL		2								Date	1	WHL		1								4	
Salsify	2	WHL		2								Other fruits	1	WHL		1								4	
Artichoke	2	WHL		2								Sunflower seeds	1	WHL		1								4	
Chicory	2	WHL		2								Sesam seeds	1	WHL		1								4	
Endive	2	WHL		2								Safflower seeds	1	WHL		1								4	
SHUNGIKU	2	WHL		2								Cotton seeds	1	WHL		1								4	
Lettuce (Cos lettuce, Leaf lettuce)	2	WHL		2								Rapeseeds	1	WHL		1								4	
Other composite vegetables	2	WHL		2								Other oil seeds	1	WHL		1								4	
Onion	2	WHL		2								Ginkgo nut	1	WHL		1								4	
Welsh (including Leek)	2	WHL		2								Chestnut	1	WHL		1								4	
Garlic	2	WHL		2						1	3-1	Pecan	1	WHL		1								4	
NIRA	2	WHL		2								Almond	1	WHL		1								4	
Asparagus	2	WHL		2								Walnut	1	WHL		1								4	
Multiplying Onion (including Shallot)	2	WHL		2								Other nuts	1	WHL		1								4	
Other liliaceous vegetables	2	WHL		2								Tea (Green, Black, Oolong, Wulong tea)													
Carrot	2	WHL		2								Coffee beans													
Parsnip	2	WHL		2								Cacao beans													
Parsley	2	WHL		2								Hop													
Celery	2	WHL		2								Cattle, muscle													
MITSUBA	2	WHL		2								Pig, muscle	0.01	WHL		0.01								4	
Other umbelliferous vegetables	2	WHL		2								Other terrestrial mammals, muscle													
Tomato	2	WHL		2					0.05		3-1														
Pimento (Sweet pepper)	2	WHL		2					0.05		3-1														
Egg plant	2	WHL		2					0.05		3-1														
Other solanaceous vegetables	2	WHL		2					0.05		3-1														
Cucamber (including Gherkin)	2	WHL		2					0.05		3-1														
Pumpkin (including Squash)	2	WHL		2					0.05		3-1														
Oriental pickling melon (vegetable)	2	WHL		2					0.05		3-1														
Water melon	1	WHL		1					0.05		3-1	Cattle, fat													
Melons	1	WHL		1					0.05		3-1	Pig, fat	0.01	WHL		0.01								4	
MAKUWAURI	1	WHL		1					0.05		3-1	Other terrestrial mammals, fat													
Other cucurbitaceous vegetables	2	WHL		2					0.05		3-1														
Spinach	2	WHL		2					0.05		3-1														
Bamboo shoots	2	WHL		2					0.05		3-1														
Okra	2	WHL		2							4														
Ginger	2	WHL		2					0.05		3-1														
Peas (with pods, immature)	2	WHL		2					0.05		3-1														
Kidney beans (with pods, immature)	2	WHL		2					0.05		3-1	Cattle, liver													
Soybeans	2	WHL		2					0.05		3-1	Pig, liver	0.01	WHL		0.01								4	
Button mushroom	2	WHL		2					0.05		3-1	Other terrestrial mammals, liver													

524. PROPYLENE OXIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)													UNSHU orange											
Wheat													NATSUDAIDAI (flesh)											
Barley													NATSUDAIDAI (peel)											
Rye													NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)													Lemon											
Buckwheat													Orange (including Navel)											
Other cereal grains													Grapefruit											
Soybeans (dry)													Lime											
Beans (dry)*													Other citrus fruits											
Peas													Apple											
Broad beans													Japanese pear											
Peanuts													Pear											
Other legumes/pulses													Quince											
Potato													Loquat											
Taro													Peach											
Sweet potato													Nectarine											
Yam													Apricot											
Konjac													Japanese plum (including Prunes)											
Other potatoes													Mume plum											
Sugar beet													Cherry											
Sugarcane													Strawberry											
Japanese radish(including Radish)(root)													Raspberry											
Japanese radish(including Radish)(leaf)													Blackberry											
Turnip (including Rutabaga)(root)													Blueberry											
Turnip (including Rutabaga)(leaf)													Cranberry											
Horseradish													Huckleberry											
Watercress													Other berries											
Chinese cabbage													Grape											
Cabbage													Japanese persimon											
Brussels sprouts													Banana											
Kale													Kiwifruit											
KOMATSUNA													Papaya											
KYONA													Avocado											
Qing-geng-cai													Pineapple											
Cauliflower													Guava											
Broccoli													Mango											
Other cruciferous vegetables													Passion fruit											
Burdock													Date											
Salsify													Other fruits											
Artichoke													Sunflower seeds											
Chicory													Sesam seeds											
Endive													Safflower seeds											
SHUNGIKU													Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)													Rapeseeds											
Other composite vegetables													Other oil seeds											
Onion													Ginkgo nut											
Welsh (including Leek)													Chestnut											
Garlic													Pecan											
NIRA													Almond											
Asparagus													Walnut											
Multiplying Onion (including Shallot)													Other nuts											
Other liliaceous vegetables													Tea (Green, Black, Oolong, Wulong tea)											
Carrot													Coffee beans											
Parsnip													Cacao beans											
Parsley													Hop											
Celery																								
MITSUBA																								
Other umbelliferous vegetables																								
Tomato													Cattle, muscle											
Pimento (Sweet pepper)													Pig, muscle											
Egg plant													Other terrestrial mammals, muscle											
Other solanaceous vegetables																								
Cucumber (including Gherkin)																								
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)																								
Water melon													Cattle, fat											
Melons													Pig, fat											
MAKUWAURI													Other terrestrial mammals, fat											
Other cucurbitaceous vegetables																								
Spinach																								
Bamboo shoots																								
Okra																								
Ginger																								
Peas (with pods, immature)																								
Kidney beans (with pods, immature)													Cattle, liver											
Soybeans													Pig, liver											
Button mushroom													Other terrestrial mammals, liver											
SHIITAKE																								
Other mushrooms																								
Other vegetables																								

