

ROBENIDINE

| | PR-MRL | Ref. | MRL | PAL | Codex | US | AU | CA | EU | NZ | Type | | PR-MRL | Ref. | MRL | PAL | Codex | US | AU | CA | EU | NZ | Type |
|--|--------|------|-----|-----|-------|-----|----|-----|----|----|------|-----|----------------------|------|-----|-----|-------|----|----|----|----|----|------|
| Cattle, kidney | | | | | | | | | | | | | Order Salmoniformes | | | | | | | | | | |
| Pig, kidney | | | | | | | | | | | | | Order Anguilliformes | | | | | | | | | | |
| Other terrestrial mammals, kidney | | | | | | | | | | | | | Order Perciformes | | | | | | | | | | |
| | | | | | | | | | | | | | Other fish | | | | | | | | | | |
| | | | | | | | | | | | | | Order Decapoda | | | | | | | | | | |
| | | | | | | | | | | | | | Other Crustacea | | | | | | | | | | |
| | | | | | | | | | | | | | Shelled molluscs | | | | | | | | | | |
| Cattle, edible offal excluding liver and | | | | | | | | | | | | | Other aquatic animal | | | | | | | | | | |
| Pig, edible offal excluding liver and kidney | | | | | | | | | | | | | Other animals | | | | | | | | | | |
| Other terrestrial mammals, edible offal excluding liver and kidney | | | | | | | | | | | | | Honey | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Cattle, milk | | | | | | | | | | | | | | | | | | | | | | | |
| Other terrestrial mammals, milk | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Cattle, milk fat | | | | | | | | | | | | | | | | | | | | | | | |
| Other terrestrial mammals, milk fat | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, muscle | 0.1 | | | | | 0.1 | | 0.1 | | | 2 | 6 | | | | | | | | | | | |
| Other poultry, muscle | 2 | FC | | | | | | | | | 2 | 5-1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, fat | 0.2 | FC | | | | 0.2 | | 0.2 | | | | 5-1 | | | | | | | | | | | |
| Other poultry, fat | 2 | | | | | | | | | | | 8 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, liver | 0.1 | FC | | | | 0.1 | | 0.1 | | | | 5-1 | | | | | | | | | | | |
| Other poultry, liver | 2 | | | | | | | | | | | 8 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, kidney | 0.1 | FC | | | | 0.1 | | 0.1 | | | | 5-1 | | | | | | | | | | | |
| Other poultry, kidney | 2 | | | | | | | | | | | 8 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, edible offal excluding liver and kidney | 0.1 | FC | | | | 0.1 | | | | | | 5-1 | | | | | | | | | | | |
| Other poultry, edible offal excluding liver and kidney | 2 | | | | | | | | | | | 8 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, eggs | | | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, eggs | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Chicken, egg yolk | | | | | | | | | | | | | | | | | | | | | | | |
| Other poultry, egg yolk | | | | | | | | | | | | | | | | | | | | | | | |

For the provisional PR-MRL for chicken muscle, 0.1 ppm was adopted, taking into account foreign PR-MRLs for chicken fat and other parts, since there is a big difference in foreign PR-MRLs for chicken muscle.