











# SARAFLOXACIN

	PR-MRL	Ref.	MRL	PAL	Code x	U	A	C	E	N	Z	Type		PR-MRL	Ref.	MRL	PAL	Code x	U	A	C	E	N	Z	Type
Cattle, kidney														0.03	FC										5-1
Pig, kidney																									
Other terrestrial mammals, kidney																									
Cattle, edible offal excluding liver and kidney																									
Pig, edible offal excluding liver and kidney																									
Other terrestrial mammals, edible offal excluding liver and kidney																									
Cattle, milk																									
Other terrestrial mammals, milk																									
Cattle, milk fat																									
Other terrestrial mammals, milk fat																									
Chicken, muscle	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....	.....	.....													
Turkey, muscle	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....	.....	.....													
Other poultry, muscle	0.01																								6
Chicken, fat	0.02	MRL	0.02	.....	.....	.....	.....	.....	.....	.....	.....	.....													
七面鳥の脂肪	0.02	MRL	0.02	.....	.....	.....	.....	.....	.....	.....	.....	.....													
Other poultry, fat	0.02																								6
Chicken, liver	0.08	MRL	0.08	.....	.....	.....	.....	.....	.....	.....	.....	.....													
Turkey, liver	0.08	MRL	0.08	.....	.....	.....	.....	.....	.....	.....	.....	.....													
Other poultry, liver	0.08																								6
Chicken, kidney	0.08	MRL	0.08	.....	.....	.....	.....	.....	.....	.....	.....	.....													
Turkey, kidney	0.08	MRL	0.08	.....	.....	.....	.....	.....	.....	.....	.....	.....													
Other poultry, kidney	0.08																								6
Chicken, edible offal excluding liver and kidney	0.01																								8
Other poultry, edible offal excluding liver and kidney	0.01																								8
Chicken, eggs																									
Other poultry, eggs																									
Chicken, egg yolk																									
Other poultry, egg yolk																									

For other poultry (muscle, fat, livers and kidneys), the PR-MRLs was harmonized with the corresponding PR-MRLs for Turkey.







































# SODIUM NIFRUSTYRENATE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney																								
Pig, kidney																								
Other terrestrial mammals, kidney																								
Cattle, edible offal excluding liver and kidney																								
Pig, edible offal excluding liver and kidney																								
Other terrestrial mammals, edible offal excluding liver and kidney																								
Cattle, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Other poultry, muscle																								
Chicken, fat																								
Other poultry, fat																								
Chicken, liver																								
Other poultry, liver																								
Chicken, kidney																								
Other poultry, kidney																								
Chicken, edible offal excluding liver and kidney																								
Other poultry, edible offal excluding liver and kidney																								
Chicken, eggs																								
Other poultry, eggs																								
Chicken, egg yolk																								
Other poultry, egg yolk																								

Under the Pharmaceutical Affairs Law, it is permitted for use only in flatfish (immature)





# SPECTINOMYCIN

	PR-MRL	Ref.	MRL	PAL	Code	US	AU	CA	EU	NZ	Type		PR-MRL	Ref.	MRL	PAL	Code	US	AU	CA	EU	NZ	Type
Cattle, kidney	5	MRL	5	.....	.....	.....	.....	.....	.....	.....	.....		Order Salmoniformes	0.3	FC							0.3	5-1
Pig, kidney	5	MRL	5	.....	.....	.....	.....	.....	.....	.....	.....		Order Anguilliformes	0.3	FC							0.3	5-1
Sheep, kidney	5	MRL	5	.....	.....	.....	.....	.....	.....	.....	.....		Order Perciformes	0.3	FC							0.3	5-1
Other terrestrial mammals, kidney	5						1		5		6		Other fish	0.3	FC							0.3	5-1
													Order Decapoda	0.3	FC							0.3	5-1
													Other Crustacea	0.3	FC							0.3	5-1
													Shelled molluscs	0.3	FC							0.3	5-1
Cattle, edible offal excluding liver and	0.5										8		Other aquatic animal	0.3	FC							0.3	5-1
Pig, edible offal excluding liver and kidney	0.5										8		Other animals										
Other terrestrial mammals, edible offal excluding liver and kidney	0.5										8		Honey										
Cattle, milk	0.2	MRL	0.2	.....	.....	.....	.....	.....	.....	.....	.....												
Sheep, milk	0.2	MRL	0.2	.....	.....	.....	.....	.....	.....	.....	.....												
Goat, milk	0.2	MRL	0.2	.....	.....	.....	.....	.....	.....	.....	.....												
Other terrestrial mammals, milk	0.2										0.2	6											
Chicken, muscle	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....	.....												
Other poultry, muscle	0.5	FC				0.1	1		0.3		5-1												
Chicken, fat	2	MRL	2	.....	.....	.....	.....	.....	.....	.....	.....												
Other poultry, fat	0.3	FC				0.1			0.5		5-1												
Chicken, liver	2	MRL	2	.....	.....	.....	.....	.....	.....	.....	.....												
Other poultry, liver	0.7	FC				0.1	1		1		5-1												
Chicken, kidney	5	MRL	5	.....	.....	.....	.....	.....	.....	.....	.....												
Other poultry, kidney	2	FC				0.1	1		5		5-1												
Chicken, edible offal excluding liver and kidney	0.05	PAL		0.05		0.1	1	0.1			3-1												
Other poultry, edible offal excluding liver and kidney	0.6	FC				0.1	1				5-1												
Chicken, eggs	2	MRL	2	.....	.....	.....	.....	.....	.....	.....	.....												
Other poultry, eggs	2	MRL	2	.....	.....	.....	.....	.....	.....	.....	.....												

For other terrestrial mammals (muscle, fat, livers and kidneys), the PR-MRLs was harmonized with the corresponding PR-MRLs for sheep.  
 For other terrestrial mammal's milk, the PR-MRL was harmonized with the corresponding PR-MRLs for sheep and goat.







# SPIRAMYCIN

	PR-MRL	Ref.	MRL	PAL	Code x	U	A	C	E	N	Z	Type		PR-MRL	Ref.	MRL	PAL	Code x	U	A	C	E	N	Z	Type
Cattle, kidney	0.3	MRL	0.3										Order Salmoniformes	0.2	MRL	0.2									
Pig, kidney	0.3	MRL	0.3										Order Anguilliformes	0.2	MRL	0.2									
Other terrestrial mammals, kidney													Order Perciformes	0.2	MRL	0.2									
													Other fish	0.2	MRL	0.2									
													Order Decapoda	0.2	MRL	0.2									
													Other Crustacea	0.2	MRL	0.2									
													Shelled molluscas	0.2	MRL	0.2									
Cattle, edible offal excluding liver and kidney	0.1	PAL		0.1								4	Other aquatic animal	0.2	MRL	0.2									
Pig, edible offal excluding liver and kidney	0.1	PAL		0.1								4	Other animals												
Other terrestrial mammals, edible offal excluding liver and kidney													Honey												
Cattle, milk	0.2	MRL	0.2																						
Sheep, milk	0.2	MRL	0.2																						
Goat, milk	0.2	MRL	0.2																						
Other terrestrial mammals, milk	0.2											6													
Cattle, milk fat																									
Other terrestrial mammals, milk fat																									
Chicken, muscle																									
Other poultry, muscle																									
Chicken, fat																									
Other poultry, fat																									
Chicken, liver																									
Other poultry, liver																									
Chicken, kidney																									
Other poultry, kidney																									
Chicken, edible offal excluding liver and kidney																									
Other poultry, edible offal excluding liver and kidney																									
Chicken, eggs																									
Other poultry, eggs																									
Chicken, egg yolk																									
Other poultry, egg yolk																									

For other terrestrial mammal's milk, the PR-MRL was harmonized with the corresponding PR-MRLs for sheep and goat.