




イギリス編(2008)

- 国民皆保険
- 総合医+専門医の2段階制
- 入学定員増(1.5倍)
- 基本研修1年+専門準備研修1年
- 地域マッチング
- 大学と病院の連携研修

人口 6,000万人、医師 2.4/人口1,000人
看護師 9.1/人口1,000人

人口 127,300万人、医師 2.0/人口1,000人
看護師 9.0/人口1,000人



プログラム実例

2年通しの例(OXFORD)

番号	F1			F2		
	36	外科:大腸、血管、乳腺、泌尿器(B)	内科:リウマチ、消化器(B)		家庭医	精神 (Warneford)
37	内科:リウマチ、消化器(B)		外科:大腸、血管、乳腺、泌尿器(B)	心臓外科 (JRH)	家庭医	精神 (Warneford)
38	外科 (JRH)	内科 (JRH)	小児外科 (JRH)	救急	外傷外科	老年内科
39	小児外科 (JRH)	外科 (JRH)	内科 (JRH)	外傷外科	老年内科	救急

- 原則 4ヶ月を単位として年間 3ローテ
- F1: 内科+外科+選択(65種類) が一般的
- F2: 将来の専門を視野に選択? (家庭医、不足分野、アカデミックを推奨?)
10日以上30日以内の勉強目的の休止期間をとり、蘇生講習、他の専門等研修

研修目標

1. Good Clinical Care (cont.)		8. Practical Procedures	
Competence	Assessment tool	Competence	Assessment tools
(i) Educating patients about disease prevention, investigations and therapy	Mini-CEX/CbD	F1 Procedures that F1 doctors should be competent and confident to do and teach to undergraduates:	DOPS
(ii) Environmental, biological and lifestyle risk factors	Mini-CEX/CbD		
(iii) Smoking	Mini-CEX/CbD		
(iv) Alcohol	Mini-CEX/CbD		
(v) Epidemiology and screening	Mini-CEX/CbD		
		<ul style="list-style-type: none"> • venepuncture and IV cannulation • local anaesthetics • arterial puncture in an adult • blood cultures from peripheral and central sites • subcutaneous, intradermal, intramuscular and intravenous injections • IV medications • intravenous infusions, including the prescription of fluids, blood and blood products • ECG • spirometry and peak flow • urethral catheterisation • airway care, including simple adjuncts • nasogastric tube insertion. 	
		<p>During F2, doctors are expected to maintain and improve their skills in the above procedures. By the end of the year they should be able to help others with difficult procedures and guide F1 doctors in teaching others.</p> <p>Foundation doctors will be able to extend the range of procedures they can do. Each speciality will specify an appropriate range of procedures in which foundation doctors will be expected to become proficient, e.g.</p> <ul style="list-style-type: none"> • aspiration of pleural fluid or air • skin suturing • lumbar puncture • insertion of a central venous pressure line • aspiration of joint effusion. 	DOPS
			15

喫煙指導、禁酒指導などの行動目標が主体


基本手技もF1とF2に分かれている

例 F1 局所麻酔
F2 中心静脈穿刺


経験すべき疾患は定められていない

評価

研修医が指導医にローテーション毎に評価を求め、ポートフォリオをつくり、F1修了時に地区責任者に提出する




英国の場合
2008年現在



英国の研修医制度

18



Report of the Academic Careers Sub-Committee of
Modernising Medical Careers and the
UK Clinical Research Collaboration
March 2005

<http://www.nccrcd.nhs.uk/> 18

英国の研修医制度



英国の臨床研修には“種芋”育成コースが設置された
診療する傍ら研究を行う

Modernising Medical Careers and the
UK Clinical Research Collaboration
March 2005

<http://www.nccrcd.nhs.uk/> 20

英国の場合 2008年現在

