

創薬

著者名(タイトル)	雑誌名	年
Ishii K., Structural analysis of vaccinia virus DIs strain: Application as a new replication-deficient viral vector	Virology	2002
Ishiko H. Human Rhinovirus 87 Identified as Human Enterovirus 68 by VP4-Based Molecular Diagnosis	Intervirolgy	2002
Ishiko H. Molecular diagnosis of human enteroviruses by phylogeny-based classification by use of the VP4 sequence	J Infect Dis	2002
Ishino, K. Enhancement of anchorage-independent growth of human pancreatic carcinoma MIA PaCa-2 cells by signaling from PKC to MAP kinase	Mol. Carcino.	2002
Itaka, K. Evaluation by fluorescence resonance energy transfer of the stability on nonviral gene delivery vectors under physiological conditions	Biomacromolecules	2002
Ito J, Na Apolipoprotein-Mediated Cellular Lipid Release Requires Replenishment of Sphingomyelin in a Phosphatidylcholine-Specific Phospholipase C-Dependent Manner	J. Biol. Chem.	2002
Ito J, Na Apolipoprotein A-I induces translocation of cholesterol, phospholipid and caveolin-1 to cytosol in rat astrocytes	J. Biol. Chem.	2002
Ito M, Yc In vitro Cre/loxP system in cells from developing gonads: Investigation of the Sry promoter	Dev Growth Differ	2002
Ito, A., Y Distribution of organic anion-transporting polypeptide 2 (oatp2) and oatp3 in the rat retina	Invest Ophthalmol Vis Sci	2002
Itoh, S., Simultaneous microanalysis of N-linked oligosaccharides in a glycoprotein using microbore graphitized carbon column liquid chromatography/mass spectrometry	J. Chromatogr. A,	2002
Itoh, S., Structural analysis of a glycoprotein by liquid chromatography/mass spectrometry and liquid chromatography with tandem mass spectrometry: Application to recombinant human thrombomodulin	J. Chromatogr. A,	2002
Itoh, R.E. Activation of Rac and Cdc42 video-imaged by FRET-based single-molecule probes in the membrane of living cells	Mol. Cell. Biol.	2002
Iwakura, Roles of IL-1 in the development of rheumatoid arthritis: Consideration from mouse models	Cytokine Growth Factor Rev	2002
Iwamoto Rat encodes paralogous gene equivalent of human histo-blood group ABO gene: association with antigen expression by overexpression of Human ABO transferase	J Biol Chem.	2002
J.Takada Novel d- γ -tocopherol Derivative as a Prodrug for d- γ -tocopherol and a Two-step Prodrug for S- γ -CEHC	J.of Lipid Res.	2002
Jeong U Tumor-Promoting Activity of 48 kDa Molecular Mass Hyaluronic Acid.	Materials Transactions	2002
Jeong U Increase of Gap Junctional Intercellular communication by High Molecular Weight Hyaluronic Acid Associated with FGF-2-and KGF-Production in Normal Human Dermal Fibroblasts.	Tissue Engineering	2002
Jeong U Increase in gap-junctional intercellular communications(GJIC) on normal human dermal fibroblasts(NHDF) on surfaces coated with high molecular weight hyaluronic	J. Biomedical Materials	2002
Jiko, M., Evaluation of pharmacokinetic interaction between cyclosporin A and probucol in rats.	Pharm Res	2002
Jono, T. Lectin-like oxidized low density lipoprotein receptor-1 (LOX-1) serves as an endothelial receptor for advanced glycation end products (AGE)	FEBS Lett,	2002
Jule, E., A surface plasmon resonance study on the interaction between lactose-installed poly(ethylene glycol)-poly(D, L-lactide) block copolymer micelles and lectins immobilized on a gold surface.	Langmuir	2002
Jun-ichi Dissociation of genomic dimerization from packaging functions and virion maturation of human immunodeficiency virus type 1	J. Virol.	2002
K Ariyos Unique drug resistant mutation patterns found in HIV-1 CRF01_AE(subtype E) with antiretroviral treatment failure	Antiviral Therapy	2002
K.Okabe Development of Hydrophilic Fluorogenic Derivatization Reagents for Thiols: 4-(N-acetylaminosulfonyl)-7-fluoro-2,1,3-benzoxadiazole and 4-(N-	J.Chromatogr.A	2002
Kajiura, Biosynthesis of Hibarimicins. II. Elucidation of biosynthetic pathway by cosynthesis using blocked mutants	J. Antibiotics	2002
Takehi, Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electrophoresis -Significance in regulatory studies -	Biomed. Chromatogr	2002
Takei M. Glucagon-like peptide-1 evokes action potentials and increases cytosolic Ca ²⁺ in rat nodose ganglion neurons	Auton Neurosci	2002
Kakizaw Block copolymer micelles for delivery of gene and related compounds.	Adv. Drug Deliv. Rev	2002
Kakizaw Block copolymer self-assembly into monodispersive nanoparticles with hybrid core of antisense DNA and calcium phosphate	Langmuir	2002
Kakuta, Genomic structure of the mouse 2', 5'-oligoadenylate synthetase gene family.	J. Interferon Cytokine Res	2002
Kakuta, Inhibition of B16 melanoma experimental metastasis by interferon- γ through direct inhibition of cell proliferation and activation of anti-tumor host mechanisms	Immunology	2002
Kamata Role of human cytochrome P450 (CYP) in the metabolic activation of nitrosamine derivatives: Application of genetically engineered Salmonella expressing human CYP	Drug Metab. Rev	2002
Kamikaw Comparison of motor reactivity of the colonic muscularis mucosae isolated from human, guinea pig and rat in vitro	Pol. J. Pharmacol.	2002

創薬

著者名 (タイトル)	雑誌名	年
Kaminun Vav-induced activation of the human IFN- γ gene promoter is mediated by upregulation of AP-1 activity	FEBS letter	2002
Kanaoka A significant enhancement of therapeutic effect against hepatic metastases of M5076 in mice by a liposomal interleukin-2 (mixture)	J. Control Release	2002
Kano M, Induction of HIV-1-specific neutralizing antibodies in mice vaccinated with a recombinant Sendai virus vector.	Jpn. J. Infect. Dis.	2002
Kano M, Primary replication of a recombinant Sendai viral vector in macaques.	J. Gen. Virol.	2002
Kariya Y Partially Fucose Branch-Remaining Sea Cucumber Glycosaminoglycans and Their Abilities to Enhance t-PA-mediated Plasminogen Activation	Connective Tissue	2002
Kariya Y Enhancement of t-PA-Mediated Plasminogen Activation by Partially Defucosylated Glycosaminoglycans from the Sea Cucumber Stichopus japonicus	J. Biochem	2002
Katayama Analysis of the Complete Genome of 18 Norwalk-like Viruses	Virology	2002
Kato M, A protein-encapsulation technique by the sol-gel method for the preparation of monolithic columns for capillary electrochromatography	Anal. Chem.	2002
Kato Y., Chemical structure of an anthocyanin pigment isolated from "Myoga" (Zingiber mioga Rosc.)	Food and Food Ingredients	2002
Katsuma Functional genomic search of G-protein coupled receptors (GPCR) using microarrays with normalized cDNA library	Methods in Enzymology	2002
Kawa, S HLA DRB1*0405-DQB1*0401 haplotype is associated with autoimmune pancreatitis in the Japanese population.	Gastroenterology	2002
Kawabata Capsazepine partially inhibits neurally mediated gastric mucus secretion following activation of protease-activated receptor 2	Clin. Exp. Pharmacol.	2002
Kawabe Cdc25C interacts with PCNA at G2/M transition.	Oncogene	2002
Kawada, Hygrolidin induces p21 expression and abrogates cell cycle progression at G1 and S phases.	Biochem. Biophys. Res. Commun.	2002
Kawahara Oral recombinant Mycobacterium bovis bacillus Calmette-Guerin (BCG) expressing HIV-1 antigen as a freeze-dried vaccine induces a long-term HIV-specific mucosal and systemic immunity.	Clinical Immunology	2002
Kawahara Combined intrarectal/intradermal inoculation of recombinant Mycobacterium bovis bacillus Calmette-Guerin (BCG) induces enhanced immune responses against the inserted HIV-1 V3 antigen.	Vaccine.	2002
Kawahara Dynamics of gamma interferon, interleukin-12 (IL-12), IL-10, and transforming growth factor beta mRNA expression in primary Mycobacterium bovis BCG infection in guinea pigs measured by a real-time fluorogenic reverse transcription-PCR assay.	Infect Immun.	2002
Kawahara Oral recombinant Mycobacterium bovis bacillus Calmette-Guerin (BCG) expressing HIV-1 antigen as a freeze-dried vaccine induces a long-term HIV-specific mucosal and systemic immunity.	Clinical Immunology	2002
Kawahara Combined intrarectal/intradermal inoculation of recombinant Mycobacterium bacillus calmette-guerin (BCG) induces enhanced immune responses against the inserted HIV-1 V3 antigen.	Vaccine	2002
Kawahara Dynamics of Gamma Interferon, Interleukin-12 (IL-12), IL-10, and transforming growth factor beta mRNA expression in primary Mycobacterium bovis BCG infection in guinea pigs measured by a real-time fluorogenic reverse transcription-PCR Assay.	Infect Immun.	2002
Kawahata A novel substance purified from Perilla frutescens Britton inhibits an early stage of HIV-1 replication without blocking viral adsorption.	Antiviral Chemistry and	2002
Kawahata A novel substance purified from Perilla frutescens Britton inhibits an early stage of HIV-1 replication without blocking viral adsorption.	Antiviral Chemistry and	2002
Kawai T Molecular cloning of mouse Collectin Liver 1.	Biosci. Biotechnol. Biochem.	2002
Kawai T Isolation of a novel mouse variant of the drs tumor suppressor gene.	Cancer Lett.	2002
Kawamu Association of CD8+ natural killer T cells in the liver with neonatal tolerance phenomenon	Transplantation	2002
Kawana An efficient and versatile mammalian viral vector system for major histocompatibility complex class I/peptide complexes	J Virol.	2002
Kawasa Structure analysis of sulfated N-linked oligosaccharides in erythropoietin	Glycobiology	2002
Kawasa Usefulness of sugar-mapping by liquid chromatography /mass spectrometry in comparability assessments of glycoprotein products	Biologicals	2002
Kazuo Is Effect of γ -ray irradiated poly(L-lactide) on the differentiation of mouse osteoblast-like MC3T3-F1 cells	J. Biomater. Sci. Polymer Edn.	2002
Keisuke Chromatin remodelling factor encoded by ini1 induces G1 arrest and apoptosis in ini1-deficient cells	Oncogene	2002
Kew O, Outbreak of Poliomyelitis in Hispaniola Associated with Circulating Type 1 Vaccine-Derived Poliovirus	Science	2002

創薬

著者名(タイトル)	雑誌名	年
Kikuchi G1-dependent prion protein expression in human glioblastoma cell line T98G.	Biol. Pharm. Bull.	2002
Kim-Kar Transcriptional activation of the c-fos gene by a LIM protein, Hic-5.	Biochem. Biophys. Res. Commun.	2002
Kinjo I. SOCS1/JAB Is a Negative Regulator of LPS-Induced Macrophage Activation.	Immunity	2002
Kinoshita Determination of molecular mass of acidic polysaccharides by capillary electrophoresis	Biomed. Chromatogr.	2002
Kiriazis Hypertrophy and functional alterations in hyperdynamic phospholamban-knockout mouse hearts under chronic aortic stenosis	Cardiovasc Res	2002
Kitamoto Cross-reactivity among several recombinant calicivirus virus-like particles (VLPs) with monoclonal antibodies obtained from mice immunized orally with one type of VLP	J. Clin. Microbiol.	2002
Kitamura 2002. First report of CRF03_AB recombinant HIV type 1 in injecting drug users in Ukraine	AIDS Res. Hum. Retroviruses	2002
Kitaoka Nipradilol induces vasodilation of canine isolated posterior ciliary artery via stimulation of the guanylyl cyclase-cGMP pathway	Life Sci	2002
Kitaura Changed activation of HIV-1 LTR in monocytoid cells by mycobacteria with temporal progression of infection	New Microbiol.	2002
Kiyotani Twenty one novel single nucleotide polymorphisms (SNPs) of the CYP2A6 gene in Japanese and Caucasians	Drug Metab. Pharmacokin	2002
Kiyotani Novel mutations of the CYP2A6 gene in a Thai population with lowered capacity of coumarin 7-hydroxylation	Drug Metab. Pharmacokin	2002
K-J Wor Increased Smooth Muscle Contractility of Intestine in the Genetic Null of the Endothelin ETB Receptor: a Rat Model for Long-Segment Hirschsprung's Disease	Gut	2002
Kobayas Polymorphisms and haplotypes of the CD209L gene and their association with the clinical courses of HIV-positive Japanese patients	Jpn. J. Infect. Dis	2002
Kobayas Regulation of inhibin β chains and follistatin mRNA levels during rat hepatocyte growth induced by the peroxisome proliferator di-n-butyl phthalate	Biol. Pharm. Bull.	2002
Kobayas Epididymis is a novel site of erythropoietin production in mouse reproductive organs	Biochem. Biophys. Res. Commun.	2002
Koibuchi The first isolation of Nocardia nova from an HIV-1 infected individual in Japan.	J. Infect. Chemother	2002
Koide Y. Development of novel EDG3 antagonists using a 3D database search and their structure-activity relationships	J. Med. Chem.	2002
Kojima S Genogroup-specific PCR primers for detection of Norwalk-like viruses	J Virol Methods	2002
Kojima Modification of 5-hydroxytryptophan-evoked 5-Hydroxytryptamine formation of guinea pig colonic mucosa by reactive oxygen species	Jpn. J. Pharmacol.	2002
Kojima Contractile response to a cannabinimetic eicosanoid, 2-arachidonoylglycerol, of longitudinal smooth muscle from the guinea-pig distal colon in vitro	Eur. J. Pharmacol.	2002
Komoto Ability to induce p53 and caspase-mediated apoptosis in primary CD4+ T cells is variable among primary isolates of human immunodeficiency virus type 1	AIDS Research and Human	2002
Konishi IL-18 contributes to the spontaneous development of atopic dermatitis-like inflammatory skin lesion independently of I ϵ F/stat6 under specific pathogen-free	Proc. Natl. Acad. Sci. USA	2002
Koushi Y Inhibitory effects of (-)-epigallocatechin gallate on the life cycle of human immunodeficiency virus type 1 (HIV-1)	Antiviral Research	2002
Kozyrev Co-expression of interleukin 5 enhances replication of simian/human immunodeficiency chimeric virus in vivo	J. Gen. Virol.	2002
Kubota Platelet-derived growth factor BB secreted from osteoclasts acts as an osteoblastogenesis inhibitory factor	J. Bone Miner. Res	2002
Kubota PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor (OBIF)	J. Biomolecular Techniques	2002
Kubota Disruption of adiponectin causes insulin resistance and neointimal formation.	J. Biol. Chem.	2002
Kumazawa Suppressed proliferative response of spleen T cells from metallothionein null mouse.	Microbiol. Immunol.	2002
Kumazawa Does high mobility group 1 protein function as a late mediator for LPS- or TNF-induced shock in galactosamine-sensitized mice?	J. Endotoxin Res.	2002
Kumazawa Time and dose-dependent effect of fosfomycin on suppression of infection-induced endotoxin shock in mice	Biol. Pharm. Bull.	2002
Kurebay Disposition of a low dose of bisphenol A in male and female cynomolgus monkeys.	Toxicol Sci.	2002
Kurihara Induction of p16/INK4a gene expression and cellular senescence by toyocamycin.	Biol. Pharm. Bulletin	2002
Kusagawa Isolation and characterization of replication-competent molecular DNA clones of HIV type 1 CRF01_AE with different coreceptor usages	AIDS Res. Hum Retroviruses	2002
Kusuhara Role of transporters in the tissue-selective distribution and elimination of drugs: transporters in the liver, kidney and brain	J. Control. Rel.	2002
Kuwata Infection of macaques with chimeric simian and human immunodeficiency viruses containing Env from subtype F	Arch. Virol.	2002

創業

著者名(タイトル)	雑誌名	年
Fujinaga Molecular characterization of binding subcomponents of Clostridium botulinum type C progenitor toxin for intestinal epithelial cells and erythrocytes	Microbiol.	in press
Iijima S., Phenotype of HIV-1 lacking Vpr-mediated nuclear import is unable to replicate in primary CD4 ⁺ T cells	Virology	in press
M. Hyug Enhancement of Hepatocyte Growth Factor-induced Cell Scattering in N-Acetylglucosaminyltransferase III-transfected HanG2 Cells	Biol. Pharm. Bull.	in press
Nishikawa The receptor and transporter for internalization of Clostridium Botulinum Type C Progenitor Toxin into HT-29 cells	Biochem. Biophysic Res. J. Cell Sci.	in press
Uchida, Binding of 14-3-3b but not 134-3-3s controls the cytoplasmic localization of CDC25B: binding site preferences of 14-3-3 subtypes and the subcellular localization	J. Cell Sci.	in press
Aihara M Morphological changes and the significance of Cladosporium contamination in food instruments	Int. Biodeterio. Biodegr.	
Akiyama Chondroitin sulphate structure affects its immunological activities on murine splenocytes sensitized with ovalumin	Biochemical J	
Aratani, Critical role of myeloperoxidase and NADPH-oxidase in high-burden systemic infection of mice with Candida albicans	J. Infect. Dis.	
Egashira V1a receptor knockout mice exhibit impairment of spatial memory in an eight-arm radial maze	Neurosci. Lett.(in press)	
Esumi, E Conditional mutagenesis by neural-tissue-restricted substitution of a single amino acid causes aberrant NMDAR activation in mice	(Submitted)	
Goto, Y. Gender difference in the urinary excretion of estradiol 17b-D-glucuronide in rats.	Am. J. Physiol.,	
Hansma Genetic diversity of Norovirus and Sapovirus in hospitalized infants with sporadic cases of acute gastroenteritis	J Clin Microbiol	
Hansma Norovirus strains belonging to the Lordsdale virus cluster are a major cause of acute sporadic infantile gastroenteritis in Ho Chi Minh city, Vietnam	J Clin Microbiol	
Hibi M., Dendritic cells from spleen, mesenteric lymph node and Peyer's patch can induce both production of IL-4 and IFN-γ of naive CD4 ⁺ T cells in their primary culture, depending on antigen doses	Cytotechnology	
Hirasawa Free fatty acids regulate gut incretin glucagons-like peptide-1 secretion through GPR120	(in submission)	
Horikawa The potential for an interaction between MRP2 (ABCC2) and various therapeutic agents: Probenecid as a candidate inhibitor of the biliary excretion of irinotecan	Drug Metab. Dispos. in press	
Hoshino Application of T-lymphoma labeled with fluorescent quantum dots to cell tracing markers in mouse body	B.B.R.C.	
Inoue I. The possible of actions of drugs: PPARα agonist, PPARγ agonist, A HMG-CoA reductase inhibitor, ACE inhibitor, or Ca-antagonist on vascular endothelial cells as	Current Drug Target	
Ito, M., N 1H, 13C, 15N resonance assignments of the cytokine LECT2.	Journal of Biomolecular NMR	
Jeong U Evaluation of the cornea cells affected by multi-purpose solutions for contact-lens.	Animal cell technology	
Kano H., Murine T cell lines can change CD25 expression patterns as well as proliferation and cell death patterns in response to interleukin 2	Cytotechnology	
Miyakawa Hepatic NK and NKT cells markedly decreased in two cases of drug-induced fulminant hepatic failure rescued by living donor liver transplantation	J. Gastroent. Hepat.	
Mizuno, Beta-Synemin localizes to regions of high stress in human skeletal myofibers.	(In revision)	
Muroi M Lipopolysaccharide-mimetic activities of Toll-like-receptor 2-stimulatory substance(s) contained in Escherichia coli lipopolysaccharide preparations	Infect. Immun. Accepted for	
Mutoh E Japanese encephalitis subunit vaccine composed of virus-like envelope antigen particles purified from serum-free medium of a high-producer J12#26 cell clone	Vaccine	
Nakajima Characterization of the epitopes specific for a monoclonal antibody 9F5-3a and quantification of oxidized-HDL in human plasma	Annals of Clinical Biochemistry	
Ohnishi, N-linked glycosylation critical to the Toll-like receptor 4 function require the presence of MD-2	Clin. Diagn. Lab. Immunol.	
Ovejero Identification of the leukocyte cell-derived chemotaxin2 (LECT2) as a direct target gene of s-catenin in the liver	Hepatology	
Ozawa S Cytosolic and microsomal activation of doxifluridine and tegafur to produce 5-fluorouracil in human liver	Cancer Chemother	
Ozawa S Ethnic differences in genetic polymorphisms of CYP2D6, CYP2C19, CYP3As, and MDR1/ABCB1	Drug Metab. Pharmacokin.	
Phan PG Human astrovirus, Norovirus(GI, GII), and Sapovirus infections among diarrheal children in Pakistan	J Med Virol	
Rahman Evaluation of the immuno-protective effects of the new-type of bags using ELISA- and FACS-analysis	Animal cell technology	
Saifuddin Different expression on Gap junctional protein connexin43 in two strains of mice after one-month implantation of Poly-L-Lactic acid	Animal cell technology	
Saito, T. Increase of Hepatic NKT Cells in LECT2-Deficient Mice Contributes to Severe Concanavalin A-Induced Hepatitis	J. Immunol.	

創薬

著者名(タイトル)	雑誌名	年
Terada, Genetic variant Arg57His in human H+/peptide cotransporter 2 causes a complete loss of transport function.	Biochem. Biophys. Res. Commun.	2004
Toda K., Improvement in reliability of probabilistic test of significant differences in GeneChip experiments	Analytical Sciences	2004
Tran T- Genotype C of hepatitis B virus can be classified into at least two subgroups. .	J Gen Virol .	2004
Uchida, Nuclear export signal in CDC25B.	Biochem. Biophys. Res. Commun.	2004
Uemura Triiodothyronine down-regulates the expression of sarcolipin mRNA in the atrial myocardium	FEBS Letters	2004
Ueno, T., Nucleolin and the Packaging Signal, psi, Promote the Budding of Human Immunodeficiency Virus Type-1 (HIV-1)	Microbiol. Immunol.	2004
Uwai, Y., Common single nucleotide polymorphisms of MDR1 gene have no influence on its mRNA expression level of normal kidney cortex and renal cell carcinoma in Japanese	J Hum Genet	2004
Wada, H., Two HLA-E Mutants Segregate the Inhibitory NK Receptor CD94/NKG2A and the Activating Receptor CD94/NKG2C. Both of Which Bind the Top of HLA-E	Euro. J. Immunol.	2004
Warachi, Determination of HIV-1 CRF01_AE gag p17 and env-V3 consensus sequences for HIV/AIDS vaccine design	AIDS Res. Hum. Retroviruses	2004
Watanabe Poly(ADP-ribose) polymerase-1 inhibits ATM kinase activity in DNA damage response	Biochem. Biophys. Res. Commun.	2004
Y. Aso, Molecular mobility-based prediction of the crystallization rate of amorphous nifedipine and phenobarbital in PVP solid dispersions	J. Pharm. Sci.	2004
Y. Narita Utility of Microtiter Plate Assays for Human Cytochrome P450 Inhibition Studies in Drug Discovery: Application of Simple Method for Detecting Quasi-irreversible and Irreversible Inhibitors	Drug Metab. Pharmacokin.	2004
Yaguma Crystallization and preliminary X-ray diffraction studies of DNA decamer d (CCAGGCCTGG) complexed with cobalt (III)-neoleomycin	Acta Crystallogr. D Biol.	2004
Yamada, Antibody-dependent cellular cytotoxicity via a humoral immune epitope of Nef protein expressed on the cell surface	J. Immunology	2004
Yamamoto Poly(vinylpyrrolidone-co-dimethyl maleic acid) as a novel renal targeting carrier.	J. Control. Release	2004
Yamasaki Identification and Characterization of an Oxidative Stress-Responsive Protein from <i>Campylobacter jejuni</i> . Homologous to Rubredoxin Oxidoreductase/Rubredoxin	FEMS Microbiol. Letters	2004
Yamashita Calpain Activation and Lysosomal Rupture Prevailing Apoptosis Cascade, Execute Necrosis of the Postischemic CA1 Neurons in Primates	Hippocampus	2004
Yamashita IKBL promoter polymorphism is strongly associated with resistance to type 1 diabetes in Japanese	Tissue Antigens	2004
Yasuda, Blockade of erythropoietin signal at the early postimplantation period inhibits the development of decidua and embryo in mice	Congenital Anomalies	2004
Yokomaki Impaired processing and presentation of cytotoxic-T-lymphocyte (CTL) epitopes are major escape mechanisms from CTL immune pressure in human immunodeficiency virus type 1 infection.	J Virol.	2004
Yokomaki Impaired epitope processing and presentation as a major escape mechanism from CTL recognition in HIV-1 infection.	J. Virol.	2004
Yoneda, An autocrine/paracrine loop linking keratin 14 aggregates to TNFalpha-mediated cytotoxicity in a keratinocyte model of epidermolysis bullosa simplex	J. Biol. Chem.	2004
Yoshida Determination of a novel haplotype of b2-adrenergic receptor in the Japanese population by the combination of the electronic microchip assay using the NanoChip system with allele-specific PCR	Drug Metab Pharmacokin	2004
Yoshioka Optimal site-specific PEGylation of mutant TNF-alpha improves its antitumor potency	Biochem. Biophys. Res. Commun.	2004
Yoshioka Selective enhancer of tumor vascular permeability for optimization of cancer chemotherapy	Biol. Pharm. Bull.	2004
Zhang H Comprehensive examination of gene expression associated with long-term stable graft acceptance by renal transplant recipients	Clin Transplant	2004
1) Hayashi 1) Differential expression of cyclooxygenase-2 (COX-2) in human bile duct epithelial cells and bile duct neoplasm.	1) Hepatology - 2) Int J Mol Med	1) 2001
Kodama 4'-Ethynyl nucleoside analogs: Potent inhibitors active against multi-drug-resistant HIV variants in vitro	Antimicrob. Agents	2001
Tamami Development of specific CXCR4 inhibitors possessing high selectivity indexes as well as complete stability in serum based on an anti-HIV peptide T140	Bioorg. Med. Chem. Lett	2001
Otaka A Remodeling of gp41-C34 peptide leads to highly effective inhibitors of the fusion of HIV-1 with target cells	Angew. Chem. Int. Ed. Eng.	2002
Pal E, T Autonomic regulation of experimental autoimmune encephalomyelitis: the role of interferon-gamma	Neuroimmunomodulation	2002-2003
Kohgo S Synthesis of 4'-C-ethynyl and 4'-C-cyano purine nucleosides from natural nucleosides and their anti-HIV activity.	Nucleosides Nucleotides	2003
Arimitsu Vaccination with recombinant whole heavy chain fragments of Clostridium botulinum type C and D neurotoxins	Clin. Diagn. Lab. Immunol.	in press

創薬

著者名(タイトル)	雑誌名	年
Satoh E. Cytokine requirement for the GM-CSF independent development of human dendritic cells (DC) by in vitro culturing of hematopoietic stem cell	Transplantation Proceedings	2004
Satoh E. Cytokine requirement fro the generation of a large number of rat dendritic cells (DC) by in vitro culturing of bone marrow cells and its selection of CD161 (NKR-P1A)	Transplantation Proceedings	2004
Satoh E. Generation of GM-CSF independent myeloid dendritic cells (DC) from bonemarrow cells (BMC) in GM-CSF receptor deficient mouse	Transplantation Proceedings	2004
Shibanu A LIM protein, Hic-5, functions as a potential coactivator for Sp1.	J. Cell. Biochem.	2004
Shibasa Interaction of ATP sensor, cAMP sensor, Ca ²⁺ sensor, and voltage-dependent Ca ²⁺ channel in insulin granule exocytosis	J. Biol. Chem.	2004
Shibata. An efficient method for mapping and characterizing structures of deletion mutations in <i>gpt</i> delta mice using Southern blot analysis with oligo DNA probes	Env. Mol. Mutagen.	2004
Shimizu Molecular epidemiology of enterovirus 71 infection in the Western Pacific Region	Pediatrics International	2004
Songok Active generation and selection for intersubtype A/D recombinant forms of HIV in a dually infected patient in Kenya	AIDS Res Hum Retroviruses	2004
Sugahar Identification of a protective CD4+ T-cell epitope in the p15gag of Friend murine leukemia virus and the role of the MA protein targeting to the plasma membrane for its immunogenicity.	J. Virol	2004
Sugimoto An inhibitor of acylCoA: cholesterol acyl- transferase increases expression of ATP-binding cassette transporter A1 and thereby enhances the ApoA-I-mediated release of cholesterol from macrophages	Biochim. Biophys. Acta	2004
Sugita-H Preventive effect of sialglycopeptide-non-digestive polysaccharide conjugates on Salmonell infection	J. Agricul. Food. Chem	2004
Sugiura, Structure of human translin at 2.2 A resolution.	Acta Crystallogr D Biol Crvstallogr	2004
Suzuki K Impact of CYP2C9 genetic polymorphism on the pharmacokinetics and blood lowering response to glimepiride in patients with type II diabetes mellitus	Diabetes Research	2004
Suzuki F Both insulin signaling defects in the liver and obesity contribute to insulin resistance and cause diabetes in <i>Irs2</i> ^{-/-} mice	J. Biol. Chem.	2004
Suzuki S Verapamil increases the apolipoprotein-mediated release of cellular cholesterol by induction of ABCA1 expression via an LXR-independent mechanism	Arterioscler. Thromb. Vasc	2004
T. Mori, CXCR4 antagonist inhibits stromal cell-derived factor 1-induced migration and invasion of human pancreatic cancer	Molecular Cancer Therapeutics	2004
T. NISHI Growth Kinetics of <i>Vibrio parahaemolyticus</i> O3:K6 under Varying Conditions of pH, NaCl Concentration and Temperature	J. Food Hyg. Soc. Jpn	2004
T. Niwa, Effect of Nilvadipine, a Dihydropyridine Calcium Antagonist, on Cytochrome P450 Activities in Human Hepatic Microsomes	Biol. Pharm. Bull.	2004
T. Niwa, Effect of Cefixime and Cefdinir, Oral Cephalosporins, on Cytochrome P450 Activities in Human Hepatic Microsomes	Biol. Pharm. Bull.	2004
Tahara, Both T and non-T cells with proliferating potentials are effective in inducing suppression of allograft responses by alloantigen-specific intravenous presensitization combined with suboptimal doses of 15-deoxyspergualin.	Transplant Immunol.	2004
Tajima, Augmentation of NK cell-mediated cytotoxicity to tumor cells by inhibitory NK cell receptor blockers	Int. Immunol.	2004
Takahar Induction of myofibroblast MMP-9 transcription in 3 dimensional collagen I gel cultures: regulation by NF- κ B AP-1 and SP-1	Int J Biochem Cell Biol	2004
Takahas Expression of 53BP2 and ASPP2 proteins from TP53BP2 gene by alternative splicing.	Biochem Biophys Res Commun	2004
Takahas Elevated tacrolimus blood concentration by lansoprazole in a transplant recipient.	Ann. Pharmacother	2004
Takahas Topoisomerase I dissociates human immunodeficiency virus type 1 reverse transcriptase from genomic RNAs	Biochem. Biophys. Res Commun.	2004
Takamur DNA vaccine-encapsulated virus-like particles from an orally transmissible virus stimulates immune responses by oral administration	Gene Ther.	2004
Takemur Application of Fmoc-amino Acid Carrying an Unmasked Carbohydrate to the Synthesis of the Epidermal Growth Factor-like Domain of Bovine Blood Coagulation	Org. Biomol. Chem	2004
Takenag optimum formulation for sustained-release insulin	Inter J Pharm	2004
Takeuch Decreased function of genetic variants, Pro283Leu and Arg287Gly, in human organic cation transporter hOCT1	Drug Metab. Pharmacokin	2004
Takizaw Identification and characterization of a novel SSC1 ^{argo} CT7 ^{high} T lymphocyte population that enhances natural killer cell activity by BCG inoculation in guinea pigs.	Vaccine	2004
Takizaw The normalization of guinea pig leukocyte fractions and lymphocyte subsets in blood and lymphoid tissues using a flow cytometric procedure	Experimental Animals	2004
Tanaka Liposomes with differential lipid components exert differential adjuvanticity in antigen-liposome conjugates via differential recognition by macrophages	Bioconj Chem	2004
Tanoue The Vasopressin V1b receptor critically regulates hypothalamic-pituitary-adrenal axis activity under both stress and resting conditions	J. Clin. Invest.	2004

創薬

著者名(タイトル)	雑誌名	年
Mano N, Analysis of the Antigen Binding Site of Anti-Deoxycholate Monoclonal Antibody Using a Novel Affinity Labeling Reagent Acyl Adenylate	Biochemistry	2004
Masuda Tacrolimus therapy according to mucosal MDR1 levels in recipients of small bowel transplantation	Clin Pharmacol Ther	2004
Masumi Lack of action potential-prolonging effect of terfenadine on rabbit myocardial preparations	Biol. Pharm. Bull.	2004
Matsuda Expression profiling with arrays of randomly disrupted genes in mouse embryonic stem cells leads to in vivo functional analysis	Proc. Natl. Acad. Sci USA	2004
Matsuo Selective adsorption of human CD4+ T cells.	Therap Apher Dial	2004
Matsuo Update on HIV/AIDS in Japan, 2003.	AIDS in Asia 2004	2004
Matsush A sequential immunization of the V3 peptides from field HIV-1 produces broadly cross-neutralizing antibodies against CCR5-tropic primary isolates	J. Immunol.	2004
Mikkaichi Isolation and characterization of a digoxin transporter and its rat homologue expressed in the kidney	Proc Natl Acad Sci U S A	2004
Misao N A novel function of N-cadherin and Connexin43: marked enhancement of alkaline phosphatase activity in rat calvarial osteoblast exposed to sulfated hyaluronan	Biochem. Biophys. Res Commun	2004
Mishima Characteristic of behavioral abnormalities in alpha 1D adrenoceptors deficient mice.	Behav. Brain. Res	2004
Misumi Zn ²⁺ binding to cysteine-rich domain of extracellular human Immunodeficiency virus type-1 Tat protein is associated with Tat protein-induced apoptosis	AIDS Res. Hum. Retroviruses	2004
Misumi Blocking of Human Immunodeficiency Virus Type-1 Virion Autolysis by Autologous p24 ^{arg} Peptide	J. Biochem.	2004
Misumi Proteomics of HIV-1 virion.	BIOMEDICAL AND	2004
Mizoguchi Endogenous glucocorticoids are essential for maintaining prefrontal cortical cognitive function	J. Neurosci	2004
Mizuno Alternatively spliced transcripts of Fas mRNAs in feline lymphoid cells.	Eur. J. Immunogenetics	2004
Mori, M. Antitumor effect of b2-microglubulin in leukemic cell-bearing mice via apoptosis-inducing activity: activation of caspase-3 and nuclear factor-kB	Cancer Res.	2004
Muroya Orexins(Hypocretins) Directly Interacts with Neuropeptide Y, POMC and Glucose-Responsive Neurons to Regulate Ca ²⁺ Signaling in a Reciprocal Manner to Leptin: Orexigenic Neuronal Pathways in the Mediobasal Hypothalamus.	Eur J Neurosci	2004
N. Hatar Two arginines in the cytoplasmic C-terminal domains are essential for voltage-dependent regulation of A-type K ⁺ current in the Kv4 channel subfamily	J. Biol. Chem.,	2004
N. Yama HIV protease inhibitor, nelfinavir, inhibits replication of SARS-associated coronavirus.	Biochem. Biophys. Res Commun	2004
Nakao R Establishment of animal model for initial adhesion of oral streptococci using recombinant NOD.B10.D2 mice Clinical Diagnostic Laboratory	Immunology	2004
Nakayan A CCR2-V64I polymorphism affects stability of CCR2A isoform.	AIDS.	2004
Ohashi, Novel missense mutation found in Japanese patient with myeloperoxidase deficiency.	Gene	2004
Okada Y Optimization of antitumor efficacy and safety of in vivo cytokine gene therapy using RGD fiber-mutant adenovirus vector for preexisting murine melanoma	Biochim. Biophys. Acta	2004
Okutani Nationwide survey of Listeria monocytogenes infection in Japan.	Epidemiology and Infection	2004
Okutani Overview of Listeria monocytogenes contamination in Japan.	International Journal of Food	2004
Oshikawa Vasopressin stimulates insulin release from islet cells through V1b receptors: A combined pharmacological/knockout approach	Mol Pharmacol	2004
R. Yanag Indium-mediated Atom-transfer and Reductive Radical Cyclizations of Iodoalkynes: Synthesis and Biological Evaluation of HIV-Protease Inhibitors	J. Org. Chem.	2004
Saito K, Infection-induced upregulation of the costimulatory molecule 4-1BB in osteoblastic cells and its inhibitory effect on M-CSF/RANKL-induced in vitro osteoclastogenesis	J Biol Chem	2004
Saito S, Deregulation and mislocalization of the cytokinesis regulator ECT2 activate the Rho signaling pathways leading to malignant transformation	J. Biol. Chem.	2004
Sakuma, Lympho-myeloid chimerism achieved by spleen graft of green fluorescent protein transgenic rat in a combined pancreas transplant Model	Transplant Immunol	2004
Sakurai, Regulation of human T-cell leukemia virus type-1 (HTLV-1) budding by ubiquitin ligase Nedd4	Microbes and Infection	2004
Sakurai, Expression levels of renal organic anion transporters (OATs) and their correlation with anionic drug excretion in patients with renal diseases	Pharm. Res.	2004
Sato Y, Gene expression profiles of cardiomyocytes treated with diiodothyropropionic acid, an inotropy-selective thyroid hormone analogue	FEBS Letters	2004
Satoh E Transgenic enhanced green fluorescence protein (EGFP) and beta galactosidase (beta-gal) genes behave as minor histocompatibility antigens	Transplantation Proceeding	2004