

第1批
4-2
(交病大14)
Lung
Cancer
Ud 45
93-104,
2004年
5月








Fig. 2 Kaplan-Meier plot of overall survival according to subgroups: (A) female versus male; (B) adenocarcinoma versus non-adenocarcinoma; (C) never-smokers versus moderate/heavy smokers. MST: median survival time, OS: overall survival, Ad: adenocarcinoma.



別紙 4-3
 (文前 15)
 Lung Cancer
 vol 46
~~93-104~~
 247-254
 2004 年 2 月







Fig. 2 A comparison of survival of: (A) PS 0, 1 vs. PS 2, 3; (B) gender: male vs. female; (C) smoking index: <900 vs. ≥900; and (D) age: <70 vs. ≥70.

Survival - INTACT 1



Survival - INTACT 2



急性肺障害・間質性肺炎の発現因子

PS2以上の症例、喫煙歴を有する症例、本剤投与時に間質性肺疾患を合併している症例、化学療法歴を有する症例

説明変数	基準変数	評価変数	p 値	ハザード比	95%信頼区間	
					下側	上側
PS区分	0,1	2,3,4	0.000	2.154	1.444	3.213
喫煙歴有無	無	有	0.004	1.987	1.250	3.158
肺の合併症/間質性肺疾患	無	有	0.016	2.498	1.182	5.276
化学療法有無	無	有	0.032	1.789	1.053	3.041
放射線療法有無(肺の部位)	無	有	0.057	0.595	0.348	1.015
肺の合併症/COPD	無	有	0.062	1.890	0.969	3.685
組織型区分	腺癌	腺癌以外	0.067	1.535	0.970	2.427
腎障害の合併有無	無	有	0.109	0.317	0.078	1.293
肝障害の合併有無	無	有	0.140	1.474	0.880	2.467

・Total 2554例、Event 101例、Censored 2453例 ・本解析では、変数を投入除去するp値の基準を0.2とした

文献3、日本肺癌学会総会 2004から

急性肺障害・間質性肺炎の予後不良因子(転帰死亡)

男性の症例、PS2以上の症例

説明変数	基準変数	評価変数	p値	ハザード	95%信頼区間	
					下側	上側
性別	男	女	0.006	0.274	0.109	0.690
PS区分	0,1	2,3,4	0.020	2.323	1.141	4.731
組織型区分	腺癌	腺癌以外	0.061	0.454	0.199	1.036

・Total 101例、Event 33例、Censored 68例

・本解析では、変数を投入除去するp値の基準を0.2とした