

< 参照 >

- 1 社団法人 有機合成化学協会. 2-ステアロイル乳酸カルシウム, 2-ステアロイル乳酸ナトリウム. 有機化合物辞典. (1995) : 484-485.
- 2 Nawar WW. Lipid/ Emulsions and Emulsifiers. Food Chemistry Second Edition. Marcel Dekker Inc. (1985): 169-171,173.
- 3 ステアロイル乳酸ナトリウム(SSL)溶解性試験報告書. (株)武蔵野化学研究所作成資料. (2008)
- 4 Office for Official Publications of the EC. European Parliament and Council Directive No 95/2/EC of 20 February 1995 on Food Additives other than Colours and Sweeteners. Consleg: 1995L0002-29/01/2004 pp.1-8, 32-39.
- 5 Food and Drug Administrations, HHS. § 172.846 Sodium Stearoyl Lactylate. 21CFR Ch.1 , pp.94-95. (2005).
- 6 JECFA. Toxicological Evaluation of Some Food Additives Including Anticaking Agents, Antimicrobials, Antioxidants, Emulsifiers and Thickening Agents (Stearoyl Lactylic Acid, Calcium and Sodium Salts). WHO Food Additives Series No.5.( 1973)  
<http://www.inchem.org/documents/jecfa/jecmono/v05je92.htm>
- 7 Drumright RE, Gruber PR, Henton DE. Polylactic Acid Technology. Adv. Mater. (2000)12: 1841-1846.
- 8 ポリ乳酸を主成分とする合成樹脂製の器具又は容器包装に係る食品健康影響評価について. 食品安全委員会 器具・容器包装専門調査会. 府食第523号. (2005).  
<http://www.fsc.go.jp/hyouka/hy/hy-hyouka-pla170526.pdf>
- 9 Tuominen J. Chain Linked Lactic Acid Polymers : Polymerization and Biodegradation Studies. Polymer Technology Publication Series. (2003)25.
- 10 Ikeda Y, Tsuji H. Biodegradable Polyesters for Medical and Ecological Applications. Macromol Rapid Commun. (2000)21: 117-132.
- 11 Improved Lactic Acid Processing ; Methods ; Arrangements ; and Products. World Intellectual Property Organization. (2001)  
[http://www.wipo.int/cgi-pct/guest/getbykey5?KEY=01/38284.010531&ELEMENT\\_SET=DECL](http://www.wipo.int/cgi-pct/guest/getbykey5?KEY=01/38284.010531&ELEMENT_SET=DECL)
- 12 van Nostrum CF, Veldhuis TFJ, Bos GW, Hennink WE. Hydrolytic Degradation of Oligo (Lactic Acid) : a Kinetic and Mechanistic Study. Polymer. (2004)45: 6779-6787.

- 13 Phillips JC, Topp C, Gangolli SD. Studies on the Metabolism of Calcium Stearoyl-2-Lactylate in the Rat, Mouse, Guinea-pig and Man. Food Cosmet. Toxicol. (1981)19: 7-11.
- 14 Giescke D, Fabritius A. Oxidation and Excretion of D-Lactic Acid by Rats. Experientia 30/10. (1974): 1124-1125.
- 15 上代淑人(監訳). 脂質代謝/糖質代謝の調節(乳酸回路). ハーパー・生化学, 原書 21 版. (1998): 155-156, 207.
- 16 Stearic Acid A Unique Saturated Fat. Beef Facts, Human Nutrition Research. (2007)  
[http://www.beefresearch.org/CMDocs/BeefResearch/Stearic\\_Acid\\_FS\\_R1.pdf#search='stearic%20acid%20%20Beef%20Facts%20Human%20Nutrition%20Research'](http://www.beefresearch.org/CMDocs/BeefResearch/Stearic_Acid_FS_R1.pdf#search='stearic%20acid%20%20Beef%20Facts%20Human%20Nutrition%20Research')
- 17 JECFA. Toxicological Evaluation of some Food Colours, Emulsifiers, Stabilizers, Anti-caking Agents and Certain Other Substances. FAO Nutrition Meetings Report Series No.46A WHO/FOOD ADD/70.36. (1969)
- 18 FINAL REPORT Acute Oral Toxicity Study of Lactide 2097-99-2 in Rats (文献 18 における引用文献 39)
- 19 JECFA. Toxicological Evaluation of Some Enzymes, Modified Starches and Certain Other Substances (Stearoyl Lactylic Acid, Calcium and Sodium Salts). WHO Food Additives Series 1972, No.1  
<http://www.inchem.org/documents/jecfa/jecmono/v001je24.htm>
- 20 29th Report of the JECFA. Evaluation of certain food additives and contaminants. WHO technical report series 733 (1986).
- 21 厚生労働省発食安第0701016号におけるステアリン酸マグネシウム及びリン酸三マグネシウムに係る食品健康影響評価の通知について. 食品安全委員会. 府食第34号. (2003)  
<http://www.fsc.go.jp/hyouka/hy/hy-tuuchi-bunsho-01.pdf>
- 22 薬事・食品衛生審議会部会報告. 第5回食品安全委員会資料2. (2003)  
<http://www.fsc.go.jp/iinkai/i-dai5/dai5kai-siryoku2-1.pdf>  
<http://www.fsc.go.jp/iinkai/i-dai5/dai5kai-siryoku2-2.pdf>
- 23 CD.Hebert,et.al., Toxicity of Lactide in Dogs After 2 and 13 Weeks of Daily Oral Dosing ,Food and Chemical Toxicology, (1999)37,355. (文献18における引用文献42)
- 24 13-Week Toxicity Study of Lactide in Dogs(文献18における引用文献41)
- 25 Maekawa A, Matsushima Y, Onodera H, Shibutani M, Yoshida J, Kodama Y et al. Long-Term Toxicity / Carcinogenicity Study of

- Calcium Lactate in F344 Rats. *Fd. Chem. Toxic.* (1991)29: 589-594.
- 26 M.T.Colomina,,etal., Concurrernt Ingestion of Latate and Aluminuim can Result in Developmental Toxicity in Mice,*Res.Commun.Chem.Pathol*, (1992)77,95. (文献18における引用文献38のg)
- 27 石館基, 祖父尼俊雄, 吉川国衛. I.食品添加物の変異原性試験成績(その3). 変異原と毒性. (1982)5: 579-587.
- 28 Ishidate MJr, Sofuni T, Yoshikawa K, Hayashi M, Nohmi T, Sawada M, Matsuoka A. Primary Mutagenicity Screening of Food Additives Currently Used in Japan. *Food Chem. Toxicol.* (1984)22: 623-636.
- 29 石館基, 能美健彦, 松井道子. 微生物を用いる変異原性試験データ. 微生物を用いる変異原性試験データ集. *Life-science Information Center.* (1991): 112-113,334-335.
- 30 祖父尼俊雄, 林真, 松岡厚子. 染色体異常試験データ. 染色体異常試験データ集, 改訂1998年版 *Life-science Information Center.* (1999): 108,300.
- 31 Blevins RD, Taylor DE. Mutagenicity Screening of Twenty-five Cosmetic Ingredients with the Salmonella/Microsome Test. *J. Environ. Sci. Health.* (1982)A17: 217-239.
- 32 ステアリン酸マグネシウムの細菌を用いる復帰突然変異試験 株式会社 新日本科学 安全性研究所(最終報告書)(2001)
- 33 Parry JM, Parry EM, Barrett JC. Tumour Promoters Induce Mitotic Aneuploidy in Yeast. *Nature* (1981)294: 263-265.
- 34 ステアリン酸マグネシウムのほ乳類培養細胞に用いる染色体異常試験 株式会社 新日本科学 安全性研究所(最終報告書)(2001)
- 35 ステアリン酸マグネシウムのマウスを用いる小核試験 株式会社 新日本科学 安全性研究所(最終報告書)(2001)
- 36 FINAL REPORT Dermal Sensitization Study of Lactide 2097-99-2 in Guinea Pigs-Closed Path Technique(文献18における引用文献48)
- 37 21CFR Parts 182 and 184. Lactic Acid and Calcium Lactate; Affirmation of GRAS Status for Lactic Acid and Calcium Lactate for Direct Human Food Ingredients. *Federal Register.* (1980)45:32324-32328.
- 38 石館基, 祖父尼俊雄, 吉川国衛. I.食品添加物の変異原性試験成績(その4). *トキシコロジー-フォーラム.* (1983)6: 671-678.
- 39 石館基, 能美健彦, 松井道子. 微生物を用いる変異原性試験データ. 微生物を用いる変異原性試験データ集. *Life-science Information*

- Center, (1991): 334, 335, 498.
- 40 藤田博, 中野雅行, 佐々木美枝子. *Salmonella typhimutium* TA97, TA102 を用いた食品添加物の変異原性試験 (第 3 報). 東京衛研年報 (Ann. Rep. Tokyo Metr. Res. Lab. P.H.). (1988)39: 343-350.
  - 41 MUTAGENICITY TEST WITH LACTIDE IN THE SALMONERA-ESCHRICHA COLI/MAMMALIAN-MICROSOME REVERSE MUTATION ASAAAY WITH ACONFIRMATORY ASSAY FINAL REPORT(文献18における引用文献43)
  - 42 石館基, 滝澤行雄, 坂部美雄, 石崎睦雄, 渡辺重信, 館正知, 竹本和夫. I.食品添加物の変異原性試験成績 (その 9) .トキシコロジ-フォーラム. (1988)11: 663-669.
  - 43 MUTAGENCITY TEST ON LACTIDE IN THE L5178 TK+/- MOUSE LYMPHOMA FORWARD MUTAION ASSAY WITH A CONFIRMATORY ASSAY FINAL REPORT(文献18における引用文献 44)
  - 44 祖父尼俊雄, 林真, 松岡厚子. 染色体異常試験データ. 染色体異常試験データ集, 改訂 1998 年版 pp.300, 404, 459, Life-science Information Center.
  - 45 Mutagenecity Test on Lactide in an In Vivo Mouse Micronucleus Assay FINAL REPORT(文献18における引用文献45)
  - 46 FINAL REPORT Primary Eye Irritation Study of PolyLactide 2097-99-1 in Rabbits(文献18における引用文献30)
  - 47 FINAL REPORT Primary Dermal Irritation Study of PolyLactide 2097-99-1 in Rabbits(文献18における引用文献31)
  - 48 E..Leschke, Fortschritte in der Erkennung und Behandlung derwichtigsten Vergiftungen,Munch.Med.Wschr.,(1932)79,1481. (文献18における引用文献33のC)
  - 49 G.Nazario.AGENTE ACIDULANTES UTILIZADOS EM ALIMETOS,Rev.Inst Adolfo Lutz,(1951)11,141. (文献18における引用文献 33 の D)
  - 50 de Vrese M, Barth CA. Postprandial Plasma D-lactate Concentrations After Yogurt Ingestion. Z. Ernährungswiss. (1991)30: 131-137.
  - 51 Morotomi M, Sakai K, Yazawa K, Suegara N, Kawai Y, Mutai M. Effect and Fate on Orally Administered Lactic Acid in Rats. J. Nutr. Sci. Vitaminol. (1981)27: 117-128.
  - 52 JECFA. Toxicological Evaluation of Some Food Additives Including Anticaking Agents, Antimicrobials, Antioxidants, Emulsifiers and

- Thickening Agents (Lactic Acid and Its Ammonium, Calcium, Potassium and Sodium Salts). WHO Food Additives Series No.5. (1973)
- <http://www.inchem.org/documents/jecfa/jecmono/v05je92.htm>
- 53 LSRO/FASEB. Evaluation of the Health Aspects of Lactic Acid and Calcium Lactate as Food Ingredients. NTIS PB283713 (1978).
- 54 Ministry of Agriculture, Fisheries and Food. Dietary Intake of Food Additives in the UK:Initial Surveillance. Food Surveillance Paper No.37, HMSO. (1993).
- 55 EU Commission. Report From The Commission on Dietary Food Additive Intake in the European Union. (2001)
- [http://europa.eu.int/comm/food/food/chemicalsafety/additives/flav15\\_en.pdf](http://europa.eu.int/comm/food/food/chemicalsafety/additives/flav15_en.pdf)
- 56 日本食品添加物協会「生産量統計を基にした食品添加物の摂取量の推定」研究グループ. 生産量統計を基にした食品添加物の摂取量の推定その1指定添加物品目(第7回最終報告)第12章 乳化剤. 平成16年度厚生労働科学研究費補助金(食品の安全性高度化推進事業). (2005).
- 57 JECFA. Summary of Evaluations Performed by the JECFA , Sodium Stearoyl-2-Lactylate. IPCS INCHEM. (2002).
- [http://www.inchem.org/documents/jecfa/jeceval/jec\\_1883.htm](http://www.inchem.org/documents/jecfa/jeceval/jec_1883.htm)
- 58 Seventeenth Report of the JECFA. Toxicological Evaluation of Certain Food Additives with a Review of General Principles and of Specifications. WHO Technical Report Series 539. (1973): 19-20, 23-24, 35-38.
- 59 Fifteenth Report of the JECFA. Evaluation of Food Additives Some Enzymes, Modified Starches and Certain Other Substances: Toxicological Evaluations and Specifications and A Review of the Technological Efficacy of Some Antioxidants. WHO Technical Report Series No.488. (1972):19, 22-24, 41.
- 60 Thirteenth Report of the JECFA. Specifications for the Identity and Purity of Food Additives and Their Toxicological Evaluation Some Food Colours, Emulsifiers, Stabilizers, Anticaking Agents, and Certain Other Substances. WHO Technical Report Series No.445 (1970): 13-17.
- 61 Commission of the EC. Report of the Scientific Committee for Food. Report of the SCF Seventh Series. (1978)
- 62 Commission Directive 96/77/EC. Laying Down Specific Purity Criteria on Food Additives Other than Colours and Sweeteners.

- OJ L 339, 30.12. (1996): 1-3,101.
- 63 КОМАРОВА ЕН. Токсические свойства некоторых Добавок к пластическим массам, ЧДК 678.04 : 541.697.
- 64 Deichmann WB, Radomski JL, Macdonald WE, Kascht RL, Erdmann RL. The chronic toxicity of octadecylamine. *A.M.A. Arch. Ind. Health.* (1958) 18: 483-487.
- 65 Life sciences research office federation of American Societies for Experimental Biology (FASEB), Evaluation of the health aspects of tallow, hydrogenated tallow, stearic acid, and calcium stearate as food ingredients, SCOGS-54, Contract No. FDA 223-75-2004, (1975).
- 66 Van Duuren BL, Katz C. Replication of low-level carcinogenic activity bioassays. *Cancer Res.* (1972) 32: 880-881.
- 67 Gottschewski GHM. Kann die tragersubstanz von wirkstoffen in dragees eine teratogene wirkung haben? (Can carriers of active ingredients in coated tablets have teratogenic effects?). *Arzneim. Forsch.* (1967) 17: 1100-1103.
- (和訳) Gottschewski GHM. コーティング錠に含まれる有効成分の担体は催奇性を示すか, Mac-Planck免疫研究所 Gottschewski研究グループ
- 68 ステアリン酸カルシウムに係る食品健康影響評価の結果の通知について. 食品安全委員会. 府食第795号. (2004)
- <http://www.fsc.go.jp/hyouka/hy/hy-calstearate-tuuchi-bunsyo.pdf>  
<http://www.fsc.go.jp/hyouka/hy/hy-calstearate-hyouka.pdf>
- 69 Principles for the safety assessment of food additives and contaminants in food. World Health Organization, International Program on Chemical Safety in Cooperation with the Joint FAO/WHO Expert Committee on Food Additives, Geneva, Environmental Health Criteria 70 (1987).