

<別添引用文献>

1. 環境曝露による健康影響

1.1 富山県婦中町

- 1.1 - 1 石崎有信, 福島匡昭, イタイイタイ病. 日衛誌 23, 271-285, 1968.
- 1.1 - 2 福島匡昭, 石崎有信, 坂元倫子, 能川浩二, 小林悦子, イタイイタイ病発生住民の腎障害に関する疫学的研究 (第1報), 神通川流域住民の尿検査成績. 日本公衛誌 21, 65-73, 1974.
- 1.1 - 3 福島匡昭, 石崎有信, 坂元倫子, 能川浩二, 小林悦子, イタイイタイ病発生住民の腎障害に関する疫学的研究 (第2報), 精検者の尿異常所見とCd・排泄の居住地および診断との関係に関する観察. 日本公衛誌 22, 217-224, 1975.
- 1.1 - 4 Nogawa K., Ishizaki A., Kobayashi E., A comparison between health effects of cadmium and cadmium concentration in urine among inhabitants of the Itai-iai disease endemic district. Environ Res 18, 397-409, 1979a.
- 1.1 - 5 Nogawa K., Kobayashi E., Honda R., A study of the relationship between cadmium concentrations in urine and renal effects of cadmium. Environ Health Perspect 28, 161-168, 1979b.
- 1.1 - 6 小林悦子, 環境中カドミウムの人体影響に関する疫学的研究 (第1報), 性、年齢別尿検査成績. 日本公衛誌 29, 123-133, 1982a.
- 1.1 - 7 小林悦子, 環境中カドミウムの人体影響に関する疫学的研究 (第2報), Cd汚染地居住期間別尿所見. 日本公衛誌 29, 201-207, 1982b.
- 1.1 - 8 Nogawa K., Kobayashi E., Inaoka H., Ishizaki A., The relationship between the renal effects of cadmium and cadmium concentration in urine among the inhabitants of cadmium-polluted areas. Environ Res 14, 391-400, 1977.
- 1.1 - 9 Nogawa K., Kobayashi E., Honda R., Ishizaki A., Kawano S., Matsuda H., Renal dysfunction of inhabitants in a cadmium-polluted area. Environ Res 23, 13-23, 1980.
- 1.1 - 10 能川浩二, 小林悦子, 本多隆文, 石崎有信, 河野俊一, 大村利志隆, 中川秀昭, 梅博久, 松田晴夫, 慢性カドミウム中毒の臨床生化学的研究 (第5報) 腎機能. 日衛誌 36, 512-517, 1981.
- 1.1 - 11 Nogawa K., Yamada Y., Honda R., Tsuritani I., Ishizaki M., Sakamoto M., Urinary *N*-acetyl- $\beta$ -D-glucosaminidase and  $\beta_2$ -microglobulin in 'Itai-itai' disease. Toxicol Lett 16, 317-322, 1983.
- 1.1 - 12 Nogawa K., Yamada Y., Kido T., Honda R., Ishizaki M., Tsuritani I., Kobayashi E., Significance of elevated urinary *N*-acetyl- $\beta$ -D-glucosaminidase activity in chronic cadmium poisoning. Sci Total Environ 53, 173-178, 1986.
- 1.1 - 13 Aoshima K., Epidemiology of renal tubular dysfunction in the inhabitants of a cadmium-polluted area in the Jinzu River basin in Toyama prefecture. Tohoku J Exp Med. 152, 151-172, 1987.

1.2 兵庫県生野

- 1.2 - 1 生野鉦山周辺地域カドミウム汚染総合調査班報告書; 昭和47年4月, 1972.
- 1.2 - 2 喜田村正次, 小泉直子, 幡山文一, 地域住民の尿中 $\beta_2$ -microglobulin濃度に関する疫学的研究, 食品に含まれるカドミウムの安全性に関する研究, 昭和52年度食品衛生調査研究報告書, 1977.

### 1.3 石川県梯川流域

- 1.3 - 1 Nogawa K., Ishizaki A., Kawano S., Statistical observation of the dose-response relationships of cadmium based on epidemiological studies in the Kakehashi river basin. *Environ Res.* 1978; 15: 185-198.
- 1.3 - 2 Kido T., Honda R., Tsuritani I., Yamaya H., Ishizaki M., Yamada Y., Nogawa K., An epidemiological study on renal dysfunction of inhabitants in Cd-exposed areas in the Kakehashi River basin in Ishikawa Prefecture. *Nippon Eiseigaku Zasshi.* 1987; 42: 964-972.
- 1.3 - 3 Ishizaki M., Kido T., Honda R., Tsuritani I., Yamada Y., Nakagawa H., Nogawa K., Dose-response relationship between urinary cadmium and  $\beta_2$ -microglobulin in a Japanese environmentally cadmium exposed population. *Toxicology.* 1989; 58: 121-131.
- 1.3 - 4 Hayano M., Nogawa K., Kido T., Kobayashi E., Honda R., Tsuritani I., Dose-response relationships between urinary cadmium concentration and  $\beta_2$ -microglobulinuria using logistic regression analysis. *Arch Environ Health.* 1996; 51: 162-7.
- 1.3 - 5 Kido T., Shaikh Z.A., Kito H., Honda R., Nogawa K., Dose-response relationship between urinary cadmium and metallothionein in a Japanese population environmentally exposed to cadmium. *Toxicology.* 1991; 65: 325-332.
- 1.3 - 6 Nogawa K., Honda R., Kido T., Tsuritani I., Yamada Y., Ishizaki M., Yamaya H., A dose-response analysis of cadmium in the general environment with special reference to total cadmium intake limit. *Environ Res.* 1989; 48, 7-16.
- 1.3 - 7 Nakashima K., Kobayashi E., Nogawa K., Kido T., Honda R., Concentration of cadmium in rice and urinary indicators of renal dysfunction. *Occup Environ Med.* 1997; 54: 750-755.
- 1.3 - 8 Kido T., Honda R., Tsuritani I., Ishizaki M., Yamada Y., Nogawa K., Progress of renal dysfunction in inhabitants environmentally exposed to cadmium. *Arch Environ Health.* 1988; 43: 213-217.

### 1.4 秋田県小坂町

- 1.4 - 1 斎藤 寛, 塩路隆治, 古川洋太郎, 有川 卓, 斎藤喬雄, 永井謙一, 道又勇一, 佐々木康彦, 古山 隆, 吉永 馨, カドミウム環境汚染にもとづく慢性カドミウム中毒の研究 秋田県小坂町細越地域住民に多発したカドミウムによる腎機能障害 (多発性近位尿細管機能異常症) について. 日内会誌 64, 37-49, 1975.
- 1.4 - 2 Saito H., Shioji R., Hurukawa Y., Nagai K., Arikawa T., Saito T., Sasaki Y., Furuyama T., Yoshinaga K., Cadmium-induced proximal tubular dysfunction in a cadmium-polluted area. *Contr Nephrol* 6, 1-12, 1977a.
- 1.4 - 3 斎藤 寛, 永井謙一, 有川 卓, 斎藤喬雄, 塩路隆治, 古川洋太郎, 古山隆, 吉永 馨, カドミウム環境汚染地域住民の尿  $\beta_2$ -microglobulin 濃度-カドミウム負荷量との Dose-Effect Relationship について. 医学のあゆみ, 100, 350-352, 1977b.
- 1.4 - 4 薮 幸三, 斎藤 寛, 中野篤浩, 海上 寛, 高田健右, 佐藤徳太郎, 古山隆, 吉永 馨, 有川 卓, 永井謙一, カドミウム環境汚染地域住民の尿中  $\beta_2$ -microglobulin, 一世代別, 性別の検討, ならびに近位尿細管検査成績との比較. 日腎誌 23, 45-62, 1981.

- 1.4 - 5 Kojima S., Haga Y., Kurihara T., Yamawaki T., Kjellstrom T., A comparison between fecal cadmium and urinary  $\beta$ 2-Microglobulin, total protein, and cadmium among Japanese farmers. *Environ Res* 14, 436-451, 1977.
- 1.4 - 6 小野雅司, 斎藤 寛, 秋田県小坂町住民の死亡原因に関する疫学的研究. *日衛誌* 40, 799-811, 1985.
- 1.4 - 7 Iwata K., Saito H., Moriyama M., Nakano A., Follow-up study of renal tubular dysfunction and mortality in residents of an area polluted with cadmium. *Br J Ind Med* 49, 736-737, 1992.
- 1.5 長崎県対馬
- 1.5 - 1 中野篤浩, 斎藤 寛, 脇阪一郎, カドミウム土壌汚染地域住民におけるカドミウムと  $\beta$ 2-マイクログロブリンの尿中排泄に関する研究. *国立公害研究所研究報告*, 84, 13-30, 1985.
- 1.5 - 2 小林悦子, 杉平直子, 中野篤浩, 遠山千春, 三種裕子, 斎藤 寛, 脇阪一郎, 長崎県対馬カドミウム汚染地住民における血液検査成績. *国立公害研究所研究報告*, 84, 37-45, 1985.
- 1.5 - 3 Tohyama C., Kobayashi E., Saito H., Sugihara N., Nakano A., Mitane Y., Urinary  $\alpha$ 1-microglobulin as an indicator protein of renal tubular dysfunction caused by environmental cadmium exposure. *J Appl Toxicol* 6, 171-178, 1986.
- 1.5 - 4 Tohyama C., Mitane Y., Kobayashi E., Sugihara N., Nakano A., Saito H., The relationships of urinary metallothionein with other indicators of renal dysfunction in people living in a cadmium-polluted area in Japan. *J Appl Toxicol* 8, 15-21, 1988.
- 1.5 - 5 Iwata K., Saito H., Moriyama M., Nakano A., Renal tubular function after reduction of environmental cadmium exposure: A ten-year follow-up. *Arch Environ Health* 48, 157-163, 1993.
- 1.5 - 6 劉曉潔, 長崎県対馬カドミウム土壌汚染地域住民の頭髪、尿および血液カドミウム濃度—土壌復元前後 18 年での比較—. *日衛誌*, 54, 544-551, 1999.
- 1.5 - 7 原田孝司, 平井義修, 原耕平, 嘉村末男, カドミウム環境汚染地域における経過観察者の近位尿細管障害の推移. *環境保健レポート* 1988; 54, 127-133.
- 1.5 - 8 Iwata K., Saito H., Moriyama M., Nakano A., Association between renal tubular dysfunction and mortality among residents in a cadmium-polluted area, Nagasaki, Japan. *Tohoku J Exp Med* 164, 93-102, 1991a.
- 1.5 - 9 Iwata K., Saito H., Nakano A., Association between cadmium-induced renal dysfunction and mortality: Further evidence. *Tohoku J Exp Med* 164, 319-330, 1991b.
- 1.5 - 10 Arisawa K., Nakano A., Saito H., Liu X-J., Yokoo M., Soda M., Koba T., Takahashi T., Kinoshita K., Mortality and cancer incidence among a population previously exposed to environmental cadmium. *Int Arch Occup Environ Health* 74, 255-262, 2001.
- 1.6 全国規模の研究
- 1.6 - 1 Suwazono Y., Kobayashi E., Okubo Y., Nogawa K., Kido T., Nakagawa H., Renal effects of cadmium exposure in cadmium nonpolluted areas in Japan *Environ Res*. 2000; 84: 44-55.

- 1.6 - 2 Ezaki T., Tsukahara T., Moriguchi J., Furuki K., Fukui Y., Ukai H., Okamoto S., Sakurai H., Honda S., Ikeda M., No clear-cut evidence for cadmium-induced renal tubular dysfunction among over 10,000 women in the Japanese general population: a nationwide large-scale survey. *M.Int. Arch. Occup. Environ. Health.* 2003; 76: 186-196.
- 1.6 - 3 櫻井治彦, 池田正之, 香山不二雄, 江崎高史, 塚原輝臣, 森口次郎, 大前和幸, 守山知章, 田口陽嗣, 渡邊久芳, 條照男, 遠藤久美子, 安井明美, 食品中に残留するカドミウムの健康影響評価について (平成13~15年度総合研究報告書), 平成16年.
- 1.6 - 4 Horiguchi H., Oguma E., Sasaki S., Miyamoto K., Ikeda Y., Machida M., Kayama F., Dietary exposure to cadmium at close to the current provisional tolerable weekly intake dose not affect renal function among female Japanese farmers. *Environ Res.* 2004; 95: 20-31.
- 1.6 - 5 Ikeda M., Ezaki T., Tsukahara T., Moriguchi J., Furuki K., Fukui Y., Ukai H., Okamoto S., Sakurai H., Threshold levels of urinary cadmium in relation to increases in urinary  $\beta$ 2-microglobulin among general Japanese populations. *Toxicol. Lett.* 2003;137:135-141.
- 1.7 他 の 日 本 の 研 究
- 1.7 - 1 Kawada T., Shinmyo R.R., Suzuki S., Urinary cadmium and N-acetyl- $\beta$ -D-glucosaminidase excretion of inhabitants living in a cadmium-polluted area. *Int Arch Occup Environ Health* 63, 541-546, 1992.
- 1.7 - 2 Nakadaira H., Nishi S., Effects of low-dose cadmium exposure on biological examinations. *Sci Total Environ* 308, 49-62, 2003.
- 1.8 ベルギー、Cadmibel 研究
- 1.8 - 1 Bernard A., Roels H., Buchet J.P., Cardenas A., Lauwerys R., Cadmium and health: the Belgian experience. *IARC Sci Publ.* 1992; 15-33.
- 1.8 - 2 Lauwerys R., Amery A., Bernard A., Bruaux P., Buchet J.P., Claeys F., De Plaen P., Ducoffre G., Fagard R., Lijnen P., Nick L., Roels H., Rondia D., Saint-Remy A., Sartor F., Staessen J., Health effects of environmental exposure to cadmium: objectives, design and organization of the Cadmibel Study: a cross-sectional morbidity study carried out in Belgium from 1985 to 1989. *Environ Health Perspect.* 1990; 87: 283-289.
- 1.8 - 3 Lauwerys R., Bernard A., Buchet J.P., Roels H., Bruaux P., Claeys F., Ducoffre G., De Plaen P., Staessen J., Amery A., Fagard R., Lijnen P., Thijs L., Rondia D., Sartor F., Saint-Remy A., Nick L., Does environmental exposure to cadmium represent a health risk? Conclusion from the Cadmibel study. *Acta Clin Belg.* 1991; 46: 219-225.
- 1.8 - 4 Staessen J.A., Lauwerys R., Ide G., Roles H.A., Vyncek G., Amery A., Renal function and historical environmental cadmium pollution from zinc smelters. *The Lancet* 1994; 343, 1523-1527.
- 1.8 - 5 Hotz P., Buchet J.P., Bernard A., Lison D., Lauwerys R., Renal effects of low-level environmental cadmium exposure: 5-year follow-up of a subcohort from the Cadmibel study. *The Lancet*; Oct 30, 1999; 354,

1508-1513.

1.9 スウェーデン、OSCAR 研究

- 1.9 - 1 Järup L., Hellström L., Alfvén T., Carlsson M.D., Grubb A., Persson B., Petterson C., Spång G., Schütz A., Elinder C.G., Low level exposure to cadmium and early kidney damage: the OSCAR study, *Occup Environ Med* 2000;57:668-672.

1.10 英国 Shipham 地域

- 1.10 - 1 Morgan H., Simms D.L., Discussion and Conclusion. *Sci Total Environ* 1988, 75, 135-143.  
1.10 - 2 Simms D.L., Morgan H., Introduction, *Sci Total Environ* 1988, 75, 1-10.

1.11 旧ソ連

- 1.11 - 1 Bustueva K.A., Revich B.A., Bezpalko L.E., Cadmium in the environment of three Russian cities and in human hair and urine. *Arch Environ Health*. 1994; 49: 284-288.  
1.11 - 2 Cherniaeva T.K., Matveeva N.A., Kuzmichev Iu.G., Gracheva M.P., Heavy metal content of the hair of children in industrial cities. *Gig Sanit.* 1997; 26-28. (Russian)  
1.11 - 3 Iarushkin V.Iu. Heavy metals in the mother-newborn infant biological system in the technology-related biogeochemical environment. *Gig Sanit.* 1992; 13-15. (Russian)  
1.11 - 4 Odland J.O., Nieboer E., Romanova N., Thomassen Y., Lund E., Blood lead and cadmium and birth weight among sub-arctic and arctic populations of Norway and Russia. *Acta Obstet Gynecol Scand.* 1999;78: 852-860.  
1.11 - 5 Olikhova S.V., Tabachnikov M.M., Gevorgian A.M., Zhochkun E., Kireev G.V., Levels of cadmium, lead and copper in inhabitants of Tashkent and Tashkent region. *Gig Sanit.* 2000; 11-12. (Russian)

1.12 中国

- 1.12 - 1 Cai SW., Yue L., Hu ZN., Zhong XZ., Ye ZL., Xu HD., Liu YR., Ji RD., Zhang WH., Zhang FY., Cadmium exposure and health effects among residents in an irrigation area with ore dressing wastewater. *Sci Total Environ.* 1990; 90: 67-73.  
1.12 - 2 Cai S., Yue L., Shang Q., Nordberg G., Cadmium exposure among residents in an area contaminated by irrigation water in China. *Bull World Health Organ.* 1995; 73: 359-367.  
1.12 - 3 Nordberg G.F., Jin T., Kong Q., Ye T., Cai S., Wang Z., Zhuang F., Wu X., Biological monitoring of cadmium exposure and renal effects in a population group residing in a polluted area in China. *Sci Total Environ.* 1997; 20; 199: 111-114.  
1.12 - 4 Jin T., Nordberg G., Wu X., Ye T., Kong Q., Wang Z., Zhuang F., Cai S., Urinary N-acetyl- $\beta$ -D-glucosaminidase isoenzymes as biomarker of renal dysfunction caused by cadmium in a general population. *Environ Res.* 1999; 81: 167-173.  
1.12 - 5 Han C., An investigation of the effects of cadmium exposure on human health. *Biomed Environ Sci.* 1988; 1: 323-331.  
1.12 - 6 Qu JB., Xin XF., Li SX., Ikeda M., Blood lead and cadmium in a

general population in Jinan City, China. *Int Arch Occup Environ Health*. 1993;65(1 Suppl):S201-S204.

1.13 米国

- 1.13 - 1 Diamond G.L., Thayer W.C., Choudhury H.J.,  
Pharmacokinetics/pharmacodynamics (PK/PD) modeling of risks of  
kidney toxicity from exposure to cadmium: estimates of dietary risks in  
the U.S. population. *Toxicol Environ Health A*. 2003; 66: 2141-2164.

2. 職業曝露による健康影響

- 2 - 1 Friberg L., Health hazards in the manufacture of alkaline accumulators  
whith special reference to chronic cadmium poisoning. Doctorial thesis.  
*Acta Med Scand* 1950;138(s240):1-124.
- 2 - 2 Adams R.G., Clinical and biochemical observation in men with cadmium  
nephropathy. A twenty-year study. *Arh Hig Rada Toksikol*.  
1979;30:219-31.
- 2 - 3 Baader E.W., Chronic cadmium poisoning. *Disch,  
Med Wochenschr*. 1951;76:484-7.
- 2 - 4 Bonnell J.A., Emphysema and proteinuria in men casting  
copper-cadmium alloys. *Br J Ind Med*. 1955;12:181-197.
- 2 - 5 Bonnell J.A., Kazantzis G., King E., A follow-up study of men exposed to  
cadmium oxide fume. *Br J Ind Med*. 1959;16:135-146.
- 2 - 6 De Silva PE, Donnan MB. Chronic cadmium poisoning in a pigment  
manufacturing plant. *Br J Ind Med*. 1981; 38: 76-86.
- 2 - 7 Lauwerys R.R., Buchet J.P., Roels H.A., Brouwers J., Stanescu D.,  
Epidemiological survey of workers exposed to cadmium. *Arch Environ  
Health*. 1974; 28: 145-148.
- 2 - 8 Suzuki Y., Suzuki T., Ashizawa M., Proteinuria due to inhalation of  
cadmium stearate dust. *Ind Health*. 1965;3:73-85.
- 2 - 9 Tuchiya K., Proteinuria of workers exposed to cadmium fume. The  
relationship to concentration in the working environment. *Arch Environ  
Health*. 1967;14:875-880.
- 2 - 10 Hansén L., Kjellström T., Vesterberg O., Evaluation of different urinary  
proteins excreted after occupational Cd exposure. *Int. Arch. Occup.  
Environ Health*. 1977; 40: 273-282.
- 2 - 11 Bernard A., Buchet J.P., Roels H., Måsson P., Lauwerys R., Renal  
excretion of proteins and enzymes in workers exposed to cadmium. *Eur J  
Clin Invest*. 1979; 9:11-22.
- 2 - 12 Adams R.G., Harrison J.F., Scott P., The development of  
cadmium-induced proteinuria, impaired renal function, and  
osteomalacia in alkaline battery workers. *Q J Med*. 1969; 38 :425-443.
- 2 - 13 Kazantzis G., Flynn F.V., Spowage J.S., Trott D.G., Renal tubular  
malfunction and pulmonary emphysema in cadmium pigment workers.  
*Q J Med*. 1963; 32: 165-192.
- 2 - 14 Elinder C.G., Edling C., Lindberg E., Kagedal B., Vesterberg O.,  
 $\beta$ 2-Microglobulinuria among workers previously exposed to cadmium:  
follow-up and dose-response analyses. *Am J Ind Med*. 1985; 8: 553-564.
- 2 - 15 Kawada T., Shinmyo R.R., Suzuki S., Changes in urinary cadmium  
excretion among pigment workers with improvement of the work  
environment. *Ind Health*. 1993;31: 165-170.

- 2 - 16 McDiarmid M.A., Freeman C.S., Grossman E.A., Martonik J., Follow-up of biologic monitoring results in cadmium workers removed from exposure. *Am J Ind Med.* 1997 Sep;32(3):261-267.
- 2 - 17 Scott R., Paterson P.J., Mills E.A., McKirdy A, Fell G.S., Ottoway J.M., Husain F.E., Fitzgerald-Finchi O.P., Yates A.J., Lamont A., Roxburgh S., Clinical and biochemical abnormalities in coppermiths exposed to cadmium. *Lancet.* 1976 Aug 21;2(7982):396-398.
- 2 - 18 Sorahan T., Esmen N.A., Lung cancer mortality in UK nickel-cadmium battery workers, 1947 – 2000. *Occup Environ Med.* 2004; 61: 108-116.

3. その他の曝露による健康影響

- 3 - 1 Mannino D.M., Holguin F., Greves H.M., Savage-Brown A., Stock A.L., Jones R.L., Urinary cadmium levels predict lower lung function in current and former smokers: data from the Third National Health and Nutrition Examination Survey. *Thorax.* 2004; 59: 194 -198.

