

潜水潜函共有 空気呼吸 空気減圧表 検討

安全率 21~3m:1.00 加圧速度 8m/min 減圧速度 8m/min

水蒸気圧を考慮しない → 大気圧:10m

帯底圧力(msw) を超え	以下	高压下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				空気呼吸 減圧速度8m/min				減圧時間	総業務 時間	別表1 差	別表2 差
					24'	21'	18'	15'	12'	9'	6'	3'				
8	10	10	0	79									1	11		
8	10	20	0	79									1	21		
8	10	30	0	79									1	31		
8	10	40	0	79									1	41		
8	10	50	0	79									1	51		
8	10	60	0	79									1	61		
8	10	70	0	79									1	71		
8	10	80	0	79									1	81		
8	10	90	0	79									1	91		
8	10	100	0	79									1	101		
8	10	110	0	79									1	111		
8	10	120	0	79									1	121		
8	10	130	0	79									1	131		
8	10	140	0	79									1	141		
8	10	150	0	79									1	151		
8	10	160	0	79									1	161		
8	10	170	0	79									1	171		
8	10	180	0	79									1	181		
8	10	190	0	79									1	191		
8	10	200	0	79									1	201		
8	10	210	0	79									1	211		
8	10	220	0	79									1	221		
8	10	230	0	79									1	231		
8	10	240	0	79									1	241		
8	10	250	0	79									1	251		
8	10	260	0	79									1	261		
8	10	270	0	79									1	271		
8	10	280	0	79									1	281		
8	10	290	0	79									1	291		
8	10	300	0	79									1	301		
8	10	310	0	79									1	311		
8	10	320	0	79									1	321		
8	10	330	0	79									1	331		
8	10	340	0	79									1	341		
8	10	350	0	79									1	351		
8	10	360	0	79									1	361		
8	10	370	0	79									1	371		
8	10	380	0	79									1	381		
8	10	390	0	79									1	391		
8	10	400	0	79									1	401		
8	10	410	0	79									1	411		
8	10	420	0	79									1	421		
8	10	430	0	79									1	431		
8	10	440	0	79									1	441		
8	10	450	0	79									1	451		
8	10	460	0	79									1	461		
8	10	470	0	79									1	471		
8	10	480	0	79									1	481		
8	10	490	0	79									1	491		
8	10	500	0	79									1	501		
8	10	510	0	79									1	511		
8	10	520	0	79									1	521		
8	10	530	0	79									1	531		
8	10	540	0	79									1	541		
8	10	550	0	79									1	551		
8	10	560	0	79									1	561		
8	10	570	0	79								2	3	573		
8	10	580	0	79								3	4	584		
8	10	590	0	79								5	6	596		
10	12	10	0	79									2	12		0
10	12	20	0	79									2	22		0
10	12	30	0	79									2	32	-1	0
10	12	40	0	79									2	42		0
10	12	50	0	79									2	52		0
10	12	60	0	79									2	62	-1	0
10	12	70	0	79									2	72		0
10	12	80	0	79									2	82		0
10	12	90	0	79									2	92	-1	0
10	12	100	0	79									2	102		0
10	12	110	0	79									2	112		0
10	12	120	0	79									2	122	-1	0
10	12	130	0	79									2	132		0
10	12	140	0	79									2	142		0
10	12	150	0	79									2	152	-2	0

安全率 21~3m:1.00

加圧速度 8m/min

減圧速度 8m/min

水蒸気圧を考慮しない → 大気圧:10m

帯底圧力 (msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				空気呼吸 減圧速度8m/min				減圧時間	総業務 時間	別表1 差	別表2 差
を 超え	以下				24	21	18	15	12	9	6	3				
10	12	160	0	79								2	162			
10	12	170	0	79								2	172			
10	12	180	0	79								2	182	-3	-3	
10	12	190	0	79								2	192			
10	12	200	0	79								2	202			
10	12	210	0	79								2	212	-4		
10	12	220	0	79								2	222			
10	12	230	0	79								2	232			
10	12	240	0	79								2	242	-5	-5	
10	12	250	0	79								2	252			
10	12	260	0	79							1	3	263			
10	12	270	0	79							3	5	275	-2		
10	12	280	0	79							4	6	286			
10	12	290	0	79							5	7	297			
10	12	300	0	79							6	8	308	0		
10	12	310	0	79							7	9	319			
10	12	320	0	79							8	10	330			
10	12	330	0	79							10	12	342	4		
10	12	340	0	79							12	14	354			
10	12	350	0	79							14	16	366			
10	12	360	0	79							17	19	379	10	10	
10	12	370	0	79							21	23	393			
10	12	380	0	79							23	25	405			
10	12	390	0	79							26	28	418			
10	12	400	0	79							29	31	431			
10	12	410	0	79							31	33	443			
10	12	420	0	79							33	35	455			
10	12	430	0	79							35	37	467			
10	12	440	0	79							39	41	481			
10	12	450	0	79							42	44	494			
10	12	460	0	79							46	48	508			
10	12	470	0	79							49	51	521			
10	12	480	0	79							52	54	534			
10	12	490	0	79							54	56	546			
10	12	500	0	79							57	59	559			
10	12	510	0	79							60	62	572			
10	12	520	0	79							62	64	584			
10	12	530	0	79							64	66	596			
12	14	10	0	79								2	12		0	
12	14	20	0	79								2	22			
12	14	30	0	79								2	32	-1	0	
12	14	40	0	79								2	42			
12	14	50	0	79								2	52			
12	14	60	0	79								2	62	-1	0	
12	14	70	0	79								2	72			
12	14	80	0	79								2	82			
12	14	90	0	79								2	92	-1	0	
12	14	100	0	79								2	102			
12	14	110	0	79								2	112			
12	14	120	0	79								2	122	-3	-4	
12	14	130	0	79								2	132			
12	14	140	0	79								2	142			
12	14	150	0	79							1	3	153	-4	-5	
12	14	160	0	79							3	5	165			
12	14	170	0	79							5	7	177			
12	14	180	0	79							7	9	189	1	0	
12	14	190	0	79							10	12	202			
12	14	200	0	79							13	15	215			
12	14	210	0	79							15	17	227	7	6	
12	14	220	0	79							18	20	240			
12	14	230	0	79							20	22	252			
12	14	240	0	79							21	23	263	11	11	
12	14	250	0	79							23	25	275			
12	14	260	0	79							26	28	288			
12	14	270	0	79							29	31	301	19		
12	14	280	0	79							32	34	314			
12	14	290	0	79							36	38	328			
12	14	300	0	79							41	43	343	31	29	
12	14	310	0	79							45	47	357			
12	14	320	0	79							49	51	371			
12	14	330	0	79							53	55	385	41		
12	14	340	0	79							56	58	398			
12	14	350	0	79							60	62	412			
12	14	360	0	79							65	67	427			
12	14	370	0	79							69	71	441			
12	14	380	0	79							74	76	456			
12	14	390	0	79							78	80	470			

安全率 21~3m:1.00

加圧速度 8m/min

減圧速度 8m/min

水蒸気圧を考慮しない → 大気圧:10m

帯底圧力 (msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				空気呼吸 減圧速度8m/min				減圧時間	総業務 時間	別表1 差	別表2 差	
を 超え	以下				24	21	18	15	12	9	6	3					
12	14	400	0	79								83	85	485			
12	14	410	0	79								87	89	499			
12	14	420	0	79								90	92	512			
12	14	430	0	79								94	96	526			
12	14	440	0	79								97	99	539			
12	14	450	0	79								103	105	555			
12	14	460	0	79								111	113	573			
12	14	470	0	79								119	121	591			
14	16	10	0	79									2	12		0	
14	16	20	0	79									2	22			
14	16	30	0	79									2	32	-1	0	
14	16	40	0	79									2	42			
14	16	50	0	79									2	52		0	
14	16	60	0	79									2	62	-1		
14	16	70	0	79									2	72		0	
14	16	80	0	79									2	82			
14	16	90	0	79									2	92	-3	-3	
14	16	100	0	79								1	3	103			
14	16	110	0	79								3	5	115			
14	16	120	0	79								6	8	128	1	0	
14	16	130	0	79								10	12	142			
14	16	140	0	79								12	14	154			
14	16	150	0	79								15	17	167	8	6	
14	16	160	0	79								20	22	182			
14	16	170	0	79								23	25	195			
14	16	180	0	79								27	29	209	18	15	
14	16	190	0	79								30	32	222			
14	16	200	0	79								32	34	234			
14	16	210	0	79								35	37	247	24	22	
14	16	220	0	79								39	41	261			
14	16	230	0	79								43	45	275			
14	16	240	0	79								48	50	290	33		
14	16	250	0	79								54	56	306			
14	16	260	0	79								60	62	322			
14	16	270	0	79								65	67	337	47	48	
14	16	280	0	79								70	72	352			
14	16	290	0	79								75	77	367			
14	16	300	0	79								80	82	382	57		
14	16	310	0	79								87	89	399			
14	16	320	0	79									91	94	414		
14	16	330	0	79								2	96	430			
14	16	340	0	79								3	101	446			
14	16	350	0	79								4	106	462			
14	16	360	0	79								4	110	476			
14	16	370	0	79								5	114	491			
14	16	380	0	79								6	120	508			
14	16	390	0	79								8	130	530			
14	16	400	0	79								9	139	550			
14	16	410	0	79								10	148	570			
14	16	420	0	79								12	156	590			
16	18	10	0	79									2	12		0	
16	18	20	0	79									2	22			
16	18	30	0	79									2	32	-1	0	
16	18	40	0	79									2	42			
16	18	50	0	79									2	52			
16	18	60	0	79									2	62	-5		
16	18	70	0	79									2	72			
16	18	80	0	79									3	85			
16	18	90	0	79								7	9	99	-2		
16	18	100	0	79								10	12	112			
16	18	110	0	79								15	17	127			
16	18	120	0	79								18	20	140	5		
16	18	130	0	79								22	24	154			
16	18	140	0	79								28	30	170			
16	18	150	0	79								32	34	184	15	12	
16	18	160	0	79								36	38	198			
16	18	170	0	79								40	42	212			
16	18	180	0	79								43	45	225	18	20	
16	18	190	0	79								2	46	240			
16	18	200	0	79								3	51	256			
16	18	210	0	79								4	57	273	28		
16	18	220	0	79								6	63	291			
16	18	230	0	79								9	68	309			
16	18	240	0	79								11	73	326	45	54	
16	18	250	0	79								13	78	343			
16	18	260	0	79								14	84	360			
16	18	270	0	79								16	91	379	62		

安全率 21~3m:1.00

加圧速度 8m/min

減圧速度 8m/min

水蒸気圧を考慮しない → 大気圧:10m

帯底圧力 (msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				空気呼吸 減圧速度8m/min				減圧時間	総業務 時間	別表1 差	別表2 差
を 超え	以下				24	21	18	15	12	9	6	3				
16'	18'	280	0	79						17'	97	116	396			
16'	18'	290	0	79						19'	103	124	414			
16'	18'	300	0	79						20'	109	131	431	77		
16'	18'	310	0	79						22'	114	138	448			
16'	18'	320	0	79						25'	117	144	464			
16'	18'	330	0	79						27'	126	155	485			
16'	18'	340	0	79						29'	138	169	509			
16'	18'	350	0	79						31'	148	181	531			
16'	18'	360	0	79						35'	157	194	554			
16'	18'	370	0	79						39'	165	206	576			
16'	18'	380	0	79						42'	174	218	598			
18'	20'	10	0	79								3	13		0	
18'	20'	20	0	79								3	23			
18'	20'	30	0	79								3	33	-1		
18'	20'	40	0	79								3	43			
18'	20'	50	0	79								3	53		0	
18'	20'	60	0	79							2	5	65	-6		
18'	20'	70	0	79							7	10	80			
18'	20'	80	0	79							11	14	94			
18'	20'	90	0	79							15	18	108	-1		
18'	20'	100	0	79							21	24	124			
18'	20'	110	0	79							25	28	138			
18'	20'	120	0	79							31	34	154	9		
18'	20'	130	0	79						2'	35	40	170			
18'	20'	140	0	79						4'	39	46	186			
18'	20'	150	0	79						6'	42	51	201	19		
18'	20'	160	0	79						9'	44	56	216			
18'	20'	170	0	79						11'	50	64	234			
18'	20'	180	0	79						13'	55	71	251	27		
18'	20'	190	0	79						16'	62	81	271			
18'	20'	200	0	79						19'	69	91	291			
18'	20'	210	0	79						22'	74	99	309	46		
18'	20'	220	0	79						25'	79	107	327			
18'	20'	230	0	79						27'	87	117	347			
18'	20'	240	0	79						29'	95	127	367	64		
18'	20'	250	0	79						31'	102	136	386			
18'	20'	260	0	79						33'	109	145	405			
18'	20'	270	0	79						37'	114	154	424	81		
18'	20'	280	0	79						40'	119	162	442			
18'	20'	290	0	79						43'	129	175	465			
18'	20'	300	0	79						46'	141	190	490			
18'	20'	310	0	79						51'	152	206	516			
18'	20'	320	0	79						55'	163	221	541			
18'	20'	330	0	79						60'	172	235	565			
18'	20'	340	0	79						64'	181	248	588			
20'	22'	10	0	79								3	13			
20'	22'	20	0	79								3	23			
20'	22'	30	0	79								3	33	-1	0	
20'	22'	40	0	79								3	43			
20'	22'	50	0	79							3	6	56			
20'	22'	60	0	79							8	11	71	-3	1	
20'	22'	70	0	79							13	16	86			
20'	22'	80	0	79							19	22	102			
20'	22'	90	0	79							25	28	118	2		
20'	22'	100	0	79						3'	27	33	133		2	
20'	22'	110	0	79						6'	33	42	152			
20'	22'	120	0	79						8'	38	49	169	14	7	
20'	22'	130	0	79						12'	41	56	186			
20'	22'	140	0	79						15'	44	62	202			
20'	22'	150	0	79						18'	50	71	221	23	18	
20'	22'	160	0	79						20'	56	79	239			
20'	22'	170	0	79						25'	64	92	262			
20'	22'	180	0	79						29'	71	103	283	37		
20'	22'	190	0	79						32'	77	112	302			
20'	22'	200	0	79						35'	84	122	322			
20'	22'	210	0	79						38'	93	134	344	61	67	
20'	22'	220	0	79						1	39'	102	145	365		
20'	22'	230	0	79						2	42'	109	156	386		
20'	22'	240	0	79						2	46'	115	166	406	83	
20'	22'	250	0	79						4	49'	120	176	426		
20'	22'	260	0	79						6	51'	134	194	454		
20'	22'	270	0	79						8	55'	148	214	484	120	
20'	22'	280	0	79						10	59'	160	232	512		
20'	22'	290	0	79						11	64'	171	249	539		
20'	22'	300	0	79						13	68'	182	266	566		
20'	22'	310	0	79						14	72'	191	280	590		
22'	24'	10	0	79								3	13		0	

安全率 21~3m:1.00

加圧速度 8m/min

減圧速度 8m/min

水蒸気圧を考慮しない → 大気圧:10m

帯底圧力(msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				空気呼吸 減圧速度8m/min				減圧時間	総業務 時間	別表1 差	別表2 差	
を 超え	以下				24	21	18	15	12	9	6	3					
22	24	20	0	79								3	23				
22	24	30	0	79								3	33	-1			
22	24	40	0	79							3	6	46				
22	24	50	0	79							7	10	60		1		
22	24	60	0	79							14	17	77	0			
22	24	70	0	79							20	23	93				
22	24	80	0	79							3	24	110				
22	24	90	0	79							7	28	128	6	1		
22	24	100	0	79							10	34	147				
22	24	110	0	79							14	39	166				
22	24	120	0	79							18	42	183	12			
22	24	130	0	79							22	47	202				
22	24	140	0	79							25	54	222				
22	24	150	0	79							1	29	62	95	245	31	
22	24	160	0	79							2	33	70	108	268		
22	24	170	0	79							4	35	78	120	290		
22	24	180	0	79							6	37	86	132	312	54	59
22	24	190	0	79							8	39	97	147	337		
22	24	200	0	79							10	41	106	160	360		
22	24	210	0	79							11	46	113	173	383	80	
22	24	220	0	79							14	49	119	185	405		
22	24	230	0	79							17	51	131	202	432		
22	24	240	0	79							19	56	146	224	464	117	
22	24	250	0	79							21	62	160	246	496		
22	24	260	0	79							23	67	172	265	525		
22	24	270	0	79							25	71	184	283	553		
22	24	280	0	79							26	76	195	300	580		
24	26	10	0	79									3	13			0
24	26	20	0	79									3	23			0
24	26	30	0	79								2	5	35	1		
24	26	40	0	79								5	8	48			
24	26	50	0	79								13	16	66			
24	26	60	0	79							2	18	23	83	0		
24	26	70	0	79							5	23	31	101			
24	26	80	0	79							10	26	39	119			2
24	26	90	0	79							13	35	51	141	10		
24	26	100	0	79							18	39	60	160			9
24	26	110	0	79							1	22	43	69	179		14
24	26	120	0	79							3	24	50	80	200	23	
24	26	130	0	79							5	27	57	92	222		
24	26	140	0	79							7	32	67	109	249		
24	26	150	0	79							10	35	75	123	273	42	
24	26	160	0	79							13	37	83	136	296		63
24	26	170	0	79							15	39	96	153	323		
24	26	180	0	79							17	43	105	168	348	74	
24	26	190	0	79							20	47	113	183	373		
24	26	200	0	79							24	49	121	197	397		
24	26	210	0	79							27	53	135	218	428	110	
24	26	220	0	79							30	59	152	244	464		
24	26	230	0	79							32	65	166	266	496		
24	26	240	0	79							34	71	180	288	528	167	
24	26	250	0	79							36	76	192	307	557		
24	26	260	0	79							38	80	204	325	585		
26	28	10	0	79									4	14			0
26	28	20	0	79									4	24			0
26	28	30	0	79								4	8	38	2		
26	28	40	0	79								9	13	53			3
26	28	50	0	79							3	15	22	72			
26	28	60	0	79							6	21	31	91	2		0
26	28	70	0	79							11	26	41	111			-3
26	28	80	0	79							16	32	52	132			
26	28	90	0	79							2	19	39	64	154	13	11
26	28	100	0	79							5	22	43	74	174		
26	28	110	0	79							8	24	51	87	197		27
26	28	120	0	79							10	29	59	102	222	29	
26	28	130	0	79							13	33	70	120	250		
26	28	140	0	79							17	36	79	136	276		62
26	28	150	0	79							20	38	90	152	302	58	
26	28	160	0	79							22	41	102	169	329		
26	28	170	0	79							26	46	111	187	357		
26	28	180	0	79							1	28	50	119	202	92	
26	28	190	0	79							3	31	53	134	225		
26	28	200	0	79							5	32	61	152	254		
26	28	210	0	79							6	35	67	168	280	490	155
26	28	220	0	79							8	36	73	184	305	525	
26	28	230	0	79							9	37	79	197	326	556	
26	28	240	0	79							11	40	83	210	348	588	



安全率 21~3m:1.00

加圧速度 8m/min

減圧速度 8m/min

水蒸気圧を考慮しない → 大気圧:10m

帯底圧力(msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				空気呼吸 減圧速度8m/min				減圧時間	総業務 時間	別表1 差	別表2 差
を 超え	以下				24	21	18	15	12	9	6	3				
28	30	10	0	79								4	14		0	
28	30	20	0	79								4	24		0	
28	30	30	0	79							6	10	40	1		
28	30	40	0	79						2	12	18	58			
28	30	50	0	79						5	18	27	77		-1	
28	30	60	0	79						11	23	38	98	1	2	
28	30	70	0	79					1	16	30	51	121			
28	30	80	0	79					4	19	38	65	145			
28	30	90	0	79					8	21	43	76	166	8		
28	30	100	0	79					11	24	50	89	189			
28	30	110	0	79					13	30	59	106	216			
28	30	120	0	79					18	34	70	126	246	34		
28	30	130	0	79				1	21	37	81	144	274		46	
28	30	140	0	79				3	22	40	94	163	303			
28	30	150	0	79				4	25	44	106	183	333	76		
28	30	160	0	79				7	28	48	116	203	363			
28	30	170	0	79				9	31	52	126	222	392			
28	30	180	0	79				11	33	60	147	255	435	131		
28	30	190	0	79				13	35	67	165	284	474			
28	30	200	0	79				15	36	74	182	311	511			
28	30	210	0	79				17	39	79	197	336	546	191		
28	30	220	0	79				20	42	84	211	361	581			
30	32	10	0	79								4	14		0	
30	32	20	0	79							2	6	26			
30	32	30	0	79							8	12	42	-1	0	
30	32	40	0	79						4	14	22	62		-4	
30	32	50	0	79						8	21	33	83			
30	32	60	0	79					2	14	26	46	106	-1		
30	32	70	0	79					5	17	35	61	131			
30	32	80	0	79					9	20	41	74	154			
30	32	90	0	79					13	24	48	89	179	10		
30	32	100	0	79					16	29	57	106	206		10	
30	32	110	0	79				3	19	34	70	130	240			
30	32	120	0	79				6	20	37	81	148	268	44	41	
30	32	130	0	79				7	23	41	95	170	300			
30	32	140	0	79				10	26	45	108	193	333			
30	32	150	0	79				13	29	50	118	214	364	90		
30	32	160	0	79				16	32	55	134	241	401			
30	32	170	0	79				18	34	64	155	275	445			
30	32	180	0	79				20	37	71	174	306	486	167		
30	32	190	0	79				23	38	78	191	334	524			
30	32	200	0	79			1	26	41	83	208	363	563			
32	34	10	0	79								4	14		0	
32	34	20	0	79							3	7	27			
32	34	30	0	79						2	9	15	45	-2		
32	34	40	0	79						6	17	27	67			
32	34	50	0	79					2	11	23	40	90			
32	34	60	0	79					5	16	29	54	114	-1	1	
32	34	70	0	79					9	19	38	70	140			
32	34	80	0	79					14	23	44	85	165			
32	34	90	0	79				2	16	27	54	103	193	4		
32	34	100	0	79				6	18	33	67	128	228			
32	34	110	0	79				9	20	37	80	150	260			
32	34	120	0	79				11	23	41	94	173	293	45		
32	34	130	0	79				14	27	45	109	199	329			
32	34	140	0	79				18	30	50	120	222	362			
32	34	150	0	79			1	20	33	57	138	253	403	107		
32	34	160	0	79			2	22	36	66	161	291	451			
32	34	170	0	79			4	23	38	75	181	325	495			
32	34	180	0	79			6	26	40	81	200	357	537	197		
32	34	190	0	79			8	29	44	88	215	388	578			
34	36	10	0	79								5	15			
34	36	20	0	79							5	10	30			
34	36	30	0	79						4	9	18	48	-4		
34	36	40	0	79						1	8	17	31	71		
34	36	50	0	79					4	13	25	47	97			
34	36	60	0	79					8	16	34	63	123	-2		
34	36	70	0	79					1	13	21	41	81	151		
34	36	80	0	79					4	15	25	50	99	179		
34	36	90	0	79					8	16	32	62	123	213	10	6
34	36	100	0	79					11	20	36	77	149	249		
34	36	110	0	79					14	23	40	91	173	283		23
34	36	120	0	79			2	16	26	45	108	202	322	58		
34	36	130	0	79			4	18	31	50	120	228	358			
34	36	140	0	79			6	20	34	58	140	263	403			
34	36	150	0	79			7	22	37	68	164	303	453	142		
34	36	160	0	79			10	25	37	77	186	340	500			

安全率 21~3m:1.00 加圧速度 8m/min 減圧速度 8m/min

水蒸気圧を考慮しない → 大気圧:10m

帯底圧力 (msw)		高圧下 時間(min)	He(%)	N2(%)	空気呼吸 減圧速度8m/min				空気呼吸 減圧速度8m/min				減圧時間	総業務 時間	別表1 差	別表2 差
を超え	以下				24	21	18	15	12	9	6	3				
34	36	170	0	79					12	9	6	3	375	545		
34	36	180	0	79					28	42	82	206	407	587		
36	38	10	0	79									5	15		
36	38	20	0	79									11	31		
36	38	30	0	79							6	11	22	52	-4	-5
36	38	40	0	79						3	9	19	36	76		-8
36	38	50	0	79						7	14	27	53	103		-1
36	38	60	0	79					2	10	18	38	73	133	-1	
36	38	70	0	79					5	14	23	44	91	161		
36	38	80	0	79					8	16	29	55	113	193		
36	38	90	0	79					12	19	35	71	142	232	15	
36	38	100	0	79					15	22	39	86	168	268		
36	38	110	0	79					16	25	44	105	200	310		
36	38	120	0	79					19	30	50	118	229	349	74	
36	38	130	0	79					21	34	58	138	265	395		
36	38	140	0	79					23	37	68	164	308	448		
36	38	150	0	79					25	38	78	187	348	498	177	
36	38	160	0	79					28	43	84	208	386	546		
36	38	170	0	79				1	19	31	47	95	223	591		
38	40	10	0	79									5	15		
38	40	20	0	79							1	7	13	33		5
38	40	30	0	79							7	14	26	56	-4	
38	40	40	0	79						5	10	22	42	82		
38	40	50	0	79					2	8	15	31	61	111		
38	40	60	0	79					4	12	21	40	82	142	0	
38	40	70	0	79					8	15	25	50	103	173		
38	40	80	0	79					12	17	32	64	131	211		3
38	40	90	0	79					14	22	37	80	161	251	21	
38	40	100	0	79					15	24	42	99	192	292		31
38	40	110	0	79					18	29	49	115	226	336		
38	40	120	0	79					21	33	56	132	259	379	98	
38	40	130	0	79				1	14	23	36	68	308	438		
38	40	140	0	79				3	16	26	38	78	353	493		
38	40	150	0	79				4	19	29	43	85	394	544		
38	40	160	0	79				5	20	32	48	96	431	591		

※ 他減圧表との差については、プラスが増加、マイナスが減少

※ 最大高圧下の時間は、総作業業務時間が600分を超えない範囲で設定(480分+残業120分)