

雑誌名	題名	発表者氏名	所属部門
Circ J,71: 736-740,2007.5	Measurement of flow-mediated vasodilation of the brachial artery: a comparison of measurements in the sitting and supine positions	東 幸仁,曾我 潤子	循環器内科
Arterioscler Thromb,Vasc Biol , 27: 1403-1410,2007.4	Repetition of ischemic preconditioning augments endothelium dependent vasodilation in humans: role of endothelium derived nitric oxide and endothelial progenitor cells	東 幸仁,木村 祐之	循環器内科
Am J Hypertens,20: 825-830,2007.8	The effects of different intensities of acute exercise on systemic hemodynamics and forearm vascular function in humans	東 幸仁 他	循環器内科
Hypertens Res,30: 775-780,2007.9	Pycnogenol, French maritime pine bark extract, augments endothelium-dependent vasodilation in humans	東 幸仁,西岡 健司	循環器内科
Hypertension,51: 446-453,2008.2	Periodontal infection is associated with endothelial dysfunction in humans	東 幸仁 他	循環器内科
Hypertens Res,31: 1293-1298,2008.3	Relationship between augmentation index and flow-mediated vasodilation in the brachial artery	東 幸仁,曾我 潤子	循環器内科
Psychiatry and Clinical Neurosciences,62(1): 26-33,2008.2	No differences are seen in the regional cerebral blood flow in the restricting type	山脇 成人 他	精神科神経科
Neuropsychopharmacology,33: 2108-2116,2008	Effects of single prolonged stress and D-cycloserine on contextual fear extinction and hippocampal NMDA receptor expression in a rat model of PTSD.	山脇 成人 他	精神科神経科

雑誌名	題名	発表者氏名	所属部門
Am J Transplant 7(9):2190-2194,2007.7	Evidence of immune tolerance to blood group antigens in a case of ABO-incompatible pediatric liver transplantation	大段 秀樹 他	第二外科
Transpl Int 20(11):970-973,2007.7	Microsurgical hepatic artery reconstruction during living-donor liver transplantation by using head-mounted surgical binocular system	大段 秀樹 他	第二外科
Surgery 141(5):589-597,2007.5	Repeat hepatectomy for recurrent hepatocellular carcinoma	板本 敏行 他	第二外科
World Journal of Surgery 31(11):2222-2229,2007.11	Biliary complications after duct-to-duct biliary reconstruction in living-donor liver transplantation : causes and treatment	田代 裕尊 他	第二外科
Surg Today 38(3):289-291,2008.2	Reconstruction of the middle hepatic vein tributaries draining segments V and VIII of a right liver graft by using the recipient's own middle hepatic vein and vascular closure staples	田代 裕尊 他	第二外科
Transpl Int 20(7):632-635,2007.4	Possible therapeutic effect of lipid supplementation on neurological complications in liver transplant recipients	井手 健太郎 他	第二外科
Blood 110(13):4567-4575,2007.12	The persistent elimination of B cells responding to blood group A carbohydrates by synthetic group A carbohydrates and B-1 cell differentiation blockade: novel concept in preventing antibody-mediated rejection in ABO-incompatible transplantation	伊禮俊充 他	第二外科
Neurol Med Chir (Tokyo),2007 Jul;47(7):328-30	Penetrating injury of the upper cervical spine by a chopstick--case report.	Yamaguchi S 他	脳神経外科

雑誌名	題名	発表者氏名	所属部門
Neurosurg Rev, 2007 Oct;30(4):321-6	Multi-detector-row CT angiography as a preoperative evaluation for spinal arteriovenous fistulae.	Yamaguchi S 他	脳神経外科
Hiroshima Journal of Medical Sciences, 56: 29-32, 2007	Angiographic neovascularization after bypass surgery in moyamoya disease: our experience at Hiroshima University Hospital.	Sakamoto S 他	脳神経外科
Interventional Neuroradiology, 13: 109-114, 2007	Transfemoral transvenous embolization of dural arteriovenous fistulas involving the isolated transverse-sigmoid sinus.	Kiura Y 他	脳神経外科
Brain Research, 1144:175-179, 2007	Gradient magnetic-field topography for dynamic changes of epileptic discharge.	Hashizume A 他	脳神経外科
Neurosurg Rev, 2008 Jan;31(1):77-81	Expression of vascular endothelial growth factor in dura mater of patients with moyamoya disease.	Sakamoto S 他	脳神経外科
脳神経外科ジャーナル, 16: 799-804, 2007	眼症状出現後短期間にて脳出血をきたした海綿静脈洞部硬膜動静脈瘻の1例	岐浦 穎展 他	脳神経外科
J Bone Joint Surg Br, 2008 Mar;90(3):364-370, 2008.3	Expression of hypoxia-inducible factor-1alpha and its relationship to tumour angiogenesis and cell proliferation in cartilage tumours.	Kubo T, Sugita T, Shimose S, Matsuo T, Arihiro K, Ochi M. 他	整形外科
Acta Orthop. 2008 Feb;79(1):106-110, 2008.2	Platelet-rich plasma accelerated surgical angio-genesis in vascular-implanted necrotic bone: an experimental study in rabbits.	Yokota K, Ishida O, Sunagawa T, Suzuki O, Nakamae A, Ochi M. 他	整形外科

雑誌名	題名	発表者氏名	所属部門
Arthroscopy. 2008 Jan;24(1):69-76.,2008.1	A novel cell delivery system using magnetically labeled mesenchymal stem cells and an external magnetic device for clinical cartilage repair.	Kobayashi T, Ochi M, Yanada S, Ishikawa M, Adachi N, Deie M, Arihiro K.	整形外科
Artif Organs. 2008 Jan;32(1):36-44,2008.1	Transplantation of tissue-engineered osteochondral plug using cultured chondrocytes and interconnected porous calcium hydroxyapatite ceramic cylindrical plugs to treat osteochondral defects in a rabbit model.	Ito Y, Adachi N, Nakamae A, Yanada S, Ochi M.	整形外科
J Bone Joint Surg Am. 2007 Dec;89(12):2752-2757.,2007.12	Osteonecrosis of the knee treated with a tissue-engineered cartilage and bone implant. A case report.	Adachi N, Ochi M, Deie M, Ishikawa M, Ito Y.	整形外科
J Bone Joint Surg Am. 2007 Sep;89 Suppl 2 Pt.2:246-255,2007.9	Rotational acetabular osteotomy for advanced osteoarthritis secondary to dysplasia of the hip. Surgical technique.	Yasunaga Y, Ochi M, Terayama H, Tanaka R, Yamasaki T, Ishii Y.	整形外科
Spine. 2007 Oct 1;32(21):2300-2305,2007.10	Magnetically labeled neural progenitor cells, which are localized by magnetic force, promote axon growth in organotypic cocultures.	Hamasaki T, Tanaka N, Kamei N, Ishida O, Yanada S, Nakaniishi K, Nishida K, Oishi Y, Kawamata S, Sakai N, Ochi M.	整形外科
Arthroscopy. 2007 Aug;23(8):833-838,2007.8	A new articulated distraction arthroplasty device for treatment of the osteoarthritic knee joint: a preliminary report.	Deie M, Ochi M, Adachi N, Kajiwara R, Kanaya A.	整形外科
Ann Surg Oncol. 2007 Oct;14(10):2896-2902,2007.10	Telomerase activity in giant cell tumors of bone.	Matsuo T, Hiyama E, Sugita T, Shimose S, Kubo T, Mochizuki Y, Adachi N, Kojima K, Sharman P, Ochi M.	整形外科
Arthroscopy. 2007 Jun;23(6):677.e1-4. Epub 2006 Nov 27,2007.6	Arthroscopic autologous bone graft with arthroscopic Bankart repair for a large bony defect lesion caused by recurrent shoulder dislocation.	Mochizuki Y, Hachisuka H, Kashiwagi K, Oomae H, Yokoya S, Ochi M.	整形外科

雑誌名	題名	発表者氏名	所属部門
Arthroscopy. 2007 Jun;23(6):610-617,2007.6	Intra-articular injection of mesenchymal stromal cells in partially torn anterior cruciate ligaments in a rat model.	Kanaya A, Deie M, Adachi N, Nishimori M, 他 Yanada S, Ochi M.	整形外科
J Neurosurg Spine. 2007 May;6(5):412-419,2007.5	Bone marrow stromal cells promoting corticospinal axon growth through the release of humoral factors in organotypic cocultures in neonatal rats.	Kamei N, Tanaka N, Oishi Y, Ishikawa M, Hamasaki T, Nishida K, 他 Nakanishi K, Sakai N, Ochi M.	整形外科
Spine. 2007 May 20;32(12):1272-1278,2007.5	BDNF, NT-3, and NGF released from transplanted neural progenitor cells promote corticospinal axon growth in organotypic cocultures.	Kamei N, Tanaka N, Oishi Y, Hamasaki T, Nakanishi K, Sakai N, Ochi M.	整形外科
J Neurol Sci. 2007 May 15;256(1-2):71-74,2007.5	Significant correlation between corticospinal tract conduction block and prolongation of central motor conduction time in compressive cervical myelopathy.	Nakanishi K, Tanaka N, Kamei N, Hamasaki T, Nishida K, Touten Y, Ochi M.	整形外科
Knee Surg Sports Traumatol Arthrosc. 2007 Sep;15(9):1083-1093,2007.9	The role of the synovium in repairing cartilage defects.	Miyamoto A, Deie M, Yamasaki T, Nakamae A, Shinomiya R, Adachi N, Ochi M.	整形外科
Int Orthop. 2007 Jun;31(3):353-358,2007.6	Augmentation of tendon attachment to porous ceramics by bone marrow stromal cells in a rabbit model.	Omae H, Mochizuki Y, Yokoya S, Adachi N, 他 Ochi M.	整形外科
あたらしい眼科, 24(9) : 1241-1243, 2007年9月	カラー眼底写真の画像処理による網膜神経線維層欠損(RNLD)の検出	曾根隆志	眼科
日本鼻科学会誌, 46, 102-108, 2007	好酸球性副鼻腔炎に対する周術期の局所ステロイド噴霧療法の臨床効果	竹野 幸夫 他	耳鼻咽喉科

雑誌名	題名	発表者氏名	所属部門
Acta Otolaryngol,127,1124-1131,2007	Protective effect of edaravone against endolymphatic hydrops	工田 昌矢 他	耳鼻咽喉科
Acta Otolaryngol,128,263-271,2008	A new animal model for Meniere's disease	工田 昌矢 他	耳鼻咽喉科
American Journal of Roentgenology,2008.2	Radiation dose, image quality, stenosis measurement, and CT densitometry using ECG-triggered coronary 64-MDCT angiography: a phantom study	堀口 純 他	放射線科
Journal of Anesthesia ,21 (2): 285-288,2007.4	Fulminant-type malignant hyperthermia in Japan: cumulative analysis of 383 cases.	右田 貴子 他	麻酔科蘇生科
Anesthesia and Resuscitation,43 (2): 47-50,2007.4	Changes in serum S-100b protein and mini-mental state examination in patients undergoing coronary artery bypass grafting or valve replacement surgery.	濱田 宏 他	麻酔科蘇生科
Shock,28 (6): 733-740,2007.6	Systolic arterial pressure variability reflects circulating blood volume alterations in hemorrhagic shock in rabbits.	江木 晴子 他	麻酔科蘇生科
Anesthesia and Resuscitation,43 (3): 67-71,2007.6	Orbital ultrasound monitoring during cardiopulmonary bypass -Relevance to postoperative neurocognitive outcome-	濱田 宏 他	麻酔科蘇生科
Anaesth Intensive Care,35 (6): 894-898,2007.6	Propofol-induced changes in myoplasmic calcium concentrations in cultured human skeletal muscles from RYR1 mutation carriers.	右田 貴子 他	麻酔科蘇生科

雑誌名	題名	発表者氏名	所属部門
麻酔, 56 (7): 817-819, 2007.7	エアウエイスコープでダブルルーメン気管支チューブを挿入するための特殊イントロックの開発と有用性の検討.	中村 隆二 他	麻酔科蘇生科
ペインクリニック, 28 (7): 989-992, 2007.7	複合性局所疼痛症候群に対する局所静脈内ステロイド治療法の効果の検討.	伊藤 大真 他	麻酔科蘇生科
European Journal of Haematology 78: 389-398, 2007	Treatment with IFN α in vivo up-regulates serum-soluble TNF-related apoptosis inducing ligand (sTRAIL) levels and TRAIL mRNA expressions in neutrophils in chronic myelogenous leukemia patients.	田中 英夫 他	原医研内科
European Journal of Haematology 78: 417-431, 2007.	Establishment and characterization of a novel imatinib-sensitive chronic myeloid leukemia cell line MYL, and an imatinib-resistant subline MYL-R showing overexpression of Lyn	伊藤 琢生 他	原医研内科
Leukemia 21: 1116-1122, 2007.	Expression of Polycomb - group (PcG) protein BMI-1 predicts prognosis in patients with acute myeloid leukemia.	三原 圭一朗 他	原医研内科
British Journal of Haematology 139(1): 41-50, 2007.	Connective tissue growth factor is an indicator of bone involvement in multiple myeloma, but matrix metalloproteinase-9 is not.	宗正 昌三 他	原医研内科
Blood 110(6):1756-1761, 2007.	Treatment of severe aplastic anemia with antihymocyte globulin and cyclosporin A with or without G-CSF in adults: a multicenter randomized study in Japan.	木村 昭郎 他	原医研内科
Blood, 111(8), 4297-4308, 2008	AML1 mutations induced MDS and MDS/AML in a mouse BMT model.	原田 浩徳 他	原医研内科

雑誌名	題名	発表者氏名	所属部門
Interact Cardiovasc Thorac Surg.,7(1),102-6,2008	Radical surgery for malignant pleural mesothelioma: results and prognosis.	岡田 守人 他	原医研外科
Gen Thorac Cardiovasc Surg,56(4),151-7,2008	Radical sublobar resection for lung cancer.	岡田 守人	原医研外科
J Thorac Oncol,3(6),612-6,2008	A feasibility study of postoperative adjuvant therapy of carboplatin and weekly paclitaxel for completely resected non-small cell lung cancer.	岡田 守人 他	原医研外科
Anticancer Research,27(4C):2597-2603,2007.7	Phase I study of docetaxel (TXT) and 5-fluorouracil (5-FU) with concurrent radiotherapy in patients with advanced esophageal cancer.	檜原 淳 他	原医研外科
胆と脾<特集>総胆管結石の再発を考える,28(1),2007	胆管結石の再発因子	田妻 進 他	総合診療科
平成18年度 総括・分担研究報告書,37-38,2007	肝内結石症の治療	田妻 進 他	総合診療科
外科治療 特集:肝内結石症,97(6),589-592,2007	肝内結石症に対する対外式衝撃波結石破碎療法(ESWL)	田妻 進 他	総合診療科
Dentistry in Japan,43(1): pp. 82-86,2007.8	Cryopreservation of PDL cells by use of program freezer with magnetic field for teeth banking	加来 真人 他	矯正歯科

雑誌名	題名	発表者氏名	所属部門
Journal of Stem Cells, 2: 149-158, 2007.10	Hyaluronic acid promotes osteochondrogenic differentiation from mesenchymal stem cells in a three-dimensional culture system	米野 潔 他	矯正歯科
J Oral Maxillofac Surg, 65(5):918-23, 2007.5	Simple bone cyst of the jaws: evaluation of treatment outcome by review of 132 cases.	末井 良和 他	歯科放射線科
Menopause, 14(3 Pt 1):500-4, 2007.5	Interaction of obesity and skeletal bone mineral density in tooth retention in Japanese postmenopausal women.	田口 明 他	歯科放射線科
Dentomaxillofac Radiol, 37(3):130-5, 2008.3	Positional changes of oropharyngeal structures due to gravity in the upright and supine positions.	Sutthiprapaporn P 他	歯科放射線科
Phys Med, 23(2):73-9, 2007.6	Expression of MMP-13 in osteoblast cells and rat tibia after exposure to gamma rays or accelerated carbon ions.	澤尻 昌彦 他	歯科放射線科
J Periodontal Res, 43(1):96-102, 2008.2	Irsogladine maleate counters the interleukin-1 beta-induced suppression in gap-junctional intercellular communication but does not affect the interleukin-1 beta-induced zonula occludens protein-1 levels in human gingival epithelial cells.	栗原 英見 他	歯周診療科
Cell Biol Int, 31(12):1462-1469, 2007.12	Effect of neurotrophins on differentiation, calcification and proliferation in cultures of human pulp cells.	栗原 英見 他	歯周診療科

計 7

(注)1 当該医療機関に所属する医師等が、掲載に当たって内容審査を行っている雑誌に研究成果を原著論文として申請の前年度に発表したもののうち、高度の医療技術の開発および評価に資するものと判断される主なものを記入すること(当該医療機関に所属する医師等が主たる研究者であるものに限る。)

計 87

2 「発表者氏名」欄は、1つの論文発表について発表者が複数いる場合は、主たる発表者の氏名を記入すること。