

雑誌名	題名	発表者名	所属部門
Cancer Res 15: 67(20):10012-10018, 2007.	Helper function of memory CD8+ T cells: heterologous CD8+ T cells support the induction of therapeutic cancer immunity.	Nakamura Y	第二内科
Liver International 27(8):1066-1075, 2007.	Effect of phorbol ester and platelet-derived growth factor on protein kinase C in rat hepatic stellate cells.	Kobayashi Y	第二内科
Can. J. Physiol. Pharmacol. 85: 264-273, 2007.	Non-genomic effects of aldosterone on intracellular ion regulation and cell volume in rat ventricular myocytes.	Matsui S	第三内科
Circ. J. 71: 429-436, 2007.	Protein kinase A catalytic subunit alters cardiac mitochondrial redox state and membrane potential via the formation of reactive oxygen species.	Nagasaka S	第三内科
Ann. N.Y. Acad. Sci. 534-539, 2007.	Electrophysiological effects of SN-6, a novel Na ⁺ /Ca ²⁺ exchange inhibitor on membrane currents in guinea pig ventricular myocytes.	Niu CF	第三内科
Jpn. J. Immunol 30(5) : 408-413, 2007.	リウマチ膠原病診療における抗環状シトルリン化ペプチド抗体（抗 CCP 抗体）の臨床的有用性の検討,	下山久美子、	第三内科
Mod Rheumatol 17:45-53, 2007.	CD40-CD40 ligand signal induces the intercellular adhesion molecule-1 expression through nuclear factor-kappa B p50 in cultured salivary gland epithelial cells from patients with Sjögren's syndrome.	Saito M	第三内科
Accepted in International Journal of Neuropsychopharmacology.	Genetic and expression analyses reveal elevated expression of syntaxin 1A (STX1A) in autism.	Nakamura K	精神科神経科
American Journal of Medical Genetics Part B Neuropsychiatric Genetics (available online).	Genetic analyses of <i>roundabout</i> (<i>ROBO</i>) axon guidance receptors in autism.	Anitha A	精神科神経科
Biological Psychiatry 63: 678-685, 2008.	Gene expression and association analyses of pericentrin 2 (<i>PCNT2</i>) in bipolar disorder.	Anitha A	精神科神経科

雑誌名	題名	発表者名	所属部門
Biochemical and Biophysical Research Communications 356: 200-206. 2007.	Genetic analyses of the brain-derived neurotrophic factor (BDNF) gene in autism.	Nishimura K	精神科神経科
Neurosci Res. 57(2):194-202, 2007.	Linkage disequilibrium analysis of the CHRNA7 gene and its partially duplicated region in schizophrenia.	Iwata Y	精神科神経科
Schizophr Res. 89(1-3):154-60, 2007.	Increased levels of serum soluble L-selectin in unmedicated patients with schizophrenia. Schizophr Res. 89(1-3):154-60, 2007.	Iwata Y	精神科神経科
Biochem Biophys Res Commun. 360(4):715-20. 2007.	SNP analyses of growth factor genes EGF, TGFbeta-1, and HGF reveal haplotypic association of EGF with autism.	Nakamura K,	精神科神経科
Eur J Neurosci. 25(11):3376-84. 2007.	Disruption of reelin signaling attenuates methamphetamine-induced hyperlocomotion.	Nakamura K,	精神科神経科
Schizophr Res. 2008 Jan;98(1-3):148-56.	Decreased expression of reelin receptor VLDLR in peripheral lymphocytes of drug-naive schizophrenic patients.	Nakamura K	精神科神経科
Schizophr Res. 99(1-3):359-64. 2008.	Genetic examination of the PLXNA2 gene in Japanese and Chinese people with schizophrenia.	Iwata Y	精神科神経科
J Hum Genet. 52:794-803, 2007.	Association analysis of HSP90B1 with bipolar disorder. J Hum Genet. 52:794-803, 2007.	Nakamura K	精神科神経科
Neurosci Lett. 417:316-321, 2007	Association analysis of ATF4 and ATF5, genes for interacting-proteins of DISC1, in bipolar disorder.	Nakamura K,	精神科神経科
Biol Psychiatry. 62:267-269, 2007	Decreased Serum Levels of Epidermal Growth Factor in Adult Subjects with High-Functioning Autism.	Iwata Y	精神科神経科

雑誌名	題名	発表者名	所属部門
J Clin Invest. 117:931-943, 2007	Autistic-like phenotypes in Cadps2-knockout mice and aberrant CADPS2 splicing in autistic patients.	Nakamura K	精神科神経科
Neuropsychopharmacology. 32(8):1727-37, 2007.	A promoter haplotype of the inositol monophosphatase 2 gene (IMPA2) at 18p11.2 confers a possible risk for bipolar disorder by enhancing transcription.	Iwata Y	精神科神経科
J Hum Genet. 52(1):86-91, 2007.	Association and synergistic interaction between promoter variants of the DRD4 gene in Japanese schizophrenics.	Iwata Y	精神科神経科
Prog uropsychopharmacol Biol Psychiatry. 31(1):187-90, 2007.	Decreased serum levels of transforming growth factor-beta1 in patients with autism.	Iwata Y	精神科神経科
Journal of Thoracic Cardiovascular Surgery. 133(4):942-948, 2007	Controlled low-pressure perfusion at the beginning of reperfusion attenuates neurologic injury after spinal cord ischemia.	Shi E	第一外科
Annals of Thoracic Surgery. 83(4):1484-1490, 2007	Therapeutic benefit of intrathecal injection of marrow stromal cells on ischemia-injured spinal cord.	Shi E.	第一外科
J.Thorac.Cardiovasc.Surg. 133:710-716, 2007	Effect of prophylactically administered edaravone during antegrade cerebral perfusion in a canine model of old cerebral infarction,	Washiyama N	第一外科
World Journal Surgical Oncology. 5(54):1-7, 2007	How do we manage the gastrectomy of gastric cancer after coronary artery bypass grafting using the right gastroepiploic artery?	Konishi Y	第一外科
Interact Cardiovasc Thorac Surg. 7(2):262-266, 2008	Changes in cerebrospinal fluid and blood lactate concentrations after stent-graft implantation at critical aortic segment a preliminary study.	Bashar AHM.	第一外科
Pathol Int. 2007 Oct; 57(10): 664-671. Erratum in: Pathol Int. 2007 Nov; 57(11): 757.	PIK3CA mutation and amplification in human lung cancer.	Takamochi K	第一外科

雑誌名	題名	発表者名	所属部門
Lung Cancer. 2008 Jan 31; [Epub ahead of print]	EML4-ALK fusion transcripts, but no NPM-, TPM3-, CLTC-, ATIC-, or TFG-ALK fusion transcripts, in non-small cell lung carcinomas.	Takamochi K	第一外科
J Vasc Surg 45:1016-1021, 2007 (3.811)	Preliminary experience with a novel fluorescence lymphography using indocyanine green in patients with secondary lymphedema.	Unno N	第二外科
Eur J Vasc Endovasc Surg 2007 Oct 25; 35(2) 205-207, 2008	Indocyanine green fluorescence angiography for intraoperative assessment of blood flow: a feasibility study.	Unno N	第二外科
Surgery. 142(1):57-66, 2007.	Effect of hyperbarically oxygenated-perfluorochemical with University of Wisconsin solution on preservation of rat small intestine using an original pressure-resistant portable apparatus.	Inuzuka K,	第二外科
J Surg Res 139(1): 68-76, 2007.	Loss of claudin-1 expression correlates with malignancy of hepatocellular carcinoma.	Suzuki S	第二外科
Hepatogastroenterol 54:585-589, 2007.	Late postoperative complications in patients with pancreaticobiliary maljunction.	Sakaguchi T	第二外科
Liver Int 27(8): 1076-1085, 2007.	Significance of morphological alteration by portal vein branch ligation in endotoxin-induced liver injury after partial hepatectomy.	Ota S	第二外科
Biol Pharm Bull. 30(4):633-637, 2007.	VEGF-C and VEGF-A synergistically enhance lymph node metastasis of gastric cancer.	Kondo K,	第二外科
Dig Surg. 24(3):214-220, 2007.	Tonometer pH monitoring of free jejunal grafts following pharyngolaryngoesophagectomy for hypopharyngeal or cervical esophageal cancer.	Kamiya K	第二外科
Carcinogenesis. 28(8):1752-1758, 2007.	ARA54 is involved in transcriptional regulation of the cyclin D1 gene in human cancer cells.	Kikuchi H	第二外科

雑誌名	題名	発表者名	所属部門
Cancer Sci. 98(11):1734-9, 2007.	Effect of loss of heterozygosity of the c-kit gene on prognosis after hepatectomy for metastatic liver gastrointestinal stromal tumors.	Kikuchi H	第二外科
日本血管内治療学会誌 8:77-80, 2007	腹部大動脈瘤に対する局所麻酔下ステントグラフト内挿術の検討	海野直樹	第二外科
日本血管内治療学会雑誌 8 (1): 92-96, 2007.	大腿動脈以下の閉塞病変に対する血管内治療と外科的治療	山本尚人	第二外科
Am J Physiol Gastrointest Liver Physiol 293(1): G178-187, 2007	Salmonella enterica serovar Typhimurium regulates intercellular junction proteins and facilitates transepithelial neutrophil and bacterial passage.	Sakaguchi T	第二外科
Phlebology Digest 20, 25-27, 2007	A novel fluorescence lymphography in secondary lymphedema.	Unno N	第二外科
日本 Shock 学会雑誌 22(2)27-31, 2007	高压酸素化 perfluorochemical による虚血腸管保護作用についての実験的検討	海野直樹	第二外科
Neurosurgery 61: 1067-1075, 2007	Matrix metalloproteinase inhibition attenuates brain edema in an in vivo model of surgically-induced brain injury.	Yamaguchi M	脳神経外科
Neuroradiology 13 (Suppl 1): 90-93, 2007	Extracranial Vertebral Artery Aneurysm Associated with Neurofibromatosis Type 1 -A Case Report- . Interventional	Hiramatsu H	脳神経外科
Cancer Lett 251: 220-227, 2007	Genetically engineered neural stem cells migrate and suppress glioma cell growth at distant intracranial sites.	Tokuyama T	脳神経外科
Clin Rheumatol 26 (4) : 505-509, 2007. [1.459]	Treatment with anti-TNF-alpha antibody infliximab reduces serum IL-15 levels in patients with rheumatoid arthritis.	Kageyama Y	整形外科

雑誌名	題名	発表者名	所属部門
Rheumatol Int 27 (5) : 467-472, 2007.	Anti-tumor necrosis factor-alpha antibody treatment reduces serum CXCL16 levels in patients with rheumatoid arthritis.	Kageyama Y.	整形外科
Mod Rheumatol 17 (5) : 398-402, 2007.	Methotrexate reduces the levels of pentosidine and 8-hydroxy-deoxy guanosine in patients with rheumatoid arthritis.	Kageyama Y.	整形外科
Rheumatol Int 28 (2) : 137-143, 2007. [1.070]	Etanercept reduces the serum levels of interleukin-23 and macrophage inflammatory protein-3 alpha in patients with rheumatoid arthritis.	Kageyama Y.	整形外科
Cell Biol Int 31 : 1150-1159, 2007.	Mechanical fragmentation and transportation of calcium phosphate substrate by filopodia and lamellipodia in a mature osteoclast.	Nagafusa T	整形外科
J Rural Med 2 (1) : 36-44, 2007.	Longitudinal changes of biochemical markers and bone mineral density in hyperthyroid patients during antithyroid drug therapy.	Ohishi T.	整形外科
J Rural Med 2 (2) : 105-115, 2007.	Vitamin K2 and etidronate therapy in the early period after hip fracture.	Ohishi T.	整形外科
Neuroscience Letters 417 (1) : 55-60, 2007.	Spatiotemporal quantification of tumor necrosis factor-alpha and interleukin-10 after crush injury in rat sciatic nerve utilizing immunohistochemistry.	Sawada T	整形外科
Clin Rheumatol 26 (7) : 1088-1093, 2007.	The effect of infliximab on chemokines in patients with rheumatoid arthritis.	Torikai E.	整形外科
J Comp Neurol 506 : 141-160, 2008.	Differential expression patterns of messenger RNAs encoding Nogo receptors and their ligands in the rat central nervous system.	Funahashi S.	整形外科
Clin Orthop Relat Res 466 (2):402-410,2008. [2.161]	Sequential changes of bone metabolism in normal and delayed union to the spine.	Ohishi T.	整形外科

雑誌名	題名	発表者名	所属部門
Connect Tissue Res 49 : 42-47,2008.	Biochemical study of collagen and its crosslinks in the anterior cruciate ligament and the tissues used as a graft for reconstruction of the anterior cruciate ligament.	Suzuki D.	整形外科
Calcified Tissue Int 82(2):162-169,2008.	Correlation between Hydroxyapatite Crystallite orientation and ultrasonic wave velocities in bovine cortical bone.	Yamato Y.	整形外科
J Hand Surg 32E (4) : 421-426, 2007.	Restoration of elbow function by intercostal nerve transfer for obstetrical paralysis with co-contraction of the biceps and the triceps.	Nagano A.	整形外科
Ultrasound Med Biol 33 (12) : 1933-1942, 2007.	Frequency dependence of ultrasonic attenuation in bovine cortical bone:an in vitro study.	Yamato Y.	整形外科
Current Rheumatology Reviews 3 (4) : 252-260, 2007.	Pyridinoline, A Collagen Crosslink, As A Biochemical Marker for Arthritis.	Takahashi M.	整形外科
J. Dermatol. 34(7): 430-4, 2007.	Efficacy and safety of preprandial versus postprandial administration of low-dose cyclosporin microemulsion (Neoral) in patients with psoriasis vulgaris.	Hashizume H	皮膚科
Dermatol. 128; 1196-1206, 2008.	Maintenance of hair follicle immune privilege is linked to prevention of NK Cell attack. J. Invest.	Ito T.	皮膚科
Curr Dir Autoimmun. 10:27-52; 2008.	Immune privilege and the skin.	Ito T.	皮膚科
J Am Acad Dermatol 57(2 Suppl):S22-5,2007.	Alopecia universalis associated with impaired interleukin-4 production and low serum IgE level.	Ito T	皮膚科
Progress in Medicine 27(5) ; 1233-1241, 2007.	抗ヒスタミン薬における効果と眠気の関係について インターネットによる患者調査.	瀧川雅浩	皮膚科

雑誌名	題名	発表者名	所属部門
J. Dermatol. Sci., 48; 77-85, 2007.	The current status and future direction of percutaneous peptide immunization against melanoma.	Seo N.	皮膚科
The Journal Urology 178:517-520, 2007.	Ureteroscopic Evaluation and Laser Treatment of Chronic Unilateral Hematuria.	Mugiya S,	泌尿器科
Urologia Internationalis 79:345-351, 2007.	Neonatal Exposure to Estrogen in the Wistar Rat Decreases Estrogen Receptor-Beta and Induces Epithelial Proliferation of the Prostate in the Adult.	Ozono S.	泌尿器科
International Journal of Urology 14:284-288, 2007.	Surgical outcomes of partial nephrectomy for renal cell carcinoma: A joint study by the Japanese Society of Renal Cancer.	Ozono S	泌尿器科
International Journal of Urology 14:479-482, 2007.	Prevalence of renal cell carcinoma: A nation-wide survey in Japan, 2002.	Ozono S	泌尿器科
BJU International 100:579-587, 2007.	Randomized, double-blind, placebo- and propiverine- controlled trial of the once-daily antimuscarinic agent solifenacin in Japanese patients with overactive bladder.	Ozono S	泌尿器科
International Journal of Urology 14:754-759, 2007.	Tissue levels of pyrimidine nucleoside phosphorylase activity in human and rodent bladder cancer and normal bladder tissue.	Ozono S	泌尿器科
臨床泌尿器科 61:911-916, 2007.	非泌尿器科医に対する過活動膀胱診療に関するアンケート調査	今西武志	泌尿器科
International Journal of Urology 14:1005-1008, 2007.	Retrospective comparative study of 59 cases of laparoscopic radical prostatectomy: Transperitoneal anterior versus transperitoneal posterior approach.	Ushiyama T	泌尿器科
Scandinavian Journal of Urology and Nephrology 41:521-526, 2007.	Seasonal changes in symptom score and uroflowmetry in patients with lower urinary tract symptoms.	Otsuka A	泌尿器科

雑誌名	題名	発表者名	所属部門
Immunology 121(3): 349-358, 2007.	Blockade of the 4-1BB (CD137)/4-1BBL and/or CD28/CD80/CD86 costimulatory pathways promotes corneal allograft survival in mice.	Asai T	眼科
J Hum Genet 52:571-574, 2007.	Three novel mutations of the PAX6 gene in Japanese aniridia patients.	Kawano T	眼科
Ophthalmology 115:147-157, 2008	Macular carotenoid levels of normal subjects and age-related maculopathy patients in a Japanese population.	Obana A	眼科
Ophthalmic Genetics 29: 29-32, 2007	(2008) Novel <i>RDH5</i> mutation in family with mother having fundus albipunctatus and three children with retinitis pigmentosa.	Wang C-X	眼科
眼臨紀 1: 60-63, 2008.	液晶視力表 システムチャート SC-2000 の臨床評価.	浅野麻衣、	眼科
眼臨紀 1: 47-50, 2008.	間欠性外斜視 小児の両外直筋後転術	佐藤美保	眼科
J Neurosci 27:8616-8627.	Kinetic properties of Cl uptake mediated by Na ⁺ -dependent K ⁺ -2Cl cotransport in immature rat neocortical neurons.	Ikeda M	眼科
Invest Ophthalmol Vis Sci 48(10):4608-4615.	Kwan BS (2007) Absence of 4-1BB gene function exacerbates lacrimal gland inflammation in autoimmune-prone MRL- <i>Fas</i> ^{lpr} mice.	Asai T	眼科
J Ophthalmol 51: 417-423.	Association between open-angle glaucoma and gene polymorphism for heat-shock protein 70-1. Jpn	Tosaka K	眼科
Neurosci Lett 434(1):104-107, 2008.	Ultrastructural co-localization of cochlin and type II collagen in the rat semicircular canal.	Mizuta K	耳鼻咽喉科
Auris Nasus Larynx 34:375-377, 2007.	T:Tick bites in the external auditory canal.	Iwasaki S,	耳鼻咽喉科

雑誌名	題名	発表者名	所属部門
Oncogene 26(39):5762-5771, 2007.	Galanin and galanin receptor type 1 suppress proliferation in squamous carcinoma cells:activation of the extracellular signal regulated kinase pathway and induction of cyclin-dependent kinase inhibitors.	Misawa K	耳鼻咽喉科
Dig Surg 24(3):214-220, 2007.	Tonometer pH monitoring of free jejunal grafts following pharyngolaryngoesophagectomy for hypopharyngeal or cervical esophageal cancer.	Mineta H	耳鼻咽喉科
Eur Radiol 17 (5): 1221-1225. 2007.	Contrast-enhanced three-dimensional MR angiography with an elliptical centric view for the evaluation of intracranial aneurysms.	Isoda H	放射線科
Low Temp Med 33 (4): 5154, 2007.	Developmental research on cryosurgical device with the use of free piston stirling cooler.	Isoda H	放射線科
Ann Thorac Surg 83:2147-52, 2007	Incidence and Risk Factors of Postoperative Vocal Cord Paralysis in 987 Patients After Cardiovascular Surgery.	Itagaki T	麻酔科蘇生科
日臨醉会誌 27(3):253-58, 2007	Rapid Decrease of Bronchial Cuff Pressure Indicates Slippage of the Bronchial Cuff.	Jiang Y	麻酔科蘇生科
Resuscitation 74:538-545, 2007	The cardioprotective effect of dexmedetomidine on global ischaemia in isolated rat hearts.	Okada H	麻酔科蘇生科
British J Anaesthesia 99(3):440-443, 2007	Effects of using two airway exchange catheters on laryngeal passage during change from a double-lumen tracheal tube to a single-lumen tracheal tube.	Suzuki A	麻酔科蘇生科
Anesthesia and Analgesia 105(3):656-660, 2007	Landiolol, an Ultra-Short-Acting β 1-Adrenoceptor Antagonist, Dose Not Alter the Minimum Alveolar Anesthetic Concentration of Isoflurane in a Swine Model.	Kurita T	麻酔科蘇生科
Anesthesia & Analgesia 105(6):1639-1643, 2007 [2.131]	The Influence of Hemorrhagic Shock on the Minimum Alveolar Anesthetic Concentration of Isoflurane in a Swine Model.	Kurita T	麻酔科蘇生科

雑誌名	題名	発表者名	所属部門
Anesthesia and Resuscitation 43(2):41-42, 2007	Which Surgery Should Be Performed First for Lung Cancer with Internal Carotid Artery Occlusion?	Mizuno K	麻酔科蘇生科
British J Anaesthesia 98(4):524-30, 2007	Age and comorbidity as risk factors for vocal cord paralysis associated with tracheal intubation.	Kikura M	麻酔科蘇生科
Obstet Gynecol Surv 62(4): 255-260, 2007.	Congenital blood coagulation factor XIII deficiency and successful deliveries: A review of the literature.	Asahina T	産科婦人科
Biochem Biophys Res Comm 364:589-594,2007.	The PDZ-LIM protein CLP36 is required for actin stress fiber formation and focal adhesion assembly in BeWo cells.	Tamura N	産科婦人科
Pro NAS USA 104(10):3799-3804, 2007.	Trophoblast cell activation by trophinin ligation: Possible role in human embryo implantation.	Sugihara K	産科婦人科
FEBS Lett 23:582(2):197-202, 2008.	Induction of trophinin in human endometrial surface epithelia by CG β and IL-1 β .FEBS Lett 23:582(2):197-202, 2008.	Sugihara K	産科婦人科
Acta Obstet Gynecol Scand. 86(11) :1297-1302, 2007.	Prostaglandin E2 receptor EP4-selective antagonist inhibits lipopolysaccharide-induced cervical ripening in rabbits.:.	Fukuda Y,	産科婦人科
Curr Drug Targets. 9:229-38,2008.	The hemostasis system in murine atherosclerosis.	Iwaki T	産科婦人科
Molecular Endocrinology 22(3):707-715, 2008.	The Membrane-Spanning Domain of CD98hc Promotes $\alpha v \beta 3$ Integrin Signals in Human Extravillous Trophoblasts.	<u>Sugihara</u> K	産科婦人科
J Obstet Gynecol Res 34(2):129-136, 2008.	An integrated view for L-selectin and trophinin functionin human embryo implantation.	Sugihara K	産科婦人科

雑誌名	題名	発表者名	所属部門
Blood. 111:1274-81, 2007.	Deletion of murine kininogen gene 1 (mKng1) causes loss of plasma kininogen and delays thrombosis. Blood. 111:1274-81, 2007.	Iwaki T	産科婦人科
Journal of Urology in press.	Enhancement of human sperm motility by trophinin-binding peptide. Journal of Urology in press.	Sugihara K,	産科婦人科
Horm Res 68(Suppl 1):126, 2007.	Analysis of the changes in the amount of visceral and subcutaneous fat from childhood to young adulthood by the CT image analysis software.	Satake E	小児科
Horm Res 68(Suppl 1):239, 2007.	Risk of hyponatremia by hypotonic fluid administration in children with gastroenteritis.	Sano S	小児科
Childs Nervous System(Childs Nerv Syst) 23(4): 407-13, 2007.	Pilot study of i fosfamide/carboplatin/etoposide (ICE)for peripheral blood stem cell mobilization in patients with high-risk or relapsed medulloblastoma.	Okada S	小児科
Clin Drug Investig. 27: 691-696, 2007	Ulinastatin therapy in Kawasaki disease.	Iwashima S	小児科
Pediatr Cardiol. 29(2):339-342, 2008.	Ultrasound-Guided Versus Landmark-Guided Femoral Vein Access in Pediatric Cardiac Catheterization.	Iwashima S	小児科
Cancer Res 67, 11195-11201, 2007.	Differing phenotypes between intraepithelial and stromal lymphocytes in early-stage tongue cancer.	Katou F	歯科口腔外科
Lasers Med Sci 2007.	Sufficient PpIX production for PDT even with short contact time of topically applied 5-ALA in rabbit tongues.	Oura T	歯科口腔外科
日本レーザー歯学会誌 18, 16-19, 2007.	ポルフィマーナトリウムと新規半導体レーザーの組み合わせによる光線力学療法.	大浦健宏	歯科口腔外科

雑誌名	題名	発表者名	所属部門
Biochem Biophys Res Comm 364:289-293, 2007	p53-dependent change in replication timing of the human genome.	Watanabe Y	検査部
日本医師会雑誌 136(7): 1368-1378, 2007	臨床検査精度管理調査の統一評価を目指したマトリクス効果是正に関する研究 特にアミラーゼ、コリンエステラーゼについて。	前川真人	検査部
臨床薬理, 38(4), 273-278, 2007.	2002 年度 臨床薬理研究振興財団賞学術奨励賞研究成果報告 エビデンスに基づいた医薬品リスト選定の方法論	渡邊裕司	臨床薬理 内科
Respir Med , 102(2) , 313-315, 2008.	Use of the QuantiFERON-TB Gold test in Japanese patients with sarcoidosis,	Inui N	臨床薬理 内科
J Plast Reconstr Aesthet Surg 61(2):214-217, 2008.	The six V-flap technique for preputial stenosis.	Fujiwara M	形成外科
Hand Surg 12(3):191-197, 2007	Bipedicle flap reconstruction for complex longitudinal dorsal tissue defects of the digits.	Fujiwara	形成外科
Burns 33(7):855-859, 2007.	Macroscopic and histological findings in the healing process of inhalation injury.	Fukamizu H	形成外科
J Craniofac Surg. 18(3):684-690, 2007	Hard palate mucoperiosteal graft for posterior lamellar reconstruction of the upper eyelid: histologic rationale.	Fujiwara M	形成外科

8件

計 149 件

(様式第12)

診療並びに病院の管理及び運営に関する諸記録の管理方法

管理責任者氏名	病院長 中村 達		
管理担当者氏名	総務課長 村井澄夫 薬剤部長 川上純一	医療サービス課長 白井清 放射線部長 阪原晴海	人事課長 白井国明

		保管場所	分類方法
診療に関する諸記録 病院日誌		病院部医療サービス課	カルテは、入院、外来を含め一患者一ファイル方式として、保存管理している。 エックス線写真は、放射線部にて保存管理している。
処方せん、手術記録、看護記録、検査所見記録、紹介状、退院した患者に係る入院期間中の診療経過の要約及び入院診療計画書		処方箋は薬剤部診療情報室	
各科診療日誌		各診療科	
エックス線写真		放射線部	
病院の管理及び運営に関する諸記録	従業者数を明らかにする帳簿	総務部人事課	
	高度の医療の提供の実績	病院部医療サービス課	
	高度の医療技術の開発及び評価の実績	総務部総務課	
	高度の医療の研修の実績	病院部医療サービス課	
	閲覧実績	病院部医療サービス課	
	紹介患者に対する医療提供の実績	病院部医療サービス課	
	入院患者数、外来患者及び調剤の数を明らかにする帳簿	病院部医療サービス課 薬剤部	
	確規保則の第9条の2及び第11条の各号に掲げる体制	専任の医療に係る安全管理を行う者の配置状況	病院部医療サービス課
		専任の院内感染対策を行う者の配置状況	病院部医療サービス課
		医療に係る安全管理を行う部門の設置状況	病院部医療サービス課
		当該病院内に患者からの安全管理に係る相談に適切に応じる体制の確保状況	病院部医療サービス課
		医療に係る安全管理のための指針の整備状況	病院部医療サービス課
		医療に係る安全管理のための委員会の開催状況	病院部医療サービス課
		医療に係る安全管理のための職員研修の実施状況	病院部医療サービス課
		医療機関内における事故報告等の医療に係る安全の確保を目的とした改善の方策の状況	病院部医療サービス課