

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Dev Med Child Neurol 49:587-90, 2007	Increased inflammatory markers are associated with early periventricular leukomalacia.	Tsukimori K, Komatsu H, Yoshimura T, Hikino S, Hara T, Wake N, Nakano H	小児科
Prenat Diagn 27:507-11, 2007	Prenatal sonographic findings and hematological abnormalities in fetuses with transient abnormal myelopoiesis with Down syndrome.	Hojo S, Tsukimori K, Kitade S, Nakanami N, Hikino S, Hara T, Wake N	小児科
J Virol 81:1650-9, 2007	Measles virus infection of SLAM (CD150) knockin mice reproduces tropism and immunosuppression in human infection.	Ohno S, Ono N, Seki F, Takeda M, Kura S, Tsuzuki T, Yanagi Y	小児科
Nat Genet 39:1013-7, 2007	Germline gain-of-function mutations in RAF1 cause Noonan syndrome.	Razzaque MA, Nishizawa T, Komoike Y, Yagi H, Furutani M, Amo R, Kamisago M, Momma K, Katayama H, Nakagawa M, Fujiwara Y, Matsushima M, Mizuno K, Tokuyama M, Hirota H, Muneuchi J, Higashinakagawa T, Matsuoka R	小児科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Hum Genet 52:1040-3, 2007	Novel mutations in five Japanese patients with 3-methylcrotonyl-CoA carboxylase deficiency.	Uematsu M, Sakamoto O, Sugawara N, Kumagai N, Morimoto T, Yamaguchi S, Hasegawa Y, Kobayashi H, Ihara K, Yoshino M, Watanabe Y, Inokuchi T, Yokoyama T, Kiwaki K, Nakamura K, Endo F, Tsuchiya S, Ohura T	小児科
J Cell Physiol 213:261-8, 2007	Hormonal regulation of IGFBP-2 proteolysis is attenuated with progression to androgen insensitivity in the LNCaP progression model.	Degraff DJ, Malik M, Chen Q, Miyako K, Rejto L, Aguiar AA, Bancroft DR, Cohen P, Sikes RA	小児科
Vaccine 25:3454-63, 2007	Dermal testing of vaccine for children at high risk of allergies.	Sugai K, Shiga A, Okada K, Iwata T, Ogura H, Maekawa K, Yokota S	小児科
Microbiol Immunol 51:609-16, 2007	Duration of neutralizing antibody titer after Japanese encephalitis vaccination.	Abe M, Okada K, Hayasida K, Matsuo F, Shiosaki K, Miyazaki C, Ueda K, Kino Y	小児科
J Asthma 44:475-8, 2007	Exhaled nitric oxide and exercise-induced bronchospasm assessed by FEV1, FEF25-75% in childhood asthma.	Nishio K, Odajima H, Motomura C, Nakao F, Nishima S	小児科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Hepato-Gastroenterology 54(74):373-376	A Remote Educational System in Medicine Using Digital Video	Hahm JS	第一外科
Mod Pathol. 20(2):267-276	Expression of GalNAc-T3 and its relationships with clinicopathological factors in 61 extrahepatic bile duct carcinomas analyzed using stepwise sections - special reference to its association with lymph node metastases-.	Inoue T	第一外科
J eHealth Tech Application 5(2):1-7	International Collaborations over Advanced Networks	Konishi K	第一外科
Anticancer Res. 27(4C):2673-2678	Phase I/II study of irinotecan and UFT for advanced or metastatic colorectal cancer.	Mibu R	第一外科
Clin Cancer Res 13(15):4371-4377	The Role of the DNA Damage Checkpoint Pathway in Intraductal Papillary Mucinous Neoplasms of the Pancreas	Miyasaka Y	第一外科
Oncol Rep. 17(4):721-729	Co-expression of gastric and biliary phenotype in pyloric-gland type adenoma of the gallbladder: immunohistochemical analysis of mucin profile and CD10.	Nagata S	第一外科
Anticancer Res. 18:769-774	Anti-patched-1 antibodies suppress hedgehog signaling pathway and pancreatic cancer proliferation.	Nakamura M	第一外科
Methods. Info. Med. 46(6):709-715	Development of a broadband telemedical network based on internet protocol in the Asia-Pacific region.	Nakashima N	第一外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Esophagus (4)59–65	Minimally invasive radical esophagectomy for esophageal cancer	Noshiro H	第一外科
Int J Cancer. 120(8):1634–1640	Twist, a novel oncogene, is upregulated in pancreatic cancer: Clinical implication of Twist expression in pancreatic juice.	Ohuchida K	第一外科
Cancer Epidemiol Biomarkers Prev. 16(4):649–654	S100A6 is increased in a stepwise manner during pancreatic carcinogenesis: clinical value of expression analysis in 98 pancreatic juice samples.	Ohuchida K	第一外科
Cancer Res. 67(14):6577–6604	MUTYH-null mice are susceptible to spontaneous and oxidative stress induced intestinal tumorigenesis.	Sakamoto K	第一外科
J Laparoendosc Adv Surg Tech A 17(5):673–677	Telesurgery system with original-quality moving images over high-speed Internet: expansion within the Asia-Pacific region.	Shimizu S	第一外科
Anticancer Res 27(2):793–729	Increased expression of ADAM 9 and ADAM 15 mRNA in pancreatic cancer.	Yamada D	第一外科
Mod Pathol. 20(5):552–561	Fascin overexpression in intraductal papillary mucinous neoplasms (adenomas, borderline neoplasms, and carcinomas) of the pancreas, correlated with increased histological grade.	Yamaguchi H	第一外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Surg Oncol. 95(1):55-62	Hedgehog signaling pathway is a possible therapeutic target for gastric cancer.	Yanai K	第一外科
臨床雑誌 外科 69(8):897-903	脾頭十二指腸切除術(PD)をめぐる諸問題 III. 縮小手術の比較・検討2. 再建法による幽門輪温存 PD 後胃排出遅延の有無—運動生理学的エビデンスより	中村雅史	第一外科
Dis Esophagus 20(4):301-304,2007	Salvage esophagectomy after definitive chemoradiotherapy for esophageal cancer.	Oki E, et al.	第二外科
Cancer Sci 98:1152-1156,2007	p53 gene mutations in esophageal squamous cell carcinoma and their relevance to etiology and pathogenesis: Results in Japan and comparison with other countries.	Egashira A, et al.	第二外科
J Cancer Res Clin Oncol.133(12): 995-1000,2007	Clinical significance of cytokeratin positive cells in bone marrow of gastric cancer patients.	Oki E, et al.	第二外科
J Am Coll Surg.204 580-587,2007	Trends in morbidity and mortality after hepatic resection for hepatocellular carcinoma : an institute's experience with 625 patients.	Taketomi A, et al.	第二外科
Transplantation.83 893-899,2007	Extended indication for living donor liver transplantation in patients with hepatocellular carcinoma.	Soejima Y, et al.	第二外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Hepatology 47(3):966-977,2007	Defective endothelial nitric oxide synthase signaling is mediated by rho-kinase activation in rats with secondary biliary cirrhosis.	Anegawa G, et al.	第二外科
Cancer 110:2793-2798,2007	The Serum Carcinoembryonic Antigen Level is Associated with Epidermal Growth Factor Receptor Mutations in Recurrent Lung Adenocarcinomas.	Shoji F, et al.	第二外科
Am J Sports Med 35: 1091-1097, 2007	Assessment of anterolateral rotatory instability in the ACL-deficient knee using an open MRI system.	Okazaki K, Miura H, Matsuda S, Yasunaga T, Nakashima H, Konishi K, Iwamoto Y, Hashizume M	整形外科
J Orthop Res 25: 867-872, 2007	Can magnetic resonance imaging-derived bone models be used for accurate motion measurement with single-plane three-dimensional shape registration?	Moro-oka T, Hamai S, Miura H, Shimoto T, Higaki H, Fregly BJ, Iwamoto Y, Banks SA	整形外科
J Orthop Sci 12: 214-218, 2007	Femoral shaft bowing influences the correction angle for high tibial osteotomy.	Nagamine R, Inoue S, Miura H, Matsuda S, Iwamoto Y	整形外科
Rheumatol Int 27:1135-1142, 2007.	Factors associated with pain and functional limitation in Japanese male patients with knee osteoarthritis.	Kondo K, Hirota Y, Kawamura H, Miura H, Takasugi S, Sugioka Y, Inoue H, Kurosaka M, Iwamoto Y	整形外科
Clin Orthop 463:144-150, 2007	Minimally invasive versus the standard approach in total knee arthroplasty.	Tashiro Y, Miura H, Matsuda S, Okazaki K, Iwamoto Y	整形外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Stroke 2007/12	Display of the epileptogenic zone on the frontal cortical surface using dynamic voltage topography of ictal electrocorticographic discharges	Kai Y	脳神経外科
British Journal of Pharmacology 2007/12	Up-regulation of proteinase-activated receptor 1 and increased contractile responses to thrombin after subarachnoid haemorrhage.	Maeda Y	脳神経外科
Journal of Neurosurgery 2007/9	Results of a long-term follow-up after neuroendoscopic biopsy procedure and third ventriculostomy in patients with intracranial germinomas.	Shono T	脳神経外科
Journal of Neurosurgery 2007/11	Brain shift: an error factor during implantation of deep brain stimulation electrodes.	Miyagi Y	脳神経外科
Neurological research 2007/12	Additional hippocectomy in the surgical management of intractable temporal lobe epilepsy associated with glioneuronal tumor	Morioka T	脳神経外科
Journal of neuro-oncology 2007/7	Expression of VEGF and its receptor genes in intracranial schwannomas	Uesaka T	脳神経外科
Journal of neuro-oncology 2007/9	Enhanced expression of DNA topoisomerase II genes in human medulloblastoma and its possible association with etoposide sensitivity	Uesaka T	脳神経外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Transplantation 83(2): 184-192, 2007	Effects of cyclosporin A on the activation of NKT cells induced by α -galactosylceramide	Kajiwara T	心臓外科
Surg Today 37(1) : 24-29, 2007	Efficacy and limitations of natural killer cell depletion in cyclophosphamide-induced tolerance	Shimizu I	心臓外科
Gen Thorac Cardiovasc Surg 55(6):252-254, 2007	Flail chest with a sharp fragment of the rib pointing to the aorta	Sata S	心臓外科
Interact CardioVasc Thorac Surg 6(1):97-101, 2007	Three hundred thirty three experiences with the bidirectional Glenn procedure in a single institute	Tanoue Y	心臓外科
Asian Cardiovasc Thorac Ann 15(1): 19-23, 2007	Risk evaluation and midterm outcome of cardiac surgery in patients on dialysis	Boku N	心臓外科
Blood 109(4): 1773-1781, 2007	B-cell extrinsic CR1/CR2 promotes natural antibody production and tolerance induction of anti-alphaGAL-producing B-1 cells	Shimizu I	心臓外科
J Vasc Surg 45:1236-1243, 2007	Blockade of monocyte chemoattractant protein-1 by adenoviral gene transfer inhibits experimental vein neointimal formation	Tatewaki H	心臓外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Hypertension 50(4):E140-141, 2007	Local lung delivery of nuclear Factor-kappa B decoy via single intratracheal administration of Bioabsorbable polymeric nanoparticle attenuates monocrotaline-induced pulmonary hypertension	Kimura S	心臓外科
Am J Transplant Sup 7(2): 485, 2007	Influence of the Th1/Th2 paradigm for the regulatory function of the natural killer T (NKT) cells in cyclophosphamide (CP)-Induced	Onzuka T	心臓外科
Transplantation 84:1686-1695, 2007	The immunoregulatory roles of NKT cells in cyclophosphamide-induced tolerance.	Iwai T, Tomita Y* These two authers were equally contributed	心臓外科
Eur J Cardiothorac Surg 32:730-734, 2007	Elastomeric surgical sealant for hemostasis of cardiovascular anastomosis under full heparinization	Eto M	心臓外科
Ann Thorac Surg 84(5):1619－1626, 2007	Excellent Midterm Outcome of Extracardiac Conduit Total Cavopulmonary Connection: Results of 126 Cases	Nakano T	心臓外科
Eur J Pediatr 166:607-612,2007	Risk factors for sensorineural hearing loss in survivors with severe congenital diaphragmatic hernia.	Masumoto K,Nagata K,Uesugi T,Yamada T,Taguchi T	小児外科
Nutrition 23:782-787,2007	Clinical features of selenium deficiency in infants receiving long-term nutritional support.	Masumoto K, Nagata K,Higashi M,Nakatsuji T,Uesugi T,	小児外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Pediatr Surg 42:2007-2011,2007	Effectiveness of diaphragmatic repair using an abdominal muscle flap in patients with recurrent congenital diaphragmatic hernia.	Masumoto K,Nagata K,Souzaki R,Uesugi T, Takahashi Y,	小児外科
Gene therapy 14:1017-1028,2007	Impact of Deletion of Membranous Genes of Recombinant Sendai Viruses on Immune Responses Following Pulmonary Gene Transfer of Neonatal Mice	Tanaka S,Yonemitsu Y,Yoshida K,Okano S, Kondo H	小児外科
Pediatr Surg Int 23:953-959,2007	Effect of insulin-like-growth factor and its receptors regarding lung development in fetal mice	Nagata K,Masumoto K,Uesugi T,Yamamoto S,Yoshizaki K	小児外科
J Pediatr Surg 42:489-493,2007	Implications of MYCN amplification in patients with stage 4 neuroblastoma who undergo intensive chemotherapy	Suita S, Tajiri T, Kaneko M, Hirai M, Mugishima H	小児外科
Eur J Pediatr Surg 17:23-28,2007	Insights into infant neuroblastomas based on an analysis of neuroblastomas detected by mass screening at 6 months of age in Japan	Suita S, Tajiri T, Higashi M, Tanaka S, Kinoshita Y	小児外科
J Pediatr Surg 42:2046-2049,2007	Classification of neuroblastomas based on an analysis of the expression of genes related to the prognosis	Tajiri T, Higashi M, Souzaki R, Tatsuta K, Kinoshita Y	小児外科
J Pediatr Hematol Oncol 29:551-556,2007	High expressions of neuronatin isoforms in favorable neuroblastoma	Higashi M, Tajiri T, Kinoshita Y, Tatsuta K, Souzaki R	小児外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Cancer Res Clin Oncol 133:817-24,2007	Highly aggressive behavior of malignant rhabdoid tumor: a special reference to SMARCB1/INI1 gene alterations using molecular genetic analysis including quantitative real-time PCR.	Kohashi K, Oda Y, Yamamoto H, Tamiya S, Izumi T	小児外科
Transpl Int 20:616-624,2007	Morphological and physiological changes of interstitial cells of Cajal after small bowel transplantation in rats.	Matsuura T, Masumoto K, Ieiri S, Nakatsuji T, Akiyoshi J	小児外科
J Pediatr Surg 42:1377-1385,2007	The influence of rejection on graft motility after intestinal transplantation in swine: the possibility of using this method for the real-time monitoring of acute cellular rejection.	Matsuura T, Taguchi T, Hayashida M, Ogita K, Takada N	小児外科
J Pediatr Surg 42:2097-2101,2007	The evidence of maternal microchimerism in biliary atresia using fluorescent in situ hybridization	Hayashida M, Nishimoto Y, Matsuura T, Takahashi Y, Kohashi K	小児外科
Br J Dermatol 2007;157(4):690-7.	Assessment of abnormal blood flow and efficacy of treatment in patients with systemic sclerosis using a newly developed microwireless laser Doppler flowmeter and arm-raising test.	Kido M 他	皮膚科
Br J Dermatol. 2007;156(6):1367-9	Ciclosporin treatment of psoriasis in a patient with chronic hepatitis C.	Imafuku S 他	皮膚科
J Dermatol Sci. 2007;48(1):71-3	Significance of the expression of phosphorylated-STAT3, -Akt, and -ERK1/2 in several tumors of the epidermis.	Lin N 他	皮膚科