

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
J Pathol 2007 Apr;211(5)	Characterization of the immune escape phenotype of human gastric cancers with and without high-frequency microsatellite instability	山本 博幸	第一内科
Histol Histopathol 2007 Apr;22(4)	Nonsteroidal anti-inflammatory drugs and oxidative stress in cancer cells	安達 正晃	第一内科
Carcinogenesis 2007 May;28(5)	Insulin-like growth factor-I receptor as a marker for prognosis and a therapeutic target in human esophageal squamous cell carcinoma	山本 博幸	第一内科
Nihon Rinsho Meneki Ga 2007 Jun;30(3)	Plasma analysis of rheumatoid arthritis by SELDI	高橋 裕樹	第一内科
Nippon Naika Gakkai Zasshi 2007 Jun 10;96(6)	Primary synovial sarcoma of the duodenum	有村 佳昭	第一内科
Carcinogenesis 2007 Jun;28(6)	Genetic and epigenetic profiling in early colorectal tumors and prediction of invasive potential in pT1 (early invasive) colorectal cancers	山本 博幸	第一内科
Oncogene 2007 Jul 12;26(32)	Frequent epigenetic inactivation of SFRP genes and constitutive activation of Wnt signaling in gastric cancer	鈴木 拓	第一内科
Clin Cancer Res 2007 Aug 15;13(16)	PRDM5 identified as a target of epigenetic silencing in colorectal and gastric cancer	鈴木 拓	第一内科
Cancer Lett 2007 Aug 28;254(1)	Differential expression of angiogenesis-related genes in human gastric cancers with and those without high-frequency microsatellite instability	山本 博幸	第一内科
Nippon Shokakibyo Gakkai Zasshi 2007 Sep;104(9)	Epigenetics in gastroenterological cancer and prospects for translational research	鈴木 拓	第一内科
J Pathol 2007 Oct;213(2)	Transcriptional silencing of hedgehog-interacting protein by CpG hypermethylation and chromatic structure in human gastrointestinal cancer	山本 博幸	第一内科
Nippon Naika Gakkai Zasshi 2007 Oct 10;96(10)	Temporal arteritis demonstrating a utility of abdominal CT scan in identification of aortic involvement	高橋 裕樹	第一内科
Rheumatol Int 2007 Oct;27(12)	Interferon gamma assay for detecting latent tuberculosis infection in rheumatoid arthritis patients during infliximab administration	高橋 裕樹	第一内科
Rinsho Ketsueki 2007 Nov;48(11)	Long-term survival after autologous peripheral blood stem cell transplantation in a patient with primary AL amyloidosis complicating congestive heart failure	石田 稔夫	第一内科
Carcinogenesis 2007 Dec;28(12)	Frequent epigenetic inactivation of DICKKOPF family genes in human gastrointestinal tumors	鈴木 拓	第一内科
Rheumatology 2007 Dec;46(12)	Cartilage oligomeric matrix protein in systemic sclerosis	高橋 裕樹	第一内科
Nihon Rinsho Meneki Ga 2008 Feb;31(1)	Mikulicz's disease and systemic IgG4-related plasmacytic syndrome (SIPS)	高橋 裕樹	第一内科
J Rheumatol 2008 Feb;35(2)	Facial cutaneous and parotid gland involvement in Wegener's granulomatosis	高橋 裕樹	第一内科
Br J Cancer 2008 Mar 25;98(6)	Frequent epigenetic inactivation of Wnt antagonist genes in breast cancer	鈴木 拓	第一内科
Hypertens Res 2008 Mar; 31: 469-78	Impact of blood pressure control on cardiovascular events in 26,512 Japanese hypertensive patients: the Japan Hypertension Evaluation with Angiotensin II	Shimamoto K, et al	第二内科
Am Heart J 2008 Mar; 155(3): 526. e	Clinical implications of midventricular obstruction and intravenous propranolol use in transient left ventricular apical ballooning (Tako-tsubo cardiomyopathy).	Yoshioka T, Hashimoto A, et.al	第二内科
Heart Vessels 2008 Jan; 23(1): 9-15	Insulin resistance functionally limits endothelium-dependent coronary vasodilation in nondiabetic patients.	Fujii N, Tsuchihashi K, et al	第二内科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
J Nucl Med 2008 Feb; 49(2):225-33	Predicting the need for an implantable cardioverter defibrillator using cardiac metaiodobenzylguanidine activity together with plasma natriuretic peptide	Nagahara D, Nakata T, et al	第二内科
Int Heart J. 2007 Nov;48(6):689-700	Comparison of long-term clinical outcome after sirolimus-eluting stent implantation in patients with and without hemodialysis.	Sasao H, Hotta D, et al	第二内科
J Mol Cell Cardiol 2007 Nov;43(5):564-70.	Modulation of the mitochondrial permeability transition pore complex in GSK-3beta-mediated myocardial protection.	Nishihara M, Miura T., et al	第二内科
Hypertens Res 2007 Aug;30(8):677-82.	Influence of hypertension on the incidence of cardiovascular disease in two rural communities in Japan: the Tanno-Sobetsu [corrected] study.	Obara F, Saitoh S., et al	第二内科
Intern Med. 2007;46(16):1283-4.	Clinical diagnosis of metabolic syndrome 1. Metabolic syndrome and insulin resistance	Ura N, Saitoh S., et al	第二内科
Hypertens Res 2007 Apr;30(4):315-23	Visceral obesity in Japanese patients with metabolic syndrome: reappraisal of diagnostic criteria by CT scan.	Eguchi M, Tsuchihashi K, et	第二内科
Am J Physiol Heart Circ 2007 Sep;293(3):H1425-	Delta-opioid receptor activation before ischemia reduces gap junction permeability in ischemic myocardium by PKC-epsilon-mediated phosphorylation	Miura T, Yano Y., et al	第二内科
Mol Cancer Ther 2007;6:1774-1784 Jun	Wnt3/RhoA/ROCK signaling pathway is involved in adhesion-mediated drug resistance of multiple myeloma in an autocrine mechanism	Kobune M, Chiba H, Kato J, Kato K, Nakamura K, Kawano Y, Takada K,	第四内科
Exp Hematol 2007;35:879-887 Jun	Iron/IRP-1-dependent regulation of mRNA expression for transferrin receptor, DMT1 and ferritin during human erythroid differentiation	Kato J, Kobune M, Ohkubo S, Fujikawa K, Tanaka M, Takimoto R,	第四内科
World J Gastroenterol 2007;13:4699-4706:Sep	Iron overload and cofactors with special reference to alcohol, hepatitis C virus infection and steatosis/insulin resistance	Kohgo Y, Ikuta K, Ohtake T, Torimoto Y, Kato J	第四内科
J Gastroenterol 2007;42:830-836 Oct	Long-term phlebotomy with low-iron diet therapy lowers risk of development of hepatocellular carcinoma from chronic hepatitis C	Kato J, Miyanishi K, Kobune M, Nakamura T, Takada K, Takimoto R,	第四内科
Br J Cancer 2007;97:851-856 Oct	Phase I study of S-1, docetaxel and cisplatin combination chemotherapy in patients with unresectable metastatic gastric cancer	Takayama T, Sato Y, Sagawa T, Okamoto T, Nagashima H, Takahashi	第四内科
Clin Cancer Res 2008;14:48-54 Jan	Aberrant crypt foci as precursors of the dysplasia-carcinoma sequence in patients with ulcerative colitis	Kukitsu T, Takayama T, Miyanishi K, Nobuoka A, Katsuki S, Sato Y,	第四内科
Stem Cells 2008;26:534-542 Feb	Adenoviral vector-mediated transfer of the Indian hedgehog gene modulates lymphomyelopoiesis in vivo	Kobune M, Kato J, Kawano Y, Sasaki K, Uchida H, Takada K,	第四内科
Leukemia 2008;22:353-360 Feb	Combination therapy of an anticancer drug with the FNIII14 peptide of fibronectin effectively overcomes cell adhesion mediated-drug resistance of acute	Matsunaga T, Fukai F, Miura S, Nakane Y, Owaki T, Kodama H, Tanaka M,	第四内科
J Gastroenterol Hepatol 2008;23 Suppl 1:S78-81:Mar	Dysregulation of systemic iron metabolism in alcoholic liver diseases	Kohgo Y, Ohtake T, Ikuta K, Suzuki Y, Torimoto Y, Kato J	第四内科
Int J Hematol 2008;87:339-350:Mar	Ex vivo large-scale generation of human red blood cells from cord blood CD34(+) cells by co-culturing with macrophages	Fujimi A, Matsunaga T, Kobune M, Kawano Y, Nagaya T, Tanaka I, Iwama	第四内科
J Biol Chem. 2007 May 25;282(21):15823-32	GSK3beta activity modifies the localization and function of presenilin 1	Uemura K	神経内科
J Neurochem. 2007 Sep;102(5):1497-505	Heat-shock protein 105 interacts with and suppresses aggregation of mutant Cu/Zn superoxide dismutase: clues to a possible strategy for treating ALS.	Yamashita H	神経内科
J Neurochem. 2007 Jun;	Neurodegeneration of mouse nigrostriatal dopaminergic system induced by repeated oral administration of rotenone is prevented by 4-phenylbutyrate, a chemical	Inden M	神経内科
Dev Neurobiol. 2007 Jul;	Reconstruction of dopaminergic neural network and locomotion function in planarian regenerates.	Nishimura K	神経内科
Intern Med. 2008;47(5):445-7	Thyrotoxic myopathy mimicking myasthenic syndrome associated with thymic hyperplasia.	Tsuda E	神経内科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
Neurosci Res 58 Suppl 1 S32	Nuclear translocation of histone deacetylase SIRT1 affects neuronal differentiation by its nuclear translocation.	Hisahara S	神経内科
Proc Natl Acad Sci USA, in press	Histone deacetylase SIRT1 modulates neuronal differentiation by its nuclear translocation.	Hisahara S	神経内科
J Neurosci Res, in press	Nicotinic receptor stimulation protects nigral dopaminergic neurons in rotenone-induced Parkinson's disease models.	Takeuchi H	神経内科
Neurosci Res, in press	Synergistic effect of galantamine on nicotine-induced neuroprotection in hemiparkinsonian rat model	Yanagida T	神経内科
Wound Repair Regen. 2007; 15 : 881–888	New strategy for the antifibrotic therapy with oral administration of FR260330 (a selective inducible nitric oxide synthase inhibitor) in rat experimental liver	Mizuguchi T	第一外科
Int J Oncol. 2007; 31: 313–22.	Prediction of risk of disease recurrence by genome-wide cDNA microarray analysis in patients with Philadelphia chromosome-positive acute lymphoblastic leukemia	Zembutsu H	第一外科
J Immunol. 2007; 179: 1803–1813	Efficient cross-presentation by heat shock protein 90-peptide complex-loaded dendritic cells via an endosomal pathway.	Hirata K	第一外科
Surg Today. 2008; 38: 463–8.	Living donor liver transplantation in a patient with giant hepatic hemangioma complicated by Kasabach–Merritt syndrome: report of a case.	Meguro M	第一外科
J Transl Med. 2008 6:24 doi:10.1186/1479-5876-6-24	Clinical and immunological evaluation of anti-apoptosis protein, survivin-derived peptide vaccine in phase I clinical study for patients with advanced or recurrent	Ohmura T	第一外科
J Gastrointest Surg. 2008; 12: 1185–1192	Prospective nonrandomized comparison between pylorus-preserving and subtotal stomach-preserving pancreaticoduodenectomy from the perspectives of	Kimura Y	第一外科
日本心臓血管外科学会雑誌 2007.05 36巻 3号	胸部大動脈瘤ステントグラフト内挿術後同部位に人工血管置換術を施行した2例	伊藤 寿朗	第二外科
日本血管外科学会雑誌 2008.04 17巻 3号	Stanford B型大動脈解離に合併した両側下肢虚血と腎機能障害に対して緊急ステントグラフト内挿術を施行した1例	前田俊之	第二外科
日本血管外科学会雑誌 2008.06 17巻 3号	胸部外科の指針 右内胸動脈と桡骨動脈のI-composite graftを使用したOPCAB	伊藤寿朗	第二外科
日本血管外科学会雑誌 2008.06 17巻 4号	胸腹部大動脈ホモグラフト置換部破裂に対しステントグラフト内挿術にて救命した1例	伊藤 寿朗	第二外科
European Journal of Cardio-thoracic Surgery 2008.5 33巻 5号	Is video-assisted thoracoscopic surgery a feasible approach for clinical N0 and postoperatively pathological N2 non-small cell lung cancer?	渡辺 敦	第二外科
Circulation Journal 2008.5 72巻 3号	Management of left subclavian artery in endovascular stent-grafting for distal aortic arch disease.	栗本 義彦	第二外科(ICU)
北海道整災外 48:22–26, 2007	骨肉腫がんワクチン療法の開発	塚原智英	整形外科
北海道整災外 48:45–48, 2007	当科における上肢CRPS患者	相木比古乃	整形外科
肩関節 31:465–468, 2007	肩腱板縫合用スチーヤーアンカーの引き抜き強度:生体工学的研究	小畠昌規	整形外科
肩関節 31:481–483, 2007	反復性肩関節前方脱臼に対するBankart & Bristow変法の術後長期成績	上野栄和	整形外科
肩関節 31:397–400, 2007	腱板断裂に対する重層固定法を用いた鏡視下腱板修復術の臨床成績	堀籠圭子	整形外科
肩関節 31:449–451, 2007	Stiff-person症候群に生じた陳旧性両肩関節後方脱臼の1例	館田健児	整形外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
日小整会誌 16:26-29, 2007	屈指症に対する手術成績の検討	射場浩介	整形外科
Osteoporosis Jpn 15:148-151, 2007	Hip Structure Analysisによる骨強度評価	高田潤一	整形外科
骨折 29:436-439, 2007	中高年者の橈骨遠位端骨折に対する非観血的整復の治療成績。 —外固定と経皮ピンニング—	神谷智昭	整形外科
東日本整災会誌 19:73-77, 2007	橈骨遠位端骨折変形治癒の治療成績 橈骨楔状骨切り術と尺骨短縮術の併用	織田 崇	整形外科
透析会誌 40:231-233, 2007	アミロイド骨・関節症の整形外科的治療の現状と課題 —血液透析患者における肘部管症候群の発症.—	射場浩介	整形外科
J Bone Joint Surg 89-A:855-858, 2007	Anterior slip of the capital femoral epiphysis. A case report	Sasaki M	整形外科
J Bone Joint Surg 89-A:399-403, 2007	Long-term follow-up of tuberculosis of the proximal part of the tibia involving the growth plate. A case report	Ohtera K	整形外科
J Bone Joint Surg 89-B:659-663, 2007	Construct validity of the Enneking score for measuring function in patients with malignant or aggressive benign tumours of the upper limb	Wada T	整形外科
J Bone Joint Surg 89-B:1666-1672, 2007	The effects of the sympathetic nerves on lumbar radicular pain. A behavioral and immunohistochemical study	Mizuno S	整形外科
Spine 32:E488-494, 2007	Correlation of scoliotic curvature with Z-score bone mineral density and body mass index in patients with osteogenesis imperfecta	Watanabe G	整形外科
Spine 32:E79-E84, 2007	Plasma neuropeptides in patients undergoing lumbar discectomy	Takeuchi H	整形外科
Spine 32:E65-72, 2007	Electrophysiological changes in dorsal root ganglion neurons and behavioral changes in a lumbar radiculopathy model	Kirita T	整形外科
Bone 41:97-102, 2007	Structural trends in the aging proximal femur in Japanese postmenopausal women	Takada J	整形外科
J Bone Miner Metab 15:142-146, 2007	Changes in bone resorption markers among Japanese patients with postmenopausal osteoporosis treated with alendronate and risedronate	Takada J	整形外科
J Biomed Mater Res 84-A, 128-136, 2007	Spatial distribution of mineralized bone matrix produced by marrow mesenchymal stem cells in self-assembling peptide hydrogel scaffold	Hamada K	整形外科
J Hand Surg 32E:573-577, 2007	Corrective osteotomy for volar instability of the distal radioulnar joint associated with radial shaft malunion	Oda T	整形外科
J Orthop Sci 12:562-567, 2007	Prevention of postoperative progression of pulmonary metastases in osteosarcoma by anti-angiogenic therapy using endostatin	Kaya M	整形外科
Eur Spine J 16:971-975, 2007	Quantitative analysis of sensory functions after lumbar discectomy using current perception threshold testing	Imoto K	整形外科
Cancer Biol Ther 6:e1-e7, 2007	Antitumor effect of adenovirus-mediated p53 family gene transfer on osteosarcoma cell lines	Oshima Y	整形外科
Anticancer Res 27:761-768, 2007	LKB1 is crucial for TRAIL-mediated apoptosis induction in osteosarcoma	Takeda S	整形外科
Knee Surg, Sports Traum 15:720-728, 2007	Arthroscopic evaluation of ACL grafts reconstructed with the anatomical two-bundle technique using hamstring tendon autograft	Otsubo H	整形外科
Injury extra 38:54-58, 2007	Bilateral facet dislocation at the lumbosacral joint. A case study and literature review	Yoshimoto M	整形外科