

Tohoku J. Exp. Med., 211, 89-93. (2007)	Insufficiency fracture of the sternum simulating myocardial infarction:case report and review of the literature.	堀川 明	整形外科
Osteoporosis Int., 18, 1389-1395. (2007)	Effect of lowintensity back exercise on quality of life and back extensor strength in patients with osteoporosis:a randomized controlled trial.	本郷道生	整形外科
J. Neurosurg. Spine, 7, 362-365. (2007)	Progressive myelopathy due to idiopathic intraspinal tumoral calcinosis of the cervical spine:Case report.	宮腰尚久	整形外科
Joint Bone Spine, 74, 270-274. (2007)	Total dorsal ramus block for the treatment of chronic low back pain:a preliminary study.	宮腰尚久	整形外科
Osteoporos Int., 18, 1397-1403. (2007)	Back extensor strength and lumbar spine mobility are predictors of quality of life in patients with postmenopausal osteoporosis.	宮腰尚久	整形外科
Neurol. India., 55, 64-66. (2007)	Intraosseous malignant peripheral nerve sheath tumor with focal epithelioid differentiation of the thoracic spine.	宮腰尚久	整形外科
Revue du Rhumatisme, 74, 486-490. (2007)	Anesthesie complete des racines dorsales pour le traitement des lombalgies chroniques:etude preliminaire.	宮腰尚久	整形外科
Akita J. Med., 35, 47-52. (2008)	Scapulohumeral rhythm during arm rotation	関 展寿	整形外科

小計 8

秋田医師 57 : 97-104, 2007	- 最近の話題- 皮膚の再生医療： 同種培養真皮を用いた皮膚潰瘍治療の試み.	野口奈津子	皮膚科 整形外科
Int J Urol. 2008 Mar;15(3):257-8	Developing multiple lung nodules in a renal transplant recipient with tuberous sclerosis who had undergone bilateral nephrectomy due to renal cell carcinomas	Saito M, Yuasa T, Sato H, Nanjo H, Tsuchiya N, <u>Habuchi T</u>	泌尿器科
Jpn J Clin Oncol. 2008 Feb;38(2):122-8	Prospective Evaluation of Selection Criteria for Active Surveillance in Japanese Patients with Stage T1cN0M0 Prostate Cancer.	Kakehi Y, Kamoto T, Shiraishi T, Ogawa O, Suzukamo Y, Fukuharai S, Saito Y, Tobisu KI, Kakizoe T, Shibata T, Fukuda H, Akakura K, Suzuki H, Shinohara N, Egawa S, Irie A, Sato T, Maeda O, Meguro N, Sumiyoshi Y, Suzuki T, Shimizu N, Arai Y, Terai A, Kato T, <u>Habuchi T</u> , Fujimoto H, Niwakawa M	泌尿器科
Int J Urol. 2008 Feb;15(2):185-7	A case of testicular angiomyolipoma	Saito M, Yuasa T, Nanjo H, Tsuchiya N, Satoh S, <u>Habuchi T</u>	泌尿器科

小計 4

Clin Exp Nephrol. 2008 Feb 8	Thrombotic microangiopathy developing in early stage after renal transplantation with a high trough level of tacrolimus	Saito M, Satoh S, Kaga ya H, Tsuruta H, Obara T, Kuma zawa T, Inoue T, Inoue K, Miura M, Yuasa T, Komatsu da A, Tsuchiya N, <u>Habuchi T</u>	泌尿器科
Prostate. 2008 Feb 15;68(3):321-35.	Candidate genes involved in enhanced growth of human prostate cancer under high fat feeding identified by microarray analysis	Narita S, Tsuchiya N, Saito M, Inoue T, Kummazawa T, Yuasa T, Nakamura A, <u>Habuchi T</u>	泌尿器科
Tohoku J Exp Med. 2007 Dec;213(4):341-9.	Bone marrow-derived cells mobilized by granulocyte-colony stimulating factor facilitate vascular regeneration in mouse kidney after ischemia/reperfusion injury	Akihama S, Sato K, Satoh S, Tsuchiya N, Kato T, Komatsuda A, Hirakawa M, Sawada K, Nanjo H, <u>Habuchi T</u>	泌尿器科
Int J Urol. 2007 Nov;14(11):990-4.	Association of cytokine polymorphisms with subclinical progressive chronic allograft nephropathy in Japanese renal transplant recipients: Preliminary study	Satoh S, Satoh M, Inoue K, Miura M, Komatsuda A, <u>Habuchi T</u>	泌尿器科
Hinyokika Kiyo. 2007 Sep;53(9):613-8.	Possible survival benefit of high-dose-intensity methotrexate, vinblastine, doxorubicin, and cisplatin combination therapy (HD-MVAC) over conventional MVAC in metastatic urothelial carcinoma patients.	Inoue T, Obara T, Saito M, Kumazawa T, Yuasa T, Matsumura S, Tsuchiya N, Satoh S, <u>Habuchi T</u>	泌尿器科

小計 5

Oncol Rep. 2007 Nov;18(5):1155-63	Clinical implication of vascular endothelial growth factor T-460C polymorphism in the risk and progression of prostate cancer.	Fukuda H, Tsuchiya N, Narita S, Kumazawa T, Horikawa Y, Inoue T, Saito M, Yuasa T, Matsuura S, Satoh S, Ogawa O, <u>Habuchi T</u>	泌尿器科
Int J Cancer 2008 Mar 15;122(6):1297-302	Prognostic significance of HIF-1alpha polymorphisms in transitional cell carcinoma of the bladder	Nadaoka J, Horikawa Y, , Saito S, Kumazawa T, Inoue T, Narita S, Yuasa T, Satoh S, NishiyamaH, Ogawa O, Tsuchiya N, Habuchi T	泌尿器科
Int J Urol. 2007 Sep;14(9):859-61.	Solitary upper ureteral malakoplakia successfully diagnosed by ureteroscopic biopsy and treated conservatively	Inoue T, Nishiyama H, Yoshimura K, Ito N, Kamoto T, <u>Habuchi T</u> , Ogawa O	泌尿器科
Curr Med Chem. 2007;14(20):2126-35.	Zoledronic acid - a multiplicity of anti-cancer action.	Yuasa T, Kimura S, Asahihara E, <u>Habuchi T</u> , Maekawa T	泌尿器科
Int J Clin Oncol. 2007 Apr;12(2):131-6.	Lymphatic invasion is a prognostic factor for bladder cancer treated with radical cystectomy.	Horikawa Y, Kumazawa T, Narita S, Inoue T, Yuasa T, Matsuura S, Nanjo H, Satoh S, Tsuchiya N,	泌尿器科

小計 5

		<u>Habuchi T.</u>	
Oncol Rep. 2007 A pr;17(4):761-7.	Low concentrations of the histone deacetylase inhibitor, depsipeptide, enhance the effects of gemcitabine and docetaxel in hormone refractory prostate cancer cells.	Kanzaki M, Kakinuma H, Kumazawa T, Inoue T, Saito M, Narita S, Yuasa T, Tsuchiya N, <u>Habuchi T</u>	泌尿器科
Jpn J Ophthalmol. 51(6)478-480, 2007	Lobular structure of the choriocapillaris in a patient with ophthalmic artery occlusion.	Fujiwara T , Iida T, Kan da N.	眼科
Exp Eye Res. 84: 1039-1046, 2007	Vasodilatory mechanism of evobunolol on vascular smooth muscle cells.	Dong Y, Ishikawa H, Wu Y, Yoshitomi T.	眼科
Exp Eye Res. 84: 626 – 634, 2007	Existence of small slow- cycling Langerhans cells in the limbal basal epithelium that express ABCG2.	Chen W, Harra K, Bu J, Zhao K,Yoshitomi T.	眼科
Cornea. 26: 1101 – 1106, 2007	Keratoconjunctivitis sicca modifiesepithelial stem cell proliferation kinetics in conjunctiva.	Chen W, Zhao K, Li X, Yoshitomi T.	眼科
臨床眼科61(6) :1059-1062 . 2007.	Behcet 病における新規発症患者の動向.	早川宏一 , 昆野清輝 , 高橋和臣 , 吉富健志 , 山木邦比古.	眼科

小計 6

臨床眼科61 (6) :1013 -1016 . 2007.	上眼静脈の狭小化をきたした頸動脈海綿静脈洞瘻の1例	澤田有 , 中山龍子 , 吉富健志	眼科
眼科臨床医報 101(12) : 1159-1162.2007.	原発開放隅角緑内障(広義)におけるラタノプロストの眼圧下降作用:単独切り替え試験による検討.	小野省太 , 石川誠 , 佐藤徳子 , 澤田有 , 池上正人 , 原宏二 , 吉富健志.	眼科
Neurosci. Lett., 414, 35-40, 2007	Expression of ABCA2 protein in both non-myelin-forming and myelin-forming Schwann cells in the rodent peripheral nerve.	齊藤隆志	耳鼻咽喉科
Arch Histol. Cytol. , 70, 267-277, 2007	Soluble EMM-PRIN (extra-cellular matrix metallo-proteinase inducer) stimulates the migration of Hep-2 human laryngeal carcinoma cells, accompanied by increased MMP-2 production in fibroblasts.	花田巨志	耳鼻咽喉科
日耳鼻110, 672-679, 2007	心因性難聴患者における聴性誘発磁場N100mの所見について	坂本賢生	耳鼻咽喉科
Facial N. Res. JPN., 27, 246-248, 2007	当科における顔面神経鞘腫例の検討	佐藤輝幸	耳鼻咽喉科
Facial N. Res. JPN., 27, 235-237, 2007	中枢性顔面麻痺の一例	殷 敏	耳鼻咽喉科
Acta Radiol. 48, 1032-1037 (2007)	Contrast-enhanced multi-shot echo-planar FLAIR in the depiction of metastatic tumors of the brain: comparison with contrast-enhanced spin-echo T1-weighted imaging	Tomura, N. et al	放射線科

小計 8

Eur. Radiol., 17, 2189-2191 (2007)	Efficacy of continuous thrombolytic therapy for portal vein occlusion after hepatobilialy pancreatic surgery.	Hashimoto, M. et al	放射線科
J Magn Reson Imaging 27:1322-1326 (2008)	Tumor-liver contrast and subjective tumor conspicuity of respiratory-triggered T2-weighted fast spin-echo sequence compared with T2-weighted gradient recalled-echo sequence for ferucarbotran-enhanced magnetic resonance imaging of hepatic malignant tumors	Ishiyama K. Et al	放射線科
Osteoarthritis and Cartilage, 15, 291-299.	Induction of osteoclast-like cells derived from the synovial lavage fluids of patients with temporomandibular joint disorders.	Takano, H., Ariyoshi, W., Kanno, T., Fukuhara, E., Ichimiya, H., Matayoshi, T., Goto, T. and Takahashi, T.	歯科口腔外科
Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod., 103, 334-341.	Compressive mechanical stress promotes osteoclast formation through RANKL expression on synovial cells.	Ichimiya, H., Takahashi, T., Ariyoshi, W., Takano, H., Matayoshi, T. and Nishihara, T.	歯科口腔外科
Biochem. Biophys. Res. Commun., 353, 405-411.	Differentiation of an ameloblast-lineage cell line (ALC) is induced by Sonic hedgehog signaling.	Takahashi, S., Kawashima, N., Sakamoto, K., Nakata, A., Kameda, T., Sugiyama, T., Katsube, K. and Suda, H.	歯科口腔外科
Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod., 103, 260-266.	Visualization of anterior disc displacement in temporomandibular disorders on contrast-enhanced magnetic resonance imaging: comparison with T2-weighted, proton density-weighted, and precontrast T1-weighted imaging.	Tomura, N., Otani, T., Narita, K., Sakuma, I., Takahashi, S., Watarai, J. and Ohnuki, T.	歯科口腔外科
Dent. Mater. J., 26, 194-200.	Histological evaluation of apatite cement containing atelocollagen.	Takechi, M., Miyamoto, Y., Ishikawa, K., Momota, Y., Yuasa, T., Tatehara, S., Takano, H., Minamiguchi, S. and Nagayama, M.	歯科口腔外科
癌と化学療法, 34, 2237-2240.	口腔扁平上皮癌に対するS-1とDocetaxel併用療法の臨床効果に関する検討。	中田 憲, 福田 雅幸, 岩波洋一, 伊藤 悠, 高野裕史, 永井 宏和, 南條 博, 宮本	歯科口腔外科

小計 8

		洋二	
素材物性学雑誌, 20, 6-11	頸義歯を支持するインプラントの有限要素法による応力解析(3D 設計ツールによるインプラントの傾斜埋入の影響について).	田中清志, 神谷修	歯科口腔外科
みちのく歯学会雑誌, 38, 7-8.	頸口腔疾患に対するオーラルリハビリテーション.	福田雅幸	歯科口腔外科
みちのく歯学会雑誌, 38, 50.	閉塞型睡眠時無呼吸症候群に対するスリープスプリント療法の検討.	遊佐和之, 中田憲, 佐藤扶美子, 真宮あさり, 吉本正志, 岩波洋一, 伊藤 悠, 高野裕史, 永井宏和, 福田雅幸	歯科口腔外科
みちのく歯学会雑誌, 38, 56.	抗血栓療法を受けている患者における抜歯後の出血管理に関する検討.	佐藤扶美子, 中田憲, 遊佐和之, 真宮あさり, 吉本正志, 岩波洋一, 伊藤 悠, 高野裕史, 永井宏和, 福田雅幸	歯科口腔外科
Oral Surg Oral Med Oral Pathol Oral Radiol Endod, 105, 297-302.	Long-term follow-up of dental implants placed in a grafted alveolar cleft: evaluation of alveolar bone height.	Takahashi, T., Inai, T., Kochi, S., Fukuda, M., Yamaguchi, T., Matsui, K., Echigo, S. and Watanabe, M.	歯科口腔外科
Allergy 62:415-22, 2007	Hepatocyte growth factor attenuates eotaxin and PGD2-induced chemotaxis of human eosinophils.	Ito W, et al	中央検査部

小計 6