

Ann Allergy Asthma Immunol.:99:48-53, 2007	C-reactive protein levels in the serum of asthmatic patients.	Fujita M, et al	中央検査部
Int Arch Allergy Immunol: 143(S1):15-22, 2007	Anti- and proinflammatory effects of 15-deoxy-delta-prostaglandin J2 (15d-PGJ2) on human eosinophil functions.	Ueki S, et al	中央検査部
Int Arch Allergy Immunol.;143 (S1):23-7, 2007	Possible novel receptor for PGD ₂ on human bronchial epithelial cells	Chiba T, et al	中央検査部
Tohoku J Exp Med 211:127-132, 2007	Multiple clinical presentations of anal ultra slow waves and high anal pressure: megacolon, hemorrhoids and constipation.	Yoshino H, et al	中央検査部
J pediatric Surgery 42:1422-1428, 2007	Anal ultraslow waves and high anal pressure in childhood: a clinical condition mimicking hirschsprung disease.	Yohisno H, et al	中央検査部
臨床病理55:105-111, 2007	高齢者の排便障害の病態分析.	萱場広之, et al	中央検査部
臨床病理55:224-229, 2007	周術期抗菌薬使用マニュアル作成と抗MRSA薬使用届出制の導入に対する臨床的検討.	伊藤亘, et al	中央検査部
呼吸26; S24-25, 2007	核内受容体Peroxisome Proliferator-Activated Receptors (PPARs) による好酸球機能制御.	植木重治, et al	中央検査部

小計 8

呼吸26:S30-31, 2007	アレルギー性炎症における高感度CRPによる評価とCRPの役割.	藤田美好, et al	中央検査部
呼吸26:S27, 2007	好酸球表面受容体CCR3, CRTH2に見られる相互作用とその臨床的異議.	鎌田由美子, et al	中央検査部
日本臨床化学会東北支部会誌16:38, 2007	結核菌とMycobacterium intracellulareの重複感染を疑われた1例.	小林則子, et al	中央検査部
呼吸26:S28-29, 2007	アレルギー性気道炎症における性差：リンパ球機能からの解析.	奥山香織, et al	中央検査部
Ther Apher Dial ①11②391-395③2007	A case report of hepatorenal syndrome treated with plasma diafiltration (Selective plasma filtration with dialysis).	中永士師明	救急部
日東医誌 ①58②1127-1131 ③2007	重症熱傷に合併したMRSA感染症に対する十全大補湯の使用経験.	中永士師明	救急部
自己血輸血20、43-48, 2007	貯血式自己血採血の実態調査からみた自己血輸血看護師制度の必要性	面川 進	輸血部
自己血輸血20、49-55, 2007	地域における貯血式自己血輸血の実態—秋田県合同輸血療法委員会による調査から—	面川 進	輸血部

小計 8

Akita J. Med., 34, 129-135. (2007)	Biomechanical analysisi of lower extremities during swing-through gait in non-disabled individuals.	松永俊樹	リハビリテーション部
Akita J. Med., 34, 137-144. (2007)	Clinical experience of functional electrical stimulation (FES) for restoration of tetraplegic hand function.	松永俊樹	リハビリテーション部
Acta Obstet Gynecol Scand., 86, 106-108. 2007	Arias-Stella reaction in an adenomyomatous polyp ofthe uterus.	Sato H., Nanjo H., et al.	産科婦人科病理部
Surg. Today, 37, 173-175, 2007	Cervical approach for resection of a pedunculated giant atypical lipomatous tumor of the esophagus.	Maruyama K., Nanjo H., et al.	第二外科病理部
Int. J. Clin. Oncol., 12, 131-136, 2007	Lymphatic invasion is a prognostic factor for bladdercancer treated with radical cystectomy.	Horikawa Y., Nanjo H., et al.	泌尿器科病理部
Int. J. Hematol., 85, 362-363, 2007	Cytomegalovirus-associated granulomatous gastritis after cord blood transplantation for acute myeloid leukemia.	Fujishima N., Nanjo H., et al.	第三内科病理部
Intern. Med., 46, 705-709, 2007	Small intestinal follicular lymphoma with multiple tumor formations diagnosed by double-balloon enteroscopy.	Higuchi K., Nanjo H., et al.	第一内科病理部
Surgery, 141, 736-747, 2007	Preoperative mapping of lymphatic drainage from thetumor using ferumoxide-enhanced magnetic resonance imaging in clinical submucosal thoracic squamous cell esophageal cancer.	Motoyama S., Nanjo H., et al.	第二外科病理部

小計 8

Pediatr. Int., 49, 526-529, 2007	X-linked adrenal hypoplasia congenita: testicular histology before puberty.	Morii M., Nanjo H., et al.	小兒外科 病理部
Tohoku J. Exp. Med., 213, 341-349, 2007	Bone marrow-derived cells mobilized by granulocyte-colony stimulating factor facilitate vascular regeneration in mouse kidney after ischemia / reperfusion injury.	Akihama S., Nanjo H., et al.	泌尿器科 病理部
Surg Today, 37, 995 - 999, 2007	Alpha-fetoprotein-producing early gastric cancer of the remnant stomach.	Shibata Y., Nanjo H., et al.	第一外科 病理部
Akita J. Med., 33, 121-127, 2007	Retrospective analysis of cancer surveillance colonoscopy for patients with longstanding ulcerative colitis.	Izuka M., Nanjo H., et al.	第一内科 病理部
Pathol Int., 58 : 6 4-68, 2008	Osteopontin expression in the liver with severe perisinusoidal fibrosis : Autopsy case of Down syndrome with transient myeloproliferative disorder.	Tokairin T., Enomoto K., et al.	病理部
Akita J Med 34 123-127 2007	Sialic Acid-rich Glycolipid Of Schizophrenia Sera	Yutaka Masuda	診療センタ ー
Tohoku J. Exp. Med. 213, 341-349.	Bone marrow-derived cells mobilized by granulocyte-colony stimulating factor facilitate vascular regeneration in mouse kidney after ischemia/reperfusion injury.	Akihama, S., Sato, K., Satoh, S., Tsuchiya, N., Kato, T., Komatsu, A., Hirokawa, M., Sawada, K., Nanjo, H., Habuchi, T.	腫瘍センタ ー、泌尿器科 、第三内科

Int. J. Hematol., 86, 291-292.	Prolonged reactivation of cytomegalovirus infection following successful rituximab therapy for Epstein-Barr virus-associated post-transplant lymphoproliferative disorder.	Hirokawa, M., Kawabata, Y., Fujishima, N., Yoshioka, Y., Sawada, K.	腫瘍センター、第三内科
Haematologica, 92, 1021-1028.	Long-term relapse-free survival and overall survival of patients with acquired primary idiopathic PRCA receiving cyclosporine A. A nationwide cohort study in Japan for the PRCA Collaborative Study Group.	Sawada, K., Hirokawa, M., Fujishima, N., Teramura, M., Bessho, M., Dan, K., Tsurumi, H., Nakao, S., Urabe, A., Omine, M., Ozawa, K.	腫瘍センター、第三内科
Clin. Exp. Immunol., 149, 70-79.	Skewed TCR repertoire of V δ 1+ $\gamma\delta$ T lymphocytes after human allogeneic hematopoietic stem cell transplantation and the potential role for Epstein-Barr virus-infected B cells in clonal restriction.	Fujishima, N., Hirokawa, M., Fujishima, M., Yamashita, J., Saitoh, H., Ichikawa, Y., Horiuchi, T., Kawabata, Y., Sawa, da, K.	腫瘍センター、第三内科
Int. J. Hematol., 85, 362-363.	Cytomegalovirus-associated granulomatous gastritis after cord blood transplantation for acute myeloid leukemia.	Fujishima, N., Hirokawa, M., Fujishima, M., Saitoh, H., Odashima, M., Nanjo, H., Sawada, K.	腫瘍センター、第三内科

小計 4

Eur. J. Cardiothoracic Surg., 32, 770-775	Subpleural injection of tracer improves detection of mediastinal sentinel lymph nodes in non-small cell lung cancer.	Minamiya Y, Ito M, Hosono Y, Kawai H, Saito H, Katayose Y, Motoyama S, Ogawa J.	腫瘍センター、第二外科
Anaesthesia, 62, 648-653.	Estimation of pulmonary oxygen consumption in the early postoperative period after thoracic surgery.	Saito H, Minamiya Y, Kawai H, Motoyama S, Katayose Y, Kimura K, Saito R, Ogawa JI.	腫瘍センター、第二外科
臨床血液、48、326-331。	Rituximabを併用したCODOX-M/IVAC療法後に早期再発したt(8;14)とt(14;18)の染色体異常を有するバーキットリンパ腫。	藤島直仁、藤島眞澄、猪又美佳、山中康生、斎藤邦江、亀岡吉弘、吉岡智子、斎藤宏文、高橋直人、廣川 誠、澤田賢一	腫瘍センター、第三内科
Biopharm.Drug Dispos., 28, 167-175.	1) Influence of rabeprazole and lansoprazole on the pharmacokinetics of tacrolimus in Relation to CYP2C19, CYP3A5 and MDR1 polymorphisms in renal transplant recipients.	Miura, M., Inoue, K., Kagaya, H., Satoh, S., Tada, H., Sagae, Y., Habuchi, T. and Suzuki, T. (2007)	薬剤部
Xenobiotica, 37, 169-179.	Identification of human cytochrome P450 enzymes involved in the major metabolic pathway of fluvoxamine.	Miura, M. and Ohkubo, T. (2007)	薬剤部

小計 5

<i>J. Pharm. Biomed. Anal.</i> , 43 , 741-745.	Determination of fexofenadine enantiomers in human plasma with high-performance liquid chromatography.	Miura, M., Uno, T., Tateishi, T. and Suzuki T. (2007)	薬剤部
<i>Chirality</i> , 19 , 223-227.	Pharmacokinetics of fexofenadine enantiomers in healthy subjects.	Miura, M., Uno, T., Tateishi, T. and Suzuki T. (2007)	薬剤部
<i>Eur.J.Clin. Pharmacol.</i> , 63 , 279-288.	Influence of UGT1A8 and UGT2B7 genetic polymorphisms on mycophenolic acid pharmacokinetics in Japanese renal transplant recipients.	Kagaya, H., Inoue, K., Miura, M., Satoh, S., Saito, M., Tada, H., Habuchi, T. and Suzuki, T. (2007)	薬剤部
<i>Clin. Drug Investig.</i> , 27 , 251-258.	Influence of cytochrome P450 (CYP) 3A5 polymorphisms on the pharmacokinetics of lansoprazole enantiomers in CYP2C19 extensive metaboliser renal transplant recipients.	Miura, M., Inoue, K., Satoh, S., Itoh, Y., Kagaya, H., Tada, H., Tanaka, Y., Habuchi, T. and Suzuki, T. (2007)	薬剤部
<i>Ther. Drug Monit.</i> , 29 , 299-304.	Influence of <i>UGT1A7</i> and <i>UGT1A9</i> intronic I399 genetic polymorphisms on mycophenolic acid pharmacokinetics in Japanese renal transplant recipients.	Inoue, K., Miura, M., Satoh, S., Kagaya, H., Saito, M., Habuchi, T. and Suzuki, T. (2007)	薬剤部

小計 5

<i>Eur.J.Clin. Pharmacol.</i> , 63, 1161-1169.	Influence of SLCO1B1, 1B3, 2B1 and ABCC2 genetic polymorphisms on mycophenolic acid pharmacokinetics in Japanese renal transplant recipients.	Miura, M., Satoh, S., Inoue, K., Kagaya, H., Saito, M., Inoue, T., Suzuki, T. and H abuchi, T. (2007)	薬剤部
<i>Yakugaku Zasshi</i> , 127, 1731-1738.	Assessment of compliance for oral medicines with MMSE, Mini-Mental State Examination, in hospitalized elderly patients.	Miura, M., Kakei, M., Iwasawa, S., Morii, T., Miura, T., Sasaki, H., Satoh, T., Fujita, H., Narita, T., Shira kawa, H., Yamada, Y. and Suzu ki, T. (2007)	薬剤部
<i>Biol. Pharm. Bull.</i> , 30, 1996-1998.	No association of the G1287A polymorphism in the norepinephrine transporter gene and susceptibility to major depressive disorder in a Japanese population.	<u>Inoue, K.</u> , <u>Itoh, K.</u> , <u>Y oshida, K.</u> , <u>Higuchi, H.</u> , <u>Kamata, M.</u> , <u>Taka hashi, H.</u> , <u>Shimizu, T.</u> and <u>Suzu ki, T.</u> (2007)	薬剤部
<i>Yakugaku Zasshi</i> , 127, 1747-1756.	Lipids behavior and adverse effects for oral antidiabetic agents in patients with Type 2 diabetes treated with sulfonylureas alone based on systematic review.	Mukai, J., Tada, H., Watanabe, Y., Miura, M., Katsuyama, S., Shoji, T., Moura, K., Eto, M. and Suzuki, T.	薬剤部

小計 4