

## 付表：生活習慣別危険因子の状況

表 -1 性・年齢階級別、歩行数区分別、収縮期血圧値の平均値及び標準偏差（2回の平均値）----全対象者（STD：標準偏差）

		歩行数区分																	
		0-1999			2000-3999			4000-5999			6000-7999			8000-9999			10000-		
		収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢																		
	30-39歳	18	117.2	11.7	79	119.1	15.1	173	115.5	13.7	210	117.5	15.6	155	117.0	14.0	208	117.6	13.6
	40-49歳	20	127.2	18.6	99	125.9	18.3	166	126.0	17.8	201	128.4	17.6	188	126.0	16.0	298	124.7	15.5
	50-59歳	32	140.8	25.9	142	135.1	19.0	250	136.6	19.8	268	133.6	20.2	214	134.4	19.1	414	133.1	19.6
	60-69歳	82	144.9	23.3	204	140.4	17.9	241	142.1	19.4	259	140.3	19.2	204	140.4	18.6	297	140.5	17.4
	70歳-	217	144.1	19.3	241	146.4	18.2	253	145.1	20.4	139	146.2	19.3	96	144.1	18.9	99	145.1	17.0
	計	369	141.8	21.6	765	137.2	20.1	1083	134.8	21.4	1077	132.7	20.8	857	131.9	19.7	1316	131.3	19.2
性別	年齢																		
男性	30-39歳	5	123.2	10.4	34	124.4	15.9	55	122.2	14.0	64	125.3	12.6	47	124.1	10.1	104	123.1	13.5
	40-49歳	8	136.1	24.8	39	127.7	19.0	62	129.5	17.1	72	131.5	16.5	66	131.2	15.7	120	130.0	13.3
	50-59歳	10	158.1	28.0	63	137.4	18.6	99	140.3	20.2	101	136.2	20.1	78	139.2	17.2	170	135.1	20.0
	60-69歳	38	143.2	20.7	95	144.0	18.2	101	142.3	20.8	123	142.0	17.8	94	140.9	16.8	152	141.1	15.7
	70歳-	82	145.3	19.0	91	147.8	18.0	111	145.7	19.2	65	148.6	22.2	37	143.4	18.4	53	143.7	17.5
	計	143	144.3	20.8	322	139.7	19.8	428	138.3	20.5	425	137.4	19.6	322	136.3	17.2	599	134.3	17.7
女性	年齢																		
	30-39歳	13	114.9	11.8	45	115.0	13.3	118	112.3	12.5	146	114.0	15.9	108	113.9	14.3	104	112.2	11.4
	40-49歳	12	121.3	10.4	60	124.6	17.9	104	123.9	18.0	129	126.7	18.1	122	123.1	15.4	178	121.1	15.8
	50-59歳	22	133.0	21.2	79	133.3	19.3	151	134.3	19.1	167	132.1	20.2	136	131.7	19.6	244	131.7	19.3
	60-69歳	44	146.4	25.5	109	137.2	17.1	140	142.0	18.5	136	138.8	20.4	110	139.9	20.0	145	139.8	19.0
	70歳-	135	143.5	19.5	150	145.5	18.3	142	144.5	21.3	74	144.0	16.2	59	144.5	19.4	46	146.6	16.5
	計	226	140.2	21.9	443	135.4	20.1	655	132.6	21.7	652	129.7	21.0	535	129.3	20.5	717	128.8	20.0

表 -2 性・年齢階級別、歩行数区分別、拡張期血圧値の平均値及び標準偏差（2回の平均値）----全対象者（STD：標準偏差）

		歩行数区分																	
		0-1999			2000-3999			4000-5999			6000-7999			8000-9999			10000-		
		拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢																		
	30-39歳	18	74.8	8.7	79	75.5	12.7	173	73.1	10.4	210	73.6	11.2	155	73.6	10.5	208	74.2	10.8
	40-49歳	20	80.7	12.6	99	79.8	12.6	166	79.4	11.6	201	81.3	11.5	188	80.2	11.7	298	78.5	11.5
	50-59歳	32	86.5	14.3	142	84.0	10.8	250	84.8	12.3	268	81.9	12.5	214	82.2	11.5	414	82.5	12.4
	60-69歳	82	84.0	14.0	204	82.7	11.9	241	83.7	11.3	259	82.1	10.5	204	82.2	11.5	297	82.6	10.4
	70歳-	217	77.9	10.6	241	79.7	12.1	253	78.8	11.5	139	80.0	11.0	96	80.3	12.1	99	79.6	11.4
	計	369	80.0	12.2	765	80.9	12.2	1083	80.4	12.2	1077	80.0	11.8	857	80.0	11.8	1316	80.1	11.8
性別	年齢																		
男性	30-39歳	5	80.8	10.6	34	79.1	12.0	55	77.4	9.6	64	78.9	10.3	47	78.6	9.6	104	78.5	11.0
	40-49歳	8	90.8	13.5	39	82.8	11.9	62	82.8	11.5	72	85.8	12.7	66	86.0	11.0	120	82.6	10.5
	50-59歳	10	97.9	13.9	63	86.4	9.6	99	87.8	12.3	101	83.9	12.2	78	85.2	11.3	170	84.1	12.2
	60-69歳	38	84.5	15.3	95	85.0	12.7	101	84.7	11.3	123	83.5	9.3	94	83.3	11.6	152	84.2	9.0
	70歳-	82	79.7	11.9	91	80.5	11.1	111	79.3	11.1	65	80.8	12.5	37	81.2	10.2	53	78.5	11.6
	計	143	82.9	13.9	322	83.1	11.7	428	82.8	11.9	425	82.9	11.5	322	83.4	11.2	599	82.4	11.1
女性	年齢																		
	30-39歳	13	72.5	7.0	45	72.7	12.6	118	71.0	10.1	146	71.3	10.8	108	71.5	10.2	104	69.9	8.7
	40-49歳	12	74.0	5.9	60	77.8	12.8	104	77.4	11.2	129	78.7	10.0	122	77.1	10.9	178	75.8	11.4
	50-59歳	22	81.4	11.5	79	82.1	11.3	151	82.8	12.0	167	80.7	12.6	136	80.5	11.2	244	81.4	12.4
	60-69歳	44	83.6	13.0	109	80.7	10.8	140	83.0	11.3	136	80.9	11.4	110	81.3	11.4	145	81.0	11.5
	70歳-	135	76.9	9.6	150	79.2	12.7	142	78.3	11.9	74	79.4	9.4	59	79.6	13.2	46	80.9	11.3
	計	226	78.2	10.7	443	79.2	12.2	655	78.9	12.1	652	78.1	11.7	535	78.0	11.8	717	78.2	12.1

表 -3 性・年齢階級別、歩行数区分別、血圧区分 - 日本高血圧学会分類 (2回の平均値) ---- 全対象者

性別	計	高血圧学会(平均値)	歩行数区分													
			0-1999		2000-3999		4000-5999		6000-7999		8000-9999		10000-			
			実数	%	実数	%	実数	%	実数	%	実数	%	実数	%		
男性	計	高血圧学会(平均値)	10	7.0	42	13.0	60	14.0	63	14.8	38	11.8	102	17.0		
		適常血圧	19	13.3	45	14.0	69	16.1	80	18.8	67	20.8	118	19.7		
		軽症高血圧	27	18.9	65	20.2	97	22.7	77	18.1	76	23.6	139	23.2		
		中等症高血圧	52	36.4	105	32.6	121	28.3	127	29.9	93	28.9	173	28.9		
		重症高血圧	22	15.4	49	15.2	68	15.9	62	14.6	37	11.5	56	9.3		
		計	13	9.1	16	5.0	13	3.0	16	3.8	11	3.4	11	1.8		
		計	143	100.0	322	100.0	428	100.0	425	100.0	322	100.0	599	100.0		
		30-39歳	計	高血圧学会(平均値)	1	20.0	11	32.4	21	38.2	22	34.4	11	23.4	37	35.6
				適常血圧	2	40.0	9	26.5	16	29.1	13	20.3	18	38.3	30	28.8
				軽症高血圧	1	20.0	6	17.6	9	16.4	13	20.3	10	21.3	14	13.5
				中等症高血圧	1	20.0	6	17.6	8	14.5	14	21.9	8	17.0	20	19.2
				重症高血圧	0	0.0	2	5.9	0	0.0	2	3.1	0	0.0	2	1.9
				計	0	0.0	0	0.0	1	1.8	0	0.0	0	0.0	1	1.0
計	5			100.0	34	100.0	55	100.0	64	100.0	47	100.0	104	100.0		
40-49歳	計			高血圧学会(平均値)	2	25.0	13	33.3	14	22.6	11	15.3	12	18.2	21	17.5
				適常血圧	1	12.5	6	15.4	12	19.4	20	27.8	11	16.7	26	21.7
				軽症高血圧	0	0.0	7	17.9	16	25.8	11	15.3	16	24.2	37	30.8
				中等症高血圧	1	12.5	8	20.5	14	22.6	16	22.2	18	27.3	31	25.8
				重症高血圧	4	50.0	5	12.8	5	8.1	10	13.9	7	10.6	3	2.5
				計	0	0.0	0	0.0	1	1.6	4	5.6	2	3.0	2	1.7
		計	8	100.0	39	100.0	62	100.0	72	100.0	66	100.0	120	100.0		
		50-59歳	計	高血圧学会(平均値)	0	0.0	5	7.9	9	9.1	16	15.8	7	9.0	32	18.8
				適常血圧	0	0.0	11	17.5	15	15.2	19	18.8	15	19.2	33	19.4
				軽症高血圧	4	40.0	23	36.5	22	22.2	25	24.8	18	23.1	37	21.8
				中等症高血圧	1	10.0	16	25.4	29	29.3	25	24.8	22	28.2	40	23.5
				重症高血圧	1	10.0	4	6.3	21	21.2	12	11.9	13	16.7	22	12.9
				計	4	40.0	4	6.3	3	3.0	4	4.0	3	3.8	6	3.5
計	10			100.0	63	100.0	99	100.0	101	100.0	78	100.0	170	100.0		
60-69歳	計			高血圧学会(平均値)	3	7.9	6	6.3	10	9.9	7	5.7	4	4.3	7	4.6
				適常血圧	6	15.8	14	14.7	11	10.9	22	17.9	19	20.2	23	15.1
				軽症高血圧	8	21.1	14	14.7	25	24.8	22	17.9	25	26.6	40	26.3
				中等症高血圧	11	28.9	35	36.8	32	31.7	45	36.6	31	33.0	60	39.5
				重症高血圧	6	15.8	19	20.0	19	18.8	25	20.3	10	10.6	20	13.2
				計	4	10.5	7	7.4	4	4.0	2	1.6	5	5.3	2	1.3
		計	38	100.0	95	100.0	101	100.0	123	100.0	94	100.0	152	100.0		
		70歳-	計	高血圧学会(平均値)	4	4.9	7	7.7	6	5.4	7	10.8	4	10.8	5	9.4
				適常血圧	10	12.2	5	5.5	15	13.5	6	9.2	4	10.8	6	11.3
				軽症高血圧	14	17.1	15	16.5	25	22.5	6	9.2	7	18.9	11	20.8
				中等症高血圧	38	46.3	40	44.0	38	34.2	27	41.5	14	37.8	22	41.5
				重症高血圧	11	13.4	19	20.9	23	20.7	13	20.0	7	18.9	9	17.0
				計	5	6.1	5	5.5	4	3.6	6	9.2	1	2.7	0	0.0
計	82			100.0	91	100.0	111	100.0	65	100.0	37	100.0	53	100.0		
女性	計			高血圧学会(平均値)	34	15.0	81	18.3	196	29.9	207	31.7	178	33.3	243	33.9
				適常血圧	30	13.3	75	16.9	92	14.0	116	17.8	98	18.3	140	19.5
				軽症高血圧	53	23.5	104	23.5	123	18.8	121	18.6	84	15.7	109	15.2
				中等症高血圧	66	29.2	120	27.1	165	25.2	138	21.2	126	23.6	159	22.2
				重症高血圧	29	12.8	46	10.4	57	8.7	55	8.4	34	6.4	55	7.7
				計	14	6.2	17	3.8	22	3.4	15	2.3	15	2.8	11	1.5
		計	226	100.0	443	100.0	655	100.0	652	100.0	535	100.0	717	100.0		
		30-39歳	計	高血圧学会(平均値)	7	53.8	25	55.6	83	70.3	100	68.5	75	69.4	72	69.2
				適常血圧	4	30.8	11	24.4	19	16.1	18	12.3	18	16.7	22	21.2
				軽症高血圧	2	15.4	7	15.6	11	9.3	21	14.4	6	5.6	8	7.7
				中等症高血圧	0	0.0	1	2.2	4	3.4	4	2.7	8	7.4	2	1.9
				重症高血圧	0	0.0	1	2.2	1	0.8	2	1.4	0	0.0	0	0.0
				計	0	0.0	0	0.0	0	0.0	1	0.7	1	0.9	0	0.0
計	13			100.0	45	100.0	118	100.0	146	100.0	108	100.0	104	100.0		
40-49歳	計			高血圧学会(平均値)	6	50.0	20	33.3	46	44.2	40	31.0	47	38.5	84	47.2
				適常血圧	3	25.0	20	33.3	16	15.4	34	26.4	33	27.0	42	23.6
				軽症高血圧	2	16.7	9	15.0	25	24.0	27	20.9	23	18.9	21	11.8
				中等症高血圧	1	8.3	6	10.0	12	11.5	18	14.0	12	9.8	24	13.5
				重症高血圧	0	0.0	4	6.7	4	3.8	8	6.2	6	4.9	5	2.8
				計	0	0.0	1	1.7	1	1.0	2	1.6	1	0.8	2	1.1
		計	12	100.0	60	100.0	104	100.0	129	100.0	122	100.0	178	100.0		
		50-59歳	計	高血圧学会(平均値)	6	27.3	14	17.7	35	23.2	47	28.1	35	25.7	58	23.8
				適常血圧	4	18.2	15	19.0	21	13.9	30	18.0	25	18.4	54	22.1
				軽症高血圧	6	27.3	22	27.8	31	20.5	25	15.0	31	22.8	44	18.0
				中等症高血圧	3	13.6	20	25.3	45	29.8	41	24.6	29	21.3	63	25.8
				重症高血圧	2	9.1	4	5.1	14	9.3	18	10.8	11	8.1	20	8.2
				計	1	4.5	4	5.1	5	3.3	6	3.6	5	3.7	5	2.0
計	22			100.0	79	100.0	151	100.0	167	100.0	136	100.0	244	100.0		
60-69歳	計			高血圧学会(平均値)	4	9.1	13	11.9	19	13.6	16	11.8	16	14.5	25	17.2
				適常血圧	3	6.8	17	15.6	12	8.6	23	16.9	15	13.6	19	13.1
				軽症高血圧	11	25.0	31	28.4	32	22.9	36	26.5	13	11.8	29	20.0
				中等症高血圧	12	27.3	32	29.4	54	38.6	41	30.1	54	49.1	46	31.7
				重症高血圧	8	18.2	14	12.8	16	11.4	14	10.3	7	6.4	23	15.9
				計	6	13.6	2	1.8	7	5.0	6	4.4	5	4.5	3	2.1
		計	44	100.0	109	100.0	140	100.0	136	100.0	110	100.0	145	100.0		
		70歳-	計	高血圧学会(平均値)	11	8.1	9	6.0	13	9.2	4	5.4	5	8.5	4	8.7
				適常血圧	16	11.9	12	8.0	24	16.9	11	14.9	7	11.9	3	6.5
				軽症高血圧	32	23.7	35	23.3	24	16.9	12	16.2	11	18.6	7	15.2
				中等症高血圧	50	37.0	61	40.7	50	35.2	34	45.9	23	39.0	24	52.2
				重症高血圧	19	14.1	23	15.3	22	15.5	13	17.6	10	16.9	7	15.2
				計	7	5.2	10	6.7	9	6.3	0	0.0	3	5.1	1	2.2
計	135			100.0	150	100.0	142	100.0	74	100.0	59	100.0	46	100.0		

表 -4 性・年齢階級別、歩行数区分別、血圧区分 - 旧WHO分類 ( 2 回の平均値 ) ---- 全対象者

性別	計	WHO区分(2回の平均) 正常血圧(<140/90) 境界域血圧(<160/95) 高血圧(160- or 95-) 計	歩行数区分														
			0-1999		2000-3999		4000-5999		6000-7999		8000-9999		10000-				
			実数	%	実数	%	実数	%	実数	%	実数	%	実数	%			
男性	計	WHO区分(2回の平均)															
		正常血圧(<140/90)	56	39.2	152	47.2	226	52.8	220	51.8	181	56.2	359	59.9			
		境界域血圧(<160/95)	47	32.9	93	28.9	105	24.5	114	26.8	81	25.2	139	23.2			
	30-39歳	高血圧(160- or 95-)	40	28.0	77	23.9	97	22.7	91	21.4	60	18.6	101	16.9			
		計	143	100.0	322	100.0	428	100.0	425	100.0	322	100.0	599	100.0			
		WHO区分(2回の平均)															
	40-49歳	正常血圧(<140/90)	4	80.0	26	76.5	46	83.6	48	75.0	39	83.0	81	77.9			
		境界域血圧(<160/95)	0	0	4	11.8	8	14.5	10	15.6	5	10.6	13	12.5			
		高血圧(160- or 95-)	1	20.0	4	11.8	1	1.8	6	9.4	3	6.4	10	9.6			
	50-59歳	計	5	100.0	34	100.0	55	100.0	64	100.0	47	100.0	104	100.0			
		WHO区分(2回の平均)															
		正常血圧(<140/90)	3	37.5	26	66.7	42	67.7	42	58.3	39	59.1	84	70.0			
	60-69歳	境界域血圧(<160/95)	0	0	4	10.3	12	19.4	14	19.4	13	19.7	19	15.8			
		高血圧(160- or 95-)	5	62.5	9	23.1	8	12.9	16	22.2	14	21.2	17	14.2			
		計	8	100.0	39	100.0	62	100.0	72	100.0	66	100.0	120	100.0			
	70歳-	WHO区分(2回の平均)															
		正常血圧(<140/90)	4	40.0	39	61.9	46	46.5	60	59.4	40	51.3	102	60.0			
		境界域血圧(<160/95)	0	0	13	20.6	25	25.3	22	21.8	21	26.9	31	18.2			
女性	計	高血圧(160- or 95-)	6	60.0	11	17.5	28	28.3	19	18.8	17	21.8	37	21.8			
		計	10	100.0	63	100.0	99	100.0	101	100.0	78	100.0	170	100.0			
		WHO区分(2回の平均)															
30-39歳	正常血圧(<140/90)	17	44.7	34	35.8	46	45.5	51	41.5	48	51.1	70	46.1				
	境界域血圧(<160/95)	10	26.3	34	35.8	27	26.7	42	34.1	28	29.8	56	36.8				
	高血圧(160- or 95-)	11	28.9	27	28.4	28	27.7	30	24.4	18	19.1	26	17.1				
40-49歳	計	38	100.0	95	100.0	101	100.0	123	100.0	94	100.0	152	100.0				
	WHO区分(2回の平均)																
	正常血圧(<140/90)	28	34.1	27	29.7	46	41.4	19	29.2	15	40.5	22	41.5				
50-59歳	境界域血圧(<160/95)	37	45.1	38	41.8	33	29.7	26	40.0	14	37.8	20	37.7				
	高血圧(160- or 95-)	17	20.7	26	28.6	32	28.8	20	30.8	8	21.6	11	20.8				
	計	82	100.0	91	100.0	111	100.0	65	100.0	37	100.0	53	100.0				
60-69歳	WHO区分(2回の平均)																
	正常血圧(<140/90)	117	51.8	260	58.7	411	62.7	444	68.1	360	67.3	492	68.6				
	境界域血圧(<160/95)	65	28.8	106	23.9	139	21.2	119	18.3	111	20.7	130	18.1				
70歳-	高血圧(160- or 95-)	44	19.5	77	17.4	105	16.0	89	13.7	64	12.0	95	13.2				
	計	226	100.0	443	100.0	655	100.0	652	100.0	535	100.0	717	100.0				
	WHO区分(2回の平均)																
30-39歳	正常血圧(<140/90)	13	100.0	43	95.6	113	95.8	139	95.2	99	91.7	102	98.1				
	境界域血圧(<160/95)	0	0	0	0	4	3.4	4	2.7	5	4.6	2	1.9				
	高血圧(160- or 95-)	0	0	2	4.4	1	0.8	3	2.1	4	3.7	0	0				
40-49歳	計	13	100.0	45	100.0	118	100.0	146	100.0	108	100.0	104	100.0				
	WHO区分(2回の平均)																
	正常血圧(<140/90)	11	91.7	49	81.7	87	83.7	101	78.3	103	84.4	147	82.6				
50-59歳	境界域血圧(<160/95)	1	8.3	5	8.3	9	8.7	16	12.4	10	8.2	17	9.6				
	高血圧(160- or 95-)	0	0	6	10.0	8	7.7	12	9.3	9	7.4	14	7.9				
	計	12	100.0	60	100.0	104	100.0	129	100.0	122	100.0	178	100.0				
60-69歳	WHO区分(2回の平均)																
	正常血圧(<140/90)	16	72.7	51	64.6	87	57.6	102	61.1	91	66.9	156	63.9				
	境界域血圧(<160/95)	3	13.6	13	16.5	33	21.9	34	20.4	28	20.6	53	21.7				
70歳-	高血圧(160- or 95-)	3	13.6	15	19.0	31	20.5	31	18.6	17	12.5	35	14.3				
	計	22	100.0	79	100.0	151	100.0	167	100.0	136	100.0	244	100.0				
	WHO区分(2回の平均)																
30-39歳	正常血圧(<140/90)	18	40.9	61	56.0	63	45.0	75	55.1	44	40.0	73	50.3				
	境界域血圧(<160/95)	11	25.0	30	27.5	46	32.9	33	24.3	47	42.7	38	26.2				
	高血圧(160- or 95-)	15	34.1	18	16.5	31	22.1	28	20.6	19	17.3	34	23.4				
40-49歳	計	44	100.0	109	100.0	140	100.0	136	100.0	110	100.0	145	100.0				
	WHO区分(2回の平均)																
	正常血圧(<140/90)	59	43.7	56	37.3	61	43.0	27	36.5	23	39.0	14	30.4				
50-59歳	境界域血圧(<160/95)	50	37.0	58	38.7	47	33.1	32	43.2	21	35.6	20	43.5				
	高血圧(160- or 95-)	26	19.3	36	24.0	34	23.9	15	20.3	15	25.4	12	26.1				
	計	135	100.0	150	100.0	142	100.0	74	100.0	59	100.0	46	100.0				

表 -5 性・年齢階級別、歩行数区分別、血清HDL - コレステロールの平均値及び標準偏差  
(STD: 標準偏差)

		歩行数区分																	
		0-1999			2000-3999			4000-5999			6000-7999			8000-9999			10000-		
		HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年 齢																		
	30-39歳	17	57.6	11.6	68	56.6	14.8	164	58.7	14.6	193	60.7	16.8	147	62.6	15.0	188	62.3	15.5
	40-49歳	17	52.1	16.0	87	56.4	16.3	156	56.9	14.2	187	59.7	16.3	173	63.2	16.5	279	61.1	15.4
	50-59歳	27	62.9	17.2	125	53.6	15.7	226	58.6	16.3	254	59.5	16.5	196	60.3	16.8	383	60.1	17.0
	60-69歳	69	53.4	14.8	178	53.8	13.9	230	55.1	13.7	240	54.4	15.2	190	55.2	15.8	270	57.6	16.5
	70歳-	178	54.2	15.8	220	56.6	15.9	238	54.4	14.1	129	55.6	15.9	87	54.6	15.6	95	58.2	14.8
	計	308	54.8	15.7	678	55.3	15.3	1014	56.6	14.7	1003	58.0	16.3	793	59.5	16.4	1215	60.0	16.2
性 別	年 齢																		
	男 性																		
	30-39歳	5	52.4	9.2	30	51.8	16.8	53	52.4	13.1	57	54.6	15.0	42	54.3	14.6	91	55.6	13.1
	40-49歳	7	46.3	15.5	34	47.7	10.1	58	52.2	10.8	68	52.3	14.9	58	56.7	18.6	110	55.9	16.2
	50-59歳	8	51.5	18.7	59	50.2	16.5	83	53.7	14.5	94	53.3	14.8	69	55.8	16.7	155	55.6	15.1
	60-69歳	34	50.5	13.0	82	49.8	12.4	96	53.0	14.2	116	51.8	14.2	88	52.4	14.8	139	53.9	15.8
	70歳-	75	50.2	16.6	84	53.3	17.9	104	50.7	12.8	59	52.6	15.5	33	54.1	16.4	50	55.5	15.4
	計	129	50.3	15.4	289	50.9	15.3	394	52.4	13.3	394	52.8	14.7	290	54.5	16.2	545	55.2	15.2
女 性	年 齢																		
	30-39歳	12	59.8	12.1	38	60.4	11.9	111	61.8	14.4	136	63.2	16.8	105	65.9	14.0	97	68.6	15.0
	40-49歳	10	56.2	15.7	53	61.9	17.1	98	59.6	15.3	119	63.9	15.6	115	66.5	14.3	169	64.5	14.0
	50-59歳	19	67.7	14.5	66	56.7	14.4	143	61.4	16.7	160	63.1	16.4	127	62.7	16.5	228	63.1	17.6
	60-69歳	35	56.1	16.1	96	57.2	14.2	134	56.7	13.2	124	56.9	15.7	102	57.6	16.3	131	61.5	16.4
	70歳-	103	57.0	14.7	136	58.7	14.1	134	57.3	14.4	70	58.0	15.9	54	55.0	15.2	45	61.2	13.7
	計	179	58.1	15.1	389	58.6	14.5	620	59.3	15.0	609	61.4	16.3	503	62.4	15.8	670	63.8	16.0

表 -6 性・年齢階級別、歩行数区分別、血清HDL-コレステロール分布

性別	計	HDLコレステロール(mg/dl)	歩行数区分																		
			0-1999		2000-3999		4000-5999		6000-7999		8000-9999		10000-								
			実数	%	実数	%	実数	%	実数	%	実数	%	実数	%							
男性	計	-39	34	26.4	62	21.5	64	16.2	66	16.8	50	17.2	72	13.2							
		40-49	39	30.2	90	31.1	125	31.7	118	29.9	67	23.1	138	25.3							
		50-59	31	24.0	76	26.3	103	26.1	100	25.4	81	27.9	140	25.7							
		60-69	12	9.3	28	9.7	64	16.2	62	15.7	44	15.2	110	20.2							
		70-79	7	5.4	24	8.3	24	6.1	26	6.6	26	9.0	48	8.8							
		80-	7	4.7	9	3.1	14	3.6	22	5.6	22	7.6	37	6.8							
		計	129	100.0	289	100.0	394	100.0	394	100.0	290	100.0	545	100.0							
		30-39歳	年 齢	HDLコレステロール(mg/dl)	-39	0	0	6	20.0	8	15.1	7	12.3	5	11.9	8	8.8				
					40-49	2	40.0	8	26.7	20	37.7	16	28.1	10	23.8	25	27.5				
					50-59	2	40.0	11	36.7	12	22.6	16	28.1	16	38.1	19	20.9				
					60-69	1	20.0	1	3.3	7	13.2	11	19.3	6	14.3	26	28.6				
					70-79	0	0	2	6.7	4	7.5	3	5.3	3	7.1	9	9.9				
					80-	0	0	2	6.7	2	3.8	4	7.0	2	4.8	4	4.4				
					計	5	100.0	30	100.0	53	100.0	57	100.0	42	100.0	91	100.0				
					40-49歳	年 齢	HDLコレステロール(mg/dl)	-39	4	57.1	7	20.6	7	12.1	11	16.2	8	13.8	11	10.0	
								40-49	0	0	14	41.2	18	31.0	27	39.7	15	25.9	32	29.1	
								50-59	2	28.6	10	29.4	19	32.8	12	17.6	16	27.6	27	24.5	
		60-69	0	0				2	5.9	10	17.2	10	14.7	9	15.5	20	18.2				
		70-79	1	14.3				1	2.9	4	6.9	3	4.4	5	8.6	10	9.1				
		80-	0	0				0	0	0	0	5	7.4	5	8.6	10	9.1				
		計	7	100.0				34	100.0	58	100.0	68	100.0	58	100.0	110	100.0				
		50-59歳	年 齢	HDLコレステロール(mg/dl)				-39	2	25.0	13	22.0	8	9.6	13	13.8	12	17.4	23	14.8	
								40-49	2	25.0	21	35.6	31	37.3	28	29.8	12	17.4	32	20.6	
								50-59	1	12.5	13	22.0	21	25.3	27	28.7	23	33.3	41	26.5	
					60-69	1	12.5	5	8.5	13	15.7	13	13.8	8	11.6	37	23.9				
					70-79	2	25.0	6	10.2	5	6.0	7	7.4	4	5.8	13	8.4				
80-	0				0	1	1.7	5	6.0	6	6.4	10	14.5	9	5.8						
計	8				100.0	59	100.0	83	100.0	94	100.0	69	100.0	155	100.0						
60-69歳	年 齢				HDLコレステロール(mg/dl)	-39	6	17.6	17	20.7	20	20.8	21	18.1	18	20.5	21	15.1			
						40-49	14	41.2	27	32.9	25	26.0	34	29.3	22	25.0	40	28.8			
						50-59	6	17.6	21	25.6	19	19.8	32	27.6	20	22.7	36	25.9			
		60-69	5	14.7		12	14.6	23	24.0	17	14.7	15	17.0	20	14.4						
		70-79	1	2.9		4	4.9	5	5.2	9	7.8	10	11.4	12	8.6						
		80-	2	5.9		1	1.2	4	4.2	3	2.6	3	3.4	10	7.2						
		計	34	100.0		82	100.0	96	100.0	116	100.0	88	100.0	139	100.0						
		70歳-	年 齢	HDLコレステロール(mg/dl)		-39	22	29.3	19	22.6	21	20.2	14	23.7	7	21.2	9	18.0			
						40-49	21	28.0	20	23.8	31	29.8	13	22.0	8	24.2	9	18.0			
						50-59	20	26.7	21	25.0	32	30.8	13	22.0	6	18.2	17	34.0			
60-69	5				6.7	8	9.5	11	10.6	11	18.6	6	18.2	7	14.0						
70-79	3				4.0	11	13.1	6	5.8	4	6.8	4	12.1	4	8.0						
80-	4				5.3	5	6.0	3	2.9	4	6.8	2	6.1	4	8.0						
計	75				100.0	84	100.0	104	100.0	59	100.0	33	100.0	50	100.0						
女性	計				HDLコレステロール(mg/dl)	-39	19	10.6	28	7.2	45	7.3	47	7.7	21	4.2	29	4.3			
						40-49	37	20.7	80	20.6	129	20.8	100	16.4	88	17.5	96	14.3			
						50-59	40	22.3	119	30.6	168	27.1	145	23.8	123	24.5	152	22.7			
		60-69	49	27.4		74	19.0	140	22.6	141	23.2	129	25.6	163	24.3						
		70-79	21	11.7		60	15.4	77	12.4	104	17.1	74	14.7	131	19.6						
		80-	13	7.3		28	7.2	61	9.8	72	11.8	68	13.5	99	14.8						
		計	179	100.0		389	100.0	620	100.0	609	100.0	503	100.0	670	100.0						
		30-39歳	年 齢	HDLコレステロール(mg/dl)		-39	1	8.3	1	2.6	4	3.6	9	6.6	1	1.0	0	0			
						40-49	1	8.3	6	15.8	17	15.3	20	14.7	11	10.5	9	9.3			
						50-59	4	33.3	12	31.6	33	29.7	31	22.8	25	23.8	20	20.6			
						60-69	4	33.3	10	26.3	28	25.2	28	20.6	30	28.6	27	27.8			
						70-79	1	8.3	7	18.4	18	16.2	24	17.6	23	21.9	20	20.6			
						80-	1	8.3	2	5.3	11	9.9	24	17.6	15	14.3	21	21.6			
						計	12	100.0	38	100.0	111	100.0	136	100.0	105	100.0	97	100.0			
						40-49歳	年 齢	HDLコレステロール(mg/dl)	-39	1	10.0	4	7.5	7	7.1	5	4.2	1	0.9	7	4.1
									40-49	3	30.0	7	13.2	17	17.3	17	14.3	15	13.0	17	10.1
									50-59	2	20.0	16	30.2	31	31.6	21	17.6	23	20.0	40	23.7
		60-69	3	30.0					9	17.0	20	20.4	38	31.9	32	27.8	39	23.1			
		70-79	0	0					8	15.4	14	14.3	24	20.2	22	19.1	43	25.4			
		80-	1	10.0					8	15.1	9	9.2	14	11.8	22	19.1	23	13.6			
		計	10	100.0					53	100.0	98	100.0	119	100.0	115	100.0	169	100.0			
		50-59歳	年 齢	HDLコレステロール(mg/dl)					-39	0	0	6	9.1	11	7.7	11	6.9	4	3.1	11	4.8
									40-49	1	5.3	17	25.8	29	20.3	22	13.8	26	20.5	41	18.0
									50-59	6	31.6	19	28.8	32	22.4	38	23.8	28	22.0	46	20.2
						60-69	4	21.1	9	13.6	25	17.5	38	23.8	34	26.8	61	26.8			
						70-79	4	21.1	10	15.2	22	15.4	29	18.1	17	13.4	35	15.4			
80-	4				21.1	5	7.6	24	16.8	22	13.8	18	14.2	34	14.9						
計	19				100.0	66	100.0	143	100.0	160	100.0	127	100.0	228	100.0						
60-69歳	年 齢				HDLコレステロール(mg/dl)	-39	4	11.4	8	8.3	6	4.5	14	11.3	10	9.8	9	6.9			
						40-49	12	34.3	22	22.9	39	29.1	27	21.8	21	20.6	21	16.0			
						50-59	5	14.3	31	32.3	39	29.1	37	29.8	26	25.5	36	27.5			
		60-69	9	25.7		16	16.7	31	23.1	21	16.9	27	26.5	25	19.1						
		70-79	3	8.6		15	15.6	11	8.2	16	12.9	10	9.8	24	18.3						
		80-	2	5.7		4	4.2	8	6.0	9	7.3	8	7.8	16	12.2						
		計	35	100.0		96	100.0	134	100.0	124	100.0	102	100.0	131	100.0						
		70歳-	年 齢	HDLコレステロール(mg/dl)		-39	13	12.6	9	6.6	17	12.7	8	11.4	5	9.3	2	4.4			
						40-49	20	19.4	28	20.6	27	20.1	14	20.0	15	27.8	8	17.8			
						50-59	23	22.3	41	30.1	33	24.6	18	25.7	21	38.9	10	22.2			
60-69	29				28.2	30	22.1	36	26.9	16	22.9	6	11.1	11	24.4						
70-79	13				12.6	19	14.0	12	9.0	11	15.7	2	3.7	9	20.0						
80-	5				4.9	9	6.6	9	6.7	3	4.3	5	9.3	5	11.1						
計	103				100.0	136	100.0	134	100.0	70	100.0	54	100.0	45	100.0						

表 -7 性・年齢階級別、歩行数区分別、トリグリセリド値の平均値及び標準偏差  
(STD: 標準偏差)

		歩行数区分																	
		0-1999			2000-3999			4000-5999			6000-7999			8000-9999			10000-		
		トリグリセリド (mg/dl)			トリグリセリド (mg/dl)			トリグリセリド (mg/dl)			トリグリセリド (mg/dl)			トリグリセリド (mg/dl)			トリグリセリド (mg/dl)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢																		
	30-39歳	17	153.9	135.1	68	173.7	168.0	164	128.9	102.7	193	127.6	122.4	147	113.5	91.6	188	114.3	106.3
	40-49歳	17	159.7	101.2	87	152.6	117.8	156	153.8	107.6	187	140.9	90.3	173	125.1	73.9	279	130.3	96.5
	50-59歳	27	159.6	108.3	125	172.8	114.5	226	172.1	217.8	254	146.4	91.3	196	138.3	88.1	383	144.0	77.1
	60-69歳	69	158.5	88.1	178	163.9	103.3	230	154.0	85.8	240	147.1	89.2	190	158.0	100.3	270	152.6	99.6
	70歳-	178	138.7	84.2	220	142.8	90.8	238	148.2	87.6	129	155.1	88.6	87	150.4	92.5	95	128.0	70.3
	計	308	146.9	91.5	678	158.2	112.1	1014	152.6	132.8	1003	143.0	97.3	793	137.9	90.7	1215	136.9	92.3
性別	年齢																		
男性	30-39歳	5	185.2	56.8	30	233.3	211.0	53	191.5	146.7	57	192.9	189.6	42	163.1	126.1	91	145.0	134.1
	40-49歳	7	208.4	118.9	34	207.8	147.2	58	176.5	116.3	68	182.3	107.6	58	164.7	91.6	110	168.6	105.3
	50-59歳	8	197.6	117.2	59	160.5	87.7	83	214.6	333.8	94	158.6	93.9	69	164.1	110.9	155	142.6	66.3
	60-69歳	34	153.7	87.8	82	180.0	123.9	96	163.2	97.8	116	155.0	89.0	88	156.5	96.8	139	162.5	101.1
	70歳-	75	142.3	72.9	84	144.5	95.5	104	144.2	78.0	59	157.6	106.8	33	137.4	99.2	50	112.0	59.9
	計	129	154.0	83.5	289	174.5	127.5	394	174.8	180.6	394	166.5	115.7	290	158.7	103.9	545	150.5	98.1
女性	年齢																		
	30-39歳	12	140.8	157.2	38	126.6	105.1	111	99.0	51.6	136	100.2	61.8	105	93.7	64.2	97	85.5	58.2
	40-49歳	10	125.5	74.9	53	117.2	77.0	98	140.4	100.3	119	117.2	68.7	115	105.1	53.4	169	105.4	81.5
	50-59歳	19	143.5	103.4	66	183.7	133.8	143	147.4	95.7	160	139.2	89.2	127	124.2	69.3	228	145.0	83.8
	60-69歳	35	163.2	89.4	96	150.2	79.8	134	147.3	75.7	124	139.8	89.2	102	159.3	103.7	131	142.1	97.3
	70歳-	103	136.0	91.7	136	141.7	88.1	134	151.4	94.5	70	152.9	70.5	54	158.3	88.1	45	145.8	77.1
	計	179	141.8	96.8	389	146.1	97.5	620	138.5	87.5	609	127.9	79.7	503	124.2	79.7	670	125.9	85.5

表 -8 性・年齢階級別、歩行数区分別、トリグリセリド分布

性別	計	トリグリセリド (mg/dl)	歩行数区分																	
			0-1999		2000-3999		4000-5999		6000-7999		8000-9999		10000-							
			実数	%	実数	%	実数	%	実数	%	実数	%	実数	%						
男性	計	-149	78	60.5	163	56.4	227	57.6	226	57.4	180	62.1	336	61.7						
		150-199	25	19.4	47	16.3	61	15.5	69	17.5	41	14.1	94	17.2						
		200-249	10	7.8	32	11.1	43	10.9	40	10.2	26	9.0	58	10.6						
		250-299	9	7.0	13	4.5	24	6.1	20	5.1	13	4.5	25	4.6						
		300-	7	5.4	34	11.8	39	9.9	39	9.9	30	10.3	32	5.9						
		計	129	100.0	289	100.0	394	100.0	394	100.0	290	100.0	545	100.0						
		女性	計	-149	2	40.0	15	50.0	26	49.1	28	49.1	30	71.4	64	70.3				
				150-199	1	20.0	4	13.3	11	20.8	13	22.8	3	7.1	13	14.3				
				200-249	2	40.0	2	6.7	7	13.2	5	8.8	1	2.4	5	5.5				
				250-299	0	0	2	6.7	2	3.8	4	7.0	1	2.4	2	2.2				
				300-	0	0	7	23.3	7	13.2	7	12.3	7	16.7	7	7.7				
				計	5	100.0	30	100.0	53	100.0	57	100.0	42	100.0	91	100.0				
				男性	30-39歳	-149	3	42.9	15	44.1	32	55.2	36	52.9	29	50.0	57	51.8		
						150-199	0	0	8	23.5	7	12.1	13	19.1	14	24.1	23	20.9		
						200-249	1	14.3	4	11.8	12	20.7	5	7.4	6	10.3	11	10.0		
						250-299	1	14.3	1	2.9	1	1.7	5	7.4	5	8.6	9	8.2		
						300-	2	28.6	6	17.6	6	10.3	9	13.2	4	6.9	10	9.1		
						計	7	100.0	34	100.0	58	100.0	68	100.0	58	100.0	110	100.0		
						女性	40-49歳	-149	3	37.5	34	57.6	41	49.4	57	60.6	45	65.2	95	61.3
								150-199	1	12.5	9	15.3	15	18.1	14	14.9	6	8.7	32	20.6
								200-249	2	25.0	10	16.9	11	13.3	9	9.6	5	7.2	18	11.6
								250-299	1	12.5	2	3.4	5	6.0	5	5.3	2	2.9	6	3.9
								300-	1	12.5	4	6.8	11	13.3	9	9.6	11	15.9	4	2.6
								計	8	100.0	59	100.0	83	100.0	94	100.0	69	100.0	155	100.0
男性	50-59歳							-149	22	64.7	45	54.9	58	60.4	66	56.9	54	61.4	79	56.8
								150-199	6	17.6	15	18.3	16	16.7	23	19.8	12	13.6	22	15.8
								200-249	1	2.9	7	8.5	4	4.2	14	12.1	11	12.5	21	15.1
								250-299	3	8.8	3	3.7	9	9.4	4	3.4	5	5.7	7	5.0
								300-	2	5.9	12	14.6	9	9.4	9	7.8	6	6.8	10	7.2
								計	34	100.0	82	100.0	96	100.0	116	100.0	88	100.0	139	100.0
		女性	60-69歳					-149	48	64.0	54	64.3	70	67.3	39	66.1	22	66.7	41	82.0
								150-199	17	22.7	11	13.1	12	11.5	6	10.2	6	18.2	4	8.0
								200-249	4	5.3	9	10.7	9	8.7	7	11.9	3	9.1	3	6.0
								250-299	4	5.3	5	6.0	7	6.7	2	3.4	0	0	1	2.0
								300-	2	2.7	5	6.0	6	5.8	5	8.5	2	6.1	1	2.0
								計	75	100.0	84	100.0	104	100.0	59	100.0	33	100.0	50	100.0
				男性	70歳-			-149	118	65.9	258	66.3	423	68.2	446	73.2	372	74.0	492	73.4
								150-199	29	16.2	52	13.4	94	15.2	83	13.6	73	14.5	87	13.0
								200-249	15	8.4	31	8.0	46	7.4	32	5.3	28	5.6	37	5.5
								250-299	8	4.5	22	5.7	22	3.5	19	3.1	15	3.0	22	3.3
								300-	9	5.0	26	6.7	35	5.6	29	4.8	15	3.0	32	4.8
								計	179	100.0	389	100.0	620	100.0	609	100.0	503	100.0	670	100.0
						女性	30-39歳	-149	9	75.0	30	78.9	96	86.5	118	86.8	92	87.6	88	90.7
								150-199	2	16.7	2	5.3	9	8.1	10	7.4	9	8.6	4	4.1
								200-249	0	0	0	0	4	3.6	3	2.2	2	1.9	3	3.1
								250-299	0	0	1	2.6	1	0.9	2	1.5	0	0	0	0
								300-	1	8.3	5	13.2	1	0.9	3	2.2	2	1.9	2	2.1
								計	12	100.0	38	100.0	111	100.0	136	100.0	105	100.0	97	100.0
男性	40-49歳							-149	6	60.0	42	79.2	69	70.4	92	77.3	95	82.6	140	82.8
								150-199	2	20.0	1	1.9	11	11.2	15	12.6	11	9.6	22	13.0
								200-249	1	10.0	6	11.3	8	8.2	4	3.4	5	4.3	2	1.2
								250-299	1	10.0	2	3.8	3	3.1	3	2.5	4	3.5	3	1.8
								300-	0	0	2	3.8	7	7.1	5	4.2	0	0	2	1.2
								計	10	100.0	53	100.0	98	100.0	119	100.0	115	100.0	169	100.0
		女性	50-59歳					-149	13	68.4	38	57.6	94	65.7	109	68.1	96	75.6	148	64.9
								150-199	3	15.8	9	13.6	21	14.7	23	14.4	18	14.2	36	15.8
								200-249	1	5.3	5	7.6	11	7.7	14	8.8	6	4.7	18	7.9
								250-299	0	0	5	7.6	6	4.2	3	1.9	4	3.1	9	3.9
								300-	2	10.5	9	13.6	11	7.7	11	6.9	3	2.4	17	7.5
								計	19	100.0	66	100.0	143	100.0	160	100.0	127	100.0	228	100.0
				男性	60-69歳			-149	17	48.6	57	59.4	82	61.2	89	71.8	63	61.8	89	67.9
								150-199	10	28.6	18	18.8	26	19.4	15	12.1	15	14.7	18	13.7
								200-249	4	11.4	11	11.5	12	9.0	5	4.0	12	11.8	7	5.3
								250-299	1	2.9	8	8.3	4	3.0	7	5.6	6	5.9	7	5.3
								300-	3	8.6	2	2.1	10	7.5	8	6.5	6	5.9	10	7.6
								計	35	100.0	96	100.0	134	100.0	124	100.0	102	100.0	131	100.0
						女性	70歳-	-149	73	70.9	91	66.9	82	61.2	38	54.3	26	48.1	27	60.0
								150-199	12	11.7	22	16.2	27	20.1	20	28.6	20	37.0	7	15.6
								200-249	9	8.7	9	6.6	11	8.2	6	8.6	3	5.6	7	15.6
								250-299	6	5.8	6	4.4	8	6.0	4	5.7	1	1.9	3	6.7
								300-	3	2.9	8	5.9	6	4.5	2	2.9	4	7.4	1	2.2
								計	103	100.0	136	100.0	134	100.0	70	100.0	54	100.0	45	100.0

表 -9 性・年齢階級別、歩行数区分別、BMI (Body Mass Index) の平均値及び標準偏差 (STD: 標準偏差)

		歩行数区分																	
		0-1999			2000-3999			4000-5999			6000-7999			8000-9999			10000-		
		Body Mass Index			Body Mass Index			Body Mass Index			Body Mass Index			Body Mass Index			Body Mass Index		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢																		
	30-39歳	33	24.6	4.8	127	23.1	4.1	237	22.7	3.7	271	22.1	3.6	214	21.9	3.2	318	22.2	3.0
	40-49歳	33	24.2	3.6	141	23.3	3.3	226	23.4	3.5	251	23.2	3.4	248	23.0	3.7	422	22.8	3.1
	50-59歳	44	24.4	3.9	195	23.9	3.6	316	23.6	3.3	343	23.1	3.4	273	23.3	2.8	505	22.8	2.9
	60-69歳	102	24.4	3.9	232	23.9	3.3	281	24.1	3.7	299	23.2	3.0	228	23.5	3.0	333	23.2	2.9
	70歳-	289	22.7	3.8	281	22.8	3.1	278	23.2	3.2	159	23.3	3.3	110	22.5	2.9	107	22.5	3.0
	計	501	23.4	4.0	976	23.4	3.5	1338	23.4	3.5	1323	23.0	3.4	1073	22.9	3.2	1685	22.7	3.0
性別	年齢																		
男性	30-39歳	9	26.6	4.1	58	23.9	4.5	91	24.1	3.2	94	23.0	3.0	86	23.2	2.9	180	23.2	3.0
	40-49歳	17	24.8	3.6	58	23.5	2.9	101	23.8	2.9	102	23.6	2.8	99	23.9	4.6	207	23.2	2.9
	50-59歳	18	24.8	3.5	96	24.7	3.9	141	24.1	2.9	139	23.3	2.8	114	23.4	2.6	230	23.0	2.9
	60-69歳	45	24.1	3.6	110	23.7	3.1	120	23.9	3.6	142	23.5	2.8	111	23.5	2.6	174	23.2	2.7
	70歳-	114	22.6	3.3	107	22.7	3.0	122	22.9	2.8	77	22.8	3.2	42	22.0	2.9	58	22.1	2.3
	計	203	23.5	3.6	429	23.7	3.5	575	23.8	3.1	554	23.3	2.9	452	23.4	3.3	849	23.1	2.8
女性	年齢																		
	30-39歳	24	23.8	4.9	69	22.4	3.7	146	21.8	3.7	177	21.6	3.8	128	21.0	3.1	138	20.9	2.6
	40-49歳	16	23.5	3.7	83	23.1	3.7	125	23.1	3.9	149	22.9	3.8	149	22.3	2.8	215	22.4	3.3
	50-59歳	26	24.1	4.1	99	23.2	3.1	175	23.2	3.6	204	22.9	3.7	159	23.2	2.9	275	22.6	2.9
	60-69歳	57	24.6	4.2	122	24.0	3.6	161	24.2	3.8	157	23.0	3.1	117	23.6	3.4	159	23.2	3.1
	70歳-	175	22.7	4.1	174	22.8	3.2	156	23.4	3.5	82	23.7	3.2	68	22.7	2.9	49	23.0	3.6
	計	298	23.3	4.2	547	23.1	3.4	763	23.2	3.8	769	22.7	3.6	621	22.6	3.2	836	22.4	3.1



表 -10 性・年齢階級別、歩行数区分別、BMI区分

性別	計	肥満度(BMI)	歩行数区分											
			0-1999		2000-3999		4000-5999		6000-7999		8000-9999		10000-	
			実数	%	実数	%	実数	%	実数	%	実数	%	実数	%
男性	計	BMI:<18.5	14	6.9	27	6.3	19	3.3	18	3.2	15	3.3	37	4.4
		BMI:18.5-<25	116	57.1	258	60.1	369	64.2	384	69.3	319	70.6	613	72.2
		BMI:>=25	73	36.0	144	33.6	187	32.5	152	27.4	118	26.1	199	23.4
		計	203	100.0	429	100.0	575	100.0	554	100.0	452	100.0	849	100.0
	30-39歳	BMI:<18.5	0	0	7	12.1	0	0	3	3.2	1	1.2	8	4.4
		BMI:18.5-<25	4	44.4	32	55.2	60	65.9	72	76.6	65	75.6	124	68.9
		BMI:>=25	5	55.6	19	32.8	31	34.1	19	20.2	20	23.3	48	26.7
		計	9	100.0	58	100.0	91	100.0	94	100.0	86	100.0	180	100.0
	40-49歳	BMI:<18.5	1	5.9	1	1.7	1	1.0	2	2.0	3	3.0	7	3.4
		BMI:18.5-<25	8	47.1	39	67.2	67	66.3	70	68.6	63	63.6	153	73.9
		BMI:>=25	8	47.1	18	31.0	33	32.7	30	29.4	33	33.3	47	22.7
		計	17	100.0	58	100.0	101	100.0	102	100.0	99	100.0	207	100.0
	50-59歳	BMI:<18.5	0	0	4	4.2	3	2.1	4	2.9	3	2.6	13	5.7
		BMI:18.5-<25	8	44.4	48	50.0	85	60.3	96	69.1	84	73.7	163	70.9
		BMI:>=25	10	55.6	44	45.8	53	37.6	39	28.1	27	23.7	54	23.5
		計	18	100.0	96	100.0	141	100.0	139	100.0	114	100.0	230	100.0
	60-69歳	BMI:<18.5	1	2.2	5	4.5	6	5.0	4	2.8	3	2.7	4	2.3
		BMI:18.5-<25	26	57.8	68	61.8	71	59.2	95	66.9	75	67.6	126	72.4
		BMI:>=25	18	40.0	37	33.6	43	35.8	43	30.3	33	29.7	44	25.3
		計	45	100.0	110	100.0	120	100.0	142	100.0	111	100.0	174	100.0
	70歳-	BMI:<18.5	12	10.5	10	9.3	9	7.4	5	6.5	5	11.9	5	8.6
BMI:18.5-<25		70	61.4	71	66.4	86	70.5	51	66.2	32	76.2	47	81.0	
BMI:>=25		32	28.1	26	24.3	27	22.1	21	27.3	5	11.9	6	10.3	
	計	114	100.0	107	100.0	122	100.0	77	100.0	42	100.0	58	100.0	
女性	計	BMI:<18.5	30	10.1	32	5.9	63	8.3	68	8.8	45	7.2	75	9.0
		BMI:18.5-<25	176	59.1	368	67.3	491	64.4	523	68.0	463	74.6	606	72.5
		BMI:>=25	92	30.9	147	26.9	209	27.4	178	23.1	113	18.2	155	18.5
		計	298	100.0	547	100.0	763	100.0	769	100.0	621	100.0	836	100.0
	30-39歳	BMI:<18.5	2	8.3	7	10.1	22	15.1	32	18.1	24	18.8	27	19.6
		BMI:18.5-<25	15	62.5	48	69.6	104	71.2	118	66.7	90	70.3	102	73.9
		BMI:>=25	7	29.2	14	20.3	20	13.7	27	15.3	14	10.9	9	6.5
		計	24	100.0	69	100.0	146	100.0	177	100.0	128	100.0	138	100.0
	40-49歳	BMI:<18.5	0	0	3	3.6	3	2.4	12	8.1	5	3.4	15	7.0
		BMI:18.5-<25	11	68.8	59	71.1	91	72.8	102	68.5	118	79.2	165	76.7
		BMI:>=25	5	31.3	21	25.3	31	24.8	35	23.5	26	17.4	35	16.3
		計	16	100.0	83	100.0	125	100.0	149	100.0	149	100.0	215	100.0
	50-59歳	BMI:<18.5	0	0	4	4.0	14	8.0	11	5.4	4	2.5	17	6.2
		BMI:18.5-<25	18	69.2	70	70.7	114	65.1	141	69.1	123	77.4	204	74.2
		BMI:>=25	8	30.8	25	25.3	47	26.9	52	25.5	32	20.1	54	19.6
		計	26	100.0	99	100.0	175	100.0	204	100.0	159	100.0	275	100.0
	60-69歳	BMI:<18.5	3	5.3	5	4.1	9	5.6	10	6.4	6	5.1	11	6.9
		BMI:18.5-<25	30	52.6	71	58.2	90	55.9	108	68.8	80	68.4	108	67.9
		BMI:>=25	24	42.1	46	37.7	62	38.5	39	24.8	31	26.5	40	25.2
		計	57	100.0	122	100.0	161	100.0	157	100.0	117	100.0	159	100.0
	70歳-	BMI:<18.5	25	14.3	13	7.5	15	9.6	3	3.7	6	8.8	5	10.2
BMI:18.5-<25		102	58.3	120	69.0	92	59.0	54	65.9	52	76.5	27	55.1	
BMI:>=25		48	27.4	41	23.6	49	31.4	25	30.5	10	14.7	17	34.7	
	計	175	100.0	174	100.0	156	100.0	82	100.0	68	100.0	49	100.0	

表 -11 性・年齢階級別、喫煙状況別、収縮期血圧値の平均値及び標準偏差（2回の平均値）----全対象者（STD：標準偏差）

		--喫煙習慣・本数--														
		現喫煙21本以上			現喫煙20本以内			過去喫煙21本以上			過去喫煙21本以内			喫煙歴無し		
		収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢															
	30-39歳	56	126.8	13.0	215	119.2	13.9	12	129.5	18.6	58	117.5	14.9	512	115.1	13.9
	40-49歳	78	132.9	17.9	218	127.4	16.5	28	135.1	15.0	59	127.0	13.9	601	124.2	17.0
	50-59歳	115	138.3	23.6	247	135.4	20.5	52	139.1	14.8	90	133.2	18.5	823	133.6	19.4
	60-69歳	58	148.6	21.4	214	144.5	19.3	91	143.7	17.1	122	138.0	17.7	828	140.0	18.9
	70歳-	16	143.4	14.9	135	148.4	22.2	61	143.6	18.3	166	146.6	19.4	708	144.8	18.4
	計	323	137.1	21.1	1029	133.9	21.1	244	141.0	17.1	495	136.3	20.0	3472	133.0	20.5
性別	年齢															
男性	30-39歳	54	126.6	12.9	116	123.8	12.3	10	132.4	18.5	34	120.3	14.9	101	122.3	12.3
	40-49歳	75	132.4	17.4	136	128.2	15.0	27	135.3	15.3	43	128.5	13.8	91	131.0	16.8
	50-59歳	109	138.9	23.4	172	137.2	20.2	50	139.8	14.6	74	134.6	19.5	118	138.2	17.8
	60-69歳	51	148.1	20.5	179	144.4	18.9	91	143.7	17.1	114	138.7	17.9	182	139.5	15.7
	70歳-	16	143.4	14.9	111	146.8	21.3	60	144.2	17.8	147	147.0	18.9	120	146.0	18.2
	計	305	136.9	20.7	714	136.6	19.9	238	141.6	16.9	412	138.4	19.7	612	136.4	18.0
女性	年齢															
	30-39歳	2	133.0	18.4	99	113.8	13.8	2	115.5	16.3	24	113.7	14.3	411	113.4	13.8
	40-49歳	3	145.3	31.0	82	126.2	18.8	1	130.0	0	16	122.9	13.5	510	122.9	16.7
	50-59歳	6	128.5	26.6	75	131.4	20.6	2	122.0	9.9	16	127.0	11.0	705	132.8	19.5
	60-69歳	7	151.9	29.1	35	144.9	21.3	0	0	0	8	127.6	11.0	646	140.1	19.7
	70歳-	0	0	0	24	155.6	25.2	1	109.0	0	19	143.4	23.2	588	144.5	18.5
	計	18	140.9	27.5	315	127.8	22.4	6	119.0	11.2	83	126.2	18.9	2860	132.3	21.0

表 -12 性・年齢階級別、喫煙状況別、拡張期血圧値の平均値及び標準偏差（2回の平均値）----全対象者（STD：標準偏差）

		--喫煙習慣・本数--														
		現喫煙21本以上			現喫煙20本以内			過去喫煙21本以上			過去喫煙20本以内			喫煙歴無し		
		拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢															
	30-39歳	56	81.4	10.4	215	75.1	10.8	12	84.1	11.6	58	74.1	11.9	512	72.4	10.5
	40-49歳	78	84.9	12.2	218	80.4	11.6	28	86.3	11.3	59	82.8	10.5	601	78.2	11.5
	50-59歳	115	85.4	13.2	247	83.7	11.8	52	86.6	9.3	90	82.9	12.0	823	82.3	12.2
	60-69歳	58	88.9	12.5	214	83.9	11.5	91	85.7	9.3	122	82.0	11.7	828	82.0	11.2
	70歳-	16	78.3	8.4	135	79.9	12.1	61	78.7	11.8	166	80.0	12.8	708	78.8	11.0
	計	323	84.8	12.4	1029	80.8	12.0	244	84.1	10.7	495	80.7	12.3	3472	79.3	11.8
性別	年齢															
男性	30-39歳	54	81.2	10.2	116	77.6	10.3	10	87.1	10.4	34	76.0	11.4	101	78.3	9.6
	40-49歳	75	85.0	12.4	136	82.5	11.2	27	86.7	11.3	43	84.6	10.1	91	84.9	11.6
	50-59歳	109	85.7	13.2	172	85.0	12.0	50	86.9	9.4	74	83.9	12.2	118	86.3	11.9
	60-69歳	51	88.2	12.2	179	84.1	11.1	91	85.7	9.3	114	82.1	11.9	182	83.7	10.3
	70歳-	16	78.3	8.4	111	79.6	12.1	60	79.0	11.6	147	80.7	11.8	120	80.0	10.5
	計	305	84.8	12.3	714	82.3	11.7	238	84.4	10.6	412	81.7	11.9	612	82.7	11.1
女性	年齢															
	30-39歳	2	85.5	19.1	99	72.2	10.8	2	69.5	0.7	24	71.5	12.4	411	71.0	10.2
	40-49歳	3	81.7	4.7	82	77.0	11.4	1	77.0	0	16	77.7	10.0	510	77.0	11.1
	50-59歳	6	79.2	12.1	75	80.5	10.8	2	79.5	3.5	16	78.4	10.1	705	81.6	12.2
	60-69歳	7	93.9	14.8	35	83.0	13.4	0	0	0	8	80.4	7.8	646	81.5	11.4
	70歳-	0	0	0	24	81.4	12.1	1	61.0	0	19	74.2	18.2	588	78.6	11.1
	計	18	86.0	13.8	315	77.3	12.0	6	72.7	7.5	83	75.5	12.9	2860	78.6	11.9

表 -13 性・年齢階級別、喫煙状況別、血圧区分 - 高血圧学会分類 ( 2 回の平均値 ) ---- 全対象者

性別	計	高血圧学会(平均値)	-- 喫煙習慣・本数 --										
			現喫煙 2 本以上		現喫煙 2 本以内		過去喫煙 2 本以上		過去喫煙 2 本以内		喫煙歴無し		
			実数	%	実数	%	実数	%	実数	%	実数	%	
男性	計	高血圧学会(平均値)	43	14.1	106	14.8	16	6.7	57	13.8	95	15.5	
		高血圧学会(平均値)	60	19.7	141	19.7	32	13.4	66	16.0	104	17.0	
		高血圧学会(平均値)	64	21.0	162	22.7	54	22.7	88	21.4	123	20.1	
	年齢	30-39歳	高血圧学会(平均値)	76	24.9	197	27.6	86	36.1	129	31.3	199	32.5
		高血圧学会(平均値)	50	16.4	76	10.6	45	18.9	58	14.1	72	11.8	
		高血圧学会(平均値)	12	3.9	32	4.5	5	2.1	14	3.4	19	3.1	
	40-49歳	高血圧学会(平均値)	305	100.0	714	100.0	238	100.0	412	100.0	612	100.0	
		高血圧学会(平均値)	14	25.9	32	27.6	1	10.0	15	44.1	41	40.6	
		高血圧学会(平均値)	13	24.9	44	37.9	3	30.0	8	23.5	25	24.1	
	50-59歳	高血圧学会(平均値)	14	27.8	21	18.1	0	0.0	6	27.6	12	22.7	
		高血圧学会(平均値)	9	17.7	17	14.7	4	40.0	4	11.8	21	21.8	
		高血圧学会(平均値)	2	3.7	1	0.9	2	20.0	1	2.9	1	1.0	
	60-69歳	高血圧学会(平均値)	54	100.0	116	100.0	10	100.0	34	100.0	101	100.0	
		高血圧学会(平均値)	14	18.7	31	22.8	3	11.1	8	18.6	17	18.7	
		高血圧学会(平均値)	15	20.0	30	22.1	4	14.8	7	16.3	22	24.2	
	70歳-	高血圧学会(平均値)	10	13.3	27	27.4	10	37.0	13	30.6	18	19.8	
		高血圧学会(平均値)	14	18.7	26	19.6	6	22.2	11	27.7	25	26.6	
		高血圧学会(平均値)	1	1.3	3	3.3	3	3.7	1	2.3	6	6.6	
	30-39歳	高血圧学会(平均値)	75	100.0	138	100.0	27	100.0	43	100.0	91	100.0	
		高血圧学会(平均値)	14	12.8	27	15.7	1	2.0	15	20.3	14	11.9	
		高血圧学会(平均値)	22	20.2	28	16.3	10	20.0	13	17.6	14	13.6	
	40-49歳	高血圧学会(平均値)	25	22.9	45	26.2	13	26.0	18	24.3	29	24.6	
		高血圧学会(平均値)	23	21.1	41	23.8	17	34.0	17	23.0	37	31.4	
		高血圧学会(平均値)	18	16.5	23	13.4	9	18.0	7	9.5	17	14.4	
50-59歳	高血圧学会(平均値)	109	100.0	172	100.0	50	100.0	74	100.0	118	100.0		
	高血圧学会(平均値)	7	2.0	8	4.5	4	4.4	9	7.9	15	8.2		
	高血圧学会(平均値)	13	13.7	25	14.0	9	9.9	25	21.9	31	17.0		
60-69歳	高血圧学会(平均値)	10	19.6	44	24.6	23	25.3	22	23.9	39	21.4		
	高血圧学会(平均値)	16	31.4	62	34.6	33	36.3	43	37.7	66	36.3		
	高血圧学会(平均値)	14	27.5	28	15.6	19	20.9	12	10.5	27	14.8		
70歳-	高血圧学会(平均値)	3	5.9	12	6.7	3	3.3	3	2.6	4	2.2		
	高血圧学会(平均値)	51	100.0	179	100.0	91	100.0	114	100.0	182	100.0		
	高血圧学会(平均値)	0	0.0	8	4.5	7	7.7	10	6.8	8	6.7		
女性	計	高血圧学会(平均値)	4	18.8	14	12.0	6	10.0	13	8.8	10	8.3	
		高血圧学会(平均値)	3	16.8	12	10.0	7	11.7	10	6.8	8	6.7	
		高血圧学会(平均値)	4	25.9	15	13.3	8	13.3	13	18.8	10	14.3	
	年齢	30-39歳	高血圧学会(平均値)	2	4.8	15	13.3	2	6.7	5	16.7	4	13.3
		高血圧学会(平均値)	4	25.9	15	13.3	8	13.3	13	18.8	10	14.3	
		高血圧学会(平均値)	2	12.0	13	11.7	1	1.7	4	4.1	7	5.5	
	40-49歳	高血圧学会(平均値)	16	100.0	111	100.0	60	100.0	147	100.0	120	100.0	
		高血圧学会(平均値)	2	11.1	119	37.8	3	50.0	30	36.1	798	27.9	
		高血圧学会(平均値)	4	22.2	57	18.1	2	33.3	12	14.5	475	16.6	
	50-59歳	高血圧学会(平均値)	5	27.8	53	16.8	1	16.7	23	27.7	521	18.2	
		高血圧学会(平均値)	2	11.1	54	17.1	0	0.0	16	19.3	722	25.3	
		高血圧学会(平均値)	1	5.6	20	6.3	0	0.0	0	0.0	262	9.0	
	60-69歳	高血圧学会(平均値)	18	100.0	315	100.0	6	100.0	83	100.0	2860	100.0	
		高血圧学会(平均値)	0	0.0	63	63.6	1	50.0	16	66.7	284	69.1	
		高血圧学会(平均値)	0	0.0	18	18.2	1	50.0	2	8.3	16	16.8	
	70歳-	高血圧学会(平均値)	0	0.0	13	13.1	0	0.0	4	16.7	39	15.5	
		高血圧学会(平均値)	0	0.0	3	3.0	0	0.0	2	8.3	14	3.4	
		高血圧学会(平均値)	0	0.0	1	1.0	0	0.0	0	0.0	4	1.0	
	30-39歳	高血圧学会(平均値)	2	100.0	99	100.0	2	100.0	24	100.0	411	100.0	
		高血圧学会(平均値)	0	0.0	30	36.6	0	0.0	6	37.5	213	41.8	
		高血圧学会(平均値)	1	33.3	29	29.9	0	0.0	3	16.8	122	23.9	
	40-49歳	高血圧学会(平均値)	0	0.0	13	13.3	0	0.0	4	16.7	37	17.1	
		高血圧学会(平均値)	0	0.0	10	10.0	0	0.0	3	12.5	87	12.0	
		高血圧学会(平均値)	0	0.0	1	1.1	0	0.0	0	0.0	61	12.0	
50-59歳	高血圧学会(平均値)	3	33.3	82	100.0	1	100.0	16	100.0	510	100.0		
	高血圧学会(平均値)	2	33.3	21	28.0	1	50.0	5	31.3	168	23.8		
	高血圧学会(平均値)	1	33.3	10	13.3	1	50.0	3	18.8	134	19.0		
60-69歳	高血圧学会(平均値)	1	16.7	19	25.3	0	0.0	4	25.0	136	19.3		
	高血圧学会(平均値)	0	0.0	17	22.7	0	0.0	4	25.0	180	25.7		
	高血圧学会(平均値)	0	0.0	6	7.7	0	0.0	0	0.0	65	9.1		
70歳-	高血圧学会(平均値)	6	100.0	79	100.0	2	100.0	16	100.0	705	100.0		
	高血圧学会(平均値)	0	0.0	3	8.6	0	0.0	2	25.0	90	13.9		
	高血圧学会(平均値)	0	0.0	6	17.1	0	0.0	1	12.5	80	12.4		
30-39歳	高血圧学会(平均値)	1	42.9	6	17.1	0	0.0	4	50.0	143	22.1		
	高血圧学会(平均値)	1	14.3	13	37.1	0	0.0	1	12.5	228	35.3		
	高血圧学会(平均値)	1	14.3	4	11.4	0	0.0	0	0.0	79	12.2		
40-49歳	高血圧学会(平均値)	2	28.6	33	8.6	0	0.0	0	0.0	26	4.0		
	高血圧学会(平均値)	7	100.0	35	100.0	0	0.0	8	100.0	646	100.0		
	高血圧学会(平均値)	0	0.0	2	8.3	1	100.0	1	5.3	43	7.3		
50-59歳	高血圧学会(平均値)	0	0.0	4	4.3	0	0.0	3	15.8	70	11.9		
	高血圧学会(平均値)	0	0.0	11	49.1	0	0.0	6	36.8	289	49.7		
	高血圧学会(平均値)	0	0.0	5	20.8	0	0.0	0	0.0	92	15.6		
60-69歳	高血圧学会(平均値)	0	0.0	12	50.0	0	0.0	2	10.5	28	4.4		
	高血圧学会(平均値)	0	0.0	24	100.0	1	100.0	19	100.0	588	100.0		

表 -14 性・年齢階級別、喫煙状況別、血圧区分 - 旧WHO分類 ( 2 回の平均値 ) ---- 全対象者

			-- 喫煙習慣・本数 --											
			現喫煙 2 1 本 -   現喫煙 2 0 本 -   過去喫煙 2 1 -   過去喫煙 2 0 -		以上		以内		本以上		本以内		喫煙歴無し	
			実数	%	実数	%	実数	%	実数	%	実数	%	実数	%
性 別 男 性	計	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	167	54.8	409	57.3	102	42.9	211	51.2	322	52.6		
		境界域血圧 (<160/95)	62	20.3	168	23.5	75	31.5	112	27.2	176	28.8		
		高血圧 (160- or 95-)	76	24.9	137	19.2	61	25.6	89	21.6	114	18.6		
	計	305	100.0	714	100.0	238	100.0	412	100.0	612	100.0			
	年 齢 30-39歳	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	42	77.8	97	83.6	4	40.0	29	85.3	78	77.2		
		境界域血圧 (<160/95)	6	11.1	10	8.6	3	30.0	3	8.8	18	17.8		
		高血圧 (160- or 95-)	6	11.1	9	7.8	3	30.0	2	5.9	5	5.0		
	計	54	100.0	116	100.0	10	100.0	34	100.0	101	100.0			
	40-49歳	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	39	52.0	98	72.1	17	63.0	28	65.1	57	62.6		
		境界域血圧 (<160/95)	15	20.0	20	14.7	3	11.1	9	20.9	15	16.5		
		高血圧 (160- or 95-)	21	28.0	18	13.2	7	25.9	6	14.0	19	20.9		
	計	75	100.0	136	100.0	27	100.0	43	100.0	91	100.0			
	50-59歳	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	61	56.0	100	58.1	24	48.0	46	62.2	59	50.0		
		境界域血圧 (<160/95)	19	17.4	33	19.2	15	30.0	15	20.3	32	27.1		
		高血圧 (160- or 95-)	29	26.6	39	22.7	11	22.0	13	17.6	27	22.9		
	計	109	100.0	172	100.0	50	100.0	74	100.0	118	100.0			
60-69歳	WHO区分 ( 2 回の平均)													
	正常血圧 (<140/90)	18	35.3	77	43.0	36	39.6	56	49.1	85	46.7			
	境界域血圧 (<160/95)	15	29.4	57	31.8	29	31.9	38	33.3	63	34.6			
	高血圧 (160- or 95-)	18	35.3	45	25.1	26	28.6	20	17.5	34	18.7			
計	51	100.0	179	100.0	91	100.0	114	100.0	182	100.0				
70歳-	WHO区分 ( 2 回の平均)													
	正常血圧 (<140/90)	7	43.8	37	33.3	21	35.0	52	35.4	43	35.8			
	境界域血圧 (<160/95)	7	43.8	48	43.2	25	41.7	47	32.0	48	40.0			
	高血圧 (160- or 95-)	2	12.5	26	23.4	14	23.3	48	32.7	29	24.2			
計	16	100.0	111	100.0	60	100.0	147	100.0	120	100.0				
女 性	計	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	11	61.1	229	72.7	6	100.0	65	78.3	1794	62.7		
		境界域血圧 (<160/95)	1	5.6	47	14.9	0	0	13	15.7	625	21.9		
		高血圧 (160- or 95-)	6	33.3	39	12.4	0	0	5	6.0	441	15.4		
	計	18	100.0	315	100.0	6	100.0	83	100.0	2860	100.0			
	年 齢 30-39歳	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	1	50.0	94	94.9	2	100.0	22	91.7	392	95.4		
		境界域血圧 (<160/95)	0	0	3	3.0	0	0	1	4.2	11	2.7		
		高血圧 (160- or 95-)	1	50.0	2	2.0	0	0	1	4.2	8	1.9		
	計	2	100.0	99	100.0	2	100.0	24	100.0	411	100.0			
	40-49歳	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	2	66.7	65	79.3	1	100.0	13	81.3	422	82.7		
		境界域血圧 (<160/95)	0	0	9	11.0	0	0	3	18.8	47	9.2		
		高血圧 (160- or 95-)	1	33.3	8	9.8	0	0	0	0	41	8.0		
	計	3	100.0	82	100.0	1	100.0	16	100.0	510	100.0			
	50-59歳	WHO区分 ( 2 回の平均)												
		正常血圧 (<140/90)	5	83.3	50	66.7	2	100.0	12	75.0	438	62.1		
		境界域血圧 (<160/95)	0	0	13	17.3	0	0	3	18.8	148	21.0		
		高血圧 (160- or 95-)	1	16.7	12	16.0	0	0	1	6.3	119	16.9		
	計	6	100.0	75	100.0	2	100.0	16	100.0	705	100.0			
60-69歳	WHO区分 ( 2 回の平均)													
	正常血圧 (<140/90)	3	42.9	15	42.9	0	0	7	87.5	313	48.5			
	境界域血圧 (<160/95)	1	14.3	11	31.4	0	0	0	0	195	30.2			
	高血圧 (160- or 95-)	3	42.9	9	25.7	0	0	1	12.5	138	21.4			
計	7	100.0	35	100.0	0	0	8	100.0	646	100.0				
70歳-	WHO区分 ( 2 回の平均)													
	正常血圧 (<140/90)	0	0	5	20.8	1	100.0	11	57.9	229	38.9			
	境界域血圧 (<160/95)	0	0	11	45.8	0	0	6	31.6	224	38.1			
	高血圧 (160- or 95-)	0	0	8	33.3	0	0	2	10.5	135	23.0			
計	0	0	24	100.0	1	100.0	19	100.0	588	100.0				

表 -15 性・年齢階級別、喫煙状況別、心電図判定区分

性別	年齢	心電図判定	--喫煙習慣・本数--													
			現喫煙21本以上		現喫煙20本以内		過去喫煙21本以上		過去喫煙20本以内		喫煙歴無し					
			実数	%	実数	%	実数	%	実数	%	実数	%				
男性	計	正常	157	55.5	335	51.1	118	52.4	195	49.9	294	52.3				
		軽異常	80	28.3	186	28.4	68	30.2	111	28.4	169	30.1				
		異常A	24	8.5	49	7.5	16	7.1	25	6.4	39	6.9				
		異常B	21	7.4	67	10.2	18	8.0	44	11.3	47	8.4				
		異常C	1	0.4	18	2.7	5	2.2	16	4.1	13	2.3				
		計	283	100.0	655	100.0	225	100.0	391	100.0	562	100.0				
		女性	計	正常	25	52.1	63	63.0	6	66.7	20	64.5	59	63.4		
				軽異常	18	37.5	33	33.0	2	22.2	11	35.5	30	32.3		
				異常A	4	8.3	2	2.0	1	11.1	0	0	1	1.1		
				異常B	1	2.1	1	1.0	0	0	0	0	3	3.2		
				異常C	0	0	1	1.0	0	0	0	0	0	0		
				計	48	100.0	100	100.0	9	100.0	31	100.0	93	100.0		
				男性	30-39歳	正常	49	67.1	75	61.0	13	48.1	26	61.9	54	65.1
						軽異常	17	23.3	35	28.5	11	40.7	15	35.7	22	26.5
						異常A	5	6.8	5	4.1	1	3.7	1	2.4	3	3.6
異常B	2					2.7	7	5.7	2	7.4	0	0	3	3.6		
異常C	0					0	1	0.8	0	0	0	0	1	1.2		
計	73					100.0	123	100.0	27	100.0	42	100.0	83	100.0		
女性	30-39歳					正常	50	50.0	81	51.9	31	67.4	34	47.9	51	48.6
						軽異常	28	28.0	54	34.6	8	17.4	28	39.4	42	40.0
						異常A	9	9.0	12	7.7	4	8.7	4	5.6	5	4.8
		異常B	12			12.0	8	5.1	3	6.5	3	4.2	6	5.7		
		異常C	1			1.0	1	0.6	0	0	2	2.8	1	1.0		
		計	100			100.0	156	100.0	46	100.0	71	100.0	105	100.0		
		男性	40-49歳			正常	29	59.2	78	46.4	40	46.0	62	56.4	80	47.9
						軽異常	12	24.5	37	22.0	31	35.6	26	23.6	50	29.9
						異常A	5	10.2	23	13.7	6	6.9	6	5.5	17	10.2
				異常B	3	6.1	27	16.1	7	8.0	12	10.9	14	8.4		
				異常C	0	0	3	1.8	3	3.4	4	3.6	6	3.6		
				計	49	100.0	168	100.0	87	100.0	110	100.0	167	100.0		
				女性	40-49歳	正常	4	30.8	38	35.2	28	50.0	53	38.7	50	43.9
						軽異常	5	38.5	27	25.0	16	28.6	31	22.6	25	21.9
						異常A	1	7.7	7	6.5	4	7.1	14	10.2	13	11.4
異常B	3					23.1	24	22.2	6	10.7	29	21.2	21	18.4		
異常C	0					0	12	11.1	2	3.6	10	7.3	5	4.4		
計	13					100.0	108	100.0	56	100.0	137	100.0	114	100.0		
男性	50-59歳					正常	7	46.7	203	70.2	3	50.0	50	64.1	1704	63.4
						軽異常	2	13.3	45	15.6	1	16.7	17	21.8	452	16.8
						異常A	4	26.7	21	7.3	1	16.7	4	5.1	256	9.5
		異常B	1			6.7	19	6.6	1	16.7	6	7.7	250	9.3		
		異常C	1			6.7	1	0.3	0	0	1	1.3	25	0.9		
		計	15			100.0	289	100.0	6	100.0	78	100.0	2687	100.0		
		女性	50-59歳			正常	1	100.0	67	72.8	1	50.0	18	78.3	309	78.6
						軽異常	0	0	18	19.6	1	50.0	5	21.7	61	15.5
						異常A	0	0	3	3.3	0	0	0	0	6	1.5
				異常B	0	0	4	4.3	0	0	0	0	17	4.3		
				異常C	1	100.0	92	100.0	2	100.0	23	100.0	393	100.0		
				男性	60-69歳	正常	1	33.3	60	78.9	1	100.0	8	57.1	370	76.3
						軽異常	0	0	14	18.4	0	0	4	28.6	78	16.1
						異常A	1	33.3	0	0	0	0	0	0	15	3.1
						異常B	1	33.3	2	2.6	0	0	2	14.3	22	4.5
異常C	3					100.0	76	100.0	1	100.0	14	100.0	485	100.0		
女性	60-69歳					正常	4	66.7	48	68.6	0	0	11	73.3	443	65.9
						軽異常	1	16.7	9	12.9	0	0	4	26.7	103	15.3
						異常A	0	0	7	10.0	1	50.0	0	0	62	9.2
						異常B	0	0	6	8.6	1	50.0	0	0	58	8.6
						異常C	1	16.7	0	0	0	0	0	0	6	0.9
		計	6			100.0	70	100.0	2	100.0	15	100.0	672	100.0		
		男性	70歳-			正常	1	20.0	19	63.3	0	0	7	87.5	353	58.4
						軽異常	1	20.0	4	13.3	0	0	1	12.5	98	16.2
						異常A	3	60.0	6	20.0	0	0	0	0	78	12.9
						異常B	0	0	1	3.3	0	0	0	0	67	11.1
				異常C	0	0	0	0	0	0	0	0	8	1.3		
				計	5	100.0	30	100.0	0	0	8	100.0	604	100.0		
				女性	70歳-	正常	0	0	9	42.9	1	100.0	6	33.3	229	43.0
						軽異常	0	0	0	0	0	0	3	16.7	112	21.0
						異常A	0	0	5	23.8	0	0	4	22.2	95	17.8
異常B	0					0	6	28.6	0	0	4	22.2	86	16.1		
異常C	0					0	1	4.8	0	0	1	5.6	11	2.1		
計	0					0	21	100.0	1	100.0	18	100.0	533	100.0		

表 -16 性・年齢階級別、喫煙状況別、血清HDL - コレステロールの平均値及び標準偏差 (STD: 標準偏差)

		--喫煙習慣・本数--														
		現喫煙21本以上			現喫煙20本以内			過去喫煙21本以上			過去喫煙20本以内			喫煙歴無し		
		HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢															
	30-39歳	51	53.0	15.7	192	57.5	16.0	11	49.5	9.1	52	58.5	14.8	483	63.0	14.9
	40-49歳	73	52.5	13.1	198	56.9	17.6	28	52.4	15.0	55	57.8	15.6	562	62.3	15.1
	50-59歳	104	52.4	14.8	224	55.6	16.7	47	51.5	14.7	85	59.2	17.3	772	61.3	16.5
	60-69歳	52	51.0	12.1	192	52.8	15.5	86	52.3	12.7	117	54.3	16.2	757	56.5	15.2
	70歳-	14	47.7	12.0	127	51.8	18.8	55	51.7	14.1	149	53.0	16.4	639	57.0	14.1
	計	294	52.0	13.9	933	55.2	16.9	227	51.9	13.5	458	55.7	16.4	3213	59.8	15.5
性別	年齢															
男性	30-39歳	49	52.4	15.7	103	54.4	14.7	9	47.6	9.0	31	53.7	12.6	92	55.7	13.4
	40-49歳	70	52.5	13.3	121	53.4	15.9	27	51.2	13.8	41	55.7	15.8	83	54.6	16.0
	50-59歳	98	52.3	14.9	157	54.2	15.9	46	51.9	14.6	71	58.6	18.0	106	54.0	14.3
	60-69歳	47	50.5	11.8	161	51.8	14.9	86	52.3	12.7	109	53.9	15.7	164	51.7	14.5
	70歳-	14	47.7	12.0	106	50.4	16.6	54	51.0	13.2	134	52.8	16.8	110	54.1	14.7
	計	278	51.8	14.0	648	52.9	15.6	222	51.6	13.2	386	54.6	16.4	555	53.7	14.6
女性	年齢															
	30-39歳	2	68.0	2.8	89	61.2	16.7	2	58.0	1.4	21	65.6	15.2	391	64.8	14.7
	40-49歳	3	52.0	10.0	77	62.4	18.7	1	86.0	0	14	63.7	13.6	479	63.7	14.5
	50-59歳	6	53.2	14.8	67	59.0	18.0	1	34.0	0	14	62.3	13.2	666	62.5	16.6
	60-69歳	5	55.4	14.7	31	57.9	17.6	0	0	0	8	59.6	23.2	593	57.9	15.2
	70歳-	0	0	0	21	58.4	26.8	1	89.0	0	15	55.3	13.1	529	57.6	13.9
	計	16	55.5	13.1	285	60.4	18.5	5	65.0	22.8	72	61.8	15.2	2658	61.0	15.4

表 -17 性・年齢階級別、喫煙状況別、血清HDL-コレステロール分布

性別	計	HDLコレステロール(mg/dl)	--喫煙習慣・本数--										
			現喫煙21本以上		現喫煙20本以内		過去喫煙21本以上		過去喫煙20本以内		喫煙歴無し		
			実数	%	実数	%	実数	%	実数	%	実数	%	
男性	計	30-39歳	51	18.3	111	17.1	42	18.9	65	16.8	92	16.6	
		40-49歳	85	30.6	199	30.7	68	30.6	96	24.9	140	25.2	
		50-59歳	72	25.9	166	25.6	55	24.8	93	24.1	155	27.9	
		60-69歳	21	7.6	51	7.9	15	6.8	29	7.5	42	7.6	
		70-79歳	12	4.3	35	5.4	7	3.2	27	7.0	32	5.8	
		80歳以上	278	100.0	648	100.0	222	100.0	386	100.0	555	100.0	
		30-39歳	30-39歳	9	18.4	33	12.6	1	11.1	2	6.5	10	10.9
			40-49歳	14	28.6	33	30.2	3	33.3	10	32.7	22	22.9
			50-59歳	14	28.6	28	27.1	3	33.3	9	28.1	23	22.9
			60-69歳	6	11.8	16	15.2	0	0.0	2	6.1	8	7.7
			70-79歳	6	11.8	16	15.2	0	0.0	2	6.1	4	3.9
			80歳以上	49	100.0	103	100.0	9	100.0	31	100.0	92	100.0
		40-49歳	40-49歳	11	15.7	17	14.0	5	18.5	4	9.8	13	15.7
			50-59歳	23	32.9	43	35.6	8	29.8	11	26.6	22	26.5
			60-69歳	10	14.3	26	21.5	3	33.3	9	22.0	23	27.7
			70-79歳	7	9.7	18	14.8	1	11.1	4	9.8	13	15.7
			80歳以上	70	100.0	121	100.0	27	100.0	41	100.0	83	100.0
			50-59歳	50-59歳	20	20.4	21	13.4	12	26.1	7	9.9	14
		40-49歳		24	24.5	47	29.9	9	19.6	19	26.8	28	26.4
		60-69歳		27	27.6	40	25.5	12	26.1	14	19.7	33	31.1
		70-79歳		14	14.3	28	17.8	8	17.4	15	21.1	16	15.1
		80歳以上		7	7.1	12	7.6	2	4.3	8	11.3	8	7.5
		計		98	100.0	157	100.0	46	100.0	71	100.0	106	100.0
		60-69歳	60-69歳	8	17.0	33	20.5	13	15.1	21	19.3	31	18.9
40-49歳	14		34.0	44	27.7	19	35.9	23	20.9	31	21.9		
50-59歳	12		28.6	43	26.9	19	35.2	24	22.0	38	27.2		
70-79歳	4		9.1	15	9.4	18	33.3	27	24.4	17	12.5		
80歳以上	47		100.0	161	100.0	86	100.0	109	100.0	164	100.0		
70歳-	70歳-		3	21.4	27	25.5	11	20.4	31	23.1	24	21.8	
	40-49歳	8	57.1	34	32.1	16	29.6	31	23.1	17	15.5		
	50-59歳	1	7.1	29	27.4	12	22.2	34	25.4	36	32.7		
	60-69歳	0	0.0	4	3.8	8	14.8	19	14.2	15	13.6		
	70-79歳	14	100.0	106	100.0	54	100.0	134	100.0	110	100.0		
	計	1	6.3	32	11.2	1	20.0	5	6.9	162	6.1		
女性	計	30-39歳	1	6.3	32	11.2	1	20.0	5	6.9	162	6.1	
		40-49歳	4	25.0	55	19.3	0	0.0	11	15.3	471	17.7	
		50-59歳	4	25.0	69	24.2	2	40.0	15	20.8	672	25.3	
		60-69歳	2	12.5	55	19.3	0	0.0	23	31.9	633	23.8	
		70-79歳	2	18.8	35	12.3	0	0.0	10	13.9	425	16.0	
		80歳以上	16	100.0	285	100.0	5	100.0	72	100.0	2658	100.0	
		30-39歳	30-39歳	0	0.0	8	9.0	0	0.0	1	4.8	8	2.0
			40-49歳	0	0.0	14	15.9	0	0.0	1	4.8	49	12.5
			50-59歳	0	0.0	23	25.8	0	0.0	6	28.6	96	24.6
			60-69歳	0	0.0	18	20.0	0	0.0	6	28.6	103	26.6
			70-79歳	0	0.0	14	15.7	0	0.0	4	19.0	77	19.7
			80歳以上	2	100.0	89	100.0	2	100.0	21	100.0	391	100.0
		40-49歳	40-49歳	0	0.0	7	9.1	0	0.0	0	0.0	20	4.2
			50-59歳	1	12.5	15	16.6	0	0.0	3	14.3	60	12.5
			60-69歳	1	12.5	21	23.3	0	0.0	5	23.8	112	23.4
			70-79歳	0	0.0	14	15.7	0	0.0	1	4.8	124	25.9
			80歳以上	0	0.0	11	12.1	0	0.0	1	4.8	98	20.6
			計	0	0.0	77	100.0	1	100.0	14	100.0	479	100.0
		50-59歳	50-59歳	1	16.7	8	11.9	1	100.0	1	7.1	34	5.1
			40-49歳	1	16.7	17	25.4	0	0.0	1	7.1	121	18.2
			60-69歳	0	0.0	13	19.4	0	0.0	3	21.4	152	22.8
			70-79歳	0	0.0	13	19.4	0	0.0	6	42.9	155	23.3
			80歳以上	0	0.0	6	9.0	0	0.0	1	7.1	109	16.4
			計	6	100.0	67	100.0	1	100.0	14	100.0	666	100.0
60-69歳	60-69歳	0	0.0	4	12.9	0	0.0	0	0.0	50	8.4		
	40-49歳	0	0.0	25	75.0	0	0.0	4	50.0	129	21.2		
	50-59歳	0	0.0	40	119.4	0	0.0	2	25.0	169	28.5		
	70-79歳	0	0.0	19	56.5	0	0.0	0	0.0	127	21.4		
	80歳以上	0	0.0	20	58.8	0	0.0	1	12.5	127	21.4		
	計	0	0.0	4	12.9	0	0.0	1	12.5	44	7.4		
70歳-	70歳-	5	100.0	31	100.0	0	0.0	8	100.0	593	100.0		
	30-39歳	0	0.0	5	23.8	0	0.0	3	20.0	50	9.5		
	40-49歳	0	0.0	14	60.9	0	0.0	2	13.3	112	21.2		
	50-59歳	0	0.0	33	144.1	0	0.0	7	46.7	143	27.0		
	60-69歳	0	0.0	19	82.6	0	0.0	1	6.7	124	23.4		
	80歳以上	0	0.0	9	39.1	1	100.0	0	0.0	93	17.6		
計	0	0.0	21	100.0	1	100.0	15	100.0	529	100.0			

表 -18 性・年齢階級別、喫煙状況別、BMI (Body Mass Index)の平均値及び標準偏差 (STD: 標準偏差)

		-喫煙習慣・本数-															
		現喫煙21本以上			現喫煙20本以内			過去喫煙21本以上			過去喫煙20本以内			喫煙歴無し			
		Body Mass Index			Body Mass Index			Body Mass Index			Body Mass Index			Body Mass Index			
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	
計	年齢階級	30-39歳	69	24.1	3.5	267	22.8	3.7	12	25.9	4.4	63	22.4	3.2	583	21.9	3.5
	40-49歳	93	23.6	3.4	252	23.3	3.9	30	24.7	3.1	99	23.7	3.2	673	22.9	3.5	
	50-59歳	127	23.6	3.3	288	23.0	3.5	58	25.0	3.5	128	23.5	3.7	897	23.0	3.4	
	60-69歳	64	23.1	3.2	153	21.8	3.2	62	23.6	3.8	173	22.8	3.3	776	23.2	3.4	
	70歳-	17	23.0	3.1	47	21.8	3.1	11	24.4	3.0	48	23.1	3.0	749	23.1	3.4	
	計	370	23.7	3.2	1188	22.8	3.5	255	24.4	3.0	531	23.1	3.0	3768	23.1	3.4	
	性別	男性	30-39歳	66	24.3	3.5	159	23.5	3.4	10	27.2	3.5	39	22.8	2.8	123	23.3
40-49歳	88	23.7	2.7	167	23.6	4.0	29	24.8	3.0	52	23.8	2.5	125	23.8	3.3		
50-59歳	119	23.7	3.2	206	23.3	3.2	56	25.0	3.5	82	23.3	2.4	143	24.0	3.9		
60-69歳	57	23.2	3.1	188	22.8	3.0	93	24.5	2.5	120	23.3	3.1	201	24.2	3.3		
70歳-	17	23.0	2.2	127	21.8	3.1	61	23.6	2.7	155	22.7	3.0	129	23.0	3.0		
計	347	23.7	3.1	847	23.1	3.4	249	24.5	3.0	448	23.1	2.9	721	23.7	3.2		
女性	30-39歳	3	19.9	1.7	108	21.8	4.0	2	19.4	0.9	24	21.9	3.8	460	21.6	3.5	
40-49歳	5	24.5	5.4	85	22.7	3.4	2	20.5	0.0	16	23.5	3.0	548	22.7	3.3		
50-59歳	8	25.3	4.7	82	22.1	3.0	2	24.8	4.9	17	24.7	3.6	744	23.2	3.6		
60-69歳	7	22.4	4.6	40	22.8	4.2	0	0	0	8	24.1	2.8	675	23.8	3.4		
70歳-	0	0	0	26	22.7	3.6	1	16.0	0	18	23.2	5.0	620	23.2	3.4		
計	23	23.5	5.0	341	22.3	3.6	6	20.8	4.1	83	23.3	3.8	3047	23.0	3.5		

表 -19 性・年齢階級別、喫煙状況別、BMI区分

		--喫煙習慣・本数--											
		現喫煙21本以上		現喫煙20本以内		過去喫煙21本以上		過去喫煙20本以内		喫煙歴無し			
		実数	%	実数	%	実数	%	実数	%	実数	%		
性別	計	肥満度 (BMI)											
		BMI: <18.5	9	2.6	52	6.1	3	1.2	25	5.6	24	3.3	
		BMI: 18.5-<25	232	66.9	586	69.2	145	58.2	309	69.0	463	64.2	
	BMI: >=25	106	30.5	209	24.7	101	40.6	114	25.4	234	32.5		
	計	347	100.0	847	100.0	249	100.0	448	100.0	721	100.0		
	年齢	30-39歳	肥満度 (BMI)										
		BMI: <18.5	2	3.0	5	3.1	0	0	2	5.1	7	5.7	
		BMI: 18.5-<25	41	62.1	109	68.6	2	20.0	29	74.4	85	69.1	
	BMI: >=25	23	34.8	45	28.3	8	80.0	8	20.5	31	25.2		
	計	66	100.0	159	100.0	10	100.0	39	100.0	123	100.0		
	40-49歳	肥満度 (BMI)											
		BMI: <18.5	1	1.1	4	2.4	0	0	1	1.9	3	2.4	
		BMI: 18.5-<25	56	63.6	118	70.7	19	65.5	37	71.2	83	66.4	
	BMI: >=25	31	35.2	45	26.9	10	34.5	14	26.9	39	31.2		
	計	88	100.0	167	100.0	29	100.0	52	100.0	125	100.0		
50-59歳	肥満度 (BMI)												
	BMI: <18.5	4	3.4	10	4.9	0	0	1	1.2	4	2.8		
	BMI: 18.5-<25	80	67.2	138	67.0	32	57.1	59	72.0	89	62.2		
BMI: >=25	35	29.4	58	28.2	24	42.9	22	26.8	50	35.0			
計	119	100.0	206	100.0	56	100.0	82	100.0	143	100.0			
60-69歳	肥満度 (BMI)												
	BMI: <18.5	2	3.5	13	6.9	0	0	5	4.2	4	2.0		
	BMI: 18.5-<25	40	70.2	132	70.2	53	57.0	83	69.2	117	58.2		
BMI: >=25	15	26.3	43	22.9	40	43.0	32	26.7	80	39.8			
計	57	100.0	188	100.0	93	100.0	120	100.0	201	100.0			
70歳-	肥満度 (BMI)												
	BMI: <18.5	0	0	20	15.7	3	4.9	16	10.3	6	4.7		
	BMI: 18.5-<25	15	88.2	89	70.1	39	63.9	101	65.2	89	69.0		
BMI: >=25	2	11.8	18	14.2	19	31.1	38	24.5	34	26.4			
計	17	100.0	127	100.0	61	100.0	155	100.0	129	100.0			
女性	計	肥満度 (BMI)											
		BMI: <18.5	2	8.7	35	10.3	1	16.7	7	8.4	224	7.4	
		BMI: 18.5-<25	13	56.5	236	69.2	4	66.7	50	60.2	2081	68.3	
	BMI: >=25	8	34.8	70	20.5	1	16.7	26	31.3	742	24.4		
	計	23	100.0	341	100.0	6	100.0	83	100.0	3047	100.0		
	年齢	30-39歳	肥満度 (BMI)										
		BMI: <18.5	1	33.3	18	16.7	0	0	4	16.7	80	17.4	
		BMI: 18.5-<25	2	66.7	70	64.8	2	100.0	15	62.5	320	69.6	
	BMI: >=25	0	0	20	18.5	0	0	5	20.8	60	13.0		
	計	3	100.0	108	100.0	2	100.0	24	100.0	460	100.0		
	40-49歳	肥満度 (BMI)											
		BMI: <18.5	0	0	2	2.4	0	0	0	0	28	5.1	
		BMI: 18.5-<25	3	60.0	67	78.8	1	100.0	10	62.5	410	74.8	
	BMI: >=25	2	40.0	16	18.8	0	0	6	37.5	110	20.1		
	計	5	100.0	85	100.0	1	100.0	16	100.0	548	100.0		
50-59歳	肥満度 (BMI)												
	BMI: <18.5	0	0	7	8.5	0	0	0	0	37	5.0		
	BMI: 18.5-<25	4	50.0	59	72.0	1	50.0	9	52.9	529	71.1		
BMI: >=25	4	50.0	16	19.5	1	50.0	8	47.1	178	23.9			
計	8	100.0	82	100.0	2	100.0	17	100.0	744	100.0			
60-69歳	肥満度 (BMI)												
	BMI: <18.5	1	14.3	4	10.0	0	0	0	0	34	5.0		
	BMI: 18.5-<25	4	57.1	23	57.5	0	0	6	75.0	427	63.3		
BMI: >=25	2	28.6	13	32.5	0	0	2	25.0	214	31.7			
計	7	100.0	40	100.0	0	0	8	100.0	675	100.0			
70歳-	肥満度 (BMI)												
	BMI: <18.5	0	0	4	15.4	1	100.0	3	16.7	45	7.3		
	BMI: 18.5-<25	0	0	17	65.4	0	0	10	55.6	395	63.7		
BMI: >=25	0	0	5	19.2	0	0	5	27.8	180	29.0			
計	0	0	26	100.0	1	100.0	18	100.0	620	100.0			



表 -20 性・年齢階級別、飲酒状況別、収縮期血圧値の平均値及び標準偏差（2回の平均値）----全対象者（STD：標準偏差）

		--飲酒習慣・量--														
		現飲酒3合以上			現飲酒2合			現飲酒1合			過去飲酒			飲酒歴無し		
		収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)			収縮期血圧(mmHg)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
計	年 齢															
	30-39歳	38	128.9	13.1	68	125.6	13.5	138	120.0	13.5	23	121.7	11.8	583	114.8	14.0
	40-49歳	35	129.8	15.2	74	136.9	17.8	168	129.9	14.7	25	128.5	19.1	680	123.7	16.8
	50-59歳	63	142.2	24.6	137	142.6	22.1	199	135.7	18.0	45	132.7	17.8	881	132.5	19.0
	60-69歳	47	148.2	18.8	128	146.0	16.0	218	142.2	18.6	72	141.7	19.0	844	139.7	19.4
	70歳-	20	149.9	16.3	50	149.7	15.8	129	149.5	18.3	98	145.1	23.3	786	144.4	18.7
	計	203	139.7	20.7	457	140.9	19.4	852	135.7	19.3	263	138.4	21.4	3774	132.3	20.6
性 別	年 齢															
	男 性															
	30-39歳	33	130.2	13.1	53	126.1	12.1	82	123.0	13.6	10	126.3	8.8	136	121.5	12.9
	40-49歳	30	132.2	14.4	64	136.5	17.6	116	132.2	14.3	16	131.8	18.4	145	125.5	15.2
	50-59歳	56	145.6	23.3	120	143.3	21.9	147	135.3	17.0	30	132.8	17.8	169	133.8	18.3
	60-69歳	41	148.6	19.2	122	146.1	15.9	182	141.5	18.6	68	141.0	19.0	202	139.1	17.2
	70歳-	18	150.3	16.0	50	149.7	15.8	108	148.8	17.7	90	144.7	22.1	187	144.2	19.0
	計	178	141.7	20.1	409	141.6	19.0	635	137.2	18.4	214	140.0	20.5	839	134.0	18.8
女 性	年 齢															
	30-39歳	5	120.0	10.3	15	123.9	18.3	56	115.6	12.3	13	118.2	13.0	447	112.7	13.7
	40-49歳	5	115.8	12.8	10	139.2	19.9	52	124.7	14.2	9	122.7	20.0	535	123.2	17.1
	50-59歳	7	115.4	18.4	17	137.8	23.4	52	136.9	20.8	15	132.4	18.5	712	132.2	19.2
	60-69歳	6	145.3	16.7	6	143.8	20.3	36	145.4	18.6	4	154.5	17.2	642	139.9	20.0
	70歳-	2	146.0	25.5	0	0	0	21	152.9	21.2	8	149.4	35.6	599	144.4	18.6
	計	25	126.0	20.1	48	134.5	21.5	217	131.4	21.1	49	131.4	23.9	2935	131.8	21.1

表 -21 性・年齢階級別、飲酒状況別、拡張期血圧値の平均値及び標準偏差（2回の平均値）----全対象者（STD：標準偏差）

		--飲酒習慣・量--														
		現飲酒3合以上			現飲酒2合			現飲酒1合			過去飲酒			飲酒歴無し		
		拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)			拡張期血圧(mmHg)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
計	年 齢															
	30-39歳	38	84.0	9.0	68	79.1	11.2	138	76.1	10.4	23	77.7	9.6	583	72.0	10.6
	40-49歳	35	82.3	12.1	74	87.2	12.6	168	82.5	11.2	25	84.5	14.6	680	77.9	11.1
	50-59歳	63	88.0	14.2	137	88.4	12.5	199	85.1	10.9	45	81.9	11.6	881	81.4	11.8
	60-69歳	47	87.0	10.0	128	86.7	11.0	218	84.2	10.1	72	83.8	12.0	844	81.6	11.5
	70歳-	20	77.4	9.6	50	83.8	11.0	129	81.6	10.7	98	79.4	11.5	786	78.4	11.5
	計	203	85.0	12.0	457	85.8	12.1	852	82.4	11.0	263	81.4	12.0	3774	78.8	11.8
性 別	年 齢															
	男 性															
	30-39歳	33	85.1	8.7	53	79.2	10.4	82	78.1	9.9	10	82.4	7.8	136	76.8	10.5
	40-49歳	30	84.7	10.5	64	87.8	13.1	116	84.9	10.5	16	86.8	15.7	145	81.5	10.6
	50-59歳	56	89.3	14.0	120	88.8	12.8	147	85.4	10.4	30	81.7	11.6	169	82.5	11.2
	60-69歳	41	87.3	10.4	122	87.0	10.9	182	84.0	9.9	68	83.2	11.9	202	82.4	11.3
	70歳-	18	77.1	10.0	50	83.8	11.0	108	82.1	10.8	90	78.9	11.5	187	78.5	11.6
	計	178	86.1	11.8	409	86.3	12.2	635	83.4	10.5	214	81.4	12.0	839	80.5	11.3
女 性	年 齢															
	30-39歳	5	76.8	8.0	15	78.6	14.2	56	73.3	10.4	13	74.0	9.5	447	70.6	10.2
	40-49歳	5	67.8	12.3	10	83.2	9.0	52	76.9	10.6	9	80.4	12.4	535	76.9	11.1
	50-59歳	7	77.0	12.1	17	85.2	10.0	52	84.4	12.4	15	82.3	11.9	712	81.2	11.9
	60-69歳	6	84.5	7.3	6	81.0	11.8	36	85.2	11.2	4	94.5	9.8	642	81.4	11.6
	70歳-	2	80.0	7.1	0	0	0	21	79.2	9.7	8	85.9	9.4	599	78.4	11.5
	計	25	77.2	10.9	48	82.2	11.5	217	79.4	11.9	49	81.4	11.9	2935	78.3	11.9

表 -22 性・年齢階級別、飲酒状況別、血圧区分 - 高血圧学会分類 ( 2 回の平均値 ) ---- 全対象者

性別	計	高血圧学会(平均値)	飲酒習慣・量													
			現飲酒3合以上		現飲酒2合		現飲酒1合		過去飲酒		飲酒歴無し					
			美数	%	美数	%	美数	%	美数	%	美数	%				
男性	計	高血圧学会(平均値)	16	9.0	33	8.1	83	13.1	26	12.1	157	18.7				
		適常高血圧	22	12.4	63	15.4	106	16.7	34	15.9	178	21.2				
		軽症高血圧	36	20.2	82	20.0	152	23.9	46	21.5	175	20.9				
		中等症高血圧	65	36.5	133	32.5	197	31.0	66	30.8	223	26.6				
		重症高血圧	31	17.4	77	18.8	79	12.4	29	13.6	84	10.0				
		計	8	4.5	21	5.1	18	2.8	13	6.1	22	2.6				
		178	100.0	409	100.0	635	100.0	214	100.0	839	100.0					
		30-39歳	計	高血圧学会(平均値)	2	6.1	12	22.6	33	40.2	2	20.0	53	39.0		
				適常高血圧	7	21.2	19	35.8	21	25.6	4	40.0	42	30.9		
				軽症高血圧	12	36.4	11	20.8	12	14.6	2	20.0	17	12.5		
				中等症高血圧	10	30.3	10	18.9	12	14.6	2	20.0	22	16.2		
				重症高血圧	2	6.1	0	0.0	3	3.7	0	0.0	2	1.5		
				計	0	0.0	1	1.9	1	1.2	0	0.0	0	0.0		
				33	100.0	53	100.0	82	100.0	10	100.0	136	100.0			
				40-49歳	計	高血圧学会(平均値)	7	23.3	7	10.9	15	12.9	3	18.8	41	28.3
						適常高血圧	2	6.7	13	20.3	27	23.3	3	18.8	32	22.1
						軽症高血圧	8	26.7	12	18.8	30	25.9	3	18.8	35	24.1
						中等症高血圧	10	33.3	16	25.0	32	27.6	3	18.8	29	20.0
重症高血圧	3					10.0	12	18.8	10	8.6	3	18.8	6	4.1		
計	0					0.0	4	6.3	2	1.7	1	6.3	2	1.4		
30	100.0					64	100.0	116	100.0	16	100.0	145	100.0			
50-59歳	計					高血圧学会(平均値)	4	7.1	11	9.2	19	12.9	8	26.7	29	17.2
						適常高血圧	7	12.5	15	12.5	25	17.0	3	10.0	39	23.1
						軽症高血圧	11	19.6	24	20.0	44	29.9	9	30.0	42	24.9
						中等症高血圧	17	30.4	36	30.0	38	25.9	7	23.3	37	21.9
		重症高血圧	12			21.4	26	21.7	16	10.9	2	6.7	17	10.1		
		計	5			8.9	8	6.7	5	3.4	1	3.3	5	3.0		
		56	100.0			120	100.0	147	100.0	30	100.0	169	100.0			
		60-69歳	計			高血圧学会(平均値)	3	7.3	2	1.6	13	7.1	3	4.4	16	7.9
						適常高血圧	4	9.8	12	9.8	24	13.2	14	20.6	44	21.8
						軽症高血圧	3	7.3	26	21.3	45	24.7	14	20.6	50	24.8
						中等症高血圧	19	46.3	50	41.0	65	35.7	22	32.4	61	30.2
				重症高血圧	10	24.4	26	21.3	30	16.5	12	17.6	22	10.9		
				計	2	4.9	6	4.9	5	2.7	3	4.4	9	4.5		
				41	100.0	122	100.0	182	100.0	68	100.0	202	100.0			
				70歳-	計	高血圧学会(平均値)	0	0.0	1	2.0	3	2.8	10	11.1	18	9.6
						適常高血圧	2	11.1	4	8.0	9	8.3	10	11.1	21	11.2
						軽症高血圧	2	11.1	9	18.0	21	19.4	18	20.0	31	16.6
						中等症高血圧	9	50.0	21	42.0	50	46.3	32	35.6	74	39.6
重症高血圧	4					22.2	13	26.0	20	18.5	12	13.3	37	19.8		
計	1					5.6	2	4.0	5	4.6	8	8.9	6	3.2		
18	100.0					50	100.0	108	100.0	90	100.0	187	100.0			
女性	計					高血圧学会(平均値)	10	40.0	8	16.7	67	30.9	16	32.7	847	28.9
						適常高血圧	4	16.0	8	16.7	37	17.1	6	12.2	495	16.9
						軽症高血圧	5	20.0	15	31.3	34	15.7	8	16.3	540	18.4
						中等症高血圧	4	16.0	8	16.7	49	22.6	15	30.6	717	24.4
		重症高血圧	2			8.0	6	12.5	24	11.1	3	6.1	247	8.4		
		計	0			0.0	3	6.3	6	2.8	1	2.0	89	3.0		
		25	100.0			48	100.0	217	100.0	49	100.0	2935	100.0			
		30-39歳	計			高血圧学会(平均値)	3	60.0	3	20.0	32	57.1	7	53.8	317	70.9
						適常高血圧	1	20.0	4	26.7	13	23.2	2	15.4	71	15.9
						軽症高血圧	1	20.0	4	26.7	7	12.5	3	23.1	41	9.2
						中等症高血圧	0	0.0	3	20.0	4	7.1	1	7.7	12	2.7
				重症高血圧	0	0.0	1	6.7	0	0.0	0	0.0	4	0.9		
				計	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4		
				5	100.0	15	100.0	56	100.0	13	100.0	447	100.0			
				40-49歳	計	高血圧学会(平均値)	3	60.0	2	20.0	21	40.4	5	55.6	217	40.6
						適常高血圧	1	20.0	2	20.0	12	23.1	0	0.0	133	24.9
						軽症高血圧	1	20.0	3	30.0	8	15.4	1	11.1	93	17.4
						中等症高血圧	0	0.0	0	0.0	9	17.3	3	33.3	62	11.6
重症高血圧	0					0.0	3	30.0	2	3.8	0	0.0	22	4.1		
計	0					0.0	0	0.0	0	0.0	0	0.0	8	1.5		
5	100.0					10	100.0	52	100.0	9	100.0	535	100.0			
50-59歳	計					高血圧学会(平均値)	4	57.1	3	17.6	10	19.2	4	26.7	175	24.6
						適常高血圧	0	0.0	2	11.8	8	15.4	3	20.0	137	19.2
						軽症高血圧	2	28.6	3	17.6	9	17.3	2	13.3	145	20.4
						中等症高血圧	1	14.3	5	29.4	15	28.8	5	33.3	175	24.6
		重症高血圧	0			0.0	2	11.8	8	15.4	1	6.7	58	8.1		
		計	0			0.0	2	11.8	2	3.8	0	0.0	22	3.1		
		7	100.0			17	100.0	52	100.0	15	100.0	712	100.0			
		60-69歳	計			高血圧学会(平均値)	0	0.0	0	0.0	3	8.3	0	0.0	92	14.3
						適常高血圧	1	16.7	0	0.0	3	8.3	0	0.0	83	12.9
						軽症高血圧	1	16.7	5	83.3	6	16.7	1	25.0	142	22.1
						中等症高血圧	3	50.0	0	0.0	14	38.9	1	25.0	224	34.9
				重症高血圧	1	16.7	0	0.0	8	22.2	2	50.0	73	11.4		
				計	0	0.0	1	16.7	2	5.6	0	0.0	28	4.4		
				6	100.0	6	100.0	36	100.0	4	100.0	642	100.0			
				70歳-	計	高血圧学会(平均値)	0	0.0	0	0.0	1	4.8	0	0.0	46	7.7
						適常高血圧	1	50.0	0	0.0	1	4.8	1	12.5	71	11.9
						軽症高血圧	0	0.0	0	0.0	4	19.0	1	12.5	119	19.9
						中等症高血圧	0	0.0	0	0.0	7	33.3	5	62.5	244	40.7
重症高血圧	1					50.0	0	0.0	6	28.6	0	0.0	90	15.0		
計	0					0.0	0	0.0	2	9.5	1	12.5	29	4.8		
2	100.0					0	0.0	21	100.0	8	100.0	599	100.0			

表 -23 性・年齢階級別、飲酒状況別、血圧区分 - 旧WHO分類 ( 2 回の平均値 ) ---- 全対象者

			-- 飲酒習慣・量 --									
			現飲酒 3 合以上		現飲酒 2 合		現飲酒 1 合		過去飲酒		飲酒歴無し	
			実数	%	実数	%	実数	%	実数	%	実数	%
性 別 男 性	計	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	74	41.6	178	43.5	341	53.7	106	49.5	510	60.8
		境界域血圧 (<160/95)	50	28.1	114	27.9	173	27.2	61	28.5	192	22.9
		高血圧 (160- or 95-)	54	30.3	117	28.6	121	19.1	47	22.0	137	16.3
		計	178	100.0	409	100.0	635	100.0	214	100.0	839	100.0
	年 齢 30-39歳	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	21	63.6	42	79.2	66	80.5	8	80.0	112	82.4
		境界域血圧 (<160/95)	5	15.2	8	15.1	10	12.2	1	10.0	16	11.8
		高血圧 (160- or 95-)	7	21.2	3	5.7	6	7.3	1	10.0	8	5.9
		計	33	100.0	53	100.0	82	100.0	10	100.0	136	100.0
	40-49歳	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	17	56.7	32	50.0	72	62.1	9	56.3	108	74.5
		境界域血圧 (<160/95)	6	20.0	13	20.3	21	18.1	2	12.5	20	13.8
		高血圧 (160- or 95-)	7	23.3	19	29.7	23	19.8	5	31.3	17	11.7
		計	30	100.0	64	100.0	116	100.0	16	100.0	145	100.0
	50-59歳	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	22	39.3	50	41.7	88	59.9	20	66.7	110	65.1
		境界域血圧 (<160/95)	13	23.2	32	26.7	30	20.4	6	20.0	33	19.5
		高血圧 (160- or 95-)	21	37.5	38	31.7	29	19.7	4	13.3	26	15.4
		計	56	100.0	120	100.0	147	100.0	30	100.0	169	100.0
60-69歳	WHO区分 ( 2 回の平均)											
	正常血圧 (<140/90)	10	24.4	40	32.8	82	45.1	31	45.6	110	54.5	
	境界域血圧 (<160/95)	17	41.5	45	36.9	63	34.6	20	29.4	54	26.7	
	高血圧 (160- or 95-)	14	34.1	37	30.3	37	20.3	17	25.0	38	18.8	
	計	41	100.0	122	100.0	182	100.0	68	100.0	202	100.0	
70歳-	WHO区分 ( 2 回の平均)											
	正常血圧 (<140/90)	4	22.2	14	28.0	33	30.6	38	42.2	70	37.4	
	境界域血圧 (<160/95)	9	50.0	16	32.0	49	45.4	32	35.6	69	36.9	
	高血圧 (160- or 95-)	5	27.8	20	40.0	26	24.1	20	22.2	48	25.7	
	計	18	100.0	50	100.0	108	100.0	90	100.0	187	100.0	
女 性	計	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	19	76.0	31	64.6	138	63.6	30	61.2	1882	64.1
		境界域血圧 (<160/95)	3	12.0	7	14.6	41	18.9	11	22.4	623	21.2
		高血圧 (160- or 95-)	3	12.0	10	20.8	38	17.5	8	16.3	430	14.7
		計	25	100.0	48	100.0	217	100.0	49	100.0	2935	100.0
	年 齢 30-39歳	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	5	100.0	11	73.3	52	92.9	12	92.3	429	96.0
		境界域血圧 (<160/95)	0	0	2	13.3	2	3.6	1	7.7	10	2.2
		高血圧 (160- or 95-)	0	0	2	13.3	2	3.6	0	0	8	1.8
		計	5	100.0	15	100.0	56	100.0	13	100.0	447	100.0
	40-49歳	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	5	100.0	7	70.0	41	78.8	6	66.7	443	82.8
		境界域血圧 (<160/95)	0	0	0	0	8	15.4	2	22.2	49	9.2
		高血圧 (160- or 95-)	0	0	3	30.0	3	5.8	1	11.1	43	8.0
		計	5	100.0	10	100.0	52	100.0	9	100.0	535	100.0
	50-59歳	WHO区分 ( 2 回の平均)										
		正常血圧 (<140/90)	6	85.7	8	47.1	27	51.9	9	60.0	457	64.2
		境界域血圧 (<160/95)	0	0	5	29.4	13	25.0	3	20.0	143	20.1
		高血圧 (160- or 95-)	1	14.3	4	23.5	12	23.1	3	20.0	112	15.7
		計	7	100.0	17	100.0	52	100.0	15	100.0	712	100.0
60-69歳	WHO区分 ( 2 回の平均)											
	正常血圧 (<140/90)	2	33.3	5	83.3	12	33.3	1	25.0	317	49.4	
	境界域血圧 (<160/95)	3	50.0	0	0	11	30.6	0	0	192	29.9	
	高血圧 (160- or 95-)	1	16.7	1	16.7	13	36.1	3	75.0	133	20.7	
	計	6	100.0	6	100.0	36	100.0	4	100.0	642	100.0	
70歳-	WHO区分 ( 2 回の平均)											
	正常血圧 (<140/90)	1	50.0	0	0	6	28.6	2	25.0	236	39.4	
	境界域血圧 (<160/95)	0	0	0	0	7	33.3	5	62.5	229	38.2	
	高血圧 (160- or 95-)	1	50.0	0	0	8	38.1	1	12.5	134	22.4	
	計	2	100.0	0	0	21	100.0	8	100.0	599	100.0	

表 -24 性・年齢階級別、飲酒状況別、HDLコレステロールの平均値及び標準偏差  
(STD: 標準偏差)

		--飲酒習慣・量--														
		現飲酒3合以上			現飲酒2合			現飲酒1合			過去飲酒			飲酒歴無し		
		HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)			HDLコレステロール (mg/dl)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年 齢															
	30-39歳	36	58.2	16.2	61	63.2	15.8	128	60.7	16.6	22	58.6	19.6	539	60.5	14.9
	40-49歳	33	69.2	19.1	69	58.8	16.6	155	60.5	18.0	24	54.8	13.8	633	59.4	15.0
	50-59歳	59	63.2	19.2	125	60.8	18.5	185	59.1	15.5	41	51.9	15.1	820	58.8	16.5
	60-69歳	44	59.5	18.3	115	57.2	14.0	203	56.3	15.7	60	48.3	11.7	778	55.0	15.1
	70歳-	19	53.6	20.1	46	59.3	19.8	115	56.2	16.5	91	50.2	15.2	711	55.6	14.5
	計	191	61.5	18.9	416	59.7	16.8	786	58.5	16.5	238	51.3	14.9	3481	57.7	15.4
性別	年 齢															
男 性	30-39歳	31	57.3	17.2	48	62.5	16.5	75	55.1	12.5	10	48.3	10.2	119	50.0	11.7
	40-49歳	28	67.8	19.6	59	55.9	14.2	104	54.0	15.7	16	51.6	14.0	134	49.5	12.3
	50-59歳	54	61.3	18.3	109	58.3	16.2	134	56.1	14.5	29	50.3	14.6	151	47.8	13.0
	60-69歳	39	61.1	18.4	109	56.9	13.8	172	54.2	13.5	56	47.9	12.0	189	47.0	13.0
	70歳-	17	54.7	21.1	46	59.3	19.8	97	53.6	14.6	85	50.5	15.3	172	50.0	14.0
	計	169	60.9	18.8	371	58.2	15.8	582	54.6	14.2	196	49.7	13.9	765	48.7	12.9
女 性	年 齢															
	30-39歳	5	63.6	6.0	13	65.9	13.1	53	68.6	18.5	12	67.3	21.6	420	63.5	14.4
	40-49歳	5	77.2	15.2	10	75.9	20.0	51	73.6	14.9	8	61.1	11.7	499	62.1	14.6
	50-59歳	5	83.6	17.7	16	77.7	24.5	51	67.0	15.4	12	55.8	16.3	669	61.3	16.2
	60-69歳	5	46.8	11.9	6	62.3	17.2	31	67.7	21.2	4	52.8	5.7	589	57.5	14.9
	70歳-	2	45.0	5.7	0	0	0	18	69.9	19.5	6	46.8	13.8	539	57.4	14.2
	計	22	65.7	19.3	45	71.8	20.2	204	69.4	17.5	42	58.5	17.2	2716	60.2	15.2

表 -25 性・年齢階級別、飲酒状況別、HDL-コレステロール分布

性別	計	HDLコレステロール(mg/dl)	飲酒習慣・量													
			現飲酒3合以上		現飲酒2合		現飲酒1合		過去飲酒		飲酒歴無し					
			美数	%	美数	%	美数	%	美数	%	美数	%				
男性	計	-39	14	8.3	26	7.0	73	12.5	51	26.0	196	25.6				
		40-49	43	25.4	92	24.8	160	27.5	58	29.6	233	30.5				
		50-59	34	20.1	105	28.3	152	26.1	50	25.5	197	25.8				
		60-69	30	17.8	73	19.7	118	20.3	17	8.7	90	11.8				
		70-79	21	12.4	36	9.7	53	9.1	15	7.7	33	4.3				
		80-	27	16.0	39	10.5	26	4.5	5	2.6	16	2.1				
		計	169	100.0	371	100.0	582	100.0	196	100.0	765	100.0				
		年齢	30-39歳	-39	4	12.9	2	4.2	5	6.7	2	20.0	22	18.5		
				40-49	9	29.0	9	18.8	21	28.0	4	40.0	38	31.9		
				50-59	7	22.6	10	20.8	22	29.3	3	30.0	37	31.1		
				60-69	3	9.7	11	22.9	21	28.0	1	10.0	16	13.4		
				70-79	5	16.1	9	18.8	2	2.7	0	0	5	4.2		
				80-	3	9.7	7	14.6	4	5.3	0	0	1	0.8		
				計	31	100.0	48	100.0	75	100.0	10	100.0	119	100.0		
				年齢	40-49歳	-39	1	3.6	6	10.2	16	15.4	3	18.8	24	17.9
						40-49	4	14.3	16	27.1	27	26.0	6	37.5	54	40.3
						50-59	4	14.3	16	27.1	30	28.8	3	18.8	33	24.6
		60-69	9			32.1	11	18.6	17	16.3	2	12.5	14	10.4		
		70-79	3			10.7	5	8.5	11	10.6	1	6.3	5	3.7		
		80-	7			25.0	5	8.5	3	2.9	1	6.3	4	3.0		
		計	28			100.0	59	100.0	104	100.0	16	100.0	134	100.0		
		年齢	50-59歳			-39	4	7.4	7	6.4	9	6.7	8	27.6	46	30.5
						40-49	12	22.2	28	25.7	43	32.1	5	17.2	39	25.8
						50-59	12	22.2	34	31.2	30	22.4	10	34.5	39	25.8
				60-69	8	14.8	20	18.3	33	24.6	3	10.3	17	11.3		
				70-79	8	14.8	7	6.4	11	8.2	3	10.3	8	5.3		
				80-	10	18.5	13	11.9	8	6.0	0	0	2	1.3		
				計	54	100.0	109	100.0	134	100.0	29	100.0	151	100.0		
年齢	60-69歳			-39	3	7.7	5	4.6	26	15.1	15	26.8	56	29.6		
				40-49	10	25.6	29	26.6	46	26.7	15	26.8	65	34.4		
				50-59	8	20.5	33	30.3	41	23.8	17	30.4	38	20.1		
		60-69	9	23.1	24	22.0	35	20.3	6	10.7	20	10.6				
		70-79	5	12.8	11	10.1	16	9.3	3	5.4	6	3.2				
		80-	4	10.3	7	6.4	8	4.7	0	0	4	2.1				
		計	39	100.0	109	100.0	172	100.0	56	100.0	189	100.0				
		年齢	70歳-	-39	2	11.8	6	13.0	17	17.5	23	27.1	48	27.9		
				40-49	8	47.1	10	21.7	23	23.7	28	32.9	37	21.5		
				50-59	3	17.6	12	26.1	29	29.9	17	20.0	50	29.1		
60-69	1			5.9	7	15.2	12	12.4	5	5.9	23	13.4				
70-79	0			0	4	8.7	13	13.4	8	9.4	9	5.2				
80-	3			17.6	7	15.2	3	3.1	4	4.7	5	2.9				
計	17			100.0	46	100.0	97	100.0	85	100.0	172	100.0				
女性	計			-39	1	4.5	2	4.4	4	2.0	5	11.9	189	7.0		
				40-49	3	13.6	5	11.1	18	8.8	10	23.8	503	18.5		
				50-59	6	27.3	3	6.7	40	19.6	10	23.8	702	25.8		
		60-69	4	18.2	11	24.4	51	25.0	11	26.2	635	23.4				
		70-79	3	13.6	10	22.2	38	18.6	1	2.4	421	15.5				
		80-	5	22.7	14	31.1	53	26.0	5	11.9	266	9.8				
		計	22	100.0	45	100.0	204	100.0	42	100.0	2716	100.0				
		年齢	30-39歳	-39	0	0	2	15.4	1	1.9	0	0	14	3.3		
				40-49	0	0	0	0	7	13.2	3	25.0	53	12.6		
				50-59	1	20.0	0	0	11	20.8	2	16.7	113	26.9		
				60-69	3	60.0	4	30.8	9	17.0	4	33.3	107	25.5		
				70-79	1	20.0	6	46.2	12	22.6	1	8.3	76	18.1		
				80-	0	0	1	7.7	13	24.5	2	16.7	57	13.6		
				計	5	100.0	13	100.0	53	100.0	12	100.0	420	100.0		
				年齢	40-49歳	-39	0	0	0	0	0	0	0	0	27	5.4
						40-49	0	0	1	10.0	2	3.9	1	12.5	72	14.4
						50-59	1	20.0	1	10.0	7	13.7	4	50.0	122	24.4
		60-69	1			20.0	1	10.0	13	25.5	2	25.0	127	25.5		
		70-79	1			20.0	3	30.0	11	21.6	0	0	98	19.6		
		80-	2			40.0	4	40.0	18	35.3	1	12.5	53	10.6		
		計	5			100.0	10	100.0	51	100.0	8	100.0	499	100.0		
		年齢	50-59歳			-39	0	0	0	0	0	0	2	16.7	43	6.4
						40-49	0	0	2	12.5	6	11.8	4	33.3	128	19.1
						50-59	1	20.0	1	6.3	12	23.5	0	0	156	23.3
				60-69	0	0	4	25.0	12	23.5	4	33.3	154	23.0		
				70-79	1	20.0	1	6.3	11	21.6	0	0	104	15.5		
				80-	3	60.0	8	50.0	10	19.6	2	16.7	84	12.6		
				計	5	100.0	16	100.0	51	100.0	12	100.0	669	100.0		
年齢	60-69歳			-39	1	20.0	0	0	3	9.7	0	0	50	8.5		
				40-49	1	20.0	2	33.3	2	6.5	1	25.0	137	23.3		
				50-59	3	60.0	1	16.7	7	22.6	3	75.0	164	27.8		
		60-69	0	0	2	33.3	8	25.8	0	0	122	20.7				
		70-79	0	0	0	0	3	9.7	0	0	76	12.9				
		80-	0	0	1	16.7	8	25.8	0	0	40	6.8				
		計	5	100.0	6	100.0	31	100.0	4	100.0	589	100.0				
		年齢	70歳-	-39	0	0	0	0	0	0	3	50.0	55	10.2		
				40-49	2	100.0	0	0	1	5.6	1	16.7	113	21.0		
				50-59	0	0	0	0	3	16.7	1	16.7	147	27.3		
60-69	0			0	0	0	9	50.0	1	16.7	125	23.2				
70-79	0			0	0	0	1	5.6	0	0	67	12.4				
80-	0			0	0	0	4	22.2	0	0	32	5.9				
計	2			100.0	0	0	18	100.0	6	100.0	539	100.0				

表 -26 性・年齢階級別、飲酒状況別、血清トリグリセリドの平均値及び標準偏差  
(STD: 標準偏差)

		--飲酒習慣・量--														
		現飲酒3合以上			現飲酒2合			現飲酒1合			過去飲酒			飲酒歴無し		
		トリグリセリド (mg/dl)			トリグリセリド (mg/dl)			トリグリセリド (mg/dl)			トリグリセリド (mg/dl)			トリグリセリド (mg/dl)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年齢															
	30-39歳	36	213.7	148.3	61	149.5	125.6	128	138.8	121.5	22	113.8	79.3	539	116.7	110.4
	40-49歳	33	171.0	111.3	69	189.3	110.8	155	157.0	110.8	24	132.3	89.8	633	127.1	87.6
	50-59歳	59	160.2	121.6	125	190.4	274.3	185	146.9	78.2	41	170.3	144.4	820	146.6	89.6
	60-69歳	44	156.5	89.2	115	163.1	84.9	203	158.2	97.1	60	158.8	91.0	778	154.9	102.1
	70歳-	19	201.3	145.0	46	161.6	106.0	115	140.3	80.0	91	150.7	108.6	711	141.9	81.6
	計	191	175.4	122.3	416	173.5	173.9	786	149.5	98.2	238	150.8	107.9	3481	139.3	95.0
性別	年齢															
男性	30-39歳	31	227.4	150.3	48	154.4	119.4	75	155.8	136.1	10	150.7	98.2	119	190.2	189.4
	40-49歳	28	181.9	116.0	59	199.4	114.3	104	185.3	119.6	16	144.5	101.0	134	162.8	98.1
	50-59歳	54	165.4	125.2	109	195.2	291.0	134	148.2	75.6	29	152.8	101.1	151	158.3	89.2
	60-69歳	39	155.8	90.5	109	165.9	86.3	172	162.7	99.9	56	158.2	92.0	189	167.5	118.8
	70歳-	17	208.7	151.3	46	161.6	106.0	97	142.5	84.8	85	136.8	79.4	172	131.6	73.3
	計	169	181.6	126.0	371	177.8	180.1	582	159.1	102.6	196	146.6	88.8	765	160.3	117.5
女性	年齢															
	30-39歳	5	128.6	111.7	13	131.6	150.2	53	114.8	93.2	12	83.0	43.1	420	95.8	59.7
	40-49歳	5	109.6	52.2	10	129.9	62.1	51	99.3	57.4	8	107.9	60.1	499	117.5	82.1
	50-59歳	5	104.4	51.3	16	157.3	104.6	51	143.5	85.4	12	212.8	216.8	669	143.9	89.6
	60-69歳	5	161.6	88.1	6	113.2	20.8	31	133.1	75.9	4	167.0	88.7	589	150.9	95.9
	70歳-	2	138.5	57.3	0	0	0	18	128.3	45.7	6	347.5	238.3	539	145.2	83.8
	計	22	127.2	74.3	45	137.9	104.7	204	122.1	78.3	42	170.6	171.3	2716	133.4	86.8

表 -27 性・年齢階級別、飲酒状況別、血清トリグリセリド分布

			--飲酒習慣・量--											
			現飲酒3合以上		現飲酒2合		現飲酒1合		過去飲酒		飲酒歴無し			
			実数	%	実数	%	実数	%	実数	%	実数	%		
性 別	男 性	計	-トリグリセリド (mg/dl)-	92	54.4	204	55.0	342	58.8	129	65.8	466	60.9	
		-149	25	14.8	59	15.9	101	17.4	29	14.8	127	16.6		
		150-199	17	10.1	46	12.4	61	10.5	19	9.7	70	9.2		
		200-249	11	6.5	21	5.7	29	5.0	5	2.6	39	5.1		
		250-299	24	14.2	41	11.1	49	8.4	14	7.1	63	8.2		
		300-	169	100.0	371	100.0	582	100.0	196	100.0	765	100.0		
		計	-トリグリセリド (mg/dl)-	13	41.9	33	68.8	51	68.0	8	80.0	63	52.9	
		年 齢	30-39歳	-149	7	22.6	8	16.7	6	8.0	0	0	24	20.2
				150-199	1	3.2	3	6.3	6	8.0	1	10.0	12	10.1
				200-249	1	3.2	0	0	3	4.0	0	0	7	5.9
				250-299	9	29.0	4	8.3	9	12.0	1	10.0	13	10.9
				300-	31	100.0	48	100.0	75	100.0	10	100.0	119	100.0
		40-49歳	-トリグリセリド (mg/dl)-	14	50.0	23	39.0	48	46.2	10	62.5	79	59.0	
			-149	5	17.9	14	23.7	24	23.1	4	25.0	20	14.9	
			150-199	5	17.9	7	11.9	13	12.5	1	6.3	15	11.2	
			200-249	0	0	5	8.5	7	6.7	0	0	10	7.5	
			250-299	4	14.3	10	16.9	12	11.5	1	6.3	10	7.5	
		300-	28	100.0	59	100.0	104	100.0	16	100.0	134	100.0		
		50-59歳	-トリグリセリド (mg/dl)-	32	59.3	60	55.0	84	62.7	19	65.5	86	57.0	
			-149	8	14.8	13	11.9	24	17.9	3	10.3	31	20.5	
			150-199	6	11.1	18	16.5	15	11.2	2	6.9	14	9.3	
			200-249	3	5.6	5	4.6	5	3.7	1	3.4	7	4.6	
			250-299	5	9.3	13	11.9	6	4.5	4	13.8	13	8.6	
		300-	54	100.0	109	100.0	134	100.0	29	100.0	151	100.0		
		60-69歳	-トリグリセリド (mg/dl)-	25	64.1	59	54.1	98	57.0	34	60.7	113	59.8	
			-149	4	10.3	19	17.4	28	16.3	8	14.3	33	17.5	
			150-199	3	7.7	13	11.9	21	12.2	8	14.3	13	6.9	
200-249	4		10.3	8	7.3	8	4.7	1	1.8	11	5.8			
250-299	3		7.7	10	9.2	17	9.9	5	8.9	19	10.1			
300-	39	100.0	109	100.0	172	100.0	56	100.0	189	100.0				
70歳-	-トリグリセリド (mg/dl)-	8	47.1	29	63.0	61	62.9	58	68.2	125	72.7			
	-149	1	5.9	5	10.9	19	19.6	14	16.5	19	11.0			
	150-199	2	11.8	5	10.9	6	6.2	7	8.2	16	9.3			
	200-249	3	17.6	3	6.5	6	6.2	3	3.5	4	2.3			
	250-299	3	17.6	4	8.7	5	5.2	3	3.5	8	4.7			
300-	17	100.0	46	100.0	97	100.0	85	100.0	172	100.0				
女 性	計	-トリグリセリド (mg/dl)-	16	72.7	32	71.1	152	74.5	28	66.7	1915	70.5		
		-149	4	18.2	9	20.0	31	15.2	4	9.5	380	14.0		
		150-199	0	0	1	2.2	8	3.9	2	4.8	184	6.8		
		200-249	0	0	0	0	4	2.0	2	4.8	104	3.8		
		250-299	2	9.1	3	6.7	9	4.4	6	14.3	133	4.9		
		300-	22	100.0	45	100.0	204	100.0	42	100.0	2716	100.0		
		年 齢	30-39歳	-トリグリセリド (mg/dl)-	4	80.0	11	84.6	42	79.2	11	91.7	368	87.6
				-149	0	0	1	7.7	7	13.2	1	8.3	28	6.7
				150-199	0	0	0	0	0	0	0	0	12	2.9
				200-249	0	0	0	0	0	0	0	0	4	1.0
				250-299	1	20.0	1	7.7	4	7.5	0	0	8	1.9
		300-	5	100.0	13	100.0	53	100.0	12	100.0	420	100.0		
		40-49歳	-トリグリセリド (mg/dl)-	4	80.0	5	50.0	44	86.3	6	75.0	391	78.4	
			-149	1	20.0	4	40.0	3	5.9	1	12.5	55	11.0	
			150-199	0	0	1	10.0	1	2.0	1	12.5	23	4.6	
			200-249	0	0	0	0	3	5.9	0	0	13	2.6	
			250-299	0	0	0	0	0	0	0	0	17	3.4	
		300-	5	100.0	10	100.0	51	100.0	8	100.0	499	100.0		
		50-59歳	-トリグリセリド (mg/dl)-	4	80.0	10	62.5	32	62.7	8	66.7	447	66.8	
			-149	1	20.0	4	25.0	13	25.5	0	0	95	14.2	
			150-199	0	0	0	0	3	5.9	0	0	54	8.1	
			200-249	0	0	0	0	0	0	1	8.3	26	3.9	
			250-299	0	0	2	12.5	3	5.9	3	25.0	47	7.0	
		300-	5	100.0	16	100.0	51	100.0	12	100.0	669	100.0		
		60-69歳	-トリグリセリド (mg/dl)-	3	60.0	6	100.0	21	67.7	2	50.0	372	63.2	
			-149	1	20.0	0	0	5	16.1	0	0	96	16.3	
			150-199	0	0	0	0	2	6.5	1	25.0	50	8.5	
200-249	0		0	0	0	1	3.2	1	25.0	32	5.4			
250-299	1		20.0	0	0	2	6.5	0	0	39	6.6			
300-	5	100.0	6	100.0	31	100.0	4	100.0	589	100.0				
70歳-	-トリグリセリド (mg/dl)-	1	50.0	0	0	13	72.2	1	16.7	337	62.5			
	-149	1	50.0	0	0	3	16.7	2	33.3	106	19.7			
	150-199	0	0	0	0	2	11.1	0	0	45	8.3			
	200-249	0	0	0	0	0	0	0	0	29	5.4			
	250-299	0	0	0	0	0	0	3	50.0	22	4.1			
300-	2	100.0	0	0	18	100.0	6	100.0	539	100.0				

表 -28 性・年齢階級別、飲酒状況別、血清尿酸の平均値及び標準偏差  
(STD: 標準偏差)

		--飲酒習慣・量--														
		現飲酒3合以上			現飲酒2合			現飲酒1合			過去飲酒			飲酒歴無し		
		尿酸(mg/dl)			尿酸(mg/dl)			尿酸(mg/dl)			尿酸(mg/dl)			尿酸(mg/dl)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年 齢															
	30-39歳	36	6.2	1.3	61	5.6	1.4	128	5.2	1.5	22	4.6	1.4	539	4.4	1.3
	40-49歳	33	6.0	1.4	69	5.8	1.2	155	5.4	1.6	24	5.2	1.3	633	4.4	1.2
	50-59歳	59	5.7	1.4	125	5.8	1.3	185	5.5	1.2	41	5.4	1.5	820	4.6	1.2
	60-69歳	44	5.8	1.5	115	5.6	1.3	203	5.6	1.2	60	5.6	1.4	778	4.8	1.2
	70歳-	19	6.2	1.8	46	5.5	1.5	115	5.5	1.5	91	5.5	1.3	711	4.8	1.2
	計	191	5.9	1.4	416	5.7	1.3	786	5.4	1.4	238	5.4	1.4	3481	4.6	1.2
性 別	年 齢															
	30-39歳	31	6.4	1.2	48	5.9	1.3	75	6.0	1.2	10	5.6	1.5	119	5.9	1.3
	40-49歳	28	6.2	1.4	59	6.0	1.2	104	6.1	1.3	16	5.8	1.1	134	5.8	1.2
	50-59歳	54	5.8	1.3	109	6.0	1.3	134	5.7	1.2	29	5.8	1.5	151	5.7	1.2
	60-69歳	39	5.9	1.4	109	5.6	1.3	172	5.7	1.2	56	5.7	1.4	189	5.5	1.3
	70歳-	17	6.4	1.7	46	5.5	1.5	97	5.7	1.5	85	5.5	1.3	172	5.4	1.3
	計	169	6.1	1.4	371	5.8	1.3	582	5.8	1.3	196	5.6	1.3	765	5.6	1.3
女 性	年 齢															
	30-39歳	5	4.9	1.2	13	4.3	0.8	53	4.1	1.0	12	3.8	0.8	420	3.9	0.8
	40-49歳	5	5.4	1.0	10	4.9	1.0	51	4.0	1.3	8	4.1	0.9	499	4.0	0.9
	50-59歳	5	4.3	0.9	16	4.6	0.8	51	4.9	1.0	12	4.6	1.1	669	4.3	1.0
	60-69歳	5	5.4	2.3	6	5.8	0.6	31	4.8	1.0	4	4.7	1.0	589	4.6	1.0
	70歳-	2	4.0	0.0	0	0	0	18	4.6	1.3	6	5.0	1.6	539	4.7	1.2
	計	22	4.9	1.4	45	4.7	0.9	204	4.4	1.2	42	4.3	1.1	2716	4.3	1.0



表 -29 性・年齢階級別、飲酒状況別、血清尿酸分布

性別	計	尿酸(mg/dl)	飲酒習慣・量									
			現飲酒3合以上		現飲酒2合		現飲酒1合		過去飲酒		飲酒歴無し	
			実数	%	実数	%	実数	%	実数	%	実数	%
男性	計	169	100.0	371	100.0	582	100.0	196	100.0	765	100.0	
	30-39歳	0	0.0	1	0.3	4	0.7	0	0.0	11	1.4	
	40-49歳	0	0.0	1	0.3	10	1.7	2	0.3	5	0.6	
	50-59歳	28	16.6	59	15.9	104	18.0	16	4.1	134	17.5	
	60-69歳	54	32.0	109	29.4	134	23.0	29	7.3	151	19.7	
	70歳-	39	23.1	109	29.4	172	29.6	56	14.2	189	24.7	
	計	1	0.6	4	1.1	12	2.1	4	1.0	194	25.4	
	30-39歳	0	0.0	0	0.0	0	0.0	0	0.0	10	1.3	
	40-49歳	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	
	50-59歳	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	
60-69歳	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4		
70歳-	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4		
計	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
女性	計	22	100.0	49	100.0	97	100.0	85	100.0	172	100.0	
	30-39歳	0	0.0	0	0.0	3	6.1	2	2.4	43	25.0	
	40-49歳	0	0.0	0	0.0	5	10.2	1	1.2	55	31.9	
	50-59歳	0	0.0	0	0.0	2	4.1	8	9.6	49	28.5	
	60-69歳	0	0.0	0	0.0	5	10.2	8	9.6	69	39.9	
	70歳-	0	0.0	0	0.0	2	4.1	0	0.0	40	22.8	
	計	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	30-39歳	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	40-49歳	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	50-59歳	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
60-69歳	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
70歳-	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
計	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		

表 -30 性・年齢階級別、飲酒状況別、血清 - G T P の平均値及び標準偏差  
( STD : 標準偏差 )

		--飲酒習慣・量--														
		現飲酒3合以上			現飲酒2合			現飲酒1合			過去飲酒			飲酒歴無し		
		G T P (IU/L)			G T P (IU/L)			G T P (IU/L)			G T P (IU/L)			G T P (IU/L)		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年 齢															
	30-39歳	36	125.4	111.9	61	71.7	84.9	128	44.1	52.9	22	22.6	21.5	539	22.6	23.2
	40-49歳	33	132.3	196.9	69	95.0	92.2	155	57.3	96.8	24	56.7	75.1	633	26.7	36.3
	50-59歳	59	134.4	161.8	125	97.5	166.1	185	59.5	88.8	41	36.5	23.0	820	30.5	43.8
	60-69歳	44	90.6	101.0	115	71.2	80.3	203	52.6	45.3	60	52.7	57.3	778	32.7	46.9
	70歳-	19	88.5	120.7	46	72.0	99.0	115	46.5	41.8	91	36.5	62.5	711	22.7	15.8
	計	191	117.7	144.6	416	83.2	116.9	786	52.9	70.4	238	41.3	55.5	3481	27.5	36.5
性別	年 齢															
男	30-39歳	31	141.1	112.8	48	81.6	90.8	75	56.3	63.9	10	34.3	27.7	119	38.3	32.5
	40-49歳	28	145.9	208.7	59	99.9	88.5	104	72.4	113.5	16	75.3	86.5	134	39.3	35.8
	50-59歳	54	143.9	165.8	109	102.2	172.9	134	70.9	101.6	29	39.3	23.9	151	34.5	27.9
	60-69歳	39	89.2	103.0	109	73.7	81.7	172	55.3	46.1	56	52.9	58.9	189	37.8	43.6
	70歳-	17	95.7	125.9	46	72.0	99.0	97	49.1	43.9	85	36.5	64.2	172	25.0	14.9
	計	169	126.3	149.9	371	87.0	119.7	582	61.0	78.7	196	44.7	59.8	765	34.6	33.0
女	30-39歳	5	28.2	19.9	13	35.2	44.1	53	27.0	22.8	12	12.8	4.8	420	18.1	17.3
	40-49歳	5	56.4	88.8	10	66.0	112.5	51	26.4	29.4	8	19.6	11.9	499	23.3	35.7
	50-59歳	5	31.6	32.3	16	65.3	107.3	51	29.6	18.5	12	29.6	19.8	669	29.5	46.7
	60-69歳	5	101.6	93.5	6	25.7	12.3	31	37.6	37.5	4	48.8	33.5	589	31.1	47.8
	70歳-	2	27.5	13.4	0	0	0	18	32.8	24.4	6	36.5	33.9	539	22.0	16.0
	計	22	52.0	65.8	45	51.5	85.7	204	29.6	26.5	42	25.7	22.1	2716	25.5	37.2

表 -31 性・年齢階級別、飲酒状況別、血清 - G T P 分布

性別	計	- G T P (IU/L)-	--飲酒習慣・量--									
			現飲酒3合以上		現飲酒2合		現飲酒1合		過去飲酒		飲酒歴無し	
			実数	%	実数	%	実数	%	実数	%	実数	%
男性	計	-19	9	5.3	23	6.2	66	11.3	58	29.6	220	28.8
		20-39	34	20.1	96	25.9	215	36.9	77	39.3	372	48.6
		40-59	23	13.6	77	20.8	132	22.7	26	13.3	87	11.4
		60-79	23	13.6	63	17.0	56	9.6	13	6.6	31	4.1
		80-99	14	8.3	33	8.9	32	5.5	8	4.1	26	3.4
	100-計	66	39.1	79	21.3	81	13.9	14	7.1	29	3.8	
	30-39歳	-19	0	0	5	10.4	13	17.3	4	40.0	28	23.5
		20-39	5	16.1	13	27.1	25	33.3	3	30.0	60	50.4
		40-59	2	6.5	9	18.8	17	22.7	2	20.0	10	8.4
		60-79	3	9.7	4	8.3	6	8.0	0	0	9	7.6
		80-99	4	12.9	5	10.4	5	6.7	0	0	5	4.2
	100-計	17	54.8	12	25.0	9	12.0	1	10.0	7	5.9	
	40-49歳	-19	1	3.6	0	0	7	6.7	4	25.0	34	25.4
		20-39	4	14.3	11	18.6	28	26.9	3	18.8	60	44.8
		40-59	6	21.4	10	16.9	29	27.9	1	6.3	21	15.7
		60-79	4	14.3	13	22.0	20	19.2	2	12.5	6	4.5
		80-99	4	14.3	6	10.2	4	3.8	2	12.5	4	3.0
	100-計	9	32.1	19	32.2	16	15.4	4	25.0	9	6.7	
	50-59歳	-19	28	100.0	59	100.0	104	100.0	16	100.0	134	100.0
		20-39	1	1.9	7	6.4	7	5.2	5	17.2	36	23.8
		40-59	9	16.7	28	25.7	60	44.8	13	44.8	85	56.3
		60-79	7	13.0	25	22.9	33	24.6	5	17.2	13	8.6
		80-99	4	7.4	11	10.1	3	2.2	3	10.3	6	4.0
	100-計	24	44.4	26	23.9	22	16.4	0	0	5	3.3	
60-69歳	-19	54	100.0	109	100.0	134	100.0	29	100.0	151	100.0	
	20-39	5	12.8	7	6.4	24	14.0	16	28.6	49	25.9	
	40-59	12	30.8	27	24.8	59	34.3	19	33.9	90	47.6	
	60-79	4	10.3	26	23.9	35	20.3	5	8.9	27	14.3	
	80-99	5	12.8	26	23.9	17	9.9	7	12.5	7	3.7	
100-計	2	5.1	7	6.4	16	9.3	3	5.4	8	4.2		
70歳-	-19	11	28.2	16	14.7	21	12.2	6	10.7	8	4.2	
	20-39	39	100.0	109	100.0	172	100.0	56	100.0	189	100.0	
	40-59	2	11.8	4	8.7	15	15.5	29	34.1	73	42.4	
	60-79	4	23.5	17	37.0	43	44.3	39	45.9	77	44.8	
	80-99	4	23.5	7	15.2	18	18.6	13	15.3	16	9.3	
100-計	2	11.8	8	17.4	4	4.1	1	1.2	3	1.7		
女性	計	-19	0	0	4	8.7	4	4.1	0	0	3	1.7
		20-39	5	29.4	6	13.0	13	13.4	3	3.5	0	0
		40-59	17	100.0	46	100.0	97	100.0	85	100.0	172	100.0
		60-79	10	45.5	15	33.3	99	48.5	24	57.1	1599	58.9
		80-99	6	27.3	17	37.8	63	30.9	11	26.2	804	29.6
	100-計	0	0	6	13.3	23	11.3	2	4.8	162	6.0	
	30-39歳	-19	1	4.5	3	6.7	11	5.4	3	7.1	65	2.4
		20-39	0	0	0	0	3	1.5	1	2.4	24	0.9
		40-59	4	18.2	4	8.9	5	2.5	1	2.4	62	2.3
		60-79	1	4.5	0	0	3	1.5	1	2.4	24	0.9
		80-99	4	18.2	4	8.9	5	2.5	1	2.4	62	2.3
	100-計	22	100.0	45	100.0	204	100.0	42	100.0	2716	100.0	
	40-49歳	-19	2	40.0	5	38.5	28	52.8	11	91.7	318	75.7
		20-39	2	40.0	7	53.8	16	30.2	1	8.3	77	18.3
		40-59	0	0	0	0	5	9.4	0	0	17	4.0
		60-79	1	20.0	0	0	2	3.8	0	0	4	1.0
		80-99	0	0	0	0	2	3.8	0	0	1	0.2
	100-計	5	100.0	13	100.0	53	100.0	12	100.0	420	100.0	
	50-59歳	-19	3	60.0	4	40.0	30	58.8	4	50.0	354	70.9
		20-39	1	20.0	2	20.0	12	23.5	3	37.5	99	19.8
		40-59	0	0	2	20.0	6	11.8	1	12.5	26	5.2
		60-79	0	0	1	10.0	1	2.0	0	0	7	1.4
		80-99	0	0	0	0	1	2.0	0	0	2	0.4
	100-計	1	20.0	1	10.0	1	2.0	0	0	11	2.2	
60-69歳	-19	5	100.0	10	100.0	51	100.0	8	100.0	499	100.0	
	20-39	3	60.0	3	18.8	19	37.3	5	41.7	333	49.8	
	40-59	1	20.0	6	37.5	21	41.2	4	33.3	242	36.2	
	60-79	0	0	3	18.8	7	13.7	1	8.3	39	5.8	
	80-99	0	0	2	12.5	3	5.9	2	16.7	24	3.6	
100-計	1	20.0	0	0	1	2.0	0	0	12	1.8		
70歳-	-19	0	0	2	12.5	0	0	0	0	19	2.8	
	20-39	5	100.0	16	100.0	51	100.0	12	100.0	669	100.0	
	40-59	1	20.0	3	50.0	14	45.2	1	25.0	266	45.2	
	60-79	1	20.0	2	33.3	9	29.0	1	25.0	222	37.7	
	80-99	0	0	1	16.7	4	12.9	0	0	53	9.0	
100-計	3	60.0	0	0	2	6.5	1	25.0	17	2.9		
70歳-	-19	0	0	0	0	0	0	1	25.0	8	1.4	
	20-39	0	0	0	0	0	0	1	25.0	8	1.4	
	40-59	0	0	0	0	0	0	0	0	23	3.9	
	60-79	0	0	0	0	0	0	0	0	6	1.1	
	80-99	0	0	0	0	0	0	1	16.7	1	0.2	
100-計	0	0	0	0	0	0	0	0	6	1.1		
100-計	2	100.0	0	0	18	100.0	6	100.0	539	100.0		

表 -32 性・年齢階級別、飲酒状況別、BMI (Body Mass Index)の平均値及び標準偏差 (STD: 標準偏差)

		--飲酒習慣・量--														
		現飲酒3合以上			現飲酒2合			現飲酒1合			過去飲酒			飲酒歴無し		
		Body Mass Index			Body Mass Index			Body Mass Index			Body Mass Index			Body Mass Index		
		実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD	実数	平均値	STD
男女計	年 齢															
	30-39歳	42	24.00	4.1	83	22.9	3.5	169	22.7	3.3	25	23.5	4.1	672	22.1	3.6
	40-49歳	45	22.9	2.7	86	24.1	3.1	199	23.3	3.8	26	23.0	3.1	757	23.1	3.4
	50-59歳	71	23.5	3.5	157	23.6	3.3	221	23.5	3.1	49	23.9	3.9	954	23.2	3.2
	60-69歳	53	23.4	3.5	136	23.6	3.3	236	23.4	2.8	78	23.5	2.8	882	23.8	3.5
	70歳-	20	23.6	3.3	53	23.3	2.8	136	22.9	3.2	101	22.9	3.0	840	23.0	3.4
	計	231	23.5	3.5	515	23.5	3.3	961	23.2	3.2	279	23.3	3.3	4105	23.1	3.5
性 別	年 齢															
	男 性															
	30-39歳	37	24.3	4.1	67	23.1	3.5	106	23.2	2.5	12	25.7	3.8	174	23.7	3.4
	40-49歳	39	23.1	2.6	76	24.1	3.1	139	23.9	4.0	17	23.6	3.1	188	23.7	3.2
	50-59歳	64	23.7	3.5	139	23.8	3.2	165	23.6	3.0	33	23.6	4.0	202	23.7	2.8
	60-69歳	47	23.2	3.5	129	23.7	3.2	197	23.5	2.7	74	23.4	2.8	210	23.8	3.4
	70歳-	18	23.8	3.4	53	23.3	2.8	115	22.9	3.2	94	22.8	3.0	207	22.2	2.9
	計	205	23.6	3.5	464	23.7	3.2	722	23.4	3.1	230	23.3	3.2	981	23.4	3.2
女 性	年 齢															
	30-39歳	5	21.3	3.1	16	21.8	3.7	63	21.8	4.2	13	21.4	3.3	498	21.6	3.6
	40-49歳	6	22.2	3.6	10	23.4	3.2	60	21.9	2.9	9	21.7	2.9	569	22.9	3.5
	50-59歳	7	21.5	3.2	18	22.2	3.5	56	23.1	3.2	16	24.4	3.8	752	23.1	3.3
		60-69歳	6	24.6	3.6	7	21.0	3.8	39	23.2	3.2	4	25.1	1.7	672	23.7
	70歳-	2	21.7	1.1	0	0	0	21	22.9	3.4	7	24.6	2.6	633	23.2	3.5
	計	26	22.3	3.3	51	22.1	3.5	239	22.4	3.5	49	23.2	3.5	3124	23.0	3.5

表 -33 性・年齢階級別、飲酒状況別、BMI区分

			--飲酒習慣・量--									
			現飲酒3合以上		現飲酒2合		現飲酒1合		過去飲酒		飲酒歴無し	
			実数	%	実数	%	実数	%	実数	%	実数	%
性 別 男 性	計	肥満度(BMI)										
		BMI:<18.5	8	3.9	11	2.4	24	3.3	13	5.7	56	5.7
		BMI:18.5-<25	136	66.3	314	67.7	491	68.0	150	65.2	638	65.0
		BMI:>=25	61	29.8	139	30.0	207	28.7	67	29.1	287	29.3
		計	205	100.0	464	100.0	722	100.0	230	100.0	981	100.0
	年 齢 30-39歳	肥満度(BMI)										
		BMI:<18.5	2	5.4	3	4.5	2	1.9	0	0	9	5.2
		BMI:18.5-<25	21	56.8	51	76.1	80	75.5	6	50.0	107	61.5
		BMI:>=25	14	37.8	13	19.4	24	22.6	6	50.0	58	33.3
		計	37	100.0	67	100.0	106	100.0	12	100.0	174	100.0
	40-49歳	肥満度(BMI)										
		BMI:<18.5	1	2.6	0	0	1	0.7	0	0	7	3.7
		BMI:18.5-<25	28	71.8	48	63.2	99	71.2	11	64.7	125	66.5
		BMI:>=25	10	25.6	28	36.8	39	28.1	6	35.3	56	29.8
		計	39	100.0	76	100.0	139	100.0	17	100.0	188	100.0
	50-59歳	肥満度(BMI)										
		BMI:<18.5	2	3.1	5	3.6	2	1.2	1	3.0	9	4.5
		BMI:18.5-<25	42	65.6	92	66.2	114	69.1	21	63.6	127	62.9
		BMI:>=25	20	31.3	42	30.2	49	29.7	11	33.3	66	32.7
		計	64	100.0	139	100.0	165	100.0	33	100.0	202	100.0
60-69歳	肥満度(BMI)											
	BMI:<18.5	2	4.3	1	0.8	10	5.1	3	4.1	8	3.8	
	BMI:18.5-<25	35	74.5	86	66.7	124	62.9	48	64.9	132	62.9	
	BMI:>=25	10	21.3	42	32.6	63	32.0	23	31.1	70	33.3	
	計	47	100.0	129	100.0	197	100.0	74	100.0	210	100.0	
70歳-	肥満度(BMI)											
	BMI:<18.5	1	5.6	2	3.8	9	7.8	9	9.6	23	11.1	
	BMI:18.5-<25	10	55.6	37	69.8	74	64.3	64	68.1	147	71.0	
	BMI:>=25	7	38.9	14	26.4	32	27.8	21	22.3	37	17.9	
	計	18	100.0	53	100.0	115	100.0	94	100.0	207	100.0	
女 性	計	肥満度(BMI)										
		BMI:<18.5	1	3.8	7	13.7	23	9.6	5	10.2	233	7.5
		BMI:18.5-<25	19	73.1	35	68.6	172	72.0	31	63.3	2120	67.9
		BMI:>=25	6	23.1	9	17.6	44	18.4	13	26.5	771	24.7
		計	26	100.0	51	100.0	239	100.0	49	100.0	3124	100.0
	年 齢 30-39歳	肥満度(BMI)										
		BMI:<18.5	0	0	3	18.8	13	20.6	3	23.1	84	16.9
		BMI:18.5-<25	4	80.0	11	68.8	39	61.9	8	61.5	346	69.5
		BMI:>=25	1	20.0	2	12.5	11	17.5	2	15.4	68	13.7
		計	5	100.0	16	100.0	63	100.0	13	100.0	498	100.0
	40-49歳	肥満度(BMI)										
		BMI:<18.5	1	16.7	0	0	1	1.7	1	11.1	27	4.7
		BMI:18.5-<25	4	66.7	8	80.0	54	90.0	7	77.8	417	73.3
		BMI:>=25	1	16.7	2	20.0	5	8.3	1	11.1	125	22.0
		計	6	100.0	10	100.0	60	100.0	9	100.0	569	100.0
	50-59歳	肥満度(BMI)										
		BMI:<18.5	0	0	2	11.1	4	7.1	1	6.3	37	4.9
		BMI:18.5-<25	6	85.7	12	66.7	39	69.6	9	56.3	533	70.9
		BMI:>=25	1	14.3	4	22.2	13	23.2	6	37.5	182	24.2
		計	7	100.0	18	100.0	56	100.0	16	100.0	752	100.0
60-69歳	肥満度(BMI)											
	BMI:<18.5	0	0	2	28.6	3	7.7	0	0	34	5.1	
	BMI:18.5-<25	3	50.0	4	57.1	26	66.7	3	75.0	423	62.9	
	BMI:>=25	3	50.0	1	14.3	10	25.6	1	25.0	215	32.0	
	計	6	100.0	7	100.0	39	100.0	4	100.0	672	100.0	
70歳-	肥満度(BMI)											
	BMI:<18.5	0	0	0	0	2	9.5	0	0	51	8.1	
	BMI:18.5-<25	2	100.0	0	0	14	66.7	4	57.1	401	63.3	
	BMI:>=25	0	0	0	0	5	23.8	3	42.9	181	28.6	
	計	2	100.0	0	0	21	100.0	7	100.0	633	100.0	