
ICD-10 Version:2016

第8回疾病、傷害及び死因分類部会

参考資料4

令和3年1月14日



ICD-10 Version:2019

ICD-10 Version:2019

Search U07

[Advanced Search 1

ICD-10

Versions - Languages

Info

ICD-10 Version:2019

I Certain infectious and parasitic diseases

II Neoplasms

III Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism

IV Endocrine, nutritional and metabolic diseases

V Mental and behavioural disorders

VI Diseases of the nervous system

VII Diseases of the eye and adnexa

VIII Diseases of the ear and mastoid process

IX Diseases of the circulatory system

X Diseases of the respiratory system

XI Diseases of the digestive system

XII Diseases of the skin and subcutaneous tissue

XIII Diseases of the musculoskeletal system and connective tissue

XIV Diseases of the genitourinary system

XV Pregnancy, childbirth and the puerperium

XVI Certain conditions originating in the perinatal period

XVII Congenital malformations, deformations and chromosomal abnormalities

ciromosoma abnormantes

XVIII Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified

XIX Injury, poisoning and certain other consequences of external causes

XX External causes of morbidity and mortality

XXI Factors influencing health status and contact with health

XXII Codes for special purposes

U00-U49 Provisional assignment of new diseases of uncertain etiology or emergency use

U04 Severe acute respiratory syndrome [SARS]

U07 Emergency use of U07

U08 Emergency use of U08

U09 Emergency use of U09

U82-U85 Resistance to antimicrobial and antineoplastic drugs

International Statistical Classification of Diseases and Related Health Problems 10th Revision (ICD-10)-WHO Version for ;2019

Chapter XXII

Codes for special purposes (U00-U85)

Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)

As of January 1, 2019, Zika virus disease is classified to A92.5.

J04 Severe acute respiratory syndrome [SARS]

04.9 Severe acute respiratory syndrome [SARS], unspecified

Excl.: COVID-19, virus identified (<u>U07.1</u>)
COVID-19, virus not identified (<u>U07.2</u>)

U07 Emergency use of U07

Note: Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specific here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.

U07.0 Vaping-related disorder

dabbing related lung damage

dabbing related disorde

electronic cigarette related lung damage

electronic cigarette related lung injury

dabbing related lung injury

e-cigarette - [electronic] cigarette related disorder

EVALI - [e-cigarette, or vaping, product use associated lung injury]

Use additional code, if desired, to identify pneumonia or other manifestations.

U07.1 COVID-19, virus identified

COVID-19 NOS

Use this code when COVID-19 has been confirmed by laboratory testing irrespective of severity of clinical signs or symptoms. Use additional code, if desired, to identify pneumonia or other manifestations.

Excl.: Coronavirus infection, unspecified site (B34.2)

Coronavirus as the cause of diseases classified to other chapters (B97.2)

Severe acute respiratory syndrome [SARS], unspecified ($\underline{\text{U04.9}}$)

U07.2 COVID-19, virus not identified

Use this code when COVID-19 is diagnosed clinically or epidemiologically but laboratory testing is inconclusive or not available. Use additional code, if desired, to identify pneumonia or other manifestations

Excl.: Coronavirus infection, unspecified site (<u>B34.2</u>) COVID-19:

confirmed by laboratory testing (U07.1)

- special screening examination (Z11.5)
- special screening examination (<u>Z11.5</u>)
 suspected but ruled out by negative laboratory results (<u>Z03.8</u>)
- Suspected but raise out by negative laboratory results (Est
- U07.3 Emergency use of U07.3
- U07.4 Emergency use of U07.4

Update 3 in relation to the COVID-19

A set of additional categories has been agreed to be able to document or flag conditions that occur in the context of COVID-19.

Both, 3 character and 4 character codes have been defined to respond to the different levels of coding depth that is in place in different countries. It is further noted that technological constraints may require to bridge national coding to the international codes until an update of the relevant IT systems allows to use the international codes directly.

U08 Personal history of COVID-19

U08.9 Personal history of COVID-19, unspecified

Note:

This optional code is used to record an earlier episode of COVID-19, confirmed or probable that influences the person's health status, and the person no longer suffers of COVID-19. This code should not be used for primary mortality tabulation.

U09 Post COVID-19 condition

U09.9 Post COVID-19 condition, unspecified

Note:

This optional code serves to allow the establishment of a link with COVID-19. This code is not to be used in cases that still are presenting COVID-19.

Temporally associated

With COVID-19

U10 Multisystem inflammatory syndrome associated with COVID-19

U10.9 Multisystem inflammatory syndrome associated with COVID-19, unspecified

Cytokine storm

Kawasaki-like syndrome

Paediatric Inflammatory Multisystem Syndrome (PIMS)

Multisystem Inflammatory Syndrome in Children (MIS-C)

Excludes: Mucocutaneous lymph node syndrome [Kawasaki] (M30.3)

Volume 3 with Addition of suspected COVID-19 – April 2020 ICD-11 – ALL INDEX TERMS

- COVID-19
- 2019-new Coronavirus acute respiratory disease
- 2019-nCoV acute respiratory disease [temporary name]
- Coronavirus disease 2019
- Suspected COVID-19

Instruction	Alphabetic Index entries	Source URC#	Date approved	Major / Minor update	Suggested implementation date
Add lead	Coronavirus, as cause of disease classified elsewhere B97.2	WHO	April 2020		Immediate
term and subterms	Coronavirus disease 2019 U07.1 – virus identified U07.1				
	- virus not identified U07.1				
	Corpora – see also condition				
Add lead	Couvelaire syndrome or uterus (complicating delivery) (see also Abruptio placentae)	WHO	April 2020		Immediate
term and	O45.8	W110	71pm 2020		Immediate
	COVID-19 U07.1				
subterms	<u>with laboratory testing confirmation U07.1</u>				
	- confirmed U07.1				
	probable U07.2suspected U07.2				
	- virus identified U07.1				
	- virus not identified U07.2				
	Cowperitis (see also Urethritis) N34.2				
Add and	Disease, diseased – see also Syndrome	WHO	April 2020		Immediate
revise	- 2019-nCoV acute respiratory disease [temporary name] U07.1				
subterms	 with laboratory testing confirmation U07.1 clinically or epidemiologically diagnosed U07.2 				
	- suspected U07.2				
	- 2019-new Coronavirus acute respiratory disease U07.1				
	 – with laboratory testing confirmation U07.1 				
	<u>— clinically or epidemiologically diagnosed U07.2</u>				
	- suspected U07.2 - adenoids (and tonsils) J35.9				

Instruction	Alphabetic Index entries	Source URC#	Date approved	Major / Minor update	Suggested implementation date
	- adrenal (capsule) (cortex) (gland)(medullary) E27.9 comea H18.9 specified NEC H18.8 - coronavirus 2019 U07.1 - with laboratory testing confirmation U07.1 clinically or epidemiologically diagnosed U07.2 - suspected U07.2 - coronary (artery) I25.1 corpus cavernosum N48.9 - specified NEC N48.8 - COVID-19 U07.1 - with laboratory testing confirmation U07.1 - clinical diagnosis of COVID-19 U07.2 - clinically or epidemiologically diagnosed COVID-19 U07.2 - probable U07.2 - suspected U07.2 - virus identified U07.1 - virus not identified U07.2 - coxsackie (virus) NEC B34.1				
Add subterms	Infection, infected (opportunistic) - coronavirus NEC B34.2 - as cause of disease classified elsewhere B97.2 - disease 2019 [COVID-19] U07.1 - virus identified U07.1 - virus not identified U07.2 - severe acute respiratory syndrome (SARS) U04.9 unspecified nature or site B34.2	WHO	April 2020		Immediate