25:164-7,2004.
[73] Kaatz GW.et al: Acqusition of Clostridium dificile from the hospital environment. Am J Epidemiol. 127:1289-94,1988.
[74] Knowles S., Herra C.et al: An outbreak of multiply resistant Serratia marcescens:the importance of persistent carriage. Bone Marrow Transplantation. 25:873-7,2000.
[75] Druce JD. et al: Susceptibility of HIV to inactivation by disinfection and ultravioler light. J Hosp Infect. 30:167-80,1995.
[76] Van Bueren J:Inactivation of HIV-1 by chemical disinfectants: sodium hypochlorite. Epidemiol Infect. 115:567-79,1995.
[77] Denyer SP, Blackburn JE, Worral AK, et al: In-use microbiologicial contamination of IV infusion fluids. The Pharmaceutical Journal. 1981;227:419-423.
[78] Kundsin RB: Microbial hazards in the assembly of intravenous infusion. “Adovances in Parental Nutrition” Press, Lancaster, 1983; 319－324.
[79] 橋本守、長谷川博康、木村緑、他：混合輸液療法における微生物汚染. 静岡県立総合病院医学雑誌. 1987; 3: 57-58.
[80] American Society of Hospital Pharmatics: ASHP technical assistance bulletin on quality assurance for pharmacy-prepared sterile products. Am J Hosp Pharm. 1993; 50: 2386-2398.
[81] Davies WL, Lamy PP, Kilter ME et al: Environmental control with laminar flow. Hosp Pharm. 1969; 4: 8-16.
[82] Santell JP, Kamalich RF: National Survey of quality assureance activities for pharmacy-prepared sterile products in hospitals and home infusion facilities. 1995; Am J Health Syst Pharm 1996; 53: 2591-2605.
[83] Langford SA: Microbial survival in infusion fluids: the relevance to the management of aseptic facilities. Hosp Pharm 2000; 7: 228-236.
[84] Engelhart S, Krizek L., Glasmacher A. et.al.: Pseudomonas aeruginosa outbreak in a hematology-oncology unit associated with contaminated surface cleaning equipment, J. Hosp. Infect. 52; 93-98, 2002.
[85] 坂本真紀, 中西正典, 菅　紀子　他：注射薬セット用ワゴンの汚染調査. 日病薬誌. 1996;32(7,8):799-802.
[86] Alonso-Echanove J, Edwards JR, Richards MJ et al：Effect of nurse staffing and antimicrobial-impregnated central venous catheters on the risk for bloodstream infections in intensive care units. Infect Control Hosp Epidemiol. 2003 Dec; 24（12）: 916-25.
[87] Casewell M, Phillips I: Hands as route of transmission for Krebsiella species. Brit Med J. 1997; 2:1315-1317.
[88] Johnson S. et al: Prospective, controlled study of vinyl glove use to interrupt Clostridium difficile nosocomial transmission. Am J Med. 1990; 88:137-140.
[89] Langford SA: Microbial survival in infusion fluids: the relevance to the management of asptic facilities. Hosp Pharm. 2000;7:228-236.
[90] Jarvis WR, Highsmith AK, Allen JR et al: Polymicrobial bacteremia associated with lipid emulsion in a neonatal intensive care unit. Pediatr Infect Dis. 1983;2:203-208.
[91] Warren DK, Zack JE, Cox MJ et al: An educational intervention to prevent catheter-associated bloodstream infections in a nonteaching, Community medical center. Crit Care Med. 2003;31(7):1959-1963.
[92] Coopersmith CM, Rebmann TL, Zack JE, Ward MR, et al: Effect of an education program on decreasing catheter-related bloodstream infections in the surgical intensive care unit. Crit Care Med. 2002;30(1):59-64.
[93] Warren DK, Zack JE, Mayfield JL, Chen A et al: The Effect of an educational program on the incidence of central venous catheter-associated bloodstream infection in a medical ICU. Chest. 2004;126(5):1612-1618.
[94] 環境省：廃棄物の処理及び清掃に関する法律、第 137 号（改正：平成 18 年 6 月 2 日）
[95] 環境省大臣官房廃棄物・リサイクル対策部産業廃棄物課適正処理推進室：廃棄物処理法に基づく感染性廃棄物マニュアル, 平成 16 年 3 月 16 日, 1-53.