

合は、食中毒とともに院内感染の両面からの調査と対策を実施する。(IVA)

8.2 ノロウイルス: 前述を参照。

8.3 サルモネラ、腸管出血性大腸菌(O157 など)など: 標準的な感染予防策の励行、可能な場合は個室収容、下利便、吐物の処理の際の汚染・感染拡大防止策を徹底する。(IVA)

---

<sup>562</sup> McNeil SA, Malani PN, Chenoweth CE, Fontana RJ, Magee JC, Punch JD, Mackin ML, Kauffman CA. Vancomycin-resistant enterococcal colonization and infection in liver transplant candidates and recipients: a prospective surveillance study. *Clin Infect Dis*. 2006 Jan 15;42(2):195-203.

<sup>563</sup> Lodise TP, McKinnon PS, Tam VH, Rybak MJ. Clinical outcomes for patients with bacteremia caused by vancomycin-resistant enterococcus in a level 1 trauma center. *Clin Infect Dis*. 2002 Apr 1;34(7):922-9.

<sup>564</sup> DiazGranados CA, Jernigan JA. Impact of vancomycin resistance on mortality among patients with neutropenia and enterococcal bloodstream infection. *J Infect Dis*. 2005 Feb 15;191(4):588-95.

<sup>565</sup> Joels CS, Matthews BD, Sigmon LB, Hasan R, Lohr CE, Kercher KW, Norton J, Sing RF, Heniford BT. Clinical characteristics and outcomes of surgical patients with vancomycin-resistant enterococcal infections. *Am Surg*. 2003 Jun;69(6):514-9.

<sup>566</sup> Dantas SR, Moretti-Branchini ML. Impact of antibiotic-resistant pathogens colonizing the respiratory secretions of patients in an extended-care area of the emergency department. *Infect Control Hosp Epidemiol*. 2003 May;24(5):351-5.

<sup>567</sup> Kapur D, Dorsky D, Feingold JM, Bona RD, Edwards RL, Aslanzadeh J, Tutschka PJ, Bilgrami S. Incidence and outcome of vancomycin-resistant enterococcal bacteremia following autologous peripheral blood stem cell transplantation. *Bone Marrow Transplant*. 2000 Jan;25(2):147-52.

<sup>568</sup> Grayson ML, Grabsch EA, Johnson PD, Olden D, Aberline M, Li HY, Hogg G, Abbott M, Kerr PG. Outcome of a screening program for vancomycin-resistant enterococci in a hospital in Victoria. *Med J Aust*. 1999 Aug 2;171(3):133-6.

<sup>569</sup> Tsiatis AC, Manes B, Calder C, Billheimer D, Wilkerson KS, Frangoul H. Incidence and clinical complications of vancomycin-resistant enterococcus in pediatric stem cell transplant patients. *Bone Marrow Transplant*. 2004 May;33(9):937-41.

<sup>570</sup> Knoll M, Daeschlein G, Okpara-Hofmann J, Klare I, Wilhelms D, Wolf HH, Borneff-Lipp M. Outbreak of vancomycin-resistant enterococci (VRE) in a hematological oncology ward and hygienic preventive measures. A long-term study. *Onkologie*. 2005 Apr;28(4):187-92.

<sup>571</sup> Shadel BN, Puzniak LA, Gillespie KN, Lawrence SJ, Kollef M, Mundy LM. Surveillance for vancomycin-resistant enterococci: type, rates, costs, and implications. *Infect Control Hosp Epidemiol*. 2006 Oct;27(10):1068-75.

<sup>572</sup> D'Agata EM, Gautam S, Green WK, Tang YW. High rate of false-negative results of the rectal swab culture method in detection of gastrointestinal colonization with vancomycin-resistant enterococci. *Clin Infect Dis*. 2002 Jan 15;34(2):167-72.

<sup>573</sup> Puzniak LA, Leet T, Mayfield J, Kollef M, Mundy LM. To gown or not to gown: the effect on acquisition of vancomycin-resistant enterococci. *Clin Infect Dis*. 2002 Jul 1;35(1):18-25.

<sup>574</sup> Srinivasan A, Song X, Ross T, Merz W, Brower R, Perl TM. A prospective study to determine whether cover gowns in addition to gloves decrease nosocomial transmission of vancomycin-resistant enterococci in an intensive care unit. *Infect Control Hosp Epidemiol*. 2002 Aug;23(8):424-8.

<sup>575</sup> Dahms RA, Johnson EM, Statz CL, Lee JT, Dunn DL, Beilman GJ. Third-generation cephalosporins and vancomycin as risk factors for postoperative vancomycin-resistant enterococcus infection. *Arch Surg*. 1998 Dec;133(12):1343-6.