臨床情報検索システムD*D

🚰 臨床研究DBシステム - Microsoft Internet Explorer

アドレス(D) (書) http://localhost/clinical/index1.csp

膈尿研究DBシステム 文字列検索 複合検索 患者条件。検査条件。処方条件。注射条件 浜松医大の ■■検索条件■■ 10年間 □ 検査条件 -- [期間:すべて] FBS(60以下) 73,709,298 □ 処方条件 -- [期間:すべて] 薬品 = ☆[糖尿]アマリール1mg の患者基本 or 薬品 = ★[糖尿]アマリール3mg 、処方、注 □ サマリ条件 -- [期間:すべて] 合併症 昏睡歷 有 射、検体検 查結果、病 ■■検索結果■■ 1~4/4件中(16.08秒) 名登録を 氏名 性别 年齢 76 SS-MIX標 66 女性 女性 準化ストレ XML出力 ブリント 一ジ経由で 常時インポ **-**|-


■ ページが表示されました



"pravastatin (or others, any titer) and AST > 150 subsequently within 2 weeks"

Search result: 83 patients, search time 112.22 seconds

Patient list shows a selected patient has "HIT" prescription twice, 1997/10/22, and 10/29, and graph of AST show peak high value recorded on 1997/11/04, within two weeks of the medication.



Search examples in Hamamatsu University Hospital

- #In 2007, number of patients with HbA1c=6.6-8.0, then examined again in 2-3 months
 - △-5.8: 55 cases, 5.9-6.5: 289 cases, 6.6-8.0: 657 cases, 8.1-: 192 cases
- # "Gemzar"(gemcitabine, a cytosineantimetabolites) injected patient: 181 cases
 - □ "After the injection" interstitial pneumonia (ICD-10 J84.x) diagnosed case: 7 cases
- **Stroke** onset, and within 3 years recurrence?
 - Classification "Stroke" is not reliable, as it can be used for reimbursement reasons of CT scan.