

ICD-10 Version:2016

Search U06 [ Advanced Search ]

ICD-10 Versions - Languages Info

ICD-10 Version:2016

- I Certain infectious and parasitic diseases
- II Neoplasms
- III Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
- IV Endocrine, nutritional and metabolic diseases
- V Mental and behavioural disorders
- VI Diseases of the nervous system
- VII Diseases of the eye and adnexa
- VIII Diseases of the ear and mastoid process
- IX Diseases of the circulatory system
- X Diseases of the respiratory system
- XI Diseases of the digestive system
- XII Diseases of the skin and subcutaneous tissue
- XIII Diseases of the musculoskeletal system and connective tissue
- XIV Diseases of the genitourinary system
- XV Pregnancy, childbirth and the puerperium
- XVI Certain conditions originating in the perinatal period
- XVII Congenital malformations, deformations and chromosomal abnormalities
- XVIII Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified
- XIX Injury, poisoning and certain other consequences of external causes
- XX External causes of morbidity and mortality
- XXI Factors influencing health status and contact with health services
- XXII Codes for special purposes
  - U00-U49 Provisional assignment of new diseases of uncertain etiology or emergency use
    - U04 Severe acute respiratory syndrome [SARS]
    - U06 Zika virus disease
      - U06.0 Emergency use of U06.0
      - U06.1 Emergency use of U06.1
      - U06.2 Emergency use of U06.2
      - U06.3 Emergency use of U06.3
      - U06.4 Emergency use of U06.4
      - U06.5 Emergency use of U06.5
      - U06.6 Emergency use of U06.6
      - U06.7 Emergency use of U06.7
      - U06.8 Emergency use of U06.8
      - U06.9 Zika virus disease, unspecified
    - U07 Emergency use of U07

International Statistical Classification of Diseases and Related Health Problems 10th Revision (ICD-10)-WHO Version for ;2016

Chapter XXII

Codes for special purposes (U00-U85)

Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)

U04 Severe acute respiratory syndrome [SARS]

U04.9 Severe acute respiratory syndrome [SARS], unspecified

U06 Zika virus disease

Note: Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U06 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.

U06.0 Emergency use of U06.0

U06.1 Emergency use of U06.1

U06.2 Emergency use of U06.2

U06.3 Emergency use of U06.3

U06.4 Emergency use of U06.4

U06.5 Emergency use of U06.5

U06.6 Emergency use of U06.6

U06.7 Emergency use of U06.7

U06.8 Emergency use of U06.8

U06.9 Zika virus disease, unspecified

U07 Emergency use of U07

Note: Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U07 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.

U07.0 Emergency use of U07.0

U07.1 Emergency use of U07.1

U07.2 Emergency use of U07.2

U07.3 Emergency use of U07.3

U07.4 Emergency use of U07.4

U07.5 Emergency use of U07.5

U07.6 Emergency use of U07.6

U07.7 Emergency use of U07.7

U07.8 Emergency use of U07.8

https://icd.who.int/browse10/2016/en

1 / 5

2020/12/01

ICD-10 Version:2019	
Search <input type="text" value="U07"/>	[ Advanced Search ]
<a href="#">ICD-10</a>	<a href="#">Versions - Languages</a>
<a href="#">Info</a>	
<b>ICD-10 Version:2019</b> I Certain infectious and parasitic diseases II Neoplasms III Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism IV Endocrine, nutritional and metabolic diseases V Mental and behavioural disorders VI Diseases of the nervous system VII Diseases of the eye and adnexa VIII Diseases of the ear and mastoid process IX Diseases of the circulatory system X Diseases of the respiratory system XI Diseases of the digestive system XII Diseases of the skin and subcutaneous tissue XIII Diseases of the musculoskeletal system and connective tissue XIV Diseases of the genitourinary system XV Pregnancy, childbirth and the puerperium XVI Certain conditions originating in the perinatal period XVII Congenital malformations, deformations and chromosomal abnormalities XVIII Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified XIX Injury, poisoning and certain other consequences of external causes XX External causes of morbidity and mortality XXI Factors influencing health status and contact with health services XXII Codes for special purposes U00-U49 Provisional assignment of new diseases of uncertain etiology or emergency use U04 Severe acute respiratory syndrome [SARS] U07 Emergency use of U07 U08 Emergency use of U08 U09 Emergency use of U09 U82-U85 Resistance to antimicrobial and antineoplastic drugs	<b>International Statistical Classification of Diseases and Related Health Problems 10th Revision (ICD-10)-WHO Version for ;2019</b>  <b>Chapter XXII</b> <b>Codes for special purposes</b> <b>(U00-U85)</b>  <b>Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)</b>  As of January 1, 2019, Zika virus disease is classified to A92.5.  <hr/> <b>U04 Severe acute respiratory syndrome [SARS]</b> <b>U04.9 Severe acute respiratory syndrome [SARS], unspecified</b> <b>Excl.:</b> COVID-19, virus identified ( <a href="#">U07.1</a> ) COVID-19, virus not identified ( <a href="#">U07.2</a> ) <hr/> <b>U07 Emergency use of U07</b> <b>Note:</b> Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specific here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.  <b>U07.0 Vaping-related disorder</b> dabbing related lung damage dabbing related disorder electronic cigarette related lung damage electronic cigarette related lung injury dabbing related lung injury e-cigarette - [electronic] cigarette related disorder EVALT - [e-cigarette, or vaping, product use associated lung injury]  Use additional code, if desired, to identify pneumonia or other manifestations.  <b>U07.1 COVID-19, virus identified</b> COVID-19 NOS  Use this code when COVID-19 has been confirmed by laboratory testing irrespective of severity of clinical signs or symptoms. Use additional code, if desired, to identify pneumonia or other manifestations. <b>Excl.:</b> Coronavirus infection, unspecified site ( <a href="#">B34.2</a> ) Coronavirus as the cause of diseases classified to other chapters ( <a href="#">B97.2</a> ) Severe acute respiratory syndrome [SARS], unspecified ( <a href="#">U04.9</a> )  <b>U07.2 COVID-19, virus not identified</b> Use this code when COVID-19 is diagnosed clinically or epidemiologically but laboratory testing is inconclusive or not available. Use additional code, if desired, to identify pneumonia or other manifestations <b>Excl.:</b> Coronavirus infection, unspecified site ( <a href="#">B34.2</a> ) COVID-19: • confirmed by laboratory testing ( <a href="#">U07.1</a> ) • special screening examination ( <a href="#">Z11.5</a> ) • suspected but ruled out by negative laboratory results ( <a href="#">Z03.8</a> )  <b>U07.3 Emergency use of U07.3</b> <b>U07.4 Emergency use of U07.4</b>

## Update 3 in relation to the COVID-19

A set of additional categories has been agreed to be able to document or flag conditions that occur in the context of COVID-19.

Both, 3 character and 4 character codes have been defined to respond to the different levels of coding depth that is in place in different countries. It is further noted that technological constraints may require to bridge national coding to the international codes until an update of the relevant IT systems allows to use the international codes directly.

### **U08**    **Personal history of COVID-19**

#### **U08.9**    **Personal history of COVID-19, unspecified**

*Note:*        This optional code is used to record an earlier episode of COVID-19, confirmed or probable that influences the person's health status, and the person no longer suffers of COVID-19. This code should not be used for primary mortality tabulation.

### **U09**    **Post COVID-19 condition**

#### **U09.9**    **Post COVID-19 condition, unspecified**

*Note:*        This optional code serves to allow the establishment of a link with COVID-19. This code is not to be used in cases that still are presenting COVID-19.

### **U10**    **Multisystem inflammatory syndrome associated with COVID-19**

#### **U10.9**    **Multisystem inflammatory syndrome associated with COVID-19, unspecified**

Cytokine storm	Temporally associated With COVID-19
Kawasaki-like syndrome	
Paediatric Inflammatory Multisystem Syndrome (PIMS)	
Multisystem Inflammatory Syndrome in Children (MIS-C)	

*Excludes:*    Mucocutaneous lymph node syndrome [Kawasaki] (M30.3)

Volume 3 with Addition of suspected COVID-19 – April 2020  
ICD-11 – ALL INDEX TERMS

- COVID-19
- 2019-new Coronavirus acute respiratory disease
- 2019-nCoV acute respiratory disease [temporary name]
- Coronavirus disease 2019
- Suspected COVID-19

Instruction	Alphabetic Index entries	Source URC#	Date approved	Major / Minor update	Suggested implementation date
Add lead term and subterms	<b>Coronavirus, as cause of disease classified elsewhere</b> B97.2 <a href="#">Coronavirus disease 2019</a> U07.1 – <a href="#">virus identified</a> U07.1 – <a href="#">virus not identified</a> U07.2 <b>Corpora</b> – <i>see also condition</i>	WHO	April 2020		Immediate
Add lead term and subterms	<b>Couvelaire syndrome or uterus (complicating delivery)</b> ( <i>see also</i> Abruptio placentae) O45.8 <a href="#">COVID-19</a> U07.1 – <a href="#">with laboratory testing confirmation</a> U07.1 – <a href="#">confirmed</a> U07.1 – <a href="#">probable</a> U07.2 – <a href="#">suspected</a> U07.2 – <a href="#">virus identified</a> U07.1 – <a href="#">virus not identified</a> U07.2 <b>Cowperitis</b> ( <i>see also</i> Urethritis) N34.2	WHO	April 2020		Immediate
Add and revise subterms	<b>Disease, diseased</b> – <i>see also</i> Syndrome – <a href="#">2019-nCoV acute respiratory disease [temporary name]</a> U07.1 – <a href="#">– with laboratory testing confirmation</a> U07.1 – <a href="#">– clinically or epidemiologically diagnosed</a> U07.2 – <a href="#">– suspected</a> U07.2 – <a href="#">2019-new Coronavirus acute respiratory disease</a> U07.1 – <a href="#">– with laboratory testing confirmation</a> U07.1 – <a href="#">– clinically or epidemiologically diagnosed</a> U07.2 – <a href="#">– suspected</a> U07.2 – adenoids (and tonsils) J35.9	WHO	April 2020		Immediate

Instruction	Alphabetic Index entries	Source URC#	Date approved	Major / Minor update	Suggested implementation date
	<ul style="list-style-type: none"> <li>– adrenal (capsule) (cortex) (gland)(medullary) E27.9</li> <li>....</li> <li>....</li> <li>– cornea H18.9</li> <li>– – specified NEC H18.8</li> <li>– <a href="#">coronavirus 2019 U07.1</a></li> <li>– – <a href="#">with laboratory testing confirmation U07.1</a></li> <li>– – <a href="#">clinically or epidemiologically diagnosed U07.2</a></li> <li>– – <a href="#">suspected U07.2</a></li> <li>– coronary (artery) I25.1</li> <li>.....</li> <li>– corpus cavernosum N48.9</li> <li>– – specified NEC N48.8</li> <li>– <a href="#">COVID-19 U07.1</a></li> <li>– – <a href="#">with laboratory testing confirmation U07.1</a></li> <li>– – <a href="#">clinical diagnosis of COVID-19 U07.2</a></li> <li>– – <a href="#">clinically or epidemiologically diagnosed COVID-19 U07.2</a></li> <li>– – <a href="#">probable U07.2</a></li> <li>– – <a href="#">suspected U07.2</a></li> <li>– – <a href="#">virus identified U07.1</a></li> <li>– – <a href="#">virus not identified U07.2</a></li> <li>– coxsackie (virus) NEC B34.1</li> <li>.....</li> </ul>				
Add subterms	<p><b>Infection, infected (opportunistic)</b></p> <ul style="list-style-type: none"> <li>....</li> <li>– coronavirus NEC B34.2</li> <li>– – as cause of disease classified elsewhere B97.2</li> <li>– – <a href="#">disease 2019 [COVID-19] U07.1</a></li> <li>– – – <a href="#">virus identified U07.1</a></li> <li>– – – <a href="#">virus not identified U07.2</a></li> <li>– – severe acute respiratory syndrome (SARS) U04.9-</li> <li>– – unspecified nature or site B34.2</li> </ul>	WHO	April 2020		Immediate