

| NO | 一般名 | 文献名 |
|----|---|---|
| 1 | アスピリン・ボノプラザンフル酸塩配合剤 | Said A, et al. Concomitant use of direct oral anticoagulants and aspirin versus direct oral anticoagulants alone in atrial fibrillation and flutter: A retrospective cohort. BMC Cardiovascular Disorders. 2020;20:Article no.263. |
| 2 | バルサルタン・ヒドロクロロチアジド配合剤 | Letellier T. Hydrochlorothiazide exposure increases the risk of long-term squamous cell carcinoma after kidney transplantation. (Abstract Number: O8). Transplant International/19th Annual Congress of the French Speaking Transpla. 2020;33:6月7日 |
| 3 | ビルダグリプチン・メトホルミン塩酸塩配合剤 | Montastruc JL. A New Drug–Drug Interaction Between Hydroxychloroquine and Metformin? A Signal Detection Study. Drug Safety. 2020;43:657–660 |
| 4 | トラマドール塩酸塩・アセトアミノフェン配合剤 ゾルピデム酒石酸塩 | 【Dis. Col. Rect. 63(2020)965–973】A retrospective review : patient-reported preoperative prescription opioid, sedative, or antidepressant use is associated with worse outcomes in colorectal surgery |
| 5 | アジスロマイシン水和物 | Rosenberg ES, Dufort EM, Udo T, et al. Association of Treatment With Hydroxychloroquine or Azithromycin With In-Hospital Mortality in Patients With COVID-19 in New York State. JAMA. 2020Jun;323(24):2493–2502. |
| 6 | ロサルタンカリウム・ヒドロクロロチアジド | Morales, D.R. et al. Association between hydrochlorothiazide exposure and different incident skin, lip and oral cavity cancers: A series of population-based nested case-control studies. Brit. J. Clin. Pharmacol. 2020, 86(7), 1336–1345 |
| 7 | ボノプラザンフル酸塩・アモキシシリント水和物・クラリスロマイシン | Hill K, et al. Risk of Hospitalization With Hemorrhage Among Older Adults Taking Clarithromycin vs Azithromycin and Direct Oral Anticoagulants. JAMA Internal Medicine. 2020;180(8):1052–1060 |
| 8 | アログリップチン安息香酸塩・ピオグリタジン塩酸塩配合剤 | Wong CKH, et al. DPP4i, thiazolidinediones, or insulin and risks of cancer in patients with type 2 diabetes mellitus on metformin–sulfonylurea dual therapy with inadequate control. BMJ Open Diabetes ResearchandCare.2020;8(1):e001346 |
| 9 | ボノプラザンフル酸塩・アモキシシリント水和物・クラリスロマイシン | Wong AYS, et al. Cardiovascular outcomes associated with use of clarithromycin: population based study. BMJ. 2016;352:h6926. |
| 10 | ロサルタンカリウム・ヒドロクロロチアジド | Morales, D.R. et al. 『Association between hydrochlorothiazide exposure and different incident skin, lip and oral cavity cancers: A series of population-based nested case-control studies』 Brit. J. Clin. Pharmacol. 86(7), 1336–1345, 2020 |
| 11 | ロサルタンカリウム・ヒドロクロロチアジド | Morales,D.R. et al. (University of Dundee,Dundee,UK) Association between hydrochlorothiazide exposure and different incident skin, lip and oral cavity cancers: A series of population-based nested case-control studies Brit. J. Clin. Pharmacol. 2020,86(7),1336–1345 |
| 12 | ロサルタンカリウム・ヒドロクロロチアジド オランザピン パロキセチン塩酸塩水和物 クエチアピンフル酸塩 リスペリドン アジスロマイシン水和物 クラリスロマイシン レボフロキサシン水和物 | 【JAMA Internal Medicine. 180(2020)698–706】Association of QT–prolonging medications with risk of autopsy-defined causes of sudden death |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|----|---|---|
| 13 | クロピドグレル硫酸塩 | Alexander,J.H. et al. (Duke University School of Medicine,NC.,USA) Risk/benefit tradeoff of antithrombotic therapy in patients with atrial fibrillation early and late after an acute coronary syndrome or percutaneous coronary intervention : insights from AUGUSTUS Circulation 2020;141(20),1618–1627 |
| 14 | トリアゾラム ゾルピデム酒石酸塩 | 【Dis. Col. Rect. 63(2020)965–973】A retrospective review : patient-reported preoperative prescription opioid, sedative, or antidepressant use is associated with worse outcomes in colorectal surgery |
| 15 | リドカイン塩酸塩 | 【Rheumatology. 59Suppl.2(2020)ii2】Clinical and cost-effectiveness of ultrasound-guided intra-articular corticosteroid and local anaesthetic injection for hip OA: a randomised controlled trial (HIT) |
| 16 | ロサルタンカリウム・ヒドロクロロチアジド | Daniel R. Morales, et al., Association between hydrochlorothiazide exposure and different incident skin, lip and oral cavity cancers: A series of population-based nested case-control studies, Brit. J. Clin. Pharmacol. 86(7), 1336–1345, 2020 |
| 17 | ポリエチレングリコール処理人免疫グロブリン | Adverse reactions and influencing factors in children with primary immunodeficiencies receiving intravenous immunoglobulin replacement |
| 18 | トラマドール塩酸塩・アセトアミノフェン配合剤 | 【Clin Ther. 42(2020)704–710】Risk factors for acetaminophen-induced liver injury: A single-center study from Japan |
| 19 | アログリプチン安息香酸塩 アログリプチン安息香酸塩・メトホルミン塩酸塩配合剤 アログリプチン安息香酸塩・ピオグリタゾン塩酸塩配合剤 | Ferreira JP, et al. Alogliptin after acute coronary syndrome in patients with type 2 diabetes: A renal function stratified analysis of the EXAMINE trial. BMC Medicine. 2020;18:Article no. 165 |
| 20 | フルチカゾンプロピオン酸エステル | 【Chest.157(2020)1426–1434】Association Between Inhaled Corticosteroids and Tracheobronchomalacia. |
| 21 | アセトアミノフェン アスピリン | 【Yakugaku Zasshi.140(2020)943–947】Is Concomitant Therapy with Acetaminophen and Low-dose Aspirin a Risk Factor for CKD Progression? A 6-Year Cohort Study. |
| 22 | ドブタミン塩酸塩 | Abdul Aziz AN, et al. Early inotropes use is associated with higher risk of death and/or severe brain injury in extremely premature infants. J Journal of Maternal-Fetal and Neonatal Medicine. 2020; 33(16). |
| 23 | モルヒネ塩酸塩水和物 | 【J Clin Pharmacol. (2020)1–6】Exploring the Relationship Between Morphine Concentration and Oversedation in Children After Cardiac Surgery |
| 24 | ソマトロビン(遺伝子組換え) | Savendahl, Lars et al. Long-term mortality after childhood growth hormone treatment:the SAGhE cohort study. Lancet Diabetes Endocrinol 2020;8(8):683–692. |
| 25 | トコフェロール酢酸エステル含有一般用医薬品 | 【Cochrane Database of Systematic Reviews. CD002141. (2020)】Drugs for preventing lung cancer in healthy people. |
| 26 | 人血清アルブミン | Wong Y.-J., et al. Efficacy and Safety of IV albumin for non-spontaneous bacterial peritonitis infection among patients with cirrhosis: A systematic review and meta-analysis. Journal of digestive and liver disease. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|----|-----------------------------------|--|
| 27 | フィブリノゲン加第13因子(2) フィブリノゲン配合剤(2) | Wirtz M.R. et al. The impact of blood product ratio and procoagulant therapy on the development of thromboembolic events in severely injured hemorrhaging trauma patients. Transfusion. |
| 28 | トラマドール塩酸塩・アセトアミノフェン配合剤 | 【Int Heart J.61(2020)547-552】Opioid Use and Morbidities during Left Ventricular Assist Device Support. |
| 29 | アベマシクリブ | 【Eli Lilly and Company. Nonclinical Safety Report.(2020)】A 2-Year Oral Gavage Carcinogenicity Study of LY2835219 (Compound 2835219) in Rats. |
| 30 | バルサルタン・ヒドロクロロチアジド配合剤 | Morales DR, et al.. Association between hydrochlorothiazide exposure and different incident skin, lip and oral cavity cancers: A series of population-based nested case-control studies.. British Journal of Clinical Pharmacology. 2020;86:1336-1345 |
| 31 | インフルエンザHAワクチン | Shingo Ishimori et al. Influenza virus vaccination in children with nephrotic syndrome: insignificant risk of relapse. Clinical and Experimental Nephrology 2020. doi:10.1007/s10157-020-01930-8 |
| 32 | イソニアジド | Rotenone Increases Isoniazid Toxicity but Does Not Cause Significant Liver Injury: Implications for the Hypothesis that Inhibition of the Mitochondrial Electron Transport Chain Is a Common Mechanism of Idiosyncratic Drug-Induced Liver Injury. Cho T, et al. Chemical research in toxicology (32)巻(7)号、(1423-1431)頁、(2019)年 |
| 33 | 炭酸ランタン水和物 | 【臨床試験報告】Public Assessment Report for paediatric studies submitted in accordance with Article 46 of Regulation (EC) No1901/2006, as amended |
| 34 | デスフルラン | Ren J.; Wang X.; Wei G.; Meng Y., Exposure to desflurane anesthesia confers colorectal cancer cells metastatic capacity through deregulation of miR-34a/LOXL3, European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation (ECP). (no pagination), 2020. Date of Publication: 08 Jul 2020. |
| 35 | レボチロキシンナトリウム水和物 | Tomohiko Yoshida. A case of Hashimoto's thyroiditis with multiple drug resistance and high expression of efflux transporters. |
| 36 | オラパリブ | 【J Clin Oncol. 38(2020) 189s】Myelodysplastic syndrome and acute myeloid leukemia as side effect of PARP inhibitors. |
| 37 | アスピリン・ボノプラザンフマル酸塩配合剤 | Veskimae P, et al. NSAID usage is an independent risk factor for renal cell carcinoma death. (EAU20 Virtual Congress and Theme Week, Online. Abstract Number: PT176). European Urology Open Science. 2020;19(Suppl 2):e1952 |
| 38 | オンドンセトロン塩酸塩水和物 | 【第137回 日本薬理学会近畿部会(2020)47】5-HT3受容体拮抗薬併用によるシスプラチン誘発腎機能障害に与える影響 |
| 39 | アスピリン・ボノプラザンフマル酸塩配合剤 | Tomania M, et al. Benefit and Risks of Aspirin in Addition to Ticagrelor in Acute Coronary Syndromes: A Post Hoc Analysis of the Randomized GLOBAL LEADERS Trial. JAMA cardiology. 2019;4(11):1092-1101 |
| 40 | セボフルラン プロポフォール | Yu, Qian. Anesthesia with sevoflurane or isoflurane induces severe hypoglycemia in neonatal mice.PloS one 2020;15(4):.. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|----|--|--|
| 41 | イマチニブメシル酸塩 ニザチジン ファモチジン ラベプラゾールナトリウム ロキサチジン酢酸エステル塩酸塩 | 【Eur J. Clin Pharmacol. 76(2020) 1183–1191.】Factors affecting high-grade hepatotoxicity of tyrosine kinase inhibitors in cancer patients: a multi-center observational study. |
| 42 | インスリン アスパルト(遺伝子組換え) インスリン デテミル(遺伝子組換え) インスリン ヒト(遺伝子組換え) インスリン デグルデク(遺伝子組換え) インスリン デグルデク(遺伝子組換 え)・インスリン アスパルト(遺伝子組 換え)配合剤 インスリン アスパルト(遺伝子組換え) インスリン デグルデク(遺伝子組換 え)・リラグルチド(遺伝子組換え)配合 剤 | V. Bertomeu-Gonzale, et al. Effect of insulin on readmission for heart failure following a hospitalization for acute heart failure. ESC Heart Failure (2020) (published online) |
| 43 | ガバペンチン | 【Journal of glaucoma. 28(2020)777–779】Association of Gabapentin or Pregabalin Use and Incidence of Acute Angle-closure Glaucoma. |
| 44 | フルチカゾンプロピオニ酸エステル・ホ ルモテロールフマル酸塩水和物 | 【Chest. 157(2020)1426–1434.】Association between inhaled corticosteroids and tracheobronchomalacia. |
| 45 | エストリオール | Rowan T. Chlebowski. Association of Menopausal Hormone Therapy With Breast Cancer Incidence and Mortality During Long-term Follow-up of the Women's Health Initiative Randomized Clinical Trials. JAMA. 2020; 324(4): 369–380. |
| 46 | 非ピリソ系感冒剤(4) | 【Pediat. Res. 87 (2020) 1263–1269】Association between maternal acetaminophen use and adverse birth outcomes in a pregnancy and birth cohort. |
| 47 | アロプリノール | Shim JS, et al.. The Presence of HLA-B75, DR13 Homozygosity, or DR14 Additionally Increases the Risk of Allopurinol-Induced Severe Cutaneous Adverse Reactions in HLA-B*58:01 Carriers.. The journal of allergy and clinical immunology.. 2019;7(4):1261–1270 |
| 48 | セボフルラン | Shen FY, Song YC, Guo F, Xu ZD, Li Q, Zhang B, et al.. Cognitive impairment and endoplasmic reticulum stress induced by repeated short-term sevoflurane exposure in early life of rats. .Front Psychiatry. 2018;9:. |
| 49 | ポリエチレングリコール処理人免疫グロ ブリン | Treatment-associated hemolysis in Kawasaki disease: association with blood-group antibody titers in IVIG products |
| 50 | メトレキサート | 【J Clin Med. 8. (2019) 1–14】Risk of Infection with Methotrexate Therapy in Inflammatory Diseases: A Systematic Review and Meta-Analysis. |
| 51 | ドルテグラビルナトリウム ドルテグラビルナトリウム・アバカビル硫 酸塩・ラミブジン ドルテグラビルナトリウム・リルビビリン 塩酸塩 ドルテグラビルナトリウム・ラミブジン | Zhang D, Demeng J, Temsamrit B, Jordan-Sciutto K, Song H, Ming GL, Christian K. Using human iPSC-based forebrain cortical organoids to model in utero exposure to dolutegravir. (Abstract Number: P153). Journal of NeuroVirology (16th International Symposium on NeuroVirology. Atlanta. 2019;25:S47 |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|----|---|---|
| 52 | メルカプトプリン水和物 | 【Gastroenterology. 158(2020) 2104–2111】Pretreatment Frailty Is Independently Associated With Increased Risk of Infections After Immunosuppression in Patients With Inflammatory Bowel Diseases |
| 53 | メルカプトプリン水和物 | 【Brit. J. Clin. Pharmacol. 86(2020) 1519–1527】Precision therapy of 6-mercaptopurine in Chinese children with acute lymphoblastic leukaemia |
| 54 | ボノプラザンフル酸塩・アモキシシリ ン水和物・クラリスロマイシン | Winkel P, et al. Clarithromycin for stable coronary heart disease increases all-cause and cardiovascular mortality and cerebrovascular morbidity over 10years in the CLARICOR randomised, blinded clinical trial. International journal of cardiology. 2015;182:459–465 |
| 55 | トラマドール塩酸塩・アセトアミノフェン 配合剤 | 【Pediatric Research.87(7)(2020) 1263–1269】Association between maternal acetaminophen use and adverse birth outcomes in a pregnancy and birth cohort. |
| 56 | ドネペジル塩酸塩 | O-38-6 ドネペジルの急な中止により精神症状を生じた認知症症例の検討. 第61回日本神経学会学術大会[実参加+インターネット視聴参加]. 2020.8.31,9.1,2. 岡山県岡山市. 469. |
| 57 | アスピリン | John J McNeil, et al. Effect of aspirin on cancer incidence and mortality in older adults. J Natl Cancer Inst. 2020;Aug 11:djaa114. |
| 58 | ボノプラザンフル酸塩・アモキシシリ ン水和物・クラリスロマイシン | Li DQ, et al. Risk of adverse events among older adults following co-prescription of clarithromycin and statins not metabolized by cytochrome P450 3A4. Canadian Medical Association journal. 2015;187(3):174–180 |
| 59 | エナラブリルマレイン酸塩 ジクロフェナクナトリウム ピオグリタゾン塩酸塩 ラベプラゾールナトリウム イルベサルタン オルメサルタン メドキソミル トラマドール塩酸塩・アセトアミノフェン 配合剤 ラベプラゾールナトリウム セレコキシブ イルベサルタン・アムロジビンベシル酸 塩配合剤 | 【Clin. Pharmacol. Ther.108(2020)377–386】Pharmacoepidemiologic screening of potential oral anticoagulant drug interactions leading to thromboembolic events |
| 60 | ジクロフェナクナトリウム エストラジオール エストラジオール・酢酸ノルエチステロ ン イブプロフェンピコノール インドメタシン アセトアミノフェン ジクロフェナクナトリウム含有一般用医 薬品 インドメタシン含有一般用医薬品 イブプロフェンピコノール含有一般用 医薬品 | 【Clin. Pharmacol. Ther.108(2020)377–386】Pharmacoepidemiologic screening of potential oral anticoagulant drug interactions leading to thromboembolic events |
| 61 | メドロキシプログesterон酢酸エステル | Rowan T. Chlebowski et al. Association of Menopausal Hormone Therapy With Breast Cancer Incidence and Mortality During Long-term Follow-up of the Women's Health Initiative Randomized Clinical Trials 2020;324(4):369–380. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|----|--|--|
| 62 | ガバペンチン | 【J Bone Joint Surg Am. 102(2020) 221-229】Dose-Dependent Association of Gabapentinoids with Pulmonary Complications After Total Hip and Knee Arthroplasties. |
| 63 | テストステロンエナント酸エステル テストステロンエナント酸エステル・エストラジオール吉草酸エステル | Wadthaisong, Munthana et al. Chronic high-dose testosterone treatment: impact on rat cardiac contractile biology. Physiological reports. 2019; 7 (14): e14192. |
| 64 | アセトアミノフェン インドメタシン コンドロイチン硫酸エステルナトリウム サリチル酸ナトリウム ジクロフェナクナトリウム スルピリン水和物 セレコキシブ メロキシカム | Takuya Imatchoh, et al..The Association Between Concurrence of Infection and the Onset of Severe Eruption or Liver Injury in Patients Using Antipyretic Analgesics: A Matched, Nested Case-Control Study .The journal of Clinical Pharmacology 2020;60(9):1177-1184. |
| 65 | デキサメタゾン プレドニゾロン酢酸エステル エリスロマイシンラクトビオン酸塩・コリスチンメタンスルホン酸ナトリウム | Ji Min Han et al.Factors affecting high-grade hepatotoxicity of tyrosine kinase inhibitors in cancer patients: a multi-center observational study.European Journal of Clinical Pharmacology.2020;76(8):1183-1191. |
| 66 | クエチアピンフル酸塩 | 【Eur J Clin Pharmacol. 76(2020)1301-1310】Real-world data on new users of atypical antipsychotics: characterisation, prescription patterns, healthcare costs and early cardio-metabolic occurrences from a large Italian database |
| 67 | アセトアミノフェン トラマドール塩酸塩・アセトアミノフェン配合剤 | 【Pediat. Res. 87 (2020) 1263-1269】Association between maternal acetaminophen use and adverse birth outcomes in a pregnancy and birth cohort. |
| 68 | 乾燥BCGワクチン | Mahdaviani, Seyed Alireza.Mendelian Susceptibility to Mycobacterial Disease (MSMD): Clinical and Genetic Features of 32 Iranian Patients.Journal of Clinical Immunology 2020;40(6):872-882. |
| 69 | クロナゼパム | 【Journal of Neuroscience Research.87(2009)2898-2907】Long-Term Antiepileptic Drug Administration During Early Life Inhibits Hippocampal Neurogenesis in the Developing Brain |
| 70 | アテノロール メトプロロール酒石酸塩 | Gonzalez R, Gockley A, Melamed A, et al. Multivariable analysis of association of beta-blocker use and survival in advanced ovarian cancer. Gynecologic Oncology. 2020Mar;157(3):700-705. |
| 71 | アセトアミノフェン | 【Pediat. Res. 87 (2020) 1263-1269】Association between maternal acetaminophen use and adverse birth outcomes in a pregnancy and birth cohort. |
| 72 | ロサルタンカリウム・ヒドロクロロチアジド | Morales, D. R. , et al. Association between hydrochlorothiazide exposure and different incident skin, lip and oral cavity cancers:A series of population-based nested case-control studies. The British Journal of Clinical Pharmacology 2020;86 (7) :1336-1345 |
| 73 | アセトアミノフェン | 【Pediat. Res. 87 (2020) 1263-1269】Association between maternal acetaminophen use and adverse birth outcomes in a pregnancy and birth cohort. |
| 74 | シンバスタチン | Shih-Wei Wang. Association of Statin and Its Lipophilicity With Cardiovascular Events in Patients Receiving Chronic Dialysis. Clinical Pharmacology and Therapeutics. 2020; 107(6): 1312-1324. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|----|------------------------------|--|
| 75 | メプロロール酒石酸塩 | Gonzalez R, Gockley AA, Melamed A, Sugrue R, Clark RM, Del Carmen MG, Growdon W, Berkowitz RS, Horowitz NS, Worley Jr MJ. Multivariable analysis of association of beta-blocker use and survival in advanced ovarian cancer. <i>Gynecol Oncol</i> 2020; 157(3): 700–705. |
| 76 | アテノロール | Gonzalez R, Gockley A, Melamed A, et al. Multivariable analysis of association of beta-blocker use and survival in advanced ovarian cancer. <i>Gynecologic Oncology</i> . 2020Mar;157(3):700–705. |
| 77 | アスピリン・ボノプラザンフマル酸塩配合剤 | Valente R, et al. Aspirin is associated with increased risk of cancer related death after surgery for intrapapillary mucinous tumors of the pancreas: A large single center cohort study (27th United European Gastroenterology Week, UEG. Barcelona, Spain. Abstract Number: P1502). <i>United European Gastroenterology Journal</i> . 2019;7(8 Supplement):794 |
| 78 | ヒドロモルフォン塩酸塩 | M.Zhou, et al. Pharmacoepidemiologic screening of potential oral anticoagulant drug interactions leading to thromboembolic events. <i>Clinical Pharmacology and Therapeutics</i> . 2020;108 (2): 377–386 |
| 79 | アロプリノール | Shim JS, Yun J, Kim MY, Chung SJ, Oh JH, Kang DY, Jung JW, Cho SH, Kang HR. The Presence of HLA-B75, DR13 Homozygosity, or DR14 Additionally Increases the Risk of Allopurinol-Induced Severe Cutaneous Adverse Reactions in HLA-B*58:01 Carriers.. <i>The journal of allergy and clinical immunology. In practice</i> . 2019;7:1261–1270 |
| 80 | バンコマイシン塩酸塩 | 本邦でヒト検体から分離されたバンコマイシン依存発育型腸球菌(Vancomycin-dependent enterococci:VDE)の1例. <i>日本臨床微生物学会雑誌</i> . 2020; 30(3): 143–148. |
| 81 | イブプロフェン | 【Clin. Pharmacol. Ther. 108(2020)377–386】Pharmacoepidemiologic screening of potential oral anticoagulant drug interactions leading to thromboembolic events |
| 82 | ジゴキシン | Elayi, C.S. et al. Digoxin, mortality, and cardiac hospitalizations in patients with atrial fibrillation and heart failure with reduced ejection fraction and atrial fibrillation: An AF–CHF analysis. <i>Int'l J. Cardiol.</i> 2020;313:48–54. |
| 83 | ベタメタゾン・d-クロルフェニラミンマレイン酸塩 | Reynolds, K. et al. (Michigan State University, MI., USA). The effects of late preterm betamethasone in multiple gestations. <i>Obstet. Gynecol.</i> 2020; 135(5,Suppl.): 121S–. |
| 84 | シルデナフィルクエン酸塩 | Inocencio, Ishmael M; Polglase, Graeme R; Nitsos, Ilias; Miller, Suzanne L; Allison, Beth J. Maternal sildenafil impairs the cardiovascular adaptations to chronic hypoxaemia in fetal sheep. <i>The Journal of physiology</i> . 2020. |
| 85 | トラマドール塩酸塩・アセトアミノフェン配合剤 | 【Yakugaku Zasshi.140(2020)943–947】Is Concomitant Therapy with Acetaminophen and Low-dose Aspirin a Risk Factor for CKD Progression? A 6-Year Cohort Study. |
| 86 | アリピプラゾール オランザピン リスペリドン | 【Eur J Clin Pharmacol. 76(2020)1301–1310】Real-world data on new users of atypical antipsychotics: characterisation, prescription patterns, healthcare costs and early cardio-metabolic occurrences from a large Italian database |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|----|------------------------------------|--|
| 87 | モルヒネ塩酸塩水和物 | Furtado Remo H M, et al.. Morphine and Cardiovascular Outcomes Among Patients With Non-ST-Segment Elevation Acute Coronary Syndromes Undergoing Coronary Angiography.. Journal of the American College of Cardiology. 2020;75(3):289–300 |
| 88 | ジクロフェナクナトリウム | 【Turkish Journal of Veterinary and Animal Sciences.44(2020) 407–417】The effects of different doses of diclofenac sodium on newborn rat hippocampus exposed during the third trimester. |
| 89 | ジクロフェナクナトリウム | 【Clin. Pharmacol. Ther.108(2020)377–386】Pharmacoepidemiologic screening of potential oral anticoagulant drug interactions leading to thromboembolic events |
| 90 | リスペリドン | 【Eur J Clin Pharmacol. 76(2020)1301–1310】Real-world data on new users of atypical antipsychotics: characterisation, prescription patterns, healthcare costs and early cardio-metabolic occurrences from a large Italian database |
| 91 | メドロキシプロゲステロン酢酸エステル | Rowan T. Chlebowski.Association of Menopausal Hormone Therapy With Breast Cancer Incidence and Mortality During Long-term Follow-up of the Women's Health Initiative Randomized Clinical Trials.JAMA 2020;324(4):369–380. |
| 92 | カルバマゼピン | 【Allergy. 74(2019)2227–2230】HLA-B?57:01 confers genetic susceptibility to carbamazepine-induced SJS/TEN in Europeans |
| 93 | モルヒネ塩酸塩水和物 | Furtado RHM, et al. Morphine and Cardiovascular Outcomes Among Patients With Non-ST-Segment Elevation Acute Coronary Syndromes Undergoing Coronary Angiography. Journal of the American College of Cardiology. 2020;75(3):289–300 |
| 94 | ホスフェニトイソナトリウム水和物 フェノバルビタールナトリウム | 【Epilepsia.(2020)1–11】Antiepileptic combination therapy with Stevens–Johnson syndrome and toxic epidermal necrolysis: Analysis of a Japanese pharmacovigilance database |
| 95 | 滅菌調整タルク | 【Reprod Toxicol. 90(2019)88–101】. Critical review of the association between perineal use of talc powder and risk of ovarian cancer |
| 96 | アナストロゾール | Reinhorn,D. et al. (Beilinson Hospital,Petach Tikwa, Israel) Evolution in the risk of adverse events of adjuvant endocrine therapy in postmenopausal women with early-stage breast cancer Breast Cancer Res. Treat. 2020,182(2),259–266 |
| 97 | レトロゾール | Krishnamurthy,J. et al.(University of Nebraska Medical Center,NE.,USA) A phase II trial assessing the safety of an alternative dosing schedule of palbociclib (palbo) in hormone receptor positive (HR+), HER2 negative (HER2-) metastatic breast cancer (MBC):Alt Dose Palbo Cancer Res. 2020,80(4),Suppl.,P1–19–13 |
| 98 | テガフル・ギメラシル・オテラシルカリウム配合剤 | Cui,S.-Z.et al.(Affiliated Cancer Hospital & Institute of Guangzhou Medical University,Guangzhou,China) PILGRIM : Phase III clinical trial in evaluating the role of hyperthermic intraperitoneal chemotherapy for locally advanced gastric cancer patients after radical gastrectomy with D2 lymphadenectomy (HIPEC-01) J. Clin. Oncol. 2020,38(15),Suppl.,244S |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|--|--|
| 99 | ケトプロフェン | 【Indian Journal of Forensic Medicine & Toxicology.14(2020)2215–2219】The Intraperitoneal-Ketoprofen-Histopathological Induced Alterations in the Wistar Rat Kidneys. |
| 100 | ワルファリンカリウム ジクロフェナクナトリウム | 【Clin. Pharmacol. Ther.108(2020)377–386】Pharmacoepidemiologic screening of potential oral anticoagulant drug interactions leading to thromboembolic events |
| 101 | バンコマイシン塩酸塩 | N Xu, Q Zhang, W Guolan, Y Zheng. Derivation and validation of a risk prediction model for vancomycin-associated acute kidney injury in chinese population. Therapeutics and Clinical Risk Management. 2020; 16: 539–550 DOI:10.2147/TCRM.S253587. |
| 102 | アセトアミノフェン | 【Yakugaku Zasshi.140(2020)943–947】Is Concomitant Therapy with Acetaminophen and Low-dose Aspirin a Risk Factor for CKD Progression? A 6-Year Cohort Study. |
| 103 | アトルバスタチンカルシウム水和物 アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(1) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(2) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(3) アムロジピンベシル酸塩・アトルバスタチンカルシウム水和物配合剤(4) | Richard M. Turner et al., A genome-wide association study of circulating levels of atorvastatin and its major metabolites, Clin. Pharmacol. Ther. 108(2),287–297,2020 |
| 104 | アスピリン・ボノプラザンマル酸塩配合剤 | McNeil JJ, et al. Effect of aspirin on cancer incidence and mortality in older adults (https://academic.oup.com/jnci/advance-article/doi/10.1093/jnci/djaa114/5889955?searchresult=1). Oxford University Press. 2020 |
| 105 | エストラジオール吉草酸エステル テストステロンエナント酸エステル・エストラジオール吉草酸エステル エストラジオール | Li, Pei-Chen et al. Aspirin associated with a decreased incidence of uterine cancer: A retrospective population-based cohort study. Medicine. 2020; 99 (31): e21446. |
| 106 | アセトアミノフェン | 【Yakugaku Zasshi.140(2020)943–947】Is Concomitant Therapy with Acetaminophen and Low-dose Aspirin a Risk Factor for CKD Progression? A 6-Year Cohort Study. |
| 107 | ソマトロピン(遺伝子組換え) | Savendahl, Lars et al.. Long-term mortality after childhood growth hormone treatment: the SAGhE cohort study. Lancet Diabetes Endocrinol. 2020;8(8):683–692 |
| 108 | アロプリノール | The Presence of HLA-B75, DR13 Homozygosity, or DR14 Additionally Increases the Risk of Allopurinol-Induced Severe Cutaneous Adverse Reactions in HLA-B*58:01 Carriers. Shim JS, et al. Division of Allergy and Clinical Immunology, Department of Internal Medicine, Seoul National University College of Medicine, Seoul, Korea, The journal of allergy and clinical immunology. In practice (7)卷(4)号、(1261–1270)頁、(2019)年 |
| 109 | リセドロン酸ナトリウム水和物 ミノドロン酸水和物 ゾレドロン酸水和物 | Black DM, et al.. Atypical Femur Fracture Risk versus Fragility Fracture Prevention with Bisphosphonates.. N Engl J Med 2020;383(8):743–753. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---------------------------------|--|
| 110 | クロナゼパム | 【Epilepsia.0(2020)1-11】Antiepileptic combination therapy with Stevens-Johnson syndrome and toxic epidermal necrolysis: Analysis of a Japanese pharmacovigilance database |
| 111 | メトロニダゾール | Al-Nahi A, et al..Chromosomal aberration and histopathological effect of metronidazole-induced toxicity in male rat..Medico-Legal Update 2020;20(2):607-613. |
| 112 | アトルバスタチンカルシウム水和物 | Stage, T.B. et al. P-glycoprotein inhibition exacerbates paclitaxel neurotoxicity in neurons and patients with cancer. Clin. Pharmacol. Ther. 2020;108(3):671-680. |
| 113 | 非ピリン系感冒剤(4) | 【Mayo Clin. Proc. 95(2020)1594-1603】Adverse events reported to the United States Food and Drug Administration related to caffeine-containing products. |
| 114 | プレガバリン | 【Brit. J. Anaesth. 125(2020)159-167】Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland |
| 115 | アスピリン | McNeil JJ, et al. Effect of aspirin on cancer incidence and mortality in older adults. J Natl Cancer Inst. 2020 |
| 116 | ジゴキシン | Elayi, C.S. et al., “Digoxin, mortality, and cardiac hospitalizations in patients with atrial fibrillation and heart failure with reduced ejection fraction and atrial fibrillation: An AF–CHF analysis”, Int'l J. Cardiol.313,48-54(2020) |
| 117 | クロピドグレル硫酸塩 | Ha Young Yoon et al., Efficacy and safety of clopidogrel versus prasugrel and ticagrelor for coronary artery disease treatment in patients with CYP2C19 LoF alleles: a systemic review and meta-analysis, Brit. J. Clin. Pharmacol. 86(8),1489-1498,2020 |
| 118 | ニカルジピン塩酸塩 | 脳出血急性期降圧への反応のアジアと非アジアにおける比較検討:ATACH-2試験. STROKE 2020第45回日本脳卒中学会学術集会、第49回日本脳卒中の外科学会学術集会、第36回スパズム・シンポジウム、第7回日本心血管脳卒中学会学術集会. 2020;23 |
| 119 | イトラコナゾール | D'Arcy,M.E.et al.(National Cancer Institute,MD.,USA) Voriconazole and the risk of keratinocyte carcinomas among lung transplant recipients in the United States JAMA Dermatol. 2020,156(7),772-779 |
| 120 | エストラジオール エストラジオール・酢酸ノルエチステロン | Li PC. Aspirin associated with a decreased incidence of uterine cancer: A retrospective population-based cohort study. Medicine. 2020;99(31):e21446. |
| 121 | アレンドロン酸ナトリウム水和物 | Dennis M. Black et al. Atypical Femur Fracture Risk versus Fragility Fracture Prevention with Bisphosphonates. N. Engl. J. Med. 2020; 383 (8):743-753. |
| 122 | イトラコナゾール | D'Arcy, M.E. et al..Voriconazole and the risk of keratinocyte carcinomas among lung transplant recipients in the United States.JAMA Dermatol. 2020;156(7):772-779. |
| 123 | アロプリノール | Do MD, Mai TP, Do AD, Nguyen QD, Le NH, Le LGH, Hoang VA, Le AN, Le HQ, Richette P, Resche-Rigon M, Bardin T. Risk factors for cutaneous reactions to allopurinol in Kinh Vietnamese: Results from a case-control study.. Arthritis Research and Therapy. 2020;22:182(Article #) |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 124 | ポリコナゾール | D'Arcy, M.E. et al. (National Cancer Institute, MD., USA). Voriconazole and the risk of keratinocyte carcinomas among lung transplant recipients in the United States. <i>JAMA Dermatol.</i> . 2020; 156(7): 772–779–. |
| 125 | バラシクロビル塩酸塩 | Westerberg, C.. Aciclovir or valaciclovir – Acute generalised exanthematous pustulosis. <i>WHO Pharmaceuticals Newsletter No. 4, 2020.</i> 2020;4:11–17 |
| 126 | テルミサルタン | Atsuki Hosoda, Yoshio Matsumoto, Yuuki Toriyama, Takumi Tsuji, Yuya Yoshida, Takeyuki Kohno, et al. Regular Article Telmisartan Exacerbates Cisplatin-Induced Nephrotoxicity in a Mouse Model. <i>Biological & Pharmaceutical Bulletin.</i> 2020.9.1; 43(9) 1331–1337. |
| 127 | ソマトロピン(遺伝子組換え) | Jean-Claude Carel, Emmanuel Ecosse, Fabienne Landier, Djamil Meguellati-Hakkas, Florentia Kaguelidou, Gregoire Rey, Joel Coste, et al.. Long-term mortality after childhood growth hormone treatment: the SAGhE cohort study. <i>Lancet Diabetes Endocrinol.</i> 2020;8:683～692 |
| 128 | スルファメトキサゾール・トリメトプリム | Yu, P.A. et al..Safety of antimicrobials during pregnancy: A systematic review of antimicrobials considered for treatment and postexposure prophylaxis of plague. 2020. <i>Clin. Infect. Dis.</i> .. 70(Suppl.1): S37–S50. |
| 129 | メトホルミン塩酸塩 | Angela Kuhla, et al. Metformin Therapy Aggravates Neurodegenerative Processes in ApoE-/- Mice. <i>Journal of Alzheimer's disease</i> 2019;68(4):1415–1427. |
| 130 | アリピプラゾール | アリピプラゾールによる急性アカシジア発現のリスク因子に関する臨床調査. 医療薬学. 2020; 46(8): 414–420. |
| 131 | プレガバリン トラマドール塩酸塩・アセトアミノフェン配合剤 | Waddy, S.P. et al.. Concomitant use of gabapentinoids with opioids is associated with increased mortality and morbidity among dialysis patients. <i>Am. J. Nephrol.</i> .. 2020; 51(6): 424–432. |
| 132 | バルプロ酸ナトリウム | 【Medicina. 56(2020)1–10】Evaluation of Cardiac Repolarization Indices in Epilepsy Patients Treated with Carbamazepine and Valproic Acid. |
| 133 | 乾燥人フィブリノゲン | The impact of blood product ratio and procoagulant therapy on the development of thromboembolic events in severely injured hemorrhaging trauma patients. <i>Transfusion</i> 2020;60:1873–1882 |
| 134 | セルトラリン塩酸塩 パロキセチン塩酸塩水和物 フルボキサミンマレイン酸塩 | Manoj Kumar et al. Alliance between selective serotonin reuptake inhibitors and fracture risk: an updated systematic review and meta-analysis. <i>Eur J Clin Pharmacol</i> 2020 Oct 2020;76(10):1373–1392. |
| 135 | アトルバスタチンカルシウム水和物 | Stage, T.B. et al.. P-glycoprotein inhibition exacerbates paclitaxel neurotoxicity in neurons and patients with cancer. <i>Clin. Pharmacol. Ther.</i> .. 2020; 108(3): 671–680. |
| 136 | オメプラゾール ラベプラゾールナトリウム ランソプラゾール ファモチジン ニザチジン ラニチジン塩酸塩 ラフチジン | 【Eur.J.Clin.Pharmacol.76(2020)1437–1456】The association between acid-suppressive agent use and the risk of cancer: a systematic review and meta-analysis |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 137 | オメプラゾール | 【Eur J Clin Pharmacol 76(2020)1437–1456】The association between acid-suppressive agent use and the risk of cancer: a systematic review and meta-analysis |
| 138 | エソメプラゾールマグネシウム水和物 | 【Eur J Clin Pharmacol 76(2020)1437–1456】The association between acid-suppressive agent use and the risk of cancer: a systematic review and meta-analysis |
| 139 | カルバゾクロムスルホン酸ナトリウム水和物 | 腎生検における止血剤投与の有用性の検討. 日本腎臓学会誌 2020; 62(4): 375. |
| 140 | インフルエンザHAワクチン | 2018/2019年4価インフルエンザワクチンの免疫原性・安全性についての臨床研究検討. 感染症学雑誌 2020.3.10;94(S):321. |
| 141 | アセトアミノフェン トラマドール塩酸塩・アセトアミノフェン配合剤 | 【Biochemical Pharmacology.;174 (2020) 113816.】Acetaminophen affects the survivor, pigmentation and development of craniofacial structures in zebrafish (<i>Danio rerio</i>) embryos. |
| 142 | 滅菌調整タルク | 【Environ Res. 180(2020) 108676】The effect of talc particles on phagocytes in co-culture with ovarian cancer cells |
| 143 | カフェイン含有一般用医薬品 | 【Mayo Clin. Proc. 95(2020)1594–1603】Adverse events reported to the United States Food and Drug Administration related to caffeine-containing products. |
| 144 | プレガバリン | Waddy, S.P. et al.. Concomitant use of gabapentinoids with opioids is associated with increased mortality and morbidity among dialysis patients. Am. J. Nephrol.. 2020; 51(6): 424–432. |
| 145 | カフェイン含有一般用医薬品 | 【Mayo Clin. Proc. 95(2020)1594–1603】Adverse events reported to the United States Food and Drug Administration related to caffeine-containing products. |
| 146 | プレガバリン | 【Brit. J. Anaesth. 125(2020)159–167】Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland |
| 147 | シロドシン | Billah,M.et al.(NJ.,USA) Adverse events associated with selective alpha-1 antagonists as reported in a Food and Drug Administration Database from 2004 to 2019 : 15 years' worth of data J.Urol.2020,203(4),Suppl.,e707 |
| 148 | オメプラゾール ラベプラゾールナトリウム ランソプラゾール シメチジン ニザチジン ファモチジン ラニチジン塩酸塩 ラフチジン ロキサチジン酢酸エステル塩酸塩 | The association between acid-suppressive agent use and the risk of cancer:a systematic review and meta-analysis |
| 149 | ダコミチニブ水和物 | 【Journal of Thoracic Disease. 12(2020) 4057–4069】Fatal toxic effects related to EGFR tyrosine kinase inhibitors based on 53 cohorts with 9,569 participants |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 150 | オランザピン | 【JAMA Psychiatry. 77(2020)674–683】Effects of antipsychotic medication on brain structure in patients with major depressive disorder and psychotic features: neuroimaging findings in the context of a randomized placebo-controlled clinical trial. |
| 151 | カフェイン含有一般用医薬品 非ピリン系感冒剤(2) | 【Mayo Clin. Proc. 95(2020)1594–1603】Adverse events reported to the United States Food and Drug Administration related to caffeine-containing products. |
| 152 | リラグルチド(遺伝子組換え) インスリン デグルデク(遺伝子組換え)・リラグルチド(遺伝子組換え)配合剤 セマグルチド(遺伝子組換え) | Wang J, et al. Malignancies associated with DPP4 inhibitors and GLP1 receptor agonists: Data from a large real-world database. Journal of Clinical Oncology. 2020; 38(15) suppl.1567 |
| 153 | リラグルチド(遺伝子組換え) インスリン デグルデク(遺伝子組換え)・リラグルチド(遺伝子組換え)配合剤 セマグルチド(遺伝子組換え) | Mali G, et al. Glucagon-like peptide-1 analogues and thyroid cancer: An analysis of cases reported in the European pharmacovigilance database. J Clin Pharm Ther. 2020 Sep 14. (in press) |
| 154 | ラベプラゾールナトリウム | 【European Journal of Clinical Pharmacology. 76(2020)1437–1456】The association between acid-suppressive agent use and the risk of cancer: a systematic review and meta-analysis |
| 155 | ビルダグリプチン・メトホルミン塩酸塩配合剤 | Ping F. Association between metformin and neurodegenerative diseases of observational studies: Systematic review and meta-analysis.. BMJ Open Diabetes Research and Care. 2020;8:e001370(Article #) |
| 156 | ガバペンチン | 【Brit. J. Anaesth. 125(2020)159–167】Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland |
| 157 | トロピカミド・フェニレフリン塩酸塩 | 【Am J Emerg Med. 38(2020)1778–1781】Safety of push-dose phenylephrine in adult ICU patients |
| 158 | カフェイン含有一般用医薬品 | 【Mayo Clin. Proc. 95(2020)1594–1603】Adverse events reported to the United States Food and Drug Administration related to caffeine-containing products. |
| 159 | イブプロフェン含有一般用医薬品 | 【American Journal of Obstetrics.(2020)310–311】Doppler assessment of the ductus arteriosus with ibuprofen exposure in pregnancy. |
| 160 | ランソプラゾール | 【Brit. J. Cancer 123(2020)307–315】Use of proton pump inhibitors and histamine-2 receptor antagonists and risk of gastric cancer in two population-based studies |
| 161 | ロスバスタチンカルシウム | Vattimo, A.C.A. et al., Efficacy and tolerability of a fixed-dose combination of rosuvastatin and ezetimibe compared with a fixed-dose combination of simvastatin and ezetimibe in Brazilian patients with primary hypercholesterolemia or mixed dyslipidemia: A multicenter, randomized trial, Curr. Ther. Res. 93,100595,2020 |
| 162 | クロピドグレル硫酸塩 | Cheng, Y. et al., Risk factors for postoperative events in patients on antiplatelet therapy undergoing off-pump coronary artery bypass grafting surgery, Angiology 71(8), 704–712, 2020 |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|--|
| 163 | プレガバリン | Waddy, S.P. et al., Concomitant use of gabapentinoids with opioids is associated with increased mortality and morbidity among dialysis patients, Am. J. Nephrol. 51(6), 424-432, 2020 |
| 164 | エストラジオール吉草酸エステル テストステロンエナント酸エステル・エス トラジオール吉草酸エステル エストラジオール | Cheng, Julia N et al. Skeletal impact of 17 β -estradiol in T cell-deficient mice: age-dependent bone effects and osteosarcoma formation. Clinical & experimental metastasis. 2020; 37 (2): 269-281. |
| 165 | メトホルミン塩酸塩 | N. Schweighofer, B. Genser, W. Maerz, M. E. Kleber, O. Trummer, T. R. Pieber et al. Intrinsic Variants in OCT1 are Associated with All-Cause and Cardiovascular Mortality in Metformin Users with Type 2 Diabetes. Diabetes, Metabolic Syndrome and Obesity 2020;13:2069-2080. |
| 166 | ファモチジン ニザチジン ラベプラゾールナトリウム ロキサチジン酢酸エステル塩酸塩 | 【Europ. J. Clin. Pharmacol.. 2020; 76(10): 1437-1456】The association between acid-suppressive agent use and the risk of cancer: a systematic review and meta-analysis |
| 167 | レボフロキサシン水和物 シタフロキサシン水和物 | Mahyar Etminan etc.. Oral Fluoroquinolones and Risk of Mitral and Aortic Regurgitation. JOU RNAL OF THE AME R I CAN COL L EG E OF CARD I OLOGY. 2019;74:1444-50 |
| 168 | プレドニゾロン | Oh TK, Song I-A. Trends in long-term glucocorticoid use and risk of 5-year mortality: a historical cohort study in South Korea. Endocrine. 2020;69(3):634-641 |
| 169 | カンデサルタン シレキセチル・ヒドロク ロロチアジド配合剤 | D.R.Morales. Association between hydrochlorothiazide exposure and different incident skin,lip and oral cavity cancers:A series of population-based nested case-control studies. Br J Clin Pharmacol. 2020; 86(7): 1336-1345. |
| 170 | オメプラゾールナトリウム ラベプラゾールナトリウム シメチジン ファモチジン ラニチジン塩酸塩 | 【Em. J. Clin. Pharmacol ;76(2020)1401-1408】The association between acid-suppressive agent use and the risk of cancer: a systematic review and |
| 171 | サラゾスルファピリジン | 【Gastroenterology. 159(2020Aug,):481-491.】Corticosteroids, But Not TNF Antagonists, Are Associated With Adverse COVID-19 Outcomes in Patients With Inflammatory Bowel Diseases: Results From an International Registry. |
| 172 | ファモチジン | 【European Journal of Clinical Pharmacology. 76 (2020) 1437?1456】The association between acid-suppressive agent use and the risk of cancer: a systematic review and meta-analysis |
| 173 | モルヒネ塩酸塩水和物 アヘン アヘンチンキ アヘン・トコン | 【BMC Medicine. 18(2020)Article Number 162】All-cause mortality in patients with long-term opioid therapy compared with non-opioid analgesics for chronic non-cancer pain: A database study |
| 174 | オメプラゾール ラベプラゾールナトリウム ランソプラゾー | 【Gut,0(2020)1-8】Regular use of proton pump inhibitors and risk of type 2 diabetes: results from three prospective cohort studies |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|--|
| 175 | 滅菌調整タルク | 【Cancer Epidemiol Biomarkers Prev. 28(2019)1835–1844】Douching, Talc Use, and Risk for Ovarian Cancer and Conditions Related to Genital Tract Inflammation. |
| 176 | バルプロ酸ナトリウム | Valproic Acid Impacts the Growth of Growth Plate Chondrocytes |
| 177 | バルプロ酸ナトリウム | Effects of valproic acid and levetiracetam monotherapy on carotid intima-media and epicardial adipose tissue thickness in non-obese children with epilepsy |
| 178 | コデインリン酸塩水和物 ヒドロモルフォン塩酸塩 モルヒネ塩酸塩水和物 オキシコドン塩酸塩水和物 フェンタニルクエン酸塩 | 【Annals of the American Thoracic Society 2020;17(8):965–973】Predictors of opioid-related adverse pulmonary events among older adults with chronic obstructive pulmonary disease |
| 179 | プレドニゾロン | 全身性エリテマトーデス患者における感染症とステロイド量の関連についての検討:LUNAを用いたProspective cohort study.第64回 日本リウマチ学会総会・学術集会 プログラム・抄録集(USB) (第64回 日本リウマチ学会総会・学術集会(2020.8.17–9.15)) 2020;:P1-282./第64回 日本リウマチ学会総会・学術集会;: |
| 180 | アログリップチン安息香酸塩・メトホルミン塩酸塩配合剤 | Schweighofer N, et al. Intronic variants in OCT1 are associated with all-cause and cardiovascular mortality in metformin users with type 2 diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy. 2020;13:2069–2080 |
| 181 | ニコチン含有一般用医薬品 | 【medRxiv(2020)】Nicotine-replacement therapy, as a surrogate of smoking, and the risk of hospitalization with Covid-19 and all-cause mortality: a nationwide, observational cohort study in France |
| 182 | ラニチジン塩酸塩 | 【Eur.J.Clin.Pharmacol.76(2020)1437–1456】The association between acid-suppressive agent use and the risk of cancer: a systematic review and meta-analysis |
| 183 | 乾燥BCGワクチン | Ong RYL, et al. DISSEMINATED BACILLUS-CALMETTE-GUERIN INFECTIONS AND PRIMARY IMMUNODEFICIENCY DISORDERS IN SINGAPORE: A SINGLE CENTER 15-YEAR RETROSPECTIVE REVIEW. Int J Infect Dis. 2020;97:117–125. doi: 10.1016/j.ijid.2020.05.117. |
| 184 | メルカプトプリン水和物 | 【Am. J. Gastroenterol. 115(2020) 1246–1252】Repeated occurrences of basal cell cancer in patients with inflammatory bowel disease treated with immunosuppressive medications. |
| 185 | クリサンタスパーゼ | 【Cancer. 126(2020)870–878】Diabetes mellitus among adult survivors of childhood acute lymphoblastic leukemia: A report from the St. Jude Lifetime Cohort Study. |
| 186 | リスペリドン ゾルピデム酒石酸塩 | Norgaard, A. et al. Association of benzodiazepines and antidepressants with 180-day mortality among patients with dementia receiving antipsychotic pharmacotherapy: A nationwide registry-based study. J. Clin. Psychiatr. 2020;81(4):19m12828. |
| 187 | アジスロマイシン水和物 | Gerard,A.et al.(Pasteur Hospital,Nice,France) "Off-label" use of hydroxychloroquine, azithromycin, lopinavir–ritonavir and chloroquine in COVID-19: A survey of cardiac adverse drug reactions by the French Network of Pharmacovigilance Centers Therapie 2020,75(4),371–379 |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 188 | トリメタジジン塩酸塩 | Ferrari, R. et al. Efficacy and safety of trimetazidine after percutaneous coronary intervention (ATPCI): a randomised, double-blind, placebo-controlled trial. Lancet. 2020;396(10254):830-838. |
| 189 | テストステロンエナント酸エステル テストステロンエナント酸エステル・エス トライオール吉草酸エステル | Walker, Rob F et al. Association of Testosterone Therapy With Risk of Venous Thromboembolism Among Men With and Without Hypogonadism. JAMA internal medicine. 2020; 180 (2): 190-197. |
| 190 | テストステロンエナント酸エステル テストステロンエナント酸エステル・エス トライオール吉草酸エステル | Lopez, David S et al. Association of the extent of therapy with prostate cancer in those receiving testosterone therapy in a US commercial insurance claims database. Clinical endocrinology.2019; 91 (6): 885-891. |
| 191 | ラベプラゾールナトリウム | 【Dig. Dis. Sci. 65(2020)2691-2699】Use of acid-suppressant medications after diagnosis increases mortality in a subset of gastrointestinal cancer patients |
| 192 | フェンタニルクエン酸塩 フェンタニル | 【Drug Alcohol Depend. 217(2020)108252】Impact of polysubstance use on high-sensitivity cardiac troponin I over time in homeless and unstably housed women |
| 193 | ビンクリスチン硫酸塩 | 【第82回日本血液学会学術集会(2020年)S166】The feasibility of vindesine as an alternative use for vincristine in R-CHOP treatment for DLBCL |
| 194 | プレドニゾロン | Takashi Igawa et al. Identification of Predictors of Cardiovascular Events in Japanese Patients with Systemic Lupus Erythematosus from the LUNA Registry. 第84回 日本循環器学会学術集会 抄録集(Web) (第84回 日本循環器学会学術集会(2020.7.27-8.2)) 2020;:OE109-6./第84回 日本循環器学会学術集会 |
| 195 | シロリムス | 【Cancer chemotherapy and pharmacology. (2020) OCT 01】Assessment of acute kidney injury related to small-molecule protein kinase inhibitors using the FDA adverse event reporting system. |
| 196 | アトモキセチン塩酸塩 | 【Arch. Dis. Child. 105(2020)749-755】Psychiatric adverse drug reactions in the paediatric population. |
| 197 | メトホルミン塩酸塩 | Bowden S, et al.. Metformin is associated with more hormone receptor-positive breast cancers. (Abstract Number: 784993). Annals of Surgical Oncology 2020;27(Supplement 2):S559-S560./21st Annual Meeting of the American Society of Breast Surgeons. Las Vegas, NV, United States. |
| 198 | オndansetron塩酸塩水和物 | 【Reproductive Toxicology. 81 (2018) 237-245】Ondansetron and teratogenicity in rats: Evidence for a mechanism mediated via embryonic hERG blockade |
| 199 | ニコチン含有一般用医薬品 | 【J Physiol. 23(2018)5977-5991】Pre- and early postnatal nicotine exposure exacerbates autoresuscitation failure in serotonin-deficient rat neonates |
| 200 | コルヒチン | Stefan M. Nidorf, et al.. Colchicine in Patients with Chronic Coronary Disease. N Engl J Med. 2020 Aug 31. [Epub ahead of print]. |
| 201 | カルバマゼピン | Analysis of Adverse Drug Reactions with Carbamazepine and Oxcarbazepine at a Tertiary Care Hospital |
| 202 | オndansetron塩酸塩水和物 | 【Journal of Clinical Psychiatry.81(2020).】Major Congenital Malformation Risk After First Trimester Gestational Exposure to Oral or Intravenous Ondansetron |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|--|--|
| 203 | リセドロン酸ナトリウム水和物 | Nordstrom P, et al. Bone-Specific Drugs and Osteonecrosis of Sites Other Than the Jaw: A Nationwide Cohort Study. <i>Journal of Bone and Mineral Research.</i> 2020;35(9):1703-1710. |
| 204 | ベタメタゾン吉草酸エステル ベタメタゾン吉草酸エステル・フライオ マイシン硫酸塩 ベタメタゾン吉草酸エステル含有一般 用医薬品 ベタメタゾン吉草酸エステル・フライオ マイシン硫酸塩含有一般用医薬品 | Uquillas KR, Lee RH, Sardesai S, Chen E, Ihenacho U, Cortessis VK, Barton L. Neonatal hypoglycemia after initiation of late preterm antenatal corticosteroids.. <i>Journal of Perinatology.</i> 2020;40:1339-1348 |
| 205 | クロピドグレル硫酸塩 | Pasquale Scotti et al., Antithrombotic agents and traumatic brain injury in the elderly population: hemorrhage patterns and outcomes, <i>J. Neurosurg.</i> 133(2),486-495,2020 |
| 206 | クロピドグレル硫酸塩 | Marc Schindewolf et al., Systematic literature review of randomized trials comparing antithrombotic therapy following revascularization procedures in patients with peripheral artery disease, <i>Angiology</i> 71(9),773-790,2020 |
| 207 | レムデシビル | WHO. Pan et al. Repurposed antiviral drugs for COVID-19 -interim WHO SOLIDARITY trial results. medRxiv. 2020;UNK:UNK |
| 208 | アリピプラゾール オランザピン リスペリドン ゾルビデム酒石酸塩 | 【J. Clin. Psychiat. 81(2020)19m12828】Association of benzodiazepines and antidepressants with 180-day mortality among patients with dementia receiving antipsychotic pharmacotherapy : A nationwide registry-based study |
| 209 | アンピシリンナトリウム・スルバクタムナト リウム | Donovan, B.M. et al.. Dose, timing, and type of infant antibiotic use and the risk of childhood asthma. <i>Clin. Infect. Dis.</i> |
| 210 | ファモチジン ニザチジン ラベプラゾールナトリウム ロキサチジン酢酸エステル塩酸塩 | 【Dig. Dis. Sci.65(2020)2691-2699】Use of acid-suppressant medications after diagnosis increases mortality in a subset of gastrointestinal cancer patients |
| 211 | 人血清アルブミン | Faculdade de Medicina de Marilia (Famema) et.al. Use of albumin as a risk factor for hospital mortality among burn patients in Brazil: non-concurrent cohort study. <i>Sao Paulo Med J.</i> |
| 212 | オンドンセトロン塩酸塩水和物 | 【Birth Defect Research. 112(2020)996-1013】Risk of malformation after ondansetron in pregnancy: An updated systematic review and meta-analysis |
| 213 | ピコスルファートナトリウム水和物・酸化 マグネシウム・無水クエン酸 | 【Rev Esp Enferm Dig. 111(2019) 887】The quality of colonoscopy preparation in a private clinical practice setting |
| 214 | ソマトロピン(遺伝子組換え) | Poidvin A, et al.. Increased risk of bone tumors after growth hormone treatment in childhood: A population-based cohort study in France.. <i>Cancer medicine.</i> 2018;7(7):3465-73 |
| 215 | ソマトロピン(遺伝子組換え) | Beck-Peccoz P, et al.. Malignancy risk in adults with growth hormone deficiency undergoing long-term treatment with biosimilar somatropin (Omnitrope): data from the PATRO Adults study.. <i>Therapeutic Advances in Endocrinology and Metabolism..</i> 2020;11:1-12 |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 216 | イマチニブメシル酸塩 | 【Eur J Clin Pharmacol. 76(2020) 1183–1191】Factors affecting high-grade hepatotoxicity of tyrosine kinase inhibitors in cancer patients: a multi-center observational study |
| 217 | スキサメトニウム塩化物水和物 | 【Br J Anaesth. 125(2020)629–636】Succinylcholine and postoperative pulmonary complications: a retrospective cohort study using registry data from two hospital networks |
| 218 | レボノルゲストレル・エチニルエストラジオール | Conz L, Mota B, Bahamondes L, Teixeira Doria M, Francoise Mauricette Derchain S, Rieira R, Sarian L. Levonorgestrel-releasing intrauterine system and breast cancer risk: A systematic review and meta-analysis. Acta obstetricia et gynecologica Scandinavica. 2020 AUG;99(8):970–982. |
| 219 | ハロペリドール スルペリド リスペリドン トリアゾラム | 【J. Clin. Psychiat. 81(2020)19m12828】Association of benzodiazepines and antidepressants with 180-day mortality among patients with dementia receiving antipsychotic pharmacotherapy : A nationwide registry-based study |
| 220 | ジクロフェナクナトリウム | 【Clin. Pharmacol. Ther.108(2020)377–386】Pharmacoepidemiologic screening of potential oral anticoagulant drug interactions leading to thromboembolic events |
| 221 | ラニチジン塩酸塩 | Ayyagari,S. et al. (Baylor College of Medicine, TX., USA) Use of acid-suppressant medications after diagnosis increases mortality in a subset of gastrointestinal cancer patients Dig. Dis. Sci. 2020,65(9),2691–2699 |
| 222 | オランザピン クエチアピンフマル酸塩 リスペリドン トリアゾラム ゾピクロン ゾルビデム酒石酸塩 | 【J. Clin. Psychiat. 81(2020)19m12828】Association of benzodiazepines and antidepressants with 180-day mortality among patients with dementia receiving antipsychotic pharmacotherapy : A nationwide registry-based study |
| 223 | エスキタロプラムシュウ酸塩 | 【日本小児臨床薬理学会雑誌. 32(2019)82–88】母体セロトニン再取り込み阻害薬、セロトニン・ノルアドレナリン再取り込み阻害薬による新生児不適応症候群の発現要因(特に併用薬)についての検討 |
| 224 | トラマドール塩酸塩・アセトアミノフェン配合剤 | Association of Prenatal Acetaminophen Exposure Measured in Meconium With Risk of ADHD https://jamanetwork.com/journals/jamapediatrics/article-abstract/2770802 |
| 225 | エポエチン カッパ(遺伝子組換え) | 【Cochrane Database Syst Rev.28(2020)1–83.】Late erythropoiesis-stimulating agents to prevent red blood cell transfusion in preterm or low birth weight infants.Cochrane Database Syst Rev |
| 226 | アスピリン クロビドグレル硫酸塩 ジクロフェナクナトリウム | 【J. Am. Coll. Cardiol.76 (2020) 518–529】Cardiovascular and bleeding risks associated with nonsteroidal antiinflammatory drugs after myocardial infarction. |
| 227 | トファシチニブクエン酸塩 | 【Annals of the Rheumatic Diseases. (2020) 1–3】Age-based (less than 65 vs greater than or equal to 65 years) incidence of infections and serious infections with tofacitinib versus biological DMARDs in rheumatoid arthritis clinical trials and the US Corrona RA registry. |
| 228 | 乾燥BCGワクチン | NaserEddin A, et al. Bacillus Calmette–Guerin (BCG) Vaccine-associated Complications in Immunodeficient Patients Following Stem Cell Transplantation. J Clin Immunol. 2020 Oct 27;1–16. doi: 10.1007/s10875-020-00892-6. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 229 | クロピドグレル硫酸塩 | Li, Z. et al. Body weight, CYP2C19, and P2Y12 receptor polymorphisms relate to clopidogrel resistance in a cohort of Chinese ischemic stroke patients with aspirin intolerance. Europ. J. Clin. Pharmacol. 2020;76(11):1517-1527. |
| 230 | レボプロキサン水和物 | Imatoh, T. et al.. The association between concurrence of infection and the onset of severe eruption or liver injury in patients using antipyretic analgesics: A matched, nested case-control study. J. Clin. Pharmacol.. 2020; 60(9): 1177-1184. |
| 231 | セレコキシブ ジクロフェナクナトリウム フェルビナク ロキソプロフェンナトリウム水和物 | 【J. Am. Coll. Cardiol. 76 (2020) 518-529】Cardiovascular and bleeding risks associated with nonsteroidal antiinflammatory drugs after myocardial infarction. |
| 232 | コデインリン酸塩水和物(10%) | 【Medicine. 99(2020) e22155】Increased risk of death with codeine use in the elderly over 85 years old and patients with respiratory disease: A case-control study using retrospective insurance claims database |
| 233 | サルメテロールキシナホ酸塩・フルチカゾンプロピオノ酸エステル | 【BMC infectious diseases. (2020);20:706】Risk of active tuberculosis among COPD patients treated with fixed combinations of long-acting beta2 agonists and inhaled corticosteroids. |
| 234 | クラリスロマイシン | Omranipoor A, et al. Association of antibiotics therapy during pregnancy with spontaneous miscarriage: a systematic review and meta-analysis. Archives of Gynecology and Obstetrics. 2020;302(1):5-22 |
| 235 | アパルタミド | 【社内資料】FINAL REPORT_Preliminary Embryo-Fetal Developmental Toxicity Study of JNJ 56021927 AAA (apalutamide) by the Oral Gavage Route in the Rat_GLP Study |
| 236 | ヒドロキシプロゲステロンカプロノ酸エステル | 20201020_Am J Obstet Gynecol_2020 Sep 28 |
| 237 | バンコマイシン塩酸塩 | Yamaki, J. et al. (Chapman University School of Pharmacy, CA.,USA) A brief evaluation of vancomycin loading doses and nephrotoxicity in the elderly population Infect. Dis. 2020,52(10),751-754 |
| 238 | ボセンタン水和物 | Cohen Aubart, F. et al. (Assistance Publique-Hopitaux de Paris, Paris, France) Drug-induced sarcoidosis : an overview of the WHO pharmacovigilance database J. Intern. Med. 2020,288(3),356-362 |
| 239 | クロピドグレル硫酸塩 | Saiz-Rodriguez, M. et al, Influence of CYP450 enzymes, CES1, PON1, ABCB1, and P2RY12 polymorphisms on clopidogrel response in patients subjected to a percutaneous neurointervention, Clin. Ther. 41(6),1199-1212.e2,2019 |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 240 | インスリン アスパルト(遺伝子組換え) インスリン デテミル(遺伝子組換え) インスリン ヒト(遺伝子組換え) インスリン デグルデク(遺伝子組換え) インスリン デグルデク(遺伝子組換え)・インスリン アスパルト(遺伝子組換え)配合剤 インスリン デグルデク(遺伝子組換え)・リラグルチド(遺伝子組換え)配合剤 | 当院通院中の糖尿病患者における心不全関連因子の検討. 第94回 日本糖尿病学会中部地方会 p86 (2020) |
| 241 | 乾燥スルホ化人免疫グロブリン | Chandran Ramakrishna et al. Herpes simplex virus infection, Acyclovir and IVIG treatment all independently cause gut dysbiosis. PloS one 2020;15(8):e0237189-e0237189. |
| 242 | ベンダムスチン塩酸塩 | 【EClinical Medicine. 27(2020)】Determinants of outcome in Covid-19 hospitalized patients with lymphoma: A retrospective multicentric cohort study |
| 243 | ガバペンチン | Patorno, Elisabetta et al. Gabapentin in pregnancy and the risk of adverse neonatal and maternal outcomes: A population-based cohort study nested in the US Medicaid Analytic eXtract dataset. PLoS medicine 2020;17(9):e1003322. |
| 244 | ビルダグリプチン・メトホルミン塩酸塩配合剤 | Cheng X. Metformin Is Associated with Higher Incidence of Acidosis, but Not Mortality, in Individuals with COVID-19 and Pre-existing Type 2 Diabetes. Cell metabolism. 2020 |
| 245 | ランソプラゾール オメプラゾール ラベプラゾールナトリウム | 【Europ. J Clin Pharmacol. 76 (2020) 851–866】Proton pump inhibitors and risk of liver cancer and mortality in patients with chronic liver disease: a systematic review and metaanalysis |
| 246 | ロサルタンカリウム・ヒドロクロロチアジド | Julie Rouette, Hui Yin, Anton Pottegard, Krishnarajah Nirantharakumar, Laurent Azoulay. Use of Hydrochlorothiazide and Risk of Melanoma and Nonmelanoma Skin Cancer. Drug-Safety. 2020 |
| 247 | セボフルラン | Duration of exposure to cranial vault surgery: associations with neurodevelopment among children with single-suture craniosynostosis. Pediatric Anesthesia 2012;:: |
| 248 | アクチノマイシン D | 【Biol Reprod. 21(2020)1–12】Actinomycin D causes oocyte maturation failure by inhibiting chromosome separation and spindle assembly. |
| 249 | オキサリプラチン | 【第58回日本癌治療学会学術集会. (2020)1348–1349 P-480】オキサリプラチンによる有害事象と腎機能の関連. |
| 250 | 高カロリー輸液用総合アミノ酸製剤(1) 高カロリー輸液用総合アミノ酸製剤(2) | Sota Iwatani.High prevalence of cholestasis at a tertiary neonatal intensive care unit.Pediatrics International 2020;62(6):749–751. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|---|
| 251 | アジスロマイシン水和物 セファクロル セフジニル セフジトレン ピボキシル セフィキシム水和物 セフポドキシム プロキセチル セフチゾキシムナトリウム セファレキシン クラリスロマイシン | Donovan B M, Abreo A, Ding T, et al. Dose, Timing, and Type of Infant Antibiotic Use and the Risk of Childhood Asthma. 2020Apr;70(8):1658-65. |
| 252 | ジクロフェナクナトリウム セレコキシブ メロキシカム ザルトプロフェン | 【J. Am. Coll. Cardiol. 76 (2020) 518–529】Cardiovascular and bleeding risks associated with nonsteroidal antiinflammatory drugs after myocardial infarction. |
| 253 | カプトプリル | Oral short-acting antihypertensive medications and the occurrence of stroke: a nationwide case–crossover study. Hsu CY, et al. Department of Neurology, Chang Gung University College of Medicine, Chang Gung Memorial Hospital, Chiayi, Taiwan. Hypertension research : official journal of the Japanese Society of Hypertension (42)巻(11)号、(1794-1800)頁、(2019)年 |
| 254 | ファモチジン | 【Gastroenterology. 158(2020)S978】Comparative risk of Clostridium difficile infection between proton pump inhibitors and histamine-2 receptor antagonists: A 15 year hospital cohort study using a common data model |
| 255 | グルタラール | Poisoning of glutaraldehyde-containing products: clinical characteristics and outcomes. Clin Toxicol (Phila). 2020 Oct 28;1-8. |
| 256 | ファモチジン | 【Gastroenterology. 158(2020)S984–985】Acid-suppressive therapy as a risk factor for Clostridioides difficile in cystic fibrosis patients |
| 257 | レボフロキサシン水和物 | Tsai, C.-F. et al. Increased risk of depressive disorder after Helicobacter pylori eradication: A population-based nested cohort study. Gastroenterology 2020;158(6),Suppl.1,:S150. |
| 258 | ラベプラゾールナトリウム・アモキシシリン水和物・クラリスロマイシン ラベプラゾールナトリウム・アモキシシリン水和物・メトロニダゾール | Laure Thomas et al.. Amoxicillin-induced crystal nephropathy: A nationwide French pharmacovigilance databases study Amoxicillin 誘発のクリスタル腎症:フランスの全国規模のファーマコビジランスデータベースにおけるレトロスペクティブ解析. Br. J. Clin. Pharmacol.. 2020; 86(11): 1624–1634. |
| 259 | ヘパリンナトリウム ヘパリンカルシウム | JAPIC-Q No.J2004957 Benefits and Safety of Periprocedural Heparin During Thrombectomy in Patients Contra-Indicated for Alteplase Solene Hebert (Interventional Neuroradiology Unit, Fondation Rothschild Hospital, Paris, France)他 Journal of Stroke and Cerebrovascular Diseases 29(10)1-8/(2020.10) |
| 260 | ゾレドロン酸水和物 | Cohen Aubart, F. et al. (Assistance Publique-Hopitaux de Paris, Paris, France). Drug-induced sarcoidosis: an overview of the WHO pharmacovigilance database. J. Intern. Med. 2020; 288(3): 356–362. |
| 261 | 精製ヒアルロン酸ナトリウム | 【BMC Musculoskelet Disord. 21(2020) s12891-020-03729-w】High molecular weight intraarticular hyaluronic acid for the treatment of knee osteoarthritis: A network meta-analysis. |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|--|---|
| 262 | エスシタロプラムシュウ酸塩 | 【BJOG.127(2020)1366–1373】SSRI use during pregnancy and risk for postpartum haemorrhage: a national register-based cohort study in Sweden |
| 263 | アロプリノール | Low DE, et al.. HLA-B*58:01 association in allopurinol-induced severe cutaneous adverse reactions: The implication of ethnicity and clinical phenotypes in multiethnic Malaysia.. Pharmacogenetics and Genomics. 2020;30(7):153–160 |
| 264 | ブシラミン | 【第64回日本リウマチ学会総会・学術集会 (2020) 619】リウマチ性疾患を背景に発症した、侵襲性肺アスペルギルスの臨床的背景及び予後の検討 |
| 265 | ペムブロリズマブ(遺伝子組換え) | 【社内資料】Communication regarding pembrolizumab and ipilimumab NSCLC study (KN-598) (治験責任医師に対してKEYNOTE-598試験に関する対応の要請を通達した文書) |
| 266 | コデインリン酸塩水和物(10%) コデインリン酸塩水和物 ジヒドロコデインリン酸塩 ジヒドロコデインリン酸塩(10%) | 【Medicine. 99(2020): e22155】Increased risk of death with codeine use in the elderly over 85 years old and patients with respiratory disease: A case-control study using retrospective insurance claims database |
| 267 | テストステロンエナント酸エステル・エストラジオール吉草酸エステル エストラジオール吉草酸エステル エストラジオール ノルエチステロン レボノルゲストレル・エチニルエストラジオール レボノルゲストレル メドロキシプロゲステロン酢酸エステル | Yana Vinogradova et al. Use of hormone replacement therapy and risk of breast cancer:nested case-control studies using the QResearch and CPRD databases. BMJ.2020;(8266): m3873. |
| 268 | ヘパリンナトリウム | Kotoda, Masakazu, Ishiyama, Tadahiko, Nakajima, Hiroyuki, Matsukawa, Takashi.Prediction of heparin induced hypotension during cardiothoracic surgery: A retrospective observational study.Anaesthesia, Pain and Intensive Care 2019;23(2):. |
| 269 | 人血清アルブミン | P18-19 Liposomal-amphotericin Bによる腎機能障害発現の危険因子の後方視的調査. 第30回日本医療薬学会年会[Web開催] 2020. |
| 270 | エストリオール | Yana Vinogradova. Use of hormone replacement therapy and risk of breast cancer: nested case-control studies using the QResearch and CPRD databases. BMJ. 2020; 371: m3873-. |
| 271 | イブプロフェン | 【J. Am. Coll. Cardiol.76(2020) 518–529】Cardiovascular and bleeding risks associated with nonsteroidal antiinflammatory drugs after myocardial infarction. |
| 272 | フィナステリド | Investigation of Suicidality and Psychological Adverse Events in Patients Treated With Finasteride |
| 273 | ビノレルビン酒石酸塩 | 【第30回日本医療薬学会年会[Web開催]. 2020;1002 P29–11】シスプラチン+ビノレルビン併用療法施行患者における好中球減少症発現に関するリスク因子探索. |
| 274 | オキサリプラチン | P31–2 FOLFIRINOX 療法とGEM+nab-PTX 療法における末梢神経障害の発現率と重症度の評価. 第30回日本医療薬学会年会[Web 開催]. 2020;1067 |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|---|--|
| 275 | ジクロフェナクナトリウム イブプロフェンピコノール ジクロフェナクナトリウム含有一般用医薬品 イブプロフェンピコノール含有一般用医薬品 | 【J. Am. Coll. Cardiol. 76(2020) 518–529】Cardiovascular and bleeding risks associated with nonsteroidal antiinflammatory drugs after myocardial infarction. |
| 276 | アロプリノール | Unique Clinical Characteristics and Prognosis of Allopurinol-Induced Severe Cutaneous Adverse Reactions.Park HJ, et al.・Department of Internal Medicine, Gangnam Severance Hospital, College of Medicine, Yonsei University, Seoul, Korea.The journal of allergy and clinical immunology. In practice (7)巻(8)号、(2739–2749.e3)頁、(2019)年 |
| 277 | アログリップチン安息香酸塩・メトホルミン 塩酸塩配合剤 | Cheng X, et al. Metformin is associated with higher incidence of acidosis, but not mortality, in individuals with COVID-19 and pre-existing type 2 diabetes. Cell metabolism. 2020;32(4):537–547 |
| 278 | アスピリン・ボノプラザンマル酸塩配合剤 | Nudy M, et al. Aspirin for Primary Atherosclerotic Cardiovascular Disease Prevention as Baseline Risk Increases: A Meta-Regression Analysis. American Journal of Medicine. 2020;133(9):1056–1064 |
| 279 | アヘンチンキ アヘン コデインリン酸塩水和物(10%) コデインリン酸塩水和物 ジヒドロコデインリン酸塩 ジヒドロコデインリン酸塩(10%) アヘン・トコン アヘンアルカロイド塩酸塩 ペチジン塩酸塩 ペチジン塩酸塩・レバロルファン酒石酸塩(1) モルヒネ塩酸塩水和物 ペチジン塩酸塩・レバロルファン酒石酸塩(2) | Waddy SP, et al. Concomitant Use of Gabapentinoids with Opioids Is Associated with Increased Mortality and Morbidity among Dialysis Patients. American Journal of Nephrology. 2020;51(6):424–432 |
| 280 | バルサルタン・ヒドロクロロチアジド配合剤 | Daniels B. Risk of squamous cell carcinoma of the lip and cutaneous melanoma in older Australians using hydrochlorothiazide: A population-based case-control study.. Basic and Clinical Pharmacology and Toxicology. 2020;127:320–328 |
| 281 | モダフィニル | Kaplan S, Braverman DL, Frishman I, Bartov N. Pregnancy and Fetal Outcomes Following Exposure to Modafinil and Armodafinil During Pregnancy.JAMA Internal Medicine Published online October 19, 2020 doi:10.1001/jamainternmed.2020.4009. |
| 282 | オキシコドン塩酸塩水和物 | Kim JH, et al.. The impact of drug interactions on adverse effects of oral oxycodone in male geriatric patients.. Journal of Clinical Pharmacy and Therapeutics. 2020; 45(5): 976–982 DOI:10.1111/jcpt.13113. |
| 283 | セルトラリン塩酸塩 | Morishita, H.. Gastrointestinal absorption of pimozide is enhanced by inhibition of P-glycoprotein. PloS one. 2020;15(10):e0232438 |
| 284 | 酸素 | 【Am J Pathol. 190(2020)1801–1812】Lung and Eye Disease Develop Concurrently in supplemental Oxygen-Exposed Neonatal Mice |

研究報告の報告状況
(2020年8月1日～2020年11月30日)

| NO | 一般名 | 文献名 |
|-----|--|--|
| 285 | アログリップチン安息香酸塩 アログリップチン安息香酸塩・メトホルミン 塩酸塩配合剤 アログリップチン安息香酸塩・ピオグリタゾン塩酸塩配合剤 | Rim J, et al. USE OF ORAL ANTI-DIABETIC DRUGS AND RISK OF HOSPITAL AND ICU ADMISSIONS FOR INFECTIONS (CHEST 2020 Annual Meeting. Virtual, Online.). Chest. 2020;158(4, Suppl):A647-A648 |
| 286 | ジクロフェナクナトリウム | 【J. Am. Coll. Cardiol. 76 (2020) 518–529】Cardiovascular and bleeding risks associated with nonsteroidal antiinflammatory drugs after myocardial infarction. |
| 287 | インフルエンザHAワクチン | Emily T. Martin et al. Low influenza vaccine effectiveness against A(H3N2) associated hospitalizations in the 2016–2017 and 2017–2018 seasons of the Hospitalized Adult Influenza Vaccine Effectiveness Network (HAIVEN). The Journal of Infectious Diseases 2020;doi:10.1093/infdis/jiaa685. |
| 288 | ベバシズマブ(遺伝子組換え) | P18-56 FAERSを用いた流産に関する医薬品安全性シグナルの検出.第30回日本医療薬学会年会[Web開催] 20201024:p919. |
| 289 | セボフルラン | Morriss FH Jr. Surgery and neurodevelopmental outcome of very low birth-weight infants..JAMA Pediatrics 2014;168(8):. |
| 290 | セボフルラン | Sprung J. Attention-deficit/hyperactivity disorder after early exposure to procedures requiring general anesthesia.Mayo Clinic Proceedings. 2012;87(2):120–129. |
| 291 | セボフルラン | Ing C. Long-term differences in language and cognitive function after childhood exposure to anesthesia..Pediatrics. 2012;130(3):. |
| 292 | セボフルラン | Block RI. Are anesthesia and surgery during infancy associated with altered academic performance during childhood?.Anesthesiology. 2012;117(3):. |
| 293 | プロポフォール | Block RI. Are anesthesia and surgery during infancy associated with altered academic performance during childhood?.Anesthesiology. 2012;117(3):. |
| 294 | セボフルラン | Walker K. Early developmental outcome of infants with infantile hypertrophic pyloric stenosis..Journal of Pediatric Surgery. 2010;:2369–2372. |
| 295 | 美白化粧品(医薬部外品) | J. Dermatol. Sci.; 2020. doi.org10.1016j.jdermsci.2020.06.011. Immunohistochemical analysis of rhododendrol-induced leukoderma in improved and aggravated cases |
| 296 | 美白化粧品(医薬部外品) | J. Dermatol.; 2020. Aug 8. doi: 10.1111/1346-8138.15534 Expression of discoidin domain receptor 1 and E-cadherin in epidermis affects melanocyte behavior in rhododendrol-induced leukoderma mouse model(表皮のディスクイジンドメイン受容体1とEカドヘリンの発現はロドデンドロール誘発性脱色素斑マウスモデルにおいてメラノサイトの挙動に影響を与える) |
| 297 | 美白化粧品(医薬部外品) | Int. J. Mol. Sci. 2020, 21, 6774; doi:10.3390/ijms21186774 Oxidative Oligomerization of DBL Catechol, a Potential Cytotoxic Compound for Melanocytes, Reveals the Occurrence of Novel Ionic Diels–Alder Type Additions(メラノサイトに毒性を及ぼす可能性のあるDBLカテコールの酸化オリゴマー化は、新規イオン性ディールス・アルダー型反応の発生を明らかにする) Manickam Sugumaran, Kubra Umit, Jason Evans, Rachel Muriph, Shosuke Ito and Kazumasa Wakamatsu |