研究報告の報告状況 (平成29年12月1日~平成30年3月31日)

資料2-4

NO	一般名	文献名
1	人全血液	[Vox Sang. 113(2018)300-303]Transfusion-transmitted hepatitis B virus (HBV) infection from an individual-donation nucleic acid (ID-NAT) non-reactive donor
2	ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
3	ベンフォチアミン・B6・B1 2配合剤(1)	【J Clin Oncol. 35(2017)3440-3448】Long-Term, Supplemental, One-Carbon Metabolism-Related Vitamin B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort
4	アログリプチン安息香酸 塩・ピオグリタゾン塩酸塩 配合剤	[Cardiovasc Diabetol. 16(2017)134]Pioglitazone and the secondary prevention of cardiovascular disease. A meta-analysis of randomized-controlled trials
5	シクロスポリン	[Veterinary and comparative oncology. 14(2016)e126-e134] Post-transplant malignant neoplasia associated with cyclosporine-based immunotherapy: prevalence, risk factors and survival in feline renal transplant recipients
6	プレガバリン	[N Engl J Med. 376(2017)1111-1120]Trial of Pregabalin for Acute and Chronic Sciatica
7	アスピリン・ランソプラゾー ル配合剤	[PLoS One. 12(2017)1-12]Reduction of intracerebral hemorrhage in hemodialysis patients after reducing aspirin use: A quality-assurance observational study
8	ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
9	プラバスタチンナトリウム	[J Neurol Neurosurg Psychiatry. 87(2016)924-929]Serum cholesterol levels, HMG-CoA reductase inhibitors and the risk of intracerebral haemorrhage. The Multicenter Study on Cerebral Haemorrhage in Italy (MUCH-Italy)
10	ビカルタミド	[Br J Cancer. 117(2017)1233-1240] Cardiovascular disease risk and androgen deprivation therapy in patients with localised prostate cancer: a prospective cohort study
11	アセトアミノフェン	[Pediatrics. 140(2017)e20163840]Prenatal exposure to acetaminophen and risk of ADHD
12	ロスバスタチンカルシウム	[Lancet. 375(2010)735-742] Statins and risk of incident diabetes: a collaborative meta-analysis of randomised statin trials
13	アトルバスタチンカルシウ ム水和物	[Microbes Infect. 18(2016)675-686] Antagonistic effect of atorvastatin on high fat diet induced survival during acute Chagas disease
14	アセトアミノフェン	[Pediatr Surg Int. 34(2017)79-84]Neonatal gastric perforations in very low birth weight infants: a single center experience and review of the literature

15	ロスバスタチンカルシウム	[J Neurol Neurosurg Psychiatry. 87(2016)924-929] Serum cholesterol levels, HMG-CoA reductase inhibitors and the risk of intracerebral haemorrhage. The Multicenter Study on Cerebral Haemorrhage in Italy (MUCH-Italy)
16	カンデサルタン シレキセ チル	[15th International Congress of TDM & Clinical Toxicology. (2017)] Retrospective investigation of concomitant medications as potential risk factors for sever neutropenia in cancer patients treated with carboplatin and paclitaxel combination therapy
17	塩酸セルトラリン	[15th International Congress of TDM & Clinical Toxicology. (2017)]Neonatal abstinence syndrome after in utero exposure to antidepressant and benzodiazepines
18	ジルチアゼム塩酸塩	【社内資料】SAFETY EVALUATION REPORT DEPRESSION WITH DILTIAZEM IN ASSOCIATION WITH BETA BLOCKERS
19	混合死菌・ヒドロコルチゾ ン	[Cochrane Database Syst Rev. (2017)]Early (< 8 days) systemic postnatal corticosteroids for prevention of bronchopulmonary dysplasia in preterm infants
20	無水カフェイン	【第27回日本医療薬学会年会.(2017)】28週未満の児に対するカフェインの安全性
21	セチリジン塩酸塩	[Journal of Clinical and Diagnostic Research. 11(2017)OC10-OC12]Does azithromycin and cetirizine combination given for upper respiratory tract infections has any significant effect on QTc?
22	レベチラセタム	[Epilepsia. 58(2017)1931-1938]Impaired bone and muscle development in young people treated with antiepileptic drugs
23	レベチラセタム	[Epilepsia. 58(2017)1931-1938]Impaired bone and muscle development in young people treated with antiepileptic drugs
24	ラコサミド	[Epilepsia. 58(2017)1931-1938]Impaired bone and muscle development in young people treated with antiepileptic drugs
25	クリンダマイシン塩酸塩	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
26	滅菌調整タルク	[Can Respir J. (2017)]Occupational Exposure to Talc Increases the Risk of Lung Cancer: A Meta-Analysis of Occupational Cohort Studies
27	インフルエンザHAワクチ ン	[Pharmacoepidemiol Drug Saf. 26(2017)1321-1327]Spontaneous reporting of suspected narcolepsy after vaccination against pandemic influenza A (H1N1) in Germany
28	沈降精製百日せきジフテリア破傷風不活化ポリオ (ソークワクチン)混合ワクチン	[Vaccine. 34(2016)4551-4557]Contrasting female-male mortality ratios after routine vaccinations with pentavalent vaccine versus measles and yellow fever vaccine. A cohort study from urban Guinea-Bissau
29	アバカビル硫酸塩	[BMC Infect Dis. 17(2017)708-720] Risk of cardiovascular events from current, recent, and cumulative exposure to abacavir among persons living with HIV who were receiving antiretroviral therapy in the United States: A cohort study
30	アログリプチン安息香酸 塩・メトホルミン塩酸塩配 合剤	【Int J Radiat Oncol Biol Phys. 96(2016)S215】Inferior Outcomes With Concurrent Coincident Use of Metformin During Lung Stereotactic Body Radiation Therapy

31	ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
32	ロスバスタチンカルシウム	[Eur J Clin Pharmacol. 73(2017)1409-1416]SLCO1B1 521T > C polymorphism associated with rosuvastatin-induced myotoxicity in Chinese coronary artery disease patients: a nested case-control study
33	イマチニブメシル酸塩	【Br J Dermatol. 177(2017)140】Long-term mucocutaneous adverse effects of imatinib in Asian patients with chronic myeloid leukaemia
34	アスピリン・ランソプラゾー ル配合剤	[N Engl J Med. 377(2017)1580-1582] Triple Therapy for Atrial Fibrillation after PCI
35	クロピドグレル硫酸塩	[Dig Dis Sci. 62(2017)2728-2743]Clopidogrel IBS Patients Have Higher Incidence of Gastrointestinal Symptoms Influenced by Age and Gender
36	エバスチン	[Eur J Clin Pharmacol. 73(2017)1499-1510]Use of antihistamines and risk of ventricular tachyarrhythmia: a nested case-control study in five European countries from the ARITMO project
37	インフルエンザHAワクチ ン	[Vaccine. 35(2017)5314-5322] Association of spontaneous abortion with receipt of inactivated influenza vaccine containing H1N1pdm09 in 2010-11 and 2011-12
38	ロスバスタチン	[Eur J Clin Pharmacol. 73(2017)1409-1416]SLCO1B1 521T > C polymorphism associated with rosuvastatin-induced myotoxicity in Chinese coronary artery disease patients: a nested case-control study
39	メフロキン塩酸塩	【Cochrane Database Syst Rev. (2017)1-334】Mefloquine for preventing malaria during travel to endemic areas. Cochrane
40	プロプラノロール塩酸塩	[J Anat. 229(2016)483-502]Levin M.Neurotransmitter signaling pathways required for normal development in Xenopus laevis embryos: a pharmacological survey screen
41	ラベプラゾールナトリウム	[Gut. (2017)]Long-term proton pump inhibitors and risk of gastric cancer development after treatment for Helicobacter pylori: a population-based study
42	メルカプトプリン水和物	【Gut. 66(2017)1926-1935】A coding variant in FTO confers susceptibility to thiopurine-induced leukopenia in East Asian patients with IBD
43	メルカプトプリン水和物	【JAMA. 318(2017)1679-1686】Association between use of thiopurines or tumor necrosis factor antagonists alone or in combination and risk of lymphoma in patients with inflammatory bowel disease
44	アルテプラーゼ(遺伝子組 換え)	[Neurology. 88(2017)638-645]Leukoaraiosis, intracerebral hemorrhage, and functional outcome after acute stroke thrombolysis
45	インフリキシマブ(遺伝子 組換え)	【第23回日本薬剤疫学会学術総会.(2017)97-98】インフリキシマブ投与後に「注入に伴う反応」が報告された症例における併用薬の解析:自発報告データベース有効活用の試み
46	硫酸マグネシウム水和物・ ブドウ糖	[Neonatology. 110(2016)163-171] The Effect of Maternal Antihypertensive Drugs on the Cerebral, Renal and Splanchnic Tissue Oxygen Extraction of Preterm Neonates

47	エリスロマイシンラクトビオ ン酸塩・コリスチンメタンス ルホン酸ナトリウム	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
48	ビタミンB6含有一般用医薬品	【J Clin Oncol. 35(2017)3440-3448】Long-Term, Supplemental, One-Carbon Metabolism-Related Vitamin B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort
49	エスシタロプラムシュウ酸 塩	【J Clin Psychiatry. 78(2017)1006-1012】Risk of First Onset Stroke in SSRI-Exposed Adult Subjects: Survival Analysis and Examination of Age and Time Effects
50	ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
51	アセトアミノフェン	[Pediatrics. 140(2017)e20163840]Prenatal exposure to acetaminophen and risk of ADHD
52	インフルエンザHAワクチ ン	[Dose-Response. 15(2017)1-12] Abnormal brain connectivity spectrum disorders following thimerosal administration: A prospective longitudinal case—control assessment of medical records in the Vaccine Safety Datalink
53	インフリキシマブ(遺伝子 組換え)[後続1]	[Br J Clin Pharmacol. $80(2015)727-739$]Pregnancy outcome after TNF- α inhibitor therapy during the first trimester: a prospective multicentre cohort study
54	インフリキシマブ(遺伝子 組換え)[後続1]	[BMJ. 28(2016)i262]Rheumatoid arthritis, anti-tumour necrosis factor treatment, and risk of squamous cell and basal cell skin cancer: cohort study based on nationwide prospectively recorded data from Sweden
55	インフリキシマブ(遺伝子 組換え)[後続1]	[BMJ. (2015)]Association between tumour necrosis factor– α inhibitors and risk of serious infections in people with inflammatory bowel disease: nationwide Danish cohort study
56	ビソプロロールフマル酸塩	[Stroke. 48(2017)1337-1343] Pharmacogenetic associations of beta1-adrenergic receptor polymorphisms with cardiovascular outcomes in the SPS3 trial (Secondary Prevention of Small Subcortical Strokes)
57	デノスマブ(遺伝子組換 え)	【社内資料】XGEVA Periodic Benefit-Risk Evaluation Report/Periodic Safety Update Report Number 11
58	デノスマブ(遺伝子組換 え)	【社内資料】XGEVA Periodic Benefit-Risk Evaluation Report/Periodic Safety Update Report Number 11
59	大腸菌死菌・ヒドロコルチゾン	【日本新生児成育医学会雑誌. 29(2017)594】新生児晩期循環不全児の神経学的予後の予 測因子の検討
60	ピオグリタゾン塩酸塩	[JAMA. 74(2017)1319-1327]Targeting Pioglitazone Hydrochloride Therapy After Stroke or Transient Ischemic Attack According to Pretreatment Risk for Stroke or Myocardial Infarction
61	クラリスロマイシン	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
62	非ピリン系感冒剤(4)	[Pediatrics. 140(2017)e20163840]Prenatal exposure to acetaminophen and risk of ADHD

63	リスペリドン	[Br J Psychiatry. 209(2016)378-384]Baseline characteristics and treatment-emergent risk factors associated with cerebrovascular event and death with risperidone in dementia patients
64	カナグリフロジン水和物	[International Journal of Clinical and Experimental Medicine. 9(2016)2595-2612]Safety assessment of canagliflozin for type 2 diabetes mellitus
65	トラマドール塩酸塩・アセト アミノフェン配合剤	[Pediatrics. 140(2017)e20163840]Prenatal Exposure to Acetaminophen and Risk of ADHD
66	アムロジピンベシル酸塩・ アトルバスタチンカルシウ ム水和物配合剤(1)	[Microbes Infect. 18(2016)675-686] Antagonistic effect of atorvastatin on high fat diet induced survival during acute Chagas disease
67	インフリキシマブ(遺伝子 組換え)[後続1]	[Eur J Clin Pharmacol. 71(2015)911-919] Adverse symptoms with anti-TNF-alpha therapy in inflammatory bowel disease: systematic review and duration-response meta-
68	ラベプラゾールナトリウム	【Translational Research and Clinical Interventions. 3(2017)579-583】Proton pump inhibitors and the risk of severe cognitive impairment: The role of posttraumatic stress disorder
69	ラベプラゾールナトリウム	【第27回日本医療薬学会年会 抄録集(Web). (2017)】カルボプラチン・ペメトレキセド併用療法施行患者における重篤な血液毒性の発現に関する危険因子の検討
70	ラベプラゾールナトリウム	【第27回日本医療薬学会年会 抄録集(Web). (2017)】低マグネシウム血症のリスク因子の解析
71	ラベプラゾールナトリウム	【第27回日本医療薬学会年会 抄録集(Web). (2017)】ハイネイーゲル使用患者におけるPPIの併用に関する調査
72	ラベプラゾールナトリウム	【第27回日本医療薬学会年会 抄録集(Web). (2017)】Panitumumabによる低マグネシウム血症の発症状況とリスク因子の調査
73	レベチラセタム	[Epilepsy Res. 139(2018)80-84] Vitamin D deficiency in children with epilepsy taking valproate and levetiracetam as monotherapy
74	レベチラセタム	[Epilepsy Res. 139(2018)80-84] Vitamin D deficiency in children with epilepsy taking valproate and levetiracetam as monotherapy
75	バルプロ酸ナトリウム	【第132回日本薬理学会近畿部会.(2017)70】父マウスへのバルプロ酸連続投与が仔マウスの行動に与える影響
76	プロプラノロール塩酸塩	[Neurological Sciences. 38(2017)967-974] Increased infections with beta-blocker use in ischemic stroke, a beta 2-receptor mediated process?
77	イマチニブメシル酸塩	[Toxicology Reports. 2(2015)654-663] The teratogenic effects of imatinib mesylate on rat fetuses
78	フェンタニルクエン酸塩	[A report from the National Coronial Information Service. (2017)]Fentanyl crisis: Figures show 1,800pc rise in overdose deaths from potent painkiller

79	ナファモスタットメシル酸塩	【Jpn J Clin Pharmacol Ther. 48(2017)S254】透析患者における好酸球増多とアレルギー性 有害反応
80	セツキシマブ(遺伝子組換え)	【第27回日本医療薬学会年会.(2017)919】当院における抗EGFR抗体含有レジメンによる低マグネシウム血症の発現状況と予測因子の検討
81	セツキシマブ(遺伝子組換え)	【第27回日本医療薬学会年会.(2017)1336】進行・再発大腸がんのセツキシマブ療法における低マグネシウム血症発現に影響を及ぼす因子の検討
82	ロサルタンカリウム・ヒドロ クロロチアジド	[J Intern Med. 282(2017)322-331] Hydrochlorothiazide use is strongly associated with risk of lip cancer
83	クロピドグレル硫酸塩	[J Anesth. 31(2017)631-635]Increased risk of paclitaxel-induced peripheral neuropathy in patients using clopidogrel: a retrospective pilot study
84	アスピリン・ランソプラゾー ル配合剤	[J Cardiovasc Electrophysiol. 28(2017)1241-1246] Long-term aspirin does not lower risk of stroke and increases bleeding risk in low-risk atrial fibrillation ablation patients
85	フェンタニルクエン酸塩	【第27回日本医療薬学会年会.(2017)】フェンタニルテープによるワルファリンの効果増強についての検討
86	混合死菌・ヒドロコルチゾン	[Eur J Endocrinol. 177(2017)251-256] Higher glucocorticoid replacement doses are associated with increased mortality in patients with pituitary adenoma
87	バルプロ酸ナトリウム	[Epilepsia. 58(2017)1931-1938] Impaired bone and muscle development in young people treated with antiepileptic drugs
88	トピラマート	[Epilepsia. 58(2017)1931-1938] Impaired bone and muscle development in young people treated with antiepileptic drugs
89	シベレスタットナトリウム水 和物	【日本臨床疫学会第1回年次学術大会.(2017)80】食道がん手術での予防的シベレスタット 投与は有効か?DPCデータを用いたレトロスペクティブコホート研究
90	外ホルミン塩酸塩	[Journal of the American Heart Association. 11(2017)] Association between stroke risk and metformin use in hemodialysis patients with diabetes mellitus: A nested case-control study
91	抑肝散	【第38回日本臨床薬理学会学術総会.(2017)】低アルブミン血症は抑肝散製剤による低カリウム血症のリスク因子である
92	シプロフロキサシン	[Am J Med. 130(2017)1449–1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta–Analysis
93	クロピドグレル硫酸塩	[Eur Heart J. 38(2017)613] The effect of CYP2C19 gene polymorphism and clopidogrel dose on clinical outcomes in Asian populations with CAD receiving antiplatelet therapy
94	塩酸ロメフロキサシン	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study

95	エリスロマイシンステアリン 酸塩	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
96	トスフロキサシントシル酸 塩水和物	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
97	クロピドグレル硫酸塩	[Eur Heart J. 38(2017)837] The effect of CYP2C19 gene polymorphism on clinical outcomes in patients with CAD receiving antiplatelet therapy
98	ラベプラゾールナトリウム	[J Allergy Clin Immunol. 139(2017)1985–1988] Acid-suppressive medications during pregnancy and risk of asthma and allergy in children: A systematic review and meta-analysis
99	ラベプラゾールナトリウム	【肝臓. 58(2017)A734】当院における肝性脳症に対するプロトンポンプ阻害薬投与の影響
100	エスゾピクロン	[Age Ageing. 45(2016)801-806] Melatonin, hypnotics and their association with fracture: a matched cohort study
101	ドロスピレノン・エチニルエ ストラジオール ベータデ クス	[N Engl J Med. 377(2017)2228-2239]Contemporary Hormonal Contraception and the Risk of Breast Cancer
102	エストラジオール・レボノル ゲストレル	[N Engl J Med. 377(2017)2228-2239] Contemporary Hormonal Contraception and the Risk of Breast Cancer
103	ドロスピレノン・エチニルエ ストラジオール ベータデ クス	[N Engl J Med. 377(2017)2228-2239]Contemporary Hormonal Contraception and the Risk of Breast Cancer
104	レボノルゲストレル	[N Engl J Med. 377(2017)2228-2239] Contemporary Hormonal Contraception and the Risk of Breast Cancer
105	レボノルゲストレル・エチニ ルエストラジオール	[N Engl J Med. 377(2017)2228-2239]Contemporary Hormonal Contraception and the Risk of Breast Cancer
106	セツキシマブ(遺伝子組換え)	[Ann Oncol. 28(2017)2219-2224]TPF plus cetuximab induction chemotherapy followed by biochemoradiation with weekly cetuximab plus weekly cisplatin or carboplatin: a randomized phase II EORTC trial
107	デソゲストレル・エチニル エストラジオール	[N Engl J Med. 377(2017)2228-2239]Contemporary Hormonal Contraception and the Risk of Breast Cancer
108	レボフロキサシン水和物	[Am J Med. 130(2017)1449–1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta–Analysis
109	オフロキサシン	[Am J Med. 130(2017)1449–1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta–Analysis
110	シタフロキサシン水和物	[Am J Med. 130(2017)1449–1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta–Analysis

111	オキサリプラチン	【第55回日本癌治療学会学術集会. (2017)】がん化学療法に伴う上肢末梢神経障害と活動制約の評価
112	ジアゼパム	[Int J Geriatr Psychiatry. (2017)]Risk of death associated with new benzodiazepine use among persons with Alzheimer disease: A matched cohort study
113	ロサルタンカリウム・ヒドロ クロロチアジド	[Biol Pharm Bull. 40(2017)2158-2165] Evaluation of drug-induced photosensitivity using the Japanese Adverse Drug Event Report (JADER) database
114	乾燥人血液凝固因子抗体 迂回活性複合体	[Haemophilia. 23(2017)e481-e484] Successful prophylaxis using activated prothrombin complex concentrates (aPCC) in a severe haemophilia A patient with inhibitor previously unresponsive to on-demand daily infusions of aPCC
115	ラタノプロスト	【第27回日本医療薬学会年会.(2017)】JADERを用いたプロスタグランジン系点眼薬と喘息の関連性の評価: β 遮断薬点眼薬との比較
116	ビルダグリプチン・メトホル ミン塩酸塩配合剤	【Journal of the American Heart Association. 6(2017)e007611】Association between stroke risk and metformin use in hemodialysis patients with diabetes mellitus: A nested case-control study
117	アセトアミノフェン含有一般 用医薬品	[Int J Epidemiol. (2017)]Use of paracetamol, ibuprofen or aspirin in pregnancy and risk of cerebral palsy in the child
118	アログリプチン安息香酸 塩・メトホルミン塩酸塩配 合剤	[J Invest Dermatol. (2017)]HLA-DQB1*03:01 as a biomarker for genetic susceptibility to bullous pemphigoid induced by DPP-4 inhibitors
119	アスピリン・ランソプラゾー ル配合剤	[Ann Epidemiol. 27(2017)645–653] Risk comparison for prenatal use of analgesics and selected birth defects, National Birth Defects Prevention Study 1997–2011
120	カナグリフロジン水和物	[Pharmacotherapy. 35(2015)e299]Effects and safety of canagliflozin in the treatment of type 2 diabetes mellitus: A systematic review and meta-analysis
121	ノルフロキサシン	[Am J Med. 130(2017)1449–1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta–Analysis
122	デソゲストレル・エチニル エストラジオール	[N Engl J Med. 377(2017)2228-2239]Contemporary Hormonal Contraception and the Risk of Breast Cancer
123	スコポラミン臭化水素酸塩水和物	[Female Pelvic Med Reconstr Surg. 22(2016)136-139] The effect of scopolamine patch use on post-operative voiding function after transobturator slings
124	ラベプラゾールナトリウム・ アモキシシリン水和物・ク ラリスロマイシン	【Br J Clin Pharmacol. 83(2017)2557-2571】Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
125	自己検査用グルコースキット	[Diabetes Technology & Therapeutics. 19(2017)580-588] Evaluation of Accuracy of Six Blood Glucose Monitoring Systems and Modeling of Possibly Related Insulin Dosing Errors
126	ボノプラザンフマル酸塩・ アモキシシリン水和物・ク ラリスロマイシン	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study

127	フルオロウラシル	[Cancer. 123(2017)4868-4877] Muscle Mass at the Time of Diagnosis of Nonmetastatic Colon Cancer and Early Discontinuation of Chemotherapy, Delays, and Dose Reductions on Adjuvant FOLFOX: The C-SCANS Study
128	メドロキシプロゲステロン 酢酸エステル	【JAMA. 318(2017)2234-2249】Hormone Therapy for the Primary Prevention of Chronic Conditions in Postmenopausal Women: Evidence report and systematic review for the US Preventive Services Task Force
129	ピオグリタゾン塩酸塩	【JAMA Neurol. 74(2017)1319-1327】Targeting Pioglitazone Hydrochloride Therapy After Stroke or Transient Ischemic Attack According to Pretreatment Risk for Stroke or Myocardial Infarction
130	インフリキシマブ(遺伝子 組換え)	[BMJ Open. 7(2017)e012567] Risk of tuberculosis in patients treated with TNF- α antagonists: a systematic review and meta-analysis of randomised controlled trials
131	トラマドール塩酸塩・アセト アミノフェン配合剤	[Allergol Immunopathol. 45(2017)528-533] Allergy Is Associated With Reduced Risk of Glioma: A Meta-Analysis
132	トラネキサム酸	[J Surg Res. 220(2017)438-443] Tranexamic acid is associated with increased mortality in patients with physiological fibrinolysis
133	フェンタニルクエン酸塩	[Statements From Public Health Agency of Canada. (2017)] Statement from the Co-Chairs of Special Advisory Committee on the Epidemic of Opioid Overdoses on Updates to Opioid-Related Mortality Data
134	アログリプチン安息香酸 塩・メトホルミン塩酸塩配 合剤	【Journal of the American Heart Association. 6(2017)e007611】Association Between Stroke Risk and Metformin Use in Hemodialysis Patients With Diabetes Mellitus: A Nested Case-Control Study
135	ロサルタンカリウム・ヒドロ クロロチアジド	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark
136	オクスカルバゼピン	[Ther Drug Monit. 38(2016)358-364] Perampanel Serum Concentrations in Adult With Epilepsy: Effect of Dose, Age, Sex, and concomitant Anti^Epileptic Drugs
137	オクスカルバゼピン	[Ther Drug Monit. 38(2016)350-357] Therapeutic Drug Monitoring of Clobazam and Its Metabolite-Impact of Age and Comedication on Pharmacoinetic Variability
138	オクスカルバゼピン	[Bratisl Lek Listy. 118(2017)107-111] Flow cytometric examination of apoptotic effect on brain tissue in postnatal period created by intrauterine oxcarbazepine and gabapentin exposure
139	トレチノイン	【第25回日本胎盤学会学術集会.(2017)】レチノイン酸投与ラットにおけるPTCH1発現を介した胎盤および胎児発育への影響
140	トラネキサム酸	[J Surg Res. 220(2017)438-443]Tranexamic acid is associated with increased mortality in patients with physiological fibrinolysis
141	メトホルミン塩酸塩	[Aging. 8(2016)1718-1734] Biological and biophysics aspects of metformin-induced effects: cortex mitochondrial dysfunction and promotion of toxic amyloid pre-fibrillar aggregates
142	アミノフィリン水和物	【BMC Pharmacol Toxicol. 18(2017)1-12】Methylxanthines induce structural and functional alterations of the cardiac system in zebrafish embryos

シメトリド・無水カフェイン	【BMC Pharmacology and Toxicology. (2017)】Methylxanthines induce structural and functional alterations of the cardiac system in zebrafish embryos
アログリプチン安息香酸 塩・メトホルミン塩酸塩配 合剤	[Eur J Cancer. 86(2017)106-114] Metformin and insulin impact on clinical outcome in patients with advanced hepatocellular carcinoma receiving sorafenib: Validation study and biological rationale
バルサルタン・ヒドロクロロ チアジド配合剤	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark
プロキシフィリン・エフェドリ ン塩酸塩・フェノバルビター ル配合剤	[Eur J Pharmacol. 819(2018)108-113] Interactions of aliskiren, a direct renin inhibitor, with antiepileptic drugs in the test of maximal electroshock in mice
アスピリン・ランソプラゾー ル配合剤	[Alzheimer Dis Assoc Disord. 30(2016)105–112]NSAID Use and Incident Cognitive Impairment in a Population-based Cohort
インフリキシマブ(遺伝子 組換え)	[British Journal of Dermatology. 177(2017)e289-e290] Infliximab is associated with an increased risk of serious infection in patients with psoriasis: Results from the British Association of Dermatologists Biologic Interventions Register (BADBIR)
ゾルピデム酒石酸塩	【J Am Geriatr Soc. 65(2017)2488-2495】The association between the use of zolpidem and the risk of Alzheimer's disease among older people
アバカビル硫酸塩	【AIDS. 32(2018)79-88】Abacavir use and risk of recurrent myocardial infarction
アザチオプリン	[Arthritis Rheum. 63(2017)2352-2353]Disease activity is an independent predictor of leukopenia in a large international SLE cohort
バルプロ酸ナトリウム	【J Midwifery Womens Health. 62(2017)673-683】Bipolar Disorder in Pregnancy: A Review of Pregnancy Outcomes
スルピリン水和物	[Int J Cardiol. 236(2017)76-81] Analgesic medication with dipyrone in patients with coronary artery disease: Relation to MACCE
プロカイン塩酸塩含有一 般用医薬品	[Allergy. 72(2017)]Assessment of local anesthetic drug allergy diagnosis and treatment in Ukraine: A survey to optimize patient care
ドキソルビシン塩酸塩	【Br J Haematol. 179(2017)739-747】Outcomes of adults and children with primary mediastinal B-cell lymphoma treated with dose-adjusted EPOCH-R
アログリプチン安息香酸 塩・ピオグリタゾン塩酸塩 配合剤	[Diabetes Res Clin Pract. 135(2018)102-110] An updated meta-analysis of pioglitazone exposure and bladder cancer and comparison to the drug's effect on cardiovascular disease and non-alcoholic steatohepatitis
アスピリン・ランソプラゾー ル配合剤	[BMJ Open. 7(2017)1-10]Survival prospects after acute myocardial infarction in the UK: a matched cohort study 1987-2011
沈降精製百日せきジフテリア破傷風不活化ポリオ (ソークワクチン)混合ワクチン	【Trans R Soc Trop Med Hyg. 110(2016)527–533】Sex-differential effects on mortality of BCG and diphtheria-tetanus-pertussis vaccines in a rural area with high vaccination coverage: observational study from Senegal
	ア塩合 バチ アログラス配 アログラスの アルー アルー

159	クロピドグレル硫酸塩	[Circ Cardiovasc Interv. 11(2018)1–12]Impact of Clopidogrel Therapy on Mortality and Cancer in Patients With Cardiovascular and Cerebrovascular Disease: A Patient-Level Meta-Analysis
160	アリピプラゾール	[ACNP 56th Annual Meeting. (2017)]D2 Dopamine Receptors Alter Circadian Rhythms in Pancreatic Islet Cells: Implications for the Metabolic Side Effects of Antipsychotic
161	ラベプラゾールナトリウム	【International Journal of Clinical and Experimental Medicine. 10(2017)15680-15695】An updated meta-analysis: The effect of proton pump inhibitor on risk of osteoporosis and fracture
162	エスシタロプラムシュウ酸 塩	[Stroke. 48(2017)3239-3244]Intracerebral Hemorrhage and Outcome After Thrombolysis in Stroke Patients Using Selective Serotonin-Reuptake Inhibitors
163	A型インフルエンザHAワク チン(H1N1株)	[J Neurol Sci. 381(2017)189]Narcolepsy as a side effect of swine flu vaccination
164	ノルエチステロン・エチニ ルエストラジオール	【Cancer Epidemiol Biomarkers Prev. 25(2016)1464-1473】Postmenopausal Hormone Therapy and Breast Cancer Prognostic Characteristics: A Linkage between Nationwide Registries
165	フェブキソスタット	【社内資料】A Multicenter, Randomized, Active-Control, Phase 3B Study to Evaluate the Cardiovascular Safety of Febuxostat and Allopurinol in Subjects With Gout and Cardiovascular Comorbidities(CARES)
166	カルバマゼピン	【第56回全国自治体病院学会.(2017)】転倒転落患者の処方内容から考える向精神薬のリスク.
167	コデインリン酸塩水和物	【Brain and Behavior. 7(2017)e00869】Codeine is associated with poor prognosis in acute stroke
168	レベチラセタム	[Ther Drug Monit. 40(2018)130-134] Influence of Comedication on Levetiracetam Pharmacokinetics
169	レベチラセタム	[Ther Drug Monit. 40(2018)130-134] Influence of Comedication on Levetiracetam Pharmacokinetics
170	ロサルタンカリウム・ヒドロ クロロチアジド	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark
171	乾燥弱毒生麻しん風しん 混合ワクチン	[Vaccine. 36(2018)347-354] Enhancing global vaccine pharmacovigilance: Proof-of-concept study on aseptic meningitis and immune thrombocytopenic purpura following measles-mumps containing vaccination
172	フェノバルビタール	【臨床麻酔. 41(2017)1499-1503】長期抗痙攣薬療法中の手術予定患者における術前血清 免疫グロブリン値の検討
173	エスシタロプラムシュウ酸 塩	[BMJ. 7(2017)1-13]Antidepressant use during pregnancy and the risk of major congenital malformations in a cohort of depressed pregnant women: an updated analysis of the Quebec Pregnancy Cohort
174	イブプロフェン	【Proc Natl Acad Sci U S A. 115(2018)e715-e724】Ibuprofen alters human testicular physiology to produce a state of compensated hypogonadism

175	メシル酸ガレノキサシン水 和物	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
176	ジゴキシン	[J Am Coll Cardiol. (2017)C26-C27]Digoxin-induced anemia among patients with atrial fibrillation and heart failure: clinical data analysis and drug-gene interaction network
177	モルヒネ塩酸塩水和物	[United European Gastroenterology Journal. 5(2017)A272]Opiate use in inflammatory bowel disease. Prescription trends and mortality in an English primary care cohort from 1990-2014.
178	ラベプラゾールナトリウム	[Clin Infect Dis. 2018] Evaluating the risk factors for hospital-onset Clostridium difficile infections in a large healthcare system
179	塩酸セルトラリン	[Stroke. 48(2017)3239-3244]Intracerebral Hemorrhage and Outcome After Thrombolysis in Stroke Patients Using Selective Serotonin-Reuptake Inhibitors
180	ゾルピデム酒石酸塩	[J Am Geriatr Soc. 65(2017)2488-2495] The association between the use of zolpidem and the risk of Alzheimer's disease among older people
181	アザチオプリン	【J Am Acad Dermatol. 78(2018)27-28】Azathioprine and risk of multiple keratinocyte cancers. Journal of American Academy of Dermatology
182	プロゲステロン	【日本産科婦人科遺伝診療学会誌. 3(2017)79】本邦での妊娠初期のプロゲステロン使用と 胎児Nuchal Translucency肥厚についての検討
183	アスピリン・ランソプラゾー ル配合剤	[Atherosclerosis. 251(2016)177-182] Aspirin and cardiovascular primary prevention in non-endstage chronic kidney disease: A meta-analysis
184	クロバザム	[Ann Intern Med. 167(2017)JC71] In adults, benzodiazepines were not linked to increased risk for mortality at 6 mo but were linked at 12 and 48 mo
185	ロサルタンカリウム・ヒドロ クロロチアジド	【J Intern Med. 282(2017)322-331】Hydrochlorothiazide use is strongly associated with risk of lip cancer
186	インフルエンザHAワクチ ン	[J Neurol Sci. 381(2017)189]Narcolepsy as a side effect of swine flu vaccination
187	イブプロフェン含有一般用 医薬品	【Proc Natl Acad Sci U S A. 115(2018)E715-E724】Ibuprofen alters human testicular physiology to produce a state of compensated hypogonadism
188	プレドニゾロン	【Circ J. 81(2017)1774-1782】Oral Steroid Use and Abdominal Aortic Aneurysm Expansion — Positive Association —
189	テルミサルタン・アムロジピ ンベシル酸塩・ヒドロクロロ チアジド配合剤	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark
190	テルミサルタン・ヒドロクロ ロチアジド配合剤	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark

191	アログリプチン安息香酸 塩・ピオグリタゾン塩酸塩 配合剤	[Diabetes Obes Metab. 20(2018)129-140] Comparative safety of pioglitazone versus clinically meaningful treatment alternatives concerning the risk of bladder cancer in older US adults with type 2 diabetes.
192	アスピリン・ランソプラゾー ル配合剤	[Circulation. 136(2017)A12332]Stent thrombosis with and without aspirin after percutaneous coronary intervention in patients with or without atrial fibrillation: Do we still need aspirin?
193	リスペリドン	【J Clin Psychiatry. 78(2017)905-912】Long-term antipsychotic use and major cardiovascular events: A retrospective cohort study
194	ラベプラゾールナトリウム	[Eur J Epidemiol. 31(2016)1057–1063]Proton pump inhibitors and gastroenteritis
195	アセトアミノフェン	[Drug Saf. 40(2017)351-358] Diverging Conclusions from the Same Meta-Analysis in Drug Safety: Source of Data (Primary Versus Secondary) Takes a Toll
196	ラモトリギン	[Front Pharmacol. 8(2017)879] Association of HLA-A and HLA-B alleles with lamotrigine-induced cutaneous adverse drug reactions in the Thai population
197	レボフロキサシン水和物	[Am J Med. 130(2017)1449-1457] Aortic dissection and aortic aneurysms associated with fluoroquinolones: A systematic review and meta-analysis
198	アルテプラーゼ(遺伝子組換え)	【J Neurol Sci. 381(2017)509】Intravenous tPA applications in stroke patient, evaluation of risk factors in the early period prognosis and bleeding
199	アルテプラーゼ(遺伝子組換え)	【J Neurol Sci. 381(2017)638-639】Pre-existing antiplatelet treatment increases risk of intracerebral haemorrhage in post-thrombolysis acute ischaemic stroke patients
200	ノルエチステロン・エチニ ルエストラジオール	[Am J Psychiatry. 175(2018)336-342] Association of Hormonal Contraception With Suicide Attempts and Suicides
201	ゾレドロン酸水和物	[Bone. 208(2018)79-88]. Zoledronic acid increases the prevalence of medication-related osteonecrosis of the jaw in a dose dependent manner in rice rats (Oryzomys palustris) with localized periodontitis
202	ワルファリンカリウム	[Eur J Clin Pharmacol. 73(2017)1681–1689] Bleeding-related admissions in patients with atrial fibrillation receiving antithrombotic therapy:results from the Tasmanian Atrial Fibrillation(TAF) study
203	プロゲステロン	[Am J Obstet Gynecol. 217(2017)669.e1-669.e13]All-cause mortality in young women with endometrial cancer receiving progesterone therapy
204	エソメプラゾールマグネシ ウム水和物	[J Clin Pharmacol. 58(2018)263-268] Effects of concomitant medication use on gefitinib-induced hepatotoxicity
205	オメプラゾール	[J Clin Pharmacol. 58(2018)263-268] Effects of concomitant medication use on gefitinib-induced hepatotoxicity
206	エストラジオール	【Cancer Epidemiol Biomarkers Prev. 25(2016)1464-1473】Postmenopausal Hormone Therapy and Breast Cancer Prognostic Characteristics: A Linkage between Nationwide Registries

_		
207	アセトアミノフェン	[Eur Psychiatry. (2017)]Prenatal exposure to acetaminophen and children's language development at 30 months
208	コデインリン酸塩水和物 (1%以下)	[Australian Government Departmet of Health. (2018)]Low dose codeine ineffective for most pain relief
209	シスプラチン	[J Surg Res. 224(2018)50-57] Chemotherapy can promote liver metastasis by enhancing metastatic niche formation in mice
210	エソメプラゾールマグネシ ウム水和物	[Nephrol Dial Transplant. 33(2018)331-342] The association between proton pump inhibitor use and the risk of adverse kidney outcomes: a systematic review and meta-analysis
211	オメプラゾール	[Nephrol Dial Transplant. 33(2018)331-342] The association between proton pump inhibitor use and the risk of adverse kidney outcomes: a systematic review and meta-analysis
212	オメプラゾール	[Nephrol Dial Transplant. 33(2018)331-342] The association between proton pump inhibitor use and the risk of adverse kidney outcomes: a systematic review and meta-analysis
213	ゲフィチニブ	【J Clin Pharmacol. 58(2018)263-268】Effects of concomitant medication use on gefitinib-induced hepatotoxicity
214	モルヒネ塩酸塩水和物	[PLoS One. 13(2018)e0190362]Prescription opioids are associated with higher mortality in patients diagnosed with sepsis: A retrospective cohort study using electronic health records
215	ラメルテオン	[Crit Care Med. 46(2018)446] Evaluation of ramelteon for the reduction of ICU delirium
216	カナグリフロジン水和物	[Diabetes Obes Metab. 19(2017)1106–1115] Sodium-glucose co-transporter-2 inhibitors and risk of adverse renal outcomes among patients with type 2 diabetes: A network and cumulative meta-analysis of randomized controlled trials
217	カナグリフロジン水和物	[Diabetes Obes Metab. 19(2017)897–900] Renal safety of canagliflozin, a sodium glucose co-transporter 2 inhibitor, in patients with type 2 diabetes mellitus
218	ラベプラゾールナトリウム	[Aliment Pharmacol Ther. 47(2018)246–258] Proton pump inhibitors are associated with accelerated development of cirrhosis, hepatic decompensation and hepatocellular carcinoma in noncirrhotic patients with chronic hepatitis C infection: results from ERCHIVES
219	ラベプラゾールナトリウム	[Am J Gastroenterol. 53(2018)84-94] Magnitude and direction of the association between Clostridium difficile infection and proton pump inhibitors in adults and pediatric patients: a systematic review and meta-analysis
220	プレドニゾロン	【Circ J. 81(2017)1774-1782】Oral Steroid Use and Abdominal Aortic Aneurysm Expansion — Positive Association —
221	カナグリフロジン水和物	[Medicine. 95(2016)e5473]Efficacy and safety of canagliflozin in patients with type 2 diabetes A meta-analysis of randomized controlled trials
222	タモキシフェンクエン酸塩	[Eur J Clin Pharmacol 74(2018)99-107] Tamoxifen usage correlates with increased risk of Parkinson's disease in older women with breast cancer: a case-control study in Taiwan.

223	カナグリフロジン水和物	【PLoS One. 11(2016)e0166125】Benefits and Harms of Sodium-Glucose Co-Transporter 2 inhibitors in Patients with Type
224	イブルチニブ	【Blood. 131(2018)182-190】Single-agent ibrutinib in relapsed or refractory follicular lymphoma: a phase 2 consortium trial
225	プロゲステロン	[Reprod Toxicol. 64(2016)169–179] Inhibitory effect of progesterone during early embryonic development: Suppression of myocardial differentiation and calcium-related transcriptome by progesterone in mESCs: Progesterone disturb cardiac differentiation of mESCs through lower cytosolic Ca(2.)
226	テストステロンエナント酸 エステル・エストラジオー ル吉草酸エステル	【Cancer Epidemiol Biomarkers Prev. 25(2016)1464-1473】Postmenopausal Hormone Therapy and Breast Cancer Prognostic Characteristics: A Linkage between Nationwide Registries
227	オフロキサシン	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
228	ダルテパリンナトリウム	[Am Heart J. 195(2018)108-114] Predictors of perioperative major bleeding in patients who interrupt warfarin for an elective surgery or procedure: Analysis of the BRIDGE trial
229	アスピリン	【日呼吸誌. 6(2017)318-321】血痰・喀血における経口抗血栓薬の関与
230	ドキソルビシン塩酸塩	[Ann Hematol. 97(2018)141-147] Incidence of interstitial pneumonitis in non-Hodgkin's lymphoma patients receiving immunochemotherapy with pegylated liposomal doxorubicin and rituximab
231	クロピドグレル硫酸塩	[Clin Pharmacol Ther. 103(2018)281-286] Investigating real-world clopidogrel pharmacogenetics in stroke using a bioresource linked to electronic medical records
232	アセトアミノフェン含有一般 用医薬品	[Eur Psychiatry. (2017)]Prenatal exposure to acetaminophen and children's language development at 30 months
233	アスピリン・ランソプラゾー ル配合剤	【Epidemiology. 27(2016)726-731】In Utero Exposure to Aspirin and Risk of Asthma in Childhood
234	耐性乳酸菌配合剤(1)	[Pediatr Infect Dis J. 37(2018)35-42]A Double-blind, Randomized, Placebo-controlled Trial of Lactobacillus acidophilus for the Treatment of Acute Watery Diarrhea in Vietnamese Children
235	アセトアミノフェン	[Eur Psychiatry. (2017)]Prenatal exposure to acetaminophen and children's language development at 30 months
236	セレコキシブ	[Pain. (2018)]Risk of preterm birth following late pregnancy exposure to NSAIDs or COX-2 inhibitors
237	アセトアミノフェン	[Pediatr Surg Int. 34(2017)79-84] Neonatal gastric perforations in very low birth weight infants: a single center experience and review of the literature
238	インスリン グラルギン(遺 伝子組換え)[後続1]	【J Clin Oncol. 35(2017)3647-3653】Long-Term Use of Long-Acting Insulin Analogs and Breast Cancer Incidence in Women With Type 2 Diabetes.

n proton pump inhibitor nd meta-analysis e risk of osteoporosis

萃内視鏡検査時の呼
萃内視鏡検査時の 呼
(ASGO)]Uterine
d Child IQ: A Danish
THFR C677T predict 5-fluorouracil for
imester and risk of studies
with sodium-glucose- system database
astasis in rodent
antidiabetic drug abetes: A network
nists and the risk of case-control study
oth efficacy and on among low-risk
ents with type 2
out an Apparent ation or Venous
patients with relapsed

255	イマチニブメシル酸塩	【Therapie. 72(2017)547-554】Unexpected drug-induced Raynaud phenomenon: Analysis from the French national pharmacovigilance database
256	ナタリズマブ(遺伝子組換え)	[Americas Committee for Treatment and Research In Multiple Sclerosis. (2018)] Natalizumab Extended Interval Dosing Is Associated with a Reduction in Progressive Multifocal Leukoencephalopathy Risk in the TOUCH Registry
257	アセトアミノフェン	[Autism Research. 9(2016)951-958]Maternal Use of Acetaminophen during Pregnancy and Risk of Autism Spectrum Disorders in Childhood: A Danish National Birth Cohort Study
258	アセトアミノフェン	[Pharmacoepidemiol Drug Saf. 26(2017)625-634]Language competence and communication skills in 3-year-old children after prenatal exposure to analgesic opioids
259	アザチオプリン	[Mutat Res. 251(1991)157-161] A re-examination of the genotoxicity and carcinogenicity of azathioprine
260	ノルエチステロン・エチニ ルエストラジオール	[Am J Psychiatry. 175(2018)336-342] Association of Hormonal Contraception With Suicide Attempts and Suicides
261	リラグルチド(遺伝子組換 え)	[Diabetes Care. 41(2018)286-292]Incretin-Based Therapies and the Short-term Risk of Pancreatic Cancer: Results From Two Retrospective Cohort Studies.
262	アセトアミノフェン	[Autism Research. 9(2016)951-958] Maternal use of acetaminophen during pregnancy and risk of autism spectrum disorders in childhood: A Danish national birth cohort study
263	ラベプラゾールナトリウム	[J Hosp Infect. 98(2018)4–13] Updated meta-analysis of controlled observational studies: proton-pump inhibitors and risk of Clostridium difficile infection
264	クロピドグレル硫酸塩	【Clin Pharmacol Ther. 103(2018)281-286】Investigating Real-World Clopidogrel Pharmacogenetics in Stroke Using a Bioresource Linked to Electronic Medical Records
265	ロサルタンカリウム・ヒドロ クロロチアジド	【J Intern Med. 282(2017)322-331】Hydrochlorothiazide use is strongly associated with risk of lip cancer
266	ゾレドロン酸水和物	[J Bone Miner Res. 32(2017)S376] Cardiovascular Safety of zoledronic acid compared with oral bisphosphonates and untreated population controls: An observational cohort study using Danish and Swedish National Health registries
267	ロサルタンカリウム・ヒドロ クロロチアジド	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark
268	パロキセチン塩酸塩水和 物	[Am J Obstet Gynecol. 215(2016)803-805]Selective serotonin reuptake inhibitors and autism: additional data on the Quebec Pregnancy/Birth Cohort
269	ノルエチステロン・エチニ ルエストラジオール	[Menopause. 23(2016)593-599] Risk of venous thromboembolism associated with local and systemic use of hormone therapy in peri- and postmenopausal women and in relation to type and route of administration
270	イブルチニブ	[Cancer Biol Ther. (2018)1-2]Left atrial abnormality (LAA) as a predictor of ibrutinib-associated atrial fibrillation in patients with chronic lymphocytic leukemia

ランソプラゾール	[Nephrol Dial Transplant. 33(2018)331-342]The association between proton pump inhibitor use and the risk of adverse kidney outcomes: a systematic review and meta-analysis
ランソプラゾール	[Dig Dis Sci. 62(2017)2821-2827] Associations of Proton-Pump Inhibitors and H2 Receptor Antagonists with Chronic Kidney Disease: A Meta-Analysis
テストステロンエナント酸 エステル・エストラジオー ル吉草酸エステル	[Endocrine-Related Cancer. 23(2016)635-650]Effect of low doses of estradiol and tamoxifen on breast cancer cell karyotypes
乾燥BCGワクチン	[Medicine. 96(2017)e9035]A 25-year surveillance of disseminated Bacillus Calmette- Guerin disease treatment in children in Southern Iran
ワルファリンカリウム	[JAMA. 319(2018)463-473] Association of Intracerebral Hemorrhage Among Patients Taking Non-Vitamin K Antagonist vs Vitamin K Antagonist Oral Anticoagulatns With In- Hospital Mortality
プロキシフィリン・エフェドリ ン塩酸塩・フェノバルビター ル配合剤	[Epilepsia. 59(2018)333-344]Neonatal phenobarbital exposure disrupts GABAergic synaptic maturation in rat CA1 neurons
オメプラゾール	【Clin Pharmacol Ther. 103(2018)287-295】Translational high-dimensional drug interaction discovery and validation using health record databases and pharmacokinetics models
ロピニロール塩酸塩	[Am J Gastroenterol. 112(2017)S254-S255]Prevalence of nausea and vomiting in adults using ropinirole: a systematic review and meta-analysis
トピラマート	[Ann Neurol. 82(2017)457-465] Fetal growth and premature delivery in pregnant women on antiepileptic drugs
	[J Am Coll Cardiol. 70(2017)B39-B40]HAS-BLED score and other predictors of bleeding in catheter-directed thrombolysis for pulmonary embolism
カナグリフロジン水和物	[Diabetes Obes Metab. (2018)]SGLT-2 inhibitors and the risk of lower-limb amputation: is this a class effect?
アセトアミノフェン	[Crit Care Med. 44(2016)2192-2198] Acetaminophen-Induced Changes in Systemic Blood Pressurein Critically ill Patients: Results of a Multicenter Cohort Study
エドキサバントシル酸塩水 和物	[N Engl J Med. 378(2018)615-624]Edoxaban for the Treatment of Cancer-Associated Venous Thromboembolism
インフリキシマブ(遺伝子 組換え)[後続1]	[Mod Rheumatol. 28(2018)168-173] The risk of herpes zoster in patients with ankylosing spondylitis: Analysis of the Korean National Health Insurance Service - Sample cohort database
シンクロンシステム 総ビ リルビン試薬	【Arch Pathol Lab Med. 137(2013)1175】Eltrombopag and serum of a different hue
シンクロンシステム 総ビ リルビン試薬	[Pathology. 48(2016)754-756] Eltrombopag: liver toxicity, kidney injury or assay interference?
	ランソプラゾール テンソプラゾール テストラロンストテール 乾燥 BC Gワクチン ワルファリンカリー・エルアリン・バルーンである オメプラリール ロピラマート アルス・アリン・バルール トピラマート アクラーゼ(遺伝子組) カナグリフロジン水和物 アセトアミノフェン エドキャンシ薬 イ組 シリルビンシ薬 シリルビンシ薬

287	ブスルファン	【Biol Blood Marrow Transplant. 22(2016)1627–1635】Late Effects after Umbilical Cord Blood Transplantation in Very Young Children after Busulfan-Based, Myeloablative Conditioning
288	エンパグリフロジン	[Diabetes Obes Metab. (2018)]SGLT-2 inhibitors and the risk of lower-limb amputation: is this a class effect?
289	アセトアミノフェン	[Int J Epidemiol. 45(2016)1987-1996] Acetaminophen use in pregnancy and neurodevelopment: attention function and autism spectrum symptoms
290	アセトアミノフェン	[Int J Epidemiol. 45(2016)1998–2008] Neurodevelopmental problems at 18 months among children exposed to paracetamol in utero: a propensity score matched cohort study
291	アセトアミノフェン	[Int J Epidemiol. 45(2016)2009–2017] Paracetamol use during pregnancy and attention and executive function in offspring at age 5 years
292	テストステロンエナント酸 エステル	The Lancet Diabetes & Endocrinology. 4(2016)498-506]Survival and cardiovascular events in men treated with testosterone replacement therapy: an intention-to-treat observational cohort study
293	ブロナンセリン	【J Alzheimers Dis. 56(2017)107-118】Risk of Mortality Associated with Antipsychotic Monotherapy and Polypharmacy Among Community-Dwelling Persons with Alzheimer's Disease
294	ジクロフェナクナトリウム	[Biol Pharm Bull. 41(2018)158–162] Association between concomitant use of acyclovir or valacyclovir with NSAIDs and an increased risk of acute kidney injury: data mining of FDA adverse event reporting system
295	オフロキサシン	[Am J Med. 130(2017)1449-1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta-Analysis
296	ラベプラゾールナトリウム	[Psychother Psychosom. 87(2018)62-64]Use of Proton Pump Inhibitors and Risk of Major Depressive Disorder: A Nationwide Population-Based Study
297	ラベプラゾールナトリウム	[Infect Control Hosp Epidemiol. 37(2016)1418-1425] A Novel Risk Factor Associated With Colonization by Carbapenemase-Producing Enterobacteriaceae: Use of Proton Pump Inhibitors in Addition to Antimicrobial Treatmen
298	A型インフルエンザHAワク チン(H1N1株)	[Sleep Medicine Reviews. 38(2018)177-186]Incidence of narcolepsy after H1N1 influenza and vaccinations: Systematic review and meta-analysis
299	乾燥BCGワクチン	【BMC Research Notes. 10(2017)177】Disseminated Bacillus Calmette-Guerin (BCG) infections in infants with immunodeficiency
300	乾燥BCGワクチン	[Indian Journal of Dermatology. 63(2018)62-65] Adverse reactions due to the bacillus Calmette-Guerin vaccine: Twenty Tunisian cases
301	アルプラゾラム	[Neuro-Ophthalmology. (2018)1-9]Blepharospasm in Japan: A clinical observational study from a large referral hospital in Tokyo
302	ランソプラゾール	[Drug Metab Dispos. 44(2016)1543–1549]Lansoprazole Exacerbates Pemetrexed–Mediated Hematologic Toxicity by Competitive Inhibition of Renal Basolateral Human Organic Anion Transporter 3

303	ロスバスタチンカルシウム	[Eur Heart J. 38(2017)3569-3575]A common missense variant of LILRB5 is associated with statin intolerance and myalgia
304	エストラジオール吉草酸エ ステル	[Breast Cancer Res Treat. 163(2017)363-373]Estrogen-progestin use and breast cancer characteristics in lean and overweight postmenopausal women
305	タクロリムス水和物	[Aliment Pharmacol Ther. 47(2018)704-714] Systematic review with meta-analysis: de novo non-alcoholic fatty liver disease in liver-transplanted patients
306	ラベプラゾールナトリウム	[Medicine (United States). 97(2018)e9638] Influence of proton pump inhibitors on clinical outcomes in coronary heart disease patients receiving aspirin and clopidogrel
307	ラベプラゾールナトリウム	[Pediatrics. 141(2018)e20170889]Acid-suppressive drug use during pregnancy and the risk of childhood asthma: A meta-analysis
308	フルニトラゼパム	[Neuro-Ophthalmology. (2018)1-9]Blepharospasm in Japan: A clinical observational study from a large referral hospital in Tokyo
309	アロプリノール	[Frontiers in Pharmacology. 8(2018)923]PSORS1C1 hypomethylation is associated with allopurinol-induced severe cutaneous adverse reactions during disease onset period: A multicenter retrospective case-control clinical study in Han Chinese Frontiers in Pharmacology
310	炭酸水素ナトリウム・無水 リン酸ニ水素ナトリウム	[N Engl J Med. 378(2018)603-6014]Outcomes after angiography with sodium bicarbonate and acetylcysteine
311	炭酸水素ナトリウム含有 一般用医薬品	[N Engl J Med. 378(2018)603-6014]Outcomes after angiography with sodium bicarbonate and acetylcysteine
312	炭酸水素ナトリウム含有 一般用医薬品	[N Engl J Med. 378(2018)603-6014]Outcomes after angiography with sodium bicarbonate and acetylcysteine
313	炭酸水素ナトリウム含有 一般用医薬品	[N Engl J Med. 378(2018)603-6014]Outcomes after angiography with sodium bicarbonate and acetylcysteine
314	インドメタシンナトリウム	[J Perinatol. 37(2017)188-193] Effect of prophylactic indomethacin administration and early feeding on spontaneous intestinal perforation in extremely low-birth-weight infants
315	バラシクロビル塩酸塩	[Clin Exp Dermatol. 41(2016)730-733] Hospital risk management of cutaneous herpes simplex virus infection
316	バラシクロビル塩酸塩	[Biol Pharm Bull. 41(2018)158–162] Association between concomitant use of acyclovir or valacyclovir with NSAIDs and an increased risk of acute kidney injury: data mining of FDA adverse event reporting system
317	バラシクロビル塩酸塩	[Biol Pharm Bull. 41(2018)158–162] Association between concomitant use of acyclovir or valacyclovir with NSAIDs and an increased risk of acute kidney injury: data mining of FDA adverse event reporting system
318	トリアゾラム	[Neuro-Ophthalmology. (2018)1-9]Blepharospasm in Japan: A clinical observational study from a large referral hospital in Tokyo

319	大腸菌死菌・ヒドロコルチ ゾン	[PLoS One. 13(2018)]Neonatal corticosteroid therapy affects growth patterns in early infancy
320	混合死菌・ヒドロコルチゾン	[PLoS ONE. 13(2018)]Neonatal corticosteroid therapy affects growth patterns in early infancy
321	デキサメタゾン吉草酸エス テル	[PLoS ONE. 13(2018)]Neonatal corticosteroid therapy affects growth patterns in early infancy
322	アスピリン・ランソプラゾー ル配合剤	【Circ Cardiovasc Interv. 10(2017)1-12】Dual Antiplatelet Therapy Continuation Beyond 1 Year After Drug-Eluting Stents. A Meta-Analysis of Randomized Trials
323	トウガラシエキス含有一般 用医薬品	【Cochrane Database of Systematic Reviews. (2012)】Topical capsaicin (low concentration) for chronic neuropathic pain in adults
324	バラシクロビル塩酸塩	[Biol Pharm Bull. 41(2018)158-162] Association between concomitant use of acyclovir or valacyclovir with NSAIDs and an increased risk of acute kidney injury: data mining of FDA adverse event reporting system
325	カナグリフロジン水和物	[Diabetes Metab. 985(2018)]Risks of diabetic foot syndrome and amputation associated with sodium glucose co-transporter 2 inhibitors: A Meta-analysis of Randomized Controlled Trials
326	フェンタニルクエン酸塩	[Ann Emerg Med. 70(2017)S37] Impact of intermittent versus continuous infusion of fentanyl after rapid sequence intubation on intensive care unit delirium.
327	バルプロ酸ナトリウム	[Epilepsia. 58(2017)S49]Association between bone mineral density and use of antiepileptic drugs
328	カンデサルタン シレキセ チル	[Am J Nephrol. 46(2017)439-447] Interactive effectiveness of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers or their combination on survival of hemodialysis patients
329	クロピドグレル硫酸塩	[Stroke. 49(2018)312-318]Cerebrovascular outcomes with proton pump inhibitors and thienopyridines: A systematic review and meta-analysis
330	ドブタミン塩酸塩	[Pharmacotherapy. 37(2017)297-304]Perioperative inotrope therapy and atrial fibrillation following coronary artery bypass graft surgery: evidence of a racial disparity
331	プロキシフィリン・エフェドリ ン塩酸塩・フェノバルビター ル配合剤	[Archives of Toxicology. 92(2018)953-966] Mesenchyme-derived factors enhance preneoplastic growth by non-genotoxic carcinogens in rat liver
332	カナグリフロジン水和物	[N Engl J Med. (2017)1–14] Canagliflozin and Cardiovascular and Renal Events in Type 2 Diabetes
333	カナグリフロジン水和物	[53rd Annual Meeting of the European Association for the Study of Diabetes. (2017)]The CANVAS Program (CANagliflozin cardioVascular Assessment Study)
334	カナグリフロジン水和物	【社内資料】Clinical Overview The Effects of Canagliflozin on Cardiovascular and Renal Outcomes in Subjects with Type 2 Diabetes Mellitus (T2DM) who have Established Cardiovascular Disease (CVD) or who are at Risk for CVD JNJ-28431754 (Canagliflozin)

カナグリフロジン水和物	[Diabetes Obes Metab. (2017)] Risk of Lower Extremity Amputations in Patients With Type 2 Diabetes Mellitus Treated With SGLT2 Inhibitors in the United States: A Retrospective Cohort Study
カナグリフロジン水和物	【第65回日本心臓病学会学術集会. (2017)SL9】The Effects of Canagliflozin on Cardiovascular, Kidney and Safety Outcomes—the CANVAS Program
カナグリフロジン水和物	[Circulation. (2017)1-12] Canagliflozin for Primary and Secondary Prevention of Cardiovascular Events Results From the CANVAS Program (Canagliflozin Cardiovascular Assessment Study)
ジクロフェナクナトリウム	[Eur Heart J. 38(2017)217] Cardiovascular risks associated with diclofenac initiation: a nationwide emulated randomized trial
タルク	[Eur J Cancer Prev. 58(2017)590] Genital use of talc and risk of ovarian cancer: A meta- analysis
ロサルタンカリウム・ヒドロ クロロチアジド	[J Intern Med. 282(2017)322-331] Hydrochlorothiazide use is strongly associated with risk of lip cancer
クリンダマイシンリン酸エ ステル	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
ジクロフェナクナトリウム	[BMJ. (2017)]Symptomatic treatment of uncomplicated lower urinary tract infections in the ambulatory setting: randomised, double blind trial
ジゴキシン	[Proc Am Ass Cancer Res. 58(2017)841-842]Cancer mortality by antiarrhythmic drug use in a population-based cohort of Finnish men
オフロキサシン	[Br J Clin Pharmacol. 83(2017)2557-2571]Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study
アセトアミノフェン	[Pediatrics. 140(2017)e20163840]Prenatal exposure to acetaminophen and risk of ADHD
バンコマイシン塩酸塩	[Ann Pharmacother. 51(2017)937-944] Intravenous Vancomycin Associated With the Development of Nephrotoxicity in Patients With Class III Obesity
リトドリン塩酸塩	【第27回日本医療薬学会年会.(2017)555】リトドリン塩酸塩による切迫早産治療後の新生児低血糖症発現率とリスク因子の解明
ピオグリタゾン塩酸塩	【第19回日本骨粗鬆症学会. (2017)118】糖尿病関連骨粗鬆症の病態と治療
塩酸セルトラリン	【JAMA. 318(2017)1876-1890】Effect of Sertraline on Depressive Symptoms in Patients With Chronic Kidney Disease Without Dialysis Dependence: The CAST Randomized Clinical Trial
アセトアミノフェン	[Pediatrics. 140(2017)e20163840]Prenatal exposure to acetaminophen and risk of ADHD
	カナグリフロジン水和物 カナグリフロジン水和物 ジクロフェナクナトリウム タルク ロクロクロクロクロクロクロクロクロクロフェナクナトリウム ジゴキシン オフロキャシン アセトアミノフェン バンコマイシン塩酸塩 リトドリン塩酸塩 塩酸セルトラリン

351	シアノコバラミン	[J Clin Oncol. 35(2017)3440-3448]Long-term, supplemental, one-carbon metabolism-related vitamin B use in relation to lung cancer risk in the Vitamins and Lifestyle (VITAL) cohort
352	シアノコバラミン含有一般 用医薬品	【J Clin Oncol. 35(2017)3440-3448】Long-Term, Supplemental, One-Carbon Metabolism-Related Vitamin B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort
353	ピリドキシン塩酸塩	【J Clin Oncol. 35(2017)3440-3448】Long-Term, Supplemental, One-Carbon Metabolism-Related Vitamin B Use in Relation to Lung Cancer Risk in the Vitamins and Lifestyle (VITAL) Cohort
354	ロスバスタチンカルシウム	[Eur J Clin Pharmacol. 73(2017)1409-1416] SLCO1B1 521T > C polymorphism associated with rosuvastatin-induced myotoxicity in Chinese coronary artery disease patients: a nested case-control study
355	ワルファリンカリウム	[Eur J Clin Pharmacol. 73(2017)1491–1497] A retrospective study on the risk factors for bleeding events in warfarin therapy, focusing on renal function
356	バラシクロビル塩酸塩	【平成29年度第34回日本薬学会九州支部大会.(2017)117】本邦の医薬品有害事象報告 データベースを用いた抗ウイルス薬誘発腎障害に対する併用鎮痛薬の影響比較
357	フルボキサミンマレイン酸 塩	[Eur J Clin Pharmacol. 73(2017)1615-1621] Association of use of selective serotonin reuptake inhibitors with risk of acute pancreatitis: a case-control study in Taiwan
358	レボチロキシンナトリウム 水和物	【J Clin Pharmacol. 58(2018)29-33】Thyroxin Use Is Associated With Increased Risk of Thyroid Cancer in Patients With Hypothyroidism
359	エポエチン カッパ(遺伝 子組換え)	[Turkish Journal of Medical Sciences. 47(2017)1642-1650] Exogenous erythropoietin aggravates retinal neovascularization in a murine model of proliferative retinopathy
360	ケトプロフェン	[Biol Pharm Bull. 40(2017)2158-2165] Evaluation of Drug-Induced Photosensitivity Using the Japanese Adverse Drug Event Report (JADER) Database
361	レボフロキサシン水和物	[Am J Med. 130(2017)1449–1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta–Analysis
362	フルボキサミンマレイン酸 塩	[Eur J Clin Pharmacol. 73(2017)1615-1621] Association of use of selective serotonin reuptake inhibitors with risk of acute pancreatitis: a case-control study in Taiwan
363	プレドニゾロン	【Circ J. 81(2017)1774-1782】Oral Steroid Use and Abdominal Aortic Aneurysm Expansion — Positive Association —
364	ロサルタンカリウム・ヒドロ クロロチアジド	[Clin Exp Nephrol. 21(2017)1011-1023]Outcomes of diuretic use in pre-dialysis CKD patients with moderate renal deterioration attending tertiary care referral center
365	テルミサルタン・ヒドロクロ ロチアジド配合剤	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark
366	フルボキサミンマレイン酸 塩	[Stroke. 48(2017)3239-3244]Intracerebral Hemorrhage and Outcome After Thrombolysis in Stroke Patients Using Selective Serotonin-Reuptake Inhibitors

367	リトドリン塩酸塩	【日本周産期・新生児医学会雑誌. 53(2018)16-17】シンポジウム3 常位胎盤早期剥離による出生児脳性麻痺発症のリスク因子の検討
368	チアマゾール	【Clin Pharmacol Ther. 102(2017)1017-1024】Rare NOX3 Variants Confer Susceptibility to Agranulocytosis During Thyrostatic Treatment of Graves' Disease
369	レボフロキサシン水和物	[Am J Med. 130(2017)1449-1457] Aortic dissection and aortic aneurysms associated with fluoroquinolones: A systematic review and meta-analysis
370	パロキセチン塩酸塩水和 物	[J Clin Psychiatry. 78(2017)1006-1012] Risk of First Onset Stroke in SSRI-Exposed Adult Subjects: Survival Analysis and Examination of Age and Time Effects
371	シプロフロキサシン塩酸塩 水和物	[Am J Med. 130(2017)1449-1457]Aortic Dissection and Aortic Aneurysms Associated with Fluoroquinolones: A Systematic Review and Meta-Analysis
372	クロペラスチン塩酸塩	【J Pharmacol Sci. 120(2012)165-175】Effects of Antitussive Drug Cloperastin Ventricular Repolarization in Halothane-Anesthetized Guinea Pigs
373	ノルフロキサシン	[Am J Med. 130(2017)1449-1457] Aortic dissection and aortic aneurysms associated with fluoroquinolones: A systematic review and meta-analysis
374	塩酸セルトラリン	[Am J Med. 131(2018)56-63]Differences in associations of antidepressants and hospitalization due to hyponatremia
375	ゾルピデム酒石酸塩	[J Am Geriatr Soc. 65(2017)2488-2495] The association between the use of zolpidem and the risk of Alzheimer's disease among older people
376	レノグラスチム(遺伝子組換え)	[Am J Perinatol. 34(2017)458-464] Effectiveness of Granulocyte Colony-Stimulating Factor in Hospitalized Infants with Neutropenia
377	フルボキサミンマレイン酸 塩	【JAMA Pediatr. 171(2017)1200-1207】Association of antidepressant medications with incident type 2 diabetes among medicaid-insured youths
378	ヒドロクロロチアジド	【J Am Acad Dermatol. 78(2017)673-681】Hydrochlorothiazide use and risk of non-melanoma skin cancer: A nationwide case-control study from Denmark
379	エポエチン カッパ(遺伝 子組換え)	[Womens Health Issues. 26(2016)574-584]Use of Hematopoietic Growth Factors and Risk of Thromboembolic and Pulmonary Toxicities in Elderly Patients with Advanced Ovarian Cancer
380	ジエノゲスト	[Am J Psychiatry. 175(2018)336-342] Association of Hormonal Contraception With Suicide Attempts and Suicides
381	リトドリン塩酸塩	【BMC Medical Genomics. 11(2018)】Deleterious genetic variants in ciliopathy genes increase risk of ritodrine-induced cardiac and pulmonary side effects
382	オランザピン	【J Clin Psychiatry. 78(2017)905-912】Long-term antipsychotic use and major cardiovascular events: A retrospective cohort study

383	パロキセチン塩酸塩水和 物	[Eur J Clin Pharmacol. 74(2018)119-129.] Antidepressants and the risk of arrhythmia in elderly affected by a previous cardiovascular disease: a real-life investigation from Italy
384	ブデソニド	[N Engl J Med. 378(2018)148-157]Long-Term Effects of Inhaled Budesonide for Bronchopulmonary Dysplasia
385	ブデソニド	[N Engl J Med. 378(2018)148-157]Long-Term Effects of Inhaled Budesonide for Bronchopulmonary Dysplasia
386	ファモチジン	[J Clin Pharmacol. 58(2018)263-268] Effects of concomitant medication use on gefitinib-induced hepatotoxicity
387	ロラタジン	【日本病院薬剤師会雑誌. 54(2018)63-68】国内の有害事象自発報告データベース (JADER) を用いた抗アレルギー薬の鎮静等の有害事象に関する解析
388	ジエノゲスト	[Am J Psychiatry. 175(2018)336-342] Association of Hormonal Contraception With Suicide Attempts and Suicides
389	パロキセチン塩酸塩水和 物	[Am J Obstet Gynecol. 215(2016)803-805]Selective serotonin reuptake inhibitors and autism: additional data on the Quebec Pregnancy/Birth Cohort
390	クロピドグレル硫酸塩	[Clin Pharmacol Ther. 103(2018)281-286] Investigating real-world clopidogrel pharmacogenetics in stroke using a bioresource linked to electronic medical records
391	ジゴキシン	[J Clin Pharmacol. 58(2018)202-211] Effects of Rolapitant Administered Intravenously or Orally on the Pharmacokinetics of Digoxin (P-glycoprotein Substrate) and Sulfasalazine (Breast Cancer Resistance Protein Substrate) in Healthy Volunteers
392	バラシクロビル塩酸塩	[Biol Pharm Bull. 41(2018)158-162] Association between concomitant use of acyclovir or valacyclovir with NSAIDs and an increased risk of acute kidney injury: data mining of FDA adverse event reporting system
393	ラベプラゾールナトリウム	[Dig Dis Sci. 62(2017)2821-2827] Associations of Proton-Pump Inhibitors and H2 Receptor Antagonists with Chronic Kidney Disease: A Meta-Analysis
394	ラベプラゾールナトリウム	[Nephrol Dial Transplant. 33(2018)331-342] The association between proton pump inhibitor use and the risk of adverse kidney outcomes: a systematic review and meta-analysis
395	バラシクロビル塩酸塩	[Biol Pharm Bull. 41(2018)158-162] Association between concomitant use of acyclovir or valacyclovir with NSAIDs and an increased risk of acute kidney injury: data mining of FDA adverse event reporting system
396	ワルファリンカリウム	[JAMA. 319(2018)463-473] Association of Intracerebral Hemorrhage Among Patients Taking Non-Vitamin K Antagonist vs Vitamin K Antagonist Oral Anticoagulatns With In- Hospital Mortality
397	シルデナフィルクエン酸塩	[OncoTargets and Therapy. 11(2018)711-720]Use of phosphodiesterase type 5 inhibitors and risk of melanoma: a meta-analysis of observational studies
398	メトレキサート	[Mod Rheumatol. 28(2018)168–173] The risk of herpes zoster in patients with ankylosing spondylitis: Analysis of the Korean National Health Insurance Service – Sample cohort database

399	タゾバクタムナトリウム・ピ ペラシリンナトリウム	[J Antimicrob Agents. 3(2017)]In silico Evaluation of Impurities Found in Some Generic Drugs of Piperacillin/Tazobactam
400	タモキシフェンクエン酸塩	[Eur J Clin Pharmacol. 74(2018)99-107] Tamoxifen usage correlates with increased risk of Parkinson's disease in older women with breast cancer:a case-control study
401	グリベンクラミド	[Cell Physiol Biochem Cellular physiology 43. (2017)879-890] Glibenclamide Mimics Metabolic Effects of Metformin in H9c2 Cells
402	シルデナフィルクエン酸塩	[OncoTargets and Therapy. 11(2018)711-720]Use of phosphodiesterase type 5 inhibitors and risk of melanoma: a meta-analysis of observational studies
403	スコポラミン臭化水素酸塩水和物	[Basic Clin Neurosci. 9(2018)5-14] Comparison of memory impairment and oxidative stress following single or repeated doses administration of scopolamine in rat hippocampus
404	メルカプトプリン水和物	【第59回日本消化器病学会大会 (2017)】Diplotype分類に基づいたNUDT15活性レベルと炎症性腸疾患患者のチオプリン誘発性白血球減少症及び全脱毛の相関
405	シプロフロキサシン	[BMJ. 360(2018)]Fluoroquinolone use and risk of aortic aneurysm and dissection: nationwide cohort study
406	アスピリン	[Lancet. 391(2018)850-859] Antiplatelet therapy with aspirin, clopidogrel, and dipyridamole versus clopidogrel alone or aspirin and dipyridamole in patients with acute cerebral ischaemia (TARDIS): a randomised, open-label, phase 3 superiority trial
407	シプロフロキサシン塩酸塩 水和物	[BMJ. 360(2018)]Fluoroquinolone use and risk of aortic aneurysm and dissection: nationwide cohort study
408	クロピドグレル硫酸塩	[Stroke. 49(2018)312-318]Cerebrovascular outcomes with proton pump inhibitors and thienopyridines: A systematic review and meta-analysis
409	美白化粧品(医薬部外品)	【台湾皮膚科医学会第43回年会. (2017)179】Chemical leukoderma induced by rhododendrol in Taiwan: a clinical study of 32 Cases
410	美白化粧品(医薬部外品)	【第42回日本研究皮膚科学会学術大会. (2017)255】6-SG induces anti-oxidant activity and promotes melanin synthesis: Promising transcutaneous therapy for skin hypopigmented disorder
411	美白化粧品(医薬部外品)	【第42回日本研究皮膚科学会学術大会. (2017)259】Absent glycoprotein non-metastatic B/osteoactivin (GPNMB) expression by the lesional basal keratinocytes in vitiligo
412	美白化粧品(医薬部外品)	【第42回日本研究皮膚科学会学術大会. (2017)259】Analysis of repigmentation in the mouse model of rhododenol-induced leukoderma (RIL)
413	美白化粧品(医薬部外品)	【皮膚病診療. 40(2018)51-54】ロドデノール(RD)誘発性脱色素斑
414	美白化粧品(医薬部外品)	[J Dermatol. (2018)]Efficacy of oral cholecalciferol on rhododendrol-induced vitiligo: A blinded randomized clinical trial

415	美白化粧品(医薬部外品)	[International Journal Of Molecular Sciences. 19(2018)]Biochemical mechanism of rhododendrol-induced leukoderma
416	美白化粧品(医薬部外品)	[J Invest Dermatol. (2018)]Inhibition of human tyrosinase requires molecular motifs distinctively different from mushroom tyrosinase
417	美白化粧品(医薬部外品)	[Pigment Cell & Melanoma Research. (2018)]The potent pro-oxidant activity of rhododendrol-eumelanin is enhanced by ultraviolet A radiation
418	美白化粧品(医薬部外品)	【Visual Dermatology. 17(2018)275-277】長期経過観察できたロドデノール誘発性脱色素斑の2例
419	薬用石鹸	【The 47th Annual Meeting of the Japanese Society for Dermatoallergology and Contact Dermatitis. (2017)135】(旧)茶のしずく石鹸による即時型コムギアレルギーの予後調査結果