

## 資料2－4

### 研究報告の報告状況 (平成30年4月1日～平成30年7月31日)

NO	一般名	文献名
1	エチゾラム	【Neuro-Ophthalmology. (2018)1–9】Blepharospasm in Japan: A clinical observational study from a large referral hospital in Tokyo
2	プロチゾラム	【Neuro-Ophthalmology. (2018)1–9】Blepharospasm in Japan: A clinical observational study from a large referral hospital in Tokyo
3	クロチアゼパム	【Neuro-Ophthalmology. (2018)1–9】Blepharospasm in Japan: A clinical observational study from a large referral hospital in Tokyo
4	クロピドグレル硫酸塩	【Thromb Haemost. 117(2017)934–939】Mortality and cancer after 12 versus 30 months dual antiplatelet therapy
5	メトレキサート	【JAMA Dermatology. 153(2017)1147–1157】Safety of systemic agents for the treatment of pediatric psoriasis
6	ミルリノン	【Crit Care. 22(2018)51】Intraoperative milrinone versus dobutamine in cardiac surgery patients: a retrospective cohort study on mortality
7	タクロリムス水和物	【Am J Transplant. 14(2014)538】Open-label study of planned transition from tacrolimus to sirolimus vs continued tacrolimus in renal allograft
8	ドネペジル塩酸塩	【日本内科学会雑誌. 107(2018)245】抗認知症薬服用患者におけるQT時間の検討
9	アドレナリン	【Crit Care. 20(2016)】Current real-life use of vasopressors and inotropes in cardiogenic shock – adrenaline use is associated with excess organ injury and mortality
10	イブプロフェン含有一般用医薬品	【J Matern Fetal Neonatal Med. 30(2017)1279–1282】Ibuprofen versus acetaminophen as a post-partum analgesic for women with severe pre-eclampsia: randomized clinical study
11	沈降精製百日せきジフテリア破傷風不活化ポリオ(ソークワクチン)混合ワクチン	【Trans R Soc Trop Med Hyg. 110(2016)570–581】Is diphtheria-tetanus-pertussis (DTP) associated with increased female mortality– A meta-analysis testing the hypotheses of sex-differential non-specific effects of DTP vaccine
12	ミコナゾール硝酸塩	【Clin Ther. 39(2017)e15】Risk of Major Congenital Malformations after First Trimester Exposure to Topical Azoles
13	アルテプラーゼ(遺伝子組換え)	【Pharmacotherapy. 37(2017)e165】Evaluation of intravenous alteplase in elderly patients with acute ischemic stroke: a retrospective safety analysis
14	ドバミン塩酸塩	【Pharmacotherapy. 37(2017)297–304】Perioperative Inotrope Therapy and Atrial Fibrillation Following Coronary Artery Bypass Graft Surgery:Evidence of a Racial Disparity

15	バルプロ酸ナトリウム	【Epilepsy Res. 132(2017)64–69】Association of CYP2C9, CYP2A6, ACSM2A, and CPT1A gene polymorphisms with adverse effects of valproic acid in Chinese patients with epilepsy
16	プロプラノロール塩酸塩	【J Gastroenterol Hepatol. 30(2018)161–166】beta-Blocker use is associated with a higher relapse risk of inflammatory bowel disease: A Dutch retrospective case-control study
17	プラバスタチンナトリウム	【Gynecol Oncol. 148(2018)540–546】An analysis of the association between statin use and risk of endometrial and ovarian cancers in the Women's Health Initiative
18	エチゾラム	【Neuro-Ophthalmology. (2018)1–9】Blepharospasm in Japan: A clinical observational study from a large referral hospital in Tokyo
19	シロリムス	【BMC gastroenterol. 17(2017)58】Proteinuria and baseline renal function predict mortality and renal outcomes after sirolimus therapy in liver transplantation recipients
20	ランソプラゾール	【Catheter Cardiovasc Interv. 89(2017)E217–E225】Impact of proton pump inhibitors and dual antiplatelet therapy cessation on outcomes following percutaneous coronary intervention: results from the PARIS registry
21	プロゲステロン	【日本産科婦人科学会雑誌. 70(2018)828】生殖補助医療において流産リスクに影響を与える因子の探索
22	アスピリン・ランソプラゾール配合剤	【Pharmacoepidemiol Drug Saf. 25(2016)935–943】Antiplatelet and oral anticoagulant therapies in chronic hemodialysis patients: prescribing practices and bleeding risk
23	アスピリン・ランソプラゾール配合剤	【BMC Cancer. 18(2018)228】Low-dose aspirin use and survival in colorectal cancer: results from a population-based cohort study
24	イブプロフェン含有一般用医薬品	【Hum Reprod. 33(2018)482–493】Ibuprofen is deleterious for the development of first trimester human fetal ovary ex vivo
25	フィンゴリモド塩酸塩	【J Neurol. 265(2018)1145–1150】Serum anti-JCV antibody indexes in Japanese patients with multiple sclerosis: elevations along with fingolimod treatment duration
26	アログリプチン安息香酸塩・メトホルミン塩酸塩配合剤	【Br J Clin Pharmacol. 84(2018)568–578】Pregnancy outcomes in women on metformin for diabetes or other indications among those seeking teratology information services
27	タクロリムス水和物	【Eur J Clin Pharmacol. 73(2017)819–826】The incidence of post-transplant cancer among kidney transplant recipients is associated with the level of tacrolimus exposure during the first year after transplantation
28	フィンゴリモド塩酸塩	【J Neurol. 265(2018)1145–1150】Serum anti-JCV antibody indexes in Japanese patients with multiple sclerosis: elevations along with fingolimod treatment duration
29	フルコナゾール	【Clin Pharmacol Ther. 103(2018)287–295】Translational High-Dimensional Drug Interaction Discovery and Validation Using Health Record Databases and Pharmacokinetics Models
30	ゲムシタビン塩酸塩	【J Urol. 199(2018)1–7】Neoadjuvant Dose Dense MVAC versus Gemcitabine and Cisplatin in Patients with cT3–4aN0M0 Bladder Cancer Treated with Radical Cystectomy

31	ラベプラゾールナトリウム	【日本臨床腫瘍学会学術大会講演要旨集. (2018)188】デノスマブ投与期間に併用するビタミンD及びCa製剤の違いが血清Ca値へ及ぼす影響の検討
32	アルテプラーゼ(遺伝子組換え)	【第43回日本脳卒中学会学術集会. (2018)】rt-PA療法後の出血性脳梗塞の予測因子:治療前の血圧管理の重要性
33	セツキシマブ(遺伝子組換え)	【第28回日本頭頸部外科学会総会ならびに学術講演会. (2018)177】頭頸部扁平上皮癌に対するCetuximab 軽症肺気腫は間質性肺炎発症の危険因子
34	カナグリフロジン水和物	【ISN FRONTIERS MEETINGS. (2018)】Safety and efficacy of canagliflozin for patients with type 2 diabetes and chronic kidney disease: Pooled analysis of three randomized controlled trials
35	フェンタニルクエン酸塩	【Public Health Agency of Canada statement. (2018)】Statement from the Co-Chairs of the Special Advisory Committee on the Epidemic of Opioid Overdoses on Updates to Opioid-Related Mortality Data
36	フェンタニルクエン酸塩	【CDC Newsroom. (2018)】U.S. drug overdose deaths continue to rise; increase fueled by synthetic opioids
37	タクロリムス水和物	【J Allergy Clin Immunol. 141(2018)AB147】Post-transplantation food allergy and tacrolimus exposure in a pediatric population
38	ジクロフェナカナトリウム	【Clin Ther. 40(2018)270–283】Analgesic use and risk for acute coronary events in patients with osteoarthritis: A population-based, nested case-control study
39	ヒアルロン酸ナトリウム・コンドロイチン硫酸エステルナトリウム(1)	【Molecular cell. 69(2018)923–937】The Dietary Supplement Chondroitin-4-Sulfate Exhibits Oncogene-Specific Pro-tumor Effects on BRAF V600E Melanoma Cells
40	ボリコナゾール	【J Am Acad Dermatol. 77(2017)706–712】Effect of voriconazole on risk of nonmelanoma skin cancer after hematopoietic cell transplantation
41	ニボルマブ(遺伝子組換え)	【Clin Lung Cancer.19(2018)e171–e176】Analysis of Early Death in Japanese Patients With Advanced Non-small-cell Lung Cancer Treated With Nivolumab
42	アスピリン・ランソプラズール配合剤	【Eur J Cancer Prev. 27(2018)134–139】Does low-dose aspirin use for cardiovascular disease prevention reduce colorectal cancer deaths? A comparison of two cohorts in the Florence district, Italy
43	アスピリン・ランソプラズール配合剤	【Int J Cardiol. 258(2018)59–67】Perioperative aspirin therapy in non-cardiac surgery: A systematic review and meta-analysis of randomized controlled trials
44	タクロリムス水和物	【Medicine. 97(2018)e9638】Influence of proton pump inhibitors on clinical outcomes in coronary heart disease patients receiving aspirin and clopidogrel: A meta-analysis
45	アスピリン	【Stroke. 48(2017)1810–1817】Association between previous use of antiplatelet therapy and intracerebral hemorrhage outcomes
46	カナグリフロジン水和物	【Diabetes Obes Metab. 20(2018)582–589】Risk of lower extremity amputations in people with type 2 diabetes mellitus treated with sodium-glucose co-transporter-2 inhibitors in the USA: A retrospective cohort study

47	モルヒネ塩酸塩水和物	【Dis Esophagus. 30(2017)1–8】Association of high-dose postoperative opioids with recurrence risk in esophageal squamous cell carcinoma: reinterpreting ERAS protocols for long-term oncologic surgery outcomes
48	カルバマゼピン	【JAMA Neurol. 278(2018)E1–E8】Association of HLA-A*31:01 screening with the incidence of carbamazepine-induced cutaneous adverse reactions in a Japanese population
49	カナグリフロジン水和物	【Diabetes Obes Metab. 18(2016)783–794】Efficacy and safety of sodium-glucose co-transporter-2 inhibitors in type 2 diabetes mellitus: systematic review and network meta-analysis
50	ラベプラゾールナトリウム	【Clin Implant Dent Relat Res. 19(2017)222–232】Proton Pump Inhibitors and the Risk of Osseointegrated Dental Implant Failure: A Cohort Study
51	ラベプラゾールナトリウム	【Heart Lung Circ. 27(2018)443–450】Proton Pump Inhibitors and Cardiovascular Events: A Systematic Review
52	メトホルミン塩酸塩	【Diabetes Obes Metab. 20(2018)821–830】Impact of differing glucose-lowering regimens on the pattern of association between glucose control and survival
53	プレドニゾロン	【Semin Arthritis Rheum. 46(2017)819–827】Serious adverse effects associated with glucocorticoid therapy in patients with giant cell arteritis (GCA): A nested case-control analysis
54	ジクロフェナクナトリウム	【Eur Heart J. 38(2017)217】Cardiovascular risks associated with diclofenac initiation: A nationwide emulated randomized trial
55	カナグリフロジン水和物	【日本糖尿病学会. (2018)】Canagliflozin (CANA) versus other antihyperglycemic agents on the risk of below-knee amputation (BKA) for patients with T2DM: A real world analysis of > 700,000 US patients
56	サキサグリプチン水和物	【Diabetes Therapy. 9(2018)851–861】Pharmacovigilance Evaluation of the Association Between DPP-4 Inhibitors and Heart Failure: Stimulated Reporting and Moderation by Drug Interactions
57	タクロリムス水和物	【Pan Afr Med J. 28(2017)120】Factors leading to dyspepsia in renal transplant recipients
58	タクロリムス水和物	【Eur J Clin Pharmacol. 73(2017)819–826】The incidence of post-transplant cancer among kidney transplant recipients is associated with the level of tacrolimus exposure during the first year after transplantation
59	硫酸マグネシウム水和物・ブドウ糖	【日本産科婦人科学会雑誌. 70(2018)1001】新生児低血糖と予定帝王切開の術前補液との関係
60	ドセタキセル水和物	【The 76th Annual Meeting of the Japanese Cancer Association. (2017)383】Genetic variants of drug transporters predict hematological toxicities in docetaxel treatment
61	カナグリフロジン水和物	【社内資料】Comparison of Canagliflozin vs. Alternative Antihyperglycemic Treatments on Risk of Heart Failure Hospitalization and Amputation for Patients with Type 2 Diabetes Mellitus and the Subpopulation with Established Cardiovascular Disease Topline Results
62	オメプラゾール	【J Intern Med. 283(2018)268–281】Long-term use of proton pump inhibitors, dose-response relationship and associated risk of ischemic stroke and myocardial infarction

63	エソメプラゾールマグネシウム水和物	【J Intern Med. 283(2018)268–281】Long-term use of proton pump inhibitors, dose-response relationship and associated risk of ischemic stroke and myocardial infarction
64	ジクロフェナクナトリウム	【BMJ. 357(2017)j909】Risk of acute myocardial infarction with NSAIDs in real world use: bayesian meta-analysis of individual patient data
65	ジクロフェナクナトリウム	【Eur Heart J. 38(2017)217】Cardiovascular risks associated with diclofenac initiation: A nationwide emulated randomized trial
66	メトレキサート	【Br J Dermatol. 176(2017)1492–1499】Methotrexate treatment and risk for cutaneous malignant melanoma: a retrospective comparative registry-based cohort study
67	サルブタモール硫酸塩	【Thorax. 67(2012)924】Salbutamol infusion worsens outcomes in ARDS
68	サルブタモール硫酸塩	【Acta Paediatr. 107(2018)647–652】Repeated doses of salbutamol and aeroallergen sensitisation both increased salbutamol-induced hypoxia in children and adolescents with acute asthma
69	ラベプラゾールナトリウム	【Stroke. 49(2018)312–318】Cerebrovascular Outcomes With Proton Pump Inhibitors and Thienopyridines: A Systematic Review and Meta-Analysis
70	エスピピクロン	【Age Ageing. 47(2018)201–208】Z-drugs and risk for falls and fractures in older adults—a systematic review and meta-analysis
71	アスピリン・ランソプラゾール配合剤	【Eur Urol Suppl. 17(2018)e1267】Perioperative outcomes of aspirin use in partial nephrectomy
72	アスピリン・ランソプラゾール配合剤	【Eur Heart J Cardiovasc Pharmacother. 2(2016)218–228】Efficacy and safety of prolonged dual antiplatelet therapy: a meta-analysis of 15 randomized trials enrolling 85265 patients
73	モルヒネ塩酸塩水和物	【Thromb Haemost. 118(2018)601–612】Morphine Analgesia Pre-PCI Is Associated with Prothrombotic State, Reduced Spontaneous Reperfusion and Greater Infarct Size
74	ゾルピデム酒石酸塩	【Basic Clin Pharmacol Toxicol. 122(2018)293–298】Overdoses with aripiprazole: signs, symptoms and outcome in 239 exposures reported to the Danish poison information centre
75	アルテプラーゼ(遺伝子組換え)	【Crit Care Med. 46(2018)suppl.14】ANTIHYPERTENSIVE USE FOR STROKE PATIENTS RECEIVING ALTEPLASE ASSOCIATED WITH POOR NEUROLOGIC OUTCOME
76	アルテプラーゼ(遺伝子組換え)	【Crit Care Med. 46(2018)suppl.60】ASSOCIATION OF BLOODSTREAM INFECTION WITH CENTRAL VENOUS CATHETER ADMINISTRATION OF ALTEPLASE
77	バルプロ酸ナトリウム	【Neurology. 90(2018)e790–e796】Teratogenicity of antiepileptic dual therapy Dose-dependent, drug-specific, or both?
78	バルプロ酸ナトリウム	【第123回日本解剖学会総会・全国学術集会. (2018)185】フェレット大脳皮質の形態形成に及ぼす新生時期バルプロ酸曝露の影響

79	トピラマート	【Neurology. 90(2018)e790–e796】Teratogenicity of antiepileptic dual therapy Dose-dependent, drug-specific, or both?
80	カナグリフロジン水和物	【THE NATIONAL KIDNEY FOUNDATION (NKF) SPRING CLINICAL MEETINGS. (2018)】Canagliflozin and Renal Outcomes in Patients With Chronic Kidney Disease
81	アミオダロン塩酸塩	【J Heart Lung Transplant. 36(2017)202–210】Amiodarone use in patients listed for heart transplant is associated with increased 1-year post-transplant mortality
82	ルキソリチニブリン酸塩	【社内資料】Product Information – Nonclinical safety data for juvenile development section
83	ゾルピデム酒石酸塩	【Age Ageing. 47(2018)201–208】Z-drugs and risk for falls and fractures in older adults—a systematic review and meta-analysis
84	バラシクロビル塩酸塩	【第3回日本医薬品安全性学会学術大会. (2017)120】副作用報告データベースによるバラシクロビル誘発腎障害に対する併用鎮痛薬の影響比較
85	レボフロキサシン水和物	【Biomed Pharmacother. 92(2017)196–206】Cardiotoxic effect of levofloxacin and ciprofloxacin in rats with/without acute myocardial infarction: Impact on cardiac rhythm and cardiac expression of Kv4.3, Kv1.2 and Nav1.5 channels
86	トリアムシノロンアセトニド	【第122回日本眼科学会総会. (2018)】トリアムシノロンアセトニドテノン嚢下投与後の眼圧上昇についての多施設後向き検討
87	精製ヒアルロン酸ナトリウム	【第122回日本眼科学会総会. (2018)】家兎ドライアイモデルにおけるレチノールパルミチン酸とヒアルロン酸の治療効果
88	デキサメタゾン	【Orthopaedic Proceedings. (2018)】Effects of peri-operative dexamethasone on patients undergoing total hip or knee arthroplasty: is it safe for all patients?
89	プレドニゾロン	【日本呼吸器学会誌(第58回 日本呼吸器学会学術講演会). 7(2018)225】当院におけるニューモシスチス肺炎(PCP)およびその疑い例62例の検討
90	イマチニブメシル酸塩	【Blood. 130(2017)】Altered expression of PDGFRalpha and its downstream signalling components may be causal in the development of imatinib induced thrombocytopenia in CML patients receiving imatinib treatment
91	アログリップチン安息香酸塩・メトホルミン塩酸塩配合剤	【71st Annual Scientific Meeting of the Urological Society of Australia and New Zealand. 121(2018)30】Metformin offers no protective effect in men undergoing external beam radiation therapy for prostate cancer
92	ジゴキシン	【J Am Coll Cardiol. 71(2018)1063–1074】Digoxin and Mortality in Patients With Atrial Fibrillation
93	エタネルセプト(遺伝子組換え)	【Int J Cancer. (2018)】Tumor necrosis factor-alpha inhibitors and risk of non-Hodgkin lymphoma in a cohort of adults with rheumatologic conditions
94	インターフェロン ベーター1a(遺伝子組換え)	【Clinl Exp Neuroimmunol. 74(2018)】Efficacy of interferon-beta for myelin oligodendrocyte glycoprotein antibody-positive demyelinating disorder

95	非ピリン系感冒剤(4)	【Eur Psychiatry. 3588(2018)1-6】Prenatal exposure to acetaminophen and children's language development at 30 months
96	アジスロマイシン水和物	【Eur Respir J. 50(2017)】Neonatal antibiotic treatment increases the risk of asthma at age 12 years
97	フィルグラスチム(遺伝子組換え)[後続1]	【第106回日本泌尿器科学会総会. (2018)】膀胱癌皮下腫瘍モデルを用いた3種の造血コロニー刺激因子の腫瘍増殖促進作用の検討
98	エンザルタミド	【社内資料】A 2-year oral gavage carcinogenicity study of enzalutamide (MDV3100) in Wistar Han rats
99	ジゴキシン	【Nephron. 138(2018)113-118】Hypermagnesuria in Humans Following Acute Intravenous Administration of Digoxin
100	フィルグラスチム(遺伝子組換え)[後続1]	【第106回日本泌尿器科学会総会. (2018)】膀胱癌皮下腫瘍モデルを用いた3種の造血コロニー刺激因子の腫瘍増殖促進作用の検討
101	ラベプラゾールナトリウム	【Drug Saf. 41(2018)817-826】Use of Proton Pump Inhibitors and the Risk of Acute Kidney Injury Among Patients with Rheumatoid Arthritis: Cohort Study
102	ラベプラゾールナトリウム	【JAMA Pediatr. 172(2018)e180315】Association Between Use of Acid-Suppressive Medications and Antibiotics During Infancy and Allergic Diseases in Early Childhood
103	アロプリノール	【Br J Dermatol. 178(2018)191-193】The minor alleles HCP5 rs3099844 A and PSORS1C1 rs3131003 G are associated with allopurinol-induced severe cutaneous adverse reactions in Han Chinese: a multicentre retrospective case-control clinical study
104	エスシタロプラムシュウ酸塩	【Eur Psychiatry. 45(2017)161-166】Maternal SSRI exposure increases the risk of autistic offspring: A meta-analysis and systematic review
105	ジゴキシン	【J Am Coll Cardiol. 71(2018)1063-1074】Digoxin and Mortality in Patients With Atrial Fibrillation
106	プレドニゾロン	【第62回日本リウマチ学会総会・学術集会 プログラム・抄録集. (2018)579】MTXとステロイドが関節リウマチにおけるニューモシスチス肺炎発症の重要なリスク因子である
107	フルオロウラシル	【Cancer. 124(2018)899-906】Acute myeloid leukemia and myelodysplastic syndrome after adjuvant chemotherapy: A population-based study among older breast cancer patients
108	ドンペリドン	【社内資料】A Multicenter, Double-blind, Randomized, Placebo-controlled, Parallel-group, Prospective Study to Evaluate the Safety and Efficacy of Domperidone in 6-month-old to 12-year-old Pediatric Subjects With Nausea and Vomiting Due to Acute Gastroenteritis
109	エトポシド	【日本薬学会 第138年会 要旨集. (2018)125】化学療法に関連した吃逆誘発因子の探索
110	ソホスブビル	【Dent Med Probl. 55(2018)11-16】Alveolar process changes associated with administration of nucleos(t)ide analogue (sofosbuvir) in rat model

111	レジパスビル アセトン付 加物・ソホスビル	【Dent Med Probl. 55(2018)11–16】Alveolar process changes associated with administration of nucleos(t)ide analogue (sofosbuvir) in rat model
112	カルペリチド(遺伝子組換 え)	【Int J Cardiol. 241(2017)243–248】The impact of carperitide usage on the cost of hospitalization and outcome in patients with acute heart failure: High value care vs. low value care campaign in Japan
113	オクスカルバゼピン	【BMJ Open. 7(2017)1–11】Comparative safety of antiepileptic drug for neurological development in children exposed during pregnancy and breast feeding: a systematic review and network meta-analysis
114	プレドニゾロン	【日本産科婦人科学会雑誌/第70回日本産科婦人科学会学術講演会(2018.5.10–13). 70(2018)705】妊娠中の母体プレドニゾロン投与による胎児・新生児免疫能への影響
115	プレドニゾロン	【第62回日本リウマチ学会総会・学術集会(2018.4.26–28). (2018)766】自己免疫疾患者におけるニューモシスチス肺炎の予後の検討
116	ワルファリンカリウム	【Am J Nephrol. 46(2017)249–256】Warfarin use and increased mortality in end-stage renal disease
117	アムロジピンベシル酸塩・ アトルバスタチンカルシウ ム水和物配合剤	【Circ J. 82(2018)1008–1016】Treatment Patterns, Statin Intolerance, and Subsequent Cardiovascular Events Among Japanese Patients With High Cardiovascular Risk Initiating Statin Therapy
118	アスピリン・ランソプラゾー ル配合剤	【JAMA cardiology. 1(2016)172–180】Outcomes in a Warfarin–Treated Population With Atrial Fibrillation
119	モルヒネ塩酸塩水和物	【J Interv Cardiol. 31(2018)150–158】In-hospital outcomes in invasively managed acute myocardial infarction patients who receive morphine
120	エスゾピクロン	【CNS Drugs. 31(2017)711–722】New, Occasional, and Frequent Use of Zolpidem or Zopiclone (Alone and in Combination) and the Risk of Injurious Road Traffic Crashes in Older Adult Drivers: A Population-Based Case-Control and Case-Crossover Study
121	ジゴキシン	【Geriatr Gerondol Int. 18(2018)561–568】Prevalence, predictors and clinical impact of potentially inappropriate prescriptions in hospital-discharged older patients: A prospective study
122	ジゴキシン	【Circulation. 136(2017)A17868】Digoxin eliminates the antiarrhythmic effect of ranolazine in RAID Trial
123	フェンタニルクエン酸塩	【Eur Respir J. 48(2016)683–693】Incident opioid drug use and adverse respiratory outcomes among older adults with COPD
124	ジゴキシン	【Geriatr Gerondol Int. 18(2018)561–568】Prevalence, predictors and clinical impact of potentially inappropriate prescriptions in hospital-discharged older patients: A prospective study
125	フルオロウラシル	【日本臨床腫瘍学会学術大会. (2018)179】乳がんFEC療法の発熱性好中球減少症に対するオランザピンの影響
126	バクロフェン	【CSST. (2018)】Evaluation of the benefit/risk ratio of the use of baclofen in alcohol-dependent patients

127	プレドニゾロン	【Lancet. 389(2017)1630–1638】Doxycycline versus prednisolone as an initial treatment strategy for bullous pemphigoid: a pragmatic, non-inferiority, randomised controlled trial
128	カナグリフロジン水和物	【Fundam Clin Pharmacol. 32(2018)216–226】SGLT-2 inhibitors and ketoacidosis: a disproportionality analysis in the World Health Organization's adverse drug reactions database
129	ジドブシン	【Redox Biology. 13(2017)407–417】Azidothymidine-triphosphate impairs mitochondrial dynamics by disrupting the quality control system
130	ラベプラゾールナトリウム	【Kidney Res Clin Pract. 37(2018)59–68】Association of proton pump inhibitor use with renal outcomes in patients with coronary artery disease
131	ラタノプロスト	【YAKUGAKU ZASSHI. 138(2018)559–564】Evaluation of the association between topical prostaglandin F2 $\alpha$ analogs and asthma using the JADER database: comparison with $\beta$ -blockers
132	プロゲステロン	【BMC Pregnancy Childbirth. 17(2017)】Progesterone in women with arrested premature labor, a report of a randomised clinical trial and updated meta-analysis
133	エスシタロプラムシュウ酸塩	【Orphanet J Rare Dis. 12(2017)116】Maternal use of selective serotonin reuptake inhibitors during pregnancy is associated with Hirschsprung's disease in newborns – a nationwide cohort study
134	ドルテグラビルナトリウム	【Lancet. 6(2018)e804–e810】Comparative safety of dolutegravir-based or efavirenz-based antiretroviral treatment started during pregnancy in Botswana: an observational study.
135	ラベプラゾールナトリウム	【Arq Gastroenterol. 55(2018)28–32】PROTON PUMP INHIBITORS INCREASE THE OVERALL RISK OF DEVELOPING BACTERIAL INFECTIONS IN PATIENTS WITH CIRRHOSIS
136	アトルバスタチンカルシウム水和物	【Br J Clin Pharmacol. 84(2018)1057–1063】Rhabdomyolysis after co-administration of a statin and fusidic acid: an analysis of the literature and of the WHO database of adverse drug reactions
137	ジゴキシン	【Circulation. 136(2017)A17868】Digoxin eliminates the antiarrhythmic effect of ranolazine in RAID Trial
138	レベチラセタム	【Seizure. 59(2018)28–33】Differences in associations of antiepileptic drugs and hospitalization due to hyponatremia: A population-based case-control study
139	レベチラセタム	【Seizure. 59(2018)28–33】Differences in associations of antiepileptic drugs and hospitalization due to hyponatremia: A population-based case-control study
140	インターフェロン ベーター1a(遺伝子組換え)	【第59回日本神経学会. (2018)】中枢神経系自己免疫疾患における認知機能に関する縦断研究
141	インターフェロン ベーター1a(遺伝子組換え)	【第59回日本神経学会. (2018)】血清Sema4A高値の多発性硬化症患者がIFN- $\beta$ 抵抗性を呈する機序についての検討
142	ジゴキシン	【Eur J Clin Pharmacol. 74(2018)819–832】Mortality among patients due to adverse drug reactions that lead to hospitalization: a meta-analysis

143	イマチニブメシル酸塩	【Blood. 130(2017)】Comparative risk assessment of imatinib, nilotinib and dasatinib in randomized controlled trials: a meta-analysis
144	メトレキサート	【Blood. 130(2017)】Determinants for oral mucositis in allogeneic hematopoietic stem cell transplantation: prospective evaluation and risk analysis.
145	ビソプロロールフルマル酸塩	【Mayo Clin Proc. 93(2018)409–418】Risk of all-cause mortality in diabetic patients taking beta-blockers
146	カナグリフロジン水和物	【Acta Diabetol. 55(2018)503–514】SGLT-2 inhibitors and the risk of infections: a systematic review and meta-analysis of randomized controlled trials
147	インフルエンザHAワクチン	【J Immunother Cancer. 6(2018)40】Influenza vaccination of cancer patients during PD-1 blockade induces serological protection but may raise the risk for immune-related adverse events
148	アルプロスタジル アルファデクス	【Angiology. 69(2018)393–399】Preventive effects of alprostadil against contrast-induced nephropathy inpatients with renal insufficiency undergoing percutaneous coronary intervention
149	メトプロロール酒石酸塩	【Mayo Clin Proc. 93(2018)409–418】Risk of all-cause mortality in diabetic patients taking beta-blockers
150	硫酸マグネシウム水和物・ブドウ糖	【J Matern Fetal Neonatal Med. 30(2017)2387–2394】Effect of tocolytic drugs on fetal heart rate variability: a systematic review
151	フルファリンカリウム	【Eur J Clin Pharmacol. 74(2018)819–832】Mortality among patients due to adverse drug reactions that lead to hospitalization: a meta-analysis
152	アスピリン・ランソプラゾール配合剤	【J Am Coll Cardiol. 71(2018)A1892】Low dose aspirin for primary prevention of cardiovascular disease: Use patterns and impact across race in the southern community cohort study
153	アスピリン・ランソプラゾール配合剤	【Am J Obstet Gynecol. 213(2015)897】Aspirin for preeclampsia prevention, latency and chorioamnionitis in preterm premature rupture of membranes
154	ラミブジン	【Indian Journal of Forensic Medicine and Toxicology. 12(2018)80–84】Teratological Study of Lamivudine in Swiss Albino Mice
155	アジスロマイシン水和物	【JAMA. 318(2017)557–566】Effect of Azithromycin on Airflow Decline-Free Survival After Allogeneic Hematopoietic Stem Cell Transplant: The ALLOZITHRO Randomized Clinical Trial
156	ラベプラゾールナトリウム	【Ann Pharm Fr. 75(2017)344–348】A non-interventional retrospective cohort study of the interaction between methotrexate and proton pump inhibitors or aspirin
157	ラベプラゾールナトリウム・アモキシシリントン水和物・クラリスロマイシン	【J Am Coll Cardiol. 66(2015)2173–2184】The Role of Macrolide Antibiotics in Increasing Cardiovascular Risk
158	プロキシフィリン・エフェドリン塩酸塩・フェノバルビタール配合剤	【Lancet Neurol. 17(2018)530–538】Comparative risk of major congenital malformations with eight different antiepileptic drugs: a prospective cohort study of the EURAP registry

159	プロナンセリン	【Breast Cancer Res. 20(2018)42】Hyperprolactinemia-inducing antipsychotics increase breast cancer risk by activating JAK-STAT5 in precancerous lesions
160	プロプラノロール塩酸塩	【J Gastroenterol Hepatol. 33(2018)1100–1107】Potential drug-drug interactions of OMBITASVIR, PARITAPREVIR/ritonavir .+-. DASABUVIR .+-. ribavirin in clinical practice
161	メトレキサート	【Chemotherapy. 63(2018)101–107】Identification of risk factors in high-dose methotrexate-induced acute kidney injury in childhood acute lymphoblastic leukemia
162	トリアムシノロンアセトニド	【J Formos Med Assoc. 116(2017)599–605】Bevacizumab and Panretinal photocoagulation protect against ocular hypertension after posterior subtenon injection of triamcinolone acetonide for diabetic macular edema
163	ブレノルフィン塩酸塩	【Topics in Antiviral Medicine. 26(2018)74s–75s】Enhancement of HIV-1 infection by buprenorphine
164	ラベプラゾールナトリウム	【J Stroke Cerebrovasc Dis. 27(2018)1015–1024】Recurrent Stroke and Bleeding Events after Acute Cardioembolic Stroke—ysis Using Japanese Healthcare Database from Acute-Care Institutions
165	ガドテル酸メグルミン	【Andrologia. (2018)]The effect of gadolinium-based contrast agents on rat testis
166	イブプロフェンピコノール	【Am J Cardiol. 121(2018)1271–1277】Effect on Risk of Stroke and Acute Myocardial Infarction of Nonselective Anti-Inflammatory Drugs in Patients With Rheumatoid Arthritis
167	プロゲステロン	【Am J Reprod Immunol. 78(2017)]Estradiol and progesterone influence on influenza infection and immune response in a mouse model
168	レボノルゲスト렐・エチニルエストラジオール	【Scientific reports. 6(2016)]Dendritic cell function and pathogen-specific T cell immunity are inhibited in mice administered levonorgestrel prior to intranasal Chlamydia trachomatis infection
169	レボノルゲスト렐・エチニルエストラジオール	【Mol Autism. 8(2017)]Prenatal levonorgestrel exposure induces autism-like behavior in offspring through ER $\beta$ suppression in the amygdala
170	フェニトイン	【Drug Metab Pharmacokinet. 32(2017)S85–S86】CYP2C9*3 variant is associated with phenytoin-related severe cutaneous adverse reactions in a Thai population
171	バルプロ酸ナトリウム	【ANSM. (2018)]Risque de troubles neuro-développementaux précoces (avant l'âge de 6 ans) associé à l'exposition in utero à l'acide valproïque et aux autres traitements de l'épilepsie en France
172	トレチノイン	【Reprod Toxicol. 76(2017)350–361】A human induced pluripotent stem cell-based in vitro assay predicts developmental toxicity through a retinoic acid receptor-mediated pathway for a series of related retinoid analogues
173	トレチノイン	【Mol Med Rep. 16(2017)5915–5923】Involvement of RBP4 in all-trans retinoic acid induced cleft palate
174	トレチノイン	【Cell Physiol Biochem. 43(2017)1449–1459】Cardiac Remodeling Induced by All-Trans Retinoic Acid is Detrimental in Normal Rats

175	トレチノイン	【Am J Transl Res. 9(2017)2296–2305】All-trans-retinoic acid activates SDF-1/CXCR4/ROCK2 signaling pathway to inhibit chondrogenesis
176	トレチノイン 三酸化ヒ素	【Leuk Res. 61(2017)84–88】The kinetics of white blood cell and the predictive factors of leukocytosis under oral or intravenous arsenic as the first-line treatment for acute promyelocytic leukemia
177	トレチノイン	【Medicine. 96(2017)】Analysis of early death in newly diagnosed acute promyelocytic leukemia patients
178	トレチノイン	【Mol Med Rep. 16(2017)2538–2546】Involvement of Notch2 in all-trans retinoic acid-induced inhibition of mouse embryonic palate mesenchymal cell proliferation
179	アロプリノール	【Int J Rheum Dis. 20(2017)1057–1071】Diagnostic utility of HLA-B*5801 screening in severe allopurinol hypersensitivity syndrome: an updated systematic review and meta-analysis
180	タゾバクタムナトリウム・ピペラシンナトリウム	【日本化学療法学会雑誌. 66(2018)267】単純性および複雑性尿路感染症の臨床像および予後因子の検討
181	フェノバルビタールナトリウム	【ANSM. (2018)】Risque de troubles neuro-développementaux précoce (avant l'âge de 6 ans) associé à l'exposition in utero à l'acide valproïque et aux autres traitements de l'épilepsie en France
182	アセトアミノフェン	【Allergol Immunopathol. 45(2017)528–533】Prenatal paracetamol use and asthma in childhood: A systematic review and meta-analysis
183	タクロリムス水和物	【J Clin Epidemiol. 10(2018)299–310】A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European longitudinal lymphoma and skin cancer evaluation – JOELLE study)
184	ビルダグリプチン・メトホルミン塩酸塩配合剤	【Prog Neuropsychopharmacol Biol Psychiatry. 79(2017)77–83】Effects of metformin exposure on neurodegenerative diseases in elderly patients with type 2 diabetes mellitus
185	ワルファリンカリウム	【Eur J Clin Pharmacol. 74(2018)819–832】Mortality among patients due to adverse drug reactions that lead to hospitalization: a meta-analysis
186	トレチノイン	【Cleft Palate Craniofac J. 54(2017)391–399】All-Trans Retinoic Acid-Induced Craniofacial Malformation Model: A Prenatal and Postnatal Morphological Analysis
187	テスステロンエナント酸エステル	【Scientific reports. 6(2016)】Prenatal programming: adverse cardiac programming by gestational testosterone excess
188	プロプラノロール塩酸塩	【糖尿病. 61(2018)S443】β遮断薬服用患者における耐糖能変化と受容体選択性の検討
189	ジクロフェナカナトリウム	【Br J Clin Pharmacol. 84(2018)1290–1300】Association between nonsteroidal anti-inflammatory drugs and atrial fibrillation among a middle-aged population: a nationwide population-based cohort
190	メトレキサート	【日本整形外科学会雑誌. 92(2018)S103】関節リウマチ患者における胃腸障害に関連する因子

191	ボノプラザンフル酸塩・アモキシシリント水和物・クラリスロマイシン	【J Am Coll Cardiol. 66(2015)2173–2184】The Role of Macrolide Antibiotics in Increasing Cardiovascular Risk
192	モルヒネ塩酸塩水和物	【Medicina intensiva. (2017)382–384】Influence of morphine treatment on in-hospital mortality among patients with acute heart failure
193	ランソプラゾール・アモキシシリント水和物・クラリスロマイシン	【Drug Saf. 40(2017)663–677】Managing Cardiovascular Risk of Macrolides: Systematic Review and Meta-Analysis
194	ゾマトロピン(遺伝子組換え)	【Cancer Med. (2018)1–8】Increased risk of bone tumors after growth hormone treatment in childhood: A population-based cohort study in France
195	バルプロ酸ナトリウム	【ANSM. (2018)】Risque de troubles neuro-développementaux précoces (avant l' âge de 6 ans) associé à l' exposition in utero à l' acide valproïque et aux autres traitements de l' épilepsie en France
196	プレガバリン	【ANSM. (2018)】Risque de troubles neuro-développementaux précoces (avant l' âge de 6 ans) associé à l' exposition in utero à l' acide valproïque et aux autres traitements de l' épilepsie en France
197	乾燥弱毒生麻しんワクチン	【Front Immunol. 9(2018)1402】Impact of mothers' schistosomiasis status during gestation on children's IgG antibody responses to routine vaccines 2 years later and anti-schistosome and anti-malarial responses by neonates in western Kenya
198	アスピリン・ランソプラゾール配合剤	【European Stroke Journal. 3(2018)111】Characteristics and ten-year prognosis of patients treated with aspirin prior to a first-ever acute ischemic stroke. Data from the 'athens stroke outcome project'
199	アスピリン・ランソプラゾール配合剤	【Circulation. 136(2017)457–458】Aspirin in patients with previous percutaneous coronary intervention (PCI) undergoing noncardiac surgery: The POISE-2 PCI substudy
200	アセトアミノフェン	【J Crit Care. 40(2017)108–112】Haemodynamic changes with paracetamol in critically-ill children
201	アスピリン・ランソプラゾール配合剤	【Cancer Prevention Research. 11(2018)279–286】Distinct chemopreventive effects of aspirin in diffuse and intestinal -type gastric cancer
202	プロプロノロール塩酸塩	【Pediatrics. 141(2018)e20173783】Safety of oral propranolol for infantile hemangioma
203	クロピドグレル硫酸塩	【Stroke. 49(2018)A131】Impact of cocomitant use of antiplatelet and anticoagulation therapies on outcome in patients with intracerebral hemorrhage
204	クロピドグレル硫酸塩	【Stroke. 49(2018)AWP332.】Characteristics and outcomes of patients on prior antiplatelet therapy in the Tranexamic acid in primary IntraCerebral Haemorrhage-2 (TICH-2) trial
205	アトルバスタチンカルシウム水和物	【Stroke. 49(2018)ATP318】Hemorrhagic transformation in acute ischemic stroke: a quantitative systematic review
206	バンコマイシン塩酸塩	【Ann Pharmacother. 52(2018)639–644】Comparison of the Nephrotoxicity of Vancomycin in Combination With Cefepime, Meropenem, or Piperacillin/Tazobactam: A Prospective, Multicenter Study

207	ロサルタンカリウム・ヒドロクロロチアジド	【JAMA Intern Med. 178(2018)1120–1122】Association of Hydrochlorothiazide use and Risk of Malignant Melanoma
208	無水カフェイン	【日本周産期・新生児医学会雑誌. 54(2018)499】早産児ドキサプラム投与と低カリウム血症: カフェインとテオフィリン併用による違い
209	インドメタシンナトリウム	【PLoS One. 13(2018)1–15】Nonsteroidal anti-inflammatory drug choice and adverse outcomes in clopidogrel users: A retrospective cohort study
210	メトホルミン塩酸塩	【Eur J Pharmacol. 833(2018)16–24】Involvement of mTOR, JNK and PI3K in the negative effect of ethanol and metformin on the human first-trimester extravillous trophoblast HTR-8/SVneo cell line
211	メトホルミン塩酸塩	【Prog Neuropsychopharmacol Biol Psychiatry. 79(2017)77–83】Effects of metformin exposure on neurodegenerative diseases in elderly patients with type 2 diabetes mellitus
212	メペンゾラート臭化物・フェノバルビタール	【ANSM. (2018)】Risque de troubles neuro-développementaux précoce (avant l'âge de 6 ans) associé à l'exposition in utero à l'acide valproïque et aux autres traitements de l'épilepsie en France
213	アジスロマイシン水和物	【Respir Med. 138(2018)129–136】Long-term azithromycin therapy to reduce acute exacerbations in patients with severe chronic obstructive pulmonary disease
214	レボノルゲスト렐・エチニルエストラジオール	【第21回日本医薬品情報学会総会・学術大会 抄録. (2018)132】JADERを用いたエストロゲン・プロゲステロン配合剤の有害事象のアソシエーション分析
215	ラベプラゾールナトリウム	【Respir Res. 18(2017)176】Factors associated with hospitalization in bronchiectasis exacerbations: a one-year follow-up study
216	ラベプラゾールナトリウム・アモキシシリントン水和物・クラリソロマイシン	【Drug Saf. 40(2017)663–677】Managing Cardiovascular Risk of Macrolides: Systematic Review and Meta-Analysis
217	ラベプラゾールナトリウム	【日本病院薬剤師会東北ブロック 第8回 学術大会 第73回 医薬品相互作用研究会シンポジウム合同開催 プログラム 講演要旨集. (2018)143】Clostridium difficile感染症と制酸薬の関連性について
218	カナグリフロジン水和物	【The 78th Scientific sessions of the American Diabetes Association. (2018)】Canagliflozin Versus Other Antihyperglycemic Agents on the Risk of Below-knee Lower Extremity Amputation for Patients With Type 2 Diabetes Mellitus: Results of the OBSERVE-4D Study, a Real-world Analysis of >700,000 US Patients
219	カナグリフロジン水和物	【The 78th Scientific sessions of the American Diabetes Association. (2018)】Consistent Outcomes With Canagliflozin in Patients With Type 2 Diabetes Across Geographic Regions: Results From the CANVAS Program
220	カナグリフロジン水和物	【The 78th Scientific sessions of the American Diabetes Association. (2018)】Relatively Consistent Effects of Canagliflozin on Outcomes Regardless of Baseline HbA1c in the CANVAS Program
221	カナグリフロジン水和物	【The 78th Scientific sessions of the American Diabetes Association. (2018)】Improved Cardiovascular and Renal Outcomes in the CANVAS Program Irrespective of Baseline Body Mass Index
222	プロプロラノロール塩酸塩	【Br J Dermatol. 178(2018)1443–1444】Oral propranolol for infantile haemangioma may be associated with transient gross motor delay

223	ゲムシタビン塩酸塩	【Palliative Care Research. 13(2018)187–193】ゲムシタビンによる血管痛の関連要因の検討
224	硫酸マグネシウム水和物・ブドウ糖	【日本周産期・新生児医学会雑誌. 54(2018)643】硫酸マグネシウムを投与された母体から出生した新生児の高カリウム血症に関する検討
225	イブプロフェン含有一般用医薬品	【Br J Clin Pharmacol. 84(2018)1290–1300】Association between nonsteroidal anti-inflammatory drugs and atrial fibrillation among a middle-aged population: a nationwide population-based cohort
226	バルサルタン・アムロジピンベシル酸塩配合剤	【55th the European Renal Association–European Dialysis and Transplant Association Congress, (2018)】Amlodipine use and increased mortality in haemodialysis patients
227	アスピリン・ランソプラゾール配合剤	【Epidemiology. 29(2018)126–133】Aspirin Use and Mortality in Two Contemporary US Cohorts
228	レボノルゲストレル／エチニルエストラジオール	【第21回日本医薬品情報学会総会・学術大会 抄録. (2018)132】JADERを用いたエストロゲン・プロゲステロン配合剤の有害事象のアソシエーション分析
229	ルキソリチニブリン酸塩	【ASH Clinical News. (2018)】Treating MPNs With JAK1/2 Inhibitors Increases Risks for B-Cell Lymphomas
230	ランソプラゾール	【Gastroenterology. 153(2017)702–710】Association Between Proton Pump Inhibitor Use and Risk of Progression of Chronic Kidney Disease
231	ランソプラゾール	【World J Gastroenterol. 19(2013)2560–2568】Acid suppressive drugs and gastric cancer: A meta-analysis of observational studies
232	ランソプラゾール	【Osteoporos Int. 27(2016)339–347】Proton-pump inhibitors and risk of fractures: an update meta-analysis
233	ランソプラゾール	【JAMA Intern Med. 176(2016)238–246】Proton Pump Inhibitor Use and the Risk of Chronic Kidney Disease
234	テネリグリプチン臭化水素酸塩水和物	【第61回日本糖尿病学会年次学術集会. (2018)S-244】水疱性類天疱瘡とDPP-4阻害薬の関連性: JADERデータベースを用いた解析
235	カナグリフロジン水和物	【Diabetes Res Clin Pract. 140(2018)118–128】Effects of sodium-glucose cotransporter-2 inhibitors on cardiovascular disease, death and safety outcomes in type 2 diabetes – A systematic review
236	アセトアミノフェン	【J Natl Cancer Inst. 111(2019)1–9】Analgesic Use and Ovarian Cancer Risk: An Analysis in the Ovarian Cancer Cohort Consortium
237	イマチニブメシル酸塩	【Br J Haematol. 181(2018)7–8】Efficacy and safety of first-line bosutinib versus imatinib in the BFORE trial: 18-month follow-up
238	ボノプラザンフル酸塩・アモキシシリング水和物・クラリストマイシン	【J Am Heart Assoc. 7(2018)e008074】Estimated Cardiac Risk Associated With Macrolides and Fluoroquinolones Decreases Substantially When Adjusting for Patient Characteristics and Comorbidities

239	フェノバルビタールナトリウム	【ANSM. (2018)】Risque de troubles neuro-développementaux précoce (avant l'âge de 6 ans) associé à l'exposition in utero à l'acide valproïque et aux autres traitements de l'épilepsie en France
240	フェンタニルクエン酸塩	【Care Med. 46(2018)860-868】Impact of preadmission opioid treatment on 1-year mortality following nonsurgical intensive care: Crit
241	アジルサルタン・アムロジピンベシル酸塩配合剤	【55th the European Renal Association-European Dialysis and Transplant Association Congress, (2018)】Amlodipine use and increased mortality in haemodialysis patients
242	インフリキシマブ(遺伝子組換え)	【Aliment Pharmacol Ther. 48(2018)196-205】Incidence of psoriasisiform diseases secondary to tumour necrosis factor antagonists in patients with inflammatory bowel disease: a nationwide population-based cohort study
243	ラベプラゾールナトリウム・アモキシシリング水和物・クラリストマイシン	【J Am Heart Assoc. 7(2018)e008074】Estimated Cardiac Risk Associated With Macrolides and Fluoroquinolones Decreases Substantially When Adjusting for Patient Characteristics and Comorbidities
244	ランソプラゾール	【日本消化器病学会雑誌. 114(2017)A839】ヘリコバクター感染者における胃癌発生リスクの検討
245	ランソプラゾール	【BMJ. 7(2017)e017739】Maintenance therapy with proton pump inhibitors and risk of gastric cancer: a nationwide population-based cohort study in Sweden
246	ビソプロロールフルマドレ酸塩	【Ophthalmology 124(2017)409-411】Beta-blockers and neovascular age-related macular degeneration
247	ファモチジン	【JAMA Pediatr. 172(2018)e180315】Association Between Use of Acid-Suppressive Medications and Antibiotics During Infancy and Allergic Diseases in Early Childhood
248	インドメタシンナトリウム	【J Matern Fetal Neonatal Med. (2018)】Effects of antenatal indomethacin on ductus arteriosus early closure and on adverse outcomes in preterm neonates
249	インドメタシンナトリウム	【Pharmacoepidemiol Drug Saf. (2018)】Understanding medicines with a propensity to increase the risk of heart failure: Combining existing knowledge with targeted population assessment
250	ロスバスタチンカルシウム	【Front Pharmacol. (2018)1-12】High plasma exposure of statins associated with increased risk of contrast-induced acute kidney injury in Chinese patients with coronary artery disease
251	アビラテロン酢酸エステル	【Ther Adv Med Oncol. 10(2018)】Abiraterone acetate and prednisone in the pre- and post-docetaxel setting for metastatic castration-resistant prostate cancer: A mono-institutional experience focused on cardiovascular events and their impact on clinical outcomes
252	ドネペジル塩酸塩	【日本薬学会第138年会. (2018)104】アルツハイマー病治療薬donepezilの単独投与時とcilostazolとの併用投与時のラットにおける血漿および心臓・脳中の移行性の比較
253	パロキセチン塩酸塩水和物	【日本薬学会第138年会. (2018)】新規抗うつ薬SSRI, SNRI, NaSSAIにおけるQT延長の発現状況について—JADERによるデータマイニング—
254	リトドリン塩酸塩	【日本産科婦人科学会雑誌. 70(2018)690】塩酸リトドリン注射製剤の先発医薬品と後発医薬品の副作用に関する比較検討

255	フロセミド	【Br J Clin Pharmacol. 84(2018)579–589.】Incident diuretic drug use and adverse respiratory events among older adults with chronic obstructive pulmonary disease
256	オセルタミビルリン酸塩	【Ann Fam Med. 16(2018)145–148】The Relationship Between Oseltamivir and Suicide in Pediatric Patients
257	テトラサイクリン塩酸塩	【Br J Cancer. 118(2018)194–298】Tetracycline use and risk of incident skin cancer: a prospective study
258	パロキセチン塩酸塩水和物	【日本薬学会第138年会. (2018)】新規抗うつ薬SSRI, SNRI, NaSSAIにおけるQT延長の発現状況について—JADERIによるデータマイニング—
259	アスピリン	【Br J Clin Pharmacol. 84(2018)542–552】Drug-related deaths in hospital inpatients:A retrospective cohort study
260	アスピリン	【Lancet. 391(2018)850–859】Antiplatelet therapy with aspirin, clopidogrel, and dipyridamole versus clopidogrel alone or aspirin and dipyridamole in patients with acute cerebral ischaemia (TARDIS): a randomised, open-label, phase 3 superiority trial
261	テガフル・ギメラシル・オテラシルカリウム配合剤	【Cancer Chemother Pharmacol. 81(2018)573–578】S-1(Teysuno)and gemcitabine in Caucasian patients with unresectable pancreatic adenocarcinoma
262	ジクロフェナクナトリウム	【Clin Ther. 40(2018)270–283】Analgesic use and risk for acute coronary events in patients with osteoarthritis: A population-based, nested case-control study
263	ノルフロキサシン	【BMJ. 360(2018)k678】Fluoroquinolone use and risk of aortic aneurysm and dissection: nationwide cohort study
264	シプロフロキサシン塩酸塩水和物	【BMJ. 360(2018)k678】Fluoroquinolone use and risk of aortic aneurysm and dissection: nationwide cohort study
265	メルカプトプリン水和物	【Ir J Med Sci. 187(2018)145–153】Association of NUDT15 c.415C>T allele and thiopurine-induced leukocytopenia in Asians: a systematic review and meta-analysis
266	メルカプトプリン水和物	【Blood. 130(2017)】Association of APEX1 and NUDT15 Polymorphisms with Mercaptopurine-Related Neutropenia in Pediatric Acute Lymphoblastic Leukemia
267	イマチニブメシル酸塩	【Int J Dermatol. 57(2018)332–338】Long-term mucocutaneous adverse effects of imatinib in Indian chronic myeloid leukemia patients
268	ミルナシプラン塩酸塩	【日本薬学会第138年会. (2018)】新規抗うつ薬SSRI, SNRI, NaSSAIにおけるQT延長の発現状況について—JADERIによるデータマイニング—
269	レトロゾール	【J Clin Oncol. 36(2018)741–748】Phase III, Randomized Study of Dual Human Epidermal Growth Factor Receptor 2 (HER2) Blockade With Lapatinib Plus Trastuzumab in Combination With an Aromatase Inhibitor in Postmenopausal Women With HER2-Positive, Hormone Receptor-Positive Metastatic Breast Cancer: ALTERNATIVE
270	イマチニブメシル酸塩	【Blood. 130(2017)】Bosutinib vs imatinib for newly diagnosed chronic myeloid leukemia(CML) in the BFORE trial:18month follow-up

271	イマチニブメシル酸塩	【Blood. 130(2017)】Outcomes after sequential tyrosine kinase inhibitors treatment in chronic phase chronic myeloid leukemia
272	クロピドグレル硫酸塩	【Eur J Clin Pharmacol. 74(2018)443–451】Analysis of the CYP2C19 genotype associated with bleeding in Serbian STEMI patients who have undergone primary PCI and treatment with clopidogrel
273	アスピリン	【Am J Obstet Gynecol. 218(2018)S203】Race and ethnicity varies both efficacy and attributable risk of low-dose aspirin (ASA) for preeclampsia prevention among low-risk women
274	ワルファリンカリウム	【Circ J. 82(2018)1186–1194】Do Patients With High CHA2DS2–VASC Scores Need High Intensity of Anticoagulants After Valve Surgery?
275	オランザピン	【日本臨床腫瘍学会学術大会2018. 179(2018)O-15】乳がんFEC療法の発熱性好中球減少症に対するオランザピンの影響
276	アロプリノール	【Am J Cardiol. 71(2018)994–1004】Cardiovascular risks of probenecid versus allopurinol in older patients with gout
277	リツキシマブ(遺伝子組換え)	【日本リウマチ学会】MPA, GPAに対するリツキシマブの治療効果と感染症に対する検討
278	オセルタミビルリン酸塩	【J Infect Chemother. 24(2018)177–181】Severe abnormal behavior incidence after administration of neuraminidase inhibitors using the national database of medical claims
279	オフロキサシン	【BMJ. 360(2018)k678】Fluoroquinolone use and risk of aortic aneurysm and dissection: nationwide cohort study
280	ハロペリドール	【BMJ. 360(2018)k1218】Use of haloperidol versus atypical antipsychotics and risk of in-hospital death in patients with acute myocardial infarction: cohort study
281	ハロペリドールデカン酸エステル	【BMJ. 360(2018)k1218】Use of haloperidol versus atypical antipsychotics and risk of in-hospital death in patients with acute myocardial infarction: cohort study
282	ジゴキシン	【J Am Coll Cardiol. 71(2018)1063–1074】Digoxin and Mortality in Patients With Atrial Fibrillation
283	フルチカゾンプロピオン酸エステル・ホルモテロール フマル酸塩水和物	【Chest. 153(2018)321–328】Long-term use of inhaled corticosteroids in COPD and the risk of fracture
284	デクスメトミジン塩酸塩	【Br J Anaesth. 120(2018)188–196】Dexmedetomidine promotes metastasis in rodent models of breast, lung, and colon cancers
285	フルチカゾンプロピオン酸エステル・ホルモテロール フマル酸塩水和物	【Inhal Toxicol. 29(2017)219–226】Long-term use of inhaled corticosteroids and risk of upper respiratory tract infection in chronic obstructive pulmonary disease: a meta-analysis
286	ポリエチレングリコール処理人免疫グロブリン	【J Neurol Neurosurg Psychiatry. 8(2017)A66】Thromboembolic risk in inflammatory neuromuscular disease patients on long-term IVIg

287	ロサルタンカリウム・ヒドロクロロチアジド	【J Am Acad Dermatol. 78(2018)673–681】Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case–control study from Denmark
288	パロキセチン塩酸塩水和物	【BMJ. 361(2018)k1315】Anticholinergic drugs and risk of dementia: case–control study
289	ブスルファン	【Blood. 130(2017)】Analysis of genetic variants related to the hepatic veno–occlusive disease in pediatric patients receiving HSCT with targeted dose busulfan based conditioning
290	プラバスタチンナトリウム	【Br J Clin Pharmacol. 84(2018)1057–1063】Rhabdomyolysis after co-administration of a statin and fusidic acid: an analysis of the literature and of the WHO database of adverse drug reactions
291	パロキセチン塩酸塩水和物	【BMJ. 361(2018)k1315】Anticholinergic drugs and risk of dementia: case–control study
292	ホスカルネットナトリウム水和物	【造血細胞移植学会ガイドライン. (2018)1–18】ウイルス感染症の予防と治療HHV-6
293	シンバスタチン	【Br J Clin Pharmacol. 84(2018)1057–1063】Rhabdomyolysis after co-administration of a statin and fusidic acid: an analysis of the literature and of the WHO database of adverse drug reactions
294	クラリスロマイシン	【Blood. 130(2017)3129–3131】A Randomized Placebo–Controlled Phase II Study of Clarithromycin or Placebo Combined with VCD Induction Therapy Prior to High–Dose Melphalan with Stem Cell Support in Patients with Newly Diagnosed Multiple Myeloma
295	エポエチン カッパ(遺伝子組換え)	【Radiother Oncol. 127(2018)12–19】DAHANCA 10 – Effect of darbepoetin alfa and radiotherapy in the treatment of squamous cell carcinoma of the head and neck. A multicenter, open–label, randomized, phase 3 trial by the Danish head and neck cancer group
296	アジスロマイシン水和物	【JAMA. 318(2017)557–566】Effect of Azithromycin on Airflow Decline–Free Survival After Allogeneic Hematopoietic Stem Cell Transplant: The ALLOZITHRO Randomized Clinical Trial
297	オメプラゾール	【J Intern Med. 283(2018)268–281】Long–term use of proton pump inhibitors, dose–response relationship and associated risk of ischemic stroke and myocardial infarction
298	コデインリン酸塩水和物(1%以下)	【Eur Respir J. 48(2016)683–693】Incident opioid drug use and adverse respiratory outcomes among older adults with COPD
299	ビカルタミド	【Urology. 114(2018)155–162】Association of androgen deprivation therapy and thromboembolic events: A systematic review and meta–analysis
300	イマチニブメシル酸塩	【Blood. 130(2017)】Comparative risk assessment of imatinib, nilotinib and dasatinib in randomized controlled trials: a meta–analysis
301	ハロペリドール	【BMJ. 360(2018)k1218】Use of haloperidol versus atypical antipsychotics and risk of in-hospital death in patients with acute myocardial infarction: cohort study
302	ミチグリニドカルシウム水和物・ボグリボース配合剤	【J Clin Pharmacol. (2018)1–8】Risk of Hypoglycemia After Concomitant Use of Antidiabetic, Antihypertensive, and Antihyperlipidemic Medications: A Database Study

303	シンバスタチン	【Br J Clin Pharmacol. 84(2018)1057–1063】Rhabdomyolysis after co-administration of a statin and fusidic acid: an analysis of the literature and of the WHO database of adverse drug reactions
304	ロサルタンカリウム・ヒドロクロロチアジド	【J Am Acad Dermatol. 78(2018)673–681】Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case–control study from Denmark
305	ドスレピン塩酸塩	【BMJ. 361(2018)k1315】Anticholinergic drugs and risk of dementia: case–control study
306	リドカイン・プロピトカイン配合剤	【日本麻酔科学会第65回学術集会. (2018)】エムラクリームが予定帝王切開術患者の局所麻酔・硬膜外麻酔時痛に及ぼす影響:前向き無作為化二重盲検比較試験
307	クラリスロマイシン	【J Am Coll Cardiol. 66(2015)2173–2184】The Role of Macrolide Antibiotics in Increasing Cardiovascular Risk
308	クロピドグレル硫酸塩	【J Vasc Surg. 65(2017)1719–1728】Perioperative clopidogrel is associated with increased bleeding and blood transfusion at the time of lower extremity bypass
309	メトプロロール酒石酸塩	【Mayo Clin Proc. 93(2018)409–418】Risk of all-cause mortality in diabetic patients taking beta-blockers
310	バルプロ酸ナトリウム	【第60回日本小児神経学会学術集会. 50(2018)S308】妊娠全期間の少量バルプロ酸胎内曝露は生後自閉症様行動の原因となる
311	テストステロン含有一般用医薬品	【Clin Endocrinol (Oxf). 88(2018)719–727】Injection testosterone and adverse cardiovascular events:A case–crossover analysis
312	ジゴキシン	【Eur J Clin Pharmacol. 74(2018)819–832】Mortality among patients due to adverse drug reactions that lead to hospitalization: a meta-analysis
313	アビラテロン酢酸エステル	【Clin Genitourin Cancer. 16(2018)e645–e653】The Cardiovascular Toxicity of Abiraterone and Enzalutamide in Prostate Cancer
314	テストステロン含有一般用医薬品	【J Investig Med. 66(2018)733–738】Thromboembolism peaking 3 months after starting testosterone therapy: testosterone–thrombophilia interactions
315	アルテプラーゼ(遺伝子組換え)	【J Stroke Cerebrovasc Dis. 27(2018)1403–1411】Cerebral Microbleeds are an Independent Predictor of Hemorrhagic Transformation Following Intravenous Alteplase Administration in Acute Ischemic Stroke
316	ブスルファン	【Blood. 130(2017)】Patients with central nervous system lymphoma undergoing thiotapec, busulfan, and cyclophosphamide–conditioned autologous stem cell transplantation are at a higher risk for DNA virus infections than patients with systemic non–Hodgkin lymphoma receiving traditional conditioning
317	クラリスロマイシン	【Drug Saf. 40(2017)663–677】Managing Cardiovascular Risk of Macrolides: Systematic Review and Meta–Analysis
318	タクロリムス水和物	【Eur J Clin Pharmacol. 74(2018)723–729】CYP3A4 and GCK genetic polymorphisms are the risk factors of tacrolimus–induced new-onset diabetes after transplantation in renal transplant recipients

319	フルファリンカリウム	【Eur J Clin Pharmacol. 74(2018)819–832】Mortality among patients due to adverse drug reactions that lead to hospitalization: a meta-analysis
320	メドロキシプロゲステロン 酢酸エステル	【Am J Psychiatry. 175(2018)336–342】Association of Hormonal Contraception With Suicide Attempts and Suicides
321	カルシトリオール	【第61回日本腎臓学会学術総会. 60(2018)450】ビタミンD製剤による高カルシウム血症で腎機能障害をきたした症例の検討
322	アロプリノール	【Acta Derm Venereol. 98(2018)401–405】Clinical, viral and genetic characteristics of drug reaction with eosinophilia and systemic symptoms (DRESS) in Shanghai, China
323	アスピリン	【Stroke. 49(2018)ATP394】Comparison of major bleeding endpoints between non-vitamin K antagonist oral anticoagulants and aspirin: a network meta-analysis
324	フィルグラスチム(遺伝子組換え)	【Bone Marrow Transplant. 49(2014)195–200】PBSC collection from family donors in Japan: a prospective survey
325	チオペンタールナトリウム	【医療薬学フォーラム2018第26回クリニカルファーマシーシンポジウム. (2018)】手術室で汎用される薬剤の適正使用につながるエビデンスの創出
326	クロピドグレル硫酸塩	【医療薬学フォーラム2018第26回クリニカルファーマシーシンポジウム. (2018)】クロピドグレルとパクリタキセルの併用が好中球減少に及ぼす影響
327	エスシタロプラムシュウ酸塩	【Clin Interv Aging. 12(2017)1977–1984】The relationship of SSRI and SNRI usage with interstitial lung disease and bronchiectasis in an elderly population: a case-control study
328	酸化セルロース	【Interact Cardiovasc Thorac Surg. 10(2018)1–3】Oxidized resorbable cellulose (Gelita-cel) causing foreign body reaction in the mediastinum
329	ロサルタンカリウム・ヒドロクロロチアジド	【J Am Acad Dermatol. 78(2018)673–681】Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark
330	非ピリン系感冒剤(4)	【BMJ. 361(2018)k1315】Anticholinergic drugs and risk of dementia: case-control study
331	シンバスタチン	【Circulation. 137(2018)1571–1582】Benefit of adding ezetimibe to statin therapy on cardiovascular outcomes and safety in patients with versus without diabetes mellitus: results from IMPROVE-IT(Improved Reduction of Outcomes: Vytorin Efficacy International Trial)
332	アスピリン	【N Engl J Med. 378(2018)2191–2201】Rivaroxaban for stroke prevention after embolic stroke of undetermined source
333	ペニシラミン	【Clin Exp Rheumatol. 36(2018)471–478】The influence of disease-modifying anti-rheumatic drugs and corticosteroids on the association between rheumatoid arthritis and skin cancer: A nationwide retrospective case-control study in Taiwan
334	ジクロフェナカナトリウム	【Br J Clin Pharmacol. 84(2018)1290–1300】Association between nonsteroidal anti-inflammatory drugs and atrial fibrillation among a middle-aged population: a nationwide population-based cohort

335	ゾマトロピン(遺伝子組換え)	【J Clin Endocrinol Metab. 103(2018)523–531】New Neoplasm During GH Replacement in Adults With Pituitary Deficiency Following Malignancy: A KIMS Analysis.
336	クラリスロマイシン	【J Am Heart Assoc. 7(2018)e008074】Estimated Cardiac Risk Associated With Macrolides and Fluoroquinolones Decreases Substantially When Adjusting for Patient Characteristics and Comorbidities
337	クロピドグレル硫酸塩	【医療薬学フォーラム2018第26回クリニカルファーマシーシンポジウム. (2018)】クロピドグレルとパクリタキセルの併用が好中球減少に及ぼす影響
338	シルデナフィルクエン酸塩	【Sexual medicine. 6(2018)185–192】The Association Between Phosphodiesterase Type 5 Inhibitor Use and Risk of Non-Arteritic Anterior Ischemic Optic Neuropathy: A Systematic Review and Meta-Analysis
339	コデインリン酸塩水和物 (1%以下)	【Transplantation. 102(2018)994–1004】Opioid Prescription, Morbidity, and Mortality in US Transplant Recipients
340	コデインリン酸塩水和物 (1%以下)	【Breast Cancer Res Treat. 165(2017)455–465】Opioid use among female breast cancer patients using different adjuvant endocrine therapy regimens.
341	スルファメトキサゾール・トリメトプリム	【Epidemiol Infect. 141(2013)1749–1755】Trimethoprim use in early pregnancy and the risk of miscarriage: a register-based nationwide cohort study
342	スルファメトキサゾール・トリメトプリム	【Br J Clin Pharmacol. 84(2018)1198–1205】Use of trimethoprim-sulfamethoxazole during pregnancy and risk of spontaneous abortion: a nested case control study
343	イブルチニブ	【Inflammation. 41(2018)904–913】Ibrutinib Exacerbates Bleomycin-Induced Pulmonary Fibrosis via Promoting Inflammation
344	フルオロウラシル	【第39回癌免疫外科研究会. (2018)164】食道癌術前化学療法における発熱性好中球減少症のリスク因子の検討
345	リスペリドン	【Breast Cancer Res. 20(2018)42】Hyperprolactinemia-inducing antipsychotics increase breast cancer risk by activating JAK-STAT5 in precancerous lesions
346	ノルフロキサシン	【Bone Marrow Res. (2018)】Antimicrobial-Induced Cytopenia and Bone Marrow Hypocellularity in Patients with Cirrhosis
347	ジゴキシン	【Am Heart J. 199(2018)97–104】Prevalent digoxin use and subsequent risk of death or hospitalization in ambulatory heart failure patients with a reduced ejection fraction—Findings from the Heart Failure: A Controlled Trial Investigating Outcomes of Exercise Training (HF-ACTION) randomized controlled trial
348	アルテプラーゼ(遺伝子組換え)	【Stroke. 49(2018)】Predictors of Hemorrhage After Endovascular Therapy: Findings From the Intersect Study
349	アルテプラーゼ(遺伝子組換え)	【Stroke. 49(2018)】Hemorrhage and Reocclusion Rates in Stroke Patients on Antiplatelets Treated With Mechanical Thrombectomy
350	アルテプラーゼ(遺伝子組換え)	【Stroke. 49(2018)】Nationwide Predictors of Hemorrhagic Conversion with IV tPA for Acute Ischemic Stroke

351	アルテプラーゼ(遺伝子組換え)	【Stroke. 49(2018)】Leukoaraiosis and Hemorrhagic Transformation After Intravenous Thrombolysis in Acute Ischemic Stroke
352	フェンタニルクエン酸塩	【Transplantation. 102(2018)994–1004】Opioid Prescription, Morbidity, and Mortality in US Transplant Recipients
353	フェンタニルクエン酸塩	【Public Health Agency of Canada. (2018)】Statement from the Co-Chairs of the Special Advisory Committee on the Epidemic of Opioid Overdoses and the Canadian Institute for Health Information on Updates to Data Related to the Opioid Crisis
354	フェンタニルクエン酸塩	【ANSM. (2018)】Risque de troubles neuro-développementaux précoces (avant l'âge de 6 ans) associé à l'exposition in utero à l'acide valproïque et aux autres traitements de l'épilepsie en France
355	バルプロ酸ナトリウム	【第54回日本周産期・新生児医学会総会および学術集会. 54(2018)676】胎仔期抗てんかん薬曝露によって誘導される異所性ニューロン新生は成体マウスのけいれん感受性を亢進する
356	乾燥人フィブリノゲン	【Clin Appl Thromb Hemost. (2017)】Prophylactic Fibrinogen Decreases Postoperative Bleeding but Not Acute Kidney Injury in Patients Undergoing Heart Transplantation
357	プロゲステロン	【Prog Neuropsychopharmacol Biol Psychiatry. 86(2018)175–179】Infertility treatments during pregnancy and the risk of autism Spectrum disorder in the offspring
358	エポエチン カッパ(遺伝子組換え)	【Health Serv Res. 53(2018)1900–1948】Comparing the Effectiveness of Dynamic Treatment Strategies Using Electronic Health Records: An Application of the Parametric g-Formula to Anemia Management Strategies
359	コデインリン酸塩水和物(1%以下)	【Crit Care Med. 46(2018)860–868】Impact of preadmission opioid treatment on 1-year mortality following nonsurgical intensive care
360	イリノテカン塩酸塩水和物	【Br J Clin Pharmacol. 84(2018)1389–1392】Relevance of CYP3A4*20, UGT1A1*37 and UGT1A1*28 variants in irinotecan-induced severe toxicity
361	フルオロウラシル	【日本消化器病学会東海支部第128回例会. (2018)35】切除不能進行膵癌に対するFOLFIRINOX療法における発熱性好中球減少症のリスク因子の検討
362	アロプリノール	【J Rheumatol. 44(2017)835–843】Cost-effectiveness analysis for genotyping before allopurinol treatment to prevent severe cutaneous adverse drug reactions,
363	タゾバクタムナトリウム・ピペラシンナトリウム	【Ann Pharmacother. 52(2018)639–644】Comparison of the Nephrotoxicity of Vancomycin in Combination With Cefepime, Meropenem, or Piperacillin/Tazobactam: A Prospective, Multicenter Study
364	アスピリン	【Int J Cardiol. 264(2018)64–69】Optimal long-term antithrombotic treatment of patients with stable coronary artery disease and atrial fibrillation: 'OLTAT registry'
365	アスピリン	【Stroke. 49(2018)601–606】External validation of risk scores for major bleeding in a population-based cohort of transient ischemic attack and ischemic stroke patients
366	フェンタニルクエン酸塩	【Breast Cancer Res Treat. 165(2017)455–465】Opioid use among female breast cancer patients using different adjuvant endocrine therapy regimens

367	ピペラシンナトリウム	【Ann Pharmacother. 52(2018)639–644】Comparison of the Nephrotoxicity of Vancomycin in Combination With Cefepime, Meropenem, or Piperacillin/Tazobactam: A Prospective, Multicenter Study
368	美白化粧品(医薬部外品)	【第2回東アジア白斑会議・第1回日本白斑学会合同学術大会. (2018)18】Repigmentation in a vitiligo mouse model
369	美白化粧品(医薬部外品)	【第2回東アジア白斑会議・第1回日本白斑学会合同学術大会. (2018)42】尋常性白斑と化学白斑の鑑別と治療
370	美白化粧品(医薬部外品)	【第2回東アジア白斑会議・第1回日本白斑学会合同学術大会. (2018)47】The potent pro-oxidant activity of rhododendrol-eumelanin is enhanced by ultraviolet A radiation(ロドデンドロールユーメラニンの強い酸化促進作用は紫外線A照射により増強される)
371	美白化粧品(医薬部外品)	【第2回東アジア白斑会議・第1回日本白斑学会合同学術大会. (2018)52】ロドデノール誘発性脱色素斑改善例・難治例の免疫組織化学的解析
372	美白化粧品(医薬部外品)	【第2回東アジア白斑会議・第1回日本白斑学会合同学術大会. (2018)53】コレカルシフェロール内服のロドデノール白斑に対する効能; 盲目的無作為化対照比較試験
373	美白化粧品(医薬部外品)	【Dermatol Clin. 35(2018)151–161】Chemical-Induced Vitiligo
374	美白化粧品(医薬部外品)	【Exp Dermatol. 27(2018)752–762】4-(4-Hydroxyphenyl)-2-butanol (rhododendrol)-induced melanocyte cytotoxicity is enhanced by UVB exposure through generation of oxidative stress
375	美白化粧品(医薬部外品)	【J Dermatol. 43(2016)1174–1183】Biochemical effects of the flavanol-rich lychee fruit extract on the melanin biosynthesis and reactive oxygen species
376	美白化粧品(医薬部外品)	【国際研究皮膚科学会. (2018)212】Janus kinase inhibitor tofacitinib does not facilitate the repigmentation in mice model of rhododendrol-induced leukoderma
377	美白化粧品(医薬部外品)	【第117回日本皮膚科学会総会. (2018)】ロドデノール誘発性脱色素斑に関する調査研究報告(RD-Team 2017年度)
378	美白化粧品(医薬部外品)	【Cosmetic stage. 12(2018)14–20】ヒトiPS細胞由来メラノサイトを使用したオーダーメイド美白化粧品の可能性
379	美白化粧品(医薬部外品)	【J Dermatol Sci. (2018)】Substantial evidence for the rhododendrol-induced generation of hydroxyl radicals that causes melanocyte cytotoxicity and induces chemical leukoderma
380	薬用石鹼	【日本皮膚科学会雑誌. 128(2018)1185】加水分解型小麦アレルギー患者の小麦摂取とIgG4の関連
381	薬用石鹼	【日本皮膚科学会雑誌. 128(2018)1186】経皮感作食物アレルギーに関するアンケート調査結果
382	薬用石鹼	【日本皮膚科学会雑誌. 128(2018)1186】加水分解コムギ型小麦アレルギーに対する抗IgE抗体長期療法の効果(医師主導多施設共同研究)

383	薬用石鹼	【第67回日本アレルギー学会学術大会. (2018)368】食物アレルギーの予後:最新の知見から 司会のことば
384	薬用石鹼	【第67回日本アレルギー学会学術大会. (2018)370】経皮感作から始まる成人食物アレルギーの予後
385	薬用石鹼	【第67回日本アレルギー学会学術大会. (2018)559】2017年度(旧)茶のしずく石鹼による即時型コムギアレルギーの予後調査結果
386	薬用石鹼	【第67回日本アレルギー学会学術大会. (2018)589】グルパール19S含有石鹼使用により発症した小麦アレルギーにおける特異的IgG4抗体価と疾患予後