資料 4-4

## 研究報告の報告状況 (平成27年12月1日~平成28年3月31日)

NO	一般名	文献名
1	ジゴキシン	[Eur Heart J. 36(2015)1068] Digoxin use is associated with higher mortality among patients with atrial fibrillation with and without heart failure: insights from the ARISTOTLE trial.
2	ジゴキシン	[Heart. 101(2015)1973-1979]ABCB1 gene variants, digoxin and risk of sudden cardiac death in a general population.
3	クロナゼパム	[Eur Neuropsychopharmacol. 25(2015)1566–1577]Benzodiazepines and risk of death: Results from two large cohort studies in France and UK.
4	タムスロシン塩酸塩	[BMJ. 19(2015)1-6]The risk of fall and fracture with the initiation of a prostateselective $lpha$ antagonist: a population based cohort study.
5	炭酸リチウム	[Am J Psychiatry. 171(2014)785-794] Pregnancy Outcome Following In Utero Exposure to Litium: A Prospective, Comparative, Observational Study.
6	ジクロフェナクナトリウム	[Clin Ther. 37(2015)e18]Diclofenac/misoprostol during early pregnancy and the risk of miscarriage – a Danish nationwide cohort study.
7	ジクロフェナクナトリウム	[Clin Ther. 37(2015)e126]Osteoarthritis, drug use and risk of cardiac ischaemic events : a case-control study.
8	アロプリノール	[JAMA. 175(2015)1550-1557]Allopurinol Use and Risk of Fatal Hypersensitivity Reactions A Nationwide Population-Based Study in Taiwan.
9	アルテプラーゼ(遺伝子組換え)	[Stroke. 46(2015)1-4]Coagulation and Fibrinolytic Activity of Tenecteplase and Alteplase in Acute Ischemic Stroke.
10	ラベプラゾールナトリウム	【感染症学雑誌. 89(2015)669-670】当院におけるClostridium difficile関連下痢症に関する検討
11	フェンタニルクエン酸塩	[Ann Pharmacother. 49(2015)1291–1297] Brain Injury and Development in Preterm Infants Exposed to Fentanyl.
12	ロペラミド塩酸塩	【第9回日本緩和医療薬学会年会. (2015)214】腫瘍増殖に対する末梢ならびに中枢における μ −オピオイド受容体刺激による相反的作用: 中枢性 μ −オピオイド神経を介した抗腫瘍効果
13	テラプレビル	[Hepatology Research. 45(2015)E89–E98] Relative efficacy and safety of simeprevir and telaprevir in treatment-naive hepatitis C-infected patients in a Japanese population: A Bayesian network meta-analysis.
14	テラプレビル	[Dig.Dis.Sci. 60(2015)1045–1051] Poor Sustained Virological Response in a Multicenter Real-Life Cohort of Chronic Hepatitis C Patients Treated with Pegylated Interferon and Ribavirin plus Telaprevir or Boceprevir.
15	バルプロ酸ナトリウム	[Lancet. 386(2015)1845-1852]Epilepsy in pregnancy and reproductive outcomes: a systematic review and meta-analysis.
16	トピラマート	[Lancet. 386(2015)1845-1852]Epilepsy in pregnancy and reproductive outcomes: a systematic review and meta-analysis.
17	リュープロレリン酢酸塩	[BJU Int.193(2015)]Dose-dependent effect of androgen deprivation therapy for localized prostate cancer on adverse cardiac events.
18	リュープロレリン酢酸塩	[BMC Cancer.15(2015)]Risk of fracture in men with prostate cancer on androgen deprivation therapy: a population-based cohort study in New Zealand.

[BMC Cancer.15(2015)] Risk of fracture in men with prostate cancer on androgen deprivation therapy: a population-based cohort study in New Zealand.
[Drug Des Devel Ther. 9(2015)5705-5717] Evaluation of the cardiovascular effects of varenicline in rats.
[Clin Ther. 37(2015)e126]Osteoarthritis, drug use and risk of cardiac ischaemic events : a case-control study.
[Lancet. (1982)1250]FATAL BENZYL ALCOHOL POISONING IN A NEONATAL INTENSIVE CARE UNIT.
[N Engl J Med. 22(1982)1384-1388]THE GASPING SYNDROME AND BENZYL ALCOHOL POISONING.
[Clin Ther. 37(2015)e18]Diclofenac/misoprostol during early pregnancy and the risk of miscarriage – a Danish nationwide cohort study.
[Eur Heart J. 36(2015)1068]Digoxin use is associated with higher mortality among patients with atrial fibrillation with and without heart failure: Insights from the ARISTOTLE trial.
【神経治療学. 32(2015)789】JADERを活用した免疫性神経疾患における免疫グロブリン静注療法の副作用に関する研究
[Toxicol Appl Pharmacol. 287(2015)128-138] Low functional programming of renal AT2R mediates the developmental origin of glomerulosclerosis in adult offspring induced by prenatal caffeine exposure.
[JAMA Internal Medicine. 175(2015)1839-1847] Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
[JAMA Internal Medicine. 175(2015)1839–1847] Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
[JAMA Internal Medicine. 175(2015)1839-1847] Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
[Eur J Clin Microbiol Infect Dis. 34(2015)479–485] Anti-tuberculosis treatments and risk of hepatocellular carcinoma in tuberculosis patients with liver cirrhosis: a population-based case-control study European journal of clinical microbiology & infectious diseases.
[Eur J Clin Microbiol Infect Dis. 34(2015)479–485] Anti-tuberculosis treatments and risk of hepatocellular carcinoma in tuberculosis patients with liver cirrhosis: a population-based case-control study European journal of clinical microbiology & infectious diseases.
[Ann Intern Med. 163(2015)118-126] Longer- versus shorter-duration dual-antiplatelet therapy after drug-eluting stent placement: A systematic review and meta-analysis.
[Eur Heart J. 36(2015)861-862] Management and clinical consequences of major bleeding in high-risk patients following an acute coronary syndrome. Is aspirin the problem? Insights from the APPRAISE-2 trial.
[Clin Ther. 37(2015)e126]Osteoarthritis, drug use and risk of cardiac ischaemic events : a case-control study.
[Clin Ther. 37(2015)e18]Diclofenac/misoprostol during early pregnancy and the risk of miscarriage – a Danish nationwide cohort study.
[Eur J Clin Pharmacol. 71(2015)1341–1347]Influence of valproic acid concentration and polymorphism of UGT1A4*3,UGT2B7–161C>T and UGT2B7*2 on serum concentration of lamotrigine in Chinese epileptic children.
[J Antimicrob Chemother. 70(2015)1155-1160]SLC29A1 polymorphism and prediction of anaemia severity in patients with chronic hepatitis C receiving triple therapy with telaprevir. The Journal of antimicrobial chemotherapy.

_		,
39	スルピリド	[J Am Heart Assoc. 4(2015)1-9]Antipsychotic drugs and the risk of ventricular arrhythmia and/or sudden cardiac death: a nation-wide case-crossover study.
40	ハロペリドール	[J Am Heart Assoc. 4(2015)1-9]Antipsychotic drugs and the risk of ventricular arrhythmia and/or sudden cardiac death: a nation-wide case-crossover study.
41	ジクロフェナクナトリウム	[Clin Ther. 37(2015)e18]Diclofenac/misoprostol during early Pregnancy and the risk of miscarriage-a Danish Nationwide cohort study
42	エスシタロプラムシュウ酸塩	[Biol Pharm Bull. 38(2015)1689–1699] Association between Selective Serotonin Reuptake Inhibitor Therapy and Suicidality: Analysis of U.S. Food and Drug Administration Adverse Event Reporting System Data
43	ドルテグラビルナトリウム・ア バカビル硫酸塩・ラミブジン	[JAIDS Journal of Acquired Immune Deficiency Syndromes. (2015)]Use of abacavir and risk of cardiovascular disease among HIV-infected individuals
44	ジアゼパム	[Ethiop J Health Sci. 25(2015)89–98] Maternal mortality predictors in women with hypertensive disorders of pregnancy: a retrospective cohort study.
45	ラベプラゾールナトリウム	[Circulation. 8(2015)1-7]Proton Pump Inhibitors, Platelet Reactivity, and Cardiovascular Outcomes after Drug-Eluting Stents in Clopidogrel-Treated Patients: The ADAPT-DES Study.
46	クリゾチニブ	[Eur J Clin Pharmacol. 71(2015)1441–1449] The effects of ketoconazole and rifampin on the single-dose pharmacokinetics of crizotinib in healthy subjects.
47	エスゾピクロン	[Int J Clin Pract. 69(2015)1275–1280]Zopiclone use associated with increased risk of acute pancreatitis: A case-control study in Taiwan.
48	リツキシマブ(遺伝子組換え)	[Clin Pharmacol Ther. 98(2015)542-550]Drug-Induced Progressive Multifocal Leukoencephalopathy:Lessons Learned From Contrasting Natalizumab and Rituximab.
49	ゾルピデム酒石酸塩	[Medicine. 94(2015)1-5]Zolpidem Use Associated With Increased Risk of Pyogenic Liver Abscess: A Case-Control Study in Taiwan.
50	フェンタニルクエン酸塩	[Ann Pharmacother. 49(2015)1291–1297] Brain Iniury and Development in Preterm Infants Exposed to Fentanyl.
51	ジゴキシン	[Eur Heart J. 36(2015)1068] Digoxin use is associated with higher mortality among patients with atrial fibrillation with and without heart failure:insights from the ARISTOTLE trial.
52	ジゴキシン	[Eur Heart J. 36(2015)208] ABCB1 gene variants, digoxin and risk of sudden cardiac death in a general population.
53	ベバシズマブ(遺伝子組換え)	【社内資料】Combination of Bevacizumab and Lomustine with First Recurrence of Glioblastoma Prolongs PFS but not OS.
54	ラモトリギン	[WPCP2015. (2015)]Pharmacogenom ics Anaiysis Identifies HLA-DRB1 as a Risk for Lamotrigine-induced Cutaneous Adverse Drug Reactions in a Japanese Population.
55	レボフロキサシン水和物	[BMJ. (2015)]Fluoroquinolones and collagen associated severe adverse events:a longitudinal cohort study.
56	シタフロキサシン水和物	[BMJ. (2015)]Fluoroquinolones and collagen associated severe adverse events:a longitudinal cohort study.
57	オフロキサシン	[BMJ. (2015)]Fluoroquinolones and collagen associated severe adverse events:a longitudinal cohort study.
58	フェニトイン・フェノバルビター ル	[J Clin Neonatol. 4(2015)232-236] Comparative efficacy of phenobarbital, phenytoin and lorazepam for the treatment of neonatal seizures: A randomized Trial.

59	アロプリノール	[Archives of Osteoporosis. 10(2015)1-8] Is allopurinol use associated with an excess risk of osteoporotic fracture? A National Prescription Registry study
60	塩酸シプロフロキサシン	[JAMA Internal Medicine. 175(2015)1839–1847]Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
61	グリベンクラミド	[J Clin Endocrinol Metab. 100(5)2071–2080] Comparative efficacy and safety of OADs in management of GDM: network meta-analysis of randomized controlled trials.
62	オランザピン	[J Am Heart Assoc. 4(2015)1-9]Antipsychotic drugs and the risk of ventricular arrhythmia and/or sudden cardiac death: a nation-wide case-crossover study.
63	乾燥BCGワクチン	[Jundishapur Journal of Microbiology. Vol.8,Issue11(2015)1-7]Post-Vaccination Disseminated Bacillus Calmette Guerin Infection Among Children in Southern Iran.
64	レボフロキサシン水和物	[JAMA Internal Medicine. 175(2015)1839–1847]Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
65	非ピリン系感冒剤(4)	[Ann Pharmacother. 49(2015)1357–1361] Association between prenatal acetaminophen exposure and future risk of attention deficit/hyperactivity disorder in children.
66	ベタメタゾン	[J Matern Fetal Neonatal Med. 27(2014)683-686] The association of antenatal corticosteroids with neonatal hypoglycemia and hyperbilirubinemia.
67	メドロキシプロゲステロン酢酸 エステル	[Breast Cancer Res Treat. 145(2015)535-543] Risk of breast cancer after stopping menopausal hormone therapy in the E3N cohort.
68	ドパミン塩酸塩	[Crit Care Med. 43(2015)2292-2302]Double-blind prospective randomized controlled trial of d opamine versus epinephrine as first-line vasoactive drugs in pediatric septic shock.
69	フェンタニルクエン酸塩	[Ann Pharmacother. 49(2015)1291–1297] Brain Injury and Development in Preterm Infants Exposed to Fentanyl.
70	アジスロマイシン水和物	[Pediatrics. 135(2015)483-488]Azithromycin in early infancy and pyloric stenosis.
71	アセトアミノフェン	[Ann Pharmacother. 49(2015)1357-1361] Association Between Prenatal Acetaminophen Exposure and Future Risk of Attention Deficit/Hyperactivity Disorder in Children.
72	抑肝散	【次世代を担う若手医療薬科学シンポジウム. 9(2015)36】Risk factor for hypokalemia in patients treated with Yokukansan preparations.
73	ヨード化ケシ油脂肪酸エチル エステル	【肝臓. 56S3(2015)A950】肝細胞癌に対するTACEの安全性-cTACE群とDEB-TACE群の比較検討-
74	ヨード化ケシ油脂肪酸エチル エステル	【医療薬学. 41(2015)768-775】肝細胞がんに対するシスプラチン・リピオドール療法における嘔吐の危 険因子および制吐剤の予防効果の解析
75	フェンタニルクエン酸塩	[Ann Pharmacother. 49(2015)1291–1297] Brain Injury and Development in Preterm Infants Exposed to Fentanyl.
76	リラグルチド(遺伝子組換え)	【日本薬理学会西南部会. 68(2015)50】気道上皮及び肺組織におけるGLP-1受容体シグナルの生理的・病態生理的役割の解明
77	クロピドグレル硫酸塩	[J Stroke Cerebrovasc Dis. 24(2015)2236-2244] Antiplatelet Drug Use and Cerebral Microbleeds: A Meta-analysis of Published Studies.
78	フェンタニルクエン酸塩	[Ann Pharmacother. 49(2015)1291-1297] Brain injury and development in preterm infants exposed to fentanyl.

79	スルピリド	[J Clin Psychiatry. 76(2015)1216-1223]Antipsychotic treatment and the risk of hip fracture in subjects with schizophrenia: a 10-Year population-based case-control study.
80	ニンテダニブエタンスルホン 酸塩	【社内資料】肝障害(Child-Pugh A, B)を有する成人を対象とした1199.200試験の結果
81	アジスロマイシン水和物	[Journal of the American College of Cardiology. 66(2015)2173-2184] The Role of Macrolide Antibiotics in Increasing Cardiovascular Risk.
82	レボフロキサシン水和物	[JAMA Internal Medicine. 175(2015)1839–1847]Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
83	パロキセチン塩酸塩水和物	[Br J Psychiatry. 205(2014)95–102]Prenatal exposure to selective serotonin reuptake inhibitors and social responsiveness symptoms of autism: population-based study of young children.
84	フタラール	[J Med Virol, (2015)]Susceptibility of HPV16 and 18 to high level disinfectants indicated for semi-critical ultrasound probes.
85	ホスフェニトインナトリウム水 和物	【第25回日本医療薬学会年会. 112(2015)】日本人における重篤副作用の発症回避に向けたゲノムマーカー探索—重症薬疹及び横紋筋融解症の事例
86	フェノバルビタールナトリウム	【第25回日本医療薬学会年会: 112(2015)】日本人における重篤副作用の発症回避に向けたゲノムマーカー探索—重症薬疹及び横紋筋融解症の事例
87	プロポフォール	[J Neruroimmune Pharmacolo. 10(2015)179–189] The choice of general anesthetics may not affect neuroinflammation and impairment of learning and memory after surgery in elderly rats.
88	ソホスブビル	[N Engl J Med. 373(2015)1886-1888]Bradyarrhythmias Associated with Sofosbuvir Treatment.
89	レジパスビル アセトン付加 物・ソホスブビ	[N Engl J Med. 373(2015)1886-1888.]Bradyarrhythmias Associated with Sofosbuvir Treatment.
90	ベザフィブラート	[Eur J Pharm Sci. 81(2016)119-128]Bezafibrate-mizoribine interaction: Involvement of organic anion transporters OAT1 and OAT3 in rats.
91	エスシタロプラムシュウ酸塩	[PLOS ONE. 10(2015)1-14]Effects of Citalopram on Sutural and Calvarial Cell Processes.
92	ラベプラゾールナトリウム	【日臨技北日本支部医学検査学会. 4(2015)149-】当院におけるClostridium difficile関連下痢症と低栄養患者の関連因子
93	カンデサルタン シレキセチル	[JAMA. 175(2015)989-995]Treatment with multiple blood pressure medications, achieved blood pressure, and mortality in older nursing home residents: the PARTAGE study.
94	レボフロキサシン水和物	[JAMA Internal Medicine. 175(2015)1839–1847]Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
95	レボフロキサシン水和物	[JAMA Internal Medicine. 175(2015)1839–1847]Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
96	タクロリムス水和物	[Am J Transplant. 15(2015)678-686]Tacrolimus and the Risk of Solid Cancers After Liver Transplant: A Dose Effect Relationship
97	エルトロンボパグ オラミン	【社内資料】All Investigators participating inclinical trials with Eltrombopag(SB497115,ETB115)
98	トファシチニブクエン酸塩	【社内資料】XELJANZ (Tofacitinib) SAFETY UPDATE - PANCREATIC CANCER SIGNAL

ga	ベムラフェニブ	[Br J Dermatol. (2015)]Vemurafenib-induced toxic epidermal necrolysis: Possible cross-reactivity
		with other sulphonamide compounds.
100	トレチノイン	[Disease Models & Mechanisms. 8(2015)139-146] Impact of retinoic acid exposure on midfacial shape variation and manifestation of holoprosencephaly in Twsg1 mutant mice.
101	インドメタシン	[Br J Clin Pharmacol. 80(2015)818-826] Mortality from adverse drug reactions in adult medical inpatients at four hospitals in South Africa: a cross-sectional survey.
102	アドレナリン	[J Crit Care. 30(2015)1376–1381]Increased return of spontaneous circulation at the expense of neurologic outcomes: Is prehospital epinephrine for out-of-hospital cardiac arrest really worth it?
103	ジゴキシン	【J Stroke Cerebrovasc Dis. 24(2015)2321-2328】Incidence and Predictors of Hemorrhagic Stroke in Users of Low-Dose Acetylsalicylic Acid.
104	ノルフロキサシン	【JAMA Internal Medicine. 175(2015)1839–1847】Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
105	シロリムス	【社内資料】シロリムス外用剤のカニクイザルにおける39週間反復経皮投与毒性試験
106	レボフロキサシン水和物	[Expert Opin Drug Saf. 14(2015)1653–1660] Fluoroquinolone–associated tendon–rupture: a summary of reports in the Food and Drug Administration's adverse event reporting system.
107	バルサルタン・ヒドロクロロチ アジド配合剤	[Hypertens Res. 33(2010)460-466] The efficacy of antihypertensive treatment in pregnant women with chronic and gestational hypertension: a population—based study.
108	フルオロメトロン	[Br J Ophthalmol. 99(2015)1454-1456]Steroid-induced glaucoma and childhood blindness
109	レボフロキサシン水和物	【JAMA Internal Medicine. 175(2015)1839–1847】Risk of Aortic Dissection and Aortic Aneurysm in Patients Taking Oral Fluoroquinolone.
110	バルプロ酸ナトリウム	[Eur J Clin Pharmacol. 71(2015)1517–1524] Changing incidence of hyperammonemia in Japan from 2006 to 2013: expansion of new antiepileptic drugs reduces the risk of hyperammonemia.
111	セボフルラン	[J Int Med Res. 42(2014)1252–1261] Effect of inhalational anaesthetic on postoperative cognitive dysfunction following radical rectal resection in elderly patients with mild cognitive impairment.
112	アセトアミノフェン	【JAMA. 314(2015)1572-1580】Naproxen With Cyclobenzaprine, Oxycodone/Acetaminophen, or Placebo for Treating Acute Low Back Pain: A Randomized Clinical Trial.
112	フセサメレーウル佐ル物水和	
	スキサメトニウム塩化物水和物	Placebo for Treating Acute Low Back Pain: A Randomized Clinical Trial.  [Ann Emerg Med. 66(2015)S11] Succinylcholine is associated with increased mortality when used for rapid sequence intubation of severely head injured patients in the emergency department. Annals of
113	スキサメトニウム塩化物水和物	Placebo for Treating Acute Low Back Pain: A Randomized Clinical Trial.  [Ann Emerg Med. 66(2015)S11] Succinylcholine is associated with increased mortality when used for rapid sequence intubation of severely head injured patients in the emergency department. Annals of Emergency Medicine.  [J Hosp Infect. (2015)1–5] Incidence of Clostridium difficile infection in patients receiving high-risk
113 114 115	スキサメトニウム塩化物水和 物 クリンダマイシンリン酸エステ ル	Placebo for Treating Acute Low Back Pain: A Randomized Clinical Trial.  [Ann Emerg Med. 66(2015)S11] Succinylcholine is associated with increased mortality when used for rapid sequence intubation of severely head injured patients in the emergency department. Annals of Emergency Medicine.  [J Hosp Infect. (2015)1–5] Incidence of Clostridium difficile infection in patients receiving high-risk antibiotics with or without a proton pump inhibitor.  [CDC Early Release. 64(2015)1–5] Increases in Drug and Opioid Overdose Deaths-United States,
113 114 115	スキサメトニウム塩化物水和物 クリンダマイシンリン酸エステ ル フェンタニルクエン酸塩	Placebo for Treating Acute Low Back Pain: A Randomized Clinical Trial.  [Ann Emerg Med. 66(2015)S11] Succinylcholine is associated with increased mortality when used for rapid sequence intubation of severely head injured patients in the emergency department. Annals of Emergency Medicine.  [J Hosp Infect. (2015)1–5] Incidence of Clostridium difficile infection in patients receiving high-risk antibiotics with or without a proton pump inhibitor.  [CDC Early Release. 64(2015)1–5] Increases in Drug and Opioid Overdose Deaths-United States, 2000–2014.  [JAMA pediatr. 14(2015)] Antidepressant Use During Pregnancy and the Risk of Autism Spectrum
113 114 115	スキサメトニウム塩化物水和物 クリンダマイシンリン酸エステル フェンタニルクエン酸塩 エスシタロプラムシュウ酸塩 無水カフェイン	Placebo for Treating Acute Low Back Pain: A Randomized Clinical Trial.  [Ann Emerg Med. 66(2015)S11] Succinylcholine is associated with increased mortality when used for rapid sequence intubation of severely head injured patients in the emergency department. Annals of Emergency Medicine.  [J Hosp Infect. (2015)1–5] Incidence of Clostridium difficile infection in patients receiving high-risk antibiotics with or without a proton pump inhibitor.  [CDC Early Release. 64(2015)1–5] Increases in Drug and Opioid Overdose Deaths-United States, 2000–2014.  [JAMA pediatr. 14(2015)] Antidepressant Use During Pregnancy and the Risk of Autism Spectrum Disorder in Children.  [Phytother Res. 10(2015)] Pharmacokinetic Herb- Drug Interaction between Essential Oil of Aniseed (Pimpinella anisum L., Apiaceae) and Acetaminophen and Caffeine: A Potential Risk for Clinical

119	オメプラゾール	[PLOS ONE. (2015)1-16]Proton Pump Inhibitor Usage and the Risk of Myocardial Infarction in the General Population.
120	メドロキシプロゲステロン酢酸 エステル	[Breast Cancer Res Treat. 145(2015)535-543] Risk of breast cancer after stopping menopausal hormone therapy in the E3N cohort.
121	デクスラゾキサン	[J Natl Cancer Inst. 108(2016)1-11] Cardioprotection and Second Malignant Neoplasms Associated With Dexrazoxane in Children Receiving Anthracycline Chemotherapy: A Systematic Review and Meta-Analysis
122	シタグリプチンリン酸塩水和 物	[Ann Pharmacother. 50(2016)27-31]Dipeptidyl Peptidase-4 Inhibitor-Associated Pancreatic Carcinoma: A Review of the FAERS Database
123	エストラジオール	[Breast Cancer Res Treat. 145(2015)535-543] Risk of breast cancer after stopping menopausal hormone therapy in the E3N cohort
124	オメプラゾール	[J Am Geriatr Soc. 63(2015)2070-2073] Hyperparathyroidism Associated with Long-Term Proton Pump Inhibitors Independent of Concurrent Bisphosphonate Therapy in Elderly Adults
125	グリチルリチン酸ニカリウム	【第25回日本医療薬学会年会.(2015)】メトトレキサートとグリチルリチン酸との相互作用の検討
126	インドメタシンナトリウム	[Exp Cell Res. 337(2015)53–60]Long-term use of indomethacin leads to poor prognoses through promoting the expression of PD-1 and PD-L2 via TRIF/NF- $\kappa$ B pathway and JAK/STAT3 pathway to inhibit TNF- $\alpha$ and IFN- $\gamma$ in hepatocellular carcinoma.
127	フェノバルビタールナトリウム	[Mol Pharmacol. 65(2004)350-361]Barbiturates directly inhibit the calmodulin/calcineurin complex: a novel mechanism of inhibition of nuclear factor of activated T cells.
128	エスシタロプラムシュウ酸塩	[Farmacia. 62(2014)889-896]ARE SSRI'S EQUALLY SAFE IN PREGNANCY? FLUOXETINE AND CITALOPRAM EXPERIMENTAL STUDY.
129	オキサリプラチン	[Ann Surg Oncol. 22(2015)4149–4157] Nodular Regenerative Hyperplasia in Patients Undergoing Liver Resection for Colorectal Metastases After Chemotherapy: Risk Factors, Preoperative Assessment and Clinical Impact.
130	トラマドール塩酸塩	[Reprod Toxicol. 58(2015)246-251] Use of tramadol in early pregnancy and congenital malformation risk.
131	クロピドグレル硫酸塩	[PLoS One. 9(2014)e113399]Stent Thrombosis is the Primary Cause of ST-Segment Elevation Myocardial Infarction following Coronary Stent Implantation: A Five Year Follow-Up of the SORT OUT II Study
132	ワルファリンカリウム	[BMJ. 35(2015)1-8] Association between use of warfarin with common sulfonylureas and serious hypoglycemic events: retrospective cohort analysis.
133	ハロペリドール	[J Clin Psychiatry. 76(2015)1216-1223]Antipsychotic treatment and the risk of hip fracture in subjects with schizophrenia: a 10-year population-based case-control study.
134	硫酸アルミニウムカリウム水 和物・タンニン酸	【外科. 77(2015)1552-1553】痔核注射治療(ALTA)後に生じる発熱のリスク因子
135	レチノール・カルシフェロール 配合剤	[Nutr Cancer. 67(2015)224-230]Paternal dietary folate, B6 and B12 intake, and the risk of childhood brain tumors.
136	ジゴキシン	[Circulation. 132(2015)1604-1612]Rate-control treatment and mortality in atrial fibrillation.
137	グリメピリド	[BMJ. 351(2015)1-8] Association between use of warfarin with common sulfonylureas and serious hypoglycemic events: retrospective cohort analysis
138	シアノコバラミン含有一般用 医薬品	[Nutr Cancer. 67(2015)224-230]Paternal dietary folate, B6 and B12 intake, and the risk of childhood brain tumors

139	エストラジオール	[Int J Cancer. 137(2015)1947–1952] Postmenopausal hormone therapy-also use of estradiol plus levonorgestrel-intrauterine system is associated with an increased risk of primary fallopian tube carcinoma.
140	ジゴキシン	[Circulation. 132(2015)1604-1612]Rate-control treatment and mortality in atrial fibrillation.
141	アセトアミノフェン	[Drugs Aging. 32(2015)1045–1053] Analgesic Use and Daytime Sleepiness in Residents With and Without Dementia in Residential Aged Care Facilities.
142	シロリムス	[Transfusion. 55(2015)2134–2141] The efficacy and safety of sirolimus –based graft-versus-host disease prophylaxis in patients undergoing allogeneic hematopoietic stem cell transplantation: a meta-analysis of randomized controlled trials
143	シロリムス	[The 20th Workshop of the International Society for the Study of Vascular Anomalies. (2014)] Sirolimus for the Treatment of Complicated Kaposiform Hemangioendothelioma: Phase II Study Results.
144	ジゴキシン	[Circulation. 132(2015)1604-1612]Rate-control treatment and mortality in atrial fibrillationl.
145	グリベンクラミド	[Ann Intern Med. 163(2015)663-672]Effects on clinical outcomes of adding dipeptidyl peptidase-4 inhibitors versus sulfonylureas to metformin therapy in patients with type 2 diabetes mellitus
146	ゾルピデム酒石酸塩	[Psychopharmacology. 12(2015)2043-2048] Increased relative risk of acute pancreatitis in zolpidem users.
147	エストリオール	[Lancet. 385(2015)1835–1842] Menopausal hormone use and ovarian cancer risk: individual participant meta-analysis of 52 epidemiological studies
148	ニコランジル	[Eur J Obstet Gynecol Reprod Biol. 195(2015)27-30]Nicorandil vs nifedipine for the treatment of preterm labour: A randomized clinical trial.
149	サリドマイド	[Am J Hematol. 90(2015)111-116] Updated survival analysis of two sequential prospective trials of R-MACLO-IVAM followed by maintenance for newly diagnosed mantle cell lymphoma.
150	ブドウ糖	[Crit Care. 35(2015)70-77] HIGH GLUCOSE CONCENTRATIONS IN PERITONEAL DIALYSATE ARE ASSOCIATED WITH ALL-CAUSE AND CARDIOVASCULAR DISEASE MORTALITY IN CONTINUOUS AMBULATORY PERITONEAL DIALYSIS PATIENTS.
151	ブドウ糖	[Crit Care. 19(2015)1-11]The administration of dextrose during in-hospital cardiac arrest is associated with increased mortality and neurologic morbidity
152	バルプロ酸ナトリウム	[Neurology. 10(2015)866-872]Dose-dependent teratogenicity of valproate in mono- and polytherapy: an observational study.
153	フルコナゾール	[JAMA. 315(2016)58-67] Association Between Use of Oral Fluconazole During Pregnancy and Risk of Spontaneous Abortion and Stillbirth.
154	フルコナゾール	[JAMA. 315(2016)58-67] Association Between Use of Oral Fluconazole During Pregnancy and Risk of Spontaneous Abortion and Stillbirth.
155	トラスツズマブ(遺伝子組換え)	[J Clin Oncol. 33(2015)]Meta-analysis: Risk of congestive heart failure (CHF) in selected targeted agents.
156	フェニトイン	[J Neurol Neurosurg Psychiatry. 86(2015)1158-1162] Levetiracetam versus phenytoin for seizure prophylaxis during and early after craniotomy for brain tumours: a phase 2 prospective, randomized study Journal of Neurology Neurosurgery and Psychiatry
157	シロリムス	[Transplantation Proceedings. 47(2015)2952-2956]Conversion From Calcineurin Inhibitors to Mammalian Target-of- Rapamycin Inhibitors in Heart Transplant Recipients: A Meta-Analysis of Randomized Controlled Trials.
158	インフリキシマブ(遺伝子組換 え)	[Arthritis and Rheumatology. 68(2016)56-66] Comparative Risk of Hospitalized Infection Associated with Biologic Agents in Rheumatoid Arthritis Patients Enrolled in Medicare.
		Mammalian Target-of- Rapamycin Inhibitors in Heart Transplant Recipients: A Meta-Analysis Randomized Controlled Trials.

159	サキサグリプチン水和物	[Ann Pharmacother. 50(2016)27-31]Dipeptidyl Peptidase-4 Inhibitor-Associated Pancreatic Carcinoma: A Review of the FAERS Database
160	ラクツロース	[J Clin Pharmacol. 56(2016)39–46]Warfarin-Drug Interactions: An Emphasis on Influence of Polypharmacy and High Doses of Amoxicillin/Clavulanate
161	スコポラミン臭化水素酸塩水和物	[J Psychopharmacol. 29(2015)1231-1235]Restricted sedation and absence of cognitive impairments after administration of intranasal scopolamine.
162	エソメプラゾールマグネシウム 水和物	[JAMA Internal Medicine. (2016)E1–E9]Proton Pump Inhibitor Use and the Risk of Chronic Kidney Disease.
163	オメプラゾール	[JAMA Internal Medicine. (2016)E1–E9]Proton Pump Inhibitor Use and the Risk of Chronic Kidney Disease.
164	タムスロシン塩酸塩	[Br J Clin Pharmacol. $80(2015)1208-1218$ ] Risk of hip/femur fractures during the initiation period of $\alpha$ -adrenoceptor blocker therapy among elderly males: a self-contorolled case series study
165	シルデナフィルクエン酸塩	[Prescrire Int. 24(2015)265-266] Chronic thromboembolic pulmonary hypertension with markedly restricted physical activity.
166	メトクロプラミド	[Drug Saf. 38(2015)1187-1199] Risk of Out-of-Hospital Sudden Cardiac Death in Users of Domperidone, Proton Pump Inhibitors, or Metoclopramide: A Population-Based Nested Case-Control Study
167	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
168	フルコナゾール	[JAMA. 315(2016)58-67]Association Between Use of Oral Fluconazole During Pregnancy and Risk of Spontaneous Abortion and Stillbirth.
169	ハロペリドール	[PLOS ONE. 10(2015)1-15] Risk of ischemic stroke associated with the use of antipsychotic drugs in elderly patients: a retrospective cohort study in Korea.
170	ドキソルビシン塩酸塩	[J Clin Oncol. 33(2015)3774-3780] Equivalence ratio for daunorubicin to doxorubicin in relation to late heart failure in survivors of childhood cancer.
171	クラリスロマイシン	[Int J Cardiol. 182(2015)459-465] Clarithromycin for stable coronary heart disease increases all-cause and cardiovascular mortality and cerebrovascular morbidity over 10years in the CLARICOR randomised, blinded clinical trial.
172	ノルエチステロン・エチニルエ ストラジオール	[Thromb Res. 137(2015)11–16] Risks of thromboembolism associated with hormonal contraceptives related to body mass index and aging in Japanese women
173	ノルエチステロン・エチニルエ ストラジオール	【第22回肺塞栓症研究会・学術集会.(2015)】わが国における女性ホルモン剤使用に起因する血栓塞栓症の実態
174	ファモチジン	[J Clin Pharmacol. 56(2016)116–123]Prenatal Exposure to H2 Blockers and to Proton Pump Inhibitors and Asthma Development in Offspring
175	ラベプラゾールナトリウム	【日本薬剤師会学術大会. 48(2015)457】当院におけるClostridium difficile 関連疾患の危険因子の検討
176	フルコナゾール	[JAMA. 315(2016)58-67]Association Between Use of Oral Fluconazole During Pregnancy and Risk of Spontaneous Abortion and Stillbirth.
177	アモキシシリン水和物	[J Clin Pharmacol. 56(2016)39-46]Warfarin-Drug Interactions: An Emphasis on Influence of Polypharmacy and High Doses of Amoxicillin/Clavulanate
178	タクロリムス水和物	[J Rheumatol. 42(2015)564-571]Incidence of Malignancy and the Risk of Lymphoma in Japanese Patients with Rheumatoid Arthritis Compared to the General Population

179	ジゴキシン	[Heart. 101(2015)1973-1979]ABCB1 gene variants, digoxin and risk of sudden cardiac death in a general population.
180	アロプリノール	[Arthritis Care Res. 65(2013)578-584]Severe cutaneous reactions requiring hospitalization in allopurinol initiators: a population-based cohort study.
181	ノギテカン塩酸塩	[Chemothe. 61(2015)15-22] A Phase I Trial of High-Dose Chemotherapy Combining Topotecan plus Cyclophosphamide with Hematopoietic Stem Cell Transplantation for Ovarian Cancer: The ITOV 01 bis Study,
182	エルカトニン	[Osteoporos Int. 27(2016)13-19]Does salmon calcitonin cause cancer- A review and meta-analysis.
183	ハロペリドール	[J Am Acad Child Adolesc Psychiatry. 9(2015)971-979] Risk of diabetes in children and adolescents exposed to antipsychotics: a nationwide 12-year case-control study.
184	モルヒネ塩酸塩水和物	[Nederlands tijdschrift voor geneeskunde 159(2015)A9388] Is morphine indicated in patients with cardiac asthma? Indications for negative effects from the use of morphine.
185	イリノテカン塩酸塩水和物	[Br J Cancer. 113(2015)1421-1426] A randomiseddouble-blindplacebo-controlled multi-centre phase III trial of XELIRI/FOLFIRI plus simvastatin for patients with metastatic colorectal cancer.
186	フルコナゾール	[JAMA. 315(2016)58-67] Association Between Use of Oral Fluconazole During Pregnancy and Risk of Spontaneous Abortion and Stillbirth.
187	エストラジオール吉草酸エス テル	[Oncogene. 34(2015)506-515]Progesterone receptor-B enhances estrogen responsiveness of breast cancer cells via scaffolding PELP1- and estrogen receptor-containing transcription complexes
188	クエチアピンフマル酸塩	[J Clin Pharmacol. 36(2016)9-17] Risk of mortality among patients treated with antipsychotic medications: A nationwide population-based study in Taiwan
189	塩酸セルトラリン	[Int J Cardiol. 203(2016)867–873] Antidepressant use and risk for mortality in 121,252 heart failure patients with or without a diagnosis of clinical depression
190	エスシタロプラムシュウ酸塩	[Eur J Clin Pharmacol. 72(2016)211-218] Use of antidepressants and the risk of myocardial infarction in middle-aged and older adults: a matched case-control study
191	フルコナゾール	[JAMA. 315(2016)58-67] Association Between Use of Oral Fluconazole During Pregnancy and Risk of Spontaneous Abortion and Stillbirth.
192	ラベプラゾールナトリウム・ア モキシシリン水和物・クラリス ロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
193	フェノバルビタールナトリウム	[J Clin Pharm Ther. 3(2015)315-319] Association of ABCB1 C3435T polymorphism with phenobarbital resistance in Thai patients with epilepsy.
194	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
195	タクロリムス水和物	[Scientific Reports. 6(2016)1-13]Teratocarcinomas Arising from Allogeneic Induced Pluripotent Stem Cell-Derived Cardiac Tissue Constructs Provoked Host Immune Rejection in Mice
196	インスリン リスプロ(遺伝子 組換え)	[Arch Gynecol Obstet. 292(2015)749-756] Safety of insulin analogs during pregnancy: a meta-analysis.
197	インスリン グラルギン(遺伝 子組換え)	[Mol Cell Endocrinol. 406(2015)27-39]Proliferative and signaling activities of insulin analogues in endometrial cancer cells.
198	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
	L.	1

199	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
200	クロピドグレル硫酸塩	[Eur J Clin Pharmacol. 72(2016)83-91]The impact of switching P2Y12 receptor inhibitor therapy during index hospitalization: a systematic review.European.
201	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
202	塩酸セルトラリン	[BMJ. 65(2016)1-10]Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports.
203	プロゲステロン	[Lancet. 386(2015)58]Progesterone use in early pregnancy: a prospective birth cohort study in China
204	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
205	ランソプラゾール・アモキシシ リン水和物・クラリスロマイシ ン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
206	テストステロンエナント酸エス テル・エストラジオール吉草酸 エステル	[Int J Cancer. 137(2015)1947–1952]Postmenopausal hormone therapy-also use of estradiol plus levonorgestrel-intrauterine system is associated with an increased risk of primary fallopian tube carcinoma
207	ホスフェニトインナトリウム水 和物	【第37回日本病院薬剤師会近畿学術大会. (2015)155】ホスフェニトインの長期投与における安全性調査.
208	シロリムス	[Pharmacotherapy(2016)]Time-Dependent and Immunosuppressive Drug-Associated Adverse Event Profiles in De Novo Kidney Transplant Recipients Converted from Tacrolimus to Sirolimus Regimens.
209	サルブタモール硫酸塩	[J Allergy Clin Immunol. 136(2015)1496-1502]Use of asthma medication during pregnancy and risk of specific congenital anomalies: A European case-malformed control study
210	ハロペリドール	[J Clin Pharmacol. 36(2016)9–17]Risk of mortality among patients treated with antipsychotic medications: A nationwide population-based study in Taiwan
211	アログリプチン安息香酸塩	[Diabetes Res Clin Pract. 110(2015)e13-e17] Incretin-based therapies are associated with acute pancreatitis: Meta-analysis of large randomized controlled trials. Diabetes Res Clin Pract.
212	リスペリドン	[J Clin Pharmacol. 36(2016)9–17] Risk of mortality among patients treated with antipsychotic medications: A nationwide population-based study in Taiwan
213	ジクロフェナクナトリウム	[Arthritis Rheumatol. 67(2015)1301-1304]Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-based case-control study
214	アナストロゾール	[Cancer. 121(2015)2627-2636]Patterns of change in cognitive function with anastrozole therapy.
215	ジクロフェナクナトリウム	[Arthritis Rheumatol. 67(2015)1301-1304]Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-based case-control study.
216	ロルノキシカム	[Pharmacogenetics and Genomics. 26(2016)66-73]CYP2C9 variants as a risk modifier of NSAID-related gastrointestinal bleeding: A case-control study.
217	セボフルラン	[J Mol Neurosci. 56(2015)70-77] Sevoflurane -induced down-regulation of hippocampal oxytocin and arginine vasopressin impairs juvenile social behavioral abilities.
218	メチルフェニデート塩酸塩	[J Cardiovasc Electrophysiol. 26(2015)1039–1044]Long-QT Syndrome and Therapy for Attention Deficit/Hyperactivity Disorder.
_		

219	オメプラゾール	【帝京医学雑誌. 38(2015)173-179】Clostridium difficile 関連下痢症に関与する臨床因子の検討ープロトンポンプ阻害薬の関与を中心に一
220	アバカビル硫酸塩	[European Journal of Preventive Cardioligy. 23(2016)214–223] An updated prediction model of the giobal risk of cardiovascuiar disease in HIV-positive persons: The Data-coilection on Adverse Effects of Anti-HIV Drugs (D:A:D) study.
221	メドロキシプロゲステロン酢酸 エステル	[PLoS Med. 12(2015)1001778]Hormonal contraception and the risk of HIV acquisition: an individual participant data meta-analysis
222	セルトラリン	[BMJ. 65(2016)1-10]Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports.
223	ラベプラゾールナトリウム	【帝京医学雑誌. 38(2015)173-179】Clostridium difficile 関連下痢症に関与する臨床因子の検討ープロトンポンプ阻害薬の関与を中心に一
224	フェンタニルクエン酸塩	【Praxis. 104(2015)1129−1134】Nalmefen und Opioid-Entzugssyndrom∶systematishe Analyse der globalen Pharmacovigilance-Datenbank.
225	アセトアミノフェン	[Clin Toxicol. 53(2015)849-855]A descriptive analysis of aspartate and alanine aminotransferase rise and fall following acetaminophen overdose
226	パロキセチン塩酸塩水和物	[Neurosci Biobehav Rev. 49(2015)82–89] Exposure to seiective serotonin reuptake inhibitors during pregnancy and risk of autism spectrum disorder in chiidren: A systematic review and meta-anaiysis of observational studies.
227	クラリスロマイシン	[Int J Cardiol. 182(2015)459-465] Clarithromycin for stable coronary heart disease increases all-cause and cardiovascular mortality and cerebrovascular morbidity over 10 years in the CLARICOR randomized, blinded clinical trial.
228	ベルベリン塩化物水和物含有 一般用医薬品	[Toxicol Lett. 221(2013)64-72]Mechanism study of goldenseal-associated DNA damage.
229	サキナビル	[Arthritis Rheumatol. 67(2015)1711-1712] Risk factors for the development of gout in HIV patients: A retrospective study.
230	テノホビル ジソプロキシルフ マル酸塩	[AIDS. (2016)]Use of antiretroviral therapy and risk of end-stage liver disease and hepatocellular carcinoma in HIV-positive persons.
231	シタグリプチンリン酸塩水和 物	[Eur J Clin Invest. 46(2016)70-79]Sitagiiptin and pancreatic cancer risk in patients with type 2 diabetes.
232	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
233	ハロペリドール	[J Clin Pharmacol. 36(2016)9-17] Risk of mortality among patients treated with antipsychotic medications: A nationwide population-based study in Taiwan.
234	シタグリプチンリン酸塩水和 物	[Eur J Clin Invest. 46(2016)70-79]Sitagliptin and pancreatic cancer risk in patients with type 2 diabetes
235	パロキセチン塩酸塩水和物	[BMJ. 65(2016)1-10]Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports.
236	リスペリドン	[J Clin Pharmacol. 36(2016)9-17] Risk of mortality among patients treated with antipsychotic medications: A nationwide population-based study in Taiwan.
237	パロキセチン塩酸塩水和物	[BMJ. 65(2016)1-10]Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports.
238	デスモプレシン酢酸塩水和物	[Crit Care Med. 43(2015)]Does DDAVP increase renal insufficiency and prolong mechanical ventilation in cardiac surgery?
L		

239	テストステロンエナント酸エス テル・エストラジオール吉草酸 エステル	[Cancer Biol Ther. 16(2015)484-492]Insulin priming effect on estradiol-induced breast cancer metabolism and growth
240	塩酸セルトラリン	[Int J Cardiol. 203(2016)867–873] Antidepressant use and risk for mortality in 121,252 heart failure patients with or without a diagnosis of clinical depression
241	クラリスロマイシン	[Int J Cardiol. 182(2015)459-465] Cardiovascular outcomes associated with use of clarithromycin: population based study
242	ゾピクロン	[J Am Geriatr Soc. 63(2016)2534-2537]Correlation between use of zopiclone and risk of hip fracture in elderly adults: A case-control study in Taiwan
243	オメプラゾール	[JAMA Neurology. (2015)E1-E7]Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis.
244	エソメプラゾールマグネシウム 水和物	[JAMA Neurology. (2015)E1-E7]Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis.
245	フェンタニルクエン酸塩	[Anesthesiology. 124(2016)453-463] Does Fentanyl Lead to Opioid-induced Hyperalgesia in Healthy Volunteers?: A Double-blind, Randomized, Crossover Trial.
246	イブプロフェン	[Arthritis Rheumatol. 67(2015)1301-1304]Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-based case-control study
247	セレコキシブ	[Am J Gastroenterol. 110(2015)1490-1496]Use of celecoxib correlates with increased relative risk of acute pancreatitis: a case-control study in Taiwan.
248	パロキセチン塩酸塩水和物	[BMJ. 65(2016)1-10]Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports.
249	ゴリムマブ(遺伝子組換え)	[BMJ. 352(2016)187-195]Rheumatoid arthritis, anti-tumour necrosis factor treatment, and risk of squamous cell and basal cell skin cancer:cohort study based on nationwide prospectively recorded data from Sweden.
250	ジメンヒドリナート	[Prescribe International. 24(2015)165] Diphenhydramine. dimenhydrinate: misuse, Stimulating, euphoriant effects.
251	ラベプラゾールナトリウム	[World J Gastroenterol. 21(2015)4599-4606] Influence of proton pump inhibitors on gastritis diagnosis and pathologic gastric changes
252	ラベプラゾールナトリウム	[JAMA Neurology. (2015)E1-E7]Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis
253	ラベプラゾールナトリウム	【日本病院薬剤師会近畿学術大会. 37(2016)147】Clostridium difficile関連下痢症の発症要因に関する 調査
254	ラベプラゾールナトリウム	【日本臨床微生物学雑誌. 26(2016)431】Clostridium difficile(C.difficile)保菌とCDI発症の危険因子となる薬剤についての検討
255	アログリプチン安息香酸塩	[BMJ. 352(2016)i610]Dipeptidyl peptidase-4 inhibitors and risk of heart failure in type 2 diabetes: systematic review and meta-analysis of randomised and observational studies
256	リトドリン塩酸塩	[Reproductive Health, 13(2016)1-12] Tocolysis for inhibiting preterm birth in extremely preterm birth, multiple gestations and in growth-restricted fetuses: a systematic review and meta-analysis
257	ベンラファキシン塩酸塩	[BMJ. 65(2016)1-10]Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports.
258	塩酸セルトラリン	[Int J Cardiol. 203(2016)867–873]Antidepressant use and risk for mortality in 121,252 heart failure patients with or without a diagnosis of clinical depression.

259	インフリキシマブ(遺伝子組換え)	[BMJ. 352(2016)187-195]Rheumatoid arthritis, anti-tumour necrosis factor treatment, and risk of squamous cell and basal cell skin cancer: cohort study based on nationwide prospectively recorded data from Sweden.
260	トロピカミド・フェニレフリン塩 酸塩	[Ann Allergy Asthma Immunol. 116(2016)66-71] Phenylephrine hydrochloride modified-release tablets for nasal congestion: a randomized, placebo-controlled trial in allergic rhinitis patients,Ann Allergy Asthma Immunol,
261	テノホビル ジソプロキシルフ マル酸塩	[AIDS. (2014)]Use of antiretroviral therapy and risk of end-stage liver disease and hepatoceilular carcinoma in HIV-positive persons.
262	ジクロフェナクナトリウム	[Arthritis Rheumatol. 67(2015)1301-1304] Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-based case-control study.
263	アジスロマイシン水和物	[J.Am.Coll.Cardiol. 66(2015)2173-84] The Role of Macrolide Antibiotics in Increasing Cardiovascular Risk.
264	ジクロフェナクナトリウム	[Arthritis Rheumatol. 67(2015)1301-1304]Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-based case-control study.
265	クラリスロマイシン	[BMJ. 352(2016)1-11]Cardiovascular outcomes associated with use of clarithromycin:population based study.
266	クラリスロマイシン	[J. Am. Coll. Cardiol. 66(2015)2173-2184] The role of macrolide antibiotics in increasing cardiovascular risk.
267	ホスアンプレナビルカルシウ ム水和物	[AIDS. (2014)]Use of antiretroviral therapy and risk of end-stage liver disease and hepatocellular carcinoma in HIV-positive persons.
268	リスペリドン	[J Clin Psychiatry. 76(2015)967-973]Impact of prenatal exposure to psychotropic drugs on neonatal outcome in infants of mothers with serious psychiatric illnesses.
269	アジスロマイシン水和物	[J. Am. Coll. Cardiol. (2015)2173-2184] The role of macrolide antibiotics in increasing cardiovascular risk.
270	ジクロフェナクナトリウム	[Arthritis Rheumatol. 67(2015)1301-1304]Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-base case-control study.
271	アトルバスタチンカルシウム 水和物	[Pharmacotherapy. 35(2015)e260]Impact of statin therapy on risk of incident diabetes: a population-based cohort study with Korean national health insurance claim database.
272	アセトアミノフェン	[J Clin Gastroenterol. 50(2016)512-516] Role of nonsteroidal anti-inflammatory drugs in exacerbations of inflammatory bowel disease.
273	アバカビル硫酸塩	[J Acquir Immune Defic Syndr. 69(2015)413-421]Effect of Cumulating Exposure to Abacavir on the Risk of Cardiovascular Disease Events in Patients From the Swiss HIV Cohort Study.
274	リュープロレリン酢酸塩	[J Clin Oncol. 34(2016)566-571] Androgen Deprivation Therapy and Future Alzheimer`s Disease Risk.
275	リュープロレリン酢酸塩	[J Clin Oncol. 34(2016)566-571]Androgen Deprivation Therapy and Future Alzheimer`s Disease Risk.
276	ランソプラゾール	[J Clin Pharmacol. 56(2016)116–123]Prenatal Exposure to H2 Blockers and to Proton Pump Inhibitors and Asthma Development in Offspring
277	アロプリノール	[Arthritis Rheumatol. 67(10)2513-2514]Racial disparities in the risk of hospitalized severe allopurinol hypersensitivity syndrome - a US nationwide study(2009-2011)
278	アロプリノール	[Ann Rheum Dis. 74(2015)2157–2164] Insights into the poor prognosis of allopurinol-induced severe cutaneous adverse reactions: The impact of renal insufficiency, high plasma levels of oxypurinol and granulysin

279	レベチラセタム	[Int J Pharm Pharm Sci. 8(2016)82-88] Genotoxic and mutagenic studies of the antiepileptic drug levetiracetam in pregnant rats and their fetuses.
280	ランソプラゾール	【社内資料】AG-1749の幼若ラット8週間経口投与毒性試験及び回復性試験で認められた毒性
281	アスピリン・ランソプラゾール 配合剤	【社内資料】AG-1749の幼若ラット8週間経口投与毒性試験及び回復性試験で認められた毒性
282	ラベプラゾールナトリウム・ア モキシシリン水和物・クラリス ロマイシン	[Int J Cardiol. 182(2015)459-465] Clarithromycin for stable coronary heart disease increases all-cause and cardiovascular mortality and cerebrovascular morbidity over 10years in the CLARICOR randomised, blinded clinical trial.
283	ラベプラゾールナトリウム	【日本静脈経腸栄養学会雑誌. 31(2016)412】Clostridium Difficile関連下痢症発症と、抗菌薬とプロトンポンプ阻害薬及びH2受容体拮抗薬併用との関連性
284	ラベプラゾールナトリウム	【環境感染誌. 31(2016)415】Clostridium difficile感染症の背景因子についての現状
285	シルデナフィルクエン酸塩	[Circulation. 132(2015)S3]Effects of chronic treatment with the phosphodiesterase-5 inhibitors sildenafil and tadalafil on platelet aggregation in patients with eisenmenger syndrome
286	レベチラセタム	[Int J Pharm Pharm Sci. 8(2016)82-88] Genotoxic and mutagenic studies of the antiepileptic drug levetiracetam in pregnant rats and their fetuses.
287	ジクロフェナクナトリウム	[Arthritis Rheumatol. 67(2015)1301-1304]Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-based case-control study.
288	レボフロキサシン水和物	[International Journal of Clinical and Experimental Medicine. 8(2015)20198-20207]Levofloxacin increases apoptosis of rat annulus fibrosus cells via the mechanism of upregulating MMP-2 and MMP-13.
289	オメプラゾール	[JAMA Neurology. (2015)E1-E7]Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis
290	フェンタニルクエン酸塩	[Basic Clin Pharmacol Toxicol. 116(2015)134–139] CYP2D6-inhibiting drugs and the increased risk of fall-related injuries due to newly initiated opioid treatment – A Swedish, register-based case-crossover study.
291	アセトアミノフェン	[International Journal of Epidemiology. (2016)1–11] Prenatal and infant paracetamol exposure and development of asthma: the Norwegian Mother and Child Cohort Study.
292	バルプロ酸ナトリウム	[Neurology. 85(2015)580-588] Antiepileptic drugs and intrauterine death: A prospective observational study from EURAP
293	フルマゼニル	[Basic Clin Pharmacol Toxicol. 118(2016)37-44] Adverse Events Associated with Flumazenil Treatment for the Management of Suspected Benzodiazepine Intoxication - A Systematic Review with Meta-Analyses of Randomised Trials.
294	アナストロゾール	[Therapie. 70(2015)425-432]Drug-induced Depression: a Case/Non Case Study in the French Pharmacovigilance Database,
295	クラリスロマイシン	[J. Am. Coll. Cardiol. 66(2015)2173-2184]The role of macrolide antibiotics in increasing cardiovascular risk.
296	ランソプラゾール・アモキシシ リン水和物・クラリスロマイシ ン	[Int J Cardiol. 182(2015)459-465] Clarithromycin for stable coronary heart disease increases all-cause and cardiovascular mortality and cerebrovascular morbidity over 10years in the CLARICOR randomised, blinded clinical trial.
297	ランソプラゾール	[JAMA Neurology. (2015)E1-E7]Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis
298	アスピリン・ランソプラゾール 配合剤	[JAMA Neurology. (2015)E1-E7]Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis.

299	ボノプラザンフマル酸塩	[JAMA Neurology. (2015)E1-E7]Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis
300	ブフェトロール塩酸塩	[JAMA Intern Med.175(2015)1923-1931] beta-blocker-associated risks in patients with uncomplicated hypertension undergoing noncardiac surgery.
301	ビソプロロールフマル酸塩	[JAMA Intern Med. 175(2015)1923-1931] beta-blocker-associated risks in patients with uncomplicated hypertension undergoing noncardiac surgery.
302	カルベジロール	[JAMA Intern Med. 175(2015)1923-1931] beta-blocker-associated risks in patients with uncomplicated hypertension undergoing noncardiac surgery.
303	タクロリムス水和物	[Liver Int. 35(2015)1748-1755] Incidence of solid organ cancers after liver transplantation: comparison with regional cancer incidence rates and risk factors
304	球形吸着炭	[Clin J Am Soc Nephrol. 11(2016)] A Randomized, Controlled Trial of Oral Intestinal Sorbent AST-120 on Renal Function Deterioration in Patients with Advanced Renal Dysfunction.
305	デキサメタゾンリン酸エステル ナトリウム	[N Engl J Med. 374(2016)542-545] Adjunctive Dexamethasone in HIV-Associated Cryptococcal Meningitis.
306	リツキシマブ(遺伝子組換え)	[Recent Patent Anticancer Drug Discovery. 11(2016)1-8].Incidence of Profound Hypogammaglobulinemia and Infection Rate in Lymphoma Patients Following the Combination of Chemotherapy and Rituximab.
307	メロペネム水和物	【環境感染誌 (第31回 日本環境感染学会総会・学術集会(2016.2.19-20)). 31(2016)254-254】当院におけるClostridium difficile感染症と抗菌薬の関連性
308	アロプリノール	[Allergol Int. 65(2016)74-81] Retrospective analysis of Stevens-Johnson syndrome and toxic epidermal necrolysis in 87 Japanese patients - Treatment and outcome
309	ベバシズマブ(遺伝子組換え)	【社内資料】A phase II open-label randomized, multi-center comparative study of bevacizumab-based therapy in pediatric patients with newly diagnosed supratentorial, infratentorial, cerebellar, or peduncular high-grade glioma.
310	シロスタゾール	[Life Sci. 142(2015)92-96] Cilostazol blocks pregnancy in naturally cycling swine: An animal model.
311	ジクロフェナクナトリウム	[Arthritis Rheumatol. 67(2015)1301-1304] Use of NSAIDs correlates with the risk of venous thromboembolism in knee OA patients: A UK population-based case-control study. Arthritis Rheumatol.
312	イマチニブメシル酸塩	[Clin Cancer Res. 22(2016)319–327] A randomized phase II crossover study of imatinib or rituximab for cutaneous sclerosis after hematopoietic cell transplantation.
313	デキサメタゾン	[NEJM 374(2016)542-554]Adjunctive Dexamethasone in HIV-Associated Cryptococcal Meningitis.
314	セボフルラン	[Br J Anaesth. 115(2015)752–760] Neurobehavioural abnormalities induced by repeated exposure of neonatal rats to sevoflurane can be aggravated by social isolation and enrichment deprivation initiated after exposure to the anaesthetic.
315	リバスチグミン	[PLoS One. 10(2015)e0144337] Adverse Effects of Cholinesterase Inhibitors in Dementia, According to the Pharmacovigilance Databases of the United-States and Canada.
316	インドメタシンナトリウム	[Eur J Pediatr. 174(2015)669-673] Gentamicin trough levels using a simplified extended-interval dosing regimen in preterm and term newborns.
317	トピラマート	[Therapie. 70(2015)425-432]Drug-induced depression: a case/non case study in the French pharmacovigilance database.
318	リバスチグミン	[PLoS One. 10(2015)e0144337] Adverse effects of cholinesterase inhibitors in dementia, according to the pharmacovigilance databases of the United-States and Canada.
•		

319	メトトレキサート	【リウマチ科 (2016)137-140】関節リウマチにおける重症感染症のリスク因子
320	プラバスタチンナトリウム	【Jpn.J.Pharm.Health Care Sci. 42(2016)98-106】有害事象自発報告データベースに基づくスタチン系薬剤による耐糖能異常新規発症リスクに関する研究.
321	アルプラゾラム	[Pharmacoepidemiol Drug Saf. 24(2015)262]. Is exposure to benzodiazepine during pregnancy increase the risk of spontaneous abortion?
322	アルプラゾラム	[Pharmacoepidemiol Drug Saf. 24(2015)256-257]Periconceptional benzodiazepine use and the risk for birth defects: data from the national birth defects prevention study.
323	クエチアピンフマル酸塩	[Clin Pharmacol Ther. 99(2016)306-314] Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
324	イマチニブメシル酸塩	[Clin Cancer Res. 22(2016)319-327] A randomized phase II crossover study of imatinib or rituximab for cutaneous sclerosis after hematopoietic cell transplantation.
325	ゴリムマブ(遺伝子組換え)	[BMJ. 0(2016)1-7]Do RA or TNF inhibitors increase the risk of cervical neoplasia or of recurrence of previous neoplasia? A nationwide study from Sweden.
326	アスコルビン酸	[Am J Clin Nutr. 102(2015)1167-1175] Carotenoids, vitamin A, vitamin C, vitamin E, and folate and risk of self-reported hearing loss in women
327	クロピドグレル硫酸塩	[Ophthalmology. 123(2016)352-360] Association between antiplatelet or anticoagulant drugs and retinal or subretinal hemorrhage in the comparison of age-related macular degeneration treatments trials
328	クロピドグレル硫酸塩	[Thromb Haemost. 114(2015)1064-1075] Antithrombotic drugs and subarachnoid haemorrhage risk: A nationwide case-control study in Denmark
329	メチルプレドニゾロンコハク酸 エステルナトリウム	【日本内科学会雑誌. 105(2016)178】ALI/ARDSに対する高容量ステロイド投与は死亡率を上昇させる: DPCデータを用いた検討
330	メチルプレドニゾロン酢酸エス テル	【日本内科学会雑誌: 105(2016)178】ALI/ARDSに対する高容量ステロイド投与は死亡率を上昇させる: DPCデータを用いた検討
331	スキサメトニウム塩化物水和物	[Pharmacotherapy. 36(2016)57-63] Succinylcholine is associated with increased mortality when used for rapid sequence intubation of severely brain injured patients in the emergency department.
332	バルプロ酸ナトリウム	[Neurotoxicology and Teratology. 54(2016)5–14] Behavioral outcomes in children exposed prenatally to lamotrigine, valproate, or carbamazepine.
333	モルヒネ塩酸塩水和物	[Circulation. 32(2015)A19153] Morphine delays and attenuates ticagrelor exposure and action in patients with myocardial infarction: the randomized, double-blind, placebo-controlled impression trial.
334	シンバスタチン	[Br J Cancer. 114(2016)314-320]Relation of statin use with non-melanoma skin cancer: prospective results from the Women'sHealth Initiative
335	アナストロゾール	[Therapie. 70(2015)425-432]Drug-induced depression: a case/non case study in the French pharmacovigilance database.
336	ピタバスタチンカルシウム	【Jpn.J.Pharm.Health Care Sci. 42(2016)98-106】他.有害事象自発報告データベースに基づくスタチン系薬剤による耐糖能異常新規発症リスクに関する研究
337	グリメピリド	[Circulation. 132(2015)A11983]Oral therapies for type 2 diabetes in combination with long-acting insulin and the risks of myocardial infarction and stroke
338	アナストロゾール	[Lancet. 387(2016)866-873] Anastrozole versus tamoxifen for the prevention of locoregional and contralateral breast cancer in postmenopausal women with locally excised ductal carcinoma in situ (IBIS-II DCIS): a double-blind, randomised controlled trial

339	タクロリムス水和物	[Liver Int. 35(2015)1748-1755] Incidence of Solid organ cancers after liver transplantation:comparison with regional cancer incidence rates and risk factors
340	イブプロフェン	[Semin Arthritis Rheum. 45(2016)S22-7]Efficacy and safety of oral NSAIDs and analgesics in the management of osteoarthritis: Evidence from real-life setting trials and surveys.
341	アスコルビン酸含有一般用医薬品	[Am J Clin Nutr. 102(2015)1167–1175] Carotenoids, vitamin A, vitamin C, vitamin E, and folate and risk of self-reported hearing loss in women
342	クエチアピンフマル酸塩	[Clin Pharmacol Ther. 99(2016)306-314] Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
343	レボフロキサシン水和物	[Pharmacoepidemiol Drug Saf. 24(2015)222-222] Association between Oral Fluoroquinolone Use and Retinal Detachment: A Self-controlled Case Series Study.
344	ラベプラゾールナトリウム	[Eur Arch Psychiatry Clin Neurosci. 265(2015)419-428]Risk of dementia in elderly patients with the use of proton pump inhibitors
345	ケトプロフェン	[Internal and emergency medicine. 11 (2016) 49-59]Non-steroidal anti-inflammatory drugs and risk of cerebrovascular events in patients with osteoarthritis: a nested case-control study.
346	バルサルタン・ヒドロクロロチ アジド配合剤	[Cancer. 119(2013)825-831] Hydrochlorothiazide and cutaneous T cell lymphoma: prospective analysis and case series.
347	メトトレキサート	[Circulation. A13194(2015)132]Chronic and Acute Ischemic Heart Disease
348	ビソプロロールフマル酸塩	[JAMA Intern Med. 175(2015)1923–1931] beta-blocker-associated risks in patients with uncomplicated hypertension undergoing noncardiac surgery.
349	リスペリドン	[Clin Pharmacol Ther. 99(2016)306-314]Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
350	リスペリドン	[Clin Pharmacol Ther. 99(2016)306-314]Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
351	アテノロール	[JAMA Intern Med. 175(2015)1923–1931] $\beta$ –blocker–associated risks in patients with uncomplicated hypertension undergoing noncardiac surgery.
352	リスペリドン	[Clin Pharmacol Ther. 99(2016)306-314]Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
353	イマチニブメシル酸塩	[J Clin Oncol. 34(2016)244–250]Adjuvant imatinib for high-risk GI stromal tumor: analysis of a randomized trial.
354	レボフロキサシン水和物	[JAMA Ophthalmology. 134(2016)38-43] Harpal Singh Sandhu et al. Oral Fluoroquinolones and the Risk of Uveitis.
355	ヒドロコルチゾンコハク酸エス テルナトリウム	[Crit Care Med. XX(2016)1-11]Adjuvant Corticosteroid Treatment in Adults With Influenza A (H7N9) Viral Pneumonia.
356	メチルプレドニゾロンコハク酸 エステルナトリウム	[Crit Care Med. XX(2016)1-11]Adjuvant Corticosteroid Treatment in Adults With Influenza A (H7N9) Viral Pneumonia.
357	カナグリフロジン水和物	【社内資料】INVOKANA (Canagliflozin) Update to Health Authorities on Aggregate Analysis of Safety Data from CANVAS (DIA3008)
358	ジクロフェナクナトリウム	[Stroke. 47(2016)356-364]Ungorasert P, et al. Nonaspirin nonsteroidal anti-inflammatory drugs and risk of hemorrhagic stroke: A systematic review and meta-analysis of observational studies.

359	ハロペリドール	[Pharmacoepidemiol Drug Saf. 24(2015)329] Comparative risk of death among elderly users of antipsychotic drugs.
360	サキサグリプチン水和物	[BMJ. 352 (2016) i610]Dipeptidyl peptidase-4 inhibitors and risk of heart failure in type 2 diabetes: systematic review and meta-analysis of randomised and observational studies
361	ハロペリドール	[Clin Pharmacol Ther. 99(2016)306-314] Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
362	アトルバスタチンカルシウム 水和物	【Jpn.J.Pharm.Health Care Sci. 42(2016)98-106】有害事象自発報告データベースに基づくスタチン系薬剤による耐糖能異常新規発症リスクに関する研究.
363	ジクロフェナクナトリウム	[Stroke. 47(2016)356-364]Ungorasert P, et al. Nonaspirin nonsteroidal anti-inflammatory drugs and risk of hemorrhagic stroke: A systematic review and meta-analysis of observational studies.
364	クロミフェンクエン酸塩	【社内資料】Comet and Micronucleus Assay Analysis of DNA Damage Induced by In Vivo Exposure of Rats to Clomiphene Citrate
365	ピオグリタゾン塩酸塩	[Ann Pharmacother. 50(2016)27-31]Dipeptidyl Peptidase-4 Inhibitor-Associated Pancreatic Carcinoma: A Review of the FAERS Database
366	ラベプラゾールナトリウム	[J Hosp Infect. 92(2016)173-177]Incidence of Clostridium difficile infection in patients receiving high-risk antibiotics with or without a proton pump inhibitor
367	クエチアピンフマル酸塩	[Clin Pharmacol Ther. 99(2016)306-314] Salvo F. Sudden cardiac and sudden unexpected death related to antipsychotics: A meta analysis of observational studies.
368	タモキシフェンクエン酸塩	[Lancet. 387(2016)857–865] Patient-reported outcomes with anastrozole versus tamoxifen for postmenopausal patients with ductal carcinoma in situ treated with lumpectomy plus radiotherapy (NSABP B-35): a randomised, double-blind, phase 3 clinical trial,
369	ゲンタマイシン硫酸塩	[Intensive Care Med. 41(2015)727-728] Is gentamicin affecting the neuromuscular system of critically ill patients?
370	美白化粧品(医薬部外品)	【第26回日本色素細胞学会学術大会. (2015)】UVBによるロドデノールの細胞障害性増強効果の検討
371	美白化粧品(医薬部外品)	【第26回日本色素細胞学会学術大会. (2015)】ロドデノール誘発性脱色素斑患者における喫煙者と非喫煙者の重症度スコアの検討
372	美白化粧品(医薬部外品)	【第26回日本色素細胞学会学術大会.(2015)】メラニン産生細胞におけるロドデノールの代謝
373	美白化粧品(医薬部外品)	【第26回日本色素細胞学会学術大会.(2015)】ロドデノール誘発性脱色素斑の免疫学的側面よりみた 臨床解析
374	美白化粧品(医薬部外品)	【第26回日本色素細胞学会学術大会. (2015)】ロドデノール誘発性脱色素斑の病態: 動物モデルと遺伝子解析
375	美白化粧品(医薬部外品)	【日本皮膚科学会第863回東京地方会(四地区分会). (2015)】ロドデノール誘発性脱色素斑の1例
376	美白化粧品(医薬部外品)	【第45回日本皮膚アレルギー・接触皮膚炎学会総会学術大会(2015)】ロドデノール誘発性脱色素斑患者における非塗布部拡大群の臨床的特徴の検討
377	薬用石鹸	【Journal of Environmental Dermatology and Cutaneous Allergology. 5(2015)377】成人の食物アレルギーの多彩な世界
378	薬用石鹸	【Journal of Environmental Dermatology and Cutaneous Allergology. 5(2015)493】当科における2013~2014年の即時型アレルギーが疑われた239例のまとめ

379	薬用石鹸	【Journal of Environmental Dermatology and Cutaneous Allergology. 5(2015)493】WDEIAとACE genotypeとの関連について
380	薬用石鹸	【Journal of Environmental Dermatology and Cutaneous Allergology. 5(2015)495】当科における加水分解コムギ含有石鹸によるコムギアレルギー患者の予後調査
381	薬用石鹸	【Journal of Environmental Dermatology and Cutaneous Allergology. 5(2015)395】食物アレルギーを多次元的にとらえるために:何に感作されて、どこまで拡がりがあって、摂取できる調理方法は?
382	薬用石鹸	【Journal of Environmental Dermatology and Cutaneous Allergology. 5(2015)367】化粧品による皮膚障害
383	美白化粧品(医薬部外品)	【日本皮膚科学会雑誌. 125(2015)2303) 】Rhododendrol(4-(4-hydroxyphenyl)-2-butanol:ロドデノール、RD)のヒトメラニン細胞毒性機構の解明研究:カルノシン酸のNRF2誘導による毒性軽減効果の検討
384	美白化粧品(医薬部外品)	【第40回日本研究皮膚科学会学術大会. (2015)】Rhododendrol-induced cytotoxicity to melanocytes is enhanced by UVB exposure
385	美白化粧品(医薬部外品)	【第40回日本研究皮膚科学会学術大会. (2015)】Immunopathological analysis of immature melanocytes from hair follicles of patients with Rhododenol-induced leukoderma
386	美白化粧品(医薬部外品)	【第40回日本研究皮膚科学会学術大会. (2015)】Different effects of five depigmentary compounds, rhododendrol, raspberry ketone, monobenzone, rucinol and AP736 on viability of melanocytes
387	薬用石鹸	【日本香粧品学会誌. 39(2015)265-274】レギュレーションと安全性の歴史的変遷
388	美白化粧品(医薬部外品)	【日本皮膚科学会雑誌. 125(2015)2401-2414】ロドデノール誘発性脱色素斑症例における三次全国疫学調査
389	美白化粧品(医薬部外品)	[Dermatology. (2015)1-6]T-Cell Responses to Tyrosinase-Derived Self-Peptides in Patients with Leukoderma Induced by Rhododendrol: Implications for Immunotherapy Targeting Melanoma
390	美白化粧品(医薬部外品)	【日本皮膚アレルギー・接触皮膚炎学会雑誌. 10(2016)18-24)】横浜市立大学附属市民総合医療センターにおける4-ヒドロキシフェニルー2ブタノールによる脱色素斑を生じた35例の検討
391	美白化粧品(医薬部外品)	[Toxicol In Vitro. (2016)S0887-2333]Rhododenol and raspberry ketone impair the normal proliferation of melanocytes through reactive oxygen species-dependent activation of GADD45
392	美白化粧品(医薬部外品)	[Pigment Cell Res. (2016)]NAD(P)H dehydrogenasequinone 1 (NQO1) protects melanin-producing cells from cytotoxicity of rhododendrol
393	美白化粧品(医薬部外品)	【第79回日本皮膚科学会東京・東部支部含同事術大会.(2016)】ロドデノール誘発性脱色素斑の病態: 動物モデルと遺伝子解析
394	美白化粧品(医薬部外品)	【第79回日本皮膚科学会東京・東部支部含同事術大会.(2016)】新潟大学皮膚科におけるロドデノール含有化粧品による皮膚障害のまとめ
395	美白化粧品(医薬部外品)	【第79回日本皮膚科学会東京・東部支部含同事術大会.(2016)】Rhododendrol(ロドデノール)におけるメラニン産生細胞毒性機構の解明研究:カルノシン酸のNQ01誘導による毒性軽減効果の検討
396	美白化粧品(医薬部外品)	【第79回日本皮膚科学会東京・東部支部含同事術大会.(2016)】ロドデノールの表皮ケラチノサイトへの作用
397	美白化粧品(医薬部外品)	【Bull. Natl Inst. Health Sci. 133(2015)13-20】化学物質による白斑 一職業性白斑の機序とロドデノール白斑ー