研究報告の報告状況 (平成28年4月1日~平成28年7月31日)

NO	一般名	文献名
1	エポプロステノールナトリウム	[Circ J. 80(2016)2252–2252].Impact of Preoperative Long—term Epoprostenol Therapy on Acute Adverse Events after Lung Transplantation for Pulmonary Arterial Hypertension.
2	? プレドニゾロン	【J Clin Rheumatol. 21(2015)72-75】Pneumocystis jirovecii pneumonia in patients with autoimmune disease on high-dose glucocorticoid
;	アジスロマイシン水和物	[Pediatric. 135(2015)483-488]Azithromycin in early infancy and pyloric stenosis
4	パクリタキセル	[J Clin Pharmacol.56(2016)349-354] Genetic variation of CYP3A5 influences paclitaxel/carboplatin-induced toxicity in Chinese epithelial ovarian cancer patients
į	。 メチルプレドニゾロンコハク酸エステルナトリウム	【日本呼吸器学会誌. 5(2016)154】ARDSにメチルプレドニゾロンパルス療法をこれからも続けますか?
(テクエチアピンフマル酸塩	[Clin Pharmacol Ther. 99(2016)306-314] Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
7	/ ハロペリドール	[Clin Pharmacol Ther. 99(2016)306-314] Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.
8	ソルピデム酒石酸塩	[J Neurol Sci. 357(2015)e189]Zolpidem and the risk of suicide: A nationwide population-based case-control study.
Ş	オランザピン	[Clin Pharmacol Ther. 99(2016)306-314]Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies.

10 クロナゼパム	[Pharmacoepidemiol Drug Saf. 25(2015)451] Rhabdomyolysis could be a consequence of the interaction between clonazepam and other antiepileptic medications: A pharmacovigilance assessment.
11 インフリキシマブ(遺伝子組換え)	[Clin Gastroenterol Hepatol. 13(2015)1293-1301] Effectiveness and Safety of Immunomodulators With Anti-Tumor Necrosis Factor Therapy in Crohn's Disease.
12 メトトレキサート	[Clin Gastroenterol Hepatol. 13(2015)1293-1301] Effectiveness and Safety of Immunomodulators With Anti-Tumor Necrosis Factor Therapy in Crohn's Disease.
13 クエチアピンフマル酸塩	[Clin. Pharmacol. Ther. 99(2016)306-314] Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies
14 セルトリズマブ ペゴル(遺伝子組換え)	[Blood. 126(2015)2653] Risk of non-hodgkin lymphoma following treatment of inflammatory conditions with tumor necrosis factor-alpha inhibitors
15 セルトリズマブ ペゴル(遺伝子組換え)	[Blood. 126(2015)2954] Tumor necrosis factor—alpha inhibitor medications for inflammatory conditions and incidence of multiple myeloma.
16 ノルエチステロン・エチニルエストラジオール	[Pharmacoepidemiol Drug Saf. 19(2010)214-215] The risk of venous thromboembolism in OC users; time patterns after initiation of treatment
17 ノルエチステロン・エチニルエストラジオール	[Lancet. 346(1995)1582-1588]Effect of different progestogens in low oestrogen containing oral contraceptives on venous thromboembolism
18 ノルエチステロン・エチニルエストラジオール	[Eur J Contracept Reprod Health Care. 43(2015)] Early use effects on the risk of venous thromboembolism after initiation of oral contraceptive use
19 ノルエチステロン・エチニルエストラジオール	[Contraception. 75(2007)344-354] The safety of a drospirenone-containing oral contraceptive: final results from the European Active Surveillance study on Oral Contraceptives based on 142,475 women-years of observation
20 シロリムス	【J Korean Med Sci. 30(2015)682-687】12-Month Single Arm Pilot Study to Evaluate the Efficacy and Safety of Sirolimus in Combinaton with Tacrolimus in Kidney Transplant Recipients at High Immunologic Risk

21	炭酸リチウム	[Neuropsychopharmacology. 41(2016)1138–1143]Stratifying Risk for Renal Insufficiency among Lithium-Treated Patients: An Electronic Health Record Study
22	ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association between Zolpidem and Suicide: A Nationwide Population-Based Case-Control Study
23	ジクロフェナクナトリウム	[Stroke. 47(2016)356–364]Nonaspirin nonsteroidal anti-inflammatory drugs and risk of hemorrhagic stroke: A systematic review and meta-analysis of observational studies
24	メトプロロール酒石酸塩	[Circ J. 132(2015)A15224]Importance of beta blocker subtype for the risk of perioperative adverse events in patients without heart failure and myocardial infarction.
25	ノルエチステロン・エチニルエストラジオール	[Cochrane Database Syst Rev. 8(2015)1-15] Combined oral contraceptives: the risk of myocardial infarction and ischemic stroke
26	フェニトイン	[Drug Res. 65(2015)107-111]HLA-B*1502 Increases the Risk of Phenytoin or Lamotrigine Induced Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis: Evidence from a Meta-analysis of Nine Case-control Studies.
27	硫酸イソプロテレノール・臭化メチルアトロピン配合剤	[Mol Biol Cell. 26(2015)]Changes in hippocampal and cortical serotonin receptors in rats following antenatal exposure to a therapeutic steroid
28	硫酸マグネシウム水和物・ブドウ糖	【日本産科婦人科学会雑誌. 68(2016)461】The effects of acute hypoxemia under magnesium sulphate administration on baroreflex in chronically instrumented fetal sheep
29	クロザピン	[Clin Pharmacol Ther. 99(2016)306-314] Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies
30	塩酸セルトラリン	[Br J Clin Pharmacol. 81(2016)773-783]Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
31	デソゲストレル・エチニルエストラジオール	[J Recept Signal Transduct Res. 35(2015)202-206] Effect of estradiol and clomiphene citrate on Erk activation in breast cancer cells

32 シンバスタチン	[Br J Cancer. 114(2016)314-320] Relation of statin use with non-melanoma skin cancer: prospective results from the Women's Health Initiative
33 ジクロフェナクナトリウム	[Stroke. 47(2016)356-364] Nonaspirin nonsteroidal anti-inflammatory drugs and risk of hemorrhagic stroke: A systematic review and meta-analysis of observational studies
34 パロキセチン塩酸塩水和物	[Stroke. 50(2016)253-261] Hansen, R.A. et al Antidepressant medication use and its association with cardiovascular disease and all-cause mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) study
35 アムロジピンベシル酸塩	[Kidney Blood Press Res. 40(2015)630-637] Use of Calcium Channel Blockers is Associated with Mortality in Patients with Chronic Kidney Disease.
36 インフリキシマブ(遺伝子組換え)	[JAMA Dermatology. 152(2016)164-172)] Risk of nonmelanoma skin cancer associated with the use of immunosuppressant and biologic agents in patients with a history of autoimmune disease and nonmelanoma skin cancer.
37 メサラジン	[Clin Pediatr. 55(2016)236-244] A Review of Adverse Reactions in Infants From Medications in Breastmilk
38 メトトレキサート	【JAMA Dermatology. 152(2016)164-172】Risk of nonmelanoma skin cancer associated with the use of immunosuppressant and biologic agents in patients with a history of autoimmune disease and nonmelanoma skin cancer.
39 ケトプロフェン	[Br J Clin Pharmacol. 81(2016)724-734] Rivaroxaban compared with standard thromboprophylaxis after major orthopaedic surgery: co-medication interactions
40 スコポラミン臭化水素酸塩水和物	[Nutr Neurosci. 18(2015)210–216] Effect of Cinnamomum zeylanicum extract on scopolamine-induced cognitive impairment and oxidative stress in rats
41 パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589-604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis
42 メロキシカム	【Stroke. 47(2016)356-364】Nonaspirin Nonsteroidal Anti-Inflammatory Drugs and Risk of Hemorrhagic Stroke

43 アルテプラーゼ(遺伝子組換え)	[JAMA Neurol. 73(2016)50-59] Risks and Benefits Associated With Prestroke Antiplatelet Therapy Among Patients With Acute Ischemic Stroke Treated With Intravenous Tissue Plasminogen Activator.
44 ハロペリドール	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults-a Swedish nationwide study
45 ジゴキシン	[Antimicrob Agents Chemother. 60(2016)105–114] Drug interactions with the direct–acting antiviral combination of ombitasvir and paritaprevir–ritonavir.
46 インスリン アスパルト(遺伝子組換え)	[J Clin Endocrinol Metab. 101(2016)461-469] Mortality in Individuals Treated With Glucose—Lowering Agents: A Large, Controlled Cohort Study
47 インスリン ヒト(遺伝子組換え)	[Atherosclerosis. 240(2015)318-323] High daily insulin exposure in patients with type 2 diabetes is associated with increased risk of cardiovascular events
48 フルボキサミンマレイン酸塩	[Ann Pharmacother. 50(2016)253-261] Antidepressant Medication Use and Its Association With Cardiovascular Disease and All-Cause Mortality in the Reasons for Geographic and Racial Differences in Stroke(REGARDS)Study
49 エスシタロプラムシュウ酸塩	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults-a Swedish nationwide study
50 エスシタロプラムシュウ酸塩	[Ann Pharmacother. 50(2016)235-261] Antidepressant Medication Use and Its Association With Cardiovascular Disease and All-Cause Mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study.
51 フルボキサミンマレイン酸塩	[Ann Pharmacother. 50(2016)253-261] Antidepressant medication use and its association with cardiovascular disease and all-cause mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) study
52 モキシフロキサシン塩酸塩	[J Eur Acad Dermatol Venereo. 29(2015)2451-2457l] Exposure to moxifloxacin and cytomegalovirus replication is associated with skin squamous cell carcinoma development in lung transplant recipients
53 デクスラゾキサン	[Eur J Cancer. 57(2016)S91] Dexrazoxane added to adjuvant doxorubicin-based chemotherapy in breast cancer: A retrospective cohort study with comparative analysis of toxicity and survival
	•

ピオグリタゾン塩酸塩	[BMJ. 352(2016)i1541]Pioglitazone use and risk of bladder cancer: population based cohort study
ハロペリドールデカン酸エステル	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
トラマドール塩酸塩・アセトアミノフェン配合剤	[Ann Rheum Dis. 75(2016)552-559] Paracetamol: Not as safe as we thought? A systematic literature review of observational studies.
ランソプラゾール	[Journal of the American Heart Association. 4(2015)1-8] Individual Proton Pump Inhibitors and Outcomes in Patients With Coronary Artery Disease on Dual Antiplatelet Therapy: A Systematic Review
リュープロレリン酢酸塩	[Urology. 87(2016)146-152] Long-term Impact of Androgen-deprivation Therapy on Cardiovascular Morbidity After Radiotherapy for Clinically Localized Prostate Cancer
アスピリン・ランソプラゾール配合剤	[J Am Heart Assoc. 4(2015)1-8]Individual Proton Pump Inhibitors and Outcomes in Patients With Coronary Artery Disease on Dual Antiplatelet Therapy: A Systematic Review
ボノプラザンフマル酸塩	[Journal of the American Heart Association. 4(2015)1-8] Individual Proton Pump Inhibitors and Outcomes in Patients With Coronary Artery Disease on Dual Antiplatelet Therapy: A Systematic Review
リュープロレリン酢酸塩	[Urology. 87(2016)146-152]Long-term Impact of Androgen-deprivation Therapy on Cardiovascular Morbidity After Radiotherapy for Clinically Localized Prostate Cancer
乾燥弱毒生水痘ワクチン	[Transpl Infect Dis. 16(2014)1024-1031] Immunogenicity and safety of a two-dose live attenuated varicella vaccine given to adults following autologous hematopoietic stem cell transplantation
乾燥弱毒生水痘ワクチン	[Clin Vaccine Immunol. 21(2014)762-768]Varicella and Varicella Vaccination in South Korea
アリピプラゾール	【第136回日本薬学会年会.87(2016)】JADERを用いた妊娠に関連する有害事象リスクの検討(第3報)ー妊娠時の第二世代抗精神病薬の有害事象リスクー.
	ピオグリタゾン塩酸塩 ハロペリドールデカン酸エステル トラマドール塩酸塩・アセトアミノフェン配合剤 ランソプラゾール リュープロレリン酢酸塩 アスピリン・ランソプラゾール配合剤 ボノプラザンフマル酸塩 リュープロレリン酢酸塩 乾燥弱毒生水痘ワクチン 乾燥弱毒生水痘ワクチン

65 ノルエチステロン・エチニルエストラジオール	[J Hepatol. 63(2015)20-29] Drug-drug interaction profile of the all-oral anti-hepatitis C virus regimen of paritaprevir/ritonavir, ombitasvir, and dasabuvir
66 ラニビズマブ(遺伝子組換え)	[Pediatrics. 137(2016)] Neurodevelopmental Outcomes Following Bevacizumab Injections for Retinopathy of Prematurity.
67 パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589-604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis
68 クロピドグレル硫酸塩	[JAMA Neurol. 73(2016)50-59] Risks and Benefits Associated With Prestroke Antiplatelet Therapy Among Patients With Acute Ischemic Stroke Treated With Intravenous Tissue Plasminogen Activator.
69 インドメタシンナトリウム	[Am J Obstet Gynecol. 231(2015)878-879] Indomethacin as a tocolytic harmful to preterm infant.
70 パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589] Anick Berard. The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis
71 アトルバスタチンカルシウム水和物	[Int J Cardiol. 184(2015)581–586] High dose and long-term statin therapy accelerate coronary artery calcification
72 タゾバクタムナトリウム・ピペラシリンナトリウム	[Current Drug Safety. 11(2016)86-98] Drug-Induced QTc Interval Prolongation: A Multicenter Study to Detect Drugs and Clinical Factors Involved in Every Day Practice.
73 酢酸ナファレリン	[BMC Cancer. 16(2016)1-7]Stroke related to androgen deprivation therapy for prostate cancer: a meta-analysis and systematic review
74 アドレナリン	[BMJ. 8052(2016)60] Early administration of epinephrine (adrenaline) in patients with cardiac arrest with initial shockable rhythm in hospital: propensity score matched analysis
75 ラタノプロスト	[Drug Saf. 39(2016)347-354] Sequence Symmetry Analysis as a Signal Detection Tool for Potential Heart Failure Adverse Events in an Administrative Claims Database.

	_ _
76 クロピドグレル硫酸塩	[Eur Heart J. 37(2016)378-385] Causes of late mortality with dual antiplatelet therapy after coronary stents.
77 フロセミド	[Circ J. 80(2016)2588]Prognostic Effect of Diuretics for Japanese Patients with Chronic Heart Failure–A Report from the CHART-2 Study-
78 サルブタモール硫酸塩	[J Allergy Clin Immunol. 136(2015)1496-1502] Use of asthma medication during pregnancy and risk of specific congenital anomalies: A European case-maiformed control study
79 タムスロシン塩酸塩	[CMAJ. 188(2016)255-260] Risk of ischemic stroke during the initiation period of alpha-blocker therapy among older men
80 パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589-604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis
81 リスペリドン	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
82 パロキセチン塩酸塩水和物	【JAMA Pediatr. 170(2016)117-124】Antidepressant use during pregnancy and the risk of autism spectrum disorder in children
83 ピオグリタゾン塩酸塩	[BMJ. 352(2016)i1541]Pioglitazone use and risk of bladder cancer: population based cohort study
84 酸化セルロース	[Annals of Medicine and Surgery. 5(2016)57–66] Observed outcomes on the use of oxidized and regenerated cellulose polymer for breast conserving surgery – A case series,
85 ゾレドロン酸水和物	[Lancet. 387(2016)1163-1177] Addition of docetaxel, zoledronic acid, or both to first-line long-term hormone therapy in prostate cancer (STAMPEDE): survival results from an adaptive, multiarm, multistage, platform randomised controlled trial
86 ピオグリタゾン塩酸塩	[BMJ. 352(2016)i1541]Pioglitazone use and risk of bladder cancer: population based cohort study

87 イミプラミン塩酸塩	[Ann. Pharmacother. 50(2016)253–261] Antidepressant Medication Use and Its Association With Cardiovascular Disease and All-Cause Mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study
88 パロキセチン塩酸塩水和物	[Ann. Pharmacother. 50(2016)253–261] Antidepressant Medication Use and Its Association With Cardiovascular Disease and All-Cause Mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study
89 塩酸セルトラリン	[Ann Pharmacother. 50(2016)253–261] Antidepressant Medication Use and Its Association With Cardiovascular Disease and All-Cause Mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study
90 ドキサゾシンメシル酸塩	[CMAJ. 188(2016)255–260] Risk of ischemic stroke during the initiation period of $lpha$ -blocker therapy among older men
91 リスペリドン	[Br J Clin Pharmacol. 81(2016)773-783]Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
92 ゾルピデム酒石酸塩	[Medicine. 94(2015)1-5]Zolpidem Use Associated With Increased Risk of Pyogenic Liver Abscess: A Case-Control Study in Taiwan
93 クエチアピンフマル酸塩	[Clin Pharmacol Ther. 99(2016)306-314].Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta—Analysis of Observational Studies
94 炭酸リチウム	【JAMA Psychiatry. (2015)1182-1191】Use of Litium and aticonvulsants and the rate of chronic kidney disease:a nationwide population-based study
95 酢酸ナファレリン	【JAMA Oncol. 23(2015)1-8】Comparison of Gonadotropin-Releasing Hormone Agonists and Orchiectomy: Effects of Androgen-Deprivation Therapy
96 ハロペリドール	[Br J Clin Pharmacol. 81(2016)773-783]Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
97 ピタバスタチンカルシウム	[Am J Cardiol. 117(2016)382-387] Impact of statin use on development of new-onset diabetes mellitus in Asian population
97 ピタバスタチンカルシウム	

98	アセトアミノフェン	[Br J Clin Pharmacol. 81(2016)735-741]Paracetamol decreases steady-state exposure to lamotrigine by induction of glucuronidation in healthy subjects
99	ウステキヌマブ(遺伝子組換え)	[ISMP Quarter Watch. (2016)]Ustekinumab (STELARA) Leads Psoriasis Drugs in Cancer Reports. ISMP 2016
100	ゴリムマブ(遺伝子組換え)	[ISMP Quarter Watch. (2016)]Ustekinumab (STELARA) Leads Psoriasis Drugs in Cancer Reports. ISMP 2016
101	アトルバスタチンカルシウム水和物	[Medicine. 95(2016)e2545]Atorvastatin use associated with acute pancreatitis a case-control study in Taiwan
102	プラバスタチンナトリウム	[Am J Cardiol. 117(2016)382-387] Impact of statin use on development of new-onset diabetes mellitus in Asian population
103	フルボキサミンマレイン酸塩	[JAMA Pediatr. 170(2016)117–124]Antidepressant use during pregnancy and the risk of autism spectrum disorder in children
104	パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589-604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis
105	パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)773-783]Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
106	クエチアピンフマル酸塩	[Br J Clin Pharmacol. 81(2016)773-783]Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
107	ミルタザピン	[Br J Clin Pharmacol. 81(2016)773-783]Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
108	塩酸セルトラリン	[Br J Clin Pharmacol. 81(2016)773-783]Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
102 103 104 105 106	プラバスタチンナトリウム フルボキサミンマレイン酸塩 パロキセチン塩酸塩水和物 パロキセチン塩酸塩水和物 クエチアピンフマル酸塩 ミルタザピン	[Am J Cardiol. 117(2016)382–387] Impact of statin use on development of new-onset diabetes min Asian population [JAMA Pediatr. 170(2016)117–124] Antidepressant use during pregnancy and the risk of autism spectrum disorder in children [Br J Clin Pharmacol. 81(2016)589–604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis [Br J Clin Pharmacol. 81(2016)773–783] Antidepressants and antipsychotics classified with torsal pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study [Br J Clin Pharmacol. 81(2016)773–783] Antidepressants and antipsychotics classified with torsal pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study [Br J Clin Pharmacol. 81(2016)773–783] Antidepressants and antipsychotics classified with torsal pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study [Br J Clin Pharmacol. 81(2016)773–783] Antidepressants and antipsychotics classified with torsal pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study

109 オランザピン	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults - a Swedish nationwide study
110 パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589-604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis
111 ピオグリタゾン塩酸塩	【BMJ. 352(2016)i1541】Pioglitazone use and risk of bladeer cencer:population based cohort study
112 バラシクロビル塩酸塩	[Pharmacoepidemiol Drug Saf. 23(2014)1154-1159] Acute kidney injury during concomitant use of valacyclovir and loxoprofen: detecting drug-drug interactions in a spontaneous reporting system
113 ピオグリタゾン塩酸塩	[BMJ. 352(2016)i1450]Diabetes treatments and risk of amputation, blindness, severe kidney failure, hyperglycaemia, and hypoglycaemia: open cohort study in primary care
114 ミルタザピン	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults - a Swedish nationwide study
115 アセトアミノフェン	[Br J Clin Pharmacol. 81(2016)735-741].Paracetamol decreases steady-state exposure to lamotrigine by induction of glucuronidation in healthy subjects
116 ピオグリタゾン塩酸塩	【BMJ. 352(2016)i1541】Pioglitazone use and risk of bladder cancer: population based cohort study
117 ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association between zolpidem and suicide: A nationwide population-based case-control study
118 非ピリン系感冒剤(4)	[Eur Respir J. 46(2015)]Prenatal and infant paracetamol exposure and development of asthma
119 パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589-604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis
	paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis

120 プロゲステロン	[Hum Reprod. 30(2015)222-231] Risk for borderline ovarian tumours after exposure to fertility drugs: results of a population-based cohort study
121 ハロペリドールデカン酸エステル	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
122 リスペリドン	【JAMA Psychiatry. 73(2016)247-259】Type 2 diabetes mellitus in youth exposed to antipsychotics: A systematic review and meta-analysis
123 アセトアミノフェン	[Eur Respir J. 46(2015)]Prenatal and infant paracetamol exposure and development of asthma
124 ラベプラゾールナトリウム	[J Am Soc Nephrol. 27(2016)1-11]Proton Pump Inhibitors and Risk of Incident CKD and Progression to ESRD
125 ラベプラゾールナトリウム	[PLOS ONE. 11(2016)1–13] Antacid Use and De Novo Brain Metastases in Patients with Epidermal Growth Factor Receptor–Mutant Non–Small Cell Lung Cancer Who Were Treated Using First–Line First–Generation Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors
126 乾燥濃縮人アンチトロンビン3	[Intensive Care Med. 42(2016)505-520] Antithrombin III for critically ill patients: a systematic review with meta-analysis and trial sequential analysis.
127 オランザピン	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study
128 オランザピン	[Bipolar Disord. 17(2015)615-625] Comparative teratogenicity analysis of valnoctamide, risperidone, and olanzapine in mice
129 塩酸セルトラリン	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study.
130 ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association between zolpidem and suicide: A nationwide population-based case-control study

131 ワルファリンカリウム	[Intern Med. 55(2016)719-724]Interaction between warfarin and linezolid in patients with left ventricular assist system in Japan
132 塩酸セルトラリン	[Br J Clin Pharmacol. 81(2016)773-783] Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults – a Swedish nationwide study.
133 サキサグリプチン水和物	[BMJ. 352(2016)i1450]Diabetes treatments and risk of amputation, blindness, severe kidney failure, hyperglycaemia, and hypoglycaemia: open cohort study in primary care
134 ソホスブビル	[J Hepatol. (2016)]Unexpected Early Tumor Recurrence in Patients with Hepatitis C Virus -related Hepatocellular Carcinoma Undergoing Interferon-free TherapyA Note of Caution
135 ダクラタスビル塩酸塩	[J Hepatol. (2016)]Unexpected early tumor recurrence in patients with hepatitis C virus -related hepatocellular carcinoma undergoing interferon-free therapy: a note of caution
136 ピオグリタゾン塩酸塩	【BMJ. 352(2016)i1541】Pioglitazone use and risk of bladder cancer: population based cohort study
137 インスリン アスパルト(遺伝子組換え)	[Medicine. 95(2016)1-8] Comparing the clinical outcomes between insulin—treated and non—insulin—treated patients with type 2 diabetes mellitus after coronary artery bypass surgery: A systematic review and meta—analysis
138 インスリン アスパルト(遺伝子組換え)	【第102回日本消化器病学会総会. (2016)】非アルコール性脂肪性肝疾患と糖代謝
139 ピオグリタゾン塩酸塩	[BMJ. 352(2016)1-8]Pioglitazone use and risk of bladder cancer: population based cohort study
140 ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association between zolpidem and suicide: A nationwide population-based case-control study
141 メルカプトプリン水和物	[Hum Exp Toxicol. 34(2015)445–459] Pregnancy outcomes in women with inflammatory bowel disease following exposure to thiopurines and antitumor necrosis factor drugs: A systematic review with meta-analysis

142	レボフロキサシン水和物	【JAMA Ophthalmol. 134(2016)415-421】Association Between Oral Fluoroquinolone Use and Retinal Detachment
143	メトホルミン塩酸塩	【BMJ. 352(2016)i1450】Diabetes treatments and risk of amputation, blindness, severe kidney failure, hyperglycaemia, and hypoglycaemia: open cohort study in primary care
144	ピオグリタゾン塩酸塩	【BMJ. 352(2016)i1541】Pioglitazone use and risk of bladder cancer: population based cohort study
145	ガンシクロビル	【Transplantation. 100(2016)862-870】Cytomegalovirus infection in pediatric renal transplantation and the impact of chemoprophylaxis with (val-)ganciclovir
146	バルガンシクロビル塩酸塩	【Transplantation. 100(2016)862-870】Cytomegalovirus infection in pediatric renal transplantation and the impact of chemoprophylaxis with (val-)ganciclovir
147	グリメピリド	[Endocr J. 63(2016)263-273] Subgroup analysis of phase 3 studies of dulaglutide in Japanese patients with type 2 diabetes
148	オランザピン	[Clin Pharmacol Ther. 99(2016)306-314]Sudden Cardiac and Sudden Unexpected Death Related to Antipsychotics: A Meta-Analysis of Observational Studies
149	エリスロマイシンステアリン酸塩	[Cancer Causes Control. 25(2014)1233-1237]Medication use and multiple myeloma risk in Los Angeles County
150	タクロリムス水和物	【J Dermatolog Treat. (2016)1-7】Topical calcineurin inhibitors in eczema and cancer association: A cohort study
151	アムホテリシンB	【第136回日本薬学会年会. 4(2016)98】医薬品副作用データベースを用いた急性膵炎発症リスクの解析
152	ドネペジル塩酸塩	【社内資料】Concomitant use of psychotropics and donepezil in Japanese patients with dementia: pooled post-marketing surveillance data analysis.

153 ランソプラゾール	[Alzheimer's Research & Therapy. 7(2015)1-12] Cognitive impact after short-term exposure to different proton pump inhibitors: assessment using CANTAB software
154 アスピリン・ランソプラゾール配合剤	[Alzheimer's Research & Therapy. 7(2015)1-12] Cognitive impact after short-term exposure to different proton pump inhibitors: assessment using CANTAB software
155 ボノプラザンフマル酸塩	[Alzheimer's Research & Therapy. 7(2015)1-12]Cognitive impact after short-term exposure to different proton pump inhibitors: assessment using CANTAB software
156 ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association between zolpidem and suicide: A nationwide population-based case-control study
157 ピオグリタゾン塩酸塩	[BMJ. 352(2016)1-8]Pioglitazone use and risk of bladder cancer: population based cohort study
158 シメプレビルナトリウム	[J Hepatol. (2016)] Unexpected early tumor recurrence in patients with hepatitis C virus -related hepatocellular carcinoma undergoing interferon-free therapy: a note of caution
159 ラベプラゾールナトリウム	[International Journal of Clinical and Experimental Medicine. 9(2016)1227–1235] The use of PPI is associated with spontaneous bacterial peritonitis in cirrhotic patients of different ethnic groups: a metanalysis
160 ピオグリタゾン塩酸塩	[BMJ. 352(2016)1-8]Pioglitazone use and risk of bladder cancer: population based cohort study
161 ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association Between Zolpidem and Suicide: A Nationwide Population-Based Case-Control Study
162 オメプラゾール	[J Am Soc Nephrol. 27(2016)1-11] Proton Pump Inhibitors and Risk of Incident CKD and Progression to ESRD
163 エソメプラゾールマグネシウム水和物	[J Am Soc Nephrol. 27(2016)1-11]Proton Pump Inhibitors and Risk of Incident CKD and Progression to ESRD

Med. 39(2010)186-193]Amlodipine toxicity in children less than 6 years of age: a dose- nalysis using national poison data system data.
2012)1366–1372]Amlodipine, clopidogrel and CYP3A5 genetic variability: effects on platelet and clinical outcomes after percutaneous coronary intervention
Da Xue Xue Bao Yi Xue Ban. 44(2015)625-631 Significance of brush sign on susceptibility-naging to predict haemorrhagic transformation after intravenous thrombolysis in patients with emic stroke.
A Dose Range Finding Oral Gavage Study in the Juvenile Sprague-Dawley Rat
171(2016)67-72]Tissue Plasminogen Activator Use in Children: Bleeding Complications and Resolution.
et. 7(2016)24871–24879】Sitagliptin use and thyroid cancer risk in patients with type 2
i(2015)1-10]Use of nicorandil is Associated with Increased Risk for Gastrointestinal and Perforation- A Nationally Representative Population-based study.
(2016)1-8]Pioglitazone use and risk of bladder cancer: population based cohort study
Obes Metab. 13(2011)221–228]Effect of metformin on cardiovascular events and mortality: a sis of randomized clinical trials
Pract. 2016(2016)1-5]Heamostasis in Thyroid Surgery: Collagen-Fibrinogen-Thrombin Patch ulose Gauze - Our Experience.
iatr Soc. 60(2012)916-921]Metformin, Other Antidiabetic Drugs, and Risk of Alzheimer's Population-Based Case-Control Study

175 ピオグリタゾン塩酸塩・メトホルミン塩酸塩配合剤	[Diabetes Care. 36(2013)2981–2987] Increased Risk of Cognitive Impairment in Patients With Diabetes Is Associated With Metformin
176 ピオグリタゾン塩酸塩・メトホルミン塩酸塩配合剤	[Cancer Epidemiol Biomarkers Prev. 21(2012)280–286] Use of Metformin Is Not Associated with a Decreased Risk of Colorectal Cancer: A Case-Control Analysis
177 ピオグリタゾン塩酸塩・メトホルミン塩酸塩配合剤	[Cancer Epidemiol Biomarkers Prev. 20(2011)337-344] Metformin and the Incidence of Prostate Cancer in Patients with Type 2 Diabetes
178 ピオグリタゾン塩酸塩・メトホルミン塩酸塩配合剤	[Prostate Cancer Prostatic Dis. 16(2013)391-397] Metformin does not affect risk of biochemical recurrence following radical prostatectomy: results from the SEARCH database
179 ヒドロキシジン塩酸塩	[Geriatrics and Gerontology International. 16(2016)424] In geriatric patients, delirium symptoms are related to the anticholinergic burden
180 カンデサルタン シレキセチル・アムロジピンベシル酸塩配合剤	[Thromb Haemost. 103(2010)920-925.] The use of amlodipine, but not of P-glycoprotein inhibiting calcium channel blockers is associated with clopidogrel poor-response.
181 プレドニゾロン	【第60回日本リウマチ学会総会·学術集会プログラム抄録集.(2016)416】全身性エリテマトーデス患者における特発性大腿骨頭壊死症の背景因子の検討
182 フェニトイン	[Journal of Human Genetics. 60(2015)413-417] Association analysis of CYP2C9*3 and phenytoin-induced severe cutaneous adverse reactions (SCARs) in Thai epilepsy children
183 アザチオプリン	[Blood. 126(2015)5636-5636] Myelodysplastic Syndromes and Acute Myelogenous Leukemia Resulting from Therapy for Autoimmune Disease, a Case-Control Cohort Study
184 プロゲステロン	[Hum Reprod. 30(2015)222-231] Risk for borderline ovarian tumours after exposure to fertility drugs: results of a population-based cohort study
185 ラベプラゾールナトリウム	【医療薬学. 42(2016)278-285】ペメトレキセド・カルボプラチン併用療法施行患者における重篤な好中球減少症の発現に関する危険因子の同定

186	ヒドロコルチゾンコハク酸エステルナトリウム	[Clin J Tuberc Respir Dis. 39(2016)280-285] The indications for glucocorticoids in treating community-acquired pneumonia in adults: a meta-analysis
187	メチルプレドニゾロンコハク酸エステルナトリウム	[Clin J Tuberc Respir Dis. 39(2016)280-285] The indications for glucocorticoids in treating community-acquired pneumonia in adults: a meta-analysis
188	インスリン グラルギン(遺伝子組換え)	【比較眼科学会年次大会講演要旨集. 35(2015)31】持続型インスリン製剤を投与したラットにおける白内 障の発現
189	ピオグリタゾン塩酸塩・グリメピリド配合剤	[Metabolism Clinical And Experimental. 62(2013)922–934] Metformin and Sulfonylureas in Relation to Cancer Risk in Type II Diabetes Patients: A Meta-analysis using primary data of published studies
190	ピオグリタゾン塩酸塩	[N Engl J Med. 14(2016)1321–1331]Pioglitazone after ischemic stroke or transient ischemic attack
191	インフリキシマブ(遺伝子組換え)	[Pharmacotherapy. 36(2016)449-454]The risk of glioblastoma with TNF inhibitors
192	メサラジン	[Dig Dis Sci. 61(2016)221-229]Long-Term Benefit of Mesalamine Granules for Patients Who Achieved Corticosteroid-Induced Ulcerative Colitis Remission
193	シメプレビルナトリウム	[J Hepatol. 64(2016)215] Development of hepatocellular carcinoma in HCV cirrhotic patients treated with direct acting antivirals
194	ピオグリタゾン塩酸塩・メトホルミン塩酸塩配合剤	[Niger J Physiol Sci. 27(2012)137-144] Evaluation of toxic effects of metformin hydrochloride and glibenclamide on some organs of male rats
195	グリクラジド	[Diabetologia. 58(2015)50-58] Sulfonylurea in combination with insulin is associated with increased mortality compared with a combination of insulin and metformin in a retrospective Danish nationwide study
196	テラプレビル	【肝臓. 57(2016)272】O - 229 多施設共同研究によるテラプレビル3剤併用療法における重症皮疹とHLA 多型の関連の検討

197	アバカビル硫酸塩	[Clin Infect Dis. 61(2015)445-452] Risk of cardiovascuiar events associated with current exposure to HIV antiretrovirai therapies in a US veteran population
198	シタグリプチンリン酸塩水和物	[Oncotarget. 7(2016)24871-24879]Sitagliptin use and thyroid cancer risk in patients with type 2 diabetes
199	アロプリノール	[Eur J Cancer Prev. 25(2016)216–223] Allopurinol and the incidence of bladder cancer: A Taiwan national retrospective cohort study
200	亜酸化窒素	[The Cochorane database of systemmatic reviews. 11(2015)] Nitrous oxide-based techniques versusu nitrous oxide-free techniques for general anaesthesia.
201	シロリムス	[Oncotarget. 6 (2015) 16735–16745] Addition of rapamycin and hydroxychloroquine to metronomic chemotherapy as a second line treatment results in high salvage rates for refractory metastatic solid tumors: a pilot safety and effectiveness analysis in a small patient cohort.
202	フェノバルビタールナトリウム	[The 13th International Congress of Human Genetics. (2016)]Prediction of severe adverse drug reactions using pharmacogenetic biomarkers: Current status and future prospects in Japan
203	ホスカルネットナトリウム水和物	[Pediatr Transplant. 19(2015)460-470] A systematic review of acute kidney injury in pediatric allogeneic hematopoietic stem cell recipients
204	アセトアミノフェン	【臨床薬理. 47(2016)31-37】高用量アセトアミノフェン投与時の肝機能値異常に関する特定使用成績調査データを用いた定量解析
205	グリメピリド	[Clin Pharmacol.Ther. 99(2016)538-547].Severe hypoglycemia in users of sulfonylurea antidiabetic agents and antihyperlipidemics
206	ペラミビル水和物	[Antimicrob Agents Chemother. 59(2015)4962-4973]Emergence of H7N9 Influenza A Virus Resistant to Neuraminidase Inhibitors in Nonhuman Primates
207	セボフルラン	[Neurochem Res. 40(2015)788-799] Altered metabolomic profiles may be associated with sevoflurane - induced neurotoxicity in neonatal rats.

	_ _
208 レボフロキサシン水和物	【JAMA Ophthalmol. 134(2016)415-421】Association between oral fluoroquinolone use and retinal detachment
209 プロゲステロン	[Hum Reprod. 30(2015)222-231] Risk for borderline ovarian tumours after exposure to fertility drugs: results of a population-based cohort study
210 アセトアミノフェン	[Stroke. 47(2016)1045–1052]Paracetamol, Ibuprofen, and Recurrent Major Cardiovascular and Major Bleeding Events in 19 120 Patients With Recent Ischemic Stroke
211 セボフルラン	【第93回日本生理学会大会. 66(2016)S101】Bumetanide prevents the neonatal sevoflurane induced impairments of the spatial memory and emotional behavior in mice.
212 メトトレキサート	【第60回 日本リウマチ学会総会・学術集会 プログラム・抄録集(2016)326】関節リウマチ患者における間質性肺炎の頻度とリスク
213 アログリプチン安息香酸塩	【第59回日本糖尿病学会年次学術集会. (2016)】大規模臨床研究J-BRAND Registry(第3回中間報告)
214 ピオグリタゾン塩酸塩	[BMJ. 352(2016)1-8]Pioglitazone use and risk of bladder cancer: population based cohort study
215 エポエチン カッパ(遺伝子組換え)	[Eur J Heart Fail. 17(2015)1201-1207] Increased risk of stroke with darbepoetin alfa in anaemic heart failure patients with diabetes and chronic kidney disease
216 グリベンクラミド	[Diabetes Care. 38(2015)2083-2089] The use of glyburide compared with other sulfonylureas and the risk of cancer in patients with type 2 diabetes
217 モルヒネ塩酸塩水和物	[Medicine(United States). 95(2016)e3102] Atrial fibrillation is associated with morphine treatment in female breast cancer patients: A retrospective population-based time-dependent cohort study.
218 モルヒネ塩酸塩水和物	[Am J Hosp Palliat Care. 30(2013)712-716] Correlation between the administration of morphine or oxycodone and the development of infections in patients with cancer pain.

219	インスリン ヒト(遺伝子組換え)	[BMC Cancer. (2015)]Prolonged use of human insulin increases breast cancer risk in Taiwanese women with type 2 diabetes
220	セチリジン塩酸塩	[Advanced Pharmaceutical Bulletin. 6(2016)111-118] The effects of cetirizine on P-glycoprotein expression and function in vitro and in situ
221	エソメプラゾールマグネシウム水和物	[Circ Res. (2016)1-10]Proton Pump Inhibitors Accelerate Endothelial Senescence
222	オメプラゾール	[Circ Res. (2016)1-10]Proton Pump Inhibitors Accelerate Endothelial Senescence
223	オメプラゾール	【JAMA Neurology. 73(2016)410-416】Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis
224	プレガバリン	[American Academy of Neurology. 86 (2016)1-7]Pregnancy outcome following maternal exposure to pregabalin may call for concern
225	シロスタゾール	【第41回日本脳卒中学会総会.(2016)567】くも膜下出血後の脳血管攣縮抑制効果を目的としたCilostazolの有効性と安全性についての検討 第2報
226	ピオグリタゾン塩酸塩	[N Engl J Med. 14(2016)1321-1331]Pioglitazone after ischemic stroke or transient ischemic attack
227	アセトアミノフェン	[Br J Clin Pharmacol. 72(2016)573-582]Bioavailability of paracetamol with/without caffeine in Egyptian patients with hepatitis C virus
228	エスシタロプラムシュウ酸塩	[Eur J Epidemiol. 30 (2015) 1187–1198]Selective serotonin reuptake inhibitor antidepressant use in first trimester pregnancy and risk of specific congenital anomalies: a European register-based study
229	インフリキシマブ(遺伝子組換え)	[J Rheumatol. 42(2015)1119-2237] The Risk of Tuberculosis in Patients with Rheumatoid Arthritis Treated with Tumor Necrosis Factor-alpha Antagonist: A Metaanalysis of Both Randomized Controlled Trials and Registry/Cohort Studies

230	リトドリン塩酸塩	【日本産科婦人科学会雑誌. 68(2016)954】骨盤位から頭位への自然回転に塩酸リトドリンが及ぼす影響
231	レボフロキサシン水和物	【JAMA Ophthalmol. 134(2016)415-421】Association Between Oral Fluoroquinolone Use and Retinal Detachment
232	ワルファリンカリウム	[Heart Rhythm Society. Heart Rhythm 2016 conference. (2016)]New Study Shows Atrial Fibrillation Patients Treated With Warfarin Long-Term Are At Increased Risk For Dementia.
233	リセドロン酸ナトリウム水和物	[Am J Ophthalmol. 16(2016)S0002-9394]Oral Bisphosphonates and Risk of Wet Age-Related Macular Degeneration
234	リセドロン酸ナトリウム水和物	[Am J Ophthalmol. 16(2016)S0002-9394]Oral Bisphosphonates and Risk of Wet Age-Related Macular Degeneration
235	クロピドグレル硫酸塩	[J Am Coll Cardiol. 66(2015)B100-B101] A meta-analysis of 43,432 patients: concomitant use of proton pump inhibitor with clopidogrel is associated with increased death and myocardial infarction in patients receiving percutaneous coronary intervention
236	プラバスタチンナトリウム	[Am J Cardiol. 117(2016)647-655]Statin use and the risk of kidney disease with long-term follow-up (8.4-Year Study)
237	レボフロキサシン水和物	【JAMA Ophthalmol. 134(2016)415-421】Association between oral fluoroquinolone use and retinal detachment
238	ヒアルロン酸ナトリウム・コンドロイチン硫酸エステルナトリウム(1)	[Osteoarthritis and Cartilage. 24(2016)S307.] Chondroitin sulfate and glucosamine supplementation is associated with higher incidence of radiographic knee osteoarthritis and subsequent knee replacement: nine years of follow-up data from the osteoarthritis initiative,
239	タダラフィル	【社内資料】Observational Study Description H6D-MC-LVHQ(b) A Prospective Case-Crossover Study to Evaluate the Possible Association between the Use of PDE5 Inhibitors and the Risk of Acute Nonarteritic Anterior Ischaemic Optic Neuropathy(NAION).
240	セボフルラン	[Life Sci. (2015)194-201] Sevoflurane aggregates cognitive dysfunction and hippocampal oxidative stress induced by β -amyloid in rats.

T .	T	,
241	ロスバスタチンカルシウム	[Am J Cardiol. 117(2016)647-655]Statin use and the risk of kidney disease with long-term follow-up (8.4-Year Study)
242	グリメピリド	[BMJ. 353(2016)i2231]Addition of dipeptidyl peptidase-4 inhibitors to sulphonylureas and risk of hypoglycaemia:systematic review and meta-analysis
243	ノルエチステロン・エチニルエストラジオール	【Thromb Res. 141(2016)153-157】Duration of oral contraceptive use and the risk of venous thromboembolism. A case-control study
244	ノルエチステロン・エチニルエストラジオール	[Int J Exp Pathol. 97(2016)5-17]Prenatal exposure to ethinylestradiol alters the morphologic patterns and increases the predisposition for prostatic lesions in male and female gerbils during ageing
245	アセトアミノフェン	[Int J Cancer. 139(2016)584–592]Analgesic use and risk of renal cell carcinoma:A case-control,cohort and meta-analytic assessment
246	アトルバスタチンカルシウム水和物	[Am J Cardiol. 117(2016)647-655]Statin use and the risk of kidney disease with long-term follow-up (8.4-Year Study)
247	クロピドグレル硫酸塩	[J Am Coll Cardiol. 66(2015)B100-B101] A meta-analysis of 43,432 patients: concomitant use of proton pump inhibitor with clopidogrel is associated with increased death and myocardial infarction in patients receiving percutaneous coronary intervention
248	レボフロキサシン水和物	【JAMA Ophthalmol. 134(2016)415-421】Association between oral fluoroquinolone use and retinal detachment
249	ジクロフェナクナトリウム	【J Clin Oncol. 34(2016)588】Analgesic use and risk of renal cell cancer: Results from two prospective cohort studies
250	ホスフェニトインナトリウム水和物	【第58回日本小児神経学会学術集会. (2016)S275】0-092小児のてんかん重積状態におけるセカンドライン治療の有効性と意識抑制作用の検討. 能と発達
251	メトホルミン塩酸塩	[World J Urol. 33(2015)1189-1196] Influence of metformin use on PSA values, free-to-total PSA, prostate cancer incidence and grade and overall survival in a prospective screening trial (ERSPC Aarau)

252	ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association Between Zolpidem and Suicide: A Nationwide Population -Based Case-Control Study
253	プレドニゾロン	[BMJ open. (2014)e004259]Low-dose prednisolone treatment of early rheumatoid arthritis and late cardiovascular outcome and survival: 10-year follow-up of a 2-year randomised trial
254	パロキセチン塩酸塩水和物	[Br J Clin Pharmacol. 81(2016)589-604] The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: A systematic review and meta-analysis
255	アロプリノール	[Eur J Cancer Prev. 25(2016)216-223]Allopurinol and the incidence of bladder cancer: A Taiwan national retrospective cohort study
256	エスシタロプラムシュウ酸塩	[Medicine. 95(2016)1-7]Antidepressants and Valvular Heart Disease: A Nested Case-Control Study in Taiwan
257	エスシタロプラムシュウ酸塩	[Mol Psychiatry. 21(2016)656-664]Citalopram and sertraline exposure compromises embryonic bone development
258	カナグリフロジン水和物	[J Clin Endocrinol Metab. 101(2016)157-166] Effects of Canagliflozin on Fracture Risk in Patients With Type 2 Diabetes Mellitus
259	ラベプラゾールナトリウム	[Chinese Journal of Evidence-Based Medicine. 16(2016)278-285]Association between Use of Proton Pump Inhibitors and the Risk of Clostridium Difficile Infection: A Meta-analysis
260	ラベプラゾールナトリウム	[Int J Cancer. 138(2016)1401-1409]Proton pump inhibitors and risk of periampullary cancers—A nested case-control study
261	アロプリノール	[Eur J Cancer Prev. 25(2016)216-223] Allopurinol and the incidence of bladder cancer: A Taiwan national retrospective cohort study
262	サルメテロールキシナホ酸塩・フルチカゾンプロピオン酸エステル	[Medicine. 94(2015)e2306]Long-acting Inhaled Bronchodilator and Risk of Vascular Events in Patients With Chronic Obstructive Pulmonary Disease in Taiwan Population

263 レボフロキサシン水和物	【JAMA Ophthalmol. 134(2016)415-421】Association between oral fluoroquinolone use and retinal detachment
264 クロピドグレル硫酸塩	[J Am Coll Cardiol. 66(2015)B100-B101] A meta-analysis of 43,432 patients: concomitant use of proton pump inhibitor with clopidogrel is associated with increased death and myocardial infarction in patients receiving percutaneous coronary intervention
265 オメプラゾール	[Clin Gastroenterol Hepatol. (2016)]Use of Proton Pump Inhibitors and Risks of Fundic Gland Polyps and Gastric Cancer: Systematic Review and Meta-analysis
266 エソメプラゾールマグネシウム水和物	[Clin Gastroenterol Hepatol. (2016)]Use of Proton Pump Inhibitors and Risks of Fundic Gland Polyps and Gastric Cancer: Systematic Review and Meta-analysis
267 ノルエチステロン・エチニルエストラジオール	[Int J Exp Pathol. 97(2016)5-17] Prenatal exposure to ethinylestradiol alters the morphologic patterns and increases the predisposition for prostatic lesions in male and female gerbils during ageing
268 ヒドロキシプロゲステロンカプロン酸エステル	[journal of obesity. (2014)1-4] Maternal characteristics influencing the development of gestational diabetes in obese women receiving 17-alpha-hydroxyprogesterone caproate
269 アログリプチン安息香酸塩	[PeerJ. (2016)4:e1753]Adverse events associated with incretin-based drugs in Japanese spontaneous reports: a mixed effects logistic regression model
270 インスリン アスパルト(遺伝子組換え)	【Neuropathology. 36(2016)153】インスリン誘発性一過性低血糖負荷がラット小脳に与える影響に関する神経病理学的検討
271 サキサグリプチン水和物	[Int J Cardiol. 211(2016)88-95] Effect of dipeptidyl peptidase-4 inhibitors on heart failure: A meta-analysis of randomized clinical trials
272 クロピドグレル硫酸塩	[J Am Coll Cardiol. 64(2014)B141]Prior Clopidogrel Therapy in Patients Presenting with Acute Coronary Syndromes (ACS) is Associated with Increase Risk of Stent Thrombosis
273 バルプロ酸ナトリウム	[Arch Dis Child Fetal Neonatal Ed. 101(2016)F207-211] In utero exposure to valproate increases the risk of isolated cleft palate.

274 ワルファリンカリウム	【臨床神経学. 56(2016)309-317】ワルファリン療法中に発症した心原性脳塞栓症および脳出血例の発症時PT-INRの検討:直接経口抗凝固薬時代におけるワルファリン療法の問題点と限界
275 ゾルピデム酒石酸塩	【YAKUGAKU ZASSHI . 136(2016)769-776】入院患者における転倒・転落と処方薬の関連性調査
276 ピオグリタゾン塩酸塩	[Pharmacoepidemiol Drug Saf. 24(2015)1259-1270]Number needed to harm in the post-marketing safety evaluation: results for rosiglitazone and pioglitazone
277 フェニトイン	[Pharmacogenet Genomics. 26(2016)225-234] Associations between HLA class i and cytochrome P450 2C9 genetic polymorphisms and phenytoin-related severe cutaneous adverse reactions in a Thai population
278 フェニトイン・フェノバルビタール	[Pharmacogenet Genomics. 26(2016)225-234] Associations between HLA class i and cytochrome P450 2C9 genetic polymorphisms and phenytoin-related severe cutaneous adverse reactions in a Thai population
279 セボフルラン	[Neurotoxicology. 4(2015)94–103] Internalization of GluA2 and the underlying mechanisms of cognitive decline in aged rats following surgery and prolonged exposure to sevoflurane.
280 オメプラゾールナトリウム	【日本消化器内視鏡学会雑誌(e-journal). 58(2016)518】NSAIDs起因性小腸粘膜傷害に対するプロトンポンプ阻害剤の作用とCYP2C19遺伝子多型との関連の検討
281 レボフロキサシン水和物	[Neurology. 83(2014)1261-1263]:Oral fluoroquinolone use and risk of peripheral neuropathy A pharmacoepidemiologic study
282 アセトアミノフェン	[Lancet. 387(2016)2093-2105] Effectiveness of non-steroidal anti-inflammatory drugs for the treatment of pain in knee and hip osteoarthritis: a network meta-analysis
283 ラベプラゾールナトリウム	[JAMA Neurology. 73(2016)410-416] Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis
284 シルデナフィルクエン酸塩	[Graefes Arch Clin Exp Ophthalmol. (2016)]Ocular toxicity assessment of chronic sildenafil therapy for pulmonary arterial hypertension

ドセタキセル水和物	[Ann Oncol. 27(2016)608-618] Intrerpreting febrile neutropenia rates from randomized, controlled trials for consideration of primary prophylaxis in the real world: a systematic review and meta-analysis
コリスチンメタンスルホン酸ナトリウム	[Antimicrob Agents Chemother. 60(2016)2443-2449]Multicenter Prospective Cohort Study of Renal Failure in Patients Treated with Colistin versus Polymyxin B.
ジダノシン	[AIDS. 30(2016)1245-1256]Risk of cancer in children exposed to didanosine in utero
プレドニゾロン	[BMJ open. (2014)e004259]Low-dose prednisolone treatment of early rheumatoid arthritis and late cardiovascular outcome and survival: 10-year follow-up of a 2-year randomised trial
レボフロキサシン水和物	【JAMA Ophthalmol. 134(2016)415-421】Association between oral fluoroquinolone use and retinal detachment
レボフロキサシン水和物	[JAMA Ophthalmology. 134(2016)415-421] Association Between Oral Fluoroquinolone Use and Retinal Detachment
オランザピン	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
アミオダロン塩酸塩	[Ann Pharmacother. 50(2016)514–515]Pre-Cardiac Transplant Amiodarone Use Increases Postoperative Mortality:A Meta-analysis
ジゴキシン	[J Am Coll Cardiol. 67(2016)836] Risk of hospitalization among adult medicaid enrollees with atrial fibrillation on digoxin therapy
クロピドグレル硫酸塩	[Thromb Haemost. 115(2016)433-438]Prior chronic clopidogrel therapy is associated with increased adverse events and early stent thrombosis
リスペリドン	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
	ドセタキセル水和物 コリスチンメタンスルホン酸ナトリウム ジダノシン プレドニゾロン レボフロキサシン水和物 レボフロキサシン水和物 オランザピン アミオダロン塩酸塩 ジゴキシン クロピドグレル硫酸塩

296	バンコマイシン塩酸塩	[J Clin Pharmacol. 56(2016)740-748]Pharmacokinetic Characteristics and Clinical Outcomes of Vancomycin in Young Children With Various Degrees of Renal Function
297	オランザピン	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
298	バンコマイシン塩酸塩	[Eur J Clin Pharmacol. 72(2016)697-702] The pharmacokinetics of vancomycin in patients with severe acute pancreatitis
299	ホスフェニトインナトリウム水和物 フェノバルビタールナトリウム	【医療薬学. 42(2016)271-277】小児けいれん重積および発作頻発状態患者に対するホスフェニトインと フェノバルビタールの有効性および安全性に関する比較検討
300	リドカイン	【社内資料】リドカインテープによる静脈留置針穿刺時疼痛緩和の多施設、無作為、二重盲検法、偽薬、 平行対照による安全性と有効性の臨床研究報告
301	アヘン	【Pain. 157(2016)1079-1084】Opioid dose and risk of suicide.
302	タクロリムス水和物	【社内資料】Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus, Pimecrolimus, and Corticosteroids
303	カンデサルタン シレキセチル・ヒドロクロロチアジド配合剤	[Medicine (Baltimore). 94(2015)e2229]Safety of Fixed Dose of Antihypertensive Drug Combinations Compared to (Single Pill) Free-Combinations: A Nested Matched Case-Control Analysis
304	トラマドール塩酸塩・アセトアミノフェン配合剤	[Int J Cancer. 139(2016)584–592] Analgesic use and risk of renal cell carcinoma: A case-control, cohort and meta-analytic assessment.
305	ジクロフェナクナトリウム	[Clin Rheumatol. 35(2016)1253-1261] Topical diclofenac therapy for osteoarthritis: a meta-analysis of randomized controlled trials
306	リトナビル	[Journal of the International AIDS Society. 18(2015)1-6] Risk factors for pre-term birth in a Canadian cohort of HIV-positive women: role of ritonavir boosting?.

ve therapy
vo спетару
sive therapy
oined oral
patients
e treatment
epileptic
ostrate
oidogrel
ited
on
ic b

318 ベンラファキシン塩酸塩	[Lancet. 387(2016)1-9] Comparative efficacy and tolerability of antidepressants for major depressive disorder in children and adolescents: a network meta-analysis
319 バンコマイシン塩酸塩	[Eur J Clin Pharmacol. 72(2016)697-702] The pharmacokinetics of vancomycin in patients with severe acute pancreatitis
320 アシクロビル	【第57回日本臨床ウイルス学会. 44(2016)S84-S84】性器ヘルペスのアシクロビル治療に伴うGuanosineーstring変異の誘導の特徴,
321 アザチオプリン	【J Am Acad Dermatol. 74(2016)1144-1152】High azathioprine dose and lip cancer risk in liver, heart, and lung transplant recipients: A population-based cohort study
322 レボノルゲストレル	[Infect Dis Obstet Gynecol. (2012)1-4] Pharmacokinetic interactions between the hormonal emergency contraception, levonorgestrel (Plan B), and Efavirenz
323 クロピドグレル硫酸塩	[Thromb Haemost. 115(2016)433-438]Prior chronic clopidogrel therapy is associated with increased adverse events and early stent thrombosis
324 アバカビル硫酸塩	[Antiviral Res. (2016)1-23] Andrew Hill. Abacavir and cardiovascular disease: A critical look at the data.
325 ジドブジン	[AIDS. 30(2016)1393-1401] Zidovudine treatment in HIV-infected pregnant women is associated with fetal cardiac remodelling
326 ラベプラゾールナトリウム	[J Pediatr Gastroenterol Nutr. 61(2015)208-211] Exposure to Gastric Acid-Suppression Therapy Is Associated With Health Care- and Community-Associated Clostridium difficile Infection in Children
327 アミオダロン塩酸塩	[Ann Pharmacother. 50(2016)514-515]Pre-Cardiac Transplant Amiodarone Use Increases Postoperative Mortality:A Meta-analysis
328 シルデナフィルクエン酸塩	[Toxicol Lett. 256(2016)44-52]Oxytocin is involved in the proconvulsant effects of Sildenafil: possible role of CREB

329 ジクロフェナクナトリウム	[Rheumatology. 55(2016)1099-1105] Use of non-steroidal anti-inflammatory drugs correlates with the risk of venous thromboembolism in knee osteoarthritis patients: a UK population-based case-control study
330 スピロノラクトン	【肝臓.57(2016)A291】肝硬変患者に伴う低ナトリウム血症と腎機能,利尿剤の使用,生存率との関係 ートルバプタンに対する反応性を含めて
331 タダラフィル	[J Am Acad Dermatol. 74(2016)190] Melanoma in men treated with PDE5A inhibitors: A report from the RADAR (Research on Adverse Drug Events And Reports) project
332 ハロペリドールデカン酸エステル	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
333 リスペリドン	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
334 ハロペリドールデカン酸エステル	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
335 クロピドグレル硫酸塩	[DMD(2016)]Clopidogrel Markedly Increases the Plasma Concentrations of the CYP2C8 Substrate Pioglitazone.
336 ランソプラゾール	[Int J Cancer. 138(2016)1401-1409]Proton pump inhibitors and risk of periampullary cancers—A nested case-control study
337 ボノプラザンフマル酸塩	[Int J Cancer. 138(2016)1401-1409]Proton pump inhibitors and risk of periampullary cancers—A nested case-control study
338 ラベプラゾールナトリウム	【JAMA Neurology. 73(2016)410-416】Association of Proton Pump Inhibitors With Risk of Dementia A Pharmacoepidemiological Claims Data Analysis
339 カンデサルタン シレキセチル	[Stroke. 47(2016)1194-1200] Antihypertensive drug use, blood pressure variability, and incident stroke risk in older adults: three-city cohort study

340	アスピリン	[Fertil Steril. 105(2016)1241-1246] Subchorionic hematomas are increased in early pregnancy in women taking low-dose aspirin
341	リセドロン酸ナトリウム水和物	[Chest. 149(2016)1173-1180]Relationship of bisphosphonate therapy and atrial fibrillation/flutter: outcomes of sleep disorders in older men (MrOS Sleep) study
342	ジクロフェナクナトリウム	[Rheumatology. 55(2016)1099-1105]Use of non-steroidal anti-inflammatory drugs correlates with the risk of venous thromboembolism in knee osteoarthritis patients: a UK population-based case-control study
343	ファモチジン	[Respir Med. 109(2015)1147-1154] Associations between gastro-oesophageal reflux, its management and exacerbations of chronic obstructive pulmonary disease
344	ビルダグリプチン	[Br J Dermatol. (2016)]Bullous pemphigoid and dipeptidyl peptidase IV-inhibitors: A Case/Non-Case study in the French Pharmacovigilance Database
345	フェノバルビタールナトリウム	[Brain Dev. 38(2016)414-418] Efficacy and tolerability of high-dose phenobarbital in children with focal seizures
346	イオプロミド	[J Am Coll Cardiol. 66(2015)164-165] Comparison of Iodixanol and Iopromide in Patients with Renal Insufficiency and Congestive Heart Failure undergoing Coronary Angiography by Minimally-invasive Hemodynamic Monitor
347	ジゴキシン	[J Am Coll Cardiol. 67(2016)836] Risk of hospitalization among adult medicaid enrollees with atrial fibrillation on digoxin therapy
348	プロゲステロン	[Health Technol Assess. 20(2016)1–92]PROMISE: first-trimester progesterone therapy in women with a history of unexplained recurrent miscarriages – a randomised, double-blind, placebo-controlled, international multicentre trial and economic evaluation
349	乾燥イオン交換樹脂処理人免疫グロブリン	【社内資料】Pharmacovigilance Analysis of Aseptic Meningitis
350	クロピドグレル硫酸塩	[Thromb Haemost. 115(2016)433-438]Prior chronic clopidogrel therapy is associated with increased adverse events and early stent thrombosis

351	デキサメタゾン	[Clinical pharmacology and therapeutics. 99(2016)S25-S26]INFLUENCE OF 6-DAY CO-ADMINISTRATION OF DEXAMETHASONE ON THE PHARMACOKINETICS OF OSELTAMIVIR IN HEALTHY VOLUNTEERS
352	トラマドール塩酸塩	【第21回日本緩和医療学会学術大会. (2016)S321】トラマドールとワルファリンとの相互作用に関する検討
353	ラベプラゾールナトリウム	[Clin Gastroenterol Hepatol. 14(2016)809-815]Proton Pump Inhibitors Increase Incidence of Nonsteroidal Anti-Inflammatory Drug-Induced Small Bowel Injury: A Randomized, Placebo-Controlled Trial
354	抱水クロラール	【小児歯科学雑誌. 54(2016)247】P1ー011 Adverse Effects of Chloral Hydrate Sedation on Paediatric Dental Patients
355	ピオグリタゾン塩酸塩	[Diabetes Ther. 7(2016)61-73]Diabetes Pharmacotherapies and Bladder Cancer: A Medicare Epidemiologic Study
356	ジクロフェナクナトリウム	[Rheumatology. 55(2016)1099-1105] Use of non-steroidal anti-inflammatory drugs correlates with the risk of venous thromboembolism in knee osteoarthritis patients: a UK population-based case-control study
357	ラベプラゾールナトリウム	[Respir Med. 109(2015)1147-1154] Associations between gastro-oesophageal reflux, its management and exacerbations of chronic obstructive pulmonary disease
358	ラベプラゾールナトリウム	[European Journal of Internal Medicine. 26(2015)e25-e26] Proton pump inhibitors and risk of hypomagnesemia
359	クロピドグレル硫酸塩	[Circ J. 80(2016)2898]Antiplatelet is associated with the higher risk of periprocedural complication of catheter ablation for atrial fibrillation
360	アスピリン	[Cancer Res. 76(2016)1-4] Association of aspirin and clinical outcomes in patients with invasive breast cancer
361	フルボキサミンマレイン酸塩	[Ann Pharmacother. 50(2016)253-261] Antidepressant Medication Use and Its Association With Cardiovascular Disease and All-Cause Mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study

362	バルプロ酸ナトリウム	【J Affect Disord. 201(2016)131-136】Effect of valproic acid on dementia onset in patients with bipolar disorder
363	エスシタロプラムシュウ酸塩	[Lancet. 387(2016)1-9]Comparative efficacy and tolerability of antidepressants for major depressive disorder in children and adolescents: a network meta-analysis
364	無水カフェイン	[Ann Agric Environ Med. 23(2016)319-323] The influence of caffeine administered at 10° C on bone tissue development
365	ワルファリンカリウム	[Eur J Clin Pharmacol. 72(2016)731-736]Drug-related mortality among inpatients: a retrospective observational study
366	シルデナフィルクエン酸塩	[J Am Acad Dermatol. 74(2016)190]Melanoma in men treated with PDE5A inhibitors: A report from the RADAR (research on adverse drug events and reports) project
367	パロキセチン塩酸塩水和物	[J Am Acad Child Adolesc Psychiatry. 55(2016)359-366] Gestational exposure to selective serotonin reuptake inhibitors and offspring psychiatric disorders: A national register-based study
368	モルヒネ塩酸塩水和物	【JAMA. 315(2016)2415-2423】Prescription of Long-Acting Opioids and Mortality in Patients With Chronic Noncancer Pain.
369	フェンタニルクエン酸塩	[JAMA. 315(2016)2415-2423]Prescription of long-acting opioids and mortality in patients with chronic noncancer pain.
370	メドロキシプロゲステロン酢酸エステル	【J Natl Cancer Inst. 108(2016)1-4】Breast cancer and menopausal hormone therapy by race/ ethnicity and body mass index
371	ワルファリンカリウム	[Circ J. 80(2016)1217] Five-year outcome of warfarin therapy in Japanese patients with non-valvular atrial fibrillation. A result of the J-RHYTHM Registry 2
372	グリメピリド	【医療薬学. 42(2016)416-428】有害事象自発報告データベースに基づく経口血糖降下薬による低血糖症発現リスクに関する研究

373 ジクロフェナクナトリウム	[Rheumatology. 55(2016)1099-1105]Use of non-steroidal anti-inflammatory drugs correlates with the risk of venous thromboembolism in knee osteoarthritis patients: a UK population-based case-control study
374 ジクロフェナクナトリウム	【第19回日本医薬品情報学会総会・学術大会.(2016)125】P-23 医薬品副作用データベース(JADER)を用いた腎障害のある薬剤の代替薬選定の試み
375 ランソプラゾール	【J Am Soc Nephrol. 27(2016)1-11】Proton Pump Inhibitors and Risk of Incident CKD and Progression to ESRD
376 ボノプラザンフマル酸塩	[J Am Soc Nephrol. 27(2016)1-11] Proton Pump Inhibitors and Risk of Incident CKD and Progression to ESRD
377 リュープロレリン酢酸塩	[BMC Cancer. 16(2016)1-7]Stroke related to androgen deprivation therapy for prostate cancer: a meta-analysis and systematic review.
378 リュープロレリン酢酸塩	[BMC Cancer. 16(2016)1-7] Stroke related to androgen deprivation therapy for prostate cancer: a meta-analysis and systematic review.
379 ラベプラゾールナトリウム	【消化と吸収. 38(2016)90-93】低用量アスピリン服用者の小腸粘膜障害のリスクを高めるプロトンポンプ阻害薬:腸内細菌叢変化の影響の可能性
380 リセドロン酸ナトリウム水和物	[Ann Intern Med. 164(2016)715-723] The relationship of parathyroidectomy and bisphosphonates with fracture risk in primary hyperparathyroidism: An observational study
381 リセドロン酸ナトリウム水和物	[Ann Intern Med. 164(2016)715-723] The relationship of parathyroidectomy and bisphosphonates with fracture risk in primary hyperparathyroidism: An observational study
382 オキサリプラチン	【日本アンドロロジー学会第35回学術大会.35(2016)126-127】抗がん剤投与がラットの勃起機能に及ぼす影響-オキサリプラチンを用いた経時的変化の検討-
383 デソゲストレル・エチニルエストラジオール	【Int J Cancer. 138(2016)584-593】Postmenopausal hormone therapy and the risk of breast cancer in Norway

384	硫酸マグネシウム水和物・ブドウ糖	【日本周産期・新生児医学会雑誌. 52(2016)588】胎便関連性腸閉塞重症化にリスク因子となる母体背景は存在するか
385	ピオグリタゾン塩酸塩・グリメピリド配合剤	[Diabetes Obes Metab. 14(2012)803-809] Increase in overall mortality risk in patients with type 2 diabetes receiving glipizide, glyburide or glimepiride monotherapy versus metformin: a retrospective analysis
386	カンデサルタン シレキセチル・ヒドロクロロチアジド配合剤	[Arch Intern Med. 172(2012)1246-1251]Antihypertensive Drugs and Lip Cancer in Non-Hispanic Whites
387	リトドリン塩酸塩	【第19回日本医薬品情報学会総会・学術大会.(2016)141】リトドリンによる重篤な副作用の発現に寄与するリスク因子の探索
388	リュープロレリン酢酸塩	[Pharmacoepidemiol Drug Saf. 24(2015)309]Androgen Deprivation Therapy Use and the Risk of Venous Thromboembolism
389	リュープロレリン酢酸塩	[Pharmacoepidemiol Drug Saf. 24(2016)309]Androgen Deprivation Therapy Use and the Risk of Venous Thromboembolism
390	ブロナンセリン	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
391	ブロナンセリン	【J Hosp Med. (2016)1-6.】Outcomes of Elders Discharged on Antipsychotics
392	ハロペリドール	[Journal of the American Heart Association. 4(2015)e001666] Association of Selected Antipsychotic Agents With Major Adverse Cardiovascular Events and Noncardiovascular Mortality in Elderly Persons
393	ブロナンセリン	[Journal of the American Heart Association. 4(2015)e001666] Association of Selected Antipsychotic Agents With Major Adverse Cardiovascular Events and Noncardiovascular Mortality in Elderly Persons
394	ハロペリドール	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease

395	ハロペリドール	[J Hosp Med. (2016)1-6]Long-term Outcomes of Elders Discharged on Antipsychotics
396	フェンタニル	[JAMA. 315(2016)2415-2423]Prescription of long-acting opioids and mortality in patients with chronic noncancer pain.
397	オランザピン	【JAMA Neurology. 73(2016)535-541】Association of antipsychotic use with mortality risk in patients with Parkinson disease
398	ジクロフェナクナトリウム	[Lancet. 387(2016)2093-2105] Effectiveness of non-steroidal anti-inflammatory drugs for the treatment of pain in knee and hip osteoarthritis: a network meta-analysis
399	エスフルルビプロフェン・ハッカ油	[Gastroenterology. 150(2016)1066] Risk of non-steroidal anti-inflammatory drugs-related serious drug-induced liver injury: A systematic review and meta-analysis
400	アスピリン・ランソプラゾール配合剤	[Invest Ophthalmol Vis Sci. 55(2014)2687–2696] Association Between Aspirin Use and Age-Related Macular Degeneration: A Meta-Analysis
401	アスピリン・ランソプラゾール配合剤	[Can J Ophthalmol. 49(2014)35–39]Aspirin use and early age-related macular degeneration: a meta-analysis
402	アスピリン・ランソプラゾール配合剤	[PLoS One. 9(2014)e97328]Impact of Platelet Transfusion on Survival of Patients with Intracerebral Hemorrhage after Administration of Anti-Platelet Agents at a Tertiary Emergency Center
403	ラベプラゾールナトリウム	【JAMA Internal Medicine. 176(2016)828-834】Association Between Acute Neuropsychiatric Events and Helicobacter pylori Therapy Containing Clarithromycin
404	アスピリン・ランソプラゾール配合剤	【Circulation. 129(2014)1577-1585】Antiplatelet Therapy for Stable Coronary Artery Disease in Atrial Fibrillation Patients Taking an Oral Anticoagulant.
405	ラタノプロスト	[J Glaucoma. 25(2016)122-127]The Impact of Glaucoma Medications on Corneal Wound Healing.

406	乾燥BCGワクチン	[Pediatric Dermatology Vol.33, Suppl.1, p.S50, 2016] Adverse reactions due to BCG vaccine: 11 cases
407	パクリタキセル	【日本婦人科腫瘍学会雑誌. 34(2016)485】パクリタキセルおよびカルボプラチンの後発医薬品への変更と血管障害との関連
408	ピオグリタゾン塩酸塩	[Pharmacoepidemiol Drug Saf. (2015)462]. Application of quantitative methodologies for benefit-risk assessment: case study with rosiglitazone and pioglitazone.
409	グリメピリド	【医療薬学. 42(2016)416-428】有害事象自発報告データベースに基づく経口血糖降下薬による低血糖症発現リスクに関する研究
410	クラリスロマイシン	[JAMA Intern Med. 176(2016)828–834] Association between acute neuropsychiatric events and Helicobacter pylori therapy containing clarithromycin
411	アスピリン・ランソプラゾール配合剤	[Trauma. (14th Annual Trauma Care Conference. Telford, United Kingdom.) 15(2013)339-340] A meta-analysis to determine the risk of intracranial haemorrhage posed by pre-injury use of aspirin or clopidogrel in patients with blunt head trauma.
412	アスピリン・ランソプラゾール配合剤	[Turk J Gastroenterol. 24(2013)93-98] Relationship between continuous use of low-dose enteric-coated aspirin and gastrointestinal injuries in patients with gastrointestinal hemorrhage.
413	フェノバルビタールナトリウム	[Med Klin Intensivmed Notfmed. (2016)]Decrease of surfactant release by phenobarbital intoxication is possible. Med Klin Intensivmed Notfmed
414	ルリオクトコグアルファ(遺伝子組換え)	[N Engl J Med. 374(2016)2054–2064]A Randomized Trial of Factor VIII and Neutralizing Antibodies in Hemophilia A.
415	フィルグラスチム(遺伝子組換え)[フィルグラスチム後続1]	[Breast Cancer Res Treat. 154(2015)133-143] Myelodysplastic syndrome and acute myeloid leukemia following adjuvant chemotherapy with and without granulocyte colony-stimulating factors for breast cancer
416	リスペリドン	[Int J Dev Neurosci. 52(2016)13-23] Effects of prenatal exposure to antipsychotic risperidone on developmental neurotoxicity, apoptotic neurodegeneration and neurobehavioral sequelae in rat offspring

417	ラベプラゾールナトリウム	[PLOS ONE. 10(2015)e0143656]Proton Pump Inhibitor Use and Magnesium Concentrations in Hemodialysis Patients: A Cross-Sectional Study
418	リュープロレリン酢酸塩	[J Clin Oncol 34(2016)232]Cardiovascular events in prostate cancer patients: a comparative analysis of German claim data.
419	リュープロレリン酢酸塩	[J Clin Oncol 34(2016)232]Cardiovascular events in prostate cancer patients: a comparative analysis of German claim data.
420	リュープロレリン酢酸塩	[Int J Urol. 4(2016)305-311] Relationship between androgen deprivation therapy and community-acquired respiratory infections in patients with prostate cancer.
421	リュープロレリン酢酸塩	[Int J Urol. 4(2016)305-311] Relationship between androgen deprivation therapy and community-acquired respiratory infections in patients with prostate cancer.
422	ポリエチレングリコール処理人免疫グロブリン	[J Formos Med Assoc. 115(2016)426–433]Renal transplantation across the donor–specific antibody barrier: Graft outcome and cancer risk after desensitization therapy.
423	美白化粧品(医薬部外品)	【日本薬学会第136年会. (2016)】ロドデンドロールの有害事象の再発防止を目的とした皮内動態解析
424	美白化粧品(医薬部外品)	[British Jouirnal of Dermatology. (2016)]The spectral analysis of Rhododendrol-induced leukoderma using a novel multispectral band camera
425	美白化粧品(医薬部外品)	【第32回日本臨床皮膚科医会総会・臨床学術大会.(2016)】ロドデノール誘発性脱色素斑に対する光線療法の治療経験
426	薬用石鹸	【日本小児アレルギー学会誌. 30(2016)8-12】疫学と経皮感作
427	ソフトコンタクトレンズ洗浄液	[American academy of ophthalmology. 123(2016)451-456] Dendritiform Keratopathy Associated with Exposure to Polyquartermium-1, a Common Ophthalmic Preservative
_		

428	美白化粧品(医薬部外品)	【日本皮膚科学会雑誌. 126(2015)437】白斑におけるCDIa陽性樹状細胞の動態の解析
429	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会. (2016)】ロドデノール誘発性脱色素斑の診断のポイントと病因論
430	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会. (2016)】ロドデノール誘発性脱色素斑の治療アップデート
431	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会.(2016)】ロドデノール誘発性脱色素斑に対する紫外線治療について
432	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会. (2016)】Rhododendrolにおける細胞毒性機構の解明研究:NQO1遺伝子 多型におけるCAのRD細胞毒性減弱効果
433	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会. (2016)】ロドデノール誘発性脱色素斑患者11名の病理学的検討
434	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会.(2016)】ロドデノール白斑に対して手術療法をおこなった2例
435	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会. (2016)】白斑におけるCD1a陽性、Melanoseome生成樹状細胞の発見とその動態の解析
436	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会.(2016)】白斑におけるIL-17産生細胞の検討
437	美白化粧品(医薬部外品)	【第115回日本皮膚科学会総会. (2016)】ロドデノール誘発性白斑症は自己免疫病である
438	美白化粧品(医薬部外品)	【新潟地方会第377回例会. (2015)】ロドデノール(RD)パッチテスト結果によるRD誘発性脱色素斑の予後の相違

439 実白化粧品(医薬部外品) [第41回日本香粧品学会、(2016)]ロドデンドロールの有害事象の再発防止を目的とした皮膚透過性解析 440 美白化粧品(医薬部外品) [Pigment Cell and Melanoma Research. (2016)]Glutathione maintenance is crucial for survival of melanocytes after exposure to rhododendrol 441 美白化粧品(医薬部外品) [Jouinnal of Dermatological Science. (2016)]The effect of rhododendrol inhibition of NF- κ B on melanocytes in the presence of tyrosinase 442 美白化粧品(医薬部外品) [第65回日本アレルギー学会学術大会、(2016)]ロドデノール誘発性白斑症は自己免疫病である 443 菜用石鹼 [第65回日本アレルギー学会学術大会、(2016)]政膚パリアと成人のアレルギー疾患 444 菜用石鹼 [第65回日本アレルギー学会学術大会、(2016)]軽度感作食物アレルギーの意動情報 445 菜用石鹼 [第65回日本アレルギー学会学術大会、(2016)]成人における経皮感作食物アレルギーの最動情報 446 菜用石鹼 [第65回日本アレルギー学会学術大会、(2016)]成人における経皮感作食物アレルギー 447 菜用石鹼 [第65回日本アレルギー学会学術大会、(2016)]アレルギー交換の臨床 448 菜用石鹼 [第65回日本アレルギー学会学術大会、(2016)]アレルギー交換の臨床 449 菜用石鹼 [第65回日本アレルギー学会学術大会、(2016)]7015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予食調査結果 449 菜用石鹼 [第65回日本アレルギー学会学術年会、(2016)]7015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予食調査結果 449 菜用石鹼 [第65回日本アレルギー学会学術年会、(2016)]7015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予食調査需果 449 菜用石鹼 [第65回日本アレルギー学会学術年会、(2016)]7015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予食調査需果			
### ### #############################	439	美白化粧品(医薬部外品)	【第41回日本香粧品学会. (2016)】ロドデンドロールの有害事象の再発防止を目的とした皮膚透過性解析
### ### #############################	440	美白化粧品(医薬部外品)	
443 薬用石鹸 【第65回日本アレルギー学会学術大会、(2016)】皮膚パリアと成人のアレルギー疾患 444 薬用石鹸 【第65回日本アレルギー学会学術大会、(2016)】難治性の加水分解コムギ型小麦アレルギー患者10名に対する抗は症抗体療法の試み 445 薬用石鹸 【第65回日本アレルギー学会学術大会、(2016)】経皮感作食物アレルギーの最新情報 446 薬用石鹸 【第65回日本アレルギー学会学術大会、(2016)】成人における経皮感作食物アレルギー 447 薬用石鹸 【第65回日本アレルギー学会学術大会、(2016)】アレルギー究極の臨床 448 薬用石鹸 【第65回日本アレルギー学会学術大会、(2016)】2015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予後調査結果 【第65回日本アレルギー学会学術子会、(2016)】2015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予後調査結果 【第43回日本書性学会学術年会、(2016)】Rhododendro(のシステイン含有ペプチドへのチロシナーゼ依存	441	美白化粧品(医薬部外品)	
444 薬用石鹸 【第65回日本アレルギー学会学術大会.(2016)】難治性の加水分解コムギ型小麦アレルギー患者10名に対する抗IgE抗体療法の試み 【第65回日本アレルギー学会学術大会.(2016)】経皮感作食物アレルギーの最新情報 【第65回日本アレルギー学会学術大会.(2016)】成人における経皮感作食物アレルギー 447 薬用石鹸 【第65回日本アレルギー学会学術大会.(2016)】アレルギー究極の臨床 【第65回日本アレルギー学会学術大会.(2016)】アレルギー究極の臨床 【第65回日本アレルギー学会学術大会.(2016)】2015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予後調査結果 【第43回日本毒性学会学術年会.(2016)】Rhododendrolのシステイン含有ペプチドへのチロシナーゼ依存	442	美白化粧品(医薬部外品)	【第65回日本アレルギー学会学術大会. (2016)】ロドデノール誘発性白斑症は自己免疫病である
対する抗IgE抗体療法の試み 対する抗IgE抗体療法の試み 対する抗IgE抗体療法の試み 第65回日本アレルギー学会学術大会 (2016)]経皮感作食物アレルギーの最新情報 「第65回日本アレルギー学会学術大会 (2016)]成人における経皮感作食物アレルギー 447 薬用石鹸 【第65回日本アレルギー学会学術大会 (2016)]アレルギー究極の臨床 【第65回日本アレルギー学会学術大会 (2016)]アレルギー究極の臨床 【第65回日本アレルギー学会学術大会 (2016)]別が表示しまる即時型コムギアレルギーの予後調査結果 【第43回日本専性学会学術年会 (2016)]Rhododendrolのシステイン含有ペプチドへのチロシナーゼ依存	443	薬用石鹸	【第65回日本アレルギー学会学術大会. (2016)】皮膚バリアと成人のアレルギー疾患
446 薬用石鹸 【第65回日本アレルギー学会学術大会. (2016)】成人における経皮感作食物アレルギー 447 薬用石鹸 【第65回日本アレルギー学会学術大会. (2016)】アレルギー究極の臨床 448 薬用石鹸 【第65回日本アレルギー学会学術大会. (2016)】2015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予後調査結果 (第43回 日本毒性学会学術年会. (2016)】Rhododendrolのシステイン含有ペプチドへのチロシナーゼ依存	444	薬用石鹸	
447 薬用石鹸 【第65回日本アレルギー学会学術大会.(2016)】アレルギー究極の臨床 448 薬用石鹸 【第65回日本アレルギー学会学術大会.(2016)】2015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予後調査結果 449 美白化粧豆(医薬部以口) 【第43回 日本毒性学会学術年会.(2016)】Rhododendrolのシステイン含有ペプチドへのチロシナーゼ依存	445	薬用石鹸	【第65回日本アレルギー学会学術大会. (2016)】経皮感作食物アレルギーの最新情報
448 薬用石鹸 【第65回日本アレルギー学会学術大会.(2016)】2015年度(旧)茶のしずく石鹸による即時型コムギアレルギーの予後調査結果 【第43回 日本毒性学会学術年会.(2016)】Rhododendrolのシステイン含有ペプチドへのチロシナーゼ依存	446	薬用石鹸	【第65回日本アレルギー学会学術大会. (2016)】成人における経皮感作食物アレルギー
ギーの予後調査結果 (第43回 日本毒性学会学術年会. (2016) Rhododendrolのシステイン含有ペプチドへのチロシナーゼ依存	447	薬用石鹸	【第65回日本アレルギー学会学術大会. (2016)】アレルギー究極の臨床
	448	薬用石鹸	
	449	美白化粧品(医薬部外品)	

450	美白化粧品(医薬部外品)	【第43回 日本毒性学会学術年会.(2016)】近交系黒色モルモット皮膚におけるロドテノールによる脱色素作用と塗布時UVB照射による影響および脱色素班の回復について
-----	--------------	--