研究報告の報告状況 (平成28年8月1日~平成28年11月30日)

資料2-4

NO	一般名	文献名
1	オクトコグアルファ(遺伝子組換え)	[N Engl J Med. 374(2016)2054–2064]A Randomized Trial of Factor VIII and Neutralizing Antibodies in Hemophilia A.
2	エポエチン カッパ(遺伝子組換え)	[J Am Coll Cardiol. 68(2016)40–49] Early High-Dose Erythropoietin Therapy After Out-of-Hospital Cardiac Arrest: A Multicenter, Randomized Controlled Trial
3	スピロノラクトン	【日本消化器病学会雑誌. 113(2016)WS6-5】急性腎障害(AKI)が肝硬変の予後に与える影響についての解析
4	ジメンヒドリナート	[JAMA Neurol. 73(2016)721-732] Association between anticholinergic medication use and cognition, brain metabolism, and brain atrophy in cognitively normal older adults
5	エソメプラゾールマグネシウム水和物	[PLOS ONE. 10(2015)e0128004] Risk of Community-Acquired Pneumonia with Outpatient Proton-Pump Inhibitor Therapy: A Systematic Review and Meta-Analysis
6	オメプラゾール	[PLOS ONE. 10(2015)e0128004] Risk of Community-Acquired Pneumonia with Outpatient Proton-Pump Inhibitor Therapy: A Systematic Review and Meta-Analysis
7	バルプロ酸ナトリウム	[JAMA Psychiatry. 73(2016)630-637]Self-harm,unintentional injury, and suicide in bipolar disorder during maintenance mood stabilizer treatment:A UK population-based electronic health records study
8	アトロピン硫酸塩水和物	[JAMA Neurol. 73(2016)721-732] Association between anticholinergic medication use and cognition, brain metabolism, and brain atrophy in cognitively normal older adults
9	エスシタロプラムシュウ酸塩	[J Clin Psychiatry. 77(2016)e692-e696] Association of Selective Serotonin Reuptake Inhibitor Use and Acute Angle-Closure Glaucoma
10	テストステロンエナント酸エステル	[Am J Cardiol. 5(2016)794-799]Impact of Testosterone Replacement Therapy on Myocardial Infarction, Stroke, and Death in Men With Low Testosterone Concentrations in an Integrated Health Care System
11	プロゲステロン	[PLoS One. 10(2015)1-15]Progesterone for Acute Traumatic Brain Injury: A Systematic Review of Randomized Controlled Trials
12	ヒドロキソコバラミン	[Intensive Care Med. 42(2016)1080-1081] Risk of oxalate nephropathy with the use of cyanide antidote hydroxocobalamin in critically ill burn patients
13	ランソプラゾール	[Aliment Pharmacol Ther. 43(2016)1004-1013] High risk of drug-induced microscopic colitis with concomitant use of NSAIDs and proton pump inhibitors
14	ボノプラザンフマル酸塩	[Aliment Pharmacol Ther. 43(2016)1004-1013] High risk of drug-induced microscopic colitis with concomitant use of NSAIDs and proton pump inhibitors
15	ラベプラゾールナトリウム	[Int J Cardiol. 219(2016)277-281] Prolonged utilization of proton pump inhibitors in patients with ischemic and valvular heart disease is associated with surgical treatments, weight loss and aggravates anemia
16	ラベプラゾールナトリウム	[Clin Ther. 38(2016)1392-1400]Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study
17	ラベプラゾールナトリウム	[Epidemiol Infect. 144(2016)968-975] Association between use of proton pump inhibitors and non-typhoidal salmonellosis identified following investigation into an outbreak of Salmonella Mikawasima in the UK, 2013

18	ピオグリタゾン塩酸塩・グリメピリド	[J Clin Endocrinol Metab. 101(2016)461-469] Mortality in Individuals Treated With Glucose-Lowering Agents: A Large, Controlled Cohort Study
19	エストラジオール	[J Clin Oncol. 34(2015)4058-4065] Female Estrogen-Related Factors and Incidence of Basal Cell Carcinoma in a Nationwide US Cohort
20	ピラジナミド	[PLOS ONE. 11(2016)e0157725] Hepatotoxicity during treatment for tuberculosis in people living with HIV/AIDS
21	リファンピシン	[PLOS ONE. 11(2016)e0157725] Hepatotoxicity during treatment for tuberculosis in people living with HIV/AIDS
22	イソニアジド	[PLOS ONE. 11(2016)e0157725] Hepatotoxicity during treatment for tuberculosis in people living with HIV/AIDS
23	アドレナリン	[Paediatr Anaesth. 25(2015)1144-1150]Urethrocutaneous fistula following hypospadias repair: regional anesthesia and other factors
24	テラプレビル	[Braz J Med Biol Res.49(2016)]Predictors of early treatment discontinuation and severe anemia in a Brazilian cohort of hepatitis C patients treated with first-generation protease inhibitors
25	アムホテリシンB	[Antimicrob Agents Chemother. 59(2015)7224-7231]Toxicity of Amphotericin B Deoxycholate-Based Induction Therapy in Patients with HIV-Associated Cryptococcal Meningitis
26	ノルエチステロン・エチニルエストラジオー ル	[Gastroenterology. 150(2016)1561–1567]Association Between Long-term Oral Contraceptive Use and Risk of Crohn's Disease Complications in a Nationwide Study
27	ノルエチステロン・エチニルエストラジオー ル	[Gut. 62(2013)1153-1159]Oral contraceptives, reproductive factors and risk of inflammatory bowel disease
28	インドメタシンナトリウム	【日本周産期・新生児医学会雑誌. 52(2016)545】インドメタシン予防投与を行った超低 出生体重児における動脈管閉鎖に影響を与える因子
29	モキシフロキサシン塩酸塩	[Psychopharmacolog. 233(2016)2503-2511] Quinolone antibiotics and suicidal behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms
30	レボフロキサシン水和物	[Psychopharmacolog. 233(2016)2503–2511] Quinolone antibiotics and suicidal behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms
31	セフトリアキソンナトリウム水和物	[Eur J Clin Pharmacol. 72(2016)1003–1011]Drug-induced liver injury associated with high-dose ceftriaxone: a retrospective cohort study adjusted for the propensity score
32	ノルエチステロン・エチニルエストラジオー ル	[Thromb Res. 141(2016)153–157]Duration of oral contraceptive use and the risk of venous thromboembolism. A case–control study
33	インスリン グラルギン(遺伝子組換え)[イ ンスリン グラルギン後続1]	[Horm Metab Res. 47(2015)861-865] Glargine Promotes Human Colorectal Cancer Cell Proliferation via Upregulation of miR-95
34	メチルフェニデート塩酸塩	[BMJ. 353(2016)i2550]Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): Nationwide self controlled case series study
35	アスホターゼ アルファ(遺伝子組換え)	【社内資料】アスフォターゼ アルファ添加実験結果
36	ラモトリギン	[Yonsei Med J. 57(2016)118-126] HLA Allele Frequencies in 5802 Koreans: Varied Allele Types Associated with SJS/TEN According to Culprit Drugs

	I	
37	ランソプラゾール	[Medicine. 95(2016)1-6] Association Between the Use of Proton Pump Inhibitors and the Risk of ESRD in Renal Diseases: A Population-Based, Case-Control Study
38	ボノプラザンフマル酸塩	[Medicine. 95(2016)1-6] Association Between the Use of Proton Pump Inhibitors and the Risk of ESRD in Renal Diseases: A Population-Based, Case-Control Study
39	クロラムフェニコール・コリスチンメタンスル ホン酸ナトリウム	[PLOS One. (2015)e0140443]Periconceptional and Gestational Exposure to Antibiotics and Childhood Asthma
40	エポエチン アルファ(遺伝子組換え)	[Int J Cardiol. 218(2016)12-22] The effects of erythropoiesis stimulating therapy for anemia in chronic heart failure: A meta-analysis of randomized clinical trials
41	ダルベポエチン アルファ(遺伝子組換え)	[Int J Cardiol. 218(2016)12–22] The effects of erythropoiesis stimulating therapy for anemia in chronic heart failure: A meta–analysis of randomized clinical trials
42	フルボキサミンマレイン酸塩	[Ann Pharmacother. 50(2016)525-533]Antidepressant Use and Recurrent Falls in Community-Dwelling Older Adults: Findings From the Health ABC Study
43	ジクロフェナクナトリウム	【日本周産期・新生児医学会雑誌. 52(2016)546】当院の未熟児動脈管開存症における手術症例の検討
44	グリクラジド	[BMJ. 354(2016)i3625] Risk of hypoglycaemia in users of sulphonylureas compared with metformin in relation to renal function and sulphonylurea metabolite group:population based cohort study
45	アセトアミノフェン含有一般用医薬品	[Br J Clin Pharmacol. 82(2016)238-248] Risk of acute and serious liver injury associated to nimesulide and other NSAIDs: data from drug-duced liver injury case-control study in Italy
46	モガムリズマブ(遺伝子組換え)	[Biol Blood Marrow Transplant. (2016)1-7] Mogamulizumab Treatment Prior to Allogeneic Hematopoietic Stem Cell Transplantation Induces Severe Acute Graft-versus-Host Disease
47	パロキセチン塩酸塩水和物	[JAMA Neurol. 73(2016)721-732] Association between anticholinergic medication use and cognition, brain metabolism, and brain atrophy in cognitively normal older adults
48	クロルフェニラミンマレイン酸塩含有一般用 医薬品	[JAMA Neurol. 73(2016)721-732] Association between anticholinergic medication use and cognition, brain metabolism, and brain atrophy in cognitively normal older adults
49	リスペリドン	[J. Clin. Psychiat. 77(2016)661-667]Benzodiazepine use and risk of mortality among patients with schizophrenia: a retrospective longitudinal study
50	アトルバスタチンカルシウム水和物	[Acta Neurol Scand. 134(2016)22-28] High-dose statin therapy and risk of intracerebral hemorrhage: a meta-analysis
51	薬剤感受性(一般細菌・ディスク法)キット	[Antimicrob Agents Chemother. 59(2015) 4625-4630] Comparative Evaluation of Colistin Susceptibility Testing Methods among Carbapenem-non-Susceptible
52	酢酸ナファレリン	[Medicine (Baltimore). 27(2016)1-10]A meta-analysis and systematic review of randomized controlled trials with degarelix versus gonadotropin-releasing hormone agonists for advanced prostate cancer
53	バルサルタン	[J Pediatr. 167(2015)881-885]Renin Angiotensin System Blocker Fetopathy: A Midwest Pediatric Nephrology Consortium Report
54	ブロナンセリン	[Clin Toxicol. 54(2016)471-480]Antipsychotic-related fatal poisoning, England and Wales, 1993-2013: impact of the withdrawal of thioridazine
55	エスシタロプラムシュウ酸塩	[J Clin Psychiatry. 77(2016)e176-e185]Preschool Outcomes Following Prenatal Serotonin Reuptake Inhibitor Exposure: Differences in Language and Behavior, but Not Cognitive Function
	·	

10 Pediads (1)	を高
in non-endstage chronic kidney disease: A meta-analysis [消化と吸収、38(2016)90-93]低用量アスピリン服用者の小腸粘膜障害のリス・めるプロトンボンブ阻害薬: 腸内細菌素変化の影響の可能性 [消化と吸収、38(2016)90-93]低用量アスピリン服用者の小腸粘膜障害のリス・めるプロトンボンブ阻害薬: 腸内細菌素変化の影響の可能性 [Br J Haematol. 172(2016)439-451]Efficacy and toxicity of a paediatric proto teenagers and young adults with Philadelphia chromosome negative acute lymphoblastic leukaemia: results from UKALL 2003 [Drugs - Real World Outcomes. 3(2016)145-154]Drug-Induced Subacute Cut Lupus Erythematosus Associated with Proton Pump Inhibitors [Cutan Ocul Toxicol. 35(2016)237-241]Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome [Int J Cardiol. 215(2016)232-237]Adverse cardiovascular effects of nitrogencontaining bisphosphonates in patients with osteoporosis: A nationwide popule based retrospective study [JAMA Neurology. 73(2016)675-683]Risk of symptomatic intracerebral hemorafter intravenous thrombolysis in patients with acute ischemic stroke and high cerebral microbleed burden. A meta-analysis [Int J Epidemiol. (2016)]Acetaminophen use in pregnancy and neurodevelopm attention function and autism spectrum symptoms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms	を高
あるプロトンボンブ阻害薬:腸内細菌素変化の影響の可能性	を高
あるプロトンポンブ阻害薬:腸内細菌素変化の影響の可能性	
teenagers and young adults with Philadelphia chromosome negative acute lymphoblastic leukaemia: results from UKALL 2003 [Drugs - Real World Outcomes. 3(2016)145-154]Drug-Induced Subacute Cut Lupus Erythematosus Associated with Proton Pump Inhibitors [Cutan Ocul Toxicol. 35(2016)237-241]Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome [Int J Cardiol. 215(2016)232-237]Adverse cardiovascular effects of nitrogencontaining bisphosphonates in patients with osteoporosis: A nationwide popula based retrospective study [JAMA Neurology. 73(2016)675-683]Risk of symptomatic intracerebral hemorafter intravenous thrombolysis in patients with acute ischemic stroke and high cerebral microbleed burden. A meta-analysis [Int J Epidemiol. (2016)]Acetaminophen use in pregnancy and neurodevelopm attention function and autism spectrum symptoms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511]Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms	l in
Lupus Erythematosus Associated with Proton Pump Inhibitors Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)237-241] Viscoelastic substance in prefilled syr an etiology of Toxic Anterior Segment Syndrome Cutan Ocul Toxicol. 35(2016)232-253] Adverse cardiovascular effects of nitrogen-containing bisphosphonates in patients with osteoporosis: A nationwide popula based retrospective study Cutan Ocul Toxicol. 35(2016)232-253] Adverse cardiovascular effects of nitrogen-containing bisphosphonates in patients with osteoporosis: A nationwide popula based retrospective study Cutan Ocul Toxicol. 35(2016)230-2511] Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms Cutan Ocul Toxicol. 35(2016)2503-2511] Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms Cutan Ocul Toxicol. 35(2016)2503-2511] Quinolone antibiotics and suicide behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mech	
an etiology of Toxic Anterior Segment Syndrome [Int J Cardiol. 215(2016)232-237] Adverse cardiovascular effects of nitrogencontaining bisphosphonates in patients with osteoporosis: A nationwide popula based retrospective study [JAMA Neurology. 73(2016)675-683] Risk of symptomatic intracerebral hemorafter intravenous thrombolysis in patients with acute ischemic stroke and high cerebral microbleed burden. A meta-analysis [Int J Epidemiol. (2016)] Acetaminophen use in pregnancy and neurodevelopm attention function and autism spectrum symptoms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms	eous
Containing bisphosphonates in patients with osteoporosis: A nationwide popular based retrospective study	ge as
after intravenous thrombolysis in patients with acute ischemic stroke and high cerebral microbleed burden. A meta-analysis Fyetricolor First	on-
attention function and autism spectrum symptoms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions delay behavior: analysis of the World Health Organization's adverse drug reactions	age
behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions delay the world Health Organization's adverse drug reactions of the World Health Organization's adverse drug reactions	ıt:
behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms [Psychopharmacology. 233(2016)2503-2511] Quinolone antibiotics and suicida behavior: analysis of the World Health Organization's adverse drug reactions	
68 ナリジクス酸 behavior: analysis of the World Health Organization's adverse drug reactions	
database and discussion of potential mechanisms	
【Psychopharmacology. 233(2016)2503-2511】Quinolone antibiotics and suicidal behavior: analysis of the World Health Organization's adverse drug reactions database and discussion of potential mechanisms	
70 ランソプラゾール 【医療薬学フォーラム2016第24回クリニカルファーマシーシンポジウム. (2016)1トレキセド・カルボプラチン併用療法による血液毒性の増悪因子の評価)]ペメ
71 メトトレキサート 【第60回日本リウマチ学会総会・学術集会(2016)326】関節リウマチ患者におけ 質性肺炎の頻度とリスク	5間
72 ドキサプラム塩酸塩水和物 【第52回日本周産期・新生児医学会雑誌. 52(2016)520】ドキサプラム使用前後 質推移	
73 乾燥弱毒生水痘ワクチン 【Diabet Med. 33(2016)1094-1101】Efficacy and safety of live varicella zoster vin diabetes: a randomized, double-blind, placebo-controlled trial	電解
74 ヨウ化ナトリウム(131I) 【J Natl Cancer Inst. 108(2016)djv314】Use of Radioactive Iodine for Thyroid C and Risk for Second Primary Malignancy: A Nationwide Population-Based Stud	

75	ドンペリドン	【医療薬学. 42(2016)529-535】安全性シグナル指標を用いたスイッチOTC化した消化 器障害治療薬の重篤な有害事象に関する解析
76	フィルグラスチム(遺伝子組換え)	[Breast Cancer Res Treat. 154(2015)133-143] Myelodysplastic syndrome and acute myeloid leukemia following adjuvant chemotherapy with and without granulocyte colony-stimulating factors for breast cancer
77	エストラジオール	【第14回日本臨床腫瘍学会学術集会資料. (2016)】Risk of breast cancer in Taiwanese menopause women using different hormone replacement therapy
78	ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association Between Zolpidem and Suicide: A Nationwide Population-Based Case-Control Study
79	メトトレキサート	[J Am Acad Dermatol. 75(2016)49–58] Immunosuppressive medication use and risk of herpes zoster (HZ) in patients with systemic lupus erythematosus (SLE): A nationwide case-control study
80	アザチオプリン	[J Am Acad Dermatol. 75(2016)49-58] Immunosuppressive medication use and risk of herpes zoster (HZ) in patients with systemic lupus erythematosus (SLE): A nationwide case-control study
81	エポエチン カッパ(遺伝子組換え)	[Clin J Am Soc Nephrol. 10(2015)1822–1830] Association of Erythropoietin Dose and Route of Administration with Clinical Outcomes for Patients on Hemodialysis in the United States
82	ボルテゾミブ	【第14回日本臨床腫瘍学会学術集会.(2016)】新規治療薬による症候性骨髄腫治療における腫瘍崩壊症候群のリスク因子
83	プラバスタチンナトリウム	[Br J Clin Pharmacol. 82(2016)473-477] Muscle rupture associated with statin use
84	プラバスタチンナトリウム	[Acta Neurol Scand. 134(2016)22-28] High-dose statin therapy and risk of intracerebral hemorrhage: a meta-analysis
85	ランソプラゾール	[Drug Metab Dispos. (2016)]Lansoprazole exacerbates pemetrexed-mediated hematological toxicity by competitive inhibition of renal basolateral human organic anion transporter 3
86	ヒアルロン酸ナトリウム・コンドロイチン硫酸 エステルナトリウム	[Clin Drug Investig. 35(2015)689-692] Caution should be used in long-term treatment with oral compounds of hyaluronic acid in patients with a history of cancer
87	ヒアルロン酸ナトリウム・コンドロイチン硫酸 エステルナトリウム	[Clin Drug Investig. 35(2016)689-692] Caution should be used in long-term treatment with oral compounds of hyaluronic acid in patients with a history of cancer
88	ヒアルロン酸ナトリウム	[Clin Drug Investig. 35(2015)689-692] Caution should be used in long-term treatment with oral compounds of hyaluronic acid in patients with a history of cancer
89	ドンペリドン	[Br J Clin Pharmacol. 82(2016)461-472]Ventricular tachyarrhythmia and sudden cardiac death with domperidone use in Parkinson's disease
90	モガムリズマブ(遺伝子組換え)	[J Clin Oncol. 67(2016)1-8] Pretransplantation Anti-CCR4 Antibody Mogamulizumab Against Adult T-Cell Leukemia/Lymphoma Is Associated With Significantly Increased Risks of Severe and CorticosteroidRefractory Graft-Versus-Host Disease, Nonrelapse Mortality, and Overall Mortality
91	プラバスタチンナトリウム	[Acta Neurol Scand. 134(2016)22-28] High-dose statin therapy and risk of intracerebral hemorrhage: a meta-analysis
92	ドンペリドン	[Br J Clin Pharmacol. 82(2016)461-472]Ventricular tachyarrhythmia and sudden cardiac death with domperidone use in Parkinson's disease
93	クラリスロマイシン	[Br J Clin Pharmacol. 82(2016)512–521] Evaluation of the risk of cardiovascular events with clarithromycin using both propensity score and self-controlled study designs

94	アドレナリン	[Medicine. 95(2016)e3195]Impact of Different Initial Epinephrine Treatment Time Points on the Early Postresuscitalive Hemodynrunic Status of Children With Traumatic Out-of-hospital Cardiac Arrest
95	ボリコナゾール	【第38回日本光医学・光生物学会、(2016)】抗真菌剤ボリコナゾール投与中に生じた光線角化症とその発症機序の検討
96	アセトアミノフェン	[Cancer Epidemiology. 43(2016)105-111] Associations of NSAID and paracetamol use with risk of primary liver cancer in the Clinical Practice Research Datalink
97	ケトプロフェン	[Br J Clin Pharmacol. 82(2016)238-248] Risk of acute and serious liver injury associated to nimesulide and other NSAIDs: data from drug-duced liver injury case-control study in Italy
98	ロスバスタチンカルシウム	[Acta Neurol Scand. 134(2016)22-28] High-dose statin therapy and risk of intracerebral hemorrhage: a meta-analysis
99	酸化セルロース	[Ann Surg Oncol. 17(2010)2452-2458] Risk of Postoperative Pelvic Abscess in Major Gynecologic Oncology Surgery: One-Year Single-Institution Experience
100	ゾルピデム酒石酸塩	[Mayo Clin Proc. 91(2016)308-315] Association Between Zolpidem and Suicide: A Nationwide Population-Based Case-Control Study
101	インフリキシマブ(遺伝子組換え)	[Arthritis Rheum. 68(2016)1078-1088] Comparative Risk of Harm Associated With the Use of Targeted Immunomodulators: A Systematic Review
102	オセルタミビルリン酸塩	[INFECTIOUS DISEASES. 48(2016)651-660] The mechanisms of delayed onset type adverse reactions to oseltamivir
103	オセルタミビルリン酸塩	[Acta Neurologica Scandinavica. (2016)]The mechanisms of sudden onset type adverse reactions to oseltamivir
104	ノルエチステロン・エチニルエストラジオー ル	[Microsurgery. 35(2015)553-559]Effect of a combined oral contraceptive on patency of arterial anastomosis in a female rat model
105	乾燥イオン交換樹脂処理人免疫グロブリン	[Transfusion. 55(2016)S65-S73]Pathogenesis and Epidemiology of IG Product-Related Hemolysis. The role of inflammation in intravenous immune globulin-mediated hemolysis
106	乾燥pH4処理人免疫グロブリン	[N Engl J Med. 365(2011)1201-1211]Treatment of neonatal sepsis with intravenous immune globulin
107	テストステロンエナント酸エステル	[Orthopedics. 38(2015)1073-1078]Testosterone Therapy Can Interact With Thrombophilia, Leading to Osteonecrosis
108	デソゲストレル・エチニルエストラジオール	[BMJ. 353(2016)i2002]Low dose oestrogen combined oral contraception and risk of pulmonary embolism, stroke, and myocardial infarction in five million French women: cohort study
109	ワルファリンカリウム	[BMJ. 353(2016)1-10] Prediction of rates of thromboembolic and major bleeding outcomes with dabigatran or warfarin among patients with atrial fibrillation: new initiator cohort study
110	エスシタロプラムシュウ酸塩	[Br J Pharmacol. 173(2016)2095–2110] High-fat diet-induced metabolic disorders impairs 5-HT function and anxiety-like behavior in mice
111	ラベプラゾールナトリウム	[J Nutr Health Aging. 20(2016)77-81] ASSOCIATION OF PROTON PUMP INHIBITOR USE WITH RECURRENT FALLS AND RISK OF FRACTURES IN OLDER WOMEN: A STUDY OF MEDICATION USE IN OLDER FALLERS
112	レナリドミド水和物	【臨床血液.57(2016)839-847】骨髄腫関連疾患における二次癌の検討-関西骨髄腫 フォーラムデータベースを用いた解析-

113	ドンペリドン	[Br J Clin Pharmacol. 82(2016)478-486] Atropinic burden of drugs during pregnancy and psychological development of children: a cohort study in the EFEMERIS database
114	インスリン アスパルト(遺伝子組換え)	【第71回日本消化器外科学会総会資料. (2016)691 Insulin treatment can accelerate the recurrence of hepatocellular carcinoma after surgery
115	イマチニブメシル酸塩	【Transplantation. 100(2016)303-313】Platelet-Derived Growth Factor-B Protects Rat Cardiac Allografts From Ischemia-reperfusion Injury
116	アスピリン・ランソプラゾール	[Am Heart J. 179(2016)77-86]Use of concomitant aspirin in patients with atrial fibrillation: Findings from the ROCKET AF trial
117	カンデサルタン シレキセチル	【J Am Acad Dermatol. 74(2016)AB221】Association of melanoma and nonmelanoma skin cancer with antihypertensive drugs: A report from the Research on Adverse Drug events And Reports project
118	アスピリン	[Gastroenterology. 150(2016)S452] Balancing the benefit of colorectal prevention and risk of peptic ulcer bleeding in the long term use of aspirin: a 10-year follow-up population cohort of 746,739 subjects
119	ファモチジン	[Gastroenterology. 150(2016)S165]Do Concurrent Gastroprotective Agents Impact Gastrointestinal Bleeding Rates in Edoxaban Users? Results From the ENGAGE-AF TIMI 48 Trial
120	アトルバスタチンカルシウム水和物	[Circulation. 133(2016)AMP06] Statins and the risk of diabetes type 2 in children ages 8 to 20 with and without dyslipidemia
121	トラマドール塩酸塩・アセトアミノフェン	[Cancer Epidemiology. 43(2016)105-111] Associations of NSAID and paracetamol use with risk of primary liver cancer in the Clinical Practice Research Datalink
122	リスペリドン	[Int J Exp Pathol. 97(2016)125-132] Effect of in utero exposure to the atypical anti- psychotic risperidone on histopathological features of the rat placenta
123	シロリムス	[Neurology. (2016)]Sirolimus for epilepsy in children with tuberous sclerosis complex: A randomized controlled trial
124	ホスカルネットナトリウム水和物	[Transplantation. 100(2016)]Outcomes in Transplant Recipients Treated with Foscarnet for Ganciclovir–Resistant or Refractory Cytomegalovirus Infection
125	イトラコナゾール	[J Urol. 196(2016)343-348] Association of itraconazole, a hedgehog inhibitor, and bladder cancer
126	イトラコナゾール	[J Urol. 196(2016)343-348] Association of itraconazole, a hedgehog inhibitor, and bladder cancer
127	ラベプラゾールナトリウム	[J Nutr Health Aging. 20(2016)569-573]VITAMIN B12 DEFICIENCY INDUCED BY THE USE OF GASTRIC ACID INHIBITORS: CALCIUM SUPPLEMENTS AS A POTENTIAL EFFECT MODIFIER
128	フェノバルビタールナトリウム	[Epilepsia. (2016)epi.13509]Association of HLA genotypes with phenobarbital hypersensitivity in children
129	イストラデフィリン	【社内資料】EVALUATION OF THE DISCRIMINATIVE PROPERTIES OF ISTRADEFYLLINE (KW-6002) AND THE REFERENCE COMPARATOR DRUGS, PHENTERMINE AND BUPROPION, IN RATS TRAINED TO DISCRIMINATE D-AMPHETAMINE FROM SALINE
130	レボフロキサシン水和物	【第136回日本薬学会年会. 4(2016)172】ワルファリンとレボフロキサシンの併用によるINRの変化
131	スルピリド	[Thromb Haemost. 115(2016)1209-1219] Use of antipsychotics and risk of venous thromboembolism in postmenopausal women. A population-based nested case-control study

132	アドレナリン	[BMJ. 353(2016)i1577]Early administration of epinephrine(adrenaline) in patients with cardiac arrest with initial shockable rhythm in hospital: propensity score matched analysis
133	プレドニゾロン	【第60回日本リウマチ学会総会・学術集会(2016)353】高用量ステロイド投与時に発症した全身性エリテマトーデスにおける精神神経症状の解析
134	プレドニゾロン	【第60回日本リウマチ学会総会・学術集会(2016)658】皮膚筋炎に合併した進行性間質性肺炎に対するタクロリムス急速飽和療法の有効性/安全性の検討
135	アトルバスタチンカルシウム水和物	[Br J Clin Pharmacol. 82(2016)823-830]Statin-induced liver injury in an area endemic for hepatitis B virus infection: risk factors and outcome analysis
136	レボフロキサシン水和物	【医薬ジャーナル, 52(2016)1857-1859】薬剤疫学 ~医療ビッグデータの利活用~ 病院情報データベースを用いた有害事象発現頻度の比較
137	塩酸セルトラリン	【日本薬学会第136年会・講演要旨集. 4(2016)88】ラモトリギン誘発皮膚障害発現に 及ぼす併用薬の影響
138	センナ含有一般用医薬品	【医療薬学フォーラム2016第24回クリニカルファーマシーシンポジウム.(2016)191】有害事象自発報告データベースを用いた下部消化管障害の原因薬剤の解析
139	エストラジオール	【Stroke. 47(2016)1734-1741】Postmenopausal Hormone Therapy and Risk of Stroke: Impact of the Route of Estrogen Administration and Type of Progestogen
140	アセトアミノフェン	[J Pediatr. 175(2016)47-53] Nonsteroidal anti-inflammatory drug without antibiotics for acute viral infection increases the empyema risk in children: A matched case-control study
141	アセトアミノフェン	【JAMA Pediatrics. 170(2016)964-970】Association of Acetaminophen Use During Pregnancy With Behavioral Problems in Childhood: Evidence Against Confounding
142	メチルフェニデート塩酸塩	[Reprod Biomed Online. 32(2016)170-177] Investigation of possible teratogenic effects in the offspring of mice exposed to methylphenidate during pregnancy
143	アテノロール	[Br J Clin Pharmacol. 82(2016)549–560] Peripheral vasoconstriction induced by β – adrenoceptor blockers: a systematic review and a network meta–analysis
144	パロキセチン塩酸塩水和物	[Lancet. 388(2016)881-890] Comparative efficacy and tolerability of antidepressants for major depressive disorder in children and adolescents: a network meta-analysis
145	リスペリドン	[Br J Clin Pharmacol. 82(2016)624-632] Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
146	ファモチジン	[Clin Ther. 38(2016)1392-1400]Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study
147	ボリコナゾール	【第38回日本光医学・光生物学会. (2016)】抗真菌剤ボリコナゾール投与中に生じた光線角化症とその発症機序の検討
148	アセトアミノフェン含有一般用医薬品	【JAMA Pediatrics. 170(2016)964-970】Association of Acetaminophen Use During Pregnancy With Behavioral Problems in Childhood: Evidence Against Confounding
149	インフリキシマブ(遺伝子組換え)	【Gut. 65(2016)1261-1268】Tailored anti-TNF therapy during pregnancy in patients with IBD: Maternal and fetal safety
150	パロキセチン塩酸塩水和物	[Acta Clin Belg. 71(2016)57-62] A happy valve in a happy patient? Serotonergic antidepressants and the risk of valvular heart disease (SERVAL). A case-control study

151	ラベプラゾールナトリウム・アモキシシリン 水和物・クラリスロマイシン	[Br J Clin Pharmacol. 82(2016)512-521] Evaluation of the risk of cardiovascular events with clarithromycin using both propensity score and self-controlled study designs
152	インフリキシマブ(遺伝子組換え)	[Mod Rheumatol. 26(2016)642-650] Risk for malignancy in rheumatoid arthritis patients treated with biological disease-modifying antirheumatic drugs compared to the general population: A nationwide cohort study in Japan
153	イバンドロン酸ナトリウム水和物	[Am J Ophthalmol. 168(2016)62-67]Oral Bisphosphonates and Risk of Wet Age- Related Macular Degeneration
154	シロリムス	[Oncotarget. (2016)]Phase I dose-escalation study of the mTOR inhibitor sirolimus and the HDAC inhibitor vorinostat in patients with advanced malignancy
155	クラリスロマイシン	[Br J Clin Pharmacol. 82(2016)512-521] PHARMACOEPIDEMIOLOGY Evaluation of the risk of cardiovascular events with clarithromycin using both propensity score and self-controlled study designs
156	アルプラゾラム	[Medicine. 95(2016)e4419-e4419] Association of depression and psychotropic medication on cardiac-related outcomes in a nationwide community-dwelling elderly population in Taiwan
157	アセトアミノフェン含有一般用医薬品	【JAMA Pediatrics. 170(2016)964-970】Association of Acetaminophen Use During Pregnancy With Behavioral Problems in Childhood: Evidence Against Confounding
158	炭酸リチウム	[Clin Toxicol. 54(2016)615-623]Lithium poisoning in the intensive care unit: predictive factors of severity and indications for extracorporeal toxin removal to improve outcome
159	アドレナリン	【第64回日本心臓病学会学術集会. (2016)】Effect of prehospital epinephrine on out-of-hospital cardiac arrest in the Compression-Airway-Breathing(C-A-B) era:a nationwide, population-based, propensity score-matched study
160	フルチカゾンプロピオン酸エステル・ホルモ テロールフマル酸塩水和物	[BMJ Open. (2015)]Comparative safety and effectiveness of long-acting inhaled agents for treating chronic obstructive pulmonary disease:a systematic review and network meta-analysis
161	リュープロレリン酢酸塩	[BJU Int. 118(2016)391-398]Risk of thromboembolic disease in men with prostate cancer undergoing androgen deprivation therapy
162	リュープロレリン酢酸塩	[BJU Int. 118(2016)391-398]Risk of thromboembolic disease in men with prostate cancer undergoing androgen deprivation therapy
163	リスペリドン	【JAMA Psychiatry. 73 (2016)938-946】Antipsychotic Use in Pregnancy and the Risk for Congenital Malformations
164	クラリスロマイシン	[Br J Clin Pharmacol. 82(2016)512-521] Evaluation of the risk of cardiovascular events withclarithromycin using both propensity score and self-controlled study designs
165	ラベプラゾールナトリウム	[PLOS ONE. 11(2016)e0151332] Acute Middle Gastrointestinal Bleeding Risk Associated with NSAIDs, Antithrombotic Drugs, and PPIs: A Multicenter Case-Control Study
166	ラベプラゾールナトリウム	[BMC Nephrol. 17(2016)1-8]Proton pump inhibitors are associated with increased risk of development of chronic kidney disease
167	ラベプラゾールナトリウム	[Cancer Chemother Pharmacol. 78(2016)427–432] Association of concurrent acid-suppression therapy with survival outcomes and adverse event incidence in oncology patients receiving erlotinib
168	アスピリン・ランソプラゾール	[Scientific Reports. 5(2015)13204]Duration of dual antiplatelet therapy after drug- eluting stent implantation: Meta-analysis of large randomised controlled trials
169	アザチオプリン	[Rheumatology. 55(2016)i99-i100]THE EFFECT OF STEROIDS, AZATHIOPRINE AND MYCOPHENOLATE ON THE RISK OF DEATH IN RHEUMATOID LUNG DISEASE

170	オランザピン	[Br J Clin Pharmacol. 82(2016)624-632]Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
171	乾燥イオン交換樹脂処理人免疫グロブリン	【最新冠動脈疾患学(下). 74(2016)522-526】一冠動脈疾患の最新治療戦略 – XVI. 川崎病の臨床 川崎病の治療 薬物治療 ステロイド療法
172	アロプリノール	[Frontiers in Pharmacology. 7(2016)186]HLA-B*58:01 for Allopurinol-Induced Cutaneous Adverse Drug Reactions:Implication for Clinical Interpretation in Thailand
173	ジクロフェナクナトリウム	[Gastroenterology. 150(2016)S1066]Risk of non-steroidal anti-inflammatory drugs-related serious drug-induced liver injury: a systematic review and meta-analysis
174	リセドロン酸ナトリウム水和物	[Am J Ophthalmol. 168(2016)62–67]Oral Bisphosphonates and Risk of Wet Age- Related Macular Degeneration
175	ランソプラゾール・アモキシシリン水和物・ク ラリスロマイシン	[Br J Clin Pharmacol. 82(2016)512–521] Evaluation of the risk of cardiovascular events with clarithromycin using both propensity score and self-controlled study designs
176	ボノプラザンフマル酸塩・アモキシシリン水 和物・クラリスロマイシン	[Br J Clin Pharmacol. 82(2016)512–521] Evaluation of the risk of cardiovascular events with clarithromycin using both propensity score and self-controlled study designs
177	レトロゾール	【.第34回日本受精着床学会総会・学術講演会.(2016)276】当院における若年がん患者に対する妊孕性温存療法の現状
178	エストラジオールキット	【社内資料】検討結果 報告書
179	イトラコナゾール	[J Urol. 196(2016)343-348]Association of Itraconazole, a Hedehog Inhibitor, and Bladder Cancer
180	ジクロフェナクナトリウム	【日本周産期・新生児医学会雑誌: 52(2016)546】当院の未熟児動脈管開存症における手術症例の検討
181	ドキソルビシン塩酸塩	[Circulation. 133(2016)31-38]Cardiac Diseases Following Childhood Cancer Treatment Cohort Study
182	フルニトラゼパム	[Accid Anal Prev. 96(2016)255–270] Rudisill. Medication use and the risk of motor vehicle collisions among licensed drivers: A systematic review
183	プロゲステロン	[BMC Cancer. 15(2015)791] The unique transcriptional response produced by concurrent estrogen and progesterone treatment in breast cancer cells results in upregulation of growth factor pathways and switching from a Luminal A to a Basal-like subtype
184	ラベプラゾールナトリウム	[Bone. 81(2015)675-682] The effect of dose and type of proton pump inhibitor use on risk of fractures and osteoporosis treatment in older Australian women: A prospective cohort study
185	リセドロン酸ナトリウム水和物	[Am J Ophthalmol. 168(2016)62-67]Oral Bisphosphonates and Risk of Wet Age- Related Macular Degeneration
186	ドキソルビシン塩酸塩	[Br J Clin Pharmacol. 82(2016)683-695] Recommendations for genetic testing to reduce the incidence of anthracycline-induced cardiotoxicity
187	アロプリノール	【Frontiers in Pharmacology. 7(2016)186】HLA−B*58:01 for Allopurinol-Induced Cutaneous Adverse Drug Reactions:Implication for Clinical Interpretation in Thailand
188	アルプロスタジル	[Am J Obstet Gynecol. 215(2016)177-194] Cervical ripening agents in the second trimester of pregnancy in women with a scarred uterus: a systematic review and metaanalysis of observational studies

189	ペメトレキセドナトリウム水和物	[Curr Med Res Opin. 22(2016)1-7] Increased risk of severe infections in non-small-cell lung cancer patients treated with pemetrexed:a meta-analysis of randomized controlled trials
190	アセトアミノフェン含有一般用医薬品	【JAMA Pediatrics. 170(2016)964-970】Association of Acetaminophen Use During Pregnancy With Behavioral Problems in Childhood: Evidence Against Confounding
191	スコポラミン臭化水素酸塩水和物	[J Mol Neurosci. 59(2016)579–589]Effects of Chronic Scopolamine Treatment on Cognitive Impairments and Myelin Basic Protein Expression in the Mouse Hippocampus
192	ジクロフェナクナトリウム	[Gastroenterology. 150(2016)S1066]Risk of non-steroidal anti-inflammatory drugs-related serious drug-induced liver injury: a systematic review and meta-analysis
193	リトドリン塩酸塩	[J Matern Fetal Neonatal Med. 29(2016)3496-3505] Genotoxic effect of tocolytic drug ritodrine in combination with smoking during pregnancy
194	パロキセチン塩酸塩水和物	[Cancer Causes Control. 27(2016)125-136]Breast cancer recurrence in relation to antidepressant use
195	ラコサミド	[Childs Nerv Syst. 32(2016)1715-1719] Effects of lacosamide "a novel antiepileptic drug" in the early stages of chicken embryo development. Child's nervous system
196	メトホルミン塩酸塩	[J Clin Oncol. 34(2016)]The impact of long-standing metformin use on survival in breast cancer patients.
197	ジクロフェナクナトリウム	[J Infect Dis. 48(2016)708-711]Injectional severe soft tissue infection
198	オセルタミビルリン酸塩	[FASEB J. 29(2016)973-987] The administration of oseltamivir results in reduced effector and memory CD8+ T cell responses to influenza and affects protective immunity
199	オセルタミビルリン酸塩	[Biol Pharm Bull. 38(2015)1638-1644]Note Analysis of Neuropsychiatric Adverse Events in Patients Treated with Oseltamivir in Spontaneous Adverse Event Reports
200	オセルタミビルリン酸塩	【Basic Clin Pharmacol Toxicol. 116(2015)87-95】Oseltamivir Blocks Human Neuronal Nicotinic Acetylcholine Receptor-Mediated Currents
201	オセルタミビルリン酸塩	[Eur J Pharmacol. 762(2015)275–282].Oseltamivir produces hypothermic and neuromuscular effects by inhibition of nicotinic acetylcholine receptor functions: comparison to procaine and bupropion
202	メサラジン	[Am J Gastroenterol. 111(2016)1141-1146] Recurrence of Clostridium difficile Infection in Patients with Inflammatory Bowel Disease: The RECIDIVISM Study
203	テノホビル ジソプロキシルフマル酸塩	[AIDS. 30(2016)2135-2137]In-utero exposure to tenofovir is associated with impaired fetal and infant growth: Need for follow-up studies in combination antiretroviral therapy/HIV-exposed infants
204	ラベプラゾールナトリウム	[Bone. 81(2015)675–682] The effect of dose and type of proton pump inhibitor use on risk of fractures and osteoporosis treatment in older Australian women: A prospective cohort study
205	ブロムペリドール	[Br J Clin Pharmacol. 82(2016)624-632]Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
206	ハロペリドールデカン酸エステル	[Br J Clin Pharmacol. 82(2016)624-632]Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
207	リスペリドン	[Br J Clin Pharmacol. 82(2016)624-632]Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
-		

208	パリペリドン	[Br J Clin Pharmacol. 82(2016)624-632] Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
209	パリペリドンパルミチン酸エステル	[Br J Clin Pharmacol. 82(2016)624-632]Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
210	ハロペリドールデカン酸エステル	[Br J Clin Pharmacol. 82(2016)624-632]Use of antipsychotics and risk of myocardial infarction: a systematic review and meta-analysis
211	ベルベリン塩化物水和物・ゲンノショウコエ キス	【日本医師会雑誌. 145(2016)1255-1258】緊急報告:漢方生薬の黄連・黄柏の成分に発がん作用と受精卵の成長阻害作用
212	バルプロ酸ナトリウム	【社内資料】バルプロ酸の子宮内暴露を受けたラットでの小脳発達過程での異常について
213	フェンタニル	[Pain Med. 17(2016)85-98] Cohort study of the impact of high-dose opioid analfesics on overdose mortality
214	アセトアミノフェン	[JAMA Pediatrics. 170(2016)964-970]Association of Acetaminophen Use During Pregnancy With Behavioral Problems in Childhood: Evidence Against Confounding
215	パロキセチン塩酸塩水和物	[Clin Pharmacol Ther. 100(2016)34-41] Maternal use of selective serotonin-reuptake inhibitors and risk of persistent pulmonary hypertension of the newborn; State of the Art
216	ニフェジピン	[BJOG. 123(2016)1107-1114] Maintenance tocolysis with nifedipine in threatened preterm labour: 2-year follow up of the offspring in the APOSTEL II trial.
217	レボブノロール塩酸塩	[Brit J Clin Pharmacol. 2016(82)814-822] Respiratory effect of beta-blocker eye drops in asthma: population-based study and meta-analysis of clinical trials
218	アザチオプリン	[Br J Haematol. 174(2016)550-562] Iatrogenic immunosuppression and risk of non-Hodgkin lymphoma in solid organ transplantation: A population-based cohort study in Australia
219	リュープロレリン酢酸塩	[JAMA oncol. 2(2016)500-507]Comparison of Gonadotropin-Releasing Hormone Agonists and OrchiectomyEffects of Androgen-Deprivation Therapy
220	リュープロレリン酢酸塩	[JAMA oncol. 2(2016)500-507]Comparison of Gonadotropin-Releasing Hormone Agonists and OrchiectomyEffects of Androgen-Deprivation Therapy
221	リセドロン酸ナトリウム水和物	[AGS 2016 ANNUAL MEETING. (2016)S53]Evaluation of polypharmacy and medication-related falls among older people in Singapore
222	ファモチジン	[Gastroenterology. 150(2016)S779]Histamine 2 Receptor Antagonists are Associated with an Increased Risk of Hospitalization and Surgery among Patients with Inflammatory Bowel Disease
223	アスピリン・ランソプラゾール	[Thromb Haemost. 114(2015)1064–1075]Antithrombotic drugs and subarachnoid haemorrhage risk. A nationwide case–control study in Denmark.
224	メトトレキサート	[Rheumatology. 55(2016)1594-1600]Disease-modifying anti-rheumatic drugs and non-melanoma skin cancer in inflammatory arthritis patients: a retrospective cohort study
225	オルメサルタン メドキソミル	[J Pediatr. 167(2015)881-885]Renin Angiotensin System Blocker Fetopathy: A Midwest Pediatric Nephrology Consortium Report
226	アルプロスタジル アルファデクス	[Am J Obstet Gynecol. 215(2016)177–194] Cervical ripening agents in the second trimester of pregnancy in women with a scarred uterus: a systematic review and metaanalysis of observational studies

227	クロラムフェニコール・フラジオマイシン硫酸 塩・プレドニゾロン	[Nephron. 133(2016)223-231]Outcomes of Elderly Patients with Anti-Neutrophil Cytoplasmic Autoantibody-Associated Vasculitis Treated with Immunosuppressive Therapy.
228	フェノバルビタールナトリウム	【てんかん研究. 34(2016)438】Developmental changes of the efficacy of GABA receptor enhancers and AMPA receptor blocker
229	カルペリチド(遺伝子組換え)	[J Card Fail. 21(2015)859-864] Carperitide Is Associated With Increased In-Hospital Mortality in Acute Heart Failure: A Propensity Score - Matched Analysis
230	ブスルファン	[Bone Marrow Transplant. 51(2016)1204-1210] Toxicities of busulfan/melphalan versus carboplatin/etoposide/melphalan for high-dose chemotherapy with stem cell rescue for high-risk neuroblastoma
231	インスリン ヒト(遺伝子組換え)	[Bulletin of the Osaka Medical College. 61(2015)27-34]Long-term Outcome of Percutaneous Coronary Intervention in Insulin-treated Diabetic Patients with Multivessel Disease
232	セルトリズマブ ペゴル(遺伝子組換え)	【社内資料】FINAL REPORT: CERTOLIZUMAB PEGOL 52-WEEK SUBCUTANEOUS INVESTIGATIVE STUDY IN THE JUVENILE CYNOMOLGUS MONKEY WITH A 52-WEEK RECOVERY PHASE
233	ラコサミド	[Seizure. 33(2015)81-87]Efficacy and tolerability of add-on Lacosamide treatment in adults with Lennox-Gastaut syndrome: An observational study
234	酢酸ナファレリン	[BJU Int. 118(2016)391-398]Risk of thromboembolic disease in men with prostate cancer undergoing androgen deprivation therapy
235	アスピリン	[Int J Cardiol. 220(2016)895-900]Optimal duration of dual antiplatelet therapy after drug-eluting stent implantation: Meta-analysis of randomized controlled trials
236	ニフェジピン	[BJOG. 123(2016)1107-1114] Maintenance tocolysis with nifedipine in threatened preterm labour: 2-year follow up of the offspring in the APOSTEL II trial.
237	イストラデフィリン	【社内資料】KW 6002-017 HUman Abuse Liability Study (HAL) Topline Presentation
238	ラベプラゾールナトリウム	【第26回 日本医療薬学会年会.(2016)527】プロトンポンプ阻害薬がデノスマブ投与患者における低カルシウム血症の発生に与える影響の検討
239	ラベプラゾールナトリウム	[Medicine. 95(2016)e3309]Increased Risk of Osteoporosis in Patients With Peptic Ulcer Disease: A Nationwide Population-Based Study
240	ラベプラゾールナトリウム	[Journal of Managed Care and Specialty Pharmacy. 22(2016)939-947]Clopidogrel- Proton Pump Inhibitor Drug-Drug Interaction and Risk of Adverse Clinical Outcomes Among PCI-Treated ACS Patients: A Meta-analysis
241	ラベプラゾールナトリウム	[Alzheimer's Research & Therapy. 7(2015)1-12]Cognitive impact after short-term exposure to different proton pump inhibitors: assessment using CANTAB software
242	アテノロール	【Circ J. 80(2016)2221-2226】Beta-Blockers and Fetal Growth Restriction in Pregnant Women With Cardiovascular Disease.
243	レボセチリジン塩酸塩	[Am J Epidemiol. 169(2009)761–768]Use of Self-controlled Analytical Techniques to Assess the Association Between Use of Prescription Medications and the Risk of Motor Vehicle
244	クロピドグレル硫酸塩	[Cardiology. 132(2015)74-80]The Dual Antiplatelet Therapy Trial after the FDA Update: Noncardiovascular Deaths, Cancer and Optimal Treatment Duration
245	プロゲステロン	[N Engl J Med. 373(2015)2141-2148]A Randomized Trial of Progesterone in Women with Recurrent Miscarriages

246	エポエチン カッパ(遺伝子組換え)	[Mol Cell Biochem. 421(2016)1–18] Erythropoietin accelerates tumor growth through increase of erythropoietin receptor (EpoR) as well as by the stimulation of angiogenesis in DLD-1 and Ht-29 xenografts
247	アロプリノール	[Allergy. 71(2016)205-206]HLA-B*58:01 and allopurinol high dose were associated with allopurinol induced cutaneous adverse drug reactions in Thai population
248	フルチカゾンプロピオン酸エステル	[Am J Respir Crit Care Med. 193(2016)A7503]The risk of pulmonary nontuberculous mycobacterial disease associated with inhaled corticosteroid use
249	シンバスタチン	[Eur J Clin Pharmacol. 72(2016)1171-1176] Statin-induced myopathy in a usual care setting-a prospective observational study of gender differences
250	ジクロフェナクナトリウム	【BMJ. 354(2016)i4857】Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
251	無水カフェイン	[Scientific reports. 28(2016)]In Utero Caffeine Exposure Induces Transgenerational Effect on the Adult Heart.
252	クロピドグレル硫酸塩	[Int J Cardiol. 220(2016)488-495]Safety and effectiveness of the new P2Y12r inhibitor agents vs clopidogrel in ACS patients according to the geographic area: East Asia vs Europe
253	クロピドグレル硫酸塩	[Int J Cardiol. 220(2016)895–900]Optimal duration of dual antiplatelet therapy after drug-eluting stent implantation: Meta-analysis of randomized controlled trials
254	ジクロフェナクナトリウム	【BMJ. 354(2016)i4857】Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
255	ペメトレキセドナトリウム水和物	[Drug Metab Dispos. 44(2016)1543-1549] Lansoprazole Exacerbates Pemetrexed-Mediated Hematologic Toxicity by Competitive Inhibition of Renal Basolateral Human Organic Anion Transporter 3.
256	グリクラジド	[Diabetologia. 59(2016)S355]Monotherapy with sulphonylurea is associated with increased mortality as compared with metformin in type 2 diabetes
257	アムホテリシンB	【Leuk Lymphoma. 56(2015)2889-2894】Hematological toxicities associated with amphotericin B formulations
258	モガムリズマブ(遺伝子組換え)	【第78回 日本血液学会学術集会. 57(2016)1564】Adult T-cell leukemia: a multi centre retrospective study from Hokkaido hematology study group
259	モガムリズマブ(遺伝子組換え)	【第78回 日本血液学会学術集会. 57(2016)1568】Regulatory T cell and the impact of mogamulizumab upon the risk of GVHD after allogeneic SCT for ATL
260	ラベプラゾールナトリウム	【第26回日本医療薬学会年会 プログラム・抄録集. (2016)993】当院でのClostridium difficile関連下痢症の実態調査
261	ラベプラゾールナトリウム	【第26回日本医療薬学会年会 プログラム・抄録集. (2016)797】当院における胃酸分泌抑制薬とCDtoxin腸炎患者の関連性
262	ラベプラゾールナトリウム	【第26回日本医療薬学会年会 プログラム・抄録集. (2016)1148】セコメディック病院におけるClostridium difficile関連下痢症とPPI投与の関連性の検討
263	イブプロフェン含有一般用医薬品	【BMJ. 354(2016)i4857】Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
264	ジクロフェナクナトリウム	【BMJ. 354(2016)i4857】Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study

265	アセトアミノフェン	[Br J Pharmacol. 82(2016)923-931] Determinants of hepatotoxicity after repeated supratherapeutic paracetamol ingestion:systematic review of reported cases
266	炭酸リチウム	[Am J Psychiatry. 162(2005)2162–2170]Lithium placental passage and obstetrical outcome: implications for clinical management during late pregnancy
267	ジクロフェナクナトリウム	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
268	バルプロ酸ナトリウム	【J Neurosci. 36(2016)10908-10919】In Utero Exposure to Valproic Acid Induces Neocortical Dysgenesis via Dysregulation of Neural Progenitor Cell ProLferation/Differentiation
269	カルペリチド(遺伝子組換え)	[J Cardiothorac Vasc Anesth. 29(2015)1426-1431] Carperitide Increases the Need for Renal Replacement Therapy After Cardiovascular Surgery
270	ピオグリタゾン塩酸塩・メトホルミン塩酸塩	[Journal of Diabetes Research. 2016(2016)1-8] Lactic Acidosis in Diabetic Population: Is Metformin Implicated? Results of a Matched Case-Control Study Performed on the Type 2 Diabetes Population of Grenoble Hospital University
271	アログリプチン安息香酸塩・メトホルミン塩 酸塩	[Journal of Diabetes Research. 2016(2016)1-8] Lactic Acidosis in Diabetic Population: Is Metformin Implicated? Results of a Matched Case-Control Study Performed on the Type 2 Diabetes Population of Grenoble Hospital University
272	フェノバルビタールナトリウム	[Frontiers in Pharmacology. 30(2016)349] Exposure to Excess Phenobarbital Negatively Influences the Osteogenesis of Chick Embryos
273	インドメタシン	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
274	ジクロフェナクナトリウム	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
275	オフロキサシン	【医薬ジャーナル. 52(2016)1857-1859】薬剤疫学 ~医療ビッグデータの利活用~ 病院情報データベースを用いた有害事象発現頻度の比較
276	ヒアルロン酸ナトリウム	【J Korean Med Sci. 30(2015)1847-1855】Angiographic Findings of Cosmetic Facial Filler-related Ophthalmic and Retinal Artery Occlusion
277	シンバスタチン	[Eur J Clin Pharmacol. 72(2016)1171–1176] Statin-induced myopathy in a usual care setting-a prospective observational study of gender differences
278	ジクロフェナクナトリウム	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
279	クロピドグレル硫酸塩	[Eur J Clin Pharmacol. 72(2016)1195–1204]Impact of genetic polymorphisms related to clopidogrel or acetylsalicylic acid pharmacology on clinical outcome in Chinese patients with symptomatic extracranial or intracranial stenosis
280	クロピドグレル硫酸塩	[Eur J Clin Pharmacol. 72(2016)1195–1204]Impact of genetic polymorphisms related to clopidogrel or acetylsalicylic acid pharmacology on clinical outcome in Chinese patients with symptomatic extracranial or intracranial stenosis
281	ノルエチステロン・エチニルエストラジオー ル	[BMJ. 350(2015)h2135]Use of combined oral contraceptives and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases
282	クラリスロマイシン	【第26回日本医療薬学会年会.(2016)1352】クラリスロマイシン併用がアルブミン懸濁型パクリタキセルによる骨髄抑制に及ぼす影響
283	トリアムシノロンアセトニド	[J Allergy Clin Immunol. 138(2016)97–104] Intranasal triamcinolone use during pregnancy and the risk of adverse pregnancy outcomes

284	アルテプラーゼ(遺伝子組換え)	[Stroke. 47(2016)2347-2354]Use and Outcomes of Intravenous Thrombolysis for Acute Ischemic Stroke in Patients ≧ 90 Years of Age
285	アルテプラーゼ(遺伝子組換え)	[Stroke. 47(2016)2364-2372] Leukoaraiosis, Cerebral Hemorrhage, and Outcome Af ter Intravenous Thrombolysis for Acute Ischemic Stroke A Meta-Analysis (v1).
286	ドキソルビシン塩酸塩	[Breast Cancer Res Treat. 154(2015)133-143] Myelodysplastic syndrome and acute myeloid leukemia following adjuvant chemotherapy with and without granulocyte colonystimulating factors for breast cancer
287	フィルグラスチム(遺伝子組換え)	[Breast Cancer Res Treat. 154(2015)133-143] Myelodysplastic syndrome and acute myeloid leukemia following adjuvant chemotherapy with and without granulocyte colony-stimulating factors for breast cancer
288	Lーアスパラギナーゼ	[Br J Haematol. 152(2011)452–459] The frequency and management of asparaginase-related thrombosis in paediatric and adult patients with acute lymphoblastic leukaemia treated on Dana-Farber Cancer Institute consortium protocols
289	ジクロフェナクナトリウム	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
290	アスピリン・ランソプラゾール	[Ophthalmology. 123(2016)352-360] Association between Antiplatelet or Anticoagulant Drugs and Retinal or Subretinal Hemorrhage in the Comparison of Age-Related Macular Degeneration Treatments
291	ラベプラゾールナトリウム	[Hepatology. 64(2016)1265-1272]Proton Pump Inhibitors as a Risk Factor for Hepatic Encephalopathy and Spontaneous Bacterial Peritonitis in Patients With Cirrhosis With Ascites
292	イブプロフェン	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
293	リスペリドン	【JAMA Psychiatry. 73(2016)938-946】Antipsychotic use in pregnancy and the risk for congenital malformations. JAMA Psychiatry
294	アセトアミノフェン	[Hum Reprod. (2016)1-9]Prenatal paracetamol exposure is associated with shorter anogenital distance inmale infants
295	ピオグリタゾン塩酸塩・メトホルミン塩酸塩	[World J Urol. 33(2015)1189–1196]Influence of metformin use on PSA values, freeto-to-total PSA, prostate cancer incidence and grade and overall survival in a prospective screening trial (ERSPC Aarau)
296	アログリプチン安息香酸塩・メトホルミン塩 酸塩	[World J Urol. 33(2015)1189–1196]Influence of metformin use on PSA values, freeto-to-total PSA, prostate cancer incidence and grade and overall survival in a prospective screening trial (ERSPC Aarau)
297	インフリキシマブ(遺伝子組換え)	[Ann Rheum Dis. 75(2016)422] Incidence of serious adverse events in patients with rheumatoid arthritis exposed to biologic therapies. Results from biobadabrasil registry
298	インフリキシマブ(遺伝子組換え)	[Ann Rheum Dis. 75(2016)887] Incidence of serious infections in patients with rheumatoid arthritis and spondyloarthritis exposed to a-TNF therapy. Results from biobadabrasil registry
299	ジゴキシン	[Int J Cardiol. 221(2016)944-950]Use of digoxin and risk of death or readmission for heart failure and sinus rhythm: A nationwide propensity score matched study
300	ジゴキシン	[Int J Cardiol. 221(2016)198-204] Addition of beta-blockers to digoxin is associated with improved 1- and 10-year survival of patients hospitalized due to decompensated heart failure
301	インドメタシン	【BMJ. 354(2016)i4857】Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
302	パニツムマブ(遺伝子組換え)	[Int J Cancer. 139(2016)2370-2380] Systematic review and meta-analysis of the risk of severe and life-threatening thromboembolism in cancer patients receiving anti-EGFR monoclonal antibodies (cetuximab or panitumumab).

	1	
303	ジゴキシン	[Int J Cardiol. 221(2016)944-950] Use of digoxin and risk of death or readmission for heart failure and sinus rhythm: A nationwide propensity score matched study
304	ジゴキシン	[Int J Cardiol. 221(2016)198-204] Addition of beta-blockers to digoxin is associated with improved 1- and 10-year survival of patients hospitalized due to decompensated heart failure
305	フルチカゾンプロピオン酸エステル・ホルモ テロールフマル酸塩水和物	[Pediatr Allergy Immunol. 27(2016)499–506]Influence of inhaled corticosteroids on pubertal growth and final height in asthmatic children. Pediatric
306	ラコサミド	[Fitoterapia. 115(2016)86-91] Influence of xanthotoxin (8-methoxypsoralen) on the anticonvulsant activity of various novel antiepileptic drugs against maximal electroshock-induced seizures in mice
307	乾燥イオン交換樹脂処理人免疫グロブリン	【第23回川崎病全国調査.(2015)133】O-18 川崎病におけるステロイド初期治療の 有効性について
308	リスペリドン	[JAMA Psychiatry. 73(2016)938-946] Antipsychotic use in pregnancy and the risk for congenital malformations
309	バルプロ酸ナトリウム	【平成28年度日本解剖学会第76回中部支部学術集会.(2016)41-41】バルプロ酸が脊髄神経の形成に及ぼす影響
310	アデホビル ピボキシル	[Bone. 93(2016)97-103]Osteomalacia induced by long-term low-dose adefovir dipivoxil: Clinical characteristics and genetic predictors
311	フルチカゾンプロピオン酸エステル・ホルモ テロールフマル酸塩水和物	[COPD: Journal of Chronic Obstructive Pulmonary Disease. 13(2016)312-326] Association of Inhaled Corticosteroids with Incident Pneumonia and Mortality in COPD Patients; Systematic Review and Meta-Analysis
312	ジクロフェナクナトリウム	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
313	エスシタロプラムシュウ酸塩	[International Journal of Risk and Safety in Medicine. 28(2016)125-141]Links between serotonin reuptake inhibition during pregnancy and neurodevelopmental delay/spectrum disorders: A systematic review of epidemiological and physiological evidence
314	プレドニゾロン	【Neuroimmunology. 21(2016)172】重症筋無力症においてステロイドと免疫抑制薬は重症感染症の起因となるか?
315	エストラジオール吉草酸エステル	[Int J Cancer. 138(2016)584-593]Postmenopausal hormone therapy and the risk of breast cancer in Norway
316	ノルエチステロン・エチニルエストラジオー ル	[Int J Cancer. 138(2016)584-593]Postmenopausal hormone therapy and the risk of breast cancer in Norway
317	ソホスブビル	[J Hepatol. 165(2016)1070-1071] High incidence of hepatocellular carcinoma following successful interferon-free antiviral therapy for hepatitis C associated cirrhosis
318	レジパスビル アセトン付加物・ソホスブビ ル	[J Hepatol. 165(2016)1070-1071] High incidence of hepatocellular carcinoma following successful interferon-free antiviral therapy for hepatitis C associated cirrhosis
319	アスピリン・ランソプラゾール	[Aliment Pharmacol Ther. 44(2016)785-795] Systematic review with meta-analysis: the gastrointestinal benefits of COX-2 selective inhibitors with concomitant use of low-dose aspirin
320	ランソプラゾール・アモキシシリン水和物・ク ラリスロマイシン	【第26回日本医療薬学会年会.(2016)1352】クラリスロマイシン併用がアルブミン懸濁型パクリタキセルによる骨髄抑制に及ぼす影響
321	ボノプラザンフマル酸塩・アモキシシリン水 和物・クラリスロマイシン	【第26回日本医療薬学会年会.(2016)1352】クラリスロマイシン併用がアルブミン懸濁型パクリタキセルによる骨髄抑制に及ぼす影響

322	アドレナリン	[Eur J Clin Pharmacol. 72(2016)1255-1264] Effect of prehospital epinephrine on out-of-hospital cardiac arrest: a report from the national out-of-hospital cardiac arrest data registry in Japan, 2011-2012.
323	ランソプラゾール	[J Am Coll Cardiol. 68(2016)1756–1764] Coupling Data Mining and Laboratory Experiments to Discover Drug Interactions Causing QT Prolongation
324	プロゲステロン	[Steroids. 105(2016)19-25]Progesterone promotes cell migration, invasion and cofilin activation in human astrocytoma cells
325	ヒドララジン塩酸塩	【第49回日本薬剤師会学術大会(2016)444】妊娠高血圧症候群及び妊娠高血圧治療 薬使用に関する研究
326	ピオグリタゾン塩酸塩・メトホルミン塩酸塩	[Lancet Diabetes Endocrinol. 3(2015)605–614] Metformin use and mortality in patients with advanced chronic kidney disease: national, retrospective, observational, cohort study
327	アログリプチン安息香酸塩・メトホルミン塩 酸塩	[Lancet Diabetes Endocrinol. 3(2015)605-614] Metformin use and mortality in patients with advanced chronic kidney disease: national, retrospective, observational, cohort study
328	アロプリノール	[Pharmacoepidemiol Drug Saf. 25(2)(2016)196-203] Incidence, causative factors and mortality rates of Stevens-Johnson syndrome(SJS) and toxic epidermal necrolysis(TEN) in northern Italy: data from the REACT registry.
329	ラベプラゾールナトリウム・アモキシシリン 水和物・クラリスロマイシン	【第26回日本医療薬学会年会.(2016)1352】クラリスロマイシン併用がアルブミン懸濁型パクリタキセルによる骨髄抑制に及ぼす影響
330	シルデナフィルクエン酸塩	[Andrologia.Feb. 48(2016)20-28]Efficacy and safety of phosphodiesterase type 5 (PDE5) inhibitors in treating erectile dysfunction after bilateral nerve-sparing radical prostatectomy
331	ワルファリンカリウム	[Breast Cancer Res Treat. 154(2015)369-375] Risk of breast cancer among patients with bioprosthetic or mechanical valve replacement: a population-based study in Sweden
332	アスピリン・ランソプラゾール	[Circ Heart Fail. 9(2016)e002296]Antiplatelet Therapy and Adverse Hematologic Events During Heart Mate II Support
333	エトポシド	【第54回 日本癌治療学会学術集会 抄録集.(2016)935】エトポシド含有レジメンにおけるUGT1A1遺伝子多型と重篤な好中球減少の関連
334	リラグルチド(遺伝子組換え)	[Eur J Heart Fail. (2016)]Effect of liraglutide, a glucagon-like peptide-1 analogue, on left ventricular function in stable chronic heart failure patients with and without diabetes (LIVE) – a multicenter, double-blind, randomised, placebo-controlled trial.
335	タゾバクタムナトリウム・ピペラシリンナトリ ウム	[Current drug safety. (2016)]Does Piperacillin-Tazobactam Increase The Risk Of Nephrotoxicity When Used With Vancomycin: A Meta-Analysis Of Observational Trials
336	タゾバクタムナトリウム・ピペラシリンナトリ ウム	[JPPT. 21(2016)332-338]Does Combination Therapy With Vancomycin and Piperacillin-Tazobactam Increase the Risk of Nephrotoxicity Versus Vancomycin Alone in Pediatric Patients?
337	バルガンシクロビル塩酸塩	[Pharmacol Res. (2016)] Multidrug resistance-associated protein 4 (MRP4) controls ganciclovir intracellular accumulation and contributes to ganciclovir-induced neutropenia in renal transplant patients
338	ガンシクロビル	[Pharmacol Res. (2016)]Multidrug resistance-associated protein 4 (MRP4) controls ganciclovir intracellular accumulation and contributes to ganciclovir-induced neutropenia in renal transplant patients
339	リスペリドン	【JAMA Psychiatry. 73(2016)938-946】Antipsychotic use in pregnancy and the risk for congenital malformations
340	セフトリアキソンナトリウム水和物	[J Am Coll Cardiol. 68(2016)1756–1764] Coupling Data Mining and Laboratory Experiments to Discover Drug Interactions Causing QT Prolongation

341	オセルタミビルリン酸塩	【医薬ジャーナル. 52(2016)2285-2289】特集 インフルエンザの予防・感染対策・治療の最前線 6. 抗インフルエンザウイルス薬と異常行動
342	エスシタロプラムシュウ酸塩	[Nord J Psychiatry. 70(2016)167–175]SSRIs and risk of suicide attempts in young people – A Danish observational register-based historical cohort study, using propensity score
343	ドンペリドン	[Pharmacoepidemiol Drug Saf. 24(2015)841-848]Domperidone, cytochrome P450 3A4 isoenzyme inhibitors and ventricular arrhythmia: a nationwide case-crossover study
344	タクロリムス水和物	[Eur J Clin Pharmacol. (2016)]FOXP3 rs3761548 polymorphism is associated with tacrolimus-induced acute nephrotoxicity in renal transplant patients
345	グリベンクラミド	[Int J Cardiol. 202(2016)126-130] Sulfonylurea use is associated with larger infarct size in patients with diabetes and ST-elevation myocardial infarction.
346	ジクロフェナクナトリウム	[BMJ. 354(2016)i4857]Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study
347	ドキソルビシン塩酸塩	[Am J Hematol. 91(2016)1002-1007] Impact of sarcopenia on treatment tolerance in United States veterans with diffuse large B-cell lymphoma treated with CHOP-based chemotherapy.
348	オセルタミビルリン酸塩	【第26回日本病院薬剤師会東海ブロック学術大会.(2016)72】有害事象自発報告データベース(JADER)によるインフルエンザ治療薬と精神神経症状の関連についての検討
349	ノルエチステロン・エチニルエストラジオー ル	[N Engl J Med. 345(2001)1787-1793]Oral contraceptives and the risk of myocardial infarction
350	ノルエチステロン・エチニルエストラジオー ル	[CMAJ. 183(2011)E1319-1325] Higher risk of venous thrombosis associated with drospirenone-containing oral contraceptives: a population-based cohort study
351	フェンタニルクエン酸塩	[Anesth Analg. (2016)]S-184 INCIDENCE OF PRURITIS IN PREGNANT WOMEN UNDERGOING LOWER SEGMENT CESAREAN SECTION UNDER SPINAL ANAESTHESIA WITH FENTANYL ADDED TO BUPIVACAINE
352	オセルタミビルリン酸塩	【.第48回日本小児感染症学会総会・学術集会.(2016)171】2015/16シーズンに検出されたオセルタミビル・ペラミビルに強い耐性を示すインフルエンザウイルス
353	トラマドール塩酸塩・アセトアミノフェン	[Current Drug Safety. 11(2016)206–214] Tramadol Induced QTc-Interval Prolongation: Prevalence, Clinical Factors and Correlation to Plasma Concentrations
354	インフリキシマブ(遺伝子組換え)	【第52回九州リウマチ学会プログラム抄録集、36(2016)74-82】関節リウマチの生物学的製剤投与症例における感染症入院リスクについての検討
355	テストステロン含有一般用医薬品	[Clin Endocrinol. 85(2016)436-443] Testosterone therapyassociation with ageinitiation and mode of therapy with cardiovascular events: a systematic review
356	アスピリン・ランソプラゾール	[Int J Cardiol. 212(2016)311-317]Net clinical benefit of adding aspirin to warfarin in patients with atrial fibrillation: Insights from the J-RHYTHM Registry
357	アスピリン・ランソプラゾール	【J Clin Hypertens. 17(2015)567-573】Low-Dose Aspirin for Preventing Preeclampsia and Its Complications: A Meta-Analysis
358	リツキシマブ(遺伝子組換え)	[Naunyn Schmiedeberg's Arch Pharmacol. 27(2016)1-13]Early manifestation of mild cognitive impairment in B-cell non-Hodgkin's lymphoma patients receiving CHOP and rituximab-CHOP chemotherapy
359	アトルバスタチンカルシウム水和物	[Ophthalmology.123(2016)916-917] The association of statin use with cataract progression and cataract surgery: the AREDS2 report number 8

360	アスピリン・ランソプラゾール	[Dig Liver Dis. 47(2015)757-762]Proton pump inhibitors are associated with lower gastrointestinal tract bleeding in low-dose aspirin users with ischaemic heart disease
361	グリベンクラミド	[Br J Pharmacol. 82(2016)1291–1302] Hypoglycaemia when adding sulphonylurea to metformin: a systematic review and network meta-analysis
362	シロリムス	[Oncotarget. (2016)]Phase 1 study of sirolimus in combination with oral cyclophosphamide and topotecan in children and young adults with relapsed and refractory solid tumors
363	ヨード化ケシ油脂肪酸エチルエステル	【日本生殖医学会雑誌. 61(2016)397】子宮卵管造影施行後の甲状腺機能の変化について
364	ヒドロキシプロゲステロンカプロン酸エステ ル	[BJOG. 123(2016)682-690]17-Hydroxyprogesterone caproate in triplet pregnancy: an individual patient data meta-analysis
365	乾燥BCGワクチン	【第48回日本小児感染症学会総会・学術集会 プログラム・抄録.(2016)264】BCG骨髄炎の長期予後についての検討
366	パリペリドンパルミチン酸エステル	【東邦医学会雑誌. 63(2016)233-234】非定型抗精神病薬paliperidoneの電気薬理学的作用-ハロセン麻酔犬での評価
367	アセトアミノフェン	[JAMA Pediatrics. 170(2016)964-970] Association of Acetaminophen Use During Pregnancy With Behavioral Problems in Childhood: Evidence Against Confounding
368	オクスカルバゼピン	[Epilepsia. 57(2016)1879-1886]HLA-B*40:02 and DRB1*04:03 are risk factors for oxcarbazepine-induced maculopapular eruption.
369	オクスカルバゼピン	[BMCPediatr. 16(2016)]Potential effects of valproate and oxcarbazepine on growth velocity and bone metabolism in epileptic children- a medical center experience.
370	美白化粧品(医薬部外品)	【第34回日本美容皮膚科学会総会・学術大会 (2016)】美白有効成分の物性・使用方法による皮膚透過量の違い
371	美白化粧品(医薬部外品)	【皮膚病診療. 5(2016)523-526】ロドデノール含有化粧品による脱色素斑
372	薬用石鹸	[FDA News Release. (2016)]FDA issues final rule on safety and effectiveness of antibacterial soaps
373	薬用石鹸	[FDA News Release. (2016)]FDA issues final rule on safety and effectiveness of antibacterial soaps
374	美白化粧品(医薬部外品)	【第2回白斑研究会. (2016)】ロドデノール白斑のメラノサイト生存におけるグルタチオンプールの重要性
375	腋臭防止剤	[Annu. Rev. Pharmacol. Toxicol. 56(2016)251–272]Triclosan: A Widespread Environmental Toxicant with Many Biological Effects
376	美白化粧品(医薬部外品)	[Journal of Clinical Biochemistry and Nutrition. (2016)]Generation of hydroxyl radicals and singlet oxygen during oxidation of rhododendrol and rhododendrol-catechol