

-
- ²²¹ Sako K, Lore JM, Kauman S, et al: Parenteral hyperalimentation in surgical patients with head and neck cancer: a randomized study. *J Surg Oncol* 1981;16:391-402.
- ²²² Campos AC, Meguid MM: A critical appraisal of the usefulness of perioperative nutritional support. *Am J Clin Nutr* 1992;55:117-130.
- ²²³ Lipman TO: Grains or veins: is enteral nutrition really better than parenteral nutrition? A look at the evidence. *JPEN* 1998;22:167-182.
- ²²⁴ Hernandez G, Velasco N, Wainstein C, et al: Gut mucosal atrophy after a short enteral fasting period in critically ill patients. *J Crit Care* 1999;14:73-77.
- ²²⁵ Pacelli F, Bossola M, Papa V, et al: Enteral vs parenteral nutrition after major abdominal surgery: an even match. *Acta Surg* 2001;136:933-936.
- ²²⁶ ASPEN Board of Directors and The Clinical Guidelines Task Force: Guidelines for the use of parenteral and enteral nutrition in adult and pediatric patients. *JPEN* 2002;26(1 Suppl).
- ²²⁷ The Veteran Affairs Total Parenteral Nutrition Cooperative Study Group. Perioperative total parenteral nutrition in surgical patients. *N Engl J Med* 1991;325:525-532.
- ²²⁸ van den Berghe G, Wouters P, Weekers F, et al: Intensive insulin therapy in the critically ill patients. *N Engl J Med* 2001;345:1359-1367.
- ²²⁹ awar M, Mehta Y, Kapoor P, et al: Central venous catheter-related blood stream infections: incidence, risk factors, outcome, and associated pathogens. *J Cardiothorac Vasc Anesth* 2004;18:304-308.
- ²³⁰ Zurcher M, Tramer MR, Walder B: Colonization and bloodstream infection with single-versus multi-lumen central venous catheters: a quantitative systematic review. *Anesth Analg* 2004;99:177-182.
- ²³¹ Pemberton LB, Lyman B, Lander V, et al: Sepsis from triple- vs single-lumen catheters during total parenteral nutrition in surgical or critically ill patients. *Arch Surg* 1986;121:591-594.
- ²³² Yeung C, May J, Hughes R: Infection rate for single-lumen vs triple-lumen subclavian catheters. *Infect Control Hosp Epidemiol* 1988;9:154-158.
- ²³³ Hilton E, Haslett TM, Borenstein MT, et al: Central catheter infections: single- versus triple-lumen catheters. Influence of guidewires on infection rates when used for replacement of catheters. *Am J Med* 1988;84:667-672.
- ²³⁴ McCarthy MC, Shives JK, Robinson RJ, et al: Prospective evaluation of single and triple lumen catheters in total parenteral nutrition. *JPEN* 1987;11:259-262.
- ²³⁵ Clark-Christoff N, Watters VA, Sparks W, et al: Use of triple-lumen subclavian catheters for administration of total parenteral nutrition. *JPEN* 1992;16:403-407.
- ²³⁶ Dezfulian C, Lavelle J, Nallamothu BK, et al: Rates of infection for single-lumen versus multilumen central venous catheters: a meta-analysis. *Crit Care Med* 2003;31:2385-2390.
- ²³⁷ Ma TY, Yoshinaka R, Banaag A, et al: Total parenteral nutrition via multilumen catheters does not increase the risk of catheter-related sepsis: a randomized, prospective study. *Clin Infect Dis* 1998;27:500-50.
- ²³⁸ Lee RB, Buckner M, Sharp KW: Do multi-lumen catheters increase central venous catheter sepsis compared to single-lumen catheters? *J Trauma* 1988;28:1472-1475.
- ²³⁹ Schuman ES, Winters V, Gross GF, et al: Management of Hickman catheter sepsis. *Am J Surg*. 1985;149:627-628.
- ²⁴⁰ Shapiro ED, Wald ER, Nelson KA, et al: Broviac catheter-related bacteremia in oncology patients. *Am J Dis Child* 1982;136:679-681.
- ²⁴¹ Gyves J, Ensminger W, Niederhuber J, et al: Totally-implanted system for intravenous chemotherapy in patients with cancer. *Am J Med* 1982;73:841-845.
- ²⁴² Wurzel CL, Halom K, Feldman JG: Infection rates of Broviac-Hickman catheters and implantable venous devices. *Am J Dis Child* 1988;142:536-540.
- ²⁴³ Andrivet P, Bacquer A, Ngoc CV, et al: Lack of clinical benefit from subcutaneous tunnel insertion of central venous catheters in immunocompromised patients. *Clin Infect Dis* 1994;18:199-206.