

参考1 主な死因、性、都道府県別年齢調整死亡率(人口10万対)・順位 一平成27年一

全死因	男		女		肺の悪性新生物		胃の悪性新生物		大腸の悪性新生物		心疾患	
	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位
	①	②	①	②	①	②	①	②	①	②	①	②
全	486.0	255.0	165.3	87.7	39.2	11.1	22.9	8.3	21.0	12.1	65.4	34.2
北海道	505.4	13	265.5	4	47.8	14.4	22.6	8.4	22.4	11	64.4	25
青森	585.6	1	288.4	1	45.4	3	31.1	2	28.3	1	76.8	6
岩手	522.5	3	268.1	6	39.3	20	21.0	36	21.1	19	80.5	2
宮城	471.7	37	242.9	41	40.1	10	21.3	33	18.3	35	65.1	22
秋田	540.3	2	266.4	7	39.3	19	34.1	1	23.5	1	64.6	23
山形	497.2	18	246.8	32	37.7	34	28.3	5	18.0	37	66.6	18
福島	518.9	6	275.7	2	38.3	25	23.8	16	23.8	4	79.2	4
茨城	510.8	10	273.8	3	39.6	15	25.0	13	25.4	3	66.0	20
栃木	505.1	14	272.5	4	36.4	41	27.2	7	23.8	5	78.0	5
群馬	489.9	23	261.1	13	37.7	32	25.3	11	22.6	12	71.0	11
埼玉	485.2	27	261.7	12	38.6	24	23.7	18	21.7	15	71.6	10
千葉	477.2	32	258.3	16	36.0	44	23.2	19	20.9	20	81.0	1
東京都	474.9	35	245.9	35	37.0	35	21.4	31	22.0	14	64.3	26
神奈川県	460.6	42	248.7	30	37.0	36	22.5	27	21.2	18	64.5	24
新潟	487.8	25	243.5	40	39.0	22	28.9	4	21.3	17	60.7	36
富山	493.9	20	246.6	33	38.1	26	29.0	3	19.4	33	55.8	43
石川	473.2	36	249.8	28	41.9	6	22.7	24	17.8	40	60.1	37
福井	453.5	44	241.2	42	36.3	42	20.5	39	19.6	32	61.6	32
山梨	476.0	34	253.6	25	33.4	46	18.5	43	19.9	29	54.3	44
長野	434.1	47	227.7	47	29.3	47	18.0	44	17.3	46	60.8	35
岐阜	476.3	33	256.0	21	37.8	30	26.1	9	19.1	34	67.6	17
静岡県	480.2	28	252.1	26	36.2	43	23.5	40	20.6	22	62.7	29
愛知県	467.9	39	260.2	14	39.9	12	23.0	23	20.4	23	52.6	45
三重	488.3	24	258.1	17	41.6	7	22.4	28	19.6	31	62.8	28
滋賀	437.9	46	240.8	43	39.2	21	22.0	30	17.4	45	62.9	27
京都	455.1	43	245.4	36	39.7	14	21.4	32	20.3	24	69.6	16
大阪	516.3	8	263.7	11	45.6	2	25.4	10	22.3	12	72.9	9
兵庫県	477.8	31	255.5	22	40.0	11	23.2	20	20.3	26	59.4	39
奈良	452.9	45	243.9	38	39.8	13	23.8	17	17.5	42	73.5	8
和歌山	520.7	4	268.9	5	42.0	5	23.1	22	23.0	7	74.5	7
鳥取	518.9	5	246.4	34	40.7	9	26.9	8	22.9	8	58.3	40
徳島	492.6	21	236.9	46	39.5	17	24.3	14	20.0	28	56.0	42
香川県	479.8	29	238.4	45	38.1	27	20.0	41	17.9	39	66.3	19
愛媛	471.2	38	247.3	31	39.5	16	20.6	37	18.0	38	65.6	21
高松	500.1	15	264.1	10	38.0	29	23.2	21	20.3	25	70.8	13
山口	510.5	11	258.9	15	37.8	31	21.1	35	22.8	9	61.6	31
広島	478.8	30	249.8	29	37.7	33	22.6	26	19.6	30	69.8	15
岡山	516.8	7	254.2	23	41.4	8	23.9	15	20.0	27	80.3	3
福岡	506.3	12	244.7	11	39.5	18	28.1	6	21.4	16	70.1	14
佐賀	486.6	26	250.0	24	38.8	23	22.3	29	20.6	21	42.3	47
熊本	491.9	22	257.8	18	38.0	28	25.1	12	17.0	47	50.5	39
鹿児島	496.7	19	256.4	20	43.5	4	20.5	38	22.1	13	62.0	30
沖縄	466.6	40	240.7	44	36.8	37	17.8	46	17.5	43	57.3	41
全国	464.9	41	243.7	39	36.6	40	18.4	45	17.4	44	61.0	34
宮城	498.7	16	257.7	19	35.8	45	11.3	34	17.6	41	71.0	12
鹿児島	512.4	9	264.7	9	36.7	38	19.5	42	18.2	36	60.0	38
沖縄	498.5	17	251.7	27	36.6	39	12.4	47	25.8	2	61.5	33

注:1)都道府県の順位は高率順である。

2)全国の順位の数値は、「平成27年 人口動態統計(確定数)」における性別にみた各死因に係る粗死亡率の高率順(第10位まで)である。

参考1 主な死因、性、都道府県別年齢調整死亡率(人口10万対)・順位 一平成27年一

国	急性心筋梗塞						脳梗塞						肺炎						不慮の事故						自殺	
	男			女			男			女			男			女			男			女			男	女
	率	順位	率	率	順位	率	率	順位	率	率	順位	率	率	順位	率	率	順位	率	率	順位	率	率	率	率	率	率
北海道	14.5	31	5.5	29	37.8	④	21.0	④	18.1	③	9.3	38.3	③	15.8	⑤	19.3	⑤	8.0	⑥	23.0	⑦	24.7	18	9.5	10	
青森	22.8	8	6.8	18	34.7	35	21.0	23	16.8	36	8.8	35	39.5	23	15.1	28	19.3	33	7.8	35	24.7	11	7.4	40		
岩手	16.5	27	5.2	33	51.8	3	29.3	1	26.6	1	13.2	1	49.1	1	19.6	4	25.4	7	9.7	12	26.5	11	7.4	40		
宮城	11.5	39	5.3	32	43.0	13	23.7	11	23.7	3	12.7	4	36.8	30	13.7	39	26.4	4	9.8	11	27.5	6	10.7	3		
秋田	9.5	45	3.1	47	32.4	22	26.9	7	18.1	22	9.8	19	31.1	45	12.9	42	20.2	28	6.0	45	23.4	26	8.3	29		
山形	26.3	4	8.4	7	43.8	10	27.4	5	23.4	7	11.6	7	41.4	13	14.3	32	25.1	8	9.7	14	30.3	1	9.7	9		
福島	34.7	1	15.5	1	43.7	11	27.4	6	22.8	7	12.6	2	40.0	20	14.1	33	21.2	22	9.0	20	28.7	2	8.3	28		
茨城	23.8	6	9.4	5	46.0	6	24.9	10	21.5	9	11.4	10	42.3	11	19.0	6	20.4	27	8.8	22	27.4	7	10.3	4		
栃木	19.7	15	8.2	8	49.1	4	28.5	2	22.1	8	12.7	3	39.9	21	16.9	15	17.4	42	7.3	39	23.6	24	11.1	1		
群馬	12.7	34	4.8	39	39.5	18	23.5	12	20.0	14	11.1	11	41.2	16	17.9	12	19.1	35	8.3	32	27.0	10	10.9	2		
埼玉県	18.1	18	7.4	16	36.7	28	20.9	25	18.1	23	9.7	20	43.7	7	19.0	7	13.9	46	6.3	43	21.3	37	9.2	16		
千葉県	17.3	21	6.5	21	35.8	31	21.7	20	17.7	27	9.7	21	38.9	24	18.2	10	16.7	44	7.4	38	23.3	29	9.5	11		
東京都	11.7	37	4.3	42	35.7	33	19.4	33	16.1	39	8.1	39	36.8	29	14.7	29	13.9	47	5.8	46	21.2	38	9.0	19		
神奈川県	16.2	29	4.8	38	36.6	29	19.0	38	17.0	31	7.8	44	32.9	41	13.8	37	18.9	36	8.5	29	27.0	9	9.7	8		
新潟県	16.7	25	5.8	25	47.7	5	25.4	9	23.0	6	11.4	8	33.8	39	12.1	45	23.3	15	9.9	8	19.5	47	9.7	8		
富山県	19.5	16	5.4	30	43.6	12	22.5	17	21.2	10	9.3	25	41.2	15	16.0	19	27.9	2	12.4	1	24.6	20	24.6	7		
石川県	16.8	24	5.6	28	36.0	30	21.9	19	19.6	15	10.4	13	41.4	12	16.6	18	23.1	16	9.5	15	25.6	13	6.7	44		
福井県	23.1	7	6.6	20	34.3	36	17.9	42	15.8	42	8.3	38	34.8	38	15.8	22	24.6	10	11.0	3	20.7	43	5.4	47		
山梨県	17.7	19	6.8	19	42.0	15	23.0	15	18.5	21	10.0	15	38.5	26	10.5	43	26.4	5	8.7	25	20.4	44	8.0	32		
長野県	16.9	23	5.9	24	41.0	16	22.2	18	20.1	13	11.4	9	26.5	47	10.7	47	20.0	30	7.2	40	25.3	15	8.7	22		
岐阜県	20.4	12	7.8	12	35.6	34	19.8	31	17.3	28	9.3	24	34.9	37	15.3	27	22.8	17	11.2	2	24.4	21	8.6	25		
静岡県	15.6	30	5.6	27	44.5	8	23.3	13	19.0	17	9.1	28	32.7	42	13.5	40	18.6	38	9.1	19	25.3	14	8.0	31		
愛知県	12.8	33	5.4	31	34.2	37	20.7	26	15.9	41	8.9	31	36.7	34	14.3	31	18.6	37	8.6	28	20.2	45	7.8	37		
三重県	21.3	10	7.6	13	37.1	26	23.1	14	17.0	34	9.8	17	38.6	25	15.5	25	20.9	25	9.1	18	24.6	19	8.8	21		
滋賀県	20.3	13	8.1	9	26.4	47	17.1	46	12.4	47	7.3	46	35.1	36	13.8	38	22.6	18	10.2	6	22.2	33	9.1	18		
京都府	11.1	42	4.9	35	33.1	44	18.8	40	15.3	44	7.9	42	35.5	35	13.9	36	15.0	45	4.7	47	21.2	39	8.8	20		
大阪府	13.3	32	5.0	34	33.2	43	16.6	47	17.1	30	7.9	41	44.8	4	19.6	3	17.8	40	8.0	33	23.3	27	9.2	17		
兵庫県	18.5	17	7.6	14	36.9	27	19.1	36	17.2	29	8.9	30	36.5	33	15.7	24	21.0	24	7.8	36	20.7	42	9.9	6		
奈良県	10.5	44	4.1	44	29.0	46	17.8	43	15.2	45	8.9	32	36.5	32	15.9	21	17.2	43	8.7	23	21.1	41	7.6	39		
和歌山県	16.5	26	7.9	11	32.4	45	19.5	32	18.7	19	9.1	27	43.1	9	17.7	13	20.9	26	8.5	30	26.2	12	6.7	43		
鳥取県	26.0	5	10.7	2	45.0	7	22.9	16	24.3	2	9.1	26	32.3	44	11.5	46	21.3	21	10.4	5	24.1	23	6.8	42		
徳島県	11.1	43	4.3	43	38.5	20	21.3	21	18.1	24	10.4	14	32.5	43	12.1	44	19.6	3	7.2	41	28.4	4	9.4	12		
香川県	28.9	3	9.6	4	35.8	32	21.0	24	16.9	35	8.8	34	44.6	5	17.4	14	23.4	14	7.9	34	23.3	28	7.8	34		
愛媛県	16.2	28	6.9	17	33.7	41	19.0	37	16.5	37	7.9	43	39.6	22	15.9	20	22.0	19	8.6	27	21.6	35	7.8	36		
高知県	11.2	40	4.9	36	37.9	23	21.2	22	18.9	18	9.3	23	46.2	2	20.2	2	17.4	41	7.6	37	25.2	16	9.3	15		
福岡県	11.6	38	4.9	37	40.3	17	20.1	29	19.5	16	8.3	37	45.7	3	19.3	5	21.1	23	10.7	4	23.2	30	8.4	27		
佐賀県	12.4	35	6.0	23	37.6	24	18.1	41	17.0	33	9.8	18	27.4	46	14.1	34	21.8	20	9.8	9	21.3	36	8.7	24		
熊本県	11.1	41	4.4	41	38.6	19	20.0	30	18.6	20	9.8	16	40.3	19	15.4	26	26.1	6	9.3	16	24.9	17	9.4	13		
大分県	29.3	2	9.8	3	37.6	25	20.2	28	17.7	26	9.0	29	43.1	10	18.4	8	31.3	1	9.8	10	21.2	40	6.4	45		
宮崎県	11.7	36	4.6	40	33.6	42	17.7	47	16.0	32	8.1	40	42.2	14	16.8	16	20.0	29	8.7	24	23.0	32	8.3	30		
鹿児島県	9.1	46	3.5	46	38.4	21	20.7	27	17.8	25	9.5	22	43.2	8	18.4	9	24.1	11	10.1	7	22.0	34	6.1	46		
沖縄県	21.8	9	8.1	10	34.0	39	19.3	34	15.4	43	8.8	33	37.9	27	15.8	23	24.7	9	8.6	26	23.0	31	7.1	41		
全国	8.6	47	3.5	45	33.9	40	19.2	35	16.3	38	7.4	45	36.5	31	13.2	41	18.4	39	6.9	42	27.4	8	7.8	35		
全国	20.7	11	7.5	15	34.2	38	18.8	39	16.0	40	8.3	36	40.4	18	16.7	17	19.2	34	9.7	13	20.2	46	10.0	5		
全国	17.0	22	6.2	22	42.2	14	26.3	8	20.3	12	10.9	12	40.6	17	18.1	1	24.1	12	8.8	21	27.5	5	8.0	33		
全国	20.2	14	9.2	6	44.1	9	27.5	4	21.2	11	12.1	6	44.1	6	20.3	1	26.6	3	9.2	17	23.5	25	7.7	37		
全国	17.5	20	5.7	26	38.1	22	17.5	45	13.9	46	5.9	47	33.3	40	14.0	35	19.9	31	6.2	44	28.6	3	8.5	26		

注:1) 都道府県の順位は高率順である。

2) 全国の順位の数値は、「平成27年 人口動態統計(確定数)」における性別にみた各死因に係る粗死亡率の高率順(第10位まで)である。

参考1 主な死因、性、都道府県別年齢調整死亡率(人口10万対)・順位 平成27年

国	腎不全				慢性閉塞性肺疾患				肝疾患				糖尿病				老衰				大動脈硬化及び脳血管疾患			
	男		女		男		女		男		女		男		女		男		女		男		女	
	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位	率	順位
全	7.3	⑨	4.0	⑦	7.5	⑥	1.1	19	9.9	⑩	3.5	2.5	4	10.1	⑥	13.4	③	6.4	28	3.3	⑤	3.8	14	
北海道	9.8	2	5.2	3	7.2	32	1.1	19	8.8	27	3.6	16	5.8	25	3.2	4	7.6	40	5.9	28	3.2	27	3.2	27
青森	10.0	1	5.2	3	8.3	13	0.7	42	10.9	8	3.7	2	6.2	15	10.5	19	10.5	19	7.6	40	8.0	3	8.0	3
岩手	6.1	26	4.7	7	7.5	26	1.0	25	9.3	21	3.5	19	6.2	15	10.1	21	10.1	21	7.2	11	7.2	11	7.2	11
宮城	6.1	26	3.7	37	6.5	44	0.6	43	8.9	29	3.1	34	4.5	39	12.4	11	12.4	11	7.7	7	7.7	7	7.7	7
秋田	8.3	9	4.3	16	6.4	43	0.6	43	8.9	29	3.0	35	5.8	22	9.0	30	9.0	30	6.9	16	2.9	36	2.9	36
山形	9.3	3	4.2	13	7.3	30	0.8	32	5.9	47	3.9	8	3.6	46	13.5	4	13.5	4	7.5	8	3.5	19	3.5	19
福島	8.3	11	4.2	13	8.1	16	1.2	11	9.1	23	3.4	22	6.6	11	12.5	10	12.5	10	8.5	2	8.5	2	8.5	2
茨城	8.1	14	4.0	27	8.0	18	0.9	28	9.7	18	4.0	7	6.6	8	11.5	17	11.5	17	6.1	23	4.1	2	4.1	2
栃木	8.8	4	4.7	8	7.1	37	1.2	13	8.6	31	4.3	4	6.0	20	10.7	18	10.7	18	7.8	6	4.1	4	4.1	4
群馬	7.3	29	3.5	41	9.0	4	1.2	9	8.2	37	4.9	2	6.6	10	9.4	26	9.4	26	7.9	4	3.7	15	3.7	15
埼玉	7.8	22	4.0	28	6.8	41	1.1	21	8.0	39	3.4	21	5.8	23	9.0	31	9.0	31	5.7	30	3.0	32	3.0	32
千葉	6.7	37	3.2	45	6.2	46	0.8	34	8.0	40	2.9	38	4.8	34	10.5	20	10.5	20	6.8	17	3.5	18	3.5	18
東京都	6.3	40	3.3	43	7.4	29	1.1	18	12.4	4	3.6	15	5.5	29	9.8	24	9.8	24	7.3	10	3.4	22	3.4	22
神奈川県	5.5	45	2.8	47	6.9	39	1.6	1	12.1	5	2.9	36	3.8	45	12.0	15	12.0	15	6.9	14	3.7	16	3.7	16
新潟	5.6	44	2.9	46	7.2	33	0.7	39	6.9	46	2.4	45	4.6	37	13.2	5	13.2	5	5.2	37	2.5	44	2.5	44
富山	6.2	41	3.6	40	7.5	24	0.5	45	9.2	22	2.4	44	4.6	38	9.8	23	9.8	23	7.1	12	3.9	8	3.9	8
石川	4.5	47	3.8	36	6.6	43	0.7	40	8.4	33	4.3	5	4.9	33	8.9	32	8.9	32	5.5	32	4.0	6	4.0	6
福井	7.4	27	4.1	26	6.9	40	0.8	30	8.2	36	3.5	20	6.3	14	17.4	1	17.4	1	5.0	32	3.0	34	3.0	34
山梨	7.7	23	3.6	39	8.8	5	0.8	31	10.2	13	3.2	28	5	29	13.8	2	13.8	2	6.1	25	3.1	29	3.1	29
長野	5.7	43	3.2	44	7.6	23	0.8	37	10.2	14	2.6	43	5.1	31	12.1	14	12.1	14	6.2	21	3.8	11	3.8	11
岐阜	7.6	24	3.8	33	7.1	34	0.7	41	7.5	44	2.8	40	3.9	44	12.8	7	12.8	7	6.2	19	3.0	35	3.0	35
静岡県	8.0	20	4.2	25	6.2	45	0.8	35	7.8	41	2.6	42	5.6	28	17.4	1	17.4	1	6.9	15	3.8	10	3.8	10
愛知県	7.3	30	3.8	34	6.2	45	0.9	26	7.3	45	4.3	4	6.3	14	12.5	9	12.5	9	7.0	13	3.4	23	3.4	23
三重	8.2	13	4.2	21	8.4	12	1.0	23	8.3	35	3.7	12	6.5	13	13.8	2	13.8	2	7.4	9	3.1	29	3.1	29
滋賀	6.7	36	3.8	35	8.5	10	1.0	22	7.6	43	3.2	26	4.4	41	9.1	29	9.1	29	6.1	26	3.3	25	3.3	25
京都	7.3	28	3.9	32	7.4	28	1.3	8	7.7	42	3.2	29	4.0	43	7.8	39	7.8	39	5.4	35	2.6	42	2.6	42
大阪	8.1	16	5.0	4	8.5	8	1.2	12	13.6	2	4.8	3	6.0	21	6.8	43	6.8	43	5.4	36	2.2	46	2.2	46
兵庫県	6.9	32	4.3	14	7.9	19	1.3	6	10.4	12	3.9	9	6.0	19	9.6	25	9.6	25	6.0	27	3.3	26	3.3	26
奈良	5.0	46	3.7	38	7.4	27	0.6	44	8.7	30	3.2	30	3.6	47	6.8	44	6.8	44	5.5	33	2.7	41	2.7	41
和歌山	8.8	5	4.7	9	10.0	2	1.1	20	11.2	7	3.1	31	4.9	32	12.2	13	12.2	13	5.7	31	3.2	28	3.2	28
鳥取	6.8	35	4.3	15	7.2	31	0.3	47	9.5	19	1.8	46	9.3	1	13.0	6	13.0	6	8.9	1	3.8	12	3.8	12
徳島	6.8	34	3.3	42	8.5	9	0.9	29	8.8	28	1.2	47	4.8	35	13.6	3	13.6	3	4.9	39	2.8	38	2.8	38
香川県	7.2	31	4.2	23	7.5	25	1.2	15	8.5	32	3.4	23	5.8	24	9.3	27	9.3	27	4.6	44	3.1	30	3.1	30
愛媛	8.3	10	4.0	29	7.1	36	1.2	16	8.4	34	4.1	6	5.1	30	9.1	28	9.1	28	4.6	43	3.1	31	3.1	31
高松	8.8	6	4.3	18	7.8	22	1.3	4	10.0	15	3.8	10	6.6	9	8.8	33	8.8	33	6.3	18	3.5	17	3.5	17
山口	8.2	12	5.2	1	10.7	1	1.0	24	11.6	6	3.8	11	6.1	16	12.4	12	12.4	12	4.7	42	2.5	45	2.5	45
広島	8.0	19	4.5	10	8.0	17	0.8	36	9.0	26	3.2	27	7.1	4	9.8	22	9.8	22	4.1	46	1.8	47	1.8	47
岡山	8.6	8	4.3	19	7.9	20	0.8	33	10.5	11	2.8	39	6.1	18	11.7	16	11.7	16	6.1	24	2.6	43	2.6	43
広島	8.8	7	4.4	12	7.9	21	0.7	38	10.8	9	3.2	25	6.1	17	6.4	46	6.4	46	10.4	39	3.0	33	3.0	33
福岡	6.6	38	3.9	30	6.6	42	1.2	14	9.8	17	3.5	18	6.7	7	5.8	47	5.8	47	6.2	22	4.2	1	4.2	1
佐賀	8.1	15	4.3	17	8.7	6	1.3	7	9.0	25	3.5	17	6.6	12	2.5	19	2.5	19	9.8	46	4.5	45	4.5	45
熊本	7.9	21	4.2	24	8.5	7	1.2	17	9.1	24	2.7	41	4.5	40	7.3	41	7.3	41	4.9	40	2.7	40	2.7	40
大分	6.4	39	4.8	5	7.1	38	0.9	27	8.0	38	2.9	37	4.6	36	8.7	34	8.7	34	5.9	29	3.9	17	3.9	17
宮崎	7.4	25	4.4	11	8.4	11	1.2	10	10.5	10	3.1	33	5.7	26	7.9	38	7.9	38	6.2	20	3.8	13	3.8	13
鹿児島	8.0	18	3.9	31	8.2	15	1.6	3	9.4	20	3.3	24	5.6	27	7.1	42	7.1	42	4.9	41	2.8	39	2.8	39
沖縄	8.0	17	4.7	6	8.3	14	1.3	5	13.0	3	3.2	32	7.2	3	8.7	35	8.7	35	7.8	5	4.0	5	4.0	5
全国	6.8	33	4.2	22	9.3	3	1.6	2	18.7	1	6.0	1	6.7	6	8.6	36	8.6	36	5.4	34	4.1	3	4.1	3

注:1) 都道府県の順位は高率順である。

2) 全国の順位の丸数字は、「平成27年 人口動態統計(確定数)」における性別にみた各死因に係る粗死亡率の高率順(第10位まで)である。