

Concerns encountered in the meta-analysis of the causal relationship between coffee consumption and type 2 diabetes

Origasa H, Sakai H.

International Symposium: Systematic Review and Meta-Analysis, Wako, Feb.25, (2005)

新保 卓郎 部長	国立国際医療センター研究所医療情報解析研究部
一般内科・臨床疫学	
Nguyen Duc Hien, Nguyen Hong H, Nguyen Tuong Van, Nguyen Thi Minh Ha, Trinh Thi Minh Lien, Nguyen Quoc Thai, Van Dinh Trang, <u>Takuro Shimbo</u> , Yoshimitsu Takahashi, Yasuyuki Kato, Akihiko Kawana, Samu Akita, Koichiro Kudo. Human infection with highly pathogenic avian influenza A (H5N1) in northern Vietnam, 2004-2005 Emerg Infect Dis 15:19-23,2009	
Nishigaki K, Yamazaki T, Kitabatake A, Yamaguchi T, Kanmatsuse K, Kodama I, Takekoshi N, Tomoike H, Hori M, Matsuzaki M, Takeshita A, <u>Shimbo T</u> , Fujiwara H. PCI plus medical therapy reduces the incidence of acute coronary syndrome more effectively than initial medical therapy only among patients with low-risk coronary artery disease: A randomized comparative multicenter study. JACC Intv 1:369-479, 2008	
Yasuaki Hayashino, <u>Takuro Shimbo</u> , Satoru Tsujii, Hitoshi Ishii, Hirokazu Kondo, Tsukasa Nakamura, Shizuko Nagata-Kobayashi and Tsuguya Fukui. Cost-effectiveness of coronary artery disease screening in asymptomatic patients with type 2 diabetes and other atherogenic risk factors in Japan: Factors influencing on international application of evidence-based guidelines. Int J Cardiol. 118(1):88-96,2007	

川上 浩司	京都大学大学院医学研究科 教授
医薬品の開発と評価	
Overview of clinical application of regenerative medicine products in Japan. Tsubouchi M, Matsui S, Banno Y, Kurokawa K, Kawakami K. Health Policy, 88: 62-72, 2008.	

行政的観点からみた医師主導型臨床研究・治験のインフラの整備. 川上浩司. 医学のあゆみ, 221: 819–823, 2007.

Cytokine receptor as target for immunotherapy and immunotoxin therapy. Koji Kawakami. In: Encyclopedia of Cancer, 2<sup>nd</sup> edition Ed. by M. Schwab, Springer-Verlag GmbH, Germany, pp815-817, 2008.

○ 竹内 正弘	北里大学薬学部臨床医学（臨床統計学）教授
生物統計学	
An autoregressive linear mixed effects model for the analysis of longitudinal data which include dropouts and show profiles approaching asymptotes, Funatogawa T, Funatogawa I and <u>Takeuchi M</u> : Statistics in Medicine, 27(30), 6351–6366, 2008	
S-1 plus cisplatin versus S-1 alone for first-line treatment of advanced gastric cancer (SPIRITS Trial): a phase III trial, Koizumi W, Narahara H, Hara T, Takagane A, Akiya T, Takagi M, Miyashita K, Nishizaki T, Kobayashi O, Takiyama W, Toh Y, Nagaie T, Takagi S, Yamamura Y, Yanaoka K, Orita H and <u>Takeuchi M</u> : The Lancet Oncology, 9(3), 215–221, 2008	
Prediction of Lung Adenocarcinoma without Bessel Invasion: A CT Scan Volumetric Analysis, Tateishi U, Uno H, Yonemori K, Satake M, <u>Takeuchi M</u> and Arai Y: CHEST, 128, 3276–3283, 2005	

武林 亨	慶應義塾大学医学部・教授
疫学、公衆衛生学	
Michikawa T, Nishiwaki Y, Kikuchi Y, Hosoda K, Mizutari K, Saito H, Asakura K, Milojevic A, Iwasawa S, Nakano M, Takebayashi T. Serum levels of retinol and other antioxidants for hearing impairment among Japanese older adults. <i>J Gerontol Med Sci</i> (in press).	

Takebayashi T, Varsier N, Kikuchi Y, Wake K, Taki M, Watanabe S, Akiba S, Yamaguchi N. Use of mobile phone, exposure to radio frequency electromagnetic field and brain tumor: a case-control study. <i>Br J Cancer</i> 2008; 98: 652-659.
Ryu Y, Mizuno M, Sakuma K, Munakata S, Takebayashi T, Masaaki Murakami, Ian R.H.Falloon, Haruo Kashima. Deinstitutionalization of long-stay patients with schizophrenia: the two-year social and clinical outcome of a comprehensive intervention programme in Japan. <i>Australian New Zealand J Psychiatry</i> 2006;40:462-470.

津金 昌一郎	国立がんセンター予防研究部長
疫学・公衆衛生学	
Methionine synthase A2756G polymorphism interacts with alcohol and folate intake to influence the risk of colorectal adenoma. Yamaji T, Iwasaki M, Sasazuki S, Sakamoto H, Yoshida T, <u>Tsugane S</u> . <i>Cancer Epidemiol Biomarkers Prev</i> . 2009;18:267-74.	
Plasma isoflavone level and subsequent risk of breast cancer among Japanese women: a nested case-control study from the Japan Public Health Center-based Prospective Study Group. Iwasaki M, Inoue M, Otani T, Sasazuki S, Kurahashi N, Miura T, Yamamoto S, <u>Tsugane S</u> . <i>J Clin Oncol</i> 2008;26:1677-1683.	
Daily total physical activity level and total cancer risk in men and women: results from a large-scale population-based cohort study in Japan. Inoue M, Yamamoto S, Kurahashi N, Iwasaki M, Sasazuki S and <u>Tsugane S</u> . <i>Am J Epidemiol</i> 2008;168:391-403.	

### 臨床研究支援複合体研究事業事前評価委員名簿

(○ : 委員長)

新井 茂鉄	株式会社メディコン・業界担当部長
薬事規制	

第26回リザーバー研究会2003 リザーバーシステム小委員会活動報告

大井 利夫	上都賀総合病院・名誉院長 日本病院会副会長
整形外科	
大井利夫：「これから の 診療情報管理士」. 診療録管理 . Vol. 20. (1). 14-19. 2008	
大井利夫他共著、「医療安全管理テキスト 病院組織概論」日本規格協会. 125-139. 2005	
大井利夫：「病院医療から見た整形外科の問題点」. 臨床整形外科、36(10). 1175-1180. 2001	

掛江 直子	国立成育医療センター研究所 成育政策科学部 成育保健政策科学研究室 室長
生命倫理学	
<u>掛江直子</u> 、河原直人：バイオエシックスの歴史と展望. 木村利人・掛江直子・河原直人編「いのちのバイオエシックス－環境・こども・生死の決断－」，コロナ社, pp. 1-9, 2008	
<u>掛江直子</u> ：疫学研究とバイオエシックス. 越智貢・板井孝一郎 編「医療情報と生命倫理」，太陽出版, pp. 94-115, 2005.	