平成21年度 特定健康診査・特定保健指導の実施状況 【5 市町村国保_性・年齢階級別】

| | | 全体 | 男 | | | | | | | | 女 | | | | | | | |
|---|---------------------------------|------------|------------|---------|---------|---------|-----------|-----------|-----------|-----------|------------|---------|---------|---------|-----------|-----------|-----------|-----------|
| | | | 40~74歳 | 40~44歳 | 45~49歳 | 50~54歳 | 55~59歳 | 60~64歳 | 65~69歳 | 70~74歳 | 40~74歳 | 40~44歳 | 45~49歳 | 50~54歳 | 55~59歳 | 60~64歳 | 65~69歳 | 70~74歳 |
| 1 2 3 全体的事項 4 | 特定健康診査対象者数 | 22,519,423 | 10,608,164 | 904,627 | 814,565 | 864,838 | 1,189,654 | 1,836,809 | 2,599,693 | 2,397,978 | 11,911,259 | 766,481 | 722,970 | 806,734 | 1,307,656 | 2,445,725 | 3,050,851 | 2,810,842 |
| | 特定健康診査の対象となる被扶養者の数 [※] | | | | | | | | | | | | | | | | | |
| | 特定健康診査受診券を配布した被扶養者の数 ※ | | | | | | | | | | | | | | | | | |
| | 特定健康診査受診者数 | 7,073,811 | 2,886,486 | 127,825 | 129,751 | 148,137 | 226,254 | 462,646 | 893,771 | 898,102 | 4,187,325 | 141,717 | 150,796 | 193,041 | 379,217 | 878,803 | 1,271,434 | 1,172,317 |
| 5 | 特定健康診査実施率 | 31.4% | 27.2% | 14.1% | 15.9% | 17.1% | 19.0% | 25.2% | 34.4% | 37.5% | 35.2% | 18.5% | 20.9% | 23.9% | 29.0% | 35.9% | 41.7% | 41.7% |
| 6 7 特定保健指 導に関する事 項 | 特定保健指導の対象者数 | 1,080,690 | 663,779 | 40,728 | 41,604 | 45,998 | 64,975 | 112,205 | 186,457 | 171,812 | 416,911 | 11,464 | 14,366 | 20,584 | 40,625 | 87,568 | 126,019 | 116,285 |
| | 特定保健指導の対象者の割合 | 15.3% | 23.0% | 31.9% | 32.1% | 31.1% | 28.7% | 24.3% | 20.9% | 19.1% | 10.0% | 8.1% | 9.5% | 10.7% | 10.7% | 10.0% | 9.9% | 9.9% |
| | 特定保健指導の終了者数 | 210,449 | 120,723 | 4,420 | 4,767 | 5,657 | 8,740 | 18,356 | 41,375 | 37,408 | 89,726 | 1,911 | 2,565 | 4,015 | 8,650 | 19,450 | 29,349 | 23,786 |
| | 特定保健指導の終了者の割合(特定保健指導 実施率) | 19.5% | 18.2% | 10.9% | 11.5% | 12.3% | 13.5% | 16.4% | 22.2% | 21.8% | 21.5% | 16.7% | 17.9% | 19.5% | 21.3% | 22.2% | 23.3% | 20.5% |
| 10 11 内臓脂肪症 候群に関する 12 事項 13 | 内臓脂肪症候群該当者数 | 1,134,535 | 720,911 | 20,039 | 25,440 | 34,047 | 56,540 | 120,591 | 222,968 | 241,286 | 413,624 | 3,491 | 5,159 | 9,692 | 26,356 | 74,265 | 133,052 | 161,609 |
| | 内臓脂肪症候群該当者割合 | 16.0% | 25.0% | 15.7% | 19.6% | 23.0% | 25.0% | 26.1% | 24.9% | 26.9% | 9.9% | 2.5% | 3.4% | 5.0% | 7.0% | 8.5% | 10.5% | 13.8% |
| | 内臓脂肪症候群予備群者数 | 807,561 | 508,970 | 24,487 | 24,650 | 27,453 | 41,109 | 80,239 | 151,274 | 159,758 | 298,591 | 5,482 | 6,646 | 10,610 | 23,227 | 56,903 | 93,966 | 101,757 |
| | 内臓脂肪症候群予備群者割合 | 11.4% | 17.6% | 19.2% | 19.0% | 18.5% | 18.2% | 17.3% | 16.9% | 17.8% | 7.1% | 3.9% | 4.4% | 5.5% | 6.1% | 6.5% | 7.4% | 8.7% |
| 14 15 16 服薬中の者 に関する事項 17 18 | 高血圧症の治療に係る薬剤を服用している者 の数 | 2,177,565 | 967,916 | 6,118 | 12,410 | 23,384 | 51,338 | 146,023 | 331,576 | 397,067 | 1,209,649 | 3,157 | 7,807 | 21,061 | 66,291 | 217,706 | 406,175 | 487,452 |
| | 高血圧症の治療に係る薬剤を服用している者 の割合 | 30.8% | 33.5% | 4.8% | 9.6% | 15.8% | 22.7% | 31.6% | 37.1% | 44.2% | 28.9% | 2.2% | 5.2% | 10.9% | 17.5% | 24.8% | 31.9% | 41.6% |
| | 脂質異常症の治療に係る薬剤を服用している 者の数 | 1,306,138 | 377,283 | 4,312 | 7,591 | 11,854 | 21,834 | 56,741 | 128,403 | 146,548 | 928,855 | 1,957 | 4,366 | 12,553 | 49,853 | 176,472 | 327,135 | 356,519 |
| | 脂質異常症の治療に係る薬剤を服用している 者の割合 | 18.5% | 13.1% | 3.4% | 5.9% | 8.0% | 9.7% | 12.3% | 14.4% | 16.3% | 22.2% | 1.4% | 2.9% | 6.5% | 13.1% | 20.1% | 25.7% | 30.4% |
| | 糖尿病の治療に係る薬剤を服用している者の 数 | 408,628 | 227,908 | 2,126 | 3,578 | 6,111 | 13,198 | 35,634 | 76,772 | 90,489 | 180,720 | 873 | 1,533 | 3,230 | 10,239 | 32,670 | 60,961 | 71,214 |
| | 糖尿病の治療に係る薬剤を服用している者の 割合 | 5.8% | 7.9% | 1.7% | 2.8% | 4.1% | 5.8% | 7.7% | 8.6% | 10.1% | 4.3% | 0.6% | 1.0% | 1.7% | 2.7% | 3.7% | 4.8% | 6.1% |

[※]被用者保険の保険者のみ計上