

In One Year
(2025),
New Cases
Registered:

9,899

Deaths(approx.):

1,474

Tuberculosis

Still Exists in Japan Today

Early


Detection,

Early

Diagnosis

for the Right Treatment!

If you have a cough or phlegm lasting two weeks or more, or if you experience a persistent mild fever or fatigue, seek medical attention as soon as possible.




Respiratory Infections
Come in Many Forms, but

Basic Precautions

Are Effective

Respiratory infections, including influenza, COVID-19, and bacterial pneumonia, can often be prevented with basic precautions: handwashing, ventilation, and cough etiquette.



Know the Facts About

Respiratory Infections

Nontuberculous

Mycobacterial

(NTM)

Disease

Causes a Range of Symptoms

NTM disease can cause a range of symptoms, such as persistent cough, phlegm, fever, fatigue, and weight loss. Unlike TB, it does not normally spread person to person.

Persistent Cough? Think

NTM Disease

Visit a

Respiratory

Medicine Clinic

Near You

Diagnosis and treatment can take time, so if symptoms persist, seek care early.

※NTM(nontuberculous mycobacteria)

ORGANIZER



MHLW

Ministry of Health,
Labour and Welfare of Japan

SUPPORT



Cabinet Agency
for Infectious Disease Crisis Management



MEXT

MINISTRY OF EDUCATION,
CULTURE, SPORTS,
SCIENCE AND TECHNOLOGY-JAPAN

Tuberculosis



Acute Respiratory
Infection (ARI)



NTM disease

